



# Equity<sup>NP</sup>



**2016** PRICE BOOK



#### **TABLE OF CONTENTS**

GENERAL INFORMATION4Panels4Power4Raceway4Environmental Impact4Storage4Legacy Customers4SUSTAINABLE DESIGN5NP's Green Manufacturing Process5NP's Green Shipping Initiatives5
TERMS AND CONDITIONS         6           Ordering         6           Pricing         6           Taxes         6           Lead Time         6           Storage Fee         6           Shipping         6           Accessorial Charges         6           Freight Damage         7           Returns         7           Warranty Claims         7           Customer's Own Material         7           Delay/force Majeure         7           Compliance with Law         7           Warranty         8           General Information         8           Key Alike Program         9           GSA Contract Overview         10           GSA Contract Details         11           Wall Mounting Suggestions         12           Wall Mounting Details         13
FINISHES         14           Fabrics         14           Laminates         14           Edge Bands         14           Paints         14           Plexiglass         14           CUSTOM FINISHES PROGRAM         15           Customer's Own Fabrics         15           Customer's Own Laminates         15           Custom RAL Paint Finishes         15

PANELS	16
Features	16
Construction	16
Surface Materials	16
Fabric Panels	18 – 19
Insert Panels	20 – 21
Post Assemblies	22 – 23
End Kits	24
Wall Starter/Wall Mounted Channel	25
Posts (Multi-Height)	26
Connectors/Shrouds	
STACK-ON PANELS	28
Components	28
Stack-on Panel Connectors	28
Spedifying Stack0on	28
Stack-on Diagram	
Stack-on Configurations	
Fabric with slots	
Fabric without slots	
Insert with slots	
Insert without slots	
Stack-on Posts	
Panel Accessories	
Add-on Screens	
Drive and Mandage Develop	

Privacy/Modesty Panels. . . . . . . . . . . . . . . . . 43

ELECTRICAL	44
How to Order	44
Infeeds	46
Technical Data	47
Ceiling Infeeds	48
Base Infeeds	49
Components	50
Jumper	51
Knock-out Replacement Cover	52
Desktop Data & Power	53

WORKSURFACES Features	
Wiring & Cabling Edge Detail	54
Surface Materials General Info	54
Support Information	57
Straights 60 - Corners	62
Extended Corners Corner Peninsulas	64
Peninsulas. Half Round & Linking	66
Blended Double Corner  135° Curved Corner	67
Supports	70
120° Planning	- 73
Transition Tops	
CASCADE WORKSURFACES Cascade Edge	
Straights	
Corner Peninsulas Waves	81
Rounds. Accessories.	
COUNTER CAPS Straights	
Corners	
PANEL SUPPORTED STORAGE Shelves	
Overheads Wall Mounted Channel	87
Task Lights	89
<b>TABLES</b> Features	
Construction Surface Materials	90
Round & Squares Rectangle & Ovals	92
Legs & Bases Privacy/Modesty Panels	

STORAGE	96
Accessories	
Accessories Availability	99
PEDESTALS1	00
Features	100
Construction	
Pull Styles	
Surface Materials	
Pedestals 102 – 1	
LATERALS 1	04
Features 1	
Construction 1	
Pull Styles	
Laterals	
TOWERS	
TOWERS1	
Features1	
Construction	
Pull Styles	
Surface Materials	08
24" Wide	
24" Wide – Side Access	
15" Wide	12
15" Wide – Side Access	13
CREDENZAS 1	14
Features 1	
Construction	
Pull Styles	
Surface Materials	
Credenzas	
Accessories 1	
Credenza – Drawers	
Credenza – Shelves	
Credenza – Common Tops	17
CABINETS 1	18
Features 1	18
Construction	18
Pull Styles	118
Surface Materials	118
Cabinets	
LOCKERS	22
Features 1	
Construction	
Pull Styles	
Surface Materials	
Lockers 124 – 1	
BOOKCASES1	26
Features	
Construction	
Surface Materials	
Bookcases	29

WORKPLACE ACCESSORIES 1	30
Keyboard Trays	132
Keyboard Arms	132
Easy Combos	133
Monitor Arms	134
Monitor Arm Attachments	134
CPU Holders.	135
Accessories	135
Anti-Fatigue Floor Mats	135

#### **General Information**

#### **PANELS**

Width dimension of all panels is centerline to centerline of adjacent panel connectors.

Panel thickness is 1½". Panel thickness at the base covers is 2".

#### **FABRIC PANELS**

Fabric panels incorporate a mineral wool core construction. Fabric panels are acoustical and fully tackable. The base raceway is nominally 5" high.

#### **INSERT PANELS**

Insert panels are constructed with a tapered aluminum frame that is mitered in the corners. Insert panels may be ordered with plexiglass, laminate or as an open frame for complete accessibility through the panel.

#### **STACK-ON PANELS**

Stack-on panels connect on the top of any standard panel to provide additional privacy or new aesthetic options and are also load bearing.

#### **PANEL CONNECTORS**

Panel connectors are 1½" diameter and required at every panel connection and panel end (except when postless end assembly is used). Posts are painted to match the selected trim finish and include an adjustable glide on the bottom for leveling.

#### **POWER**

Fabric and insert panels accept electrical components.

Equity panels distribute power through the office and directly to the individual workstation through field-installed modular, electrical wiring components in the base of the panels. The panel base is factory prepared to accept a terminal block in a centered location where two 20-amp receptacles can be installed; one on each side of a panel, arranged back-to-back. An auxiliary side mount duplex receptacle is also available and plugs directly into the side of the terminal block connector end when a second duplex receptacle is required.

#### **RACEWAY**

The panel base cover provides openings for receptacles and/ or communication outlets, which can be covered when not in use.

All panel bases provide a cable management segment to facilitate lay-in of workstation cables and cords.

#### CABLE CAPACITY

ELECTRICAL	WITH		WITHOUT	
FILL	100%	40%	100%	40%
Cat 5	36	14	102	40
Cat 6	28	11	80	32

#### **ENVIRONMENTAL IMPACT**

Equity takes great pride in providing one of the most environmentally friendly furniture systems available on the market today.

The steel and plastic materials used to construct Equity can be recycled after the product's life. The system is also designed to be cleaned with low environmental impact materials.

The clean technology used to manufacture the Equity system results in negligible off-gassing from the product.

#### **STORAGE**

All storage components come standard locking.

Master key and key alike are available upon request.

#### **LEGACY CUSTOMERS**

Neutral Posture offers legacy products for existing Equity which was ordered before February of 2016. Please contact Sales Support to obtain a copy of the price book which includes these legacy products.

For any code compliance testing data, please contact your Sales Support Representative.

Building an effective Green Program takes a company-wide effort, but we think it's worth the effort to ensure that our manufacturing process leaves the smallest possible footprint on the environment. Neutral Posture products are designed and manufactured to support a long and useful product life. Our products, if need be, can withstand repeated service, repairs and handling; and our products are made with standardized parts and components which make replacing worn out parts easy and as green as possible.

We continually work with many 3rd party organizations to firmly establish a quality Sustainability Program.

- BIFMA level® Certification
- SCS Indoor Advantage Gold Certification
- LEED
- Underwriters Laboratories (UL)
- Canadian Standards Association (CSA)
- Occupational Safety and Health Administration (OSHA)
- ISO 9001:2008

#### **GREEN MANUFACTURING PROCESS**

Neutral Posture is highly efficient in its manufacturing process. New roll forming machines can change between parts with zero scrap. The company has also established a 100% solid waste diversion goal for its manufacturing process and is very close to reaching it. Current manufacturing efforts recycle process water and refrain from using hazardous process chemicals.

#### **PLASTIC**

Neutral Posture uses plastic which contains up to 25% pre-consumer recycled plastics. The majority of the plastics used in Neutral Posture products are #3 & #7 plastics and can be recycled in many areas.

#### STEEL & ALUMINUM

Neutral Posture products contain steel and aluminum that is 100% recyclable. Additionally, up to 25% of this steel comes from preconsumer recycled product. Aluminum maintains a high scrap value and is known for having a very long working life.

#### FABRIC

Neutral Posture maintains an excellent supply of green fabrics. These fabrics are made from pre- and post-consumer recycled materials. Some fabrics contain 100% recycled materials and continues to divert recycled plastic from landfills, turning it into beautiful designs.

#### **PANEL INNER**

Neutral Posture uses mineral wool, spun from basalt and volcanic rocks to provide lightweight, sound resistant panels. These mineral wool inserts are considered rapidly renewable products.

#### WOOD

Wood worksurfaces and panels use 100% recycled/recovered wood fiber. All adhesives used in these products are virtually VOC-free and pass stringent emission standards.

#### **GREEN SHIPPING INITIATIVES**

Neutral Posture holds their freight carrier partners accountable to similar criteria as suppliers, however, due to the immense impact freight companies have on the environment, all carriers must also become a partner in the Environmental Protection Agency (EPA) SmartWay program within one year of service. All freight carriers are screened through a logistics company and become a partner associate with Neutral Posture based on annual evaluation reports.

#### PACKAGING OPTIONS

Our cardboard shipping boxes are produced from 45% recycled material and 100% of the materials come from renewable pulp sources. For large orders, customers can choose to use a box made from 100% recycled materials for an upcharge.

#### A LONG AND HEALTHY PRODUCT LIFE

Neutral Posture products are made to last, as is evidenced by our limited lifetime warranty. Neutral Posture has been around since the 1980s and it is not unusual to find original products from our first year of production in perfect working condition. Although we are continually improving our products, we allow for retrofitting of earlier generations. This allows the customer to upgrade individual components as desired without having to discard the product they already have or purchase a new one. This helps avoid filling landfills with used chairs and is another way in which Neutral Posture customers contribute to their immediate health and wellbeing as well as the continued wellness of our environment.

For more information about Neutral Posture's sustainable design, visit Neutral Posture.com/sustainability

#### **TERMS AND CONDITIONS**

For all non-rated or new accounts, payment terms are Cash in Advance (C.I.A.) until credit has been approved or rated. Please send full credit information and references and allow time for Credit Department approval.

For all established accounts, payment is due within thirty (30) days from the invoice date. Neutral Posture (NP) reserves the right to change or cancel the terms of sale based on volume, credit rating and/or credit information. Prepayment, whole or in part, may be requested at any time at the discretion of the corporate office. For orders greater than \$100,000 net, a fifty percent (50%) deposit is due at the time of order placement, with the remainder due within thirty (30) days of the date of invoice.

Past due accounts are subject to a 1.5% late charge or maximum amount permitted under local law, for each thirty (30) days the outstanding balance remains open after the due date.

Withholding of payments based on carrier damages, shortages or other disputes is illegal and subject to charges.

Neutral Posture does not accept credit cards.

#### **ORDERING**

All orders must be in writing; faxed, e-mailed or mailed. The product pattern number(s) contained in the order acknowledgment shall be the final expression of the order. A purchase order is not binding on NP until customer has received NP's order confirmation or acknowledgment. Orders must have a contact name and phone number. Orders may not be canceled without written consent of Neutral Posture.

To expedite complete/correct entry of your order, be certain all pattern numbers, quantities, colors and area identifications are completely specified. Also, include complete purchase order number(s), bill-to and ship-to addresses, a contact name and specific factory shipping dates required.

Orders should be sent to:
Neutral Posture, Inc
3904 N Texas Avenue Bryan, TX 77803
979.778.0502 (Option 2)
800.446.3746
979.778.0408 FAX
E-mail: oe@neutralposture.com

When an order is received, it is assigned a scheduled ship date. That date is shown on the customer's acknowledgment.

Purchase orders may not be changed or canceled, in whole or in part, without prior written consent of NP. Changes may affect delivery dates. Expenses incurred because of changes shall be charged to customer. In the event of cancellations, customer will be liable for reasonable cancellation charges established by NP. Orders for special product, orders including customer's own material (COM) and orders pursuant to expedited delivery programs, may not be canceled.

A minimum of 3% of net expedite fee will be charged for orders requiring less than standard lead times.

#### **PRICES**

Prices are subject to change without notice. List prices shall be those in effect on the date of receipt of purchase order unless shipment is requested more than ninety (90) days after order entry in which case prices in effect on the date of shipment apply. Prices in effect at time of shipment prevails in the event of a discrepancy.

#### **TAXES**

All sales, use, excise and other taxes applicable to the sale of the products shall be paid by customer. If customer claims an exemption from any tax, customer shall submit to NP the appropriate exemption certificates.

#### **LEAD TIME**

Please contact Sales Support for current lead time at customerservice@neutralposture.com or 979.778.0502.

#### **STORAGE FEE**

Any changes made by the customer to postpone the delivery date on orders which have already gone into production, will be charged a storage fee. This fee will be applied to both partially and fully built orders. NP will advise of fee prior to applying charge.

#### **SHIPPING**

Most NP products include free shipping. All standard discount orders are F.O.B destination delivered by parcel or prepaid freight to commercial shipping points located within the forty-eight (48) contiguous United States, District of Columbia and within Canada, excluding the Yukon, Northwest Territories, Nunavut and Newfoundland. NP will designate the shipping mode and carrier based on geographical location and best service defined by our Logistics Department.

For orders shipping outside the forty-eight (48) contiguous United States, District of Columbia and within Canada, excluding the Yukon, Northwest Territories, Nunavut and Newfoundland, customer pays shipping from port of embarkation to destination and order will be shipped "best way". Customer will incur additional charges if they choose to specify a freight carrier.

Even though free shipping does apply to most domestic orders, in some cases accessorial charges may apply for specialized freight services beyond normal pick up, transport, and delivery such as limited access, high security, re-consignment and unusual wait times. Consignee will be responsible for paying accessorial charges relating to their orders. The following list includes, but is not limited to, accessorial charges that will apply to domestic orders. Please contact Sales Support at customerservice@neutralposture.com for a quote.

#### **Accessorial Charges (Net)**

Inside Delivery/Pick Up Lift Gate Required Limited Access Delivery Notification/CBD Residential Delivery Ship Fully Assembled Pre-delivery Notification Re-delivery/Return Trip

#### **TERMS AND CONDITIONS**

#### **FREIGHT DAMAGE**

Upon receipt of shipment, check delivery for shortages or signs of damage. If a problem is discovered, bring it to the driver's attention immediately. If any of the goods called for on the Bill of Lading are shorted or damaged, consignees should not accept them until the carrier makes a notation on the freight bill of the shorted or damaged goods. The more precise your notation, the easier the claim can be resolved. NP's responsibility ceases when the consignee signs the freight delivery receipt as received in good condition. Shipping claims must be made within thirty (30) days of shipment delivery.

#### **RETURNS**

The return of product without written authorization by NP shall not be accepted. All merchandise returns must be pre-approved by the corporate office and sent freight prepaid. Contact the Warranty Department, warrantyrequest@neutralposture.com, to receive a Return Merchandise Authorization (RMA) number for any return. RMAs are valid for thirty (30) days and any returned merchandise without a RMA number will be refused.

No deductions from any NP invoices can be made for return merchandise until it is approved by the corporate office. No deductions will be honored until returned goods are processed through our Quality Control Audit.

All returns for canceled orders must be pre-approved by the corporate office and sent freight prepaid. No returns will be authorized unless our inventory allows it, the parts are in good reusable condition and it was sold within the last thirty (30) days. Authorized seating returns will be charged a thirty percent (30%) (twenty percent (20%) for GSA) restocking fee, by agreement, to cover handling, inspection, stocking and repackaging. Authorized systems returns are subject to a forty-five percent (45%) of list restocking charge. Products not currently offered for sale by NP (including COM) shall not be authorized for return. All returned products must be unused, in original condition and in the original NP packing cartons. No refund or credit will be given for damaged products.

#### **WARRANTY CLAIMS**

Neutral Posture reserves the right to specify that items or parts claimed to be defective, be returned to the factory for our inspection. If the claim is justified, repair or replacement of defective parts under warranty will be made through NP at no cost to the customer. NP will, at its discretion, reimburse the furniture dealer for labor (actual costs only) on warranty parts. The furniture dealer must submit a quote to be approved prior to service. If approved, the furniture dealer must then submit an invoice to NP for reimbursement after the service is completed. Freight for products and parts covered under warranty will be covered for the forty-eight (48) contiguous states, the District of Columbia and Canada, excluding the Yukon, Northwest Territories, Nunavut and Newfoundland, with the method of shipping at NP's discretion. All claims must include the product serial number. NP will have no warranty obligation if the product was subjected to abuse, alteration, misuse, negligence or accident or if the user fails to perform the proper maintenance for the product.

#### **CUSTOMER'S OWN MATERIAL**

A customer who requests a fabric or other surface material not standard to NP's line of products (COM), must submit samples of the requested material to NP prior to entry of a customer order. NP shall determine if the material is suitable to its manufacturing processes and meets any requirements of Underwriters Laboratories and/or Canadian Standards Association. If the COM is acceptable, NP will then establish a price for using the COM. For a description of the procedures for submitting samples and testing, contact Sales Support. NP shall have no responsibility for the appearance, condition, performance, durability, colorfastness or any other physical attribute of the COM. Customer shall indemnify and hold NP harmless for any damages, injuries or losses arising out of or related to use of the COM on the product.

#### **DELAY/FORCE MAJEURE**

Neutral Posture shall not be liable for failure to perform or for delay in performance due to fire, flood, strike or other labor difficulty, act of God, act of any governmental authority or of the customer, riot, embargo, fuel or energy shortage, wrecks or delay in transportation, inability to obtain necessary labor, materials or manufacturing facilities from usual sources or failure of suppliers to meet their contractual obligations, or due to any cause beyond its reasonable control. If any such event occurs, Neutral Posture may extend delivery dates by a period of time necessary to overcome the effect of such delay, allocate available product or cancel any purchase order.

#### **COMPLIANCE WITH LAW**

Customer is solely responsible for compliance with all applicable federal, state and local laws, ordinances, regulations, rules and standards relating to the installation, maintenance, use and operation of the products.

## **Selling Policy**

#### WARRANTY

Neutral Posture warrants to the original purchaser only that the products Neutral Posture manufactures and sells to purchaser are free of defects in workmanship and materials, during the applicable warranty period set forth below.

This comprehensive warranty applies to all products installed or reconfigured by an authorized installer.

Warranty period set forth below is for 24-hour, 7 days a week, multi-shift use. Should any failure occur to a product listed below during the applicable warranty period from the date of shipment, Neutral Posture shall, upon prompt written notice, repair or replace, at its option, the affected part or parts.

#### PRODUCT AND PERIOD OF WARRANTY

#### Lifetime

Panels and panel connector parts, high pressure laminate worksurfaces, table tops and common tops, storage, modesty/privacy screens

#### 10 Years

Cascade worksurfaces, height adjustable worksurface supports (except for gas lift), laminate overhead doors, desktop and storage accessories (unless otherwise specified)

#### 5 Years

Table bases, tapered table legs, anti-fatigue mats, operational parts, controls, electrical, lighting (except light ballasts, bulbs and power supply), special or custom product, height adjustable worksurface support gas lift

#### 3 Years

Electric height adjustable bases (including motor), fabric

#### 1 Year

Light ballasts, bulbs and power supply

This warranty does not apply to:

- Damage caused by a carrier.
- Normal wear and tear or acts or omissions of parties other than Neutral Posture (including user modification, improper use or installation of products).
- COM or other third party materials applied to products.
- Products not installed by or under the auspices of a Neutral Posture Dealer.
- Dramatic temperature variations or exposure to unusual conditions.
- Changes in surface finishes including colorfastness due to aging or exposure to light.

The express warranties contained herein are in lieu of all other warranties, express or implied, including any warranties of merchantability and fitness for particular purpose and all other warranties arising from course of dealing or usage of trade.

The remedies provided above are the customer's sole remedies for any failure of Neutral Posture to comply with its obligations regarding the workmanship of its products. Correction of any nonconformity in the manner and for the period of time provided shall constitute complete fulfillment of all liabilities of Neutral Posture, with respect to or arising out of the product furnished hereunder.

#### **GENERAL INFORMATION**

#### **CERTIFICATION**

Independent tests show that Equity components meet or exceed current ANSI/BIFMA X5.6 Panel System and ANSI/BIFMA X5.9 Storage Unit standards. Electrical components are UL listed. Panels have tested to NRC ratings of 0.75.

#### SCS INDOOR ADVANTAGE CERTIFICATION

The Equity product line is certified by SCS Global Services for indoor air quality.

#### DESIGN

NP reserves the right to make changes and improvements in design and materials and to discontinue parts and components at the discretion of NP.

#### **WOMEN'S BUSINESS ENTERPRISE (WBE)**

This certification is administered by the Women's Business Enterprise National Council (WBENC) and is used by most large corporations to qualify potential vendors as credible diversity suppliers.

#### WOMAN OWNED SMALL BUSINESS (WOSB)

The U.S. Small Business Administration's WOSB Federal Contract Program provides greater access to federal contracting opportunities for WOSBs. The program allows contracting officers to set aside specific contracts for certified WOSBs and helps federal agencies achieve the existing statutory goal of five percent of federal contracting dollars being awarded to WOSBs. NP is certified as a WOSB.

#### HISTORICALLY UNDERUTILIZED BUSINESS (HUB)

The Texas Historically Underutilized Business (HUB) program encourages the use of HUBs in state procurement and provides information to minority and woman-owned businesses on the state's procurement process.

## BUSINESS AND INSTITUTIONAL FURNITURE MANUFACTURER'S ASSOCIATION

NP is a member of the Business and Institutional Furniture Manufacturer's Association (BIFMA). Tests developed by BIFMA and approved by the American National Standards Institute (ANSI) determine the strength and durability of office furniture in its everyday use. Although this testing does not serve as a warranty or guarantee, NP standard products within this price list meet or exceed applicable ANSI/BIFMA X5.6 Panel Systems and ANSI/BIFMA X5.9 Storage Unit standards. Combinations of options added on to the standard products may not meet ANSI/BIFMA standards. Those combinations which do not meet ANSI/BIFMA standards are not available on GSA. Additionally, Equity is BIFMA level 1 certified. For more information, contact Sales Support at customerservice@neutralposture.com.

#### **GENERAL INFORMATION**

Following is the Neutral Posture key lock policy, applicable to all products.

Neutral Posture pedestals, overheads, and storage cabinets ship without lock cores installed. The locks are field installed. If your purchase order does not specify key-alike you will automatically receive random lock cores with your order.

Neutral Posture furniture can be keyed-alike or random keyed.

#### **KEY-ALIKE**

Furniture may be keyed alike at no charge. Write "key-alike" in the description of your purchase order for any storage piece you wish to have keyed alike.

Using the key-alike instructions, order cores and keys as line items on your purchase order. Neutral Posture will select key numbers from the standard range of 226 – 425. Key numbers will not be repeated unless over 199 sets are ordered.

There is no charge for key-alike orders if placed with the furniture order.

If product is ordered and shipped random-keyed, additional lock cores for key-alike are billable.

#### **KEYS**

A key is shipped with every lock core. 199 Key numbers are available. For numbers above 199, contact Sales Support. Additional keys and key blanks are available.

#### **MASTER KEYING**

Neutral Posture locks can be controlled by means of a master key. There is no additional per-lock charge for master keying. Master keys must be ordered separately.

#### **INSTALLING LOCK CORES**

Lock cores can be installed or removed in the field by using a change key. Cores must be in the unlocked position to be removed. See service parts for change key pattern number and pricing.

#### **SERVICE PARTS**

MODEL#	DESCRIPTION	LIST
NLCKE	Shrouded Key (Specify key number desired)	\$18
NAKC	Change Key	\$18
NKM	Master Key	\$18

NOTE: A letter of approval on company letterhead from the client must accompany all orders for master keys.


NOTE: Neutral Posture locks/keys are not compatible with Knoll Equity pedestals/double pedestals.

#### **HOW TO SPECIFY KEY-ALIKE**

Following is an example of how to specify keyalike for a cluster of 10 workstations.

#### STFP 1

Using the project floor plan, count the number of locks in each workstation.



#### STEP 2

Count the number of workstations with the same quantity of locks. Group together the workstations with a like number of locks.

5 workstations with 2 locks per station 3 workstations with 4 locks per station 2 workstations with 5 locks per station

#### STEP 3

For the first group (5 sets of 2 locks), enter the number of workstations in the quantity column.

QTY	MODEL#	DESCRIPTION	UNIT LIST	EXT LIST
5	NSPEC 2	Set of 2 cores/keys	N/C	N/C

#### STEP 4

Then enter the pattern number "NSPEC\_\_" and add a suffix for the number of locks for that group (i.e., for 2 locks per station, add the suffix "2"). Up to 30 lock cores are available in a set (i.e., NSPEC 30).

QTY	MODEL#	DESCRIPTION	UNIT LIST	EXT LIST
5	NSPEC 2	Set of 2 cores/keys	N/C	N/C

#### STEP 5

Repeat for other groups.

QTY	MODEL#	DESCRIPTION	UNIT LIST	EXT LIST
5	NSPEC 2	Set of 2 cores/keys	N/C	N/C
3	NSPEC 4	Set of 4 cores/keys	N/C	N/C
2	NSPEC 5	Set of 5 cores/keys	N/C	N/C

Your key instructions are complete.

Neutral Posture will select key numbers for each set from 199 available numbers.

For additions to existing installations, specify desired key numbers in the description.

### **GSA Contract Overview**

#### **GSA CONTRACT**

We have had a contract with GSA for over 20 years and they continue to be our most favored customer.

NP is dedicated to helping government agencies meet their facilities and acquisition needs. NP is registered with the Central Contractor Registry (CCR) with ORCA certifications, has an assigned cage code of 0UTL8 and is eligible to receive federal contract awards. NP is also recognized as a Woman Owned Small Disadvantaged Business by the Small Business Administration.

#### **WOMAN OWNED SMALL BUSINESS (WOSB)**

The U.S. Small Business Administration (SBA) has issued the Final Rule to amend its regulations governing small business contracting procedures. The SBA has increased the emphasis and awareness of contracting mandates regarding the new 5% spend mandate for WOSB similar to those in place for 8a, SDV and HUB Zones businesses.

As a WOSB, woman owned office furniture manufacturer, we have a Packaged Office contract that includes many great manufacturing partners. We are also willing to team with other manufacturers to help support strong GSA Dealers and meet the needs of our customers. As a WOSB, NP is perfectly positioned with a strong Packaged Office contract and partners to capture this business.

For more information please visit NeutralPosture.com/WOSB

#### **GSA OVERVIEW**

GSA Contract# GS-27F-0014Y

#### Schedule 71 - Furniture

SIN 71-1	Packaged Office
SIN 71-205	Chairs-Dining Room, Desk, Side, Period Style and Bar Stools
SIN 711-1	Furniture Systems and Workstation Clusters
SIN 711-11	Tables and Accessories
SIN 711-18	Multipurpose Seating
SIN 711-19	Stacking Chairs and Dollies
SIN 711-2	Worksurfaces, Workstations, Computer
	Furniture and Accessories
SIN 711-3	Filing and Storage Cabinets, Shelves, Mobile
	Carts, Dollies, Racks & Accessories
SIN 711-91	Project Management (Furniture Related)
SIN 711-94	Office Design/Layout Services
SIN 711-95	Installation services

#### **NAICS CODES**

337214	Office Furniture (except wood) Manufacturing
337211	Wood Office Furniture Manufacturing
337127	Institutional Furniture Manufacturing
423210	Furniture Merchant Wholesalers

NP products may be found on GSA Advantage and AF Advantage.

#### **GSA Contract Details**

#### 1a. Special Item Numbers Awarded SIN 711-1 **Furniture Systems and Workstation Clusters** SIN 711-11 Tables and Accessories SIN 711-18 Multipurpose Seating SIN 711-19 Stacking Chairs and Dollies SIN 711-95 Installation Services Worksurfaces, Workstations, Computer SIN 711-2 **Furniture and Accessories** SIN 711-3 Filing and Storage Cabinets, Shelves, Mobile Carts, Dollies, Racks & Accessories SIN 711-91 Project Management (Furniture Related) SIN 711-94 Office Design/Layout Services SIN 71-1 Packaged Office SIN 71-205 Chairs-Dining Room, Desk, Side, Period Style and Bar Stools 1b. Lowest Priced Item

SIN 71-1	Call Corporate Office	
SIN 71-205	ONGO	\$336.00
SIN 711-1	EP3P29 Single Post	. \$32.55
SIN 711-11	Call Corporate Office	
SIN 711-18	NCUGG1 Urethane	\$151.20
SIN 711-19	NSID115 Grade C	\$336.00
SIN 711-2	Call Corporate Office	
SIN 711-3	SPTRY Pencil Tray	\$5.95
SIN 711-95	Not Applicable	

#### 1c. Installation Rate — SIN 711-1, 711-3, 711-11

\$51.50 per hour (non-union inclusive IFF) \$106.25 per hour (union inclusive of IFF)

#### Project Management Fee — SIN 711-91

Senior Project Manager \$75 per hour (inclusive IFF) Project Manager \$55.58 per hour (inclusive IFF) **Project Coordinator** \$50 per hour (inclusive IFF)

#### Design/Layout Fee - SIN 711-94

\$65 per hour (inclusive IFF)

\$85 per hour CADD service (inclusive IFF)

#### Maximum Order

SIN 71–1
SIN 71–205
SIN 711–1\$500,000
SIN 711–11
SIN 711–18. \$200,000
SIN 711–19
SIN 711–2\$200,000
SIN 711–3\$500,000
SIN 711–91
SIN 711–94
SIN 711–95\$150,000

#### Minimum Order

All SINs 

#### **Geographic Coverage**

CONUS & OCONUS

#### 5. Point of Production

3904 N. Texas Avenue, Bryan, Brazos County, Texas, USA

#### 6. Discount from List Price

#### **Seating/Workplace Accessories**

SIN 711-2, 711-18, 711-19, 711-205 — Discount 58%

#### Systems

SIN 711-1, 711-3, 711-11 — Discount 65%

#### **Quantity Discounts**

No discount tiers have been negotiated.

#### **Prompt Payment Terms**

Net 30 Days

#### **Government Purchase Cards Accepted**

Visa/Master Card

#### 10. Foreign Item

None

#### 11a. Time of Delivery

5 - 90 days after receipt of order

#### 11b. Expedited Delivery

Expedited delivery available. Contact NP Sales Support.

#### 11c. Overnight and 2-day Delivery

Available with an upcharge. Contact NP Sales Support.

#### F.O.B. Points

Destination/CONUS, within the 48 contiguous states and the District of Columbia. Port of embarkation for delivery to Alaska, Hawaii, Puerto Rico, the Virgin Islands and U.S. Government installations overseas.

#### 13. Ordering Address

Neutral Posture, Inc. attn: Order Entry/ \* or dealer 3904 N. Texas Avenue Bryan, TX 77803 979.778.0502 800.446.3746 fax 979.778.0408 oe@neutralposture.com

\* Authorized Dealers should be cited on order

#### 14. Payment Address:

Neutral Posture, Inc. 3904 N. Texas Avenue Bryan, TX 77803

#### **Warranty Provision:**

Neutral Posture's commercial warranty applies.

#### **Export Packing Charges:**

Contact NP Sales Support for quote

#### Terms and Conditions of Government Purchase Card:

Government purchase cards will be accepted for purchases at prices shown in this authorized price list (no additional discount offered).

#### Terms and Conditions Of Rental, Maintenance, and Repair: Not applicable

#### Terms and Conditions of Installation:

Installation and instruction are available from authorized dealers. Please contact your local NP Dealer for pricing.

#### 20. Terms and Conditions of Repair Parts:

Repair parts are offered at the agreed upon discount from the NP repair parts price list in effect at the time the repair parts are ordered.

#### 11a. Terms and Conditions for Any Other Services:

GSA has accepted all of our standard terms and conditions as noted on page 6-7.

#### 21. List of Service and Distribution Points:

Not applicable

#### List of Dealers:

Please contact NP, or visit NeutralPosture.com for the name of your nearest authorized Dealer.

#### 23. Preventive Maintenance:

Not offered or applicable

#### **Environmental Attributes:**

Not applicable

#### Other Information:

Tax Identification Number (TIN): 74-2983577 DUNS: 61-0339723 Cage Code: 0UTL8 CEC: 61134982 SIC/NAICS: 2522/337214

#### 26. CCR:

NP is registered in System For Award Management (SAM) and Central Contractor Registration (CCR) database.

NOTE: It is mandatory that all Government purchase orders be made out to NP only. Local Dealers are not authorized to accept purchase orders, issue invoices or receive payment of Government funds for these items without serious violation of this Federal Supply Schedule Contract.

## **Wall Mounting**

#### **WALL MOUNTING SUGGESTIONS**

The following information is provided only as a guide, and represents minimum recommendations only. Neutral Posture does not accept responsibility for the attachment of any Neutral Posture product to a Customer's site wall. Wall specification/construction is the responsibility of the Customer and its structural engineer/architect. Failure to properly attach Neutral Posture products to adequate wall structures can lead to property damage and/or personal injury.

You should consult your own structural engineers and/or architects and must not rely on the information provided herein.

It is the responsibility of the Customer and its structural engineers/architects to verify that the permanent structural walls (studs, blocks, solid masonry, etc.) on which the Neutral Posture products are intended to be mounted are designed appropriately to support the product weight, PLUS 3 lbs. per linear inch for each usable shelf length

NOTE: A cabinet's top is considered a "usable shelf" and MUST be included in the calculation of the total load for an overhead cabinet.

It is the responsibility of the Customer and its structural engineer/architects to specify the fasteners and method for attaching the Neutral Posture supplied wall mounting cleat, bracket, frame, etc. to the supporting wall and to confirm that the installers have adhered to these specifications. For all local building standards and codes, and additional requirements (including, but not limited to, seismic conditions) the Customer should always consult local code agencies.

#### **New Construction**

#### **Existing Construction**

		Cinder Block or Poured Concrete Masonry Wall	Wood Stud Wall, the studs being <b>FULL HEIGHT</b> to the roof/floor above	Wood Stud Wall, the studs being only Ceiling Height	Steel Stud Wall, the studs being <b>FULL HEIGHT</b> to the roof/floor above	Steel Stud Wall, the studs being only Ceiling Height
Stud Specification	Wood studs, grade #2 or better, 3 ½" minimum width, OR Metal studs, minimum 25 gage thickness, 3 %" minimum width	The wall must be a minimum of 6" thick, and must be full height to the roof/floor structure above	Wood studs must be Grade #2, or better, 3 ½" minimum width	Wood studs must be Grade #2, or better, 3 ½" minimum width	Metal studs must be minimum 25 gage thickness, 3 %" minimum width	Metal studs must be minimum 25 gage thickness, 3 %" minimum width
Stud Centers	Metal and wood studs must be spaced at 16" c/c maximum.	N/A	Wood studs must be spaced at 16" c/c maximum.	Wood studs must be spaced at 16" c/c maximum.	Metal studs must be spaced at 16" c/c maximum.	Metal studs must be spaced at 16" c/c maximum.
Stud Height	Metal and wood studs must extend upwards, and be securely attached to the roof/floor structure above.			Wood studs must be braced above the ceiling, and be securely attached to the roof/floor structure above Affix #2 grade 'cap' across the top of the studs, then place diagonal studs from the top cap up to underside of the roof/floor structure above.		Metal studs must be braced above the ceiling and be securely attached to the roof/floor structure above Affix metal bracing 'cap' across the top of the studs. Then place diagonal studs from the top cap up to underside of the roof / floor structure above.
Mounting the Neutral Posture Supplied Cleat, Bracket, Frame, etc	Insert a 2" x 6" wood block, #2 grade or better, [or a locally approved flexible wood backing system] horizontally between each of the studs to accommodate the full width of the cabinet and beyond to the next stud.  Fasten the wood block to each stud using three screws at the ends of each block.  (Fasten the locally approved wood backing system as directed by the manufacturer.)  Fasten the Neutral Posture supplied wall mounting cleat, bracket, frame, etc directly to each wood block every 6".  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6" and fasten the lower horizontal element to each wall stud, using one fastener per stud.	Fasten the Neutral Posture supplied cabinet wall mounting cleat, bracket, frame, etc. directly to the masonry wall every 6".  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wall every 6" and fasten the lower horizontal element to the wall every 16".	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet and beyond to the next stud.  Insert a 2" x 6" wood block, #2 grade or better, horizontally between each of the exposed studs.  Fasten the wood block to each stud using three screws at the ends of each block.  Replace the drywall and repair as desired.  Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6".  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud.  Insert a 2" x 6" wood block, #2 grade or better, horizontally between each of the exposed studs.  Fasten the wood block to each stud using three screws at the ends of each block.  Replace the drywall and repair as desired.  Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6".  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet and beyond to the next stud.  Insert a 2" x 6" wood block, #2 grade or better, [or a locally approved flexible wood backing system] horizontally between each of the exposed studs.  Fasten the wood block to each stud using three screws at the ends of each block.  Replace the drywall and repair as desired.  Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6".  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet and beyond to the next stud.  Insert a 2" x 6" wood block, #2 grade or better, [or a locally approved flexible wood backing system] horizontally between each of the exposed studs.  Fasten the wood block to each stud using three screws at the ends of each block.  Replace the drywall and repair as desired.  Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6".  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6" and fasten the lower horizontal element to each wall stud, using one fastener per stud.
Fasten the Neutral Posture supplied wall cleat with	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	%e" x 3 ½" masonry screws Screws or equiv. in every mounting hole provided with 1 ½" embedment, screwed directly into the masonry wall	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking

## **Finishes**

FABRICS			LAMINATES		EDGE BANDS
A			L1		
Aerial	Victor	F1206	Linen	SS-LN	Linen
Candid	Guilford of Maine	F3007	Grey Mesh	SP-GRM	Grey Mesh
Cross Check	Mayer	F299	Soft Gold Mesh	SP-SGM	Soft Gold Mesh
Dune	Victor	F4505	Mangalore Mango	SW-MGM	Mangalore Mango
Forte	Mayer	F298	Mission Maple	SW-MNM	Mission Maple
Netiquette	Victor	F1241	Sterling Ash	SW-STA	Sterling Ash
Off the Grid	Victor	F1233	Organic Cotton	SS-OC	Organic Cotton
Pact	Momentum	F0911	Nickle Ev	SS-NEV	Nickle Ev
Quadrille	Victor	F4701	Casual Linen	SS-CLN	Casual Linen
Quasar	Victor	F4226			Astro Strandz
Quattro	Mayer	F300	L2		_ Vapor Strandz
Sprite	Guilford of Maine	F2671	Astro Strandz	PP-AST	Cosmic Strandz
Strata	Mayer	F164	Vapor Strandz	PP-VST	Asian Sand
_			Cosmic Strandz	PP-CST	Studio Teak
В			Asian Sand	PW-ASD	Shaker Cherry
Cape Cod	Guilford of Maine	F3073	Studio Teak	PW-STK	Silver Alchemy
Dashing	Victor	F1204	Shaker Cherry	PW-SCH	Empire Mahogany
Grasscloth	Mayer	F137	Silver Alchemy	PW-SAL	Biltmore Cherry
Infinity	Momentum	F0914A	<b>Empire Mahogany</b>	PW-EMH	Beige
Luminary	Mayer	F100	Biltmore Cherry	PW-BCH	Khaki Brown
Marathon	Momentum	F0914B			Fashion Grey
Metallation	Guilford of Maine	F5118			Sand
Metro	Guilford of Maine	F3077			Shadow
Millennium	Momentum	F0914C			Pepperdust
Odyssey	Momentum	F0914D			Slate Grey
Rattan	Guilford of Maine	F3087			Grey
Reverb	Mayer	F421			Platinum
Tradition	Momentum	F0914E			Virtual Design Lami
Tweed	Guilford of Maine	F2737			Custom Laminate
Verse	Momentum	F0910			
D					
Echo	Mayer	F388			

Linen	EB-LN
Grey Mesh	EB-GRM
Soft Gold Mesh	EB-SGM
Mangalore Mango	EB-MGM
Mission Maple	EB-MNM
Sterling Ash	EB-STA
Organic Cotton	EB-OC
Nickle Ev	EB-NEV
Casual Linen	EB-CLN
Astro Strandz	EB-AST
Vapor Strandz	EB-VST
Cosmic Strandz	EB-CST
Asian Sand	EB-ASD
Studio Teak	EB-STK
Shaker Cherry	EB-SCH
Silver Alchemy	EB-SAL
Empire Mahogany	EB-EMH
Biltmore Cherry	EB-BCH
Beige	EB-BEI
Khaki Brown	EB-BRN
Fashion Grey	EB-FGR
Sand	EB-SND
Shadow	EB-SHD
Pepperdust	EB-PPR
Slate Grey	EB-SGR
Grey	EB-GRY
Platinum	EB-PLT
Virtual Design Laminate	EB-VL
Custom Laminate	EB-COL

PAINTS					
P1					
Cream	201				
Designer Beige	202				
Grey	203				
Jet Black	204				
P2					
Champagne	301				
Platinum	302				
Brass	303				
Copper	304				

PLEXIGLASS	
Clear	CL
Ice	IC
Smoked	SM
Translucent	TR
NOT AVAILABLE ON INSERT F	PANELS
Frost	LF

## **Custom Finishes Program**

While Neutral Posture offers a large selection of unique finishes, we understand you might want to create a signature on your project or brand your project. We are offering an easy way for you to provide pricing to your client.

#### **CUSTOMER'S OWN FABRICS**

Neutral Posture can apply any UL fire rated fabric. This will add to the lead time as we will require three yards of fabric to test on a panel. Test yardage should be sent to the factory address in Bryan, TX with the project name clearly marked on the label noting test yardage.

Neutral Posture Test Fabric Attention: Systems Product Manager 3904 N. Texas Ave. Bryan, TX 77803

We can also grade-in any fabric from any suppliers in the industry. Please contact your sales representative or Sales Support for grade-in pricing. Note that all grade-ins must be pre-approved for suitability before production begins.

#### **CUSTOMER'S OWN LAMINATES**

All of Neutral Posture's standard laminates are Wilsonart. For your project, you can select any Wilsonart laminate and use L1 for standard laminates, L2 for their premium laminates and L3 for their custom and virtual library programs. An upcharge may apply for matching edge banding. Please contact your sales representative or Sales Support for more information.

We can also grade-in any laminate from any other supplier. Please contact your sales representative or Sales Support for grade-in pricing. Note that all grade-ins must be pre-approved for suitability before production begins.

#### **CUSTOM RAL PAINT FINISHES**

Whether it is an 8 person or 150 person project, use any RAL powder coat colors on your metal products. If you have any questions, please contact your sales representative or Sales Support for more information.

#### **HOW TO PRICE**

For Each Order

#### **Panels**

**General Info** 

#### Step 1 - Model #

	Тор Сар	Panel Type	W	н	Raceway
EP Equity Panel	3 Beveled <b>N Flat</b>	FA Fabric Panel	36	29	K with knockouts N without knockouts
EP	: •• :	FA	36	29	К

Sten	2 -	Surface	Finis	h
Step	· Z -	Surface	LILII	ш

Step 3 – Trim Finish

Fabric	Paint
F298 Forte	301 Champagne
F298	301

FE/		

#### HEIGHTS

29" H

41" H 49" H

54" H

61" H 64" H

81" H

#### **WIDTHS**

12" W

18" W

24" W

30" W 36" W

42" W

48" W

60" W

#### **THICKNESS**

1 ½"

#### **TOP CAP**





3 – Beveled

N – Flat

#### **RACEWAY**

(K) with knockouts

(N) without knockouts

#### **PANEL RATINGS**

NRC	.75
STC	11

#### **CONSTRUCTION**

#### **FABRIC PANEL FRAME**

Galvaneal roll formed steel frame

#### **FABRIC PANEL CORE**

Mineral wool

Fiberglass backer

#### **INSERT PANEL FRAME**

Extruded aluminum

#### **INSERT PANEL CORE**

1/4" Laminate

¼" Plexiglass Open Frame

#### **TOP CAP, SLOTTED STANDARD**

Cold rolled roll formed steel

#### **TOP CAP CLIP**

Spring steel

## RACEWAY COVER, RACEWAY BASE & RACEWAY RETENTION CHANNEL

Cold rolled roll formed steel

#### **RACEWAY STANCHIONS**

Pressed & folded steel

#### **PANEL HOOKS**

Steel

#### **POSTS**

Steel tube

#### **POST CONNECTORS**

Diecast aluminum

#### **SHROUDS**

Pressed & folded steel

#### **SURFACE MATERIALS**

#### **ALL PANELS**

Trim – Paint

#### **FABRIC PANELS (FA)**

Fabric

#### **INSERT PANELS**

Plexiglass (PG)

 Clear
 CL

 Ice
 IC

 Smoked
 SM

 Translucent
 TR

#### Laminate (LM)

Laminate


#### Open Frame (OF)


Paint

#### POSTS, CONNECTORS & SHROUDS

Paint

## **PANELS**





<b>29</b> "	29" H		FABRIC								PAINT	
W	MODEL#	А	В	C	D	E	F	G	Н	P2	Р3	
12"	EP(3/N)FA1229(K/N)	\$430	\$460	\$500	\$550	\$610	\$680	\$760	\$850	+ \$25	+ \$50	
18"	EP(3/N)FA1829(K/N)	\$480	\$510	\$550	\$600	\$660	\$730	\$810	\$900	+ \$25	+ \$50	
24"	EP(3/N)FA2429(K/N)	\$530	\$560	\$600	\$650	\$710	\$780	\$860	\$950	+ \$25	+ \$50	
30"	EP(3/N)FA3029(K/N)	\$580	\$610	\$650	\$700	\$760	\$830	\$910	\$1,000	+ \$25	+ \$50	
36"	EP(3/N)FA3629(K/N)	\$650	\$710	\$790	\$890	\$1,010	\$1,150	\$1,310	\$1,490	+ \$25	+ \$50	
42"	EP(3/N)FA4229(K/N)	\$690	\$750	\$830	\$930	\$1,050	\$1,190	\$1,350	\$1,530	+ \$25	+ \$50	
48"	EP(3/N)FA4829(K/N)	\$730	\$790	\$870	\$970	\$1,090	\$1,230	\$1,390	\$1,570	+ \$25	+ \$50	
60"	EP(3/N)FA6029(K/N)	\$770	\$830	\$910	\$1,010	\$1,130	\$1,270	\$1,430	\$1,610	+ \$25	+ \$50	

12"	EP(3/N)FA1241(K/N)	\$480	\$520	\$570	\$630	\$710	\$800	\$910	\$1,040	+ \$25	+ \$50
18"	EP(3/N)FA1841(K/N)	\$530	\$570	\$620	\$680	\$760	\$850	\$960	\$1,090	+ \$25	+ \$50
24"	EP(3/N)FA2441(K/N)	\$580	\$620	\$670	\$730	\$810	\$900	\$1,010	\$1,140	+ \$25	+ \$50
30"	EP(3/N)FA3041(K/N)	\$630	\$670	\$720	\$780	\$860	\$950	\$1,060	\$1,190	+ \$25	+ \$50
36"	EP(3/N)FA3641(K/N)	\$700	\$780	\$880	\$1,000	\$1,160	\$1,350	\$1,590	\$1,880	+ \$25	+ \$50
42"	EP(3/N)FA4241(K/N)	\$750	\$830	\$930	\$1,050	\$1,210	\$1,400	\$1,640	\$1,930	+ \$25	+ \$50
48"	EP(3/N)FA4841(K/N)	\$800	\$880	\$980	\$1,100	\$1,260	\$1,450	\$1,690	\$1,980	+ \$25	+ \$50
60"	EP(3/N)FA6041(K/N)	\$850	\$930	\$1,030	\$1,150	\$1,310	\$1,500	\$1,740	\$2,030	+ \$25	+ \$50

#### 49" H

12"	EP(3/N)FA1249(K/N)	\$540	\$580	\$630	\$690	\$770	\$870	\$990	\$1,140	+ \$25	+ \$50
18"	EP(3/N)FA1849(K/N)	\$590	\$630	\$680	\$740	\$820	\$920	\$1,040	\$1,190	+ \$25	+ \$50
24"	EP(3/N)FA2449(K/N)	\$640	\$680	\$730	\$790	\$870	\$970	\$1,090	\$1,240	+ \$25	+ \$50
30"	EP(3/N)FA3049(K/N)	\$690	\$730	\$780	\$840	\$920	\$1,020	\$1,140	\$1,290	+ \$25	+ \$50
36"	EP(3/N)FA3649(K/N)	\$760	\$840	\$940	\$1,060	\$1,230	\$1,440	\$1,710	\$2,030	+ \$25	+ \$50
42"	EP(3/N)FA4249(K/N)	\$810	\$890	\$990	\$1,110	\$1,280	\$1,490	\$1,760	\$2,080	+ \$25	+ \$50
48"	EP(3/N)FA4849(K/N)	\$860	\$940	\$1,040	\$1,160	\$1,330	\$1,540	\$1,810	\$2,130	+ \$25	+ \$50
60"	EP(3/N)FA6049(K/N)	\$930	\$1,010	\$1,110	\$1,230	\$1,400	\$1,610	\$1,880	\$2,200	+ \$25	+ \$50

#### Specify

- 1. Model#
- 2. Surface finish

3. Trim finish

#### **Application Notes**

Panel is fabric covered. If two different fabrics are used on one panel, price will reflect cost of the most expensive panel fabric.

NOTE: Power duplexes cannot be installed on 12" W panels. Side mount receptacles available in 24" W panels and wider.

#### Assembly

#### Included

- Panel
- Top cap
- Metal raceway covers

#### **Ordered Separately**

- Posts
- Panel connectors
- Electrical components


#### Top Cap Styles

3 – Beveled

N – Flat







	ł	FABRIC								PAINT	
W	MODEL#	А	В	c	D	E	F	G	Н	P2	Р3
12"	EP(3/N)FA1254(K/N)	\$590	\$630	\$680	\$750	\$850	\$960	\$1,090	\$1,250	+ \$25	+ \$50
18"	EP(3/N)FA1854(K/N)	\$640	\$680	\$730	\$800	\$900	\$1,010	\$1,140	\$1,300	+ \$25	+ \$50
24"	EP(3/N)FA2454(K/N)	\$690	\$730	\$780	\$850	\$950	\$1,060	\$1,190	\$1,350	+ \$25	+ \$50
30"	EP(3/N)FA3054(K/N)	\$740	\$780	\$830	\$900	\$1,000	\$1,110	\$1,240	\$1,400	+ \$25	+ \$50
36"	EP(3/N)FA3654(K/N)	\$820	\$910	\$1,010	\$1,150	\$1,360	\$1,590	\$1,860	\$2,190	+ \$25	+ \$50
42"	EP(3/N)FA4254(K/N)	\$870	\$960	\$1,060	\$1,200	\$1,410	\$1,640	\$1,910	\$2,240	+ \$25	+ \$50
48"	EP(3/N)FA4854(K/N)	\$920	\$1,010	\$1,110	\$1,250	\$1,460	\$1,690	\$1,960	\$2,290	+ \$25	+ \$50
60"	EP(3/N)FA6054(K/N)	\$990	\$1,080	\$1,180	\$1,320	\$1,530	\$1,760	\$2,030	\$2,360	+ \$25	+ \$50
61" L											


	· <del>-</del>										
12"	EP(3/N)FA1261(K/N)	\$640	\$690	\$750	\$830	\$940	\$1,060	\$1,200	\$1,370	+ \$25	+ \$50
18"	EP(3/N)FA1861(K/N)	\$690	\$740	\$800	\$880	\$990	\$1,110	\$1,250	\$1,420	+ \$25	+ \$50
24"	EP(3/N)FA2461(K/N)	\$740	\$790	\$850	\$930	\$1,040	\$1,160	\$1,300	\$1,470	+ \$25	+ \$50
30"	EP(3/N)FA3061(K/N)	\$790	\$840	\$900	\$980	\$1,090	\$1,210	\$1,350	\$1,520	+ \$25	+ \$50
36"	EP(3/N)FA3661(K/N)	\$860	\$960	\$1,080	\$1,240	\$1,470	\$1,720	\$2,000	\$2,340	+ \$25	+ \$50
42"	EP(3/N)FA4261(K/N)	\$910	\$1,010	\$1,130	\$1,290	\$1,520	\$1,770	\$2,050	\$2,390	+ \$25	+ \$50
48"	EP(3/N)FA4861(K/N)	\$960	\$1,060	\$1,180	\$1,340	\$1,570	\$1,820	\$2,100	\$2,440	+ \$25	+ \$50
60"	EP(3/N)FA6061(K/N)	\$1,050	\$1,150	\$1,270	\$1,430	\$1,660	\$1,910	\$2,190	\$2,530	+ \$25	+ \$50

12"	EP(3/N)FA1264(K/N)	\$660	\$710	\$770	\$850	\$970	\$1,100	\$1,250	\$1,430	+ \$25	+ \$50
18"	EP(3/N)FA1864(K/N)	\$710	\$760	\$820	\$900	\$1,020	\$1,150	\$1,300	\$1,480	+ \$25	+ \$50
24"	EP(3/N)FA2464(K/N)	\$760	\$810	\$870	\$950	\$1,070	\$1,200	\$1,350	\$1,530	+ \$25	+ \$50
30"	EP(3/N)FA3064(K/N)	\$810	\$860	\$920	\$1,000	\$1,120	\$1,250	\$1,400	\$1,580	+ \$25	+ \$50
36"	EP(3/N)FA3664(K/N)	\$890	\$1,000	\$1,130	\$1,290	\$1,540	\$1,820	\$2,140	\$2,530	+ \$25	+ \$50
42"	EP(3/N)FA4264(K/N)	\$940	\$1,050	\$1,180	\$1,340	\$1,590	\$1,870	\$2,190	\$2,580	+ \$25	+ \$50
48"	EP(3/N)FA4864(K/N)	\$990	\$1,100	\$1,230	\$1,390	\$1,640	\$1,920	\$2,240	\$2,630	+ \$25	+ \$50
60"	EP(3/N)FA6064(K/N)	\$1,080	\$1,190	\$1,320	\$1,480	\$1,730	\$2,010	\$2,330	\$2,720	+ \$25	+ \$50

## 81" H

12"	EP(3/N)FA1281(K/N)	\$710	\$770	\$830	\$920	\$1,070	\$1,240	\$1,430	\$1,650	+ \$25	+ \$50
18"	EP(3/N)FA1881(K/N)	\$760	\$820	\$880	\$970	\$1,120	\$1,290	\$1,480	\$1,700	+ \$25	+ \$50
24"	EP(3/N)FA2481(K/N)	\$810	\$870	\$930	\$1,020	\$1,170	\$1,340	\$1,530	\$1,750	+ \$25	+ \$50
30"	EP(3/N)FA3081(K/N)	\$860	\$920	\$980	\$1,070	\$1,220	\$1,390	\$1,580	\$1,800	+ \$25	+ \$50
36"	EP(3/N)FA3681(K/N)	\$1,040	\$1,160	\$1,280	\$1,470	\$1,800	\$2,170	\$2,580	\$3,040	+ \$25	+ \$50
42"	EP(3/N)FA4281(K/N)	\$1,160	\$1,280	\$1,400	\$1,590	\$1,920	\$2,290	\$2,700	\$3,160	+ \$25	+ \$50
48"	EP(3/N)FA4881(K/N)	\$1,250	\$1,370	\$1,490	\$1,680	\$2,010	\$2,380	\$2,790	\$3,250	+ \$25	+ \$50
60"	EP(3/N)FA6081(K/N)	\$1,340	\$1,460	\$1,580	\$1,770	\$2,100	\$2,470	\$2,880	\$3,340	+ \$25	+ \$50

			Тор Сар		Panel Type	W	Н		Raceway
EP Ec	quity panel	3	Beveled	FA	Fabric panel	36	29	K	With knockouts
•		N	Flat				:	N	Without knockouts
					·				
EP		N		FA		36	29	ĖΚ	
ii		<b></b>			;	ii		i	:



29" H					MINATE INSE	PAINT		
W	MODEL #	OF	PG	L1	L2	L3	P2	Р3
12"	EP(3/N)()1229(K/N)	\$697	\$897	\$897	\$987	\$1,076	+ \$25	+ \$50
18"	EP(3/N)()1829(K/N)	\$707	\$977	\$977	\$1,075	\$1,172	+ \$25	+ \$50
24"	EP(3/N)()2429(K/N)	\$717	\$1,047	\$1,047	\$1,152	\$1,256	+ \$25	+ \$50
30"	EP(3/N)()3029(K/N)	\$737	\$1,097	\$1,097	\$1,207	\$1,316	+ \$25	+ \$50
36"	EP(3/N)()3629(K/N)	\$757	\$1,147	\$1,197	\$1,317	\$1,436	+ \$25	+ \$50
42"	EP(3/N)()4229(K/N)	\$777	\$1,197	\$1,297	\$1,427	\$1,556	+ \$25	+ \$50
48"	EP(3/N)()4829(K/N)	\$797	\$1,277	\$1,397	\$1,537	\$1,676	+ \$25	+ \$50
60"	EP(3/N)()6029(K/N)	\$837	\$1,377	\$1,597	\$1,757	\$1,916	+ \$25	+ \$50

12"	EP(3/N)()1241(K/N)	\$737	\$947	\$947	\$1,042	\$1,136	+ \$25	+ \$50
18"	EP(3/N)()1841(K/N)	\$747	\$1,047	\$1,047	\$1,152	\$1,256	+ \$25	+ \$50
24"	EP(3/N)()2441(K/N)	\$757	\$1,147	\$1,147	\$1,262	\$1,376	+ \$25	+ \$50
30"	EP(3/N)()3041(K/N)	\$777	\$1,247	\$1,247	\$1,372	\$1,496	+ \$25	+ \$50
36"	EP(3/N)()3641(K/N)	\$797	\$1,347	\$1,347	\$1,482	\$1,616	+ \$25	+ \$50
42"	EP(3/N)()4241(K/N)	\$817	\$1,447	\$1,497	\$1,647	\$1,796	+ \$25	+ \$50
48"	EP(3/N)()4841(K/N)	\$837	\$1,497	\$1,747	\$1,922	\$2,096	+ \$25	+ \$50
60"	EP(3/N)()6041(K/N)	\$877	\$1,597	\$1,997	\$2,197	\$2,396	+ \$25	+ \$50

.,								
12"	EP(3/N)()1249(K/N)	\$747	\$997	\$997	\$1,097	\$1,196	+ \$25	+ \$50
18"	EP(3/N)()1849(K/N)	\$757	\$1,097	\$1,097	\$1,207	\$1,316	+ \$25	+ \$50
24"	EP(3/N)()2449(K/N)	\$767	\$1,197	\$1,197	\$1,317	\$1,436	+ \$25	+ \$50
30"	EP(3/N)()3049(K/N)	\$787	\$1,297	\$1,297	\$1,427	\$1,556	+ \$25	+ \$50
36"	EP(3/N)()3649(K/N)	\$807	\$1,397	\$1,447	\$1,592	\$1,736	+ \$25	+ \$50
42"	EP(3/N)()4249(K/N)	\$827	\$1,497	\$1,647	\$1,812	\$1,976	+ \$25	+ \$50
48"	EP(3/N)()4849(K/N)	\$847	\$1,647	\$1,797	\$1,977	\$2,156	+ \$25	+ \$50
60"	EP(3/N)()6049(K/N)	\$897	\$1,747	\$2,097	\$2,307	\$2,516	+ \$25	+ \$50

#### Specify

- 1. Model#
- 2. Insert type
- 3. Insert color4. Paint trim color

NOTE: Power duplexes cannot be installed on 12" W panels. Side mount receptacles available in 24" W panels and wider.

#### Plexiglass Finishes

**CL** . . Clear **IC** . . . lce

SM. . Smoked

TR . . Translucent

#### **Application Notes**

Insert Panels are constructed with a tapered aluminum frame that is mitered in the corners. Insert panels may be ordered with plexiglass, laminate, or as an open frame for complete accessibility through the panel.

#### Assembly

#### Included

- PanelTop cap
- Metal raceway covers

#### **Ordered Separately**

- Posts
- Panel connectors
- Electrical components


#### Top Cap Styles

3 - Beveled

N – Flat







60"

EP(3/N)()6064(K/N)

54" H				LA	MINATE INSE	RT	PAII	NT
W	MODEL#	OF	PG	L1	L2	L3	P2	P3
12"	EP(3/N)()1254(K/N)	\$777	\$1,097	\$1,047	\$1,152	\$1,256	+ \$25	+ \$50
18"	EP(3/N)()1854(K/N)	\$787	\$1,147	\$1,147	\$1,262	\$1,376	+ \$25	+ \$50
24"	EP(3/N)()2454(K/N)	\$797	\$1,247	\$1,247	\$1,372	\$1,496	+ \$25	+ \$50
30"	EP(3/N)()3054(K/N)	\$817	\$1,347	\$1,347	\$1,482	\$1,616	+ \$25	+ \$50
36"	EP(3/N)()3654(K/N)	\$837	\$1,447	\$1,497	\$1,647	\$1,796	+ \$25	+ \$50
42"	EP(3/N)()4254(K/N)	\$857	\$1,547	\$1,697	\$1,867	\$2,036	+ \$25	+ \$50
48"	EP(3/N)()4854(K/N)	\$877	\$1,647	\$1,847	\$2,032	\$2,216	+ \$25	+ \$50
60"	EP(3/N)()6054(K/N)	\$917	\$1,797	\$2,147	\$2,362	\$2,576	+ \$25	+ \$50
61" H								
12"	EP(3/N)()1261(K/N)	\$787	\$1,097	\$1,297	\$1,427	\$1,556	+ \$25	+ \$50
18"	EP(3/N)()1861(K/N)	\$797	\$1,197	\$1,447	\$1,592	\$1,736	+ \$25	+ \$50
24"	EP(3/N)()2461(K/N)	\$807	\$1,297	\$1,597	\$1,757	\$1,916	+ \$25	+ \$50
30"	EP(3/N)()3061(K/N)	\$827	\$1,397	\$1,847	\$2,032	\$2,216	+ \$25	+ \$50
36"	EP(3/N)()3661(K/N)	\$847	\$1,497	\$2,047	\$2,252	\$2,456	+ \$25	+ \$50
42"	EP(3/N)()4261(K/N)	\$867	\$1,597	\$2,297	\$2,527	\$2,756	+ \$25	+ \$50
48"	EP(3/N)()4861(K/N)	\$887	\$1,747	\$2,497	\$2,747	\$2,996	+ \$25	+ \$50
60"	EP(3/N)()6061(K/N)	\$937	\$1,927	\$2,797	\$3,077	\$3,356	+ \$25	+ \$50
64" H								
12"	EP(3/N)()1264(K/N)	\$797	\$1,147	\$1,347	\$1,482	\$1,616	+ \$25	+ \$50
18"	EP(3/N)()1864(K/N)	\$807	\$1,267	\$1,547	\$1,702	\$1,856	+ \$25	+ \$50
24"	EP(3/N)()2464(K/N)	\$817	\$1,397	\$1,647	\$1,812	\$1,976	+ \$25	+ \$50
30"	EP(3/N)()3064(K/N)	\$837	\$1,497	\$1,897	\$2,087	\$2,276	+ \$25	+ \$50
36"	EP(3/N)()3664(K/N)	\$857	\$1,597	\$2,097	\$2,307	\$2,516	+ \$25	+ \$50
42"	EP(3/N)()4264(K/N)	\$877	\$1,697	\$2,347	\$2,582	\$2,816	+ \$25	+ \$50
48"	EP(3/N)()4864(K/N)	\$897	\$1,797	\$2,547	\$2,802	\$3,056	+ \$25	+ \$50
60"	EP(3/N)()6064(K/N)	\$947	\$1,997	\$2,847	\$3,132	\$3,416	+ \$25	+ \$50
81" H								
12"	EP(3/N)()1264(K/N)	\$857	\$1,297	\$1,547	\$1,702	\$1,856	+ \$25	+ \$50
18"	EP(3/N)()1864(K/N)	\$867	\$1,447	\$1,797	\$1,977	\$2,156	+ \$25	+ \$50
24"	EP(3/N)()2464(K/N)	\$877	\$1,597	\$1,947	\$2,142	\$2,336	+ \$25	+ \$50
30"	EP(3/N)()3064(K/N)	\$897	\$1,747	\$2,197	\$2,417	\$2,636	+ \$25	+ \$50
36"	EP(3/N)()3664(K/N)	\$917	\$1,897	\$2,497	\$2,747	\$2,996	+ \$25	+ \$50
42"	EP(3/N)()4264(K/N)	\$937	\$2,047	\$2,747	\$3,022	\$3,296	+ \$25	+ \$50
48"	EP(3/N)()4864(K/N)	\$957	\$2,197	\$2,947	\$3,242	\$3,536	+ \$25	+ \$50

	Тор Сар	Panel Type	W	н	Raceway
EP Equity panel	3 Beveled	OF Open frame	36	29	K With knockouts
	N Flat	PG Plexiglass insert			N Without knockouts
		LM Laminate insert			
					:
EP	N	PG	36	29	K
	: <u>:</u>	1.0.1	; ;	<u> </u>	i

\$1,027

\$2,397 \$3,247

\$3,572

\$3,896

+ \$50

## **Post Assemblies**



		,			
Stra	ight			PAINT	
Н	MODEL#		P1	P2	Р3
29"	EP(3/N)P29S		\$148	\$155	\$162
41"	EP(3/N)P41S		\$150	\$157	\$164
49"	EP(3/N)P49S		\$152	\$159	\$166
54"	EP(3/N)P54S		\$154	\$161	\$168
61"	EP(3/N)P61S		\$156	\$163	\$170
64"	EP(3/N)P64S		\$158	\$165	\$172
81"	EP(3/N)P81S		\$175	\$182	\$189



2-wa	ay L		PAINT	
Н	MODEL#	: P1	P2	P3
29"	EP(3/N)P29L	\$148	\$155	\$162
41"	EP(3/N)P41L	\$150	\$157	\$164
49"	EP(3/N)P49L	\$153	\$160	\$167
54"	EP(3/N)P54L	\$157	\$164	\$171
61"	EP(3/N)P61L	\$165	\$172	\$179
64"	EP(3/N)P64L	\$172	\$179	\$186
81"	EP(3/N)P81L	\$185	\$192	\$199



#### 2-way 120

1		,			
	29"	EP(3/N)P29120	\$159	\$166	\$173
	41"	EP(3/N)P41120	\$167	\$174	\$181
	49"	EP(3/N)P49120	\$171	\$178	\$185
	54"	EP(3/N)P54120	\$175	\$182	\$189
	61"	EP(3/N)P61120	\$183	\$190	\$197
	64"	EP(3/N)P64120	\$190	\$197	\$204
	81"	EP(3/N)P81120	\$202	\$209	\$216

#### Specify

- 1. Model#
- 2. Paint trim color

#### **Application Notes**

Used to connect panels of the same height

Bottom glides on post allow for up to 1  $\frac{1}{2}$ " of vertical adjustment.

#### Assembly

#### Included

- Single height postPanel connector
- Appropriate metal shroud

#### Top Cap Styles

3 – Beveled

N – Flat







		· · · · · · · · · · · · · · · · · · ·	• • • • • • • • • • • • • • • • • • • •	•••••••••••••••••••••••••••••••••••••••
3-wa	ay T		PAINT	
Н	MODEL#	P1	P2	Р3
29"	EP(3/N)P29T	\$148	\$155	\$162
41"	EP(3/N)P41T	\$150	\$157	\$164
49"	EP(3/N)P49T	\$152	\$159	\$166
54"	EP(3/N)P54T	\$154	\$161	\$168
61"	EP(3/N)P61T	\$157	\$164	\$171
64"	EP(3/N)P64T	\$164	\$171	\$178
81"	EP(3/N)P81T	\$176	\$183	\$190



			•••••	••••••
4-w	ay X		PAINT	
Н	MODEL#	P1	P2	Р3
29"	EP(3/N)P29X	\$148	\$155	\$162
41"	EP(3/N)P41X	\$150	\$157	\$164
49"	EP(3/N)P49X	\$152	\$159	\$166
54"	EP(3/N)P54X	\$154	\$161	\$168
61"	EP(3/N)P61X	\$156	\$163	\$170
64"	EP(3/N)P64X	\$158	\$165	\$172
81"	EP(3/N)P81X	\$171	\$178	\$185



#### 3-way 120

J 111	19 120			
29"	EP(3/N)P29Y	\$179	\$188	\$197
41"	EP(3/N)P41Y	\$181	\$190	\$199
49"	EP(3/N)P49Y	\$183	\$192	\$201
54"	EP(3/N)P54Y	\$185	\$194	\$203
61"	EP(3/N)P61Y	\$187	\$196	\$205
64"	EP(3/N)P64Y	\$193	\$202	\$211
81"	EP(3/N)P81Y	\$206	\$215	\$224



## **Carpet Gripper**

DESCRIPTION	MODEL#	BLACK ONLY
12 Pack	FP1CG12	\$38

	Тор Сар		н		Connection Type
EP Equity panel	3 Beveled	P Post	29	120	2-way 120
	N Flat			Е	End w/post
<u> </u>				ETK	Postless end
<u>:</u>				L	2-way L
				Τ	3-way T
				S	Straight
				Χ	4-way
				Υ	3-way 120
EP	N	Р	29	S	



End	w/Post		PAINT				
Н	MODEL#	P1	P2	P3			
29"	EP(3/N)P29E	\$159	\$166	\$173			
41"	EP(3/N)P41E	\$164	\$171	\$178			
49"	EP(3/N)P49E	\$168	\$175	\$182			
54"	EP(3/N)P54E	\$171	\$178	\$185			
61"	EP(3/N)P61E	\$180	\$187	\$194			
64"	EP(3/N)P64E	\$186	\$193	\$200			
81"	EP(3/N)P81E	\$199	\$206	\$213			



I	Postless End			PAINT				
ı	Н	MODEL#	P1	P2	P3			
	29"	EP(3/N)ETK29	\$157	\$160	\$163			
	41"	EP(3/N)ETK41	\$159	\$162	\$165			
	49"	EP(3/N)ETK49	\$161	\$164	\$167			
	54"	EP(3/N)ETK54	\$163	\$166	\$169			
	61"	EP(3/N)ETK61	\$165	\$168	\$171			
	64"	EP(3/N)ETK64	\$167	\$170	\$173			
	81"	EP(3/N)ETK81	\$176	\$179	\$182			

#### **End w/Post**

#### Specify

- 1. Model#
- 2. Paint trim color

#### **Application Notes**

Used to finish a panel end that is not being connected to another panel.

#### **Postless End**

#### Specify

- 1. Model #
- 2. Paint trim color

#### Application Notes

Used to finish a panel end that is not being connected to another panel.

NOTE: Postless end kit should not be used on panels that are placed perpendicular to a worksurface of the same depth as the front of the worksurface will extend approximately %" beyond the panel end.

#### Assembly

#### Included

- Single height post
- Panel connector
- Appropriate metal shroud

#### Top Cap Styles

3 – Beveled





#### Assembly

#### Included

- Panel connector
- Appropriate metal shroud

#### **Top Cap Styles**

3 – Beveled

N – Flat





## **Wall Starter/Wall Mounted Channel**

						• • • • • • • • • • • • • • • • • • • •		<b>.</b>
	Panel \	Wall St	tarter		PAINT			
1	W	D	Н	<b>H</b> (Actual)	MODEL #	P1	P2	Р3
	1 ½"	1/2"	29"	23"	EP(3/N)PWS29	\$44	\$45	\$47
	1 ½"	1/2"	41"	35"	EP(3/N)PWS41	\$44	\$45	\$47
	1 ½"	1/2"	49"	43"	EP(3/N)PWS49	\$48	\$50	\$55
	1 ½"	1/2"	54"	49"	EP(3/N)PWS54	\$50	\$55	\$59
	1 ½"	1/2"	61"	55"	EP(3/N)PWS61	\$50	\$55	\$59
	1 ½"	1/2"	64"	60"	EP(3/N)PWS64	\$52	\$56	\$62
	1 ½"	1/2"	81"	75"	EP(3/N)PWS81	\$59	\$63	\$69

#### **Wall Mounted Channel**

2 %"	3/4"	29"	23"	EP3WMC29	\$112	\$116	\$122
2 1/8"	3/4"	41"	35"	EP3WMC41	\$112	\$116	\$122
2 %"	3/4"	49"	43"	EP3WMC49	\$114	\$120	\$128
2 %"	3/4"	54"	49"	EP3WMC54	\$116	\$122	\$129
2 %"	3/4"	61"	55"	EP3WMC61	\$130	\$135	\$145
2 1/8"	3/4"	64"	60"	EP3WMC64	\$133	\$144	\$148
2 1/8"	3/4"	81"	75"	EP3WMC81	\$162	\$168	\$178
2 1/8"	3/4"	120"	120"	EP3WMC120	\$249	\$262	\$276

#### **Panel Wall Starter**

#### Specify

- 1. Model#
- 2. Paint trim color

#### Application Notes

Used to start a run of panels by fastening to an existing wall and attaching a connector assembly to it. Creates 1¼" space from face to wall to centerline of post. Constructed of steel.

**NOTE: Neutral Posture assumes** no responsibility for wall construction or performance of fasteners used.

N – Flat

## **Top Cap Styles**

3 - Beveled

#### Assembly Included

- Panel top & bottom hook
- Panel connector

#### **Not Included**

• Fasteners to attach to wall

#### **Ordered Separately**

- Post
- Shrouds

#### **Wall Mounted Channel**

#### Specify

- 1. Model#
- 2. Paint trim color

#### Application Notes

Allows hanging of all components and accessories on reinforced building walls.

Painted extruded aluminum with a plastic insert which snaps in place, covering mounting screws.

**NOTE: Neutral Posture assumes** no responsibility for wall construction or performance of fasteners used.

#### Included

- Extruded aluminum channel
- Insert which snaps

#### Assembly



## Posts (Multi-Height)

Single He	ight		PAINT	
Н	MODEL#	P1	P2	Р3
29"	<b>EP</b> 3 <b>P</b> 29	\$93	\$96	\$99
41"	EP3P41	\$94	\$97	\$100
49"	<b>EP</b> 3 <b>P</b> 49	\$96	\$99	\$102
54"	EP3P54	\$99	\$102	\$105
61"	<b>EP</b> 3 <b>P</b> 61	\$105	\$108	\$111
64"	<b>EP</b> 3 <b>P</b> 64	\$107	\$110	\$113
81"	<b>EP</b> 3 <b>P</b> 81	\$117	\$120	\$123

## **Dual Height**

_					
_	29"/41"	EP3DP2941	\$155	\$165	\$175
	29"/49"	EP3DP2949	\$165	\$175	\$185
	29"/54"	EP3DP2954	\$165	\$175	\$185
	29"/61"	EP3DP2961	\$175	\$185	\$195
	29"/64"	EP3DP2964	\$175	\$185	\$195
	29"/81"	EP3DP2981	\$195	\$205	\$215
	41"/49"	EP3DP4149	\$165	\$175	\$185
	41"/54"	EP3DP4154	\$165	\$175	\$185
	41"/61"	EP3DP4161	\$175	\$185	\$195
	41"/64"	EP3DP4164	\$175	\$185	\$195
	41"/81"	EP3DP4181	\$195	\$205	\$215
	49"/54"	EP3DP4954	\$165	\$175	\$185
	49"/61"	EP3DP4961	\$175	\$185	\$195
	49"/64"	EP3DP4964	\$175	\$185	\$195
	49"/81"	EP3DP4981	\$195	\$205	\$215
	54"/61"	EP3DP5461	\$175	\$185	\$195
	54"/64"	EP3DP5464	\$175	\$185	\$195
	54"/81"	EP3DP5481	\$195	\$205	\$215
	61"/64"	EP3DP6164	\$175	\$185	\$195
	61"/81"	EP3DP6181	\$195	\$205	\$215
	64"/81"	EP3DP6481	\$195	\$205	\$215

		······					
Triple Heig	ht		PAINT				
Н	MODEL#	P1	P2	Р3			
29"/41"/49"	<b>EP</b> 3 <b>TP</b> 294149	\$195	\$205	\$215			
29"/41"/54"	EP3TP294154	\$195	\$205	\$215			
29"/41"/61"	EP3TP294161	\$200	\$210	\$220			
29"/41"/64"	EP3TP294164	\$200	\$210	\$220			
29"/41"/81"	EP3TP294181	\$230	\$240	\$250			
29"/49"/54"	EP3TP294954	\$195	\$205	\$215			
29"/49"/61"	EP3TP294961	\$200	\$210	\$220			
29"/49"/64"	EP3TP294964	\$200	\$210	\$220			
29"/49"/81"	EP3TP294981	\$230	\$240	\$250			
29"/54"/61"	EP3TP295461	\$200	\$210	\$220			
29"/54"/64"	EP3TP295464	\$200	\$210	\$220			
29"/54"/81"	EP3TP295481	\$230	\$240	\$250			
29"/61"/64"	EP3TP296164	\$200	\$210	\$220			
29"/61"/81"	<b>EP</b> 3 <b>TP</b> 296181	\$230	\$240	\$250			
29"/64"/81"	EP3TP296481	\$230	\$240	\$250			
41"/49"/54"	EP3TP414954	\$195	\$205	\$215			
41"/49"/61"	EP3TP414961	\$200	\$210	\$220			
41"/49"/64"	EP3TP414964	\$200	\$210	\$220			
41"/49"/81"	EP3TP414981	\$230	\$240	\$250			
41"/54"/61"	EP3TP415461	\$200	\$210	\$220			
41"/54"/64"	EP3TP415464	\$200	\$210	\$220			
41"/54"/81"	EP3TP415481	\$230	\$240	\$250			
41"/61"/64"	EP3TP416164	\$200	\$210	\$220			
41"/61"/81"	EP3TP416181	\$230	\$240	\$250			
41"/64"/81"	EP3TP416481	\$230	\$240	\$250			
49"/54"/61"	EP3TP495461	\$200	\$210	\$220			
49"/54"/64"	EP3TP495464	\$200	\$210	\$220			
49"/54"/81"	EP3TP495481	\$230	\$240	\$250			
49"/61"/64"	EP3TP496164	\$200	\$210	\$220			
49"/61"/81"	<b>EP</b> 3 <b>TP</b> 496181	\$230	\$240	\$250			
49"/64"/81"	<b>EP</b> 3 <b>TP</b> 496481	\$230	\$240	\$250			
54"/61"/64"	<b>EP</b> 3 <b>TP</b> 546164	\$200	\$210	\$220			
54"/61"/81"	EP3TP546181	\$230	\$240	\$250			
54"/64"/81"	<b>EP</b> 3 <b>TP</b> 546481	\$230	\$240	\$250			
61"/64"/81"	EP3TP616481	\$230	\$240	\$250			

#### Specify

- 1. Model#
- 2. Paint trim color

#### **Application Notes**

Bottom glides on post allow for up to 1 ½" of vertical adjustment.

Specify one multi-height panel connector (EP3PCMF) for each low panel when using either a dual or triple height post in a multi-height connection.

#### **Dual Height Posts**

Used where 2 monolithic panels of 2 different heights intersect.

**Triple Height Posts**Used where 3 monolithic panels of 3 different heights intersect.

#### Assembly

## Included • Muti-height post

#### Ordered Separately

- Panel Connectors
- Metal shrouds

Connectors		:		••••••
Connectors		<u> </u>	PAINT	
DESCRIPTION	MODEL#	P1	P2	P3
Straight	EP(3/N)PCS	\$37	\$40	\$43
2-way L	EP(3/N)PCL	\$37	\$40	\$43
2-way 120	EP(3/N)PC120	\$37	\$40	\$43
2-way adjustable angle	EPNPCA	\$47	\$50	\$53
3-way T	EP(3/N)PCT	\$47	\$50	\$53
3-way Y 120	EP(3/N)PCY	\$47	\$50	\$53
4-way X	EP(3/N)PCX	\$47	\$50	\$53
End with post	EP(3/N)PCEP	\$37	\$40	\$43
Multi-height filler	EP(3/N)PCMF	\$37	\$40	\$43
Trim filler	EPNCTF	\$37	\$40	\$43

<b>Metal Shrouds</b>		PAINT		
DESCRIPTION	MODEL#	P1	P2	Р3
Straight	EP3SS	\$27	\$30	\$34
L outside	EP3SL	\$37	\$40	\$44
120 outside	EP3SO120	\$37	\$40	\$44
120 inside	EP3SI120	\$37	\$40	\$44
End w/post	EP3SEP	\$47	\$50	\$54









**2-way** adjustable angle



















120 inside





L outside



120 outside



Specify

1. Model# 2. Paint trim color **Top Cap Styles** 

3 – Beveled







#### **COMPONENTS**

Equity stack-on panels provide the flexibility to increase the overall height of any standard Equity panel.

The stack-on panel is available in all standard Equity widths and a variety of heights in both slotted and slotless versions.

#### STACK-ON PANELS W/ SLOTS

Stack-on panels with slots provide the capability to hang standard Equity components such as shelves and overheads as long as the weight load does not exceed 3lbs. per lineal inch.

#### STACK-ON PANELS W/O SLOTS

Stack-on panels without slots do not allow for hanging components, but do provide a cleaner aesthetic when specifying window applications.

Up to two (2) load bearing stackon panels may be stacked on top of a standard Equity panel as long as the total height above the base panels is no taller than 40" and neither individual stackon panel is taller than 20".

Stack-on panel width must match the width of the panel it is stacking on.

Stack-on panel connectors must be used between adjacent stack-on panels.


#### **STACK-ON PANEL CONNECTORS**

#### STANDARD STACK-ON POST

Standard stack-on post bottom uses a conical shaped bolt that connects it to the full height post directly beneath it. Panel connectors for the top of the stack-on post must be ordered separately to match the geometry of the stack-on panels.


#### **EXTENDED STACK-ON POST**

Extended stack-on post bottom uses a double-threaded round connector to attach to the full-height post directly beneath it. Multi-height panel connectors (EPNPCMF) must be used on either side of this connector to provide a smooth transition for full-height post covers. Standard panel connectors are used along the top of the stack-on panels.





## SPECIFYING STACK-ON CONFIGURATIONS

All connectors between the base panel and Stack-on Panel MUST have flat (N) profile.




# **Stack-On Configurations** Using Standard Stack-on Posts










#### **FLAT TOP CAPS BEVELED TOP CAPS**


























# Stack-On Configurations Using Standard Stack-on Posts







**BEVELED TOP CAPS** 


**FLAT TOP CAPS** 






















**Fabric with slots** 



12"	Н		•	•	FABR	ıc	•	•		PAIN	т
W	MODEL#	А	В	C	D	E	F	G	Н	P2	Р3
12"	EP1SF1212	\$400	\$420	\$450	\$490	\$530	\$575	\$625	\$680	+ \$20	+ \$40
18"	<b>EP</b> 1 <b>SF</b> 1812	\$420	\$440	\$470	\$510	\$550	\$595	\$645	\$700	+ \$20	+ \$40
24"	EP1SF2412	\$440	\$460	\$490	\$530	\$570	\$615	\$665	\$720	+ \$20	+ \$40
30"	<b>EP</b> 1 <b>SF</b> 3012	\$460	\$480	\$510	\$550	\$590	\$635	\$685	\$740	+ \$20	+ \$40
36"	EP1SF3612	\$480	\$510	\$550	\$600	\$670	\$750	\$840	\$950	+ \$20	+ \$40
42"	EP1SF4212	\$500	\$530	\$570	\$620	\$690	\$770	\$860	\$970	+ \$20	+ \$40
48"	EP1SF4812	\$520	\$550	\$590	\$640	\$710	\$790	\$880	\$990	+ \$20	+ \$40
60"	EP1SF6012	\$540	\$570	\$610	\$660	\$730	\$810	\$900	\$1,010	+ \$20	+ \$40

1	3"	Н	
	12"		E

12"	EP1SF1213	\$420	\$440	\$470	\$510	\$550	\$595	\$645	\$700	+ \$20	+ \$40
18"	EP1SF1813	\$440	\$460	\$490	\$530	\$570	\$615	\$665	\$720	+ \$20	+ \$40
24"	EP1SF2413	\$460	\$480	\$510	\$550	\$590	\$635	\$685	\$740	+ \$20	+ \$40
30"	EP1SF3013	\$480	\$520	\$570	\$630	\$700	\$790	\$890	\$1,010	+ \$20	+ \$40
36"	EP1SF3613	\$500	\$540	\$590	\$650	\$720	\$810	\$910	\$1,030	+ \$20	+ \$40
42"	EP1SF4213	\$520	\$560	\$610	\$670	\$740	\$830	\$930	\$1,050	+ \$20	+ \$40
48"	EP1SF4813	\$540	\$580	\$630	\$690	\$760	\$850	\$950	\$1,070	+ \$20	+ \$40
60"	EP1SF6013	\$560	\$600	\$650	\$710	\$780	\$870	\$970	\$1,090	+ \$20	+ \$40

#### 15" H

12"	EP1SF1215	\$440	\$460	\$490	\$530	\$575	\$625	\$680	\$740	+ \$20	+ \$40
18"	EP1SF1815	\$460	\$480	\$510	\$550	\$595	\$645	\$700	\$760	+ \$20	+ \$40
24"	EP1SF2415	\$480	\$500	\$530	\$570	\$615	\$665	\$720	\$780	+ \$20	+ \$40
30"	EP1SF3015	\$500	\$540	\$590	\$650	\$720	\$820	\$930	\$1,050	+ \$20	+ \$40
36"	EP1SF3615	\$520	\$560	\$610	\$670	\$740	\$840	\$950	\$1,070	+ \$20	+ \$40
42"	EP1SF4215	\$540	\$580	\$630	\$690	\$760	\$860	\$970	\$1,090	+ \$20	+ \$40
48"	EP1SF4815	\$560	\$600	\$650	\$710	\$780	\$880	\$990	\$1,110	+ \$20	+ \$40
60"	EP1SF6015	\$580	\$620	\$670	\$730	\$800	\$900	\$1,010	\$1,130	+ \$20	+ \$40

#### Specify

- 1. Model#
- 2. Panel fabric
- 3. Paint trim color

Assembly	
Included	Ordered Separately


• Stack-on posts • Stack-on panel Panel connectors

Flat top cap (N)	•
attached to the bottom	
of stack-on panel	

#### Not Included

• Top cap (use top cap from base panel)

	Insert Type	W	н
EP1S Stack-on panel	F Fabric	36	15
:	•		
EP1S	F	36	15



17" H		FABRIC								PAINT	
W	MODEL#	А	В	C	D	E	F	G	Н	P2	Р3
12"	EP1SF1217	\$460	\$490	\$530	\$575	\$625	\$680	\$740	\$805	+ \$20	+ \$40
18"	EP1SF1817	\$480	\$510	\$550	\$595	\$645	\$700	\$760	\$825	+ \$20	+ \$40
24"	EP1SF2417	\$500	\$530	\$570	\$615	\$665	\$720	\$780	\$845	+ \$20	+ \$40
30"	<b>EP</b> 1 <b>SF</b> 3017	\$520	\$570	\$630	\$700	\$790	\$900	\$1,020	\$1,150	+ \$20	+ \$40
36"	EP1SF3617	\$540	\$590	\$650	\$720	\$810	\$920	\$1,040	\$1,170	+ \$20	+ \$40
42"	EP1SF4217	\$560	\$610	\$670	\$740	\$830	\$940	\$1,060	\$1,190	+ \$20	+ \$40
48"	EP1SF4817	\$580	\$630	\$690	\$760	\$850	\$960	\$1,080	\$1,210	+ \$20	+ \$40
60"	EP1SF6017	\$600	\$650	\$710	\$780	\$870	\$980	\$1,100	\$1,230	+ \$20	+ \$40

12"	EP1SF1220	\$480	\$510	\$550	\$595	\$645	\$700	\$760	\$830	+ \$20	+ \$40
18"	EP1SF1820	\$500	\$530	\$570	\$615	\$665	\$720	\$780	\$850	+ \$20	+ \$40
24"	EP1SF2420	\$520	\$550	\$590	\$635	\$685	\$740	\$800	\$870	+ \$20	+ \$40
30"	EP1SF3020	\$540	\$590	\$650	\$720	\$820	\$950	\$1,090	\$1,240	+ \$20	+ \$40
36"	EP1SF3620	\$560	\$610	\$670	\$740	\$840	\$970	\$1,110	\$1,260	+ \$20	+ \$40
42"	EP1SF4220	\$580	\$630	\$690	\$760	\$860	\$990	\$1,130	\$1,280	+ \$20	+ \$40
48"	EP1SF4820	\$610	\$660	\$720	\$790	\$890	\$1,020	\$1,160	\$1,310	+ \$20	+ \$40
60"	EP1SF6020	\$630	\$680	\$740	\$810	\$910	\$1,040	\$1,180	\$1,330	+ \$20	+ \$40

Specify	

- 1. Model#
- 2. Panel fabric
- 3. Paint trim color

Assembly							
Included	Ordered Separately						
<ul> <li>Stack-on panel</li> </ul>	<ul> <li>Stack-on posts</li> </ul>						

Panel connectors

- Stack-on panel Flat top cap (N) attached to the bottom
- of stack-on panel


#### Not Included

• Top cap (use top cap from base panel)

	Insert Type	W	Н	
EP1S Stack-on Panel	F Fabric	36	20	
		:	:	
		:	:	
EP1S	F	36	20	
i <del></del> i	ii	ii	ii	

## **Stack-on Panels**

**Fabric without slots** 



		············	· · · · · · · · · · · · · · · · · · ·	·····	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	·····			· · · · · · · · · · · · · · · · · · ·	
12" H		FABRIC								PAINT	
W	MODEL#	A	В	C	D	E	F	G	Н	P2	P3
12"	EP1SF1212N	\$400	\$420	\$450	\$490	\$530	\$575	\$625	\$680	+ \$20	+ \$40
18"	EP1SF1812N	\$420	\$440	\$470	\$510	\$550	\$595	\$645	\$700	+ \$20	+ \$40
24"	EP1SF2412N	\$440	\$460	\$490	\$530	\$570	\$615	\$665	\$720	+ \$20	+ \$40
30"	EP1SF3012N	\$460	\$480	\$510	\$550	\$590	\$635	\$685	\$740	+ \$20	+ \$40
36"	EP1SF3612N	\$480	\$510	\$550	\$600	\$670	\$750	\$840	\$950	+ \$20	+ \$40
42"	EP1SF4212N	\$500	\$530	\$570	\$620	\$690	\$770	\$860	\$970	+ \$20	+ \$40
48"	EP1SF4812N	\$520	\$550	\$590	\$640	\$710	\$790	\$880	\$990	+ \$20	+ \$40
60"	EP1SF6012N	\$540	\$570	\$610	\$660	\$730	\$810	\$900	\$1,010	+ \$20	+ \$40
13" l	H										
12"	EP1SF1213N	\$420	\$440	\$470	\$510	\$550	\$595	\$645	\$700	+ \$20	+ \$40
18"	EP1SF1813N	\$440	\$460	\$490	\$530	\$570	\$615	\$665	\$720	+ \$20	+ \$40
24"	EP1SF2413N	\$460	\$480	\$510	\$550	\$590	\$635	\$685	\$740	+ \$20	+ \$40

\$630

\$650

\$670

\$690

\$710

\$700

\$720

\$740

\$760

\$780

\$790

\$810

\$830

\$850

\$870

\$890

\$910

\$930

\$950

\$970

\$1,010

\$1,030

\$1,050

\$1,070

\$1,090

+ \$20

+ \$20

+ \$20

+ \$20

+ \$20

+ \$40

+ \$40

+ \$40

+ \$40

+ \$40

1	5"	Н

30"

36"

42"

48"

60"

EP1SF3013N

EP1SF3613N

EP1SF4213N

EP1SF4813N

EP1SF6013N

\$480

\$500

\$520

\$540

\$560

\$520

\$540

\$560

\$580

\$600

\$570

\$590

\$610

\$630

\$650

12"	EP1SF1215N	\$440	\$460	\$490	\$530	\$575	\$625	\$680	\$740	+ \$20	+ \$40
18"	EP1SF1815N	\$460	\$480	\$510	\$550	\$595	\$645	\$700	\$760	+ \$20	+ \$40
24"	EP1SF2415N	\$480	\$500	\$530	\$570	\$615	\$665	\$720	\$780	+ \$20	+ \$40
30"	EP1SF3015N	\$500	\$540	\$590	\$650	\$720	\$820	\$930	\$1,050	+ \$20	+ \$40
36"	EP1SF3615N	\$520	\$560	\$610	\$670	\$740	\$840	\$950	\$1,070	+ \$20	+ \$40
42"	EP1SF4215N	\$540	\$580	\$630	\$690	\$760	\$860	\$970	\$1,090	+ \$20	+ \$40
48"	EP1SF4815N	\$560	\$600	\$650	\$710	\$780	\$880	\$990	\$1,110	+ \$20	+ \$40
60"	EP1SF6015N	\$580	\$620	\$670	\$730	\$800	\$900	\$1,010	\$1,130	+ \$20	+ \$40

#### 17" H

17 11											
12"	EP1SF1217N	\$460	\$490	\$530	\$575	\$625	\$680	\$740	\$805	+ \$20	+ \$40
18"	EP1SF1817N	\$480	\$510	\$550	\$595	\$645	\$700	\$760	\$825	+ \$20	+ \$40
24"	EP1SF2417N	\$500	\$530	\$570	\$615	\$665	\$720	\$780	\$845	+ \$20	+ \$40
30"	EP1SF3017N	\$520	\$570	\$630	\$700	\$790	\$900	\$1,020	\$1,150	+ \$20	+ \$40
36"	EP1SF3617N	\$540	\$590	\$650	\$720	\$810	\$920	\$1,040	\$1,170	+ \$20	+ \$40
42"	EP1SF4217N	\$560	\$610	\$670	\$740	\$830	\$940	\$1,060	\$1,190	+ \$20	+ \$40
48"	EP1SF4817N	\$580	\$630	\$690	\$760	\$850	\$960	\$1,080	\$1,210	+ \$20	+ \$40
60"	EP1SF6017N	\$600	\$650	\$710	\$780	\$870	\$980	\$1,100	\$1,230	+ \$20	+ \$40

#### Specify

- 1. Model #
- 2. Panel fabric
- 3. Paint trim color

#### Assembly

## Included


- Stack-on panel
- Flat top cap (N) attached to the bottom of stack-on panel

#### Not Included

• Top cap (use top cap from base panel)

#### **Ordered Separately**

- Stack-on posts
- Panel connectors




20"	н	! !	•••••••••••	••••••••••••	FABF		•••••••••••••••••••••••••••••••••••••••	•••••••••••••••••••••••••••••••••••••••		PAIN	T
W	MODEL#	A	В	C	D	E E	F	G	Н	P2	P3
12"	EP1SF1220N					_		_	•		
		\$480	\$510	\$550	\$595	\$645	\$700	\$760	\$830	+ \$20	+ \$40
18"	EP1SF1820N	\$500	\$530	\$570	\$615	\$665	\$720	\$780	\$850	+ \$20	+ \$40
24"	EP1SF2420N	\$520	\$550	\$590	\$635	\$685	\$740	\$800	\$870	+ \$20	+ \$40
30"	EP1SF3020N	\$540	\$590	\$650	\$720	\$820	\$950	\$1,090	\$1,240	+ \$20	+ \$40
36"	EP1SF3620N	\$560	\$610	\$670	\$740	\$840	\$970	\$1,110	\$1,260	+ \$20	+ \$40
42"	EP1SF4220N	\$580	\$630	\$690	\$760	\$860	\$990	\$1,130	\$1,280	+ \$20	+ \$40
48"	EP1SF4820N	\$610	\$660	\$720	\$790	\$890	\$1,020	\$1,160	\$1,310	+ \$20	+ \$40
60"	EP1SF6020N	\$630	\$680	\$740	\$810	\$910	\$1,040	\$1,180	\$1,330	+ \$20	+ \$40
25"	Н										
12"	EP1SF1225N	\$500	\$530	\$570	\$615	\$675	\$745	\$825	\$915	+ \$20	+ \$40
18"	EP1SF1825N	\$520	\$550	\$590	\$635	\$695	\$765	\$845	\$935	+ \$20	+ \$40
24"	EP1SF2425N	\$540	\$570	\$610	\$655	\$715	\$785	\$865	\$955	+ \$20	+ \$40
30"	EP1SF3025N	\$560	\$610	\$670	\$750	\$880	\$1,030	\$1,190	\$1,360	+ \$20	+ \$40
36"	EP1SF3625N	\$580	\$630	\$690	\$770	\$900	\$1,050	\$1,210	\$1,380	+ \$20	+ \$40
42"	EP1SF4225N	\$600	\$650	\$710	\$790	\$920	\$1,070	\$1,230	\$1,400	+ \$20	+ \$40
48"	EP1SF4825N	\$630	\$680	\$740	\$820	\$950	\$1,100	\$1,260	\$1,430	+ \$20	+ \$40
60"	EP1SF6025N	\$670	\$720	\$780	\$860	\$990	\$1,140	\$1,300	\$1,470	+ \$20	+ \$40
32"	Н										
12"	EP1SF1232N	\$520	\$550	\$590	\$635	\$695	\$785	\$885	\$995	+ \$20	+ \$40
18"	EP1SF1832N	\$540	\$570	\$610	\$655	\$715	\$805	\$905	\$1,015	+ \$20	+ \$40
24"	EP1SF2432N	\$560	\$590	\$630	\$675	\$735	\$825	\$925	\$1,035	+ \$20	+ \$40
30"	EP1SF3032N	\$580	\$630	\$690	\$780	\$930	\$1,100	\$1,290	\$1,510	+ \$20	+ \$40
36"	EP1SF3632N	\$600	\$650	\$710	\$800	\$950	\$1,120	\$1,310	\$1,530	+ \$20	+ \$40
42"	EP1SF4232N	\$620	\$670	\$730	\$820	\$970	\$1,140	\$1,330	\$1,550	+ \$20	+ \$40
48"	EP1SF4832N	\$650	\$700	\$760	\$850	\$1,000	\$1,170	\$1,360	\$1,580	+ \$20	+ \$40
60"	EP1SF6032N	\$680	\$730	\$790	\$880	\$1,030	\$1,200	\$1,390	\$1,610	+ \$20	+ \$40
37"	Н										
12"	EP1SF1237N	\$540	\$580	\$630	\$690	\$770	\$860	\$960	\$1,070	+ \$20	+ \$40
18"	EP1SF1837N	\$560	\$600	\$650	\$710	\$790	\$880	\$980	\$1,090	+ \$20	+ \$40
24"	EP1SF2437N	\$580	\$620	\$670	\$730	\$810	\$900	\$1,000	\$1,110	+ \$20	+ \$40
30"	EP1SF3037N	\$600	\$670	\$750	\$840	\$1,000	\$1,170	\$1,370	\$1,620	+ \$20	+ \$40
36"	EP1SF3637N	\$620	\$690	\$770	\$860	\$1,020	\$1,190	\$1,390	\$1,640	+ \$20	+ \$40
42"	EP1SF4237N	\$640	\$710	\$790	\$880	\$1,040	\$1,210	\$1,410	\$1,660	+ \$20	+ \$40
48"	EP1SF4837N	\$670	\$740	\$820	\$910	\$1,070	\$1,240	\$1,440	\$1,690	+ \$20	+ \$40
60"	EP1SF6037N	\$700	\$770	\$850	\$940	\$1,100	\$1,270	\$1,470	\$1,720	+ \$20	+ \$40

	Insert Type	W	Н	Slots
EP1S Stack-on panel	F Fabric	36	37	N Without slots
	•	:		
ED4C	- :	36	27	N
EP1S	F	36	37	N

## **Stack-on Panels**

**Insert with slots** 



12" H	12" H		LAMINATE INSERT			PAINT	
W	MODEL#	PG	L1	L2	L3	P2	Р3
12"	EP2S()1212	\$687	\$687	\$756	\$824	+ \$20	+ \$40
18"	EP2S()1812	\$717	\$717	\$789	\$860	+ \$20	+ \$40
24"	EP2S()2412	\$747	\$747	\$822	\$896	+ \$20	+ \$40
30"	EP2S()3012	\$777	\$807	\$888	\$968	+ \$20	+ \$40
36"	EP2S()3612	\$807	\$897	\$987	\$1,076	+ \$20	+ \$40
42"	EP2S()4212	\$837	\$997	\$1,097	\$1,196	+ \$20	+ \$40
48"	EP2S()4812	\$867	\$1,057	\$1,163	\$1,268	+ \$20	+ \$40
60"	EP2S()6012	\$907	\$1,227	\$1,350	\$1,472	+ \$20	+ \$40

60"	EP2S()6012	\$907	\$1,227	\$1,350	\$1,472	+ \$20	+ \$40
13" H							
12"	EP2S()1213	\$727	\$727	\$800	\$872	+ \$20	+ \$40
18"	EP2S()1813	\$757	\$757	\$833	\$908	+ \$20	+ \$40
24"	EP2S()2413	\$787	\$787	\$866	\$944	+ \$20	+ \$40
30"	EP2S()3013	\$817	\$847	\$932	\$1,016	+ \$20	+ \$40
36"	EP2S()3613	\$847	\$927	\$1,020	\$1,112	+ \$20	+ \$40
42"	EP2S()4213	\$877	\$1,017	\$1,119	\$1,220	+ \$20	+ \$40
48"	EP2S()4813	\$907	\$1,097	\$1,207	\$1,316	+ \$20	+ \$40
60"	EP2S()6013	\$947	\$1,257	\$1,383	\$1,508	+ \$20	+ \$40
15"							
12"	EP2S()1215	\$737	\$737	\$811	\$884	+ \$20	+ \$40
18"	FP2S( )1815	\$767	\$767	\$844	\$920	± \$20	± \$40

13							
12"	EP2S()1215	\$737	\$737	\$811	\$884	+ \$20	+ \$40
18"	EP2S()1815	\$767	\$767	\$844	\$920	+ \$20	+ \$40
24"	EP2S()2415	\$797	\$797	\$877	\$956	+ \$20	+ \$40
30"	EP2S()3015	\$827	\$897	\$987	\$1,076	+ \$20	+ \$40
36"	EP2S()3615	\$857	\$977	\$1,075	\$1,172	+ \$20	+ \$40
42"	EP2S()4215	\$887	\$1,077	\$1,185	\$1,292	+ \$20	+ \$40
48"	EP2S()4815	\$917	\$1,157	\$1,273	\$1,388	+ \$20	+ \$40
60"	EP2S()6015	\$957	\$1,317	\$1,449	\$1,580	+ \$20	+ \$40

_			
•	n۵	citv	
•	۲	,	

Model #
 Insert color

3. Paint trim color

#### Plexiglass Finishes

CL . . Clear IC . . . Ice SM . . Smoked TR . . Translucent

#### Assembly

#### Included


- Stack-on panel • Flat top cap (N)
- Flat top cap (N) attached to the bottom of stack-on panel

#### Not Included

• Top cap (use top cap from base panel)

#### Ordered Separately

- Stack-on posts
- Panel connectors




17" H			LAMINATE INSERT			PAINT	
W	MODEL #	PG	L1	L2	L3	P2	Р3
12"	EP2S()1217	\$747	\$747	\$822	\$896	+ \$20	+ \$40
18"	EP2S()1817	\$777	\$777	\$855	\$932	+ \$20	+ \$40
24"	EP2S()2417	\$807	\$837	\$921	\$1,004	+ \$20	+ \$40
30"	EP2S()3017	\$837	\$937	\$1,031	\$1,124	+ \$20	+ \$40
36"	EP2S()3617	\$867	\$1,017	\$1,119	\$1,220	+ \$20	+ \$40
42"	EP2S()4217	\$897	\$1,117	\$1,229	\$1,340	+ \$20	+ \$40
48"	EP2S()4817	\$937	\$1,197	\$1,317	\$1,436	+ \$20	+ \$40
60"	EP2S()6017	\$977	\$1,377	\$1,515	\$1,652	+ \$20	+ \$40

20" H							
12"	EP2S()1220	\$777	\$777	\$855	\$932	+ \$20	+ \$40
18"	EP2S()1820	\$807	\$837	\$921	\$1,004	+ \$20	+ \$40
24"	EP2S()2420	\$837	\$907	\$998	\$1,088	+ \$20	+ \$40
30"	EP2S()3020	\$867	\$997	\$1,097	\$1,196	+ \$20	+ \$40
36"	EP2S()3620	\$897	\$1,097	\$1,207	\$1,316	+ \$20	+ \$40
42"	EP2S()4220	\$927	\$1,177	\$1,295	\$1,412	+ \$20	+ \$40
48"	EP2S()4820	\$957	\$1,257	\$1,383	\$1,508	+ \$20	+ \$40
60"	EP2S()6020	\$997	\$1,437	\$1,581	\$1,724	+ \$20	+ \$40

		ln	sert Type	W	н
EP2S	Stack-on panel	PG LM	<b>Plexiglass</b> Laminate	36	15
EP2S	:	PG	:	36	15

## **Stack-on Panels**

**Insert without slots** 



12" H	2" H		LAMINATE INSERT			PAINT	
W	MODEL#	PG	L1	L2	L3	P2	P3
12"	EP2S()1212N	\$687	\$687	\$756	\$824	+ \$20	+ \$40
18"	EP2S()1812N	\$717	\$717	\$789	\$860	+ \$20	+ \$40
24"	EP2S()2412N	\$747	\$747	\$822	\$896	+ \$20	+ \$40
30"	EP2S()3012N	\$777	\$807	\$888	\$968	+ \$20	+ \$40
36"	EP2S()3612N	\$807	\$897	\$987	\$1,076	+ \$20	+ \$40
42"	EP2S()4212N	\$837	\$997	\$1,097	\$1,196	+ \$20	+ \$40
48"	EP2S()4812N	\$867	\$1,057	\$1,163	\$1,268	+ \$20	+ \$40
60"	EP2S()6012N	\$907	\$1,227	\$1,350	\$1,472	+ \$20	+ \$40

13" H							
12"	EP2S()1213N	\$727	\$727	\$800	\$872	+ \$20	+ \$40
18"	EP2S()1813N	\$757	\$757	\$833	\$908	+ \$20	+ \$40
24"	EP2S()2413N	\$787	\$787	\$866	\$944	+ \$20	+ \$40
30"	EP2S()3013N	\$817	\$847	\$932	\$1,016	+ \$20	+ \$40
36"	EP2S()3613N	\$847	\$927	\$1,020	\$1,112	+ \$20	+ \$40
42"	EP2S()4213N	\$877	\$1,017	\$1,119	\$1,220	+ \$20	+ \$40
48"	EP2S()4813N	\$907	\$1,097	\$1,207	\$1,316	+ \$20	+ \$40
60"	EP2S()6013N	\$947	\$1,257	\$1,383	\$1,508	+ \$20	+ \$40

15" H							
12"	EP2S()1215N	\$737	\$737	\$811	\$884	+ \$20	+ \$40
18"	EP2S()1815N	\$767	\$767	\$844	\$920	+ \$20	+ \$40
24"	EP2S()2415N	\$797	\$797	\$877	\$956	+ \$20	+ \$40
30"	EP2S()3015N	\$827	\$897	\$987	\$1,076	+ \$20	+ \$40
36"	EP2S()3615N	\$857	\$977	\$1,075	\$1,172	+ \$20	+ \$40
42"	EP2S()4215N	\$887	\$1,077	\$1,185	\$1,292	+ \$20	+ \$40
48"	EP2S()4815N	\$917	\$1,157	\$1,273	\$1,388	+ \$20	+ \$40
60"	EP2S()6015N	\$957	\$1,317	\$1,449	\$1,580	+ \$20	+ \$40

12" EP2S()1217N 18" EP2S()1817N	\$747	\$747	\$822			
18" <b>EP2S()1817N</b>			2022	\$896	+ \$20	+ \$40
	\$777	\$777	\$855	\$932	+ \$20	+ \$40
24" <b>EP2S()</b> 2417 <b>N</b>	\$807	\$837	\$921	\$1,004	+ \$20	+ \$40
30" <b>EP2S()</b> 3017 <b>N</b>	\$837	\$937	\$1,031	\$1,124	+ \$20	+ \$40
36" <b>EP2S()</b> 3617 <b>N</b>	\$867	\$1,017	\$1,119	\$1,220	+ \$20	+ \$40
42" <b>EP2S()</b> 4217 <b>N</b>	\$897	\$1,117	\$1,229	\$1,340	+ \$20	+ \$40
48" <b>EP2S()</b> 4817 <b>N</b>	\$937	\$1,197	\$1,317	\$1,436	+ \$20	+ \$40
60" <b>EP2S()</b> 6017 <b>N</b>	\$977	\$1,377	\$1,515	\$1,652	+ \$20	+ \$40

24"	EP2S( )2417N	\$807	\$837	\$921	\$1,004	+ \$20	+ \$40
30"	EP2S()3017N	\$837	\$937	\$1,031	\$1,124	+ \$20	+ \$40
36"	EP2S()3617N	\$867	\$1,017	\$1,119	\$1,220	+ \$20	+ \$40
42"	EP2S()4217N	\$897	\$1,117	\$1,229	\$1,340	+ \$20	+ \$40
48"	EP2S()4817N	\$937	\$1,197	\$1,317	\$1,436	+ \$20	+ \$40
60"	EP2S()6017N	\$977	\$1,377	\$1,515	\$1,652	+ \$20	+ \$40

_				
3	n	ρ	cı	t۷
_	г	-	••	٠,

- 1. Model#
- 2. Insert color
- 3. Paint trim color

#### **Plexiglass Finishes**

**CL** ...Clear  $\textbf{IC} \dots \mathsf{lce}$  $\pmb{\mathsf{SM}}..\mathsf{Smoked}$ 

 ${\bf TR}$  . . Translucent

#### Assembly

## Included


- Stack-on panel
- Flat top cap (N) attached to the bottom of stack-on panel

#### Not Included

• Top cap (use top cap from base panel)

#### Ordered Separately


- Stack-on posts
- Panel connectors



20" H								
			LAMINATE INSERT			PAINT		
W	MODEL #	PG	L1	L2	L3	P2	P3	
12"	EP2S()1220N	\$777	\$777	\$855	\$932	+ \$20	+ \$40	
18"	EP2S()1820N	\$807	\$837	\$921	\$1,004	+ \$20	+ \$40	
24"	EP2S()2420N	\$837	\$907	\$998	\$1,088	+ \$20	+ \$40	
30"	EP2S()3020N	\$867	\$997	\$1,097	\$1,196	+ \$20	+ \$40	
36"	EP2S()3620N	\$897	\$1,097	\$1,207	\$1,316	+ \$20	+ \$40	
42"	EP2S()4220N	\$927	\$1,177	\$1,295	\$1,412	+ \$20	+ \$40	
48"	EP2S( )4820N	\$957	\$1,257	\$1,383	\$1,508	+ \$20	+ \$40	
60"	EP2S()6020N	\$997	\$1,437	\$1,581	\$1,724	+ \$20	+ \$40	
25" H								
12"	EP2S()1225N	\$827	\$827	\$910	\$992	+ \$20	+ \$40	
18"	EP2S()1825N	\$857	\$897	\$987	\$1,076	+ \$20	+ \$40	
24"	EP2S()2425N	\$887	\$977	\$1,075	\$1,172	+ \$20	+ \$40	
30"	EP2S()3025N	\$917	\$1,077	\$1,185	\$1,292	+ \$20	+ \$40	
36"	EP2S()3625N	\$947	\$1,157	\$1,273	\$1,388	+ \$20	+ \$40	
42"	EP2S( )4225N	\$977	\$1,257	\$1,383	\$1,508	+ \$20	+ \$40	
48"	EP2S( )4825N	\$1,007	\$1,327	\$1,460	\$1,592	+ \$20	+ \$40	
60"	EP2S()6025N	\$1,047	\$1,507	\$1,658	\$1,808	+ \$20	+ \$40	
32" H								
12"	EP2S()1232N	\$887	\$887	\$976	\$1,064	+ \$20	+ \$40	
18"	EP2S()1832N	\$917	\$957	\$1,053	\$1,148	+ \$20	+ \$40	
24"	EP2S()2432N	\$947	\$1,057	\$1,163	\$1,268	+ \$20	+ \$40	
30"	EP2S()3032N	\$977	\$1,127	\$1,240	\$1,352	+ \$20	+ \$40	
36"	EP2S()3632N	\$1,007	\$1,227	\$1,350	\$1,472	+ \$20	+ \$40	
42"	EP2S( )4232N	\$1,037	\$1,317	\$1,449	\$1,580	+ \$20	+ \$40	
48"	EP2S()4832N	\$1,067	\$1,397	\$1,537	\$1,676	+ \$20	+ \$40	
60"	EP2S()6032N	\$1,107	\$1,577	\$1,735	\$1,892	+ \$20	+ \$40	
37" H								
12"	FD35()4337N	¢027	6027	¢1.020	61 112	, ¢20	· ċ40	
18"	EP2S()1237N EP2S()1837N	\$927 \$957	\$927 \$1,017	\$1,020 \$1,119	\$1,112 \$1,220	+ \$20 + \$20	+ \$40 + \$40	
24"	EP2S()2437N	\$987	\$1,097	\$1,207	\$1,316	+ \$20	+ \$40	
30"	EP2S()3037N	\$1,017	\$1,197	\$1,317	\$1,436	+ \$20	+ \$40	
36"	EP2S()3637N	\$1,047 \$1,077	\$1,277	\$1,405	\$1,532	+ \$20	+ \$40	
42"	EP2S()4237N	\$1,077	\$1,377	\$1,515	\$1,652	+ \$20	+ \$40	
48"	EP2S()4837N	\$1,107	\$1,457	\$1,603	\$1,748	+ \$20	+ \$40	
60"	EP2S()6037N	\$1,147	\$1,627	\$1,790	\$1,952	+ \$20	+ \$40	

	Insert Type	w	Н	Slots
EP2S Stack-on panel	<b>PG Plexiglass</b> LM Laminate	36	37	N Without slots
EP2S	: :	: :	37	N







#### **Extended**

	-						
12"	EP1SPC12E		\$125	\$130	\$135		
13"	EP1SPC13E		\$135	\$140	\$145		
15"	EP1SPC15E		\$145	\$150	\$155		
17"	EP1SPC17E		\$155	\$160	\$165		
20"	EP1SPC20E		\$175	\$185	\$195		
25"	EP1SPC25E		\$190	\$200	\$210		
32"	EP1SPC32E		\$200	\$210	\$220		
37"	EP1SPC37E		\$210	\$220	\$230		
Panel connectors must be ordered separately.							

#### Specify

- 1. Model#
- 2. Paint trim color

#### **Application Notes**

Stack-on post must be used between adjacent stack-on panels.

#### Standard Stack-on

Standard stack-on post bottom uses a conical shaped bolt that connects it to the connector directly beneath it. Panel connectors for the top of the stack-on post must be ordered separately to match the geometry of the stack-on panels.

#### Extended Stack-on

Extended stack-on post bottom uses a double-threaded round connector to attach to the full-height post directly beneath it. Multi-height panel connectors (EPNPCMF) must be used on either side of the bottom of this connector to provide a smooth transition. Standard panel connectors are used along the top of the stack-on panels.



Coat Hook S	Coat Hook Straight					PAINT	
DESCRIPTION	W	D	Н	MODEL#	P1	P2	Р3
5 Pack	1/8"	1 3/8"	2 3/8"	EP3MMCH (B/P)	\$141	N/A	N/A



#### **Coat Hook Postless End**

Coat Hook	Postles	s En	d				
5 Pack	1 ¾s"	3/8"	2 3/8"	EP3MMCHPE (R/L)(B/P)	\$141	N/A	N/A

#### Specify

- 1. Model#
- 2. Paint trim color

#### Coat Hook

Aluminum coat hook attaches to any exposed Equity vertical slot. There are two versions. The straight version will work on any Equity vertical slot except for those on an inside corner. The postless end version is handed and extends beyond the edge of a panel with a postless end. Hand is determined by which side of the panel the coat hook is installed on while facing the panel.

#### Available in two colors


Black (B) Matte Aluminum (P)



Add-o	n Screens			PAINT	
W	Н	MODEL #		P1 P2	Р3
12"	15"	EP3AOPG1215	\$6	02 \$625	\$643
18"	15"	EP3AOPG1815	\$6	83 \$706	\$725
24"	15"	EP3AOPG2415	\$7	09 \$732	\$750
30"	15"	EP3AOPG3015	\$7-	49 \$772	\$786
36"	15"	EP3AOPG3615	\$7	98 \$820	\$838
42"	15"	EP3AOPG4215	\$8	85 \$910	\$924
48"	15"	EP3AOPG4815	\$9	66 \$991	\$1,006
60"	15"	EP3AOPG6015	\$9	88 \$1,010	\$1,028

oecify	Plexiglass Finishes	Application Notes	
Model # Insert color Paint trim color	CLClear ICIce SMSmoked TRTranslucent LFFrost	Add-on screens mount on the slotted standard with (2) die cast stanchion brackets that are included.  All attachment hardware is included.	Add-on screens are compatible with flat (N) and beveled (3) top caps.
		Two add-on screens may not be mounted next to each other on the inside corner of a 90° connection.	

## **Privacy/Modesty Panels**



Priva	cy/Mo	odesty Panels	••••••••••••	LAMINATE			
W	Н	# BRACKETS INCLUDED	MODEL #	PG	L1	L2	L3
12"	12"	2	PRVMOD(PG/LM)12	\$337	\$297	\$327	\$356
18"	12"	2	PRVMOD(PG/LM)18	\$377	\$327	\$360	\$392
24"	12"	2	PRVMOD(PG/LM)24	\$427	\$377	\$415	\$452
30"	12"	2	PRVMOD(PG/LM)30	\$477	\$427	\$470	\$512
36"	12"	2	PRVMOD(PG/LM)36	\$527	\$477	\$525	\$572
42"	12"	2	PRVMOD(PG/LM)42	\$577	\$527	\$580	\$632
48"	12"	2	PRVMOD(PG/LM)48	\$677	\$577	\$635	\$692
60"	12"	3	PRVMOD(PG/LM)60	\$807	\$677	\$745	\$812

c	n		£.,
3	þ٤	cı	ıy

1. Model #

2. Insert color

Trim - Brushed nickel only

#### **Plexiglass Finishes**

IC...lce SM..Smoked TR...Translucent LF...Frost

#### **Application Notes**

Widths are 1" less than nominal to allow for ½" set-back on each side.

These brackets are only available in privacy & modesty sets and cannot be sold separately.

## **Electrical**

"E" Series electrical systems consist of a 4-circuit and a 6-circuit system. Each circuit in the systems provides a maximum of 20 amps. The four circuit system has eight wires; the six-circuit system has ten wires. Both 8- and 10-wire systems contain two 10-gauge "super" neutrals and two ground wires so that sensitive electronic equipment may be easily protected from unwanted electrical interference. "E" Series electrical can be connected to either single phase or threephase building power supplies.


#### SPECIFICATION CHECKLIST

The following is a general checklist to ensure your order has been specified properly and to expedite entry of your order. It should be reviewed by a licensed electrician to ensure compliance with any local code requirements.

- Base or ceiling infeed modules.
   One for each point of connection to the building power supply.
   Select model desired. Electrical connection to the building power supply must be made by a licensed electrician to ensure proper installation.
- Select panels. Conduit jumpers are used to pass power to electrified panels. These panels do not have factory-installed power wiring, but modular power components are field-installed.
- Shrouds must be used for each panel to panel point to complete the raceway connection.
   Shrouds are included when post assemblies are ordered.
   Shrouds can also be ordered separately when building a multiple height connection.
- 4. Duplex receptacles. Specify the circuit which receptacles are to access: #1, #2, #3 and #4D for 2+2 info eight-wire applications and additionally #5D and #6D for ten wire applications. If connecting to single-phase supply, do not order #2 and #5D receptacles.
- 5. Select and order appropriate conduit jumpers to pass power between panels.
- Conduit Jumpers are for regular panel to panel connections or used to pass power through panels from terminal block to terminal block, which can be located up to 12 feet apart.

#### **Calculate Correct Jumper Length**

- Add widths of both panels containing terminal blocks.
- 2) Divide by 2.
- Add width of any nonelectrified panels inbetween. The result is the correct jumper length.



7. Modular wiring components. Internal panel wiring is fully modular and is field-installed into the raceway of panels. When wiring is field-installed the following components must be specified:

#### A. Terminal blocks

To branch circuits, splice jumpers or locate receptacles. Blocks snap-lock into place and are always located in the center of a panel. Panels have one block location only. Base infeed and ceiling infeed modules are each designed to plug into a terminal block, which must be ordered separately from the infeed.

# **B. Duplex Receptacles**Always specified separately according to circuit access.

#### C. Side Mount Receptacles


Available for panels 24" and wider. All standard receptacles fit into side mount position on right side of terminal block connector end. Therefore, no circuit number restriction.

#### **SPECIAL CONSIDERATIONS**


In addition to the checklist the following points should be remembered when planning a layout utilizing this electrical distribution system.

- "E" Series electrical consists of four or six 20-amp circuits, any of which can be accessed as desired by plugging in a specially numbered receptacle at terminal block locations in panels.
- Electrified panels can be interspersed between nonelectrified panels with the use of extra-length jumpers which pass circuitry to the next electrified panel.
- For isolation, the 2nd ground must be properly and separately grounded to the building by the installing licensed electrician.
- 4. Certain cities or localities carry special codes limiting the use of certain items within this system. Equity products are available which comply with these code requirements. Neutral Posture recommends contacting your local sales representative for clarification and possible restrictions.

Because of our continuous product improvements, these specifications are subject to change without notice. Please consult your sales representative for the latest information prior to ordering.



# **ELECTRICAL**



## Electrical

#### **BASE INFEED MODULE**

Modular base-mounted infeed conduits in eight-wire and tenwire versions are provided for connection to building power supplies housed in underfloor outlet boxes, floor mounted (monuments) or wall outlet boxes. Available "unhanded" for ease in introducing power from left or right of infeed location. The cover plates provided by others, for floor monuments, recessed floor boxes or wall boxes are to be punched to receive a half-inch (trade size) knockout hole for installation of the box fitting, which is included on the infeed circuit. The wiring connection is to be made within the box inside the monument or behind the floor or wall flush plate. The 4' 6" conduit can be shortened to meet field conditions by cutting the infeed (loose) end. Base Infeed Module plugs into terminal block at the receptacle location. For New York and San Francisco base infeed, see page 49.

Connecting to the building power source must be performed by a licensed electrician.

#### **CEILING INFEED MODULE**

The straight tubular infeed may be shortened (on its bottom end) if it will not fit field conditions. ceiling infeed module is filled with 8- or 10- wire conduit and plugs into terminal block in adjacent panel. Harness length is 19. Upper tube of module is 6' 7" in length.

#### RACEWAY PANELS WITH FIELD-INSTALLED COMPONENTRY:

- An independent cableway with capacity for up to ten %" dia. communications cables.
- A terminal block at the center of the panel allows for jumpers to connect panel to panel electrical connections and placement of duplex receptacles.
- Terminal block allows for receptacles in two locations, one on each side of the center of the panel (back to back), into which duplex 15-amp receptacles can be placed. The raceway covers are provided with removable knockouts.
- 4. For increased electric demands a second duplex receptacle per panel side can be added to panels 24" and wider. This receptacle plugs directly into the right side terminal block connector ends. Any standard "E" Series receptacle may be used.
- The faceplates on both sides of the panel are removable without removing receptacles.

The system and all standard components are UL-listed. Because of our continuous product improvements, these specifications are subject to change without notice. Please consult a Neutral Posture sales representative for the latest information prior to ordering.

#### **CABLE CAPACITY**

FILL	100%	40%
Cat 5	35	14
Cat 6	28	11

#### 8-WIRE SYSTEM

#### 2 + 2

The 2+2 electrical system consists of four 20 amp, 120 volt, 60-Hertz circuits. These circuits will accommodate 120 volt single phase, 120/240 volt split phase and 120/208 volt three phase power. The system components have a 20 amp capacity. The (NEC) only allows steady loads to 80% of capacity which is equivalent to 16 amps. Each circuit can generally power 8 - 10 duplex convenience outlets that are performing a normal load. However, in heavy load situations, such as computer systems each circuit will power 3 – 5 duplex outlets.


#### 3 + 1


The 3+1 electrical system consists of four 20 amp, 120 volt, 60-Hertz circuits. These circuits will power a 120 volt single phase, a 120/240 volt split and a 120/208 volt three phase power. Each system components have the capacity to power 20 amp. The National Electric Code (NEC) only allows steady loads to 80% of capacity which is equivalent to 16 amps. Each circuit can generally power 8-10 duplex convenience outlets that are performing a normal load. However, in heavy load situations, such as computer systems each circuit will power 3 – 5 duplex outlets. If each work station has two convenience duplex outlets and one protected duplex, the 8-wire (4-circuit) system can supply a cluster of 6 - 10 workstations from each infeed.

#### **10-WIRE SYSTEM**

#### 3 + 3

The 3+3 electrical system consists of six 20 amp, 120 volt, 60-Hertz circuits. The circuits will accommodate 120 volt single phase, 120/240 volt split phase and 120/208 volt three phase power. Each system components have the capacity to power 20 amp. The National Electric Code (NEC) only allows steady loads to 80% of capacity which is equivalent to 16 amps. Each circuit can generally power 8 - 10 duplex convenience outlets that are performing a normal load. However, in heavy load situations, such as computer systems each circuit will power 3 - 5 duplex outlets. If each workstation has two convenience duplex outlets and one protected duplex, the 10-wire (6-circuit) system can supply a cluster of 9 – 15 workstations from each infeed.





#### 1 Black HOT 2 Red HOT 4D 3 Blue Pink HOT HOT Ν Ν White/Black White/Red SHARED ISOLATED G G Green/Yellow

#### **COMPATIBILITY**

Equity power systems use similar components in all electrical systems. However, all parts are

not functionally interchangeable and should be used based on instructions given.

# **Electrical**Ceiling Infeeds



Ceili	ing In	feed	lc		PAINT	•
CCIII	iig iii	iiccu	13	<b>:</b>	PAINI	:
W	D	Н	MODEL#	P1	P2	P3
4"	1 ½"	120"	EE3CM41M	\$625	\$656	\$689
4"	1 ½"	120"	EE3CM49M	\$625	\$656	\$689
4"	1 ½"	120"	EE3CM54M	\$625	\$656	\$689
4"	1 ½"	120"	EE3CM61M	\$625	\$656	\$689
4"	1 ½"	120"	EE3CM64M	\$625	\$656	\$689
4"	1 ½"	120"	EE3CM81M	\$625	\$656	\$689

## **Ceiling Infeed Harness**

DESCRIPTION	MODEL#	LIST
E-Series 10-wire	EE1CH-10	\$573
E-Series 8-wire	EE1CH-8	\$470

#### Specify

- 1. Model #
- 2. Paint trim color

Fabric cover modules are not available

#### Configurations

#### 8-wire

2 + 2

3 + 1

10-wire

3 + 3

#### Application Notes

To connect a metal ceiling infeed to a corner or straight connection use an adjustable angle connector or an adjustable angle connector with multiheight connector for a three-way connection.

#### **Ceiling Infeed Modules**

Electrical harnesses not included with modules. Modules are hollow to accommodate power and/ or data cables from source into systems furniture.

With electrical harness installed, infeed holds 28 Cat 6 cables.

No "hang on" capabilities. Module cannot be used for panel support. Painted metal module is 120" long metal extrusion with attachment hooks at proper height to attach to appropriate height post.

Cables/conduit are laid into module by removal of two-piece front 1½" wide vertical access cover which runs the length of the extrusion.


Includes escutcheon plate which is white to

integrate with ceiling. Tube is trim colored to match system trim.





DESCRIPTION	W	MODEL#	LIST
8-wire	54"	EE1BI-8	\$244
8-wire	72"	EE1BI72-8	\$301
10-wire	54"	<b>EE1BI-</b> 10	\$295
10-wire	72"	<b>EE</b> 1 <b>BI</b> 72-10	\$358




#### Base Infeed – New York

DESCRIPTION	MODEL#	LIST
10-wire	EE1BI-10N	\$371
8-wire	EE1BI-8N	\$304



#### Base Infeed – San Francisco

DESCRIPTION	W	MODEL#	LIST
8-wire (non-handed)	54"	EE1BI-8SF	\$244
8-wire (non-handed)	72"	EE1BI72-8SF	\$301
10-wire (non-handed)	54"	EE1BI-10SF	\$295
10-wire (non-handed)	72"	EE1BI72-10SF	\$358



## **Jumper End Base Feed**

DESCRIPTION	W	MODEL#	LIST
10-wire w/ground	72"	EE1BIJ-10G	\$411
8-wire w/ground	72"	EE1BIJ-8G	\$340
8-wire	72"	EE1BIJ-8	\$313
10-wire	72"	EE1BIJ-10	\$386

Config	uration	S	
8-wire			
2 + 2			
3 + 1			
10-wir	re		
3 + 3			

#### **Base Infeed Modules**

An infeed conduit connects to the wall or floor outlet box of a building's power supply and plugs into a terminal block in panel raceway. Power entry can be from either left or right side of panel. Metal cover conceals the baseboard connection and is reversible for either left or right entry. Can be field-cut to proper lengths. Color is black. A terminal block must be ordered separately.

#### Jumper End Infeeds

Connects by hardwiring to a building's electrical supply in floor or wall box by a licensed electrician. Plugs into one set of terminal connections at end of terminal block. Terminal block must be located in panel adjacent to source. Terminal block is ordered separately.

Base infeed can be field cut by a licensed electrician to necessary length. Conduit is encased in black plastic sealer.





Terminal Block			10-WIRE
DESCRIPTION	MODEL#		
8-wire only	EE1TB(8/10)	\$56	\$72



Duplex Receptacle		8-WIRE		10-WIRE
DESCRIPTION	MODEL#	(3+1)	(2+2)	(3+3)
Circuit #1	EE1R1	\$50	\$50	\$50
Circuit #2	EE1R2	\$50	\$50	\$50
Circuit #3 dedicated for 2+2	EE1R3D	N/A	\$50	N/A
Circuit #3 for 3+1	EE1R3	\$50	N/A	\$50
Circuit #4 dedicated circuit for 3+1, 2+2 or 3+3	EE1R4D	\$50	\$50	\$50
Circuit #5 dedicated circuit for 3+3	EE1R5D	N/A	N/A	\$50
Circuit #6 dedicated circuit for 3+3	EE1R6D	N/A	N/A	\$50



Duplex Receptacle (10 Pack)		8-WII	RE	10-WIRE
DESCRIPTION	MODEL#	(3+1)	(2+2)	(3+3)
Circuit #1	EE1R1 P10	\$411	\$411	\$411
Circuit #2	EE1R2 P10	\$411	\$411	\$411
Circuit #3 dedicated for 2+2	EE1R3D P10	N/A	\$411	N/A
Circuit #3 for 3+1	EE1R3 P10	\$411	N/A	\$411
Circuit #4 dedicated circuit for 3+1, 2+2 or 3+3	EE1R4D P10	\$411	\$411	\$411
Circuit #5 dedicated circuit for 3+3	EE1R5D P10	N/A	N/A	\$411
Circuit #6 dedicated circuit for 3+3	EE1R6D P10	N/A	N/A	\$411



Receptacle – Side Mount		8-WI		10-WIRE	
DESCRIPTION	MODEL#	(3+1)	(2+2)	(3+3)	
10 Pack	EE1SMRB10	\$250	\$250	\$250	

Data Shield	8-WII	10-WIRE			
DESCRIPTION	MODEL#	(3+1)	(2+2)	(3+3)	
Terminal block shield	EE15BR	\$77	\$77	\$77	

#### Application Notes

Receptacles are black only. Neutral wires are 10 gauge.

#### Terminal Block


A modular eight or ten wire block that snaps into the base location in center of the panel. Used to branch circuits, splice jumpers or locate duplex receptacles back to back.

## Side Mount Receptacles

Plugs directly into the right side of terminal block to provide a second duplex receptacle where required.

Any "E" Series receptacle can be used in panels 24" wide and wider. Side mount receptacle bracket (EE1SMRB10) is needed when using a side mount receptacle.

#### **Jumper**



LENGTH (ACTUAL)	MODEL#	8-WIRE	10-WIRE
11 ½"	EE1C18-(8/10)	\$109	\$129
14 ½"	EE1C21-(8/10)	\$113	\$132
17 ½"	EE1C24-(8/10)	\$116	\$135
20 ½"	EE1C27-(8/10)	\$117	\$144
23 ½"	EE1C30-(8/10)	\$120	\$146
26 ½"	EE1C33-(8/10)	\$123	\$152
29 ½"	EE1C36-(8/10)	\$124	\$154
32 ½"	EE1C39-(8/10)	\$130	\$161
35 ½"	EE1C42-(8/10)	\$133	\$166
38 ½"	EE1C45-(8/10)	\$136	\$168
41 ½"	EE1C48-(8/10)	\$141	\$170
44 ½"	EE1C51-(8/10)	\$146	\$178
47 ½"	EE1C54-(8/10)	\$146	\$178
50 ½"	EE1C57-(8/10)	\$154	\$185
53 ½"	EE1C60-(8/10)	\$157	\$190
56 ½"	EE1C63-(8/10)	\$162	\$193
59 ½"	EE1C66-(8/10)	\$165	\$201
62 ½"	EE1C69-(8/10)	\$165	\$201
65 ½"	EE1C72-(8/10)	\$170	\$207
68 ½"	EE1C75-(8/10)	\$172	\$210
71 ½"	EE1C78-(8/10)	\$174	\$216
74 ½"	EE1C81-(8/10)	\$177	\$217
77 ½"	EE1C84-(8/10)	\$178	\$219
80 1/2"	EE1C87-(8/10)	\$186	\$229
83 ½"	EE1C90-(8/10)	\$190	\$232
86 1/2"	EE1C93-(8/10)	\$192	\$235
89 ½"	EE1C96-(8/10)	\$199	\$241
92 ½"	EE1C99-(8/10)	\$202	\$244
95 ½"	EE1C102-(8/10)	\$205	\$249
98 ½"	EE1C105-(8/10)	\$207	\$253
101 ½"	EE1C108-(8/10)	\$208	\$254
104 ½"	EE1C111-(8/10)	\$216	\$259
107 ½"	EE1C114-(8/10)	\$220	\$266
113 ½"	EE1C120-(8/10)	\$230	\$278
119 ½"	EE1C126-(8/10)	\$234	\$283
125 ½"	EE1C132-(8/10)	\$238	\$292
137 ½"	EE1C144-(8/10)	\$253	\$307
	11 ½" 14 ½" 17 ½" 20 ½" 23 ½" 26 ½" 29 ½" 32 ½" 35 ½" 38 ½" 41 ½" 44 ½" 47 ½" 50 ½" 59 ½" 62 ½" 68 ½" 71 ½" 74 ½" 77 ½" 80 ½" 88 ½" 86 ½" 99 ½" 99 ½" 91 ½" 91 ½" 91 ½" 91 ½"	11 ½"	11 ½" EE1C18-(8/10) \$109  14 ½" EE1C21-(8/10) \$113  17 ½" EE1C24-(8/10) \$116  20 ½" EE1C27-(8/10) \$117  23 ½" EE1C30-(8/10) \$120  26 ½" EE1C33-(8/10) \$123  29 ½" EE1C36-(8/10) \$130  35 ½" EE1C36-(8/10) \$130  35 ½" EE1C36-(8/10) \$130  35 ½" EE1C48-(8/10) \$133  38 ½" EE1C48-(8/10) \$136  41 ½" EE1C48-(8/10) \$141  44 ½" EE1C48-(8/10) \$146  47 ½" EE1C51-(8/10) \$154  50 ½" EE1C57-(8/10) \$157  56 ½" EE1C69-(8/10) \$157  56 ½" EE1C69-(8/10) \$165  65 ½" EE1C69-(8/10) \$165  65 ½" EE1C69-(8/10) \$170  68 ½" EE1C69-(8/10) \$177  71 ½" EE1C78-(8/10) \$177  71 ½" EE1C81-(8/10) \$177  71 ½" EE1C81-(8/10) \$177  77 ½" EE1C9-(8/10) \$177  77 ½" EE1C9-(8/10) \$177  77 ½" EE1C9-(8/10) \$179  80 ½" EE1C9-(8/10) \$179  80 ½" EE1C9-(8/10) \$179  90 ½" EE1C9-(8/10) \$179  91 ½" EE1C9-(8/10) \$179  92 ½" EE1C9-(8/10) \$179  93 ½" EE1C9-(8/10) \$199  94 ½" EE1C9-(8/10) \$199  95 ½" EE1C9-(8/10) \$200  95 ½" EE1C9-(8/10) \$200  95 ½" EE1C11-(8/10) \$200  96 ½" EE1C11-(8/10) \$200  97 ½" EE1C11-(8/10) \$200  98 ½" EE1C11-(8/10) \$200  99 ½" EE1C11-(8/10) \$200  99 ½" EE1C11-(8/10) \$200  91 ½" EE1C11-(8/10) \$200

#### Configurations

**8-wire** 2 + 2

2+2 3+1

10-wire

3+3


#### Application Notes

Jumpers transmit power circuits from one panel mounted terminal block to another. Can carry power through panels where no terminal blocks are installed. The length of the jumper corresponds to the distance between the terminal blocks.

#### Calculate the Correct Length

- 1. Add widths of both panels containing terminal blocks.
- 2. Divide by two.
- 3. Add width of any non-electrified panels in-between.

The result is the correct jumper length.





## **Knock-out Replacement Cover**

DESCRIPTION	MODEL#	LIST
Single	EE1KC	\$15
10 Pack	EE1KC10	\$68

## Specify

- 1. Model#
- 2. Paint trim color



## **Ashley Duo**

DESCRIPTION	W	D	Н	MODEL#	LIST
120" Cord length	5 ½"	3 1/8"	2"	EE4WSAD120	\$390
72" Cord length	5 ½"	3 1/8"	2"	EE4WSAD72	\$380



## **Desktop Power**

108" Cord length	3 ¾"	4 1/2"	EE4WSME108	\$177
72" Cord length	3 ¾"	4 1/2"	EE4WSME72	\$157



## **Desktop Data**

3 ¾"	2 ½"	5"	EE4WSMC	\$133



#### **Desktop Power & Data**

<b>-</b>		
108" Cord length	EE4WSMED108	\$379
72" Cord length	EE4WSMED72	\$347

#### Ashley Duo

The Ashely duo features two receptacles and dual USB ports in a convenient 2 piece clamp on surface mount.

The USB charging ports provide 2.1 amps per port, 4.2 amps total. They also feature a Smart Device Recognition Chip that monitors the power request from plugged in devices, self-regulating and supplying the appropriate

amps, up to 2.1 amps, as needed by device. The result is each device receives the appropriate amount of power and charges as fast as possible.

Accommodates surfaces 1" to  $1 \frac{3}{4}$ " thick.

#### Installation

Clamps to back of worksurface. Bracketry included.

#### **Desktop Modules**

Duplex electrical and communications outlets that attach at any point along the rear of a worksurface.

Accommodates surfaces 1" to 1 3/4" thick.

#### Installation

Clamps to back of worksurface with included bracketry. Available in black only.

#### **Data Wiring**

Data wiring and keystones provided by cabling contractor.

## Worksurfaces

**General Info** 

Step 1 - Model #

					Op	tions		
Worksurface Type	W	D		Wiring			Extended En	ds
EW1 Rectangle	48	24	G	Grommets	\$25	Е	One End	\$21
			G2	Scallop	\$50	EE	Both Ends	\$42
EW1	48	24	G			Е		

Step 2 - Surface Finish

Step 3 – Edge Finish Laminate Laminate PW-STK Studio Teak EB-STK Studio Teak **PW-STK EB-STK** 

Ę	F	Λ٦	П	П	₹F	C
г		МΙ		JF	١г	

#### **DEPTHS** 20" D

24" D 30" D 36" D

#### WIDTHS

24" W 30" W 36" W 42" W 48" W 54" W 60" W 66" W 72" W 78" W 84" W 90" W 96" W 102" W 108" W 114" W 120" W

#### **THICKNESS**

1 1/8"

#### **WIRING & CABLING**

#### **GROMMETS**



When standard grommets are specified they are in a rear, centered location and are available in black only. Corner worksurfaces provide two edge grommets.

#### **SCALLOP**



Scalloped grommets feature additional half grommets on either end to provide a full grommet when two tops meet. The half grommet also allows for cord management by itself when it is wrapped by panels and not adjacent to other worksurfaces.

#### **CABLE DROP**

3/8" cable management gap

#### **EDGE DETAIL**

#### **STANDARD**

3mm ABS

#### WOODGRAIN

2mm PVC

#### **SURFACE MATERIALS**

#### STANDARD WORKSURFACE

**High Pressure Laminate** 

#### **CASCADE WORKSURFACE**

Thermafoil (available on Cascade edge only)


#### **EDGEBAND**

Available matching or contrasting. Upcharge may be applicable.

#### **SUPPORTS**

Under worksurface--Black powdercoat Countercap supports--paint

# **WORKSURFACES**



## Worksurface

General Info

Top surface available in standard laminates. For a complete list of color offering consult the Finishes page at the beginning of the price list.

Underside of all 24" deep and deeper rectangular worksurfaces is predrilled for mounting of the Equity pedestals and support bracketry.

The front edge of 30" deep cantilevered surfaces should not be loaded in excess of 180 pounds.

Worksurfaces are designed to provide a 3%" cable management gap between the back edge of the worksurface and wall panel.


#### D&PTOPS

Equity "D" and "P" tops are actual depth plus 1½" to cover two posts and may not be panel wrapped. This allows an adjustable bar support to support the flat end without being visually obtrusive. Adjacent worksurfaces should be specified so as not to cover a post where a "D" or "P" top may be used.

#### **EXTENDED ENDS TO COVER POSTS**

Equity is measured from the center of the posts on each end of the panel. If you would like the worksurface to extend to cover one post, then you will need to add an "E". If you would like the worksurface to extend to cover both posts, then you will need to add "EE" to the worksurface item number.

**E**....Covers 1 post **EE**...Covers 2 posts



#### 24" DEEP STRAIGHTS & 15" TOWERS



When adding a 15" tower to the end of a worksurface you will need to add a "T" to the end of the model number in order to make the worksurface and tower completely flush. This will only be necessary on 24" deep worksurfaces with a width from 48" – 84".

(T) - Available on

W	Н	W (actual)	
48"	24"	43 1/4"	EW14824T
54"	24"	49 1/4"	<b>EW</b> 15424 <b>T</b>
60"	24"	55 1/4"	EW16024T
66"	24"	61 ¼"	EW16624T
72"	24"	67 1/4"	EW17224T
78"	24"	73 1/4"	EW17824T
84"	24"	79 1/4"	EW18424T

## Worksurface Support Information


W         D         ESTAGOLUR)         ESTSECUL         24* 20* 20° bis         2C         200 lbs         2S         N/A         N/A           24*         20*         200 lbs         2C         200 lbs         2S         +1 Support         N/A           30*         20*         200 lbs         2C         200 lbs         2S         N/A         N/A           30*         20*         200 lbs         2C         200 lbs         2S         +1 Support         N/A           30*         20*         200 lbs         2C         200 lbs         2S         -         +1 Support           36*         20*         200 lbs         2C         200 lbs         2S         N/A         N/A           36*         24*         200 lbs         2C         200 lbs         2S         +1 Support         N/A           42*         20*         200 lbs         2C         200 lbs         2S         -         +1 Support           42*         20*         200 lbs         2C         200 lbs         2S         N/A         N/A           42*         20*         216 lbs         2C         216 lbs         2S         N/A         N/A           48*	Worksurf	face Sizes	Cantile	/er-C	Adjustable Ba	r Support-S	Supporting Pedestal	Supporting Pedestal
24"   24"   200   lbs   2C   200   lbs   25   x1 Support   N/A     30"   20"   200   lbs   2C   200   lbs   25   N/A   N/A     30"   24"   200   lbs   2C   200   lbs   25   x1 Support   N/A     30"   30"   200   lbs   2C   200   lbs   25   x1 Support   N/A     36"   20"   200   lbs   2C   200   lbs   25   x1 Support   N/A     36"   24"   200   lbs   2C   200   lbs   25   x1 Support   N/A     36"   30"   200   lbs   2C   200   lbs   25   x1 Support   N/A     36"   30"   200   lbs   2C   200   lbs   25   x1 Support   N/A     42"   20"   200   lbs   2C   200   lbs   25   x1 Support   N/A     42"   24"   200   lbs   2C   200   lbs   25   x1 Support   N/A     42"   24"   200   lbs   2C   200   lbs   25   x1 Support   N/A     48"   20"   216   lbs   2C   216   lbs   25   x1 Support   N/A     48"   20"   216   lbs   2C   216   lbs   25   x1 Support   N/A     48"   20"   216   lbs   2C   216   lbs   25   x1 Support   N/A     48"   30"   216   lbs   2C   216   lbs   25   x1 Support   N/A     54"   24"   243   lbs   3C   243   lbs   25/1C   x2 Support   N/A     54"   24"   243   lbs   3C   243   lbs   25/1C   x2 Support   N/A     54"   30"   243   lbs   3C   243   lbs   25/1C   x2 Support   N/A     60"   20"   270   lbs   3C   270   lbs   25/1C   x1 Support   N/A     60"   20"   270   lbs   3C   270   lbs   25/1C   x1 Support   N/A     60"   24"   270   lbs   3C   270   lbs   25/1C   x1 Support   N/A     66"   24"   270   lbs   3C   270   lbs   25/1C   x1 Support   N/A     66"   24"   270   lbs   3C   270   lbs   25/1C   x1 Support   N/A     66"   24"   270   lbs   3C   270   lbs   25/1C   x1 Support   N/A     66"   24"   270   lbs   3C   270   lbs   25/1C   x1 Support   N/A     72"   20"   324   lbs   3C   324   lbs   25/1C   x1 Support   N/A     72"   20"   324   lbs   3C   324   lbs   25/1C   x1 Support   N/A     72"   20"   324   lbs   3C   324   lbs   25/1C   x1 Support   N/A     72"   20"   324   lbs   3C   324   lbs   25/1C   x1 Support   N/A     84"   20"   378   lbs   3C   378   lbs   25/1C   x1 Support   N/A	W	D	EB1C20	(L/R)	EB1SR(	S/L)	24" Deep	30" Deep
30"   20"   200   185   2C   200   185   2S   N/A   N/A     30"   24"   200   185   2C   200   185   2S   +1 Support   N/A     30"   30"   200   185   2C   200   185   2S	24"	20"	200 lbs	2C	200 lbs	25	N/A	N/A
30"   20"   200   1bs   2C   200   1bs   25   N/A   N/A   N/A   30"   24"   200   1bs   2C   200   1bs   25   +1 Support   N/A   30"   200   1bs   2C   200   1bs   25     +1 Support   N/A   36"   20"   200   1bs   2C   200   1bs   25   N/A   N/A   36"   20"   200   1bs   2C   200   1bs   25   +1 Support   N/A   36"   30"   200   1bs   2C   200   1bs   25   +1 Support   N/A   36"   30"   200   1bs   2C   200   1bs   25   N/A   N/A   N/A   42"   20"   200   1bs   2C   200   1bs   25   N/A   N/A   42"   30"   200   1bs   2C   200   1bs   25   N/A   N/A   44"   30"   200   1bs   2C   216   1bs   25   N/A   N/A   48"   20"   216   1bs   2C   216   1bs   25   N/A   N/A   48"   30"   216   1bs   2C   216   1bs   25   N/A   N/A   48"   30"   216   1bs   2C   216   1bs   25     +1 Support   N/A   48"   30"   216   1bs   2C   216   1bs   25     +1 Support   N/A   48"   30"   243   1bs   3C   243   1bs   25/1C   N/A   N/A   N/A   48"   30"   243   1bs   3C   243   1bs   25/1C   +2 Support   N/A   N/A   48"   30"   243   1bs   3C   243   1bs   25/1C   N/A   N/A   N/A   49"   24"   243   1bs   3C   243   1bs   25/1C   N/A   N/A   N/A   40"   24"   270   1bs   3C   270   1bs   25/1C     +2 Support   N/A   60"   24"   270   1bs   3C   270   1bs   25/1C     +2 Support   N/A   60"   24"   270   1bs   3C   270   1bs   25/1C   N/A   N/A   N/A   60"   24"   270   1bs   3C   270   1bs   25/1C     +2 Support   N/A   66"   24"   297   1bs   3C   270   1bs   25/1C     +2 Support   N/A   66"   24"   297   1bs   3C   297   1bs   25/1C     +2 Support   N/A   10"   27"   20"   324   1bs   3C   324   1bs   25/1C     +2 Support   N/A   10"   24"   378   1bs   3C   378   1bs   25/1C     +2 Support   N/A   10"   24"   378   1bs   3C   378   1bs   25/1C     +2 Support   N/A   10"   24"   378   1bs   3C   378   1bs   25/1C     +2 Support   N/A   10"   24"   378   1bs   3C   378   1bs   25/1C     +2 Support   N/A   10"   24"   378   1bs   3C   378   1bs   25/1C     +2 Support   N/A   10"   24"   378	24"	24"	200 lbs	2C	200 lbs	2S	+1 Support	N/A
30°   30°   200   bs   2C   200   bs   2S   —   +1 Support	30"	20"	200 lbs	2C	200 lbs	25	N/A	N/A
36"         20"         200 lbs         2C         200 lbs         2S         N/A         N/A           36"         24"         200 lbs         2C         200 lbs         2S         +15 upport         N/A           36"         30"         200 lbs         2C         200 lbs         2S          +1 Support           42"         20"         200 lbs         2C         200 lbs         2S         N/A         N/A           42"         24"         200 lbs         2C         200 lbs         2S         +1 Support         N/A           48"         20"         216 lbs         2C         216 lbs         2S         N/A         N/A           48"         20"         216 lbs         2C         216 lbs         2S         +1 Support         N/A           48"         30"         216 lbs         2C         216 lbs         2S	30"	24"	200 lbs	2C	200 lbs	25	+1 Support	N/A
36°   24°   200 lbs   2C   200 lbs   2S   +1 Support   N/A     36°   30°   200 lbs   2C   200 lbs   2S     +1 Support     42°   20°   200 lbs   2C   200 lbs   2S   N/A   N/A     42°   24°   200 lbs   2C   200 lbs   2S   N/A   N/A     42°   30°   200 lbs   2C   200 lbs   2S   +1 Support   N/A     42°   30°   200 lbs   2C   200 lbs   2S     +1 Support     48°   20°   216 lbs   2C   216 lbs   2S   N/A   N/A     48°   24°   216 lbs   2C   216 lbs   2S   N/A   N/A     48°   30°   216 lbs   2C   216 lbs   2S   +1 Support   N/A     48°   30°   216 lbs   2C   216 lbs   2S     +1 Support     54°   20°   243 lbs   3C   243 lbs   2S/IC   N/A   N/A     54°   24°   243 lbs   3C   243 lbs   2S/IC   N/A   N/A     54°   30°   243 lbs   3C   243 lbs   2S/IC   +2 Support   N/A     54°   30°   243 lbs   3C   243 lbs   2S/IC     +2 Support     60°   20°   270 lbs   3C   270 lbs   2S/IC     +2 Support     60°   24°   270 lbs   3C   270 lbs   2S/IC   +2 Support   N/A     60°   30°   270 lbs   3C   270 lbs   2S/IC     +2 Support     66°   24°   297 lbs   3C   270 lbs   2S/IC   N/A   N/A     66°   24°   297 lbs   3C   297 lbs   2S/IC     +2 Support     66°   20°   297 lbs   3C   297 lbs   2S/IC     +2 Support     66°   20°   297 lbs   3C   297 lbs   2S/IC     +2 Support     72°   20°   324 lbs   3C   324 lbs   2S/IC     +2 Support     72°   20°   324 lbs   3C   324 lbs   2S/IC     +2 Support     72°   20°   331 lbs   3C   331 lbs   2S/IC     +2 Support     78°   20°   351 lbs   3C   351 lbs   2S/IC   N/A   N/A     78°   24°   378 lbs   3C   378 lbs   2S/IC   N/A   N/A     84°   20°   378 lbs   3C   378 lbs   2S/IC   N/A   N/A     96°   24°   405 lbs   3C   405 lbs   2S/IC   N/A   N/A     96°   24°   432 lbs   3C   432 lbs   2S/IC     +2 Support   N/A     96°   24°   432 lbs   3C   432 lbs   2S/IC     +2 Support   N/A     96°   24°   432 lbs   3C   432 lbs   2S/IC     +2 Support   N/A     96°   24°   438 lbs   4C   486 lbs   2S/2C     +3 Support   N/A     108°   30°     486 lbs   4C	30"	30"	200 lbs	2C	200 lbs	25	_	+1 Support
36"         30"         200 lbs         2C         200 lbs         2S         —         +1 Support           42"         20"         200 lbs         2C         200 lbs         2S         N/A         N/A           42"         24"         200 lbs         2C         200 lbs         2S         +1 Support         N/A           42"         30"         20 lbs         2C         200 lbs         2S         —         +1 Support           48"         20"         216 lbs         2C         216 lbs         2S         N/A         N/A           48"         24"         216 lbs         2C         216 lbs         2S         +1 Support         N/A           48"         30"         216 lbs         2C         216 lbs         2S         —         +1 Support           54"         20"         243 lbs         3C         243 lbs         25/1C         N/A         N/A           54"         24"         243 lbs         3C         243 lbs         25/1C         +2 Support         N/A           60"         20"         270 lbs         3C         270 lbs         25/1C         N/A         N/A           60"         20"         270 lbs	36"	20"	200 lbs	2C	200 lbs	25	N/A	N/A
42"         20"         200 lbs         2C         200 lbs         2S         N/A         N/A           42"         24"         200 lbs         2C         200 lbs         2S         +1 Support         N/A           42"         30"         200 lbs         2C         200 lbs         2S         —         +1 Support           48"         20"         216 lbs         2C         216 lbs         2S         N/A         N/A           48"         24"         216 lbs         2C         216 lbs         2S         +1 Support         N/A           48"         30"         216 lbs         2C         216 lbs         2S         +1 Support         N/A           48"         30"         243 lbs         3C         243 lbs         25/1C         N/A         N/A           54"         20"         243 lbs         3C         243 lbs         25/1C         +2 Support         N/A           54"         20"         243 lbs         3C         270 lbs         25/1C         -4 Support         N/A           60"         20"         270 lbs         3C         270 lbs         25/1C         N/A         N/A           66"         20" <td< td=""><td>36"</td><td>24"</td><td>200 lbs</td><td>2C</td><td>200 lbs</td><td>25</td><td>+1 Support</td><td>N/A</td></td<>	36"	24"	200 lbs	2C	200 lbs	25	+1 Support	N/A
42"         24"         200 lbs         2C         200 lbs         2S         +1 Support         N/A           42"         30"         200 lbs         2C         200 lbs         2S         —         +1 Support           48"         20"         216 lbs         2C         216 lbs         2S         N/A         N/A           48"         24"         216 lbs         2C         216 lbs         2S         +1 Support         N/A           48"         30"         216 lbs         2C         216 lbs         2S         —         +1 Support           54"         20"         243 lbs         3C         243 lbs         25/1C         N/A         N/A           54"         24"         243 lbs         3C         243 lbs         25/1C         +2 Support         N/A           60"         20"         270 lbs         3C         270 lbs         25/1C         N/A         N/A           60"         20"         270 lbs         3C         270 lbs         25/1C         +2 Support         N/A           60"         24"         270 lbs         3C         270 lbs         25/1C         N/A         N/A           66"         20" <t< td=""><td>36"</td><td>30"</td><td>200 lbs</td><td>2C</td><td>200 lbs</td><td>25</td><td>_</td><td>+1 Support</td></t<>	36"	30"	200 lbs	2C	200 lbs	25	_	+1 Support
42"         30"         200 lbs         2C         200 lbs         2S         —         +1 Support           48"         20"         216 lbs         2C         216 lbs         2S         N/A         N/A           48"         24"         216 lbs         2C         216 lbs         2S         +1 Support         N/A           48"         30"         216 lbs         2C         216 lbs         2S         —         +1 Support           54"         20"         243 lbs         3C         243 lbs         25/1C         N/A         N/A           54"         24"         243 lbs         3C         243 lbs         25/1C         +2 Support         N/A           54"         30"         243 lbs         3C         270 lbs         25/1C         —         +2 Support           60"         20"         270 lbs         3C         270 lbs         25/1C         N/A         N/A           60"         24"         270 lbs         3C         270 lbs         25/1C         —         +2 Support           66"         20"         297 lbs         3C         297 lbs         25/1C         N/A         N/A           72"         24" <td< td=""><td>42"</td><td>20"</td><td>200 lbs</td><td>2C</td><td>200 lbs</td><td>25</td><td>N/A</td><td>N/A</td></td<>	42"	20"	200 lbs	2C	200 lbs	25	N/A	N/A
48" 20" 216 lbs 2C 216 lbs 2S N/A N/A  48" 24" 216 lbs 2C 216 lbs 2S +1 Support N/A  48" 30" 216 lbs 2C 216 lbs 2S — +1 Support N/A  48" 30" 216 lbs 2C 216 lbs 2S — +1 Support N/A  54" 20" 243 lbs 3C 243 lbs 25/1C N/A N/A  54" 24" 243 lbs 3C 243 lbs 25/1C — +2 Support N/A  54" 30" 243 lbs 3C 270 lbs 25/1C — +2 Support N/A  60" 20" 270 lbs 3C 270 lbs 25/1C N/A N/A  60" 24" 270 lbs 3C 270 lbs 25/1C — +2 Support N/A  60" 30" 270 lbs 3C 270 lbs 25/1C — +2 Support N/A  66" 20" 297 lbs 3C 270 lbs 25/1C — +2 Support N/A  66" 20" 297 lbs 3C 270 lbs 25/1C — +2 Support N/A  66" 20" 297 lbs 3C 270 lbs 25/1C — +2 Support N/A  66" 20" 297 lbs 3C 297 lbs 25/1C — +2 Support N/A  66" 30" 297 lbs 3C 297 lbs 25/1C — +2 Support N/A  66" 30" 297 lbs 3C 297 lbs 25/1C — +2 Support N/A  72" 20" 324 lbs 3C 324 lbs 25/1C — +2 Support N/A  72" 20" 324 lbs 3C 324 lbs 25/1C +2 Support N/A  72" 30" 324 lbs 3C 324 lbs 25/1C — +2 Support N/A  78" 20" 351 lbs 3C 351 lbs 25/1C — +2 Support N/A  84" 20" 378 lbs 3C 378 lbs 25/1C — +2 Support N/A  84" 20" 378 lbs 3C 378 lbs 25/1C — +2 Support N/A  84" 20" 378 lbs 3C 378 lbs 25/1C — +2 Support N/A  84" 30" — 378 lbs 25/1C N/A N/A  84" 30" — 378 lbs 3C 378 lbs 25/1C — +2 Support N/A  90" 20" 405 lbs 3C 405 lbs 25/1C N/A N/A  96" 20" 486 lbs 4C 486 lbs 25/1C N/A N/A  108" 24" 486 lbs 4C 486 lbs 25/2C — +2 Support N/A  108" 24" 486 lbs 4C 486 lbs 25/2C — +3 Support N/A  108" 24" 540 lbs 4C 540 lbs 25/2C — +3 Support N/A  108" 24" 540 lbs 4C 540 lbs 25/2C — +3 Support N/A	42"	24"	200 lbs	2C	200 lbs	25	+1 Support	N/A
48"         24"         216 lbs         2C         216 lbs         2S         +1 Support         N/A           48"         30"         216 lbs         2C         216 lbs         2S         —         +1 Support           54"         20"         243 lbs         3C         243 lbs         2S/1C         N/A         N/A           54"         24"         243 lbs         3C         243 lbs         25/1C         +2 Support         N/A           54"         30"         243 lbs         3C         243 lbs         25/1C         —         +2 Support           60"         20"         270 lbs         3C         270 lbs         25/1C         N/A         N/A           60"         30"         270 lbs         3C         270 lbs         25/1C         +2 Support         N/A           66"         24"         297 lbs         3C         270 lbs         25/1C         —         +2 Support           66"         24"         297 lbs         3C         297 lbs         25/1C         N/A         N/A           72"         20"         324 lbs         3C         297 lbs         25/1C         N/A         N/A           72"         20"	42"	30"	200 lbs	2C	200 lbs	25	_	+1 Support
48"         30"         216 lbs         2C         216 lbs         2S         —         +1 Support           54"         20"         243 lbs         3C         243 lbs         25/1C         N/A         N/A           54"         24"         243 lbs         3C         243 lbs         25/1C         +2 Support         N/A           54"         30"         243 lbs         3C         243 lbs         25/1C         —         +2 Support           60"         20"         270 lbs         3C         270 lbs         25/1C         N/A         N/A           60"         24"         270 lbs         3C         270 lbs         25/1C         H2 Support         N/A           60"         30"         270 lbs         3C         270 lbs         25/1C         —         +2 Support           66"         20"         297 lbs         3C         297 lbs         25/1C         N/A         N/A           66"         24"         297 lbs         3C         297 lbs         25/1C         N/A         N/A           72"         20"         324 lbs         3C         297 lbs         25/1C         N/A         N/A           72"         24"	48"	20"	216 lbs	2C	216 lbs	25	N/A	N/A
54"         20"         243 lbs         3C         243 lbs         25/1C         N/A         N/A           54"         24"         243 lbs         3C         243 lbs         25/1C         +2 Support         N/A           54"         30"         243 lbs         3C         243 lbs         25/1C         —         +2 Support           60"         20"         270 lbs         3C         270 lbs         25/1C         N/A         N/A           60"         24"         270 lbs         3C         270 lbs         25/1C         N/A         N/A           60"         30"         270 lbs         3C         270 lbs         25/1C         —         +2 Support           66"         20"         297 lbs         3C         297 lbs         25/1C         N/A         N/A           66"         24"         297 lbs         3C         297 lbs         25/1C         N/A         N/A           66"         24"         297 lbs         3C         297 lbs         25/1C         N/A         N/A           72"         20"         324 lbs         3C         297 lbs         25/1C         N/A         N/A           72"         30"         324	48"	24"	216 lbs	2C	216 lbs	25	+1 Support	N/A
54"         24"         243 lbs         3C         243 lbs         25/1C         +2 Support         N/A           54"         30"         243 lbs         3C         243 lbs         25/1C         —         +2 Support           60"         20"         270 lbs         3C         270 lbs         25/1C         N/A         N/A           60"         24"         270 lbs         3C         270 lbs         25/1C         +2 Support         N/A           66"         20"         297 lbs         3C         297 lbs         25/1C         —         +2 Support           66"         20"         297 lbs         3C         297 lbs         25/1C         N/A         N/A           66"         24"         297 lbs         3C         297 lbs         25/1C         —         +2 Support           72"         20"         324 lbs         3C         324 lbs         25/1C         —         +2 Support           72"         20"         324 lbs         3C         324 lbs         25/1C         N/A         N/A           72"         30"         324 lbs         3C         324 lbs         25/1C         N/A         N/A           78"         20"	48"	30"	216 lbs	2C	216 lbs	2S	_	+1 Support
54"         30"         243 lbs         3C         243 lbs         25/1C         —         +2 Support           60"         20"         270 lbs         3C         270 lbs         25/1C         N/A         N/A           60"         24"         270 lbs         3C         270 lbs         25/1C         +2 Support         N/A           66"         20"         297 lbs         3C         297 lbs         25/1C         N/A         N/A           66"         24"         297 lbs         3C         297 lbs         25/1C         +2 Support         N/A           66"         30"         297 lbs         3C         297 lbs         25/1C         —         +2 Support           72"         20"         324 lbs         3C         297 lbs         25/1C         —         +2 Support           72"         20"         324 lbs         3C         324 lbs         25/1C         H2 Support         N/A           72"         24"         324 lbs         3C         324 lbs         25/1C         H2 Support         N/A           72"         30"         351 lbs         3C         351 lbs         25/1C         N/A         N/A           78" <td< td=""><td>54"</td><td>20"</td><td>243 lbs</td><td>3C</td><td>243 lbs</td><td>2S/1C</td><td>N/A</td><td>N/A</td></td<>	54"	20"	243 lbs	3C	243 lbs	2S/1C	N/A	N/A
60"         20"         270 lbs         3C         270 lbs         25/1C         N/A         N/A           60"         24"         270 lbs         3C         270 lbs         25/1C         +2 Support         N/A           60"         30"         270 lbs         3C         270 lbs         25/1C         -         +2 Support           66"         20"         297 lbs         3C         297 lbs         25/1C         N/A         N/A           66"         24"         297 lbs         3C         297 lbs         25/1C         -         +2 Support         N/A           66"         30"         297 lbs         3C         297 lbs         25/1C         -         +2 Support         N/A           66"         30"         297 lbs         3C         297 lbs         25/1C         -         +2 Support         N/A           72"         20"         324 lbs         3C         324 lbs         25/1C         N/A         N/A         N/A         12 Support         N/A         N/A <td< td=""><td>54"</td><td>24"</td><td>243 lbs</td><td>3C</td><td>243 lbs</td><td>2S/1C</td><td>+2 Support</td><td>N/A</td></td<>	54"	24"	243 lbs	3C	243 lbs	2S/1C	+2 Support	N/A
60"         24"         270 lbs         3C         270 lbs         25/1C         +2 Support         N/A           60"         30"         270 lbs         3C         270 lbs         25/1C         —         +2 Support           66"         20"         297 lbs         3C         297 lbs         25/1C         N/A         N/A           66"         24"         297 lbs         3C         297 lbs         25/1C         —         +2 Support         N/A           66"         30"         297 lbs         3C         297 lbs         25/1C         —         +2 Support           72"         20"         324 lbs         3C         324 lbs         25/1C         N/A         N/A           72"         30"         324 lbs         3C         324 lbs         25/1C         —         +2 Support         N/A           72"         30"         324 lbs         3C         351 lbs         25/1C         —         +2 Support         N/A           78"         20"         351 lbs         3C         351 lbs         25/1C         N/A         N/A           84"         20"         378 lbs         3C         378 lbs         25/1C         N/A         N/A	54"	30"	243 lbs	3C	243 lbs	2S/1C	_	+2 Support
60"         30"         270 lbs         3C         270 lbs         25/1C         —         +2 Support           66"         20"         297 lbs         3C         297 lbs         25/1C         N/A         N/A           66"         24"         297 lbs         3C         297 lbs         25/1C         +2 Support         N/A           66"         30"         297 lbs         3C         297 lbs         25/1C         —         +2 Support           72"         20"         324 lbs         3C         324 lbs         25/1C         N/A         N/A           72"         24"         324 lbs         3C         324 lbs         25/1C         +2 Support         N/A           72"         30"         324 lbs         3C         324 lbs         25/1C         —         +2 Support           78"         20"         351 lbs         3C         351 lbs         25/1C         N/A         N/A           84"         20"         378 lbs         3C         378 lbs         25/1C         N/A         N/A           84"         30"         —         378 lbs         25/1C         N/A         N/A           84"         30"         — <td< td=""><td>60"</td><td>20"</td><td>270 lbs</td><td>3C</td><td>270 lbs</td><td>2S/1C</td><td>N/A</td><td>N/A</td></td<>	60"	20"	270 lbs	3C	270 lbs	2S/1C	N/A	N/A
66"         20"         297 lbs         3C         297 lbs         2S/1C         N/A         N/A           66"         24"         297 lbs         3C         297 lbs         2S/1C         +2 Support         N/A           66"         30"         297 lbs         3C         297 lbs         2S/1C         —         +2 Support           72"         20"         324 lbs         3C         324 lbs         2S/1C         N/A         N/A           72"         30"         324 lbs         3C         324 lbs         2S/1C         —         +2 Support         N/A           72"         30"         324 lbs         3C         324 lbs         2S/1C         —         +2 Support         N/A           78"         20"         351 lbs         3C         351 lbs         2S/1C         N/A         N/A           78"         24"         351 lbs         3C         351 lbs         2S/1C         N/A         N/A           84"         20"         378 lbs         3C         378 lbs         2S/1C         N/A         N/A           84"         30"         —         378 lbs         2S/1C         N/A         N/A           84"         30"<	60"	24"	270 lbs	3C	270 lbs	2S/1C	+2 Support	N/A
66"         24"         297 lbs         3C         297 lbs         25/1C         +2 Support         N/A           66"         30"         297 lbs         3C         297 lbs         25/1C         —         +2 Support           72"         20"         324 lbs         3C         324 lbs         25/1C         N/A         N/A           72"         24"         324 lbs         3C         324 lbs         25/1C         —         +2 Support         N/A           72"         30"         324 lbs         3C         324 lbs         25/1C         —         +2 Support         N/A           78"         20"         351 lbs         3C         351 lbs         25/1C         N/A         N/A           78"         24"         351 lbs         3C         351 lbs         25/1C         N/A         N/A           84"         20"         378 lbs         3C         378 lbs         25/1C         N/A         N/A           84"         30"         —         378 lbs         25/1C         +2 Support         N/A           84"         30"         —         378 lbs         25/1C         N/A         N/A           84"         30"         —<	60"	30"	270 lbs	3C	270 lbs	2S/1C	_	+2 Support
66"         30"         297 lbs         3C         297 lbs         25/1C         —         +2 Support           72"         20"         324 lbs         3C         324 lbs         25/1C         N/A         N/A           72"         24"         324 lbs         3C         324 lbs         25/1C         +2 Support         N/A           72"         30"         324 lbs         3C         324 lbs         25/1C         —         +2 Support           78"         20"         351 lbs         3C         351 lbs         25/1C         N/A         N/A           78"         24"         351 lbs         3C         351 lbs         25/1C         +2 Support         N/A           84"         20"         378 lbs         3C         378 lbs         25/1C         N/A         N/A           84"         30"         —         378 lbs         25/1C         +2 Support         N/A           84"         30"         —         378 lbs         25/1C         N/A         N/A           84"         30"         —         378 lbs         25/1C         N/A         N/A           90"         20"         405 lbs         3C         405 lbs <t< td=""><td>66"</td><td>20"</td><td>297 lbs</td><td>3C</td><td>297 lbs</td><td>2S/1C</td><td>N/A</td><td>N/A</td></t<>	66"	20"	297 lbs	3C	297 lbs	2S/1C	N/A	N/A
72"         20"         324 lbs         3C         324 lbs         25/1C         N/A         N/A           72"         24"         324 lbs         3C         324 lbs         25/1C         +2 Support         N/A           72"         30"         324 lbs         3C         324 lbs         25/1C         —         +2 Support           78"         20"         351 lbs         3C         351 lbs         25/1C         N/A         N/A           78"         24"         351 lbs         3C         351 lbs         25/1C         N/A         N/A           84"         20"         378 lbs         3C         378 lbs         25/1C         N/A         N/A           84"         24"         378 lbs         3C         378 lbs         25/1C         +2 Support         N/A           84"         30"         —         378 lbs         25/1C         +2 Support         N/A           84"         30"         —         378 lbs         25/1C         N/A         N/A           84"         30"         —         378 lbs         25/1C         N/A         N/A           90"         20"         405 lbs         3C         405 lbs         25/	66"	24"	297 lbs	3C	297 lbs	2S/1C	+2 Support	N/A
72"         24"         324 lbs         3C         324 lbs         2S/1C         +2 Support         N/A           72"         30"         324 lbs         3C         324 lbs         2S/1C         —         +2 Support           78"         20"         351 lbs         3C         351 lbs         2S/1C         N/A         N/A           78"         24"         351 lbs         3C         351 lbs         2S/1C         +2 Support         N/A           84"         20"         378 lbs         3C         378 lbs         2S/1C         N/A         N/A           84"         24"         378 lbs         3C         378 lbs         2S/1C         +2 Support         N/A           84"         30"         —         378 lbs         2S/1C         +2 Support         N/A           84"         30"         —         378 lbs         2S/1C         —         +2 Support           90"         20"         405 lbs         3C         405 lbs         2S/1C         N/A         N/A           90"         24"         405 lbs         3C         432 lbs         2S/1C         N/A         N/A           96"         20"         432 lbs         3C	66"	30"	297 lbs	3C	297 lbs	2S/1C	_	+2 Support
72"         30"         324 lbs         3C         324 lbs         2S/1C         —         +2 Support           78"         20"         351 lbs         3C         351 lbs         2S/1C         N/A         N/A           78"         24"         351 lbs         3C         351 lbs         2S/1C         +2 Support         N/A           84"         20"         378 lbs         3C         378 lbs         2S/1C         N/A         N/A           84"         30"         —         378 lbs         2S/1C         +2 Support         N/A           84"         30"         —         378 lbs         2S/1C         +2 Support         N/A           84"         30"         —         378 lbs         2S/1C         —         +2 Support           90"         20"         405 lbs         3C         405 lbs         2S/1C         N/A         N/A           90"         24"         405 lbs         3C         405 lbs         2S/1C         +2 Support         N/A           96"         20"         432 lbs         3C         432 lbs         2S/1C         N/A         N/A           96"         30"         —         432 lbs         2S/2C	72"	20"	324 lbs	3C	324 lbs	2S/1C	N/A	N/A
78"         20"         351 lbs         3C         351 lbs         25/1C         N/A         N/A           78"         24"         351 lbs         3C         351 lbs         25/1C         +2 Support         N/A           84"         20"         378 lbs         3C         378 lbs         25/1C         N/A         N/A           84"         24"         378 lbs         3C         378 lbs         25/1C         +2 Support         N/A           84"         30"         —         378 lbs         25/1C         —         +2 Support           90"         20"         405 lbs         3C         405 lbs         25/1C         N/A         N/A           90"         24"         405 lbs         3C         405 lbs         25/1C         +2 Support         N/A           96"         20"         432 lbs         3C         432 lbs         25/1C         N/A         N/A           96"         24"         432 lbs         3C         432 lbs         25/1C         N/A         N/A           96"         30"         —         432 lbs         25/2C         N/A         N/A           108"         20"         486 lbs         4C         4	72"	24"	324 lbs	3C	324 lbs	2S/1C	+2 Support	N/A
78"         24"         351 lbs         3C         351 lbs         2S/1C         +2 Support         N/A           84"         20"         378 lbs         3C         378 lbs         2S/1C         N/A         N/A           84"         24"         378 lbs         3C         378 lbs         2S/1C         +2 Support         N/A           84"         30"         —         378 lbs         2S/1C         —         +2 Support           90"         20"         405 lbs         3C         405 lbs         2S/1C         N/A         N/A           90"         24"         405 lbs         3C         405 lbs         2S/1C         +2 Support         N/A           96"         20"         432 lbs         3C         432 lbs         2S/1C         N/A         N/A           96"         24"         432 lbs         3C         432 lbs         2S/1C         +2 Support         N/A           96"         30"         —         432 lbs         2S/2C         —         +2 Support           108"         20"         486 lbs         4C         486 lbs         2S/2C         N/A         N/A           108"         24"         486 lbs         4C	72"	30"	324 lbs	3C	324 lbs	2S/1C	_	+2 Support
84"       20"       378 lbs       3C       378 lbs       2S/1C       N/A       N/A         84"       24"       378 lbs       3C       378 lbs       2S/1C       +2 Support       N/A         84"       30"       —       378 lbs       2S/1C       —       +2 Support         90"       20"       405 lbs       3C       405 lbs       2S/1C       N/A       N/A         90"       24"       405 lbs       3C       405 lbs       2S/1C       +2 Support       N/A         96"       20"       432 lbs       3C       432 lbs       2S/1C       N/A       N/A         96"       24"       432 lbs       3C       432 lbs       2S/1C       +2 Support       N/A         96"       30"       —       432 lbs       2S/2C       —       +2 Support         108"       30"       —       432 lbs       2S/2C       N/A       N/A         108"       20"       486 lbs       4C       486 lbs       2S/2C       +3 Support       N/A         108"       30"       —       486 lbs       2S/2C       N/A       N/A         108"       30"       —       486 lbs       2S/2C	78"	20"	351 lbs	3C	351 lbs	2S/1C	N/A	N/A
84"       24"       378 lbs       3C       378 lbs       25/1C       +2 Support       N/A         84"       30"       —       378 lbs       25/1C       —       +2 Support         90"       20"       405 lbs       3C       405 lbs       25/1C       N/A       N/A         90"       24"       405 lbs       3C       405 lbs       25/1C       +2 Support       N/A         96"       20"       432 lbs       3C       432 lbs       25/1C       N/A       N/A         96"       24"       432 lbs       3C       432 lbs       25/1C       +2 Support       N/A         96"       30"       —       432 lbs       25/2C       —       +2 Support         108"       20"       486 lbs       4C       486 lbs       25/2C       N/A       N/A         108"       24"       486 lbs       4C       486 lbs       25/2C       +3 Support       N/A         108"       30"       —       486 lbs       25/2C       N/A       N/A         108"       30"       —       486 lbs       25/2C       +3 Support       N/A         120"       540 lbs       4C       540 lbs <t< td=""><td>78"</td><td>24"</td><td>351 lbs</td><td>3C</td><td>351 lbs</td><td>2S/1C</td><td>+2 Support</td><td>N/A</td></t<>	78"	24"	351 lbs	3C	351 lbs	2S/1C	+2 Support	N/A
84"       30"       —       378 lbs       25/1C       —       +2 Support         90"       20"       405 lbs       3C       405 lbs       25/1C       N/A       N/A         90"       24"       405 lbs       3C       405 lbs       25/1C       +2 Support       N/A         96"       20"       432 lbs       3C       432 lbs       25/1C       N/A       N/A         96"       30"       —       432 lbs       25/1C       +2 Support       N/A         96"       30"       —       432 lbs       25/2C       —       +2 Support         108"       20"       486 lbs       4C       486 lbs       25/2C       N/A       N/A         108"       24"       486 lbs       4C       486 lbs       25/2C       +3 Support       N/A         108"       30"       —       486 lbs       25/2C       N/A       N/A         108"       30"       —       486 lbs       25/2C       N/A       N/A         108"       30"       —       486 lbs       25/2C       N/A       N/A         109"       540 lbs       4C       540 lbs       25/2C       N/A       N/A	84"	20"	378 lbs	3C	378 lbs	2S/1C	N/A	N/A
90" 20" 405 lbs 3C 405 lbs 2S/1C N/A N/A 90" 24" 405 lbs 3C 405 lbs 2S/1C +2 Support N/A 96" 20" 432 lbs 3C 432 lbs 2S/1C N/A N/A 96" 24" 432 lbs 3C 432 lbs 2S/1C +2 Support N/A 96" 30" — 432 lbs 2S/2C — +2 Support N/A 108" 20" 486 lbs 4C 486 lbs 2S/2C N/A N/A 108" 24" 486 lbs 4C 486 lbs 2S/2C +3 Support N/A 108" 30" — 486 lbs 2S/2C — +3 Support N/A 108" 30" — 486 lbs 2S/2C — +3 Support N/A 108" 30" — 540 lbs 4C 540 lbs 2S/2C N/A N/A 120" 24" 540 lbs 4C 540 lbs 2S/2C +3 Support N/A	84"	24"	378 lbs	3C	378 lbs	2S/1C	+2 Support	N/A
90" 24" 405 lbs 3C 405 lbs 2S/1C +2 Support N/A 96" 20" 432 lbs 3C 432 lbs 2S/1C N/A N/A 96" 24" 432 lbs 3C 432 lbs 2S/1C +2 Support N/A 96" 30" — 432 lbs 2S/2C — +2 Support 108" 20" 486 lbs 4C 486 lbs 2S/2C N/A N/A 108" 24" 486 lbs 4C 486 lbs 2S/2C +3 Support N/A 108" 30" — 486 lbs 2S/2C — +3 Support 120" 20" 540 lbs 4C 540 lbs 2S/2C N/A N/A 120" 24" 540 lbs 4C 540 lbs 2S/2C +3 Support N/A	84"	30"	_		378 lbs	2S/1C	_	+2 Support
96"       20"       432 lbs       3C       432 lbs       25/1C       N/A       N/A         96"       24"       432 lbs       3C       432 lbs       25/1C       +2 Support       N/A         96"       30"       —       432 lbs       25/2C       —       +2 Support         108"       20"       486 lbs       4C       486 lbs       25/2C       N/A       N/A         108"       24"       486 lbs       4C       486 lbs       25/2C       +3 Support       N/A         108"       30"       —       486 lbs       25/2C       —       +3 Support         120"       20"       540 lbs       4C       540 lbs       25/2C       N/A       N/A         120"       24"       540 lbs       4C       540 lbs       25/2C       +3 Support       N/A	90"	20"	405 lbs	3C	405 lbs	2S/1C	N/A	N/A
96"       24"       432 lbs       3C       432 lbs       25/1C       +2 Support       N/A         96"       30"       —       432 lbs       25/2C       —       +2 Support         108"       20"       486 lbs       4C       486 lbs       25/2C       N/A       N/A         108"       24"       486 lbs       4C       486 lbs       25/2C       +3 Support       N/A         108"       30"       —       486 lbs       25/2C       —       +3 Support         120"       20"       540 lbs       4C       540 lbs       25/2C       N/A       N/A         120"       24"       540 lbs       4C       540 lbs       25/2C       +3 Support       N/A	90"	24"	405 lbs	3C	405 lbs	2S/1C	+2 Support	N/A
96"       30"       —       432 lbs       25/2C       —       +2 Support         108"       20"       486 lbs       4C       486 lbs       25/2C       N/A       N/A         108"       24"       486 lbs       4C       486 lbs       25/2C       +3 Support       N/A         108"       30"       —       486 lbs       25/2C       —       +3 Support         120"       20"       540 lbs       4C       540 lbs       25/2C       N/A       N/A         120"       24"       540 lbs       4C       540 lbs       25/2C       +3 Support       N/A	96"	20"	432 lbs	3C	432 lbs	2S/1C	N/A	N/A
108"       20"       486 lbs       4C       486 lbs       25/2C       N/A       N/A         108"       24"       486 lbs       4C       486 lbs       25/2C       +3 Support       N/A         108"       30"       —       486 lbs       25/2C       —       +3 Support         120"       20"       540 lbs       4C       540 lbs       25/2C       N/A       N/A         120"       24"       540 lbs       4C       540 lbs       25/2C       +3 Support       N/A	96"	24"	432 lbs	3C	432 lbs	2S/1C	+2 Support	N/A
108"       24"       486 lbs       4C       486 lbs       2S/2C       +3 Support       N/A         108"       30"       —       486 lbs       2S/2C       —       +3 Support         120"       20"       540 lbs       4C       540 lbs       2S/2C       N/A       N/A         120"       24"       540 lbs       4C       540 lbs       2S/2C       +3 Support       N/A	96"	30"	_		432 lbs	2S/2C	_	+2 Support
108"     30"     —     486 lbs     25/2C     —     +3 Support       120"     20"     540 lbs     4C     540 lbs     25/2C     N/A     N/A       120"     24"     540 lbs     4C     540 lbs     25/2C     +3 Support     N/A	108"	20"	486 lbs	4C	486 lbs	2S/2C	N/A	N/A
120" 20" 540 lbs 4C 540 lbs 2S/2C N/A N/A 120" 24" 540 lbs 4C 540 lbs 2S/2C +3 Support N/A	108"	24"	486 lbs	4C	486 lbs	2S/2C	+3 Support	N/A
120" 24" 540 lbs 4C 540 lbs 2S/2C +3 Support N/A	108"	30"	_		486 lbs	2S/2C		+3 Support
	120"	20"	540 lbs	4C	540 lbs	2S/2C	N/A	N/A
120" 30" — 540 lbs 2S/2C — +3 Support	120"	24"	540 lbs	4C	540 lbs	2S/2C	+3 Support	N/A
	120"	30"	_		540 lbs	2S/2C	_	+3 Support


Weights listed are the Business Institutional Furniture Manufacturers Association (BIFMA) functional load requirements for panel hung worksurface loading. If loads larger than these listed are anticipated, approval from Neutral Posture is required.


INSTALLATIONS WHICH VIOLATE THESE REQUIREMENTS WILL NOT BE COVERED BY THE NEUTRAL POSTURE WARRANTY.

- Support must be installed for every four feet of width. As indicated,
   5' worksurfaces require three supports; two panels are required to install the center support.
- The applications shown in the table emphasize the fundamentals of worksurface loading and support.
   As long as these criteria are met, supports can be interchanged.
- Supporting drawer pedestals can replace only one support.
- Depth of stretchered worksurfaces must be equal to or less than side panel widths.
- Stretchered worksurfaces should be used where heavy loading is anticipated.
- Cantilevers cannot be used as primary support for 36" deep surfaces or 30" deep surfaces wider than 72".
- The front edge of 30" deep surfaces should not be loaded in excess of 180 pounds.


## Worksurface







2011			:	•••••••••	
20" [	Jeep		ا	LAMINATE	
W	D	MODEL #	L1	L2	L3
24"	20"	EW12420	\$310	\$341	\$372
30"	20"	<b>EW</b> 13020	\$335	\$369	\$402
36"	20"	<b>EW</b> 13620	\$365	\$402	\$438
42"	20"	EW14220	\$390	\$429	\$468
48"	20"	<b>EW</b> 14820	\$420	\$462	\$504
54"	20"	<b>EW</b> 15420	\$445	\$490	\$534
60"	20"	<b>EW</b> 16020	\$475	\$523	\$570
66"	20"	<b>EW</b> 16620	\$500	\$550	\$600
72"	20"	<b>EW</b> 17220	\$510	\$561	\$612
78"	20"	<b>EW</b> 17820	\$530	\$583	\$636
84"	20"	<b>EW</b> 18420	\$560	\$616	\$672
90"	20"	<b>EW</b> 19020	\$585	\$644	\$702
96"	20"	<b>EW</b> 19620	\$615	\$677	\$738
102"	20"	<b>EW</b> 110220	\$640	\$704	\$768
108"	20"	<b>EW</b> 110820	\$670	\$737	\$804
114"	20"	<b>EW</b> 111420	\$695	\$765	\$834
120"	20"	<b>EW</b> 112020	\$725	\$798	\$870



## 24" Deep


	Deck				
24	l" 24"	EW12424	\$340	\$374	\$408
30	)" 24"	EW13024	\$360	\$396	\$432
36	5" 24"	EW13624	\$380	\$418	\$456
42	2" 24"	EW14224	\$400	\$440	\$480
48	3" 24"	EW14824	\$420	\$462	\$504
54	l" 24"	EW15424	\$450	\$495	\$540
60	)" 24"	EW16024	\$505	\$556	\$606
66	5" 24"	EW16624	\$555	\$611	\$666
72	2" 24"	EW17224	\$565	\$622	\$678
78	3" 24"	EW17824	\$580	\$638	\$696
84	l" 24"	EW18424	\$590	\$649	\$708
90	)" 24"	EW19024	\$600	\$660	\$720
96	5" 24"	EW19624	\$635	\$699	\$762
10	2" 24"	EW110224	\$670	\$737	\$804
10	8" 24"	EW110824	\$695	\$765	\$834
11-	4" 24"	<b>EW</b> 111424	\$725	\$798	\$870
12	0" 24"	EW112024	\$750	\$825	\$900

# 24" DEEP STRAIGHTS & 15" TOWERS



When adding a 15" tower to the end of a worksurface you will need to add a "T" to the end of the model number in order to make the worksurface and tower completely flush. This will only be necessary on 24" deep worksurfaces with a width from 48" – 84".

					Options				
Worksurface Type		W	D	Wiring		Ex	xtended Ends		
EW1	Rectangle	48	24	G	Grommets	\$25	Е	One End	\$21
				G2	Scallop	\$50	EE	Both Ends	\$42
EW1		48	24	G			Е		



2011 6						
30" [	eep			LAMINATE		
W	D	MODEL#	L1	L2	L3	
24"	30"	<b>EW</b> 12430	\$390	\$429	\$468	
30"	30"	<b>EW</b> 13030	\$420	\$462	\$504	
36"	30"	<b>EW</b> 13630	\$445	\$490	\$534	
42"	30"	<b>EW</b> 14230	\$475	\$523	\$570	
48"	30"	<b>EW</b> 14830	\$490	\$539	\$588	
54"	30"	<b>EW</b> 15430	\$570	\$627	\$684	
60"	30"	<b>EW</b> 16030	\$615	\$677	\$738	
66"	30"	<b>EW</b> 16630	\$655	\$721	\$786	
72"	30"	<b>EW</b> 17230	\$690	\$759	\$828	
78"	30"	<b>EW</b> 17830	\$710	\$781	\$852	
84"	30"	<b>EW</b> 18430	\$750	\$825	\$900	
90"	30"	<b>EW</b> 19030	\$790	\$869	\$948	
96"	30"	<b>EW</b> 19630	\$815	\$897	\$978	
102"	30"	<b>EW</b> 110230	\$900	\$990	\$1,080	
108"	30"	<b>EW</b> 110830	\$945	\$1,040	\$1,134	
114"	30"	<b>EW</b> 111430	\$980	\$1,078	\$1,176	
120"	30"	<b>EW</b> 112030	\$1,020	\$1,122	\$1,224	




## 36" Deep

50	Dech				
48"	36"	<b>EW</b> 14836	\$680	\$748	\$816
54"	36"	<b>EW</b> 15436	\$705	\$776	\$846
60"	36"	<b>EW</b> 16036	\$735	\$809	\$882
66"	36"	<b>EW</b> 16636	\$775	\$853	\$930
72"	36"	<b>EW</b> 17236	\$830	\$913	\$996
78"	36"	<b>EW</b> 17836	\$875	\$963	\$1,050
84"	36"	<b>EW</b> 18436	\$900	\$990	\$1,080
90"	36"	<b>EW</b> 19036	\$945	\$1,040	\$1,134
96"	36"	<b>EW</b> 19636	\$1,000	\$1,100	\$1,200
102"	36"	<b>EW</b> 110236	\$1,055	\$1,161	\$1,266
108"	36"	<b>EW</b> 110836	\$1,115	\$1,227	\$1,338
114"	36"	<b>EW</b> 111436	\$1,175	\$1,293	\$1,410
120"	36"	<b>EW</b> 112036	\$1,225	\$1,348	\$1,470

#### Specify

- 1. Model#
- 2. Surface color
- 3. Edge color



# Wiring & Cabling G G2

#### Grommets \$25

#### Scallop \$50

## Support Information

All supports must be ordered separately.

**Worksurface Loading & Support** See page 57

A center support must be used with a 54" wide or larger worksurface.



Strai	ight	Front			LAMINATE		
Α	L	R	MODEL#	L1	L2	L3	
36"	20"	20"	EW1C3620	\$565	\$622	\$678	
36"	24"	24"	EW1C3624	\$565	\$622	\$678	
36"	30"	30"	EW1C3630	\$635	\$699	\$762	
42"	20"	20"	EW1C4220	\$715	\$787	\$858	
42"	24"	24"	EW1C4224	\$715	\$787	\$858	
42"	30"	30"	EW1C4230	\$775	\$853	\$930	
48"	20"	20"	EW1C4820	\$855	\$941	\$1,026	
48"	24"	24"	EW1C4824	\$855	\$941	\$1,026	
48"	30"	30"	EW1C4830	\$870	\$957	\$1,044	




## **Curved Front**

36"	24"	24"	EW1CC3624	\$620	\$682	\$744
42"	24"	24"	EW1CC4224	\$790	\$869	\$948
48"	24"	24"	EW1CC4824	\$940	\$1,034	\$1,128
60"	24"	24"	EW1CC6024	\$1,050	\$1,155	\$1,260




## **Corner with Cutout**

		,			
48" 24	" 24"	EW1C4824K	\$850	\$935	\$1,020



## **Different Returns**

			-			
36"	24"	30"	EW1C362430	\$760	\$836	\$912
36"	30"	24"	EW1C363024	\$760	\$836	\$912
42"	24"	30"	EW1C422430	\$855	\$941	\$1,026
42"	30"	24"	EW1C423024	\$855	\$941	\$1,026
48"	24"	30"	EW1C482430	\$945	\$1,040	\$1,134
48"	30"	24"	EW1C483024	\$945	\$1,040	\$1,134



#### **Split Corner**

36"	24"	24"	EW1SC3624	\$1,885	\$2,074	\$2,262
42"	24"	24"	EW1SC4224	\$1,935	\$2,129	\$2,322
42"	30"	30"	EW1SC4230	\$1,965	\$2,162	\$2,358
48"	24"	24"	EW1SC4824	\$2,045	\$2,250	\$2,454
48"	30"	30"	EW1SC4830	\$2.180	\$2,398	\$2,616

#### Specify

- 1. Model#
- 2. Options
- 3. Surface color
- 4. Edge color
- 5. Grain direction

# Wood Grain

Insert the desired direction after the laminate finish code.

Add \$25 to list price for diagonal grain (D).

#### Wiring & Cabling





Grommets \$25 Sc

Scallop \$

#### **Application Notes**


A return panel may not be used next to corner worksurfaces, as they cover both posts for a smooth transition with adjacent rectangular worksurfaces.

#### **Support Information**


All supports must be ordered separately.

#### **Worksurface Loading & Support** See page 57

A center support must be used with a 54" wide or larger worksurface.



Righ	t Haı	nd			LAMINATE		
L	R	Α	В	MODEL#	L1	L2	L3
24"	24"	36"	60"	EW1BS3660S(X/L/R/B)	\$845	\$930	\$1,014
24"	24"	48"	60"	EW1BS4860S(X/L/R/B)	\$865	\$952	\$1,038
24"	24"	48"	66"	EW1BS4866S(X/L/R/B)	\$890	\$979	\$1,068
24"	24"	36"	72"	EW1BS3672S(X/L/R/B)	\$890	\$979	\$1,068
24"	24"	48"	72"	EW1BS4872S(X/L/R/B)	\$930	\$1,023	\$1,116
24"	30"	48"	60"	EW1BS4860D(X/L/R/B)	\$890	\$979	\$1,068
24"	30"	48"	66"	EW1BS4866D(X/L/R/B)	\$910	\$1,001	\$1,092
24"	30"	48"	72"	EW1BS4872D(X/L/R/B)	\$965	\$1,062	\$1,158
30"	24"	48"	60"	EW1BD4860S(X/L/R/B)	\$890	\$979	\$1,068
30"	24"	48"	66"	EW1BD4866S(X/L/R/B)	\$895	\$985	\$1,074
30"	24"	48"	72"	EW1BD4872S(X/L/R/B)	\$940	\$1,034	\$1,128



## **Left Hand**


		_					
24"	24"	60"	36"	EW1BS6036S(X/L/R/B)	\$845	\$930	\$1,014
24"	24"	60"	48"	EW1BS6048S(X/L/R/B)	\$870	\$957	\$1,044
24"	24"	66"	48"	EW1BS6648S(X/L/R/B)	\$890	\$979	\$1,068
24"	24"	72"	36"	EW1BS7236S(X/L/R/B)	\$895	\$985	\$1,074
24"	24"	72"	48"	EW1BS7248S(X/L/R/B)	\$930	\$1,023	\$1,116
24"	30"	60"	48"	EW1BS6048D(X/L/R/B)	\$870	\$957	\$1,044
24"	30"	66"	48"	EW1BS6648D(X/L/R/B)	\$890	\$979	\$1,068
24"	30"	72"	48"	EW1BS7248D(X/L/R/B)	\$940	\$1,034	\$1,128
30"	24"	60"	48"	EW1BD6048S(X/L/R/B)	\$870	\$957	\$1,044
30"	24"	66"	48"	EW1BD6648S(X/L/R/B)	\$910	\$1,001	\$1,092
30"	24"	72"	48"	EW1BD7248S(X/L/R/B)	\$965	\$1,062	\$1,158

					Options
	L	A B	R	Posts Covered	Wiring
EW1BS Blended Worksurface	S 24"	36 72	S 24"	X No Posts Covered	G Grommets \$25
	D 30"		D 30"	L Left Side Post Covered R Right Side Post Covered B Both Side Posts Covered	G2 Scallop \$50
EW1BS	S	36 72	S	х	G

#### Specify

- 1. Model#
- 2. Options
- 3. Surface color

4. Edge color



# Wiring & Cabling G G2

#### Grommets \$25 Scallop

#### **Application Notes**

Blended worksurfaces are designed to take the place of two adjacent worksurfaces by blending them into one top. The front of the worksurface is curved to provide a smooth transition to the next attached worksurface.

#### Support Information

All supports must be ordered separately.

**Worksurface Loading & Support** See page 57


A center support must be used with a 54" wide or larger worksurface.

## **Worksurfaces**

**Corner Peninsulas** 



Right Hand				LAMINATE		
A	В	C	MODEL#	L1	L2	L3
60"	48"	24"	EW1BP6048SR	\$975	\$1,073	\$1,170
72"	48"	24"	EW1BP7248SR	\$995	\$1,095	\$1,194
72"	48"	30"	EW1BP7248DR	\$1,020	\$1,122	\$1,224
78"	48"	24"	EW1BP7848SR	\$1,040	\$1,144	\$1,248
78"	48"	30"	EW1BP7848DR	\$1,040	\$1,144	\$1,248
84"	48"	24"	EW1BP8448SR	\$1,225	\$1,348	\$1,470
84"	48"	30"	EW1BP8448DR	\$1,250	\$1,375	\$1,500



#### Left Hand


LCI	t man	ш				
60'	' 48"	24"	EW1BP6048SL	\$975	\$1,073	\$1,170
72'	' 48"	24"	EW1BP7248SL	\$995	\$1,095	\$1,194
72'	' 48"	30"	EW1BP7248DL	\$1,020	\$1,122	\$1,224
78'	' 48"	24"	EW1BP7848SL	\$1,040	\$1,144	\$1,248
78'	48"	30"	EW1BP7848DL	\$1,040	\$1,144	\$1,248
84'	' 48"	24"	EW1BP8448SL	\$1,225	\$1,348	\$1,470
84'	48"	30"	EW1BP8448DL	\$1,250	\$1,375	\$1,500

	Α	В	С	Posts Covered
EW1BP Blended Peninsula	36	72	<b>S 24" Deep</b> D 30" Deep	X No Posts Covered L Left Side Post Covered R Right Side Post Covered B Both Side Posts Covered
EW1BP	36	72	S	X

#### Specify

- 1. Model #
- 2. Options
- 3. Surface color

4. Edge color



#### Grommets


Blended peninsulas do not come with grommets. Due to this, if the worksurface adjacent to the "C" side is ordered with scallops there will be a one-half scallop where the return meets the peninsula.

#### Support Information


All supports must be ordered separately.

#### **Worksurface Loading & Support** See page 57

Center support must be used for all surfaces which exceed 48" in length.



D Pe	ninsula			LAMINATE	
W	D	MODEL#	L1	L2	L3
60"	30"	EW1D6030	\$550	\$605	\$660
72"	30"	EW1D7230	\$955	\$1,051	\$1,146
72"	36"	EW1D7236	\$1,115	\$1,227	\$1,338
84"	30"	EW1D8430	\$1,250	\$1,375	\$1,500
84"	36"	EW1D8436	\$1,390	\$1,529	\$1,668



## 9 & P Peninsula

72"	30"	EW1(9/P)7230	\$955	\$1,051	\$1,146
72"	36"	EW1(9/P)7236	\$1,115	\$1,227	\$1,338
84"	30"	EW1(9/P)8430	\$1,250	\$1,375	\$1,500
84"	36"	EW1(9/P)8436	\$1,390	\$1,529	\$1,668

		W	D
EW1D	D Peninsula	72	30
EW19	9 Peninsula		:
EW1P	P Peninsula		
EW1BP		72	30

## Specify **Wood Grain** 1. Model# 2. Options 3. Surface color 4. Edge color

#### **Application Notes**

Designed for use as primary worksurfaces and for conferencing in small groups.

NOTE: P and D worksurfaces cannot be panel wrapped.


#### **Support Information**

Column bases and adjustable bar supports must be ordered separately. See page 68 – 69.

**Worksurface Loading & Support** See page 57

84" wide D, P and 9 worksurfaces include a V support bar mounted on the underside for

additional stability.



Half	Rour	nd without Notch		LAMINATE	
W	D	MODEL#	រេ	L2	L3
48"	30"	EW1HR4830	\$745	\$820	\$894
60"	36"	EW1HR6036	\$934	\$1,027	\$1,121



## **Half Round Round Notch**

W	D	MODEL#	L1	L2	L3
48"	30"	EW1HR4830N	\$745	\$820	\$894
60"	36"	EW1HR6036N	\$934	\$1,027	\$1,121



## **Corner Round**


D	MODEL#	L1	L2	L3
24"	EW1CR24	\$335	\$369	\$402
30"	EW1CR30	\$365	\$402	\$438

			Options
	W	D	Notch
EW1HR Half Round	36	72	N Round Notch
EW1HR	36	72	N

#### Specify

- 1. Model#
- 2. Surface color

3. Edge color



#### **Half Round Without Notches**

Half rounds without notches attach to panels by means of an adjustable bar support and are supported by column bases, available in standard trim colors. Column is fixed height.

#### **Half Round With Notches**

## Included


Splice plates

#### Not Included nor Required


Bar support

#### Support Information

All supports must be ordered separately.




Blended Double Corner			le Corner		LAMINATE	
Α	В	C	MODEL#	L1	L2	L3
96"	48"	24"	EW1BC9648	\$1,250	\$1,375	\$1,500



## 135° Curved Cluster

Α	В	MODEL#	L1	L2	L3
36"	24"	EW11353624	\$917	\$1,009	\$1,100
42"	24"	EW11354224	\$1,145	\$1,260	\$1,374
48"	24"	<b>EW</b> 11354824	\$1,317	\$1,449	\$1,580




#### 135° Cluster Core

A	MODEL#	L1	L2	L3
36"	<b>EW</b> 1135 <b>C</b> 36	\$586	\$645	\$703
42"	EW1135C42	\$647	\$712	\$776
48"	EW1135C48	\$711	\$782	\$853

#### Specify

- 1. Model#
- 2. Surface color3. Edge color



Grommets \$25

Scallop

# **Wood Grain**

#### **Double Corner**

Double corner worksurface is designed to take the place of two adjacent corners by combining them into one top.

48" deep sides are designed to cover a post and cannot be panel wrapped.

#### 135° Curved Cluster

Used in 135° planning configurations.

#### Support Information

All supports must be ordered separately.

## **Worksurfaces**

**Supports** 




#### **Cantilever**

DESCRIPTION	D	MODEL#	BLACK ONLY
Left hand	20"	EB1C20L	\$90
Left hand (10 pack)	20"	EB1C20L10	\$700
Right hand	20"	EB1C20R	\$90
Right hand (10 pack)	20"	EB1C20R10	\$700




## **Adjustable Bar Support**

DESCRIPTION	MODEL#	BLACK ONLY
24", 30" and 36"	EB1SRS	\$200
24", 30" and 36" (10 pack)	EB1SRS10	\$1,900
42", 48" and 60"	EB1SRL	\$225
42", 48" and 60" (10 pack)	EB1SRL10	\$2,000



## **Bracket/Splice Plate**

DESCRIPTION	MODEL#	BLACK ONLY
20" flat bracket (20" & 24" tops)	EB1F24	\$45
26" flat bracket (30" & 36" tops)	EB1F3	\$52
Alignment plate	EB1APW	\$14
Panel to worksurface bracket	EB1PWS(L/R)	\$15
Panel to worksurface bracket (Pair – L/R)	EB1PWSP	\$29



## **V Channel Support**

DESCRIPTION	MODEL #	BLACK ONLY
54"	<b>VS</b> 54	\$160
100"	<b>VS</b> 100	\$300

#### Cantilevers

Worksurface cantilevers lock into panel slotted standards at 1" increments. Cantilevers are handed.

Available in black only.

#### Adjustable Bar Support

Adjustable bar supports position in the slotted standards at 1" increments. Two sizes of adjustable bar supports are available. Small adjustable bar support fits 24" through 36" wide panels; the larger adjustable bar support fits 42" through 60" wide panels. All have keyhole slots to mount worksurfaces and are non-handed.

#### Panel to Worksurface Bracket

Can be specified in lieu of cantilever when worksurface is same depth as adjacent panel.

A single bracket can be specified behind a pedestal to secure adjacent panel to worksurface.



<b>Column Bases</b>				•••••	PAINT	
DESCRIPTION	Н	MODEL#		P1	P2	P3
Fixed height support column	27 ¾"	EB1FCOL	\$3	20	\$348	\$362



## **Tapered Legs**

p c. c = c 9 .				
DESCRIPTION	MODEL #	P1	P2	P3
Single leg	TBTL	\$350	\$385	\$420
Single leg w/caster	TBTLC	\$375	\$410	\$445
Set of 2	TBTL2	\$600	\$660	\$720
Set of 2 w/casters	TBTL2C	\$650	\$710	\$770
Set of 4	TBTL4	\$1,150	\$1,265	\$1,380
Set of 4 w/casters	TBTL4C	\$1,250	\$1,365	\$1,480

#### Specify

- 1. Model # 2. Trim color



anel S	uppor	ted Height Adjustable		LAMINATE	••••••
W	D	MODEL#	L1	L2	L3
42"	24"	EAW14224	\$2,047	\$2,252	\$2,456
48"	24"	EAW14824	\$2,197	\$2,417	\$2,636
60"	24"	EAW16024	\$2,297	\$2,527	\$2,756
72"	24"	EAW17224	\$2,527	\$2,780	\$3,032
42"	30"	EAW14230	\$2,147	\$2,362	\$2,576
48"	30"	EAW14830	\$2,297	\$2,527	\$2,756
60"	30"	EAW16030	\$2,597	\$2,857	\$3,116
72"	30"	EAW17230	\$2,727	\$3,000	\$3,272

				Options	
Worksurface Type W D			(	Grommet	
EAW1 Height Adjustable	42	24	<b>G</b> G2	<b>Standard</b> Scallop	<b>\$25</b> \$50
EAW1	42	24	G		

#### Specify


- 1. Model#
- 2. Surface color
- 3. Edge color
- 4. Support color Black or Silver

#### **Application Notes**

Provides 17" of vertical movement.

#### **Wood Grain**





#### **Specification Guidelines**

- Order an adjustable height work surface to match the panel(s) width the worksurface will be attached to. The worksurface cannot be configured to cover a partial panel.
- 2. There will be a 1" space around the perimeter of the adjustable height worksurface in order to prevent pinch points.
- 3. When used as a solitary work surface perpendicular panels of 18" minimum width must be specified on both sides for stability.
- 4. When used in conjunction with a stationary work surface there should be a perpendicular panel at the free end of the adjustable work surface. The free end of the fixed worksurface should be supported with a cantilever or pedestal.

NOTE: Adjustable worksurface meets BIFMA loading requirements for safety. Mechanism is designed to have up to 100 lbs. of load and function smoothly





Townhouse

Sq. Feet = 34.1'

3 panels

6' x 6' Sq. Feet = 36'6 panels

The 120° planning model provides comparable or greater square footage per workstation than typical cubicle layouts (comparisons are illustrated on this page). At the same time, Equity 120° allows for a more natural space, creating a more comfortable place to work. Maintaining a consistent 48 module promotes improved asset management and a reduction of reconfiguration costs.






Apartment

Sq. Feet = 32.1'

2 panels



4 panels



**8 Open House Stations** Sq. Feet = 284'


19 panels



**Big House** 

Sq. Feet = 69.8'

7 panels



8' x 8'

Sq. Feet = 64'

7 panels





Sq. Feet = 288'


28 panels



**Full House** 

Sq. Feet = 42.1'

5 panels



6' x 7'

Sq. Feet = 42'

7 panels



**Open House** 

Sq. Feet = 35.5'

4 panels



6' x 6'

Sq. Feet = 36'

6 panels

# **Worksurfaces**

120

These worksurfaces are designed specifically for Equity 120° Applications. The (L/R) suffix at the end of a pattern number indicates a defined pedestal location. If the worksurface has no defined pedestal location, the (L/R) represents the curved side of the top. All tops and tables are available with 2mm edge band or a cascading edge.

#### Worksurface: W3

This worksurface, combined with the T3 transition top, works best with the "apartment" layout. This application allows for stations on both sides of the spine, and is ideal for high density layouts. Available in extended versions for placement directly next to another worksurface.




#### Worksurface: W4

This top works well in the "open house," "full house," and "big house" layouts for call center, professional and managerial applications.








#### Worksurface: W5 (L/R)

With transition top T5 and this worksurface, teaming is made easy using the "townhouse" or "open house" layout. The shared space allows for call center, professional or technical applications.






#### Worksurface: W6 (L/R)

In the "big house," "full house" or "open house", this worksurface allows for a pedestal on one side (determined by the L/R).

Applications for this top include a call center with the "open house," technical applications with the "full house," and managerial layouts with the "big house."








#### Worksurface: W7 (L/R)


Used in conjunction with a T4 transition top, the W7 worksurface provides a great teaming space when the "townhouse" layout is used. The "open house" layout incorporates the T2 transition top for professional or technical stations with shared space for conferencing. Available in extended versions for placement directly next to another worksurface.






#### Worksurface: W11 / W1118 (L/R)


This top is a spacious option for a technical station in the "open house" layout. Adding a T2 transition top provides additional teaming space. The W11 surface also fits nicely in a private managerial office or a "full house" professional application.






#### Worksurface: W12 / W1218 (L/R)

This top, with the T5/T518 transition top provides a technical office with shared conferencing space in the "open house" layout. The 18 return allows ample space in the supervisory application of the "full house."





#### Worksurface: W13 / W1318 (L/R)

This surface provides a teaming space with the T2/T218 transition in the "open house" layout. The W13/W1318 creates generous worksurface space in the "full house" as well as the management layout of the "big house."









#### **Transition Tops**

Transition tops require columns (not included) for support. Flat brackets (not included) are required to attach transition tops to adjacent worksurfaces.



Transition top: T2



Transition top: T3



Transition top: T4



Transition top: T5

#### **Peninsula Tops**

Peninsula tops provide additional workspace in a "big house" layout.

Peninsula tops are freestanding and supported by table legs, columns or a combination of both.



Peninsula top: P1



Peninsula top: P2 right hand




Peninsula top: P2 left hand



1	W3						LAMINATE	
	W	L	R	MODEL #		L1	L2	L3
	48"	24"	24"	EW1W34824		\$1,020	\$1,122	\$1,224

**Woodgrain Direction** 






#### **W4**

48"	24"	24"	EW1W44824	\$1,030	\$1,133	\$1,236








#### **W5**

48"	24"	24"	EW1W54824L	\$975	\$1,073	\$1,170
48"	24"	24"	EW1W54824R	\$975	\$1,073	\$1,170

**Woodgrain Direction** 





#### **W6**

48"	24"	24"	EW1W64824L	\$1,090	\$1,199	\$1,308
48"	24"	24"	EW1W64824R	\$1,090	\$1,199	\$1,308

**Woodgrain Direction** 



#### Specify

- 1. Model#
- 2. Surface color
- 3. Edge color

#### Support Information

All supports must be ordered separately.


#### **Application Notes**

Refer to the worksurface planning page for worksurface drawings and applications.

#### W3

W3 top may be extended on either the left or right hand side by adding an "EL" or "ER" to the end of the pattern number and adding \$21.


W3 top may be extended on both ends by adding an "EB" to the end of the pattern number and adding \$42.



W7				LAMINATE		
W	L	R	MODEL #	L1	L2	L3
48"	24"	24"	EW1W74824L	\$1,085	\$1,194	\$1,302
48"	24"	24"	EW1W74824R	\$1,085	\$1,194	\$1,302

**Woodgrain Direction** 






## **W11**

48"	24"	18"	EW1W11482418	\$1,280	\$1,408	\$1,536
48"	18"	24"	EW1W11481824	\$1,280	\$1,408	\$1,536

**Woodgrain Direction** 






## W12

48"	24"	18"	EW1W12482418	\$1,360	\$1,496	\$1,632
48"	18"	24"	EW1W12481824	\$1,360	\$1,496	\$1,632
48"	24"	24"	EW1W124824L	\$1,360	\$1,496	\$1,632
48"	24"	24"	EW1W124824R	\$1,360	\$1,496	\$1,632

**Woodgrain Direction** 





#### W13

48"	24"	18"	EW1W13482418	\$1,310	\$1,441	\$1,572
48"	18"	24"	EW1W13481824	\$1,310	\$1,441	\$1,572
48"	24"	24"	EW1W134824L	\$1,310	\$1,441	\$1,572
48"	24"	24"	EW1W134824R	\$1,310	\$1,441	\$1,572

**Woodgrain Direction** 



	ρ		

- 1. Model #
- Surface color
   Edge color

#### **Support Information**

All supports must be ordered separately.

#### **Application Notes**

Refer to the worksurface planning page for worksurface drawings and applications.

Straight ends are available extended by adding an "E" to the end of the pattern number and adding \$21.

# **Worksurfaces**

**Transition Tops** 



T2	T2					LAMINATE	
	W	RETURN	MODEL#		L1	L2	L3
	50"	24"	EW1T224		\$655	\$721	\$786
	37 ½"	18"	EW1T218		\$615	\$677	\$738



**T3**26" 24" **EW**1**T**324 \$625 \$688 \$750



**T4**26" 24" **EW1T**424 \$645 \$710 \$774



 T5

 37 ½"
 18"
 EW1T518
 \$675
 \$743
 \$810

 50"
 24"
 EW1T524
 \$660
 \$726
 \$792




# **Peninsula Tops**

35"	52"	EW1P15235	\$725	\$798	\$870
36"	38"	EW1P23836(L/R)	\$700	\$770	\$840

#### Specify

- 1. Model#
- 2. Surface color
- 3. Edge color



#### T2 Transition Top

T2 transition top comes cut to fit against a postless end. If placing against an end with a post, add an "N" to the end of the pattern number so it is notched for the post.

#### Support Information

Transition and peninsula tops require a column base for support.

All supports must be ordered separately.

**Worksurface Loading & Support** See page 57

#### **CASCADE EDGE**

# Cascade

Cascade edge worksurfaces are wrapped with a thermafoil sheet that is heated and pressed around a substrate. This substrate can be FSC certified upon request. Thermafoil is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat cascade edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Cascade edge worksurfaces in solid colors utilize a non-PVC construction and are also free of any plasticizers, pthalates and lead content.

#### **AVAILABLE LAMINATES**

#### Solid

114 Folkstone Grey

117 Soft Grey

118 Bright White

119 Pumice


#### Woodgrain

124 Medium Cherry


125 Natural Maple

126 Natural Cherry

127 Walnut



24"	Deep		LAMINA	ATE
W	D	MODEL#	SOLID	WOODGRAIN
24"	24"	ECE1R2424N	\$222	\$255
30"	24"	ECE1R3024N	\$255	\$293
36"	24"	ECE1R3624N	\$281	\$324
42"	24"	ECE1R4224N	\$324	\$373
48"	24"	ECE1R4824N	\$364	\$419
54"	24"	ECE1R5424N	\$391	\$449
60"	24"	ECE1R6024N	\$424	\$488
66"	24"	ECE1R6624N	\$459	\$526
72"	24"	ECE1R7224N	\$479	\$551
78"	24"	ECE1R7824N	\$515	\$591
84"	24"	ECE1R8424N	\$544	\$625
90"	24"	ECE1R9024N	\$614	\$704
96"	24"	ECE1R9624N	\$670	\$770



# 30" Deep

24"	30"	ECE1R2430N	\$282	\$326				
30"	30"	ECE1R3030N	\$317	\$364				
36"	30"	ECE1R3630N	\$353	\$406				
42"	30"	ECE1R4230N	\$383	\$439				
48"	30"	ECE1R4830N	\$424	\$488				
54"	30"	ECE1R5430N	\$480	\$552				
60"	30"	ECE1R6030N	\$528	\$606				
66"	30"	ECE1R6630N	\$589	\$677				
72"	30"	ECE1R7230N	\$614	\$704				
78"	30"	ECE1R7830N	\$654	\$752				
84"	30"	ECE1R8430N	\$696	\$800				
90"	30"	ECE1R9030N	\$748	\$860				
96"	24"	ECE1R9630N	\$800	\$919				
Sam	Sample							

12"	12"	ECE1R1212G2	\$137	\$159

Specity					
1. Model # 2. Options					
3. Surface/edge color					
Extended Ends					

**E**....Covers 1 post



**Wood Grain** 



# Scallop \$50

#### **Available Laminates**

Solid 114 Folkstone Grey 117 Soft Grey 118 Bright White

#### 119 Pumice Woodgrain

124 Medium Cherry 125 Natural Maple 126 Natural Cherry 127 Walnut

#### Support Information


All supports must be ordered separately.

**Worksurface Loading & Support** See page 57.

A center support must be used with a 54" wide or larger worksurface.




Corner – Curved Front LAMINATE									
Α	В	C	MODEL#	SOLID	WOODGRAIN				
36"	24"	24"	ECE1L3636SSN	\$554	\$639				
42"	24"	24"	ECE1L4242SSN	\$670	\$770				
42"	24"	30"	ECE1L4242SDN	\$796	\$913				
42"	30"	24"	ECE1L4242DSN	\$796	\$913				
48"	24"	24"	ECE1L4848SSN	\$752	\$865				
48"	24"	30"	ECE1L4848SDN	\$901	\$1,036				
48"	30"	24"	ECE1L4848DSN	\$901	\$1,036				
48"	30"	30"	ECE1L4848DDN	\$808	\$930				



# Right-Hand

A	В	C	D	MODEL#	SOLID	WOODGRAIN
24"	42"	60"	24"	ECE1L4260SS()N	\$919	\$1,058
24"	42"	66"	24"	ECE1L4266SS()N	\$943	\$1,086
24"	42"	72"	24"	ECE1L4272SS()N	\$979	\$1,127
24"	42"	78"	24"	ECE1L4278SS()N	\$991	\$1,138
24"	48"	60"	24"	ECE1L4860SS()N	\$932	\$1,070
30"	48"	60"	24"	ECE1L4860DS()N	\$913	\$1,052
24"	48"	66"	24"	ECE1L4866SS()N	\$965	\$1,109
24"	48"	66"	30"	ECE1L4866SD()N	\$961	\$1,106
30"	48"	66"	24"	ECE1L4866DS()N	\$961	\$1,106
24"	48"	72"	24"	ECE1L4872SS()N	\$1,000	\$1,150
24"	48"	72"	30"	ECE1L4872SD()N	\$1,006	\$1,158
30"	48"	72"	24"	ECE1L4872DS()N	\$1,006	\$1,158
24"	48"	78"	24"	ECE1L4878SS()N	\$1,102	\$1,268
24"	48"	84"	24"	ECE1L4884SS()N	\$1,239	\$1,426
24"	48"	84"	30"	ECE1L4860SD()N	\$913	\$1,052




#### Left-Hand

reit-	пани					
24"	60"	42"	24"	ECE1L6042SS()N	\$919	\$1,058
24"	60"	48"	24"	ECE1L6048SS()N	\$932	\$1,070
24"	60"	48"	30"	ECE1L6048SD()N	\$913	\$1,052
30"	60"	48"	24"	ECE1L6048DS()N	\$913	\$1,052
24"	66"	42"	24"	ECE1L6642SS()N	\$943	\$1,086
24"	66"	48"	24"	ECE1L6648SS()N	\$965	\$1,109
24"	66"	48"	30"	ECE1L6648SD()N	\$961	\$1,106
30"	66"	48"	24"	ECE1L6648DS()N	\$961	\$1,106
24"	72"	42"	24"	ECE1L7242SS()N	\$979	\$1,127
24"	72"	48"	24"	ECE1L7248SS()N	\$1,000	\$1,150
24"	72"	48"	30"	ECE1L7248SD()N	\$1,006	\$1,158
30"	72"	48"	24"	ECE1L7248DS()N	\$1,006	\$1,158
24"	78"	42"	24"	ECE1L7842SS()N	\$991	\$1,138
24"	78"	48"	24"	ECE1L7848SS()N	\$1,102	\$1,268
24"	84"	48"	24"	ECE1L8448SS()N	\$1,239	\$1,426



Righ	t Ha	nded		LAMINATE	
Α	C	D	MODEL#	SOLID	WOODGRAIN
24"	66"	48"	ECE1BD6648SR	\$898	\$1,032
30"	66"	48"	ECE1BD6648DR	\$943	\$1,086
24"	72"	48"	ECE1BD7248SR	\$917	\$1,057
30"	72"	48"	ECE1BD7248DR	\$978	\$1,125
24"	78"	48"	ECE1BD7848SR	\$1,060	\$1,219
30"	78"	48"	ECE1BD7848DR	\$1,096	\$1,259
24"	84"	48"	ECE1BD8448SR	\$1,089	\$1,252
30"	84"	48"	ECE1BD8448DR	\$1,158	\$1,330




#### **Left Handed**

Α	C	D	MODEL#	SOLID	WOODGRAIN
24"	48"	66"	ECE1BD6648SL	\$898	\$1,032
30"	48"	66"	ECE1BD6648DL	\$943	\$1,086
24"	48"	72"	ECE1BD7248SL	\$917	\$1,057
30"	48"	72"	ECE1BD7248DL	\$978	\$1,125
24"	48"	78"	ECE1BD7848SL	\$1,060	\$1,219
30"	48"	78"	ECE1BD7848DL	\$1,096	\$1,259
24"	48"	84"	ECE1BD8448SL	\$1,089	\$1,252
30"	48"	84"	ECE1BD8448DL	\$1,158	\$1,330



- 1. Model#
- 2. Options
- 3. Surface/edge color







#### **Wiring & Cabling**



Scallop \$50

#### **Available Laminates**

#### Solid


- 114 Folkstone Grey
- 117 Soft Grey 118 Bright White
- 119 Pumice

#### Woodgrain


- 124 Medium Cherry
- 125 Natural Maple
- 126 Natural Cherry
- 127 Walnut

#### Support Information

All supports must be ordered separately.




Wave End – Left Hand						LAMINATE	
w	L	R	Α	В	MODEL#	SOLID	WOODGRAIN
36"	30"	24"	15"	1 ½"	ECE1W363024N	\$596	\$685
42"	30"	24"	15"	7 ½"	ECE1W423024N	\$626	\$721
48"	30"	24"	15"	15"	ECE1W483024N	\$671	\$772
72"	30"	24"	23 ½"	30 ½"	ECE1W723024N	\$854	\$980



# Wave End – Right Hand


ı	W	L	R	A	В	MODEL#	SOLID	WOODGRAIN
	36"	24"	30"	3"	15"	ECE1W362430N	\$596	\$685
	42"	24"	30"	9"	15"	ECE1W422430N	\$626	\$721
	48"	24"	30"	15"	15"	ECE1W482430N	\$671	\$772
	72"	24"	30"	30 ½"	23 ½"	ECE1W722430N	\$854	\$980



# 120° Worksurface

W	W	L	R	MODEL#	SOLID	WOODGRAIN
48"	48"	24"	24"	ECE1W34824G	\$979	\$1,127

эреспу	wood drain
1. Model #	
2. Options	
3. Surface/edge color	



# Wiring & Cabling G2

Scallop \$50

#### Available Laminates

#### Solid

114 Folkstone Grey

117 Soft Grey

118 Bright White

119 Pumice

#### Woodgrain

124 Medium Cherry

125 Natural Maple

126 Natural Cherry

127 Walnut

#### **Support Information**

All supports must be ordered separately.

# **Cascade Worksurfaces**



Half	Round		LAMINA	
W	D	MODEL#	SOLID	WOODGRAIN
18"	48"	ECE1H4818P	\$479	\$551
48"	18"	ECE1H4818PC	\$479	\$551
48"	18"	ECE1H4818PE	\$479	\$551
60"	24"	ECE1H6024P	\$659	\$760
60"	24"	ECE1H6024PC	\$659	\$760
60"	24"	ECE1H6024PE	\$659	\$760



# **Corner Round**

W	D	MODEL#	SOLID	WOODGRAIN
24"	24"	ECE1CR24L/R	\$255	\$293




# **Corner Round w/Notch**

W		MODEL# SOLID	WOODGRAIN
24	" 24"	ECE1CR24N \$255	\$293

#### Specify 1. Model# 2. Options

3. Surface/edge color





# Wiring & Cabling



# Scallop \$50

#### **Available Laminates**

# 114 Folkstone Grey

- 117 Soft Grey 118 Bright White
- 119 Pumice

#### Woodgrain

- 124 Medium Cherry
- 125 Natural Maple
- 126 Natural Cherry
- 127 Walnut

## Support Information

All supports must be ordered separately.



#### **Cable Sleeve w/Cover**

Н	D	MODEL#	BLACK ONLY
1 3/8"	3 1/4"	EW1CS	\$28



# **Edge Grommet**

Н	W	D	MODEL#	BLACK ONLY
13/8"	2 1/4"	13/8"	EW1WSG	\$28



#### **Worksurface Cable Basket**

Н	W	D	MODEL #	BLACK ONLY
2"	20"	4"	EW1CB20	\$55
2"	32"	4"	EW1CB32	\$76
2"	42"	4"	FW1CR42	\$82

#### Cable Sleeve with Cover

Used to pass cables through a worksurface. Fits 3" diameter hole, field cut, in worksurface. Smooth plastic prevents abrasion of cords and cables.

Cover snaps into sleeve. Cover has slots that allow passage of one or two cables, yet gives appearance of surface continuity.

Available in black only.

#### Edge Grommet

Designed to accommodate various styles and quantities of cords/plugs between rear of worksurfaces and panels for improved cord/plug management. Designed to work with Equity EW1 tops shipped after 2005.

Available in black only.

#### Worksurface Cable Basket


Attaches to the underside of worksurface for excess cable management. Slides forward from its position adjacent to the panel face to allow passage of plugs. Constructed of steel wire.

Available in black only.






Straight				LAMINATE			PAINT	
W (NOMINAL)	W (ACTUAL)	D	MODEL#	L1	L2	L3	P2	Р3
12"	10 ½"	15 1/4"	EW(3/N)1215	\$320	\$352	\$384	+ \$25	+ \$50
24"	22 ½"	15 1/4"	EW(3/N)2415	\$340	\$374	\$408	+ \$25	+ \$50
30"	28 ½"	15 1/4"	EW(3/N)3015	\$345	\$380	\$414	+ \$25	+ \$50
36"	34 ½"	15 1/4"	EW(3/N)3615	\$350	\$385	\$420	+ \$25	+ \$50
42"	40 1/2"	15 1/4"	EW(3/N)4215	\$365	\$402	\$438	+ \$25	+ \$50
48"	46 1/2"	15 1/4"	EW(3/N)4815	\$390	\$429	\$468	+ \$25	+ \$50
60"	58 ½"	15 1/4"	EW(3/N)6015	\$425	\$468	\$510	+ \$25	+ \$50
72"	70 ½"	15 1/4"	EW(3/N)7215	\$480	\$528	\$576	+ \$25	+ \$50
84"	82 ½"	15 1/4"	EW(3/N)8415	\$530	\$583	\$636	+ \$25	+ \$50
96"	94 ½"	15 1/4"	EW(3/N)9615	\$570	\$627	\$684	+ \$25	+ \$50
108"	106 ½"	15 1/4"	EW(3/N)10815	\$620	\$682	\$744	+ \$25	+ \$50
120"	118 ½"	15 1/4"	EW(3/N)12015	\$675	\$743	\$810	+ \$25	+ \$50



## Straight – Extended One End

ətraiyiit	– Extell	ueu viie	Ellu					
12"	12"	15 1/4"	EW(3/N)1215E	\$330	\$363	\$396	+ \$25	+ \$50
24"	24"	15 1/4"	EW(3/N)2415E	\$350	\$385	\$420	+ \$25	+ \$50
30"	30"	15 1/4"	EW(3/N)3015E	\$355	\$391	\$426	+ \$25	+ \$50
36"	36"	15 1/4"	EW(3/N)3615E	\$360	\$396	\$432	+ \$25	+ \$50
42"	42"	15 1/4"	EW(3/N)4215E	\$375	\$413	\$450	+ \$25	+ \$50
48"	48"	15 1/4"	EW(3/N)4815E	\$400	\$440	\$480	+ \$25	+ \$50
60"	60"	15 1/4"	EW(3/N)6015E	\$435	\$479	\$522	+ \$25	+ \$50
72"	72"	15 1/4"	EW(3/N)7215E	\$490	\$539	\$588	+ \$25	+ \$50
84"	84"	15 1/4"	EW(3/N)8415E	\$540	\$594	\$648	+ \$25	+ \$50
96"	96"	15 1/4"	EW(3/N)9615E	\$580	\$638	\$696	+ \$25	+ \$50
108"	108"	15 1/4"	EW(3/N)10815E	\$630	\$693	\$756	+ \$25	+ \$50



# Straight – Extended Both End

12"	13 ½"	15 1/4"	EW(3/N)1215EE	\$340	\$374	\$408	+ \$25	+ \$50
24"	25 ½"	15 1/4"	EW(3/N)2415EE	\$360	\$396	\$432	+ \$25	+ \$50
30"	31 ½"	15 1/4"	EW(3/N)3015EE	\$365	\$402	\$438	+ \$25	+ \$50
36"	37 ½"	15 1/4"	EW(3/N)3615EE	\$370	\$407	\$444	+ \$25	+ \$50
42"	43 ½"	15 1/4"	EW(3/N)4215EE	\$385	\$424	\$462	+ \$25	+ \$50
48"	49 1/2"	15 1/4"	EW(3/N)4815EE	\$410	\$451	\$492	+ \$25	+ \$50
60"	61 ½"	15 1/4"	EW(3/N)6015EE	\$445	\$490	\$534	+ \$25	+ \$50
72"	73 ½"	15 1/4"	EW(3/N)7215EE	\$500	\$550	\$600	+ \$25	+ \$50
84"	85 ½"	15 1/4"	EW(3/N)8415EE	\$550	\$605	\$660	+ \$25	+ \$50
96"	97 ½"	15 1/4"	EW(3/N)9615EE	\$590	\$649	\$708	+ \$25	+ \$50
108"	109 ½"	15 1/4"	EW(3/N)10815EE	\$640	\$704	\$768	+ \$25	+ \$50

#### Specify

- 1. Model#
- 2. Options
- 3. Surface color
- 4. Edge color
- 5. Cantilever color

#### Extended Ends

**E**....Covers 1 post

**EE** . . Covers 2 posts

#### **Application Notes**

Counter caps are designed for mounting on top of panels.

Counter caps fit between posts, appropriate to fit between two taller panels and a duel/triple height connectors.

#### Support Information

Steel cantilevers are supplied.


#### **Top Cap Compatibility**

3 – Beveled


N – Flat









(	Corner			LAMINATE			PAINT		
	W	D	MODEL#		L1	L2	L3		
	24"	15 1/4"	EW(3/N)CC2415		\$420	\$462	\$504	+ \$25	+ \$50
	30"	15 1/4"	EW(3/N)CC3015		\$435	\$479	\$522	+ \$25	+ \$50
	36"	15 1/4"	EW(3/N)CC3615		\$450	\$495	\$540	+ \$25	+ \$50



Corne	Corner – Extended Left								
24"	15 1/4"	EW(3/N)CC2415LHE	\$430	\$473	\$516	+ \$25	+ \$50		
30"	15 1/4"	EW(3/N)CC3015LHE	\$445	\$490	\$534	+ \$25	+ \$50		
36"	15 1/4"	EW(3/N)CC3615LHE	\$460	\$506	\$552	+ \$25	+ \$50		



•	corner — Extended Right								
	24"	15 1/4"	EW(3/N)CC2415RHE	\$430	\$473	\$516	+ \$25	+ \$50	
	30"	15 1/4"	EW(3/N)CC3015RHE	\$445	\$490	\$534	+ \$25	+ \$50	
	36"	15 1/4"	EW(3/N)CC3615RHE	\$460	\$506	\$552	+ \$25	+ \$50	



# **Corner – Extended Both**

24"	15 ¼"	EW(3/N)CC2415EE	\$440	\$484	\$528	+ \$25	+ \$50
30"	15 1/4"	EW(3/N)CC3015EE	\$455	\$501	\$546	+ \$25	+ \$50
36"	15 1/4"	EW(3/N)CC3615EE	\$470	\$517	\$564	+ \$25	+ \$50

٥	p	e	CI	Ţ	y

- 1. Model#
- 2. Options
- 3. Surface color
- 4. Edge color
- 5. Cantilever color

#### **Extended Ends**

E....Covers 1 post

**EE** . . Covers 2 posts

# **Application Notes**

Counter caps are designed for mounting on top of panels.

Counter caps fit between posts, appropriate to fit between two taller panels and a duel/triple height connectors.

#### **Support Information**

Steel cantilevers are supplied.

#### **Top Cap Compatibility**


3 – Beveled

N – Flat





# **Shelves**



Shelf				PAINT		
Н	W	D	MODEL #	P1	P2	Р3
24"	12 3/8"	10 1/4"	ES2OS24	\$232	\$247	\$257
30"	12 %"	10 1/4"	ES2OS30	\$254	\$269	\$279
36"	12 %"	10 1/4"	ES2OS36	\$254	\$269	\$279
42"	12 3/8"	10 1/4"	ES2OS42	\$266	\$281	\$291
48"	12 %"	10 1/4"	ES2OS48	\$278	\$293	\$303
60"	12 %"	10 1/4"	ES2OS60	\$298	\$313	\$323
72"	12 3/8"	10 1/4"	ES2OS72	\$322	\$337	\$347



# Shelf – Half Height

24"	12 ¾"	7 1/4"	ES3OS24	\$280	\$295	\$305
30"	12 3/8"	7 1/4"	ES3OS30	\$310	\$325	\$335
36"	12 3/8"	7 1/4"	ES3OS36	\$310	\$325	\$335
42"	12 3/8"	7 1/4"	ES3OS42	\$322	\$337	\$347
48"	12 ¾"	7 1/4"	ES3OS48	\$339	\$354	\$364
60"	12 ¾"	7 1/4"	ES3OS60	\$364	\$379	\$389
72"	12 3/8"	7 1/4"	ES3OS72	\$392	\$407	\$417



# Shelf – Back

24"	EC2SB24	\$191	\$201	\$207
30"	EC2SB30	\$210	\$220	\$230
36"	EC2SB36	\$210	\$220	\$230
42"	EC2SB42	\$220	\$230	\$237
48"	EC2SB48	\$230	\$237	\$244
60"	EC2SB60	\$259	\$269	\$277
72"	EC2SB72	\$295	\$304	\$313



# Shelf – Divider

2"	9"	6"	EC2SD	\$133	N/A	N/A

c		:	<b>e</b>
2	pe	:CI	ty

- 1. Model #
- 2. Paint trim color

#### **Application Notes**


Open shelf consists of two steel end panels and one steel shelf.

NOTE: Cannot be converted to an enclosed cabinet.


		W
ES2OS	Open Shelf	36
ES3OS	Open Shelf – Half Height	
:		
ES2OS		36
<b>i</b>	<b>:</b>	<b></b>

Shelf Divider

Available in dark grey only.



Overhead — Side Hinge Laminate Front				•	LAMINATE		PAINT	
Н	W	D	MODEL#	L1	L2	L3	P2	Р3
24"	12 ½"	14 1/4"	EC2OL24	\$677	\$745	\$812	\$25	\$50
30"	12 ½"	14 1/4"	EC2OL30	\$727	\$800	\$872	\$25	\$50
36"	12 ½"	14 1/4"	EC2OL36	\$777	\$855	\$932	\$25	\$50
42"	12 ½"	14 1/4"	EC2OL42	\$827	\$910	\$992	\$25	\$50
48"	12 ½"	14 1/4"	EC2OL48	\$877	\$965	\$1,052	\$25	\$50
60"	12 ½"	14 1/4"	EC2OL60	\$1,227	\$1,350	\$1,472	\$25	\$50
72"	12 ½"	14 1/4"	EC2OL72	\$1,327	\$1,460	\$1,592	\$25	\$50



Overhead — Flipper Door					PAINT	
Н	W	D	MODEL#	P1	P2	Р3
24"	12 ½"	14 1/4"	EC2OP24	\$602	\$627	\$652
30"	12 ½"	14 1/4"	EC2OP30	\$681	\$706	\$731
36"	12 ½"	14 1/4"	EC2OP36	\$681	\$706	\$731
42"	12 ½"	14 1/4"	EC2OP42	\$759	\$784	\$809
48"	12 ½"	14 1/4"	EC2OP48	\$801	\$826	\$851
60"	12 ½"	14 1/4"	EC2OP60	\$913	\$938	\$963
72"	12 ½"	14 1/4"	EC2OP72	1,004	\$1,029	\$1,054
72"	12 ½"	14 1/4"	EC2OP272*	\$1,219	\$1,244	\$1,269



# Overhead – Back

24"	14"	5/8"	EC2CB24	\$191	\$201	\$207
30"	14"	5/8"	EC2CB30	\$210	\$220	\$230
36"	14"	5/8"	EC2CB36	\$210	\$220	\$230
42"	14"	5/8"	EC2CB42	\$220	\$230	\$237
48"	14"	5/8"	EC2CB48	\$230	\$237	\$244
60"	14"	5/8"	EC2CB60	\$259	\$269	\$277
72"	14"	5/8"	EC2CB72	\$295	\$304	\$313

(n	ecity
JP	cury

- 1. Model#
- 2. Paint trim color
- 3. Optional Laminate

#### Overhead – Side Hinge

Includes matching ABS edge band

#### Overhead – Flipper Door

Door uses heavy-duty ball bearing hinges to allow door to flip forward and up and over top of cabinet. Can be opened at an angle. Door rolls on glides for smooth, friction-free operation.

		W
EC2OL	Overhead – Side Hinge	36
EC2OP	Overhead – Flipper Door	
:	:	
ES2OL		36
<b>:</b>	••	ii

# **Wall Mounted Channel**

Wall M	ounte	d Chan	nel			PAINT	
W	D	Н	<b>H</b> (Actual)	MODEL#	P1	P2	Р3
2 %"	3/4"	29"	23"	EP3WMC29	\$112	\$116	\$122
2 1/8"	3/4"	41"	35"	EP3WMC41	\$112	\$116	\$122
2 1/8"	3/4"	49"	43"	EP3WMC49	\$114	\$120	\$128
2 %"	3/4"	54"	49"	EP3WMC54	\$116	\$122	\$129
2 %"	3/4"	61"	55"	EP3WMC61	\$130	\$135	\$145
2 1/8"	3/4"	64"	60"	EP3WMC64	\$133	\$144	\$148
2 1/8"	3/4"	81"	75"	EP3WMC81	\$162	\$168	\$178
2 %"	3/4"	120"	120"	EP3WMC120	\$249	\$262	\$276

#### Specify

- 1. Model#
- 2. Paint trim color

#### **Application Notes**

Allows hanging of all components and accessories on reinforced building walls.

Painted extruded aluminum with a plastic insert which snaps in place, covering mounting screws.

NOTE: Neutral Posture, Inc. assumes no responsibility for wall construction or performance of fasteners used.

#### Assembly

#### Included

- Extruded aluminum channel
- Insert which snaps into place



## T5 – Task Light

DESCRIPTION	Н	W	D	MODEL#	LIST
Use with 24" and wider overhead	1 ½"	19"	4"	EL4T5E19S	\$259
Use with 30" and wider overhead	1 ½"	25"	4"	EL4T5E25S	\$268
Use with 42" and wider overhead	1 ½"	37"	4"	EL4T5E37S	\$275
Use with 60" and wider overhead	1 ½"	49"	4"	EL4T5E49S	\$291



# LED – Task Light

Use with 24" and wider overhead	1"	16"	1"	EL4LED16	\$495
Use with 30" and wider overhead	1"	25"	1"	EL4LED25	\$595
Use with 42" and wider overhead	1"	31"	1"	EL4LED31	\$655
Use with 60" and wider overhead	1"	37"	1"	EL4LED37	\$727

#### Specify

1. Model#

#### **Application Notes**

All task lights mount into the recess in the underside of overhead cabinets and shelves at least 6" wider than task light width.

All task lights are TCLP compliant and meet requirements of California Title 20 and Title 24.

#### T5 Task Light

120v and includes T5 cool white (4100K) fluorescent lamp, electronic ballast, 9' grounded cord-set, prismatic lens, rocker switch, one cord exit management clip and mounting hardware. Housings are black.

T5 task lights come with mounting supports.

**City of Chicago Installations** Specify suffix – CH and add \$45 list.

Example: EL4T525S-CH

#### LED

- Consumes only 9.4 Watts
- Color temperature: 3300 K
- Non-handed toggle switch location
- Cord location can be either end

LED task lights are magnetic and require no mounting supports.

# Tables

Step 1 - Model #

			Shape	D	w
ТВ	Table	R	Round	34	69
		S	Square		:
		RCT	Rectangle		:
		OT	Oval		:
			_		
TB		RCT		34	69

#### Step 1 - Surface Finish

Lan	ninate
PW-STK	Studio Teak
:	
•	:
PW-STK	

Step 2 – Edge Finish

Edge Band						
Studio Teak						

Step 3 - Trim Finish

Paints
Champagne

#### **FEATURES**

#### **BASE TYPES**

- X Base
- Y Base w/ or w/o adjustable bar support
- Tapered Leg

#### **BASE OPTIONS**

- Bar height
- · Flip top
- Casters
- Polished and Satin chrome finishes available in addition to paint

#### NOTE: not all options are available on all bases

#### **WORKSURFACE TYPES**

- Round
- Square
- Rectangular
- Oval

#### **LEVELERS**

Adjustable height levelers are included at no additional cost on all models. The levels are  $\frac{3}{8} - 16 \times \frac{3}{4}$ " long shank. Leveler extensions can be ordered separately. Please contact Sales Support for information on ordering leveler extensions. Casters can be ordered in place of levelers for an upcharge on most standard height tables.

#### SAFETY

For safety and stability purposes, the caster and flip top options cannot be added to bar height tables or the following table models: TBR60, TBS60, TBS48, TBOT54120, TBOT60144.

#### **CUSTOM TABLES**

Custom size tables and custom height bases are available upon request, pending engineering approval. Customization charges may apply. Contact Sales Support for additional information and pricing.

#### **CONSTRUCTION**

#### **X BASES**

X bases are made from cast aluminum with 2 ¼" tubing OD x 13 gauge.

#### **Y BASE**

Y base is made from cast aluminum with 2 ¼" steel tube.

#### **X BASE MOUNTING PLATES**

X base mounting plates are made of steel 4 gauge x 12" x 12" or 8" x 8".

#### Y BASE MOUNTING PLATES

Y base mounting plates are made from 0.187" x 6" x 8" fabricated steel.

#### WORKSURFACES

All worksurfaces are made with a core, high pressure laminate and edge band. All non-woodgrain edge bands are made of ABS material. All woodgrain edge bands are made of PVC material. The overall thickness is 1 1/4".

#### **WORKSURFACE HEIGHTS**

Standard	27 ¾"
Bar Height	40 ¾"

#### **SURFACE MATERIALS**

#### WORKSURFACE

- Laminate
- Edge band

#### **X BASES**

Paint

#### **Y BASE**

Paint


#### **TAPERED LEGS**

Paint

#### HEIGHT ADJUSTABLE BASE

White, black or silver

# **TABLES**







Round						LAMINATE	PAINT		
DESCRIPTION	Н	W	D	MODEL#	L1	L2	L3	P2	P3
X base	29"	29 ¾"	29 ¾"	TBR30	\$1,125	\$1,238	\$1,350	+ \$100	+ \$200
X base	29"	35 ¾"	35 ¾"	TBR36	\$1,150	\$1,265	\$1,380	+ \$100	+ \$200
X base	29"	41 ¾"	41 ¾"	TBR42	\$1,225	\$1,348	\$1,470	+ \$100	+ \$200
X base	29"	47 ¾"	47 ¾"	TBR48	\$1,510	\$1,661	\$1,812	+ \$100	+ \$200
4 Tapered legs	29"	59 ¾"	59 ¾"	TBR60	\$2,680	\$2,948	\$3,216	+ \$200	+ \$300



#### Square

Jquare									
X Base	29"	29 ¾"	29 ¾"	TBS30	\$1,125	\$1,238	\$1,350	+ \$100	+ \$200
X Base	29"	35 ¾"	35 ¾"	TBS36	\$1,200	\$1,320	\$1,440	+ \$100	+ \$200
X Base	29"	41 ¾"	41 ¾"	TBS42	\$1,250	\$1,375	\$1,500	+ \$100	+ \$200
4 Tapered Legs	29"	47 ¾"	47 ¾"	TBS48	\$1,650	\$1,815	\$1,980	+ \$200	+ \$300
4 Tapered Legs	29"	59 ½"	59 1/2"	TBS60	\$2,550	\$2,805	\$3,060	+ \$200	+ \$300

# **Options for Round & Square Tables**

•	•	
DESCRIPTION	OPTION CODE	UPCHARGE
Bar height	ВН	+ \$100
Casters (set of 4)	С	+ \$100
Flip top	FT	+ \$200

Flip top is not available on tapered legs.

Specify	Wood Grain		Sh	nape	D
<ol> <li>Model #</li> <li>Surface finish</li> <li>Edge finish</li> <li>Trim finish</li> </ol>		TB Table	S Sq	ound <sub>Juare</sub> ectangle val	30
		ТВ	R		30



Rectangle			LAMINATE			PAINT			
DESCRIPTION	Н	W	D	MODEL #	L1	L2	L3	P2	P3
Y base w/o stretcher	29"	47 ¾"	29 ¾"	TBRCT3048	\$1,415	\$1,557	\$1,698	+ \$200	+ \$300
Y base w/stretcher	29"	58 ½"	35 ½"	TBRCT3660	\$2,035	\$2,239	\$2,442	+ \$200	+ \$300
Y base w/stretcher	29"	59 ¾"	29 ¾"	TBRCT3060	\$1,725	\$1,898	\$2,070	+ \$200	+ \$300
Y base w/stretcher	29"	69 1/4"	34"	TBRCT3469	\$3,065	\$3,372	\$3,678	+ \$200	+ \$300
Y base w/stretcher	29"	71 ¾"	29 ¾"	TBRCT3072	\$2,035	\$2,239	\$2,442	+ \$200	+ \$300
Y base w/stretcher	29"	71 ¾"	35 ¾"	TBRCT3672	\$2,415	\$2,657	\$2,898	+ \$200	+ \$300
Y base w/stretcher	29"	79 1/4"	34"	TBRCT3479	\$3,065	\$3,372	\$3,678	+ \$200	+ \$300
Y base w/stretcher	29"	83 ¾"	41 ¾"	TBRCT4284	\$3,230	\$3,553	\$3,876	+ \$200	+ \$300
Y base w/stretcher	29"	95 ¾"	47 ¾"	TBRCT4896	\$4,165	\$4,582	\$4,998	+ \$200	+ \$300



#### **Oval**

o rai									
Y base w/stretcher	29"	71 ¾"	35 ¾"	TBOT3672	\$3,190	\$3,509	\$3,828	+ \$200	+ \$300
Y base w/stretcher	29"	95 ¾"	47"	TBOT4896	\$5,225	\$5,748	\$6,270	+ \$200	+ \$300
Y base w/stretcher	29"	119 ¾"	47"	TBOT48120	\$6,395	\$7,035	\$7,674	+ \$200	+ \$300
6 Tapered legs	29"	119 ¾"	53 ¾"	TBOT54120	\$6,900	\$7,590	\$8,280	+ \$250	+ \$350
6 Tapered legs	29"	143 ¾"	59 ¾"	TBOT60144	\$7,500	\$8,250	\$9,000	+ \$250	+ \$350

# **Options for Rectangle & Oval Tables**

DESCRIPTION	OPTION CODE	UPCHARGE
Bar height	ВН	+ \$300
Casters (set of 4)	С	+ \$100
Flip top	FT	+ \$300

Casters & flip top are not available on tapered legs.

Specify	Wood Grain				Shape	D	w
<ol> <li>Model #</li> <li>Surface finish</li> <li>Edge finish</li> <li>Trim finish</li> </ol>	<b>←</b>	ТВ	Table	R S RCT OT	Round Square <b>Rectangle</b> Oval	34	69
		ТВ		RCT		34	69



<b>Column Bases</b>	Column Bases				
DESCRIPTION	Н	MODEL #	L1	L2	L3
Fixed height support column	27 ¾"	EB1FCOL	\$320	\$348	\$362



Tapered Legs			PAINT		
DESCRIPTION	Н	MODEL #	P1	P2	Р3
Single leg	27 ¾"	TBTL	\$350	\$385	\$420
Single leg w/caster	27 ¾"	TBTLC	\$375	\$410	\$445
Set of 2	27 ¾"	TBTL2	\$600	\$660	\$720
Set of 2 w/casters	27 ¾"	TBTL2C	\$650	\$710	\$770
Set of 4	27 ¾"	TBTL4	\$1,150	\$1,265	\$1,380
Set of 4 w/casters	27 ¾"	TBTL4C	\$1,250	\$1,365	\$1,480

# **Height Adjustable Base**



DESCRIPTION	MODEL#	BLACK, SILVER OR WHITE ONLY
2 legs	TBAHL2	\$2,700
3 legs	TBAHL3	\$4,500



	 c.


- 1. Model#
- 2. Options3. Surface color
- 4. Edge color
- 5. Trim color

## Application Notes

Adjustable height bases can be used with 24" & 30" deep worksurfaces. Worksurfaces must be between 48 - 84" wide.

Adjustable height bases have a capacity of 275 lbs. evenly distributed.

# **Privacy/Modesty Panels**



					•	••••••••••••••••••••••••••••••••••••••	:
Privac	Privacy/Modesty Panels			LAMINATE			
W	Н	# BRACKETS INCLUDED	MODEL #	PG	L1	L2	L3
12"	12"	2	PRVMOD(PG/LM)12	\$337	\$297	\$327	\$356
18"	12"	2	PRVMOD(PG/LM)18	\$377	\$327	\$360	\$392
24"	12"	2	PRVMOD(PG/LM)24	\$427	\$377	\$415	\$452
30"	12"	2	PRVMOD(PG/LM)30	\$477	\$427	\$470	\$512
36"	12"	2	PRVMOD(PG/LM)36	\$527	\$477	\$525	\$572
42"	12"	2	PRVMOD(PG/LM)42	\$577	\$527	\$580	\$632
48"	12"	2	PRVMOD(PG/LM)48	\$677	\$577	\$635	\$692
60"	12"	3	PRVMOD(PG/LM)60	\$807	\$677	\$745	\$812

S	pecit	fy
_	pee.	٠,

1. Model #

2. Insert color

Trim - Brushed nickel only

#### Plexiglass Finishes

IC...lce SM..Smoked TR...Translucent LF...Frost

#### **Application Notes**

Screens are  $\frac{1}{4}$ " thick.

Widths are 1" less than nominal to allow for ½" set-back on each side.

These brackets are only available in privacy & modesty sets and cannot be sold separately.

#### **STORAGE**

Neutral Posture is not only dedicated to good posture, we are also dedicated to making offices more efficient and more enjoyable to work in. Neutral Posture knows that to increase efficiency in the office things must be organized well and be easily accessible. Neutral Posture offers the most space efficient and easily accessible products on the market.


Neutral Posture offers many diverse storage units making sure you can always find the exact unit of storage for your office's needs. From small pedestals that can double as seating to large towers with wardrobe capability, Neutral Posture can fit your needs in any situation. Along with our wide range of storage options, Neutral Posture also lets you truly personalize your office equipment, making your office a welcoming place for not only your customers, but, your employees as well.


Neutral Posture provides storage units that work together—meaning that they will work better for you and your workspace. Neutral Posture allows customization by offering several different color options, fabric patterns and even several different pulls and lock options to make sure your office space looks exactly how you want. Storage units that are cohesive have numerous benefits, such as taking up less space, being easier to access and making your office look more unified.

#### **TRUE DIMENSIONS**

**Disclaimer:** While Equity panels and worksurfaces are based on centerline to centerline dimensions, all storage dimensions are true dimensions.

# **STORAGE**





Pencil tray	SPTRY	\$17
6" Drawer divider	SBDD	\$17
12" Drawer divider	SFDD	\$37
 Magnetic label	SMLB	\$67
Ped drawer front filler	SPFF	\$66
 Magnetic drawer dividers	SMDDB	\$97
Magnetic shelf divider	SMSD	\$77
Lateral file conversion bar	SLFCB	\$77
Worksurface supporting bracket	SWSSB	\$97



#### PED ACCESSORY PACKAGE - FF

2 – 12" drawer dividers \$67 SFFA



#### PED ACCESSORY PACKAGE - BBF

- 2 6" drawer dividers SBBFA \$77 1 – 12" drawer dividers 1 – Pencil tray



#### PED ACCESSORY PACKAGE - BF

- 1 6" drawer divider \$67 SBFA 1 – 12" drawer divider
- 1 Pencil tray

		PEDESTALS	LATERALS	TOWERS	CREDENZAS	CABINETS	LOCKERS	BOOKCASES
	Pencil tray	•	•	•				
	Drawer dividers	•		•				
	Magnetic label	•	•	•	•			
	Ped drawer front filler	•		•				
The state of the s	Magnetic drawer dividers		•		•			
	Magnetic shelf divider			•	•	•		•
12 P	Lateral file conversion bar		•					
	Worksurface supporting bracket			•				
	Ped accessory package – FF	•		•				
	Ped accessory package – BBF	•		•				
	Ped accessory package – BF	•						

#### Step 1 – Model #

	Pedestal		Drawers	D		Pull
SPED	Freestanding Pedestal	FF	File File	19	J	J Pull
SMPED	Mobile Pedestal	BBF	<b>Box Box File</b>		В	Bar Pull
SCMPED	Mobile Pedestal w/Cushion	BF	Box File		R	Radiused Pull
SSPED	Suspended Pedestal				:	
SWSPED	Worksurface Supporting Pedestal				:	
SWSLKR	Worksurface Supporting Locker				:	
SFC	File Center					
SPED		BBF		19	J	:
			. <u>.:</u>		i	<del>.</del>

Step 2 – Case Finish

	Paints
301	Champagne
<u>:</u>	
<u> </u>	
301	
301	

Step 3 – Front Finish

Not	Not Available w/J Pull				
	Laminate				
PW-STK	Studio Teak				
PW-STK					
i	·				

#### **FEATURES**

#### **COUNTER WEIGHTS**

- Freestanding, mobile and cushion pedestals include factory installed counterweights
- Counterweights are not necessary for worksurface supporting or suspended pedestals

#### LOCK

- Lock core is removable
- Keyed alike available upon request
- Master and change key available upon request
- Individual locking drawers available upon request

#### **DRAWERS**

- Include full suspension steel ball-bearing slides
- Drawer fronts include rubber bumpers for quiet operation

#### **LEVELING GLIDES**

4 Leveling glides allow for 1 %" adjustment.

#### **CASTERS - MOBILE PEDS**

- 4 Casters black
- 2 Locking

#### **CONSTRUCTION**

#### **OUTER SHELL & DRAWER CONSTRUCTION**

Welded steel frame construction & formed channels ensure strength in key areas

Top channels	18 – 21 gauge
Side channels	18 – 21 gauge
Outer panels	22 gauge
Drawer fronts	20 gauge
Drawer bins	22 gauge

#### DRAWER LOAD CAPACITY

6"	Bow drawers	50 lbs
12"	File drawers	70 lbs

#### **DRAWER INNER DIMENSIONS**

Height

Box drawer	4 ½"
File drawer	9 ½"
Width	
All drawers	12 1/8"
Depth	
18" Deep pedestal	15 1/5"


#### PED LOCKER INNER DIMENSIONS

22" Deep pedestal

	Н	W	D
18" Deep	23"	13 ¾"	17"
22" Deep	23"	13 ¾"	21"

#### **PULL STYLES**







J – J Pull

#### **SURFACE MATERIALS**

#### **PEDESTAL**

Paint

#### **FRONTS**

w/Bar pull (B) Paint or Laminate w/Radiused pull (R) Paint or Laminate w/J pull (J) Paint

#### **DRAWER PULL**

Bar (B) Satin nickel Radiused (R) Satin nickel J (J) Paint

#### **MOBILE PED HANDLE**

Satin nickel

#### LOCK


18 1/4"

Satin nickel

#### **CUSHION TOP**

Upholstery

# **PEDESTALS**





Freest	standing PAINT					LAMINA	ATE FRONT (OPTIO	NAL)	
Н	W	D	MODEL#	P1	P2	P3	L1	L2	L3
27 ¾"	15 1/4"	21 %"	SPEDFF22(J/B/R)	\$597	\$657	\$716	+ \$260	+ \$286	+ \$312
27 ¾"	15 1/4"	21 %"	SPEDBBF22(J/B/R)	\$637	\$701	\$764	+ \$280	+ \$308	+ \$336



# Mobile

	-								
26 %"	15 1/4"	18 %"	SMPEDFF19(J/B/R)	\$577	\$635	\$692	+ \$250	+ \$275	+ \$300
26 %"	15 1/4"	18 %"	SMPEDBF19(J/B/R)	\$597	\$657	\$716	+ \$260	+ \$286	+ \$312
21 %"	15 1/4"	18 %"	SMPEDBBF19(J/B/R)	\$647	\$712	\$776	+ \$285	+ \$314	+ \$342
21 %"	15 1/4"	21 %"	SMPEDFF22(J/B/R)	\$637	\$701	\$764	+ \$280	+ \$308	+ \$336
26 %"	15 1/4"	21 %"	SMPEDBBF22(J/B/R)	\$677	\$745	\$812	+ \$300	+ \$330	+ \$360
26 %"	15 1/4"	21 %"	SMPEDBF22(J/B/R)	\$587	\$646	\$704	+ \$250	+ \$275	+ \$300



# **Mobile w/Cushion**


23"	15 ¼"	18 %"	SCMPEDBF19(J/B/R)	\$777	\$855	\$932	+ \$320	+ \$352	+ \$384
23"	15 1/4"	21 %"	SCMPEDBF22(J/B/R)	\$787	\$866	\$944	+ \$330	+ \$363	+ \$396

# **Mobile Cushion Fabric Upcharges**

UPHOLSTER	Y GRADES	
SEATING	SYSTEMS	UPCHARG
C	Α	+ \$12
1	В	+ \$19
2	C	+ \$22
3	D	+ \$29
4	E	+ \$32
5	F	+ \$39
6	G	+ \$45
	н	+ \$50

# Specify

- 1. Model#
- 2. Case finish
- 3. Front finish Laminate not available on J pull



R – Radiused

#### **Ordered Separately**

• Pencil tray

#### Freestanding Peds

- Counterweight for stability
- Leveling glides allow for 1 %" adjustment

#### Mobile Peds

#### Included

- Black 37mm plastic casters
- (2 locking & 2 non-locking)
   Counterweight for stability
- 1 ½" cushion in black Other fabrics available for an upcharge.



Suspended			PAINT			LAMINATE FRONT (OPTIONAL)				
	Н	W	D	MODEL#	P1	P2	Р3	L1	L2	L3
	25"	15 1/4"	21 %"	SSPEDFF22(J/B/R)	\$637	\$701	\$764	+ \$280	+ \$308	+ \$336
	25"	15 1/4"	21 %"	SSPEDBBF22(J/B/R)	\$597	\$657	\$716	+ \$260	+ \$286	+ \$312
	19 %"	15 1/4"	21 %"	SSPEDBF22(J/B/R)	\$497	\$547	\$596	+ \$215	+ \$237	+ \$258



# **Worksurface Supporting**

27 ¾"	15 1/4"	17 %"	SWSPEDFF18(J/B/R)	\$577	\$635	\$692	+ \$255	+ \$281	+ \$306
27 ¾"	15 1/4"	17 %"	SWSPEDBBF18(J/B/R)	\$617	\$679	\$740	+ \$270	+ \$297	+ \$324
27 ¾"	15 1/4"	21 1/8"	SWSPEDFF22(J/B/R)	\$577	\$635	\$692	+ \$255	+ \$281	+ \$306
27 ¾"	15 1/4"	21 %"	SWSPEDBBF22(J/B/R)	\$617	\$679	\$740	+ \$270	+ \$297	+ \$324



# **Worksurface Supporting Locker**

_	27 ¾"	15 1/4"	17 %"	SWSLKR22R(J/B/R)	\$727	\$800	\$872	N/A	N/A	N/A		
	27 ¾"	15 1/4"	17 %"	SWSLKR22L(J/B/R)	\$727	\$800	\$872	N/A	N/A	N/A		
S	SWSLKR22( <b>R/L</b> )(J/B/R) — <b>(R/L)</b> refers to the hinge location											




# **Worksurface Supporting File Center**

27 ¾"	30 ½"	18 1/4"	SFCFFLAT(J/B)	\$1,177	\$1,295	\$1,412	+ \$520	+ \$572	+ \$624
27 ¾"	30 ½"	18 1/4"	SFCBBFLAT(J/B)	\$1,227	\$1,350	\$1,472	+ \$540	+ \$594	+ \$648
27 ¾"	30 ½"	18 1/4"	SFCFBBLAT(J/B)	\$1,227	\$1,350	\$1,472	+ \$540	+ \$594	+ \$648

#### Specify

- 1. Model#
- 2. Case finish
- 3. Front finish
  Laminate not
  available on J Pull



#### Worksurface Supporting Peds

#### ncluded

 Leveling glides allow for 1 5%" adjustment

May not be used in freestanding applications.

#### Worksurface Supporting Locker

#### Included

- Leveling glides allow for 1 <sup>5</sup>/<sub>8</sub>" adjustment
- 1 adjustable shelf and accommodates binder height storage on 1 shelf

#### File Center

All drawers include full-extension steel ball bearing slides.

Counter weight is not required when used to support a worksurface.

	Lateral	# of Drawers	W	Pull	1
<b>SLAT</b> SWSLAT	<b>Lateral</b> Worksurface Supporting	3	36	<b>J J Pull</b> B Bar Pu	
SLAT		3	36	J	

Step 2 - Case Finish

	Paint
301	Champagne
301 <b>301</b>	
301	
301	

Step 3 - Front Finish

Not Available w/J Pull									
Laminate									
PW-STK	Studio Teak								
PW-STK									

#### **FEATURES**

#### **COUNTER WEIGHTS**

- Counterweights are not included with laterals
- Counterweights are not necessary for worksurface supporting or suspended pedestals

#### **LOCK**

- Lock core is removable
- Keyed alike available upon request
- Master and change key available upon request
- Individual locking drawers available upon request, upcharge may apply

#### **DRAWERS**

- All drawers include full extension steel ball-bearing slides with anti-rebound features to ensure smooth operation
- Drawer fronts include rubber bumpers for quiet operation
- The top opening of 5-high laterals features an over-the-top flipper door with 13 ¼" inside clear height for binder storage
- Drawer includes full-height side panels
- 2 file bars are included in each drawer, for side-to-side filing
- Conversion bars for front to back filing are sold separately
- All lateral drawer bins will accommodate A4, letter, and legal size filing

#### **LEVELING GLIDES**

4 leveling glides allow for 1 ¼" adjustment.

#### **CONSTRUCTION**

#### **OUTER SHELL & DRAWER CONSTRUCTION**

Welded steel frame construction & formed channels ensure strength in key areas. Standard depth is 18 ¼".

Inner frame	20 gauge
Outer panels	22 gauge
Drawer fronts	20 gauge
Drawer bins	20 gauge

#### **DRAWER LOAD CAPACITY**


30" Wide lateral	140 lbs
36" Wide lateral	168 lbs
42" Wide lateral	192 lbs

#### **DRAWER INNER DIMENSIONS**

Height

Height	
Top flipper door	13 ¼"
Drawer immediately below lock strip	9
All other drawers	10 3/4"
Width	
30" Wide lateral	26 1/10"
36" Wide lateral	32 1/10"
42" Wide lateral	38 7/10"
Depth	
18 ¼" Deep lateral	16"

#### **PULL STYLES**







#### **SURFACE MATERIALS**

#### LATERAL

Paint

#### **FRONTS**

w/Bar pull (B) Paint or Laminate w/J pull (J) Paint

#### **DRAWER PULL**

Bar (B) Satin nickel
J (J) Paint


#### LOCK

Satin nickel

#### **TOP**

Paint or Laminate

# **LATERALS**






2 Drawer				PAINT			LAMINATE FRONT (OPTIONAL)		
Н	ı w	D	MODEL#	P1	P2	P3	L1	L2	L3
28	3/8" 30"	18 1/4"	SLAT230(J/B)	\$897	\$987	\$1,076	+ \$400	+ \$440	+ \$528
28	36"	18 1/4"	SLAT236(J/B)	\$1,097	\$1,207	\$1,316	+ \$440	+ \$484	+ \$581
28	3/8" 42"	18 1/4"	SLAT242(J/B)	\$1,147	\$1,262	\$1,376	+ \$480	+ \$528	+ \$634



# 3 Drawer

39 %"	30"	18 ¼"	SLAT330(J/B)	\$1,247	\$1,372	\$1,496	+ \$550	+ \$605	+ \$726
39 %"	36"	18 ¼"	SLAT336(J/B)	\$1,397	\$1,537	\$1,676	+ \$590	+ \$649	+ \$779
39 %"	42"	18 1/4"	SLAT342(J/B)	\$1,497	\$1,647	\$1,796	+ \$630	+ \$693	+ \$832



# 4 Drawer

51	I ¾"	30"	18 1/4"	SLAT430(J/B)	\$1,547	\$1,702	\$1,856	+ \$670	+ \$737	+ \$884
51	I 3∕8"	36"	18 1/4"	SLAT436(J/B)	\$1,697	\$1,867	\$2,036	+ \$700	+ \$770	+ \$924
51	I ¾"	42"	18 1/4"	SLAT442(J/B)	\$1,797	\$1,977	\$2,156	+ \$730	+ \$803	+ \$964



# **5 Drawer**

65 %"	30"	18 1/4"	SLAT530(J/B)	\$1,847	\$2,032	\$2,216	+ \$740	+ \$814	+ \$977
65 %"	36"	18 1/4"	SLAT536(J/B)	\$1,997	\$2,197	\$2,396	+ \$760	+ \$836	+ \$1,003
65 %"	42"	18 1/4"	SLAT542(J/B)	\$2,197	\$2,417	\$2,636	+ \$780	+ \$858	+ \$1,030




# **Worksurface Supporting**

27 ¾"	30"	18 1/4"	SWSLAT230(J/B)	\$897	\$987	\$1,076	+ \$400	+ \$440	+ \$528
27 ¾"	36"	18 1/4"	SWSLAT236(J/B)	\$997	\$1,097	\$1,196	+ \$440	+ \$484	+ \$581
27 3/4"	42"	19 1/4"	SWSLAT2/12(1/R)	\$1.007	\$1.207	\$1.316	⊥ \$480	± \$528	⊥ \$63 <i>1</i>

# Specify

- 1. Model#
- 2. Case finish
- 3. Front finish
  Laminate not
  available on J pull



Lateral	# of Drawers	W	Pull
SLAT Lateral SWSLAT Worksurface Supporting	3	36	<b>J J Pull</b> B Bar Pull
SLAT	3	36	J

#### Application Notes

#### Included

- Counterweight for stability
- Leveling glides for



Common Tops LAMINATE									
DESCRIPTION	Н	W	D	MODEL#	L1	L2	L3		
Single 30" W lateral top	5/8"	30"	18 1/4"	<b>LT</b> 30	\$350	\$385	\$420		
Single 36" W lateral top	5/8"	36"	18 1/4"	<b>LT</b> 36	\$380	\$418	\$456		
Double 30" W lateral top	5/8"	60"	18 1/4"	<b>LT</b> 60	\$410	\$451	\$492		
Doube 30" W/36" W lateral top	5/8"	66"	18 1/4"	<b>LT</b> 66	\$465	\$512	\$558		
Double 36" W lateral top	5/8"	72"	18 1/4"	<b>LT</b> 72	\$485	\$534	\$582		
Triple 30" W lateral top	5/8"	90"	18 1/4"	<b>LT</b> 90	\$495	\$545	\$594		
Triple 36" W lateral top	5/8"	108"	18 1/4"	<b>LT</b> 108	\$530	\$583	\$636		

# Specify

- 1. Model # 2. Body color 3. Front finish Laminate not available on J pull

Step 1 - Model #

	Н	w	Drawers	Coat Door	Pull
STWR Tower	56	22	<b>FF</b> BBF	<b>L Left</b> R Right	J J Pull B Bar Pull R Radiused Pull
STWR	56	22	FF	L	J

Step 2 - Case Finish

301	
	Champagne
301	:

Step 3 – Front Finish

Not Available w/J Pull						
Laminate						
PW-STK	Studio Teak					
PW-STK						

#### **FEATURES**

#### **LOCK**

- Lock core is removable
- 24" Side access tower includes 2 locks. All others include 1 lock
- Keyed alike available upon request
- · Master and change key available upon request
- Individual locking drawers available upon request

#### **DRAWERS**

- Include full suspension steel ball-bearing slides
- Drawer fronts include rubber bumpers for quiet operation
- Slides include anti-rebound and quick disconnect features
- File drawer dividers which allow sideto-side filing are sold separately

#### **SHELVES**

Shelves are adjustable in 1 ½" increments.

## **LEVELING GLIDES – TOWER**

Leveling glides allow for %" adjustment.

## **LEVELING GLIDES – SIDE ACCESS TOWER**

Leveling glides allow for 1 %" adjustment.

#### DOORS

Cupboard and coat doors include concealed hinges that allow for 110° degree opening.

# **CONSTRUCTION**

#### **OUTER SHELL & DRAWER CONSTRUCTION**

Welded steel frame construction & formed channels ensure strength in key areas.

Inner top channel	18 gauge
Bottom channel	18 gauge
Side channels	18 gauge
Outer top	21 gauge
Outer back	21 gauge
Outer sides	21 gauge
Outer center	21 gauge
Drawer & door fronts	21 gauge
Shelves	18 gauge
Drawer bins	22 gauge
Drawer fronts	20 gauge

#### **DRAWER LOAD CAPACITY**

6"	Bow drawers	50 lbs
12"	File drawers	70 lbs


## SHELF LOAD CAPACITY

Shelf 61 lbs

#### DRAWER INNER DIMENSIONS

Height	
Box drawer	4 ½"
File drawer	9 1/2"
Width	
All drawers	12 ½"
Depth	
All drawers	18 ¼"

# **PULL STYLES**



#### **SURFACE MATERIALS**

## CASE

Paint

#### **FRONTS**

w/Bar Pull (B)	Paint or Laminate
w/Radiused Pull (R)	Paint or Laminate
w/J Pull (J)	Paint

NOTE: Laminate is not available on 24" side access towers, 15" towers or 15" side access towers.


#### **DRAWER PULL**

Bar <b>(B)</b>	Satin nickel
Radiused (R)	Satin nickel
J <b>(J)</b>	Paint

#### LOCK

Satin nickel

# **TOWERS**







46" l	ligh	— does	not inclu	udes an adj. shelf		PAINT		LAMINATE FRONT (OPTIONAL)		
COAT DOOR	н	w	D	MODEL#	P1	P2	P3	L1	L2	L3
L	46"	23 ½"	23 ½"	STWR4624FFL(J/B/R)	\$2,097	\$2,307	\$2,516	+ \$920	+ \$1,012	+ \$1,104
R	46"	23 ½"	23 ½"	STWR4624FFR(J/B/R)	\$2,097	\$2,307	\$2,516	+ \$920	+ \$1,012	+ \$1,104
L	46"	23 ½"	23 ½"	STWR4624BBFL(J/B/R)	\$2,147	\$2,362	\$2,576	+ \$950	+ \$1,045	+ \$1,140
R	46"	23 ½"	23 ½"	STWR4624BBFR(J/B/R)	\$2,147	\$2,362	\$2,576	+ \$950	+ \$1,045	+ \$1,140

# 51" High — includes 2 adj. shelves

L	51 ¾"	23 ½"	23 ½"	STWR5124FFL(J/B/R)	\$2,147	\$2,362	\$2,576	+ \$950	+ \$1,045	+ \$1,140
R	51 %"	23 ½"	23 ½"	STWR5124FFR(J/B/R)	\$2,147	\$2,362	\$2,576	+ \$950	+ \$1,045	+ \$1,140
L	51 %"	23 ½"	23 ½"	STWR5124BBFL(J/B/R)	\$2,197	\$2,417	\$2,636	+ \$970	+ \$1,067	+ \$1,164
R	51 %"	23 ½"	23 ½"	STWR5124BBFR(J/B/R)	\$2,197	\$2,417	\$2,636	+ \$970	+ \$1,067	+ \$1,164

# $\mathbf{56''}\,\mathbf{High} - \mathbf{includes}\,\mathbf{2}\,\mathbf{adj.}\,\mathbf{shelves}$

L	56"	23 ½"	23 ½"	STWR5624FFL(J/B/R)	\$2,197	\$2,417	\$2,636	+ \$970	+ \$1,067	+ \$1,164
R	56"	23 ½"	23 ½"	STWR5624FFR(J/B/R)	\$2,197	\$2,417	\$2,636	+ \$970	+ \$1,067	+ \$1,164
L	56"	23 ½"	23 ½"	STWR5624BBFL(J/B/R)	\$2,297	\$2,527	\$2,756	+ \$1,000	+ \$1,100	+ \$1,200
R	56"	23 ½"	23 ½"	STWR5624BBFR(J/B/R)	\$2,297	\$2,527	\$2,756	+ \$1,000	+ \$1,100	+ \$1,200

# 66" **High** — includes 3 adj. shelves

L	65 %" 23 ½"	23 ½"	STWR6624FFL(J/B/R)	\$2,397	\$2,637	\$2,876	+ \$1,200	+ \$1,320	+ \$1,440
R	65 %" 23 ½"	23 ½"	STWR6624FFR(J/B/R)	\$2,397	\$2,637	\$2,876	+ \$1,200	+ \$1,320	+ \$1,440
L	65 %" 23 ½"	23 ½"	STWR6624BBFL(B/R)	\$2,447	\$2,692	\$2,936	+ \$1,300	+ \$1,430	+ \$1,560
R	65 %" 23 ½"	23 ½"	STWR6624BBFR(B/R)	\$2,447	\$2,692	\$2,936	+ \$1,300	+ \$1,430	+ \$1,560

	Н	W	Drawers	Coat Door	Pull
STWR Tower	56	22	FF	L Left	J J Pull
		:	BBF	R Right	B Bar Pull
			:	•	R Radiused Pull
	:			•	
STWR	56	22	FF	1	11
JIVVIN	30			-	

# Specify

- 1. Model#
- 2. Case finish
- 3. Front finish
  Laminate not
  available on J pull

# Pulls B – Bar Pull J – J Pull R – Radiused

- Single lock for all doors & drawers
- Coat closet includes side-to-side coat rod
- Leveling glides allow for 1/8" adjustment



	igh_	does not i	ncludes an adj. s	half		PAINT	
0 H	.9	400511001	nciaacs an aaji s	iicii		IAINI	
COAT DOOR	н	W	D	MODEL#	P1	P2	Р3
L	46"	23 ½"	23 ½"	SSAT4624FFL(J/B/R)	\$2,077	\$2,285	\$2,492
R	46"	23 ½"	23 ½"	SSAT4624FFR(J/B/R)	\$2,077	\$2,285	\$2,492
L	46"	23 ½"	23 ½"	SSAT4624BBFL(J/B/R)	\$2,127	\$2,340	\$2,552
R	46"	23 ½"	23 ½"	SSAT4624BBFR(J/B/R)	\$2,127	\$2,340	\$2,552
1" H	igh_	includes 2	adj. shelves				
L	51 ¾"	23 ½"	23 ½"	SSAT5124FFL(J/B/R)	\$2,147	\$2,362	\$2,576
R	51 3/8"	23 ½"	23 ½"	SSAT5124FFR(J/B/R)	\$2,147	\$2,362	\$2,576
L							40.00
L	51 ¾"	23 ½"	23 ½"	SSAT5124BBFL(J/B/R)	\$2,197	\$2,417	\$2,636
R	51 <sup>3</sup> / <sub>8</sub> "	23 ½"	23 ½" 23 ½"	SSAT5124BBFR(J/B/R) SSAT5124BBFR(J/B/R)	\$2,197 \$2,197	\$2,417 \$2,417	\$2,636 \$2,636
г <b>6" Н</b>	51 3%" igh_	23 ½" includes 2	23 ½" adj. shelves	SSAT5124BBFR(J/B/R)	\$2,197	\$2,417	\$2,636
R <b>6" H</b>	51 %"  igh —  56"	23 ½" includes 2 23 ½"	23 ½"  adj. shelves 23 ½"	SSAT5124BBFR(J/B/R) SSAT5624FFL(J/B/R)	\$2,197 \$2,227	\$2,417 \$2,450	\$2,636
R <b>6" H</b> L R	51 %"  igh  56"  56"	23 ½" includes 2 23 ½" 23 ½"	23 ½"  adj. shelves  23 ½"  23 ½"	SSAT5124BBFR(J/B/R)  SSAT5624FFL(J/B/R)  SSAT5624FFR(J/B/R)	\$2,197 \$2,227 \$2,227	\$2,417 \$2,450 \$2,450	\$2,636 \$2,672 \$2,672
R <b>6" H</b>	51 %"  igh —  56"	23 ½" includes 2 23 ½"	23 ½"  adj. shelves 23 ½"	SSAT5124BBFR(J/B/R) SSAT5624FFL(J/B/R)	\$2,197 \$2,227	\$2,417 \$2,450	\$2,636 \$2,672 \$2,672 \$2,792
R 6" H L R L	51 %"  igh —  56"  56"  56"  56"	23 ½"  includes 2  23 ½"  23 ½"  23 ½"  23 ½"  23 ½"	23 ½"  adj. shelves  23 ½"  23 ½"  23 ½"	SSAT5124BBFR(J/B/R)  SSAT5624FFL(J/B/R)  SSAT5624FFR(J/B/R)  SSAT5624BBFL(J/B/R)	\$2,197 \$2,227 \$2,227 \$2,327	\$2,450 \$2,450 \$2,450 \$2,560	\$2,636 \$2,672 \$2,672 \$2,792
R	51 %"  igh —  56"  56"  56"  56"	23 ½"  includes 2  23 ½"  23 ½"  23 ½"  23 ½"  23 ½"	23 ½"  adj. shelves  23 ½"  23 ½"  23 ½"  23 ½"	SSAT5124BBFR(J/B/R)  SSAT5624FFL(J/B/R)  SSAT5624FFR(J/B/R)  SSAT5624BBFL(J/B/R)	\$2,197 \$2,227 \$2,227 \$2,327	\$2,450 \$2,450 \$2,450 \$2,560	\$2,636 \$2,672 \$2,672 \$2,792 \$2,792
R 6" H L R L R	51 ¾"  igh — 56" 56" 56" 56"	23 ½"  includes 2  23 ½"  23 ½"  23 ½"  23 ½"  includes 3	23 ½"  adj. shelves  23 ½"  23 ½"  23 ½"  23 ½"  adj. shelves	SSAT5124BBFR(J/B/R)  SSAT5624FFL(J/B/R)  SSAT5624FFR(J/B/R)  SSAT5624BBFL(J/B/R)  SSAT5624BBFR(J/B/R)	\$2,197 \$2,227 \$2,227 \$2,327 \$2,327	\$2,450 \$2,450 \$2,450 \$2,560 \$2,560	\$2,636 \$2,672 \$2,672 \$2,792 \$2,792
R 6" H L R L R	51 %"  56" 56" 56" 56" 56"	23 ½"  includes 2 23 ½" 23 ½" 23 ½" 23 ½"  includes 3 23 ½"	23 ½"  adj. shelves  23 ½"  23 ½"  23 ½"  23 ½"  adj. shelves  23 ½"	SSAT5124BBFR(J/B/R)  SSAT5624FFL(J/B/R)  SSAT5624FFR(J/B/R)  SSAT5624BBFL(J/B/R)  SSAT5624BBFR(J/B/R)	\$2,197 \$2,227 \$2,227 \$2,327 \$2,327 \$2,327	\$2,450 \$2,450 \$2,560 \$2,560 \$2,560	\$2,636

		н	w	Drawers	Coat Door	Pull
SSAT	Side Access Tower	56	22	FF	L Left	J J Pull
•		:	:	BBF	R Right	B Bar Pull
						R Radiused Pull
					:	:
SSAT		56	22	FF	L	J
<b>:</b>	<b>:</b>	<b>::</b>	<b>::</b>	<b>::</b>	<b>::</b>	<b>::</b>

# Specify 1. Model # 2. Case finish B - Bar Pull J - J Pull

R – Radiused

- Includes 2 locks, keyed alike
- Coat closet includes side-to-side coat rod
- Leveling glides allow for 1 %" adjustment



					:	·····		
46" H	igh_	does not i	ncludes an		PAINT			
HINGE	Н	W	D	MODEL#	P1	P2	P3	
L	46"	15 1/4"	23 ½"	STWR4615FFL(J/B/R)	\$1,347	\$1,482	\$1,616	
R	46"	15 1/4"	23 ½"	STWR4615FFR(J/B/R)	\$1,347	\$1,482	\$1,616	
L	46"	15 1/4"	23 ½"	STWR4615BBFL(J/B/R)	\$1,477	\$1,625	\$1,772	
R	46"	15 1/4"	23 ½"	STWR4615BBFR(J/B/R)	\$1,477	\$1,625	\$1,772	
51" H	iah_	includes 1	adj. shelf					
L	51 %"	15 1/4"	23 ½"	STWR5115FFL(J/B/R)	\$1,477	\$1,625	\$1,772	
R	51 %"	15 1/4"	23 ½"	STWR5115FFR(J/B/R)	\$1,477	\$1,625	\$1,772	
L	51 %"	15 ¼"	23 ½"	STWR5115BBFL(J/B/R)	\$1,547	\$1,702	\$1,856	
R	51 ¾"	15 1/4"	23 ½"	STWR5115BBFR(J/B/R)	\$1,547	\$1,702	\$1,856	
56" H	iah_	includes 1	adj. shelf					
L	56"	15 1/4"	23 ½"	STWR5615FFL(J/B/R)	\$1,477	\$1,625	\$1,772	
R	56"	15 1/4"	23 ½"	STWR5615FFR(J/B/R)	\$1,477	\$1,625	\$1,772	
L	56"	15 1/4"	23 ½"	STWR5615BBFL(J/B/R)	\$1,547	\$1,702	\$1,856	
R	56"	15 1/4"	23 ½"	STWR5615BBFR(J/B/R)	\$1,547	\$1,702	\$1,856	
66" H	igh_	includes 2	adj. shelve	s				
L	65 %"	15 1/4"	23 ½"	STWR6615FFL(J/B/R)	\$1,597	\$1,757	\$1,916	
R	65 %"	15 1/4"	23 ½"	STWR6615FFR(J/B/R)	\$1,597	\$1,757	\$1,916	
L	65 %"	15 ¼"	23 ½"	STWR6615BBFL(J/B/R)	\$1,697	\$1,867	\$2,036	
R	65 %"	15 1/4"	23 ½"	STWR6615BBFR(J/B/R)	\$1,697	\$1,867	\$2,036	

	Н	W	Drawers	Coat Door	Pull
STWR Tower	56	15	FF	L Left	J J Pull
	i	•	BBF	R Right	B Bar Pull
					R Radiused Pull
STWR	56	15	FF	1	
31Wh	. 30	: 15	: :	<b>L</b>	, ,

# Specify Pulls 1. Model# 2. Case finish B – Bar Pull J – J Pull

R – Radiused

- Single lock for
- cupboard & drawers
   Leveling glides allow for %" adjustment
- Will not accommodate worksurface support bracket



46" H	igh_	does not i	ncludes ar	n adj. shelf		PAINT	
OPEN	Н	W	D	MODEL#	P1	P2	Р3
L	46"	15 1/4"	23 ½"	SSAT4615FFL(J/B/R)	\$1,297	\$1,427	\$1,556
R	46"	15 1/4"	23 ½"	SSAT4615FFR(J/B/R)	\$1,297	\$1,427	\$1,556
L	46"	15 1/4"	23 ½"	SSAT4615BBFL(J/B/R)	\$1,397	\$1,537	\$1,676
R	46"	15 1/4"	23 ½"	SSAT4615BBFR(J/B/R)	\$1,397	\$1,537	\$1,676
51" H	igh_	includes 1	adj. shelf				
L	51 ¾"	15 1/4"	23 ½"	SSAT5115FFL(J/B/R)	\$1,397	\$1,537	\$1,676
R	51 ¾"	15 ¼"	23 ½"	SSAT5115FFR(J/B/R)	\$1,397	\$1,537	\$1,676
L	51 ¾"	15 1/4"	23 ½"	SSAT5115BBFL(J/B/R)	\$1,497	\$1,647	\$1,796
R	51 3/8"	15 1/4"	23 ½"	SSAT5115BBFR(J/B/R)	\$1,497	\$1,647	\$1,796
56" H			adj. shelf		•		
L	56"	15 1/4"	23 ½"	SSAT5615FFL(J/B/R)	\$1,497	\$1,647	\$1,796
R	56"	15 1/4"	23 ½"	SSAT5615FFR(J/B/R)	\$1,497	\$1,647	\$1,796
L	56"	15 1/4"	23 ½"	SSAT5615BBFL(J/B/R)	\$1,597	\$1,757	\$1,916
R	56"	15 ¼"	23 ½"	SSAT5615BBFR(J/B/R)	\$1,597	\$1,757	\$1,916
66" H	igh_	includes 2	adj. shelv	res			
L	65 %"	15 1/4"	23 ½"	SSAT6515FFL(J/B/R)	\$1,547	\$1,702	\$1,856
		15 /4	23 /2	33A1031311 E(3/D/III)		4 - /	\$1,000
R	65 %"	15 1/4"	23 ½"	SSAT6515FFR(J/B/R)	\$1,547	\$1,702	\$1,856
R L	65 %" 65 %"			· ,	:		

# **WORKSURFACES &** 15" TOWERS



When adding a 15" tower to the end of a worksurface you will need to add a "T" to the end of the model number in order to make the worksurface and tower completely flush. This will only be neccessary on 24" deep worksurfaces with a width from 48" – 84".

	Н	W	Drawers	<b>Coat Door</b>	Pull
SSAT Side Access Tower	56	15	FF	L Left	J J Pull
			BBF	R Right	B Bar Pull
•		:			R Radiused Pull
		:	,	_	
SSAT	56	: :	FF	L	J

# Specify

- 1. Model#
- 2. Case finish

# Pulls B – Bar Pull J – J Pull

R – Radiused

- Single lock for all drawers

# Step 1 – Model #

	Shel	f Width	Drav	ver Width	Тор	Pull
SCR Credenza	30	S Shelf	20	D Drawer	MT Metal Top  NT No Top	J J Pull B Bar Pull
ccn	20		20	_		
SCR	30	S	: 20 :		MT	J

Step 2 – Case Finish

	Paints
301	Champagne
•	
	•
301	:

**Step 3** – Front Finish

Not Available w/J Pull							
L	aminate						
PW-STK	Studio Teak						
PW-STK							

# **FEATURES**

#### COUNTERWEIGHT

- Two drawer cabinets include factory installed counterweights
- Low storage cabinets that do not include shelves do not need counterweight

#### LOCK

- Available on credenza products which feature drawers
- · Lock core is removable
- Keyed alike available upon request
- Master and change key available upon request

#### **DRAWERS**

- Include full suspension steel ball-bearing slides
- Drawer fronts include rubber bumpers for quiet operation

#### **SHELF**

34" High adjustable shelf

#### **LEVELING GLIDES**

4 Leveling glides allow for 1/2" adjustment

#### TOP

Available in metal, cushion and laminate

# **CONSTRUCTION**

#### **OUTER SHELL & DRAWER CONSTRUCTION**

Welded steel frame construction & formed channels ensure strength in key areas.

Bottom channels	16 gauge
Top channels	18 gauge
Shelves	18 gauge
Side channels	20 gauge
Side panels	20 gauge
Тор	20 gauge
Fronts	20 gauge
Drawer bins	22 gauge

#### **DRAWER INNER DIMENSIONS**


Height

6" Drawer	4 ½"			
12" Drawer	10 %"			
Width				
30" Wide drawer	12 1/8"			
36" Wide drawer	32 1/10"			
42" Wide drawer	38 7/10"			
Depth				
All drawers	15 %"			

#### **SHELF INNER DIMENSIONS**

Height				
All shelves	16 %"			
Width				
30" Wide drawer	28 ½"			
36" Wide drawer	34 ½"			
42" Wide drawer	40 ½"			
Depth				
All drawers	19"			

# **PULL STYLES**







## **SURFACE MATERIALS**

#### CASE

Paint

# **FRONTS**

w/Bar pull **(B)** Paint or Laminate w/J pull **(J)** Paint

#### **DRAWER PULL**

Bar (B) Satin nickel J (J) Paint


#### **LOCK**

Satin Nickel

# **CUSHION TOP**

Upholstery

# **CREDENZAS**





Credenzas	PAINT			LAMINATE FRONT (UPCHARGE)						
DESCRIPTION	Н	W	D	MODEL#	P1	P2	P3	L1	L2	L3
30" Drawers, 30" open shelf	22 1/4"	60"	20"	SCR30D30S(J/B)	\$2,377	\$2,615	\$2,852	+ \$1,300	+ \$1,430	+ \$1,560
30" Drawers, 36" open shelf	22 1/4"	66"	20"	SCR30D36S(J/B)	\$2,447	\$2,692	\$2,936	+ \$1,300	+ \$1,430	+ \$1,560
36" Drawers, 36" open shelf	22 1/4"	72"	20"	SCR36D36S(J/B)	\$2,577	\$2,835	\$3,092	+ \$1,400	+ \$1,540	+ \$1,680

# Credenza – Cushion Tops

# **Credenza Cushion Fabric Upcharges**


								· · · · · · · · · · · · · · · · · · ·
DESCRIPTION	Н	W	D	MODEL#	BLACK	SEATING GRADES	SYSTEM GRADES	UPCHARGE
20"D x 12"W Cushion	1"	12"	20"	SCRC2012	\$207	С	Α	+ \$225
20"D x 18"W Cushion	1"	18"	20"	SCRC2018	\$247	1	В	+ \$300
20"D x 30"W Cushion	1"	30"	20"	SCRC2030	\$327	2	c	+ \$400
20"D x 36"W Cushion	1"	36"	20"	SCRC2036	\$397	3	D	+ \$500
20"D x 42"W Cushion	1"	42"	20"	SCRC2042	\$437	4	E	+ \$600
20"D x 60"W Cushion	1"	60"	20"	SCRC2060	\$527	5	F	+ \$700
20"D x 66"W Cushion	1"	66"	20"	SCRC2066	\$567	6	G	+ \$800
20"D x 72"W Cushion	1"	72"	20"	SCRC2072	\$597		Н	+ \$900

Credenza – Access	ories					PAINT	
DESCRIPTION	Н	W	D	MODEL#	P1	P2	Р3
Floating top supports, 2 legs	5 ½"	2 ½"	1 1/8"	SCRSL2	\$247	\$272	\$296
Credenza center leg support				SCRCLS	\$197	\$217	\$236
Credenza ganging kit				SCRGK	\$147	\$162	\$176

		She	lf Width	Dra	wer Width	Тор	Pull
SCR (	Credenza	30	S Shelf	20	D Drawer	MT Metal To	p J J Pull
						NT No Top	B Bar Pull
				:			
SCR		30	S	20	D	MT	J

#### Specify

- 1. Model #
- 2. Case finish
- 3. Front finish
  Laminate not
  available on J pull



# **Application Notes**

- Credenzas must be assembled in the field
- Cabinets are unhanded
- Shelf units include 1 adjustable shelf
- When ganging 2 units together, order ganging kit

## • Leveling glides allow for 1 %" adjustment

 Drawer units include 1
 6" drawer & 1 – 12" file drawer & counterweight

#### Credenza Includes

- 2 low storage cabinets
- 1 top & ganging kit
- 1 credenza center support leg





Credenza – Draw				PAINT			LAMINATE FRONT (UPCHARGE)			
DESCRIPTION	Н	W	D	MODEL#	P1	P2	P3	L1	L2	L3
30" Drawers, metal top	22 1/4"	30"	20"	SCRD3020MT(J/B)	\$1,147	\$1,262	\$1,376	+ \$530	+ \$583	+ \$636
36" Drawers, metal top	22 1/4"	36"	20"	SCRD3620MT(J/B)	\$1,197	\$1,317	\$1,436	+ \$550	+ \$605	+ \$660
42" Drawers, metal top	22 1/4"	42"	20"	SCRD4220MT(J/B)	\$1,297	\$1,427	\$1,556	+ \$590	+ \$649	+ \$708
30" Drawers, no top	22 1/4"	30"	20"	SCRD3020NT(J/B)	\$1,107	\$1,218	\$1,328	+ \$530	+ \$583	+ \$636
36" Drawers, no top	22 1/4"	36"	20"	SCRD3620NT(J/B)	\$1,157	\$1,273	\$1,388	+ \$550	+ \$605	+ \$660
42" Drawers, no top	22 1/4"	42"	20"	SCRD4220NT(J/B)	\$1,257	\$1,383	\$1,508	+ \$590	+ \$649	+ \$708



# Credenza – Shelves

30" Shelf, metal top	22 1/4"	30"	20"	SCRS3020MT	\$917	\$1,009	\$1,100	N/A	N/A	N/A
36" Shelf, metal top	22 1/4"	36"	20"	SCRS3620MT	\$977	\$1,075	\$1,172	N/A	N/A	N/A
42" Shelf, metal top	22 1/4"	42"	20"	SCRS4220MT	\$1,057	\$1,163	\$1,268	N/A	N/A	N/A
30" Shelf, no top	22 1/4"	30"	20"	SCRS3020NT	\$897	\$987	\$1,076	N/A	N/A	N/A
36" Shelf, no top	22 1/4"	36"	20"	SCRS3620NT	\$947	\$1,042	\$1,136	N/A	N/A	N/A
42" Shelf, no top	22 1/4"	42"	20"	SCRS4220NT	\$997	\$1,097	\$1,196	N/A	N/A	N/A




Credenza – Common Tops						LAMINATE	
DESCRIPTION	Н	W	D	MODEL#	L1	L2	L3
Single 30" W credenza top	5/8"	30"	20"	<b>CT</b> 30	\$365	\$402	\$438
Single 36" W credenza top	5/8"	36"	20"	<b>CT</b> 36	\$390	\$429	\$468
Single 42" W credenza top	5/8"	42"	20"	<b>CT</b> 42	\$420	\$462	\$504
Double 30" W credenza top	5/8"	60"	20"	<b>CT</b> 60	\$475	\$523	\$570
Double 30"/36" W credenza top	5/8"	66"	20"	CT66	\$500	\$550	\$600
Double 36" W credenza top OR 30"/42" W credenza top	5/8"	72"	20"	<b>CT</b> 72	\$510	\$561	\$612
Double 36"/42" W credenza top	5/8"	78"	20"	<b>CT</b> 78	\$530	\$583	\$636
Double 42" W credenza top	5/8"	84"	20"	CT84	\$560	\$616	\$672

		Н	w	Drawers	Pull
<b>SCRD</b> SCRS	<b>Credenza – Drawer</b> Credenza – Shelves	30	20	MT Metal Top NT No Top	J JPull B Bar Pull
SCRD		30	20	МТ	J

# Specify


- 1. Model#
- 2. Case finish
- 3. Front finish
  Laminate not
  available on J pull



- Center leg helps to gang 2 credenza pieces together side by side
- Ganging kit for use when specifying laminate top separately, does not include center leg
- Floating top supports may not be used on a metal top, includes top mounting bracket, screws & drill plate

# **Cabinets**

Step 1 – Model #



Step 2 – Case Finish

	Paint	
301	Champagne	
301		

# **FEATURES**

#### **LOCK**

- Lock core is removable
- Keyed alike available upon request
- Master and change key available upon request

#### **DOORS**

 Concealed hinges allow for 110° degrees opening

#### **LEVELING GLIDES**

4 Leveling glides allow for 1/4" adjustment

# **CONSTRUCTION**

#### **OUTER SHELL & DRAWER CONSTRUCTION**

Welded steel frame construction & formed channels ensure strength in key areas.

Back panel	20 – 22 gauge
Side panels	20 – 22 gauge
Inner channels	18 gauge
Тор	18 gauge
Doors	18 gauge

#### SHELF LOAD CAPACITY

Shelf 140 lbs

# **TOP LOAD CAPACITY**

30" Wide cabinets	140 lbs
36" Wide cabinets	169 lbs
42" Wide cabinets	197 lbs

#### **INNER DIMENSIONS**

Height	
2 High	72 ½"
3 High	61"
4 High	46 1/2"
5 High	35"
6 High	23 ½"

# Width 30" Wide cabinets 26 ¾" 36" Wide cabinets 32 ¾" 42" Wide cabinets 38 ¾"

# Depth

All cabinets 17 3/10"

# **PULL STYLES**





# **SURFACE MATERIALS**

# CASE

**Paint** 

# **FRONTS**

w/Bar Pull **(B)** Paint w/J Pull **(J)** Paint


#### **DRAWER PULL**

Bar (B) Satin nickel J (J) Paint

#### **LOCK**

Satin nickel

# **CABINETS**





					•••••••••••	
2 Higl	h				PAINT	
Н	W	D	MODEL#	P1	P2	P3
28 ¾"	30"	18 1/4"	SCAB293018(J/B)	\$997	\$1,097	\$1,196
28 ¾"	36"	18 1/4"	SCAB293618(J/B)	\$1,097	\$1,207	\$1,316
28 ¾"	42"	18 1/4"	SCAB294218(J/B)	\$1,197	\$1,317	\$1,436
3 Higl	h					
39 %"	30"	18 1/4"	SCAB403018(J/B)	\$1,197	\$1,317	\$1,436
39 %"	36"	18 1/4"	SCAB403618(J/B)	\$1,297	\$1,427	\$1,556
39 %"	42"	18 1/4"	SCAB404218(J/B)	\$1,397	\$1,537	\$1,676
A Lliad	<b>L</b>					



4 High	1					
51 3/8"	30"	18 1/4"	SCAB523018(J/B	\$1,447	\$1,592	\$1,736
51 3/8"	36"	18 1/4"	SCAB523618(J/B)	\$1,547	\$1,702	\$1,856
51 ¾"	42"	18 1/4"	SCAB524218(J/B)	\$1,647	\$1,812	\$1,976

Sp	ecify	
1	Model #	

2. Case finish

Application Notes					
<ul> <li>Leveling glides allow</li> </ul>					
for 1/4" adjustment					

- Inside depth is 17 \%" and 18 \%" deep units
- Shelf load capacity is 140 lbs
- Top weight capacity 30" – 140 lbs 36" – 168 lbs 42" – 197 lbs

	н	w	D	Pull
SCAB Cabinet	77	30	18	<b>J JPull</b> B Bar Pull
SCAB	77	30	18	J

# **Cabinets**



5 High	1				PAINT	
Н	W	D	MODEL#	P1	P2	P3
65 %"	30"	18 ¼"	SCAB663018(J/B)	\$1,647	\$1,812	\$1,976
65 %"	36"	18 1/4"	SCAB663618(J/B)	\$1,747	\$1,922	\$2,096
65 %"	36"	23 ½"	SCAB663624(J/B)	\$2,147	\$2,362	\$2,576
65 %"	42"	18 1/4"	SCAB664218(J/B)	\$1,847	\$2,032	\$2,216



# 6 High

•9						
77 3/8"	30"	18 1/4"	SCAB773018(J/B)	\$1,897	\$2,087	\$2,276
77 3/8"	36"	18 1/4"	SCAB773618(J/B)	\$1,997	\$2,197	\$2,396
77 3/8"	36"	23 ½"	SCAB773624(J/B)	\$2,247	\$2,472	\$2,696
77 3/8"	42"	18 1/4"	SCAB774318(J/B)	\$2,097	\$2,307	\$2,516

S	pe	ci	fy

- 1. Model#
- 2. Case finish

Application Note:	S
-------------------	---

- Leveling glides allow for ¼" adjustment
- Inside depth is 17 3/10" and 18 1/2" deep units
- Shelf load capacity is 140 lbs
- Top weight capacity 30" – 140 lbs 36" – 168 lbs 42" – 197 lbs

	Н	W	D	Pull
SCAB Cabinet	77	30	18	J JPull
				B Bar Pull
•		:	:	
SCAB	77	30	18	J
••••••	•	••••••	•	*******

Step 1 – Model #

	Н	D	Hinge	Pull
SLKR Locker	51	18	L	J J Pull
	:		R	B Bar Pull
		•		
:	;			:
SLKR	51	18	L	J
······································	<b>:</b> :	<b>: :</b>	i :	ii

Step 2 - Case Finish

	Paint
301	Champagne
301	:
301	

#### **FEATURES**

#### **LOCK**

- Lock core is removable
- Keyed alike available upon request
- Master and change key available upon request

#### **BODY**

 $\bullet$  Available in 2 depths: 18 ¼" and 23 ½"

#### **DOORS**

- All lockers come standard with metal doors
- Concealed hinges allow for 100 degree opening

#### SHELF

- Includes one fixed shelf on top w/ 12" clear height above
- Additional shelves may be ordered separately. Contact Sales Support for additional information and pricing

#### **COAT ROD**

Includes side-to-side coat rod beneath shelf

#### **LEVELING GLIDES**

- 4 leveling glides allow for 1/8" adjustment
- Glides are accessible from the inside of the locker

# **CONSTRUCTION**

#### **OUTER SHELL & DRAWER CONSTRUCTION**

Welded steel frame construction & formed channels ensure strength in key areas.

Top panel	21 gauge
Side panels	21 gauge
Back panel	21 gauge
Center panel	21 gauge
Inner top channel	18 gauge
Inner bottom channel	18 gauge
Inner side channels	18 gauge
Bottom pad	16 gauge
Door fronts	20 – 22 gauge
Shelves	18 gauge

## **DRAWER INNER DIMENSIONS**

Height

neight	
Above shelf	12"
Below coat rod – 51" High	31 1/10"
Below coat rod – 66" High	46 1/5"
Width	
All lockers	9 1/5"
Depth	
18 ½" Deep locker	17 %"
23 ½" Deep locker	22 ¾"

# **PULL STYLES**





# **SURFACE MATERIALS**

#### **LOCKER**

Paint


# **DRAWER PULL**

Bar (B) Satin nickel J (J) Paint


#### LOCK

Satin nickel

# **LOCKERS**



# **Lockers**



51" H	ligh					PAINT	
HINGE	Н	W	D	MODEL #	P1	P2	P3
L	51 %"	12"	18 1/4"	SLKR5118L(J/B)	\$1,397	\$1,537	\$1,676
R	51 ¾"	12"	18 1/4"	SLKR5118R(J/B)	\$1,397	\$1,537	\$1,676
L	51 ¾"	12"	23 ½"	SLKR5124L(J/B)	\$1,427	\$1,570	\$1,712
R	51 3/8"	12"	23 ½"	SLKR5124R(J/B)	\$1,427	\$1,570	\$1,712

Sp	ecify	1					
							Т

- 1. Model#
- 2. Case finish

- Includes 1 fixed shelf on top with 12" clear height above
- Side to side coat rod under shelf
- Leveling glides allow for 1/8" adjustment

		Н	D	Hinge	Pull
SLKR	Locker	51	18	L	J JPull
:				R	B Bar Pull
:					
<u>:</u>					,
SLKR		51	18	L	J
<b>i</b>	.:	<b>:</b>	······	·······	<b>:</b>

66" H	ligh						PAINT	
HINGE	н	W	D	MODEL #		P1	P2	P3
L	65 %"	12"	18 ¼"	SLKR6618L(J/B)	\$1,4	77	\$1,625	\$1,772
R	65 %"	12"	18 1/4"	SLKR6618R(J/B)	\$1,4	77	\$1,625	\$1,772
L	65 %"	12"	23 ½"	SLKR6624L(J/B)	\$1,5	27	\$1,680	\$1,832
R	65 %"	12"	23 ½"	SLKR6624R(J/B)	\$1,5	27	\$1,680	\$1,832

Sp	ecify	,							
_			 						_

- 1. Model#
- 2. Case finish


Application Notes	
-------------------	--

- Includes 1 fixed shelf on top with 12" clear height above
- Side to side coat rod under shelf
- Leveling glides allow for \%" adjustment

		Н	D	Hinge	Pull
SLKR	Locker	51	18	L	J J Pull
				R	B Bar Pull
		:			
SLKR		51	18	1	1
JEINI	` <b>:</b>	. J.			

# **Bookcases**

Step 1 – Model #



Step 2 – Case Finish

	Paint	
301	Champagne	
301		

# **FEATURES**

#### **SHELVES**

- 1" thick
- Adjustable in 1/2" increments
- 2-high bookcases will accommodate binder-height storage on both shelves
- All other bookcases, binder-height storage is available on all but 1 shelf

#### **LEVELING GLIDES**

4 Leveling glides allow for 1 %" adjustment.

#### **SAFETY:**

- To ensure stability, do not install a 4, 5, or 6 high bookcase in the center of a room
- Bookcases should be installed backto back or against a wall.

#### NOTE

- 2-high bookcases are slightly shorter than 2-high lateral files and double door storage cabinets
- 2-high bookcases are designed to fit under a worksurface

# **CONSTRUCTION**

# OUTER SHELL & DRAWER CONSTRUCTION

Welded steel frame construction & formed channels ensure strength in key areas.

Side channels	22 gauge
Side panels	22 gauge
Bottom panel	18 gauge
Shelves	18 gauge
	. o gaage

#### SHELF LOAD CAPACITY

All bookcases 140 lbs

# **INNER DIMENSIONS**

Height	
2 High	25 1/5"
3 High	37 ¾10"
4 High	48 1/5"
5 High	63 ¾o"
6 High	74 <del>1/</del> 5"
Width	
30" Wide bookcases	27 1/10"
36" Wide bookcases	33 7/10"
42" Wide bookcases	39 7/10"
Depth	
All cabinets	13 1/10"

# **SURFACE MATERIALS**


# CASE

Paint

# TOP

Paint

# **BOOKCASES**





				<u>:</u>	••••••	
2 High	1				PAINT	
Н	W	D	MODEL #	P1	P2	Р3
27 ¾"	30"	13 %"	SBC2830	\$827	\$910	\$992
27 ¾"	36"	13 %"	SBC2836	\$877	\$965	\$1,052
27 ¾"	42"	13 %"	SBC2842	\$977	\$1,075	\$1,172
3 High						
39 %"	30"	13 %"	SBC4030	\$897	\$987	\$1,076
39 %"	36"	13 %"	SBC4036	\$977	\$1,075	\$1,172
39 %"	42"	13 %"	SBC4042	\$1,077	\$1,185	\$1,292
4 High	1					



4 High						
51 %"	30"	13 %"	SBC5230	\$997	\$1,097	\$1,196
51 %"	36"	13 %"	SBC5236	\$1,077	\$1,185	\$1,292
51 %"	42"	13 %"	SBC5242	\$1,177	\$1,295	\$1,412

Sp	ecify	•		


- 1. Model#
- 2. Case finish

- Steel frame construction
- Double wall construction on side panels
- Leveling glides allow for <sup>5</sup>/<sub>8</sub>" adjustment
- Shelves adjust in ½" increments
- Bookcases should be installed with back against a wall.
- Shelf capacity 140 lbs
- 2 high bookcase is slightly shorter than 2 door cabinet as it is designed to fit under a worksurface

			Н	W
	SBC	Bookcases	66	42
- 3			•	•
-			•	:
- 3			•	•
-		:	;	<b>:</b>
-	SBC		66	42
-		.:	ii	i

# **Bookcases**







# 6 High

'	o nigii						
	77 3/8"	30"	13 %"	SBC7730	\$1,197	\$1,317	\$1,436
	77 %"	36"	13 ¾"	<b>SBC</b> 7736	\$1,277	\$1,405	\$1,532
	77 %"	42"	13 ¾"	SBC7742	\$1,377	\$1,515	\$1,652

-		
(n	ecr	hv
JP	cu	ıу

- 1. Model#
- 2. Case finish

Application Notes	
-------------------	--

- Steel frame construction
- Double wall construction on side panels
- Leveling glides allow for 5%" adjustment
- Shelves adjust in ½" increments
- Bookcases should be installed with back against a wall.
- Shelf capacity 140 lbs
- 2 high bookcase is slightly shorter than 2 door cabinet as it is designed to fit under a worksurface

		••	•••
SBC	Bookcases	66	42
	·		
SBC		66	42


# **WORKPLACE ACCESSORIES**

Neutral Posture is proud to offer the complete package for commercial office furniture. Workplace accessories round out our offering and allow users to truly customize their space to be as comfortable and as ergonomic as possible.

# **CUSTOMIZE YOUR SPACE WITH:**

Keyboard mechanisms
Keyboard trays
Monitor arms
Footrests
Tablet holders
CPU holders
Forearm supports
Patented ergonomic products

# **WORKPLACE ACCESSORIES**



# **Keyboard Trays & Arms**











Code A C E U  Leverless Height $\checkmark$ NA NA  Height $-6"-2.5"$ $-6"-8"$ $-5.25"-0"$ $-6.5"-2.38"$ Tilt $-15°-0°$ $-15°-15°$ $-20°-10°$		Leverless	Sit/Stand	Econo	<b>Dual Indicator</b> HFES compliant
Leverless Height     ✓     NA     NA       Height     -6" - 2.5"     -6" - 8"     -5.25" - 0"     -6.5" - 2.38"       Tilt     -15° - 0°     -15° - 0°     -15° - 15°     -20° - 10°	Code	Δ	C	F	
Height -6" - 2.5" -6" - 8" -5.25" - 0" -6.5" - 2.38"  Tilt -15° - 0° -15° - 0° -15° - 15° - 20° -10°					
Tilt -15° - 0° -15° - 0° -15° - 15° - 20° -10°	Leveriess neight	*	•	INA	INA
	Height	-6" – 2.5"	-6" – 8"	-5.25" – 0"	-6.5" – 2.38"
	Tilt	-15° – 0°	-15° – 0°	-15° – 15°	-20° – 10°
Spring Assist ✓ ✓ ✓ ✓	Spring Assist	✓	✓	✓	✓
360° Rear Swivel ✓ ✓ ✓ ✓	360° Rear Swivel	✓	✓	✓	✓
Track Length 23" 21" 18" 19"	Track Length	23"	21"	18"	19"
Short Track (Options) 18" 18" NA NA	Short Track (Options)	18"	18"	NA	NA
Glide Track ✓ ✓ ✓	Glide Track	✓	✓	✓	✓
List \$210 \$230 \$160 \$245	List	\$210	\$230	\$160	\$245



- Straights, corners & natural keyboards
- · Anti-skid neoprene pads hold keyboard securely in place



#### 43 — SofTouch™

- Straight
- Urethane over steel plate
- Includes mouse surface \$230








- Straights, corners and natural keyboards
- Made from strong 100% recycled aluminum
- Polished surface \$295





- Straight
- 20" "green" tray
- Height adjustable tilt & swivel mouse
- Gel filled palm rest \$325




21

- Straight
- 20" phenolic tray
- Height adjustable tilt & swivel mouse
- Gel filled palm rest

\$325

11 43 – SofTouch™	86 – elementAl®	52	21	
				Leverless (A)
<b>Easy A11</b> \$365 <b>Easy A43</b> \$440 <b>Eas</b>	asy <b>A86</b> \$505	<b>Easy A52</b> \$535	<b>Easy A21</b> \$535	
				Sit/Stand (C)
<b>Easy C11</b> \$385 <b>Easy C43</b> \$460 <b>Eas</b>	asy <b>C86</b> \$525	<b>Easy C52</b> \$555	<b>Easy C21</b> \$555	
				Econo (E)
<b>Easy E11</b> \$315 <b>Easy E43</b> \$390 <b>Eas</b>	asy <b>E86</b> \$455	<b>Easy E52</b> \$485	<b>Easy E21</b> \$485	
Easy U11 \$400 Easy U43 \$475 Eas	asy U86 \$540	Easy U52 \$570	Easy U21 \$570	Dual Indicator (U)



# **MONITOR ARMS**

#### **BOOST™ MONITOR ARM**

- Yields 13" of vertical movement & 24" of extension
- Supports monitors weighing up to 20 lbs
- Effortlessly position two monitors at the same height on a single post
- Easily attach two arms on a single post without additional brackets
- Install three or more arms with an optional cross bar
- Convenient keyhole slots to effortlessly install monitor onto mounting plate
- Panel, slat wall & desk mounting options

# NOTE: For multi-screen solutions, contact cs@np-us.com

Single Arm KCG-110B KCG-110S	Black Silver	<b>List</b> \$455 \$455
<b>Double Arm</b> KCG-110DB KCG-110DS	Black Silver	<b>List</b> \$899 \$899
Wall Mount KCG-WMB KCG-WMS	Black Silver	<b>List</b> \$525 \$525



# **MONITOR ARM ATTACHMENTS**

# **DOCUMENT HOLDER (ATTACHMENT ONLY)**

- Ergonomically correct viewing position of documents for computer users
- Easy adjustment to ensure a comfortable viewing angle
- Helps keep work surface clear
- Stores out of the way when not in use


Model #		List
160236	Black	\$185
160237	Silver	\$185



#### FREEDOM ARM

- Includes: vesa plate aluminum articulating arm & desk clamp base
- Tilt: Up 90°, Down 45°
- Pan: 180°
- Rotation: 360°
- Offers 14" of dynamic onetouch height adjustment
- Full extension range of 23.4"

Model #	List	
918001	Silver	\$495



## SIT/STAND MONITOR ARM

- Sturdy aluminum construction with vesa compatibility
- Width & depth adjustable fasteners
- Convenient pull handle

Model #		List
KCG-SSB	Black	\$575
KCG-SSS	Silver	\$575

# **CPU HOLDERS**



#### **CPU HOLDER**

- Mounts easily under work surface storing CPU safely under desk & off the floor
- Adjusts to either a vertical or horizontal position
- Adjustable width of 5.5" 9.8" & height of 15.5" - 20"

Model #	List
VCPUF	\$175



# **ACCESSORIES**

#### **STANDUP®**

- Retrofits between most existing keyboard trays & keyboard arms
- Mounts directly to work surface without keyboard arm
- Additional 2" 11" of height adjustment
- Infinite range positioning
- \$50 discount when ordered with any Easy Combo (page 133)

Model #	List
SUP04	\$420



#### **CPU HOLDER W/STRAP**

- CPU retracts on a 17" track & swivels to allow full accessibility & easy storage
- Accommodates CPU weighing up to 75 lbs & measuring 64" in perimeter
- Installation is quick & easy as straps adjust & fasten with buckles
- Soft touch anti-slip pads

Model #	List
VCPU	\$195



## **FOREARM SUPPORTS**

- Alleviates shoulder, neck & body burden
- Promotes good posture & ergonomic sitting
- · Lightweight & portable



Model 1	Model 2	
160241 \$240	160243 \$240	w/Hooks
160242 \$240	160244 \$240	w/Screws



#### **TABLET HOLDER**

- Weight: 12 oz
- Dimensions: 6.76 x 5.5 x 2
- Holds tablets, phones or documents upright
- · Easily adjusts for comfortable viewing angle
- Rests on desktop or flat surfaces

Model #	List
TABHLDR	\$137



#### **ANTI-FATIGUE FLOOR MATS**

- Premium comfort will not bottom out or lose bounce over time
- · Commercial-grade heavyduty polyurethane
- Matt texture provides optimum traction
- Beveled edge reduces tripping potential

Н	W	D	MODEL#	LIST
3/4"	32"	20"	EAM3220B	\$285
3/4"	48"	20"	EAM4820B	\$435
3/4"	72"	20"	EAM7220B	\$648
3/4"	36"	24"	EAM3624B	\$360
3/4"	60"	36"	EAM6036B	\$828



ISO 9001:2008 Approved NeutralPosture.com

Made in the U.S.A. 3904 N. Texas Ave.

Bryan, TX 77803



**T** 979.778.0502

**F** 979.778.0408