
PRICELIST

NeutralPosture








TABLE OF CONTENTS

GENERAL INFORMATION	.4
Panels	
Power	.4
Raceway	
Environmental Impact	
Storage	
Legacy Customers	.4
SUSTAINABLE DESIGN	5
Manufacturing Process	
Shipping Initiatives	
TERMS AND CONDITIONS	
Ordering Pricing	
Taxes	
Lead Time	
Storage Fee	
Shipping	
Accessorial Charges	
Freight Damage	
Returns	
Warranty Claims	
Customer's Own Material	.7
Delay/Force Majeure	
Compliance with Law.	.7
Warranty	
General Information	
Key Alike Program	
GSA Contract Overview	
GSA Contract Details	
Wall Mounting Suggestions	
Wall Mounting Details	13
FINISHES	14
	14
Laminates	14
Edge Bands	14
Paints	15
Plexiglass	15
	15
5	15
	15
Textured Corian	15
CUSTOM FINISHES PROGRAM	16
	16
Customer's Own Laminates	16
	16
	17
LEGACY FINISHES	
Legacy – Laminates	
Legacy – Edge Bands Legacy – Painted & Plastics	17 17
Legacy – Painted & Plastics.	17

PANELS	18
Features	. 18
Construction	. 18
Surface Materials	. 18
Fabric Panels	20
Insert Panels	
Perforated Aluminum Insert Panels	
Tequity Panels	26
Sliding Doors	. 28
Post Assemblies	. 30
End Kits	
Wall Starter/Wall Mounted Channel	. 33
Posts (Multi-height)	. 34
Connectors/Shrouds	35
STACK-ON PANELS	36
Components	. 36
Stack-on Panel Connectors	. 36
Specifying Stack-on	. 36
Stack-on Diagram	. 37
Stack-on Configurations	. 38
Fabric with slots	
Fabric without slots	
Insert with slots	. 44
Insert without slots	
Perforated Aluminum Insert w slots	. 48
Perforated Aluminum Insert w/o slots	
Stack-on Posts	52
Panel Accessories	53
Frameless Glass	54
Frameless Glass Connectors	55
Add-on Screens	56
Slat Rail	
Slat Rail Accessories	
ELECTRICAL How to Order	
Infeeds.	
Technical Data.	
Ceiling Infeeds	
Base Infeeds	
Components	
Knock-out Replacement Cover	. 64

Jumper. 65 Dedicated Neutral System Components 66 Dedicated Neutral Jumpers 67 Charge Spot (Wireless Charger) 68

WORKSURFACES	70
Features	70
Wiring & Cabling	
Edge Detail.	70
Surface Materials	70
General Info	
Support Information	73
Grain Direction	
Straights	
Corners	
Split Corner	
Extended Corners	79
Corner Peninsulas	
Peninsulas	
Half Round & Linking	
Blended Double Corner	
135° Curved Corner	
Supports	
Legs	
Panel Supported Height Adjustable	
Electric Height Adjustable Base	
120° Planning	
120°	
Transition Tops	94
CASCADE WORKSURFACES	05
Cascade Edge	95
Cascade Edge Straights	
Cascade Edge Straights Corners & Extended Corners	95 96 97
Cascade Edge Straights Corners & Extended Corners Corner Peninsulas	95 96 97 98
Cascade Edge Straights Corners & Extended Corners Corner Peninsulas Waves	95 96 97 98 99
Cascade Edge Straights Corners & Extended Corners Corner Peninsulas Waves Rounds	95 96 97 98 99 100
Cascade Edge Straights Corners & Extended Corners Corner Peninsulas Waves Rounds Accessories	95 96 97 98 99 100 101
Cascade Edge Straights Corners & Extended Corners Corner Peninsulas Waves Rounds Accessories Personal Drawer	95 96 97 98 99 100 101 101
Cascade Edge Straights Corners & Extended Corners Corner Peninsulas Waves Rounds Accessories	95 96 97 98 99 100 101 101
Cascade Edge Straights Corners & Extended Corners Corner Peninsulas Waves Rounds Accessories Personal Drawer	95 96 97 98 99 100 101 101 101
Cascade Edge Straights Corners & Extended Corners Corner Peninsulas Waves Rounds Accessories Personal Drawer. COUNTER CAPS	95 96 97 98 99 100 101 101 101 101 102
Cascade Edge Straights Corners & Extended Corners Corner Peninsulas Waves Rounds. Accessories Personal Drawer. COUNTER CAPS Straights	95 96 97 98 99 100 101 101 101 101 102
Cascade Edge Straights Corners & Extended Corners Corner Peninsulas Waves Rounds. Accessories Personal Drawer. COUNTER CAPS Straights	95 96 97 98 99 100 101 101 101 102 102 103
Cascade Edge Straights Corners & Extended Corners Corner Peninsulas Waves Rounds. Accessories Personal Drawer. COUNTER CAPS Straights Corners	95 96 97 98 99 100 101 101 101 102 102 103 104
Cascade Edge	
Cascade Edge	
Cascade Edge Straights Corners & Extended Corners Corner Peninsulas Waves Rounds Accessories Personal Drawer COUNTER CAPS Straights Corners PANEL SUPPORTED STORAGE Open Shelves Overheads Shared Storage Tackboards	
Cascade Edge Straights Corners & Extended Corners Corner Peninsulas Waves Rounds Accessories Personal Drawer COUNTER CAPS Straights Corners PANEL SUPPORTED STORAGE Open Shelves Overheads Shared Storage	
Cascade Edge Straights Corners & Extended Corners Corner Peninsulas Waves Rounds Accessories Personal Drawer COUNTER CAPS Straights Corners PANEL SUPPORTED STORAGE Open Shelves Overheads Shared Storage Tackboards Wall Mounted Channel Whiteboards	
Cascade Edge Straights Corners & Extended Corners Corner Peninsulas Waves Rounds Accessories Personal Drawer COUNTER CAPS Straights Corners PANEL SUPPORTED STORAGE Open Shelves Overheads Shared Storage Tackboards Wall Mounted Channel Whiteboards	
Cascade Edge Straights Corners & Extended Corners Corner Peninsulas Waves Rounds Accessories Personal Drawer COUNTER CAPS Straights Corners PANEL SUPPORTED STORAGE Open Shelves Overheads Shared Storage Tackboards Wall Mounted Channel Whiteboards	
Cascade Edge Straights Corners & Extended Corners Corner Peninsulas Waves Rounds Accessories Personal Drawer COUNTER CAPS Straights Corners PANEL SUPPORTED STORAGE Open Shelves Overheads Shared Storage Tackboards Wall Mounted Channel Whiteboards	

TABLES118Features118Construction118Surface Materials118
OCCASIONAL 120 Round 120 Square 121
CONFERENCE122Oval.122Rectangle123Electric Height Adjustable124Pneumatic Height Adjustable125Privacy/Modesty Panels126Mobile Privacy Screens128

STORAGE	
Accessories Availability	
PEDESTALS	
Features.	
Surface Materials	
Pedestals	136
FILE CENTERS	
Features.	
Surface Materials	
File Centers	
LATERALS	
Features	
Construction Surface Materials	
Laterals	
Lateral – BF.	
Lateral – Worksurface Supporting	
Lateral – Lateral/Open Shelves	
Lateral – 6B, BBF & BBFF.	
Lateral – Cushions	
TOWERS	
Features	
Construction	
Surface Materials	
24" Wide	150 151
15" Wide	
15" Wide – Side Access	
CREDENZAS	
Features	
Construction Surface Materials	
Credenzas	
Accessories	
Credenza – Drawers	
Credenza – Shelves Credenza – Common Tops	157 157
CABINETS	
Features	
Construction	
Surface Materials	
Cabinets	
LOCKERS	
Features.	
Surface Materials	
Lockers	
Lockers – Double	
Lockers – Quad Lockers – Cubby	
·	
BOOKCASES	
Features.	
Surface Materials	
Bookcases	168

WORKPLACE ACCESSORIES	. 170
Keyboard Trays	172
Keyboard Arms	172
Easy Combos	173
Monitor Arms	174
Monitor Arm Attachments	174
CPU Holders.	174
Forearm Supports	175
Anti-fatigue Floor Mats	175
Tablet Holder	175
StandUp	176
StandUp A1	176
StandUp X1	177

GRADED IN FABRICS	178
Carnegie	178
C.F. Stinson	178
Designtex	179
KnollTextiles	179
Guilford of Maine	179
Luna	180
Maharam.	180
Mayer	180
Momentum	181

General Information

PANELS

Width dimension of all panels is centerline to centerline of adjacent panel connectors.

Panel thickness is 1½". Panel thickness at the base covers is 2".

FABRIC PANELS

Fabric panels incorporate a mineral wool core construction. Fabric panels are acoustical and fully tackable. The base raceway is nominally 5" high.

INSERT PANELS

Insert panels are constructed with a tapered aluminum frame that is mitered in the corners. Insert panels may be ordered with plexiglass, laminate, perforated aluminum or as an open frame for complete accessibility through the panel.

STACK-ON PANELS

Stack-on panels connect on the top of any standard panel to provide additional privacy or new aesthetic options and can also be load bearing.

PANEL CONNECTORS

Panel connectors are 1½" diameter and required at every panel connection and panel end (except when postless end assembly is used). Posts are painted to match the selected trim finish and include an adjustable glide on the bottom for leveling.

POWER

Fabric and insert panels accept electrical components.

Equity panels distribute power through the office and directly to the individual workstation through field-installed modular, electrical wiring components in the base of the panels. The panel base is factory prepared to accept a terminal block in a centered location where two 20-amp receptacles can be installed; one on each side of a panel, arranged back-to-back. An auxiliary side mount duplex receptacle is also available and plugs directly into the side of the terminal block connector end when a second duplex receptacle is required.

RACEWAY

The panel base cover provides openings for receptacles and/ or communication outlets, which can be covered when not in use.

All panel bases provide a cable management segment to facilitate lay-in of workstation cables and cords.

CABLE CAPACITY

ELECTRICAL	WITH		WITH	IOUT
FILL	100%	40%	100%	40%
Cat 5	36	14	102	40
Cat 6	28	11	80	32

STORAGE

All storage components come standard locking.

Master key and key alike are available upon request.

LEGACY PRODUCTS

Neutral Posture offers legacy products for existing Equity which was ordered before February of 2016.

For any code compliance testing data, please contact your Customer Service Representative at customerservice@neutralposture.com or 979.778.0502.

ENVIRONMENTAL IMPACT

Neutral Posture takes great pride in providing one of the most environmentally friendly furniture systems available on the market today.

Building an effective Green Program takes a company-wide effort, but we think it's worth the effort to ensure that our manufacturing process leaves the smallest possible footprint on the environment. Neutral Posture products are designed and manufactured to support a long and useful product life. Our products, if need be, can withstand repeated service, repairs and handling; and our products are made with standardized parts and components which make replacing worn out parts easy and as green as possible.

The steel and plastic materials used to construct Equity can be recycled after the product's life. The system is also designed to be cleaned with low environmental impact materials.

The clean technology used to manufacture the Equity system results in negligible off-gassing from the product.

We continually work with many 3rd party organizations to firmly establish a quality Sustainability Program.

- BIFMA level® Certification
- SCS Indoor Advantage Gold Certification
 LEED
- Underwriters Laboratories (UL)
- Canadian Standards Association (CSA)
 Occupational Safety and Health
- Administration (OSHA)
- ISO 9001:2015

GREEN MANUFACTURING PROCESS

Neutral Posture is highly efficient in its manufacturing process. New roll forming machines can change between parts with zero scrap. The company has also established a 100% solid waste diversion goal for its manufacturing process and is very close to reaching it. Current manufacturing efforts recycle process water and refrain from using hazardous process chemicals.

PLASTIC

Neutral Posture uses plastic which contains up to 25% pre-consumer recycled plastics. The majority of the plastics used in Neutral Posture products are #3 & #7 plastics and can be recycled in many areas.

STEEL & ALUMINUM

Neutral Posture products contain steel and aluminum that is 100% recyclable. Additionally, up to 25% of this steel comes from preconsumer recycled product. Aluminum maintains a high scrap value and is known for having a very long working life.

FABRIC

Neutral Posture maintains an excellent supply of green fabrics. These fabrics are made from pre- and post-consumer recycled materials. Some fabrics contain 100% recycled materials and continues to divert recycled plastic from landfills, turning it into beautiful designs.

PANEL INNER

Neutral Posture uses mineral wool, spun from basalt and volcanic rocks to provide lightweight, sound resistant panels. These mineral wool inserts are considered rapidly renewable products.

WOOD

Wood worksurfaces and panels use 100% recycled/recovered wood fiber. All adhesives used in these products are virtually VOC-free and pass stringent emission standards.

GREEN SHIPPING INITIATIVES

Neutral Posture holds their freight carrier partners accountable to similar criteria as suppliers, however, due to the immense impact freight companies have on the environment, all carriers must also become a partner in the Environmental Protection Agency (EPA) SmartWay program within one year of service. All freight carriers are screened through a logistics company and become a partner associate with Neutral Posture based on annual evaluation reports.

PACKAGING OPTIONS

Our cardboard shipping boxes are produced from 45% recycled material and 100% of the materials come from renewable pulp sources. For large orders, customers can choose to use a box made from 100% recycled materials for an upcharge.

A LONG AND HEALTHY PRODUCT LIFE

Neutral Posture products are made to last, as is evidenced by our limited lifetime warranty. Neutral Posture has been around since the 1980s and it is not unusual to find original products from our first year of production in perfect working condition. Although we are continually improving our products, we allow for retrofitting of earlier generations. This allows the customer to upgrade individual components as desired without having to discard the product they already have or purchase a new one. This helps avoid filling landfills with used furniture and is another way in which Neutral Posture customers contribute to their immediate health and wellbeing as well as the continued wellness of our environment.

For more information about Neutral Posture's sustainable design, visit NeutralPosture.com/sustainability.

TERMS AND CONDITIONS

For all non-rated or new accounts, payment terms are Cash in Advance (C.I.A.) until credit has been approved or rated. Please send full credit information and references and allow time for Credit Department approval.

For all established accounts, payment is due within thirty (30) days from the invoice date. Neutral Posture (NP) reserves the right to change or cancel the terms of sale based on volume, credit rating and/or credit information. Prepayment, whole or in part, may be requested at any time at the discretion of the corporate office. For orders greater than \$100,000 net, a fifty percent (50%) deposit is due at the time of order placement, with the remainder due within thirty (30) days of the date of invoice.

Past due accounts are subject to a 1.5% late charge or maximum amount permitted under local law, for each thirty (30) days the outstanding balance remains open after the due date.

Withholding of payments based on carrier damages, shortages or other disputes is illegal and subject to charges.

Neutral Posture does not accept credit cards.

ORDERING

All orders must be in writing; faxed, e-mailed or mailed. The product model number(s) contained in the order acknowledgment shall be the final expression of the order. A purchase order is not binding on NP until customer has received NP's order confirmation or acknowledgment. Orders must have a contact name and phone number. Orders may not be canceled without written consent of Neutral Posture.

To expedite complete/correct entry of your order, be certain all model numbers, quantities, colors and area identifications are completely specified. Also, include complete purchase order number(s), bill-to and ship-to addresses, a contact name and specific factory shipping dates required.

Orders should be sent to: Neutral Posture, Inc. 3904 N Texas Avenue Bryan, TX 77803 979.778.0502 (Option 2) 800.446.3746 979.778.0408 FAX E-mail: orderentry@neutralposture.com

When an order is received, it is assigned a scheduled ship date. That date is shown on the customer's acknowledgment.

Purchase orders may not be changed or canceled, in whole or in part, without prior written consent of NP. Changes may affect delivery dates. Expenses incurred because of changes shall be charged to customer. In the event of cancellations, customer will be liable for reasonable cancellation charges established by NP. Orders for special product, orders including customer's own material (COM) and orders pursuant to expedited delivery programs, may not be canceled.

A minimum of 3% of net expedite fee will be charged for orders requiring less than standard lead times.

PRICES

Prices are subject to change without notice. List prices shall be those in effect on the date of receipt of purchase order unless shipment is requested more than ninety (90) days after order entry in which case prices in effect on the date of shipment apply. Prices in effect at time of shipment prevails in the event of a discrepancy.

TAXES

All sales, use, excise and other taxes applicable to the sale of the products shall be paid by customer. If customer claims an exemption from any tax, customer shall submit to NP the appropriate exemption certificates.

LEAD TIME

Please contact Customer Service for current lead time at customerservice@neutralposture.com or 979.778.0502.

CUSTOMER'S OWN MATERIAL

A customer who requests a fabric or other surface material not standard to NP's line of products (COM), must submit samples of the requested material to NP prior to entry of a customer order. NP shall determine if the material is suitable to its manufacturing processes and meets any requirements of Underwriters Laboratories and/or Canadian Standards Association. If the COM is acceptable, NP will then establish a price for using the COM. For a description of the procedures for submitting samples and testing, contact Customer Service. NP shall have no responsibility for the appearance, condition, performance, durability, colorfastness or any other physical attribute of the COM. Customer shall indemnify and hold NP harmless for any damages, injuries or losses arising out of or related to use of the COM on the product.

STORAGE FEE

Any changes made by the customer to postpone the delivery date on orders which have already gone into production, will be charged a storage fee. This fee will be applied to both partially and fully built orders. NP will advise of fee prior to applying charge.

COMPLIANCE WITH LAW

Customer is solely responsible for compliance with all applicable federal, state and local laws, ordinances, regulations, rules and standards relating to the installation, maintenance, use and operation of the products.

TERMS AND CONDITIONS

SHIPPING

Most NP products include shipping. For Equity, only orders that are over \$2,000 (Net) include shipping. In accordance with the aforementioned conditions, all standard discount orders are F.O.B destination delivered by way of parcel or freight carrier service dock to dock within the forty-eight (48) contiguous United States, and the District of Columbia. NP will designate the shipping mode and carrier based on geographical location and best service as defined by our Logistics Department.

For orders shipping outside the forty-eight (48) contiguous United States, and the District of Columbia, customer pays shipping from port of embarkation to destination and order will be shipped "best way". Customer will incur additional charges if they choose to specify a freight carrier.

Any order requiring special delivery service, other than normal dock to dock delivery, will incur additional charges. These services include, but are not limited to residential delivery, limited access delivery, lift gate service, inside delivery, call before delivery, re-routed deliveries, specific delivery date/time requests or congestion fees. These charges will be quoted at customer request.

Conditions beyond the control of NP, including weather, available facilities and traffic conditions, may affect exact time of delivery. NP shall not be responsible for specific carrier delivery date or time unless it has made a specific delivery commitment, in writing.

Delivery date and time are at the discretion of the carrier within reasonable transit time unless special arrangements have been agreed to in writing between customer and NP prior to shipment.

Accessorial Charges (Net)

Delivery Apointment Required Inside Delivery/Pick Up Items Over 96 Inches Lift Gate Required Limited Access Delivery Notification/CBD Residential Delivery Ship Fully Assembled Pre-delivery Notification Re-delivery/Return Trip

Contact Customer Service at customerservice@neutralposture.com or 979.778.0502 for pricing.

DELAY/FORCE MAJEURE

Neutral Posture shall not be liable for failure to perform or for delay in performance due to fire, flood, strike or other labor difficulty, act of God, act of any governmental authority or of the customer, riot, embargo, fuel or energy shortage, wrecks or delay in transportation, inability to obtain necessary labor, materials or manufacturing facilities from usual sources or failure of suppliers to meet their contractual obligations, or due to any cause beyond its reasonable control. If any such event occurs, Neutral Posture may extend delivery dates by a period of time necessary to overcome the effect of such delay, allocate available product or cancel any purchase order.

FREIGHT DAMAGE

Upon receipt of shipment consignee is responsible for checking delivery for shortages or signs of damage. If a problem is discovered, bring it to the driver's attention immediately. If any of the goods called for on the Bill of Lading are shorted or damaged, consignees should not accept them until the carrier makes a notation on the freight bill of the shorted or damaged goods. The more precise the notation, the easier the claim can be resolved. NP's responsibility ceases when the consignee signs the freight delivery receipt as received in good condition. Shipping claims must be made within thirty (30) days of shipment delivery.

RETURNS

The return of product without written authorization by NP shall not be accepted. All merchandise returns must be pre-approved by the corporate office and sent freight prepaid. Contact the Warranty Department, warrantyrequest@neutralposture.com, to receive a Return Merchandise Authorization (RMA) number for any return. RMAs are valid for thirty (30) days and any returned merchandise without a RMA number will be refused.

No deductions from any NP invoices can be made for return merchandise until it is approved by the corporate office. No deductions will be honored until returned goods are processed through our Quality Control Audit.

All returns for canceled orders must be pre-approved by the corporate office and sent freight prepaid. No returns will be authorized unless our inventory allows it, the parts are in good reusable condition and it was sold within the last thirty (30) days. Authorized seating returns will be charged a thirty percent (30%) (twenty percent (20%) for GSA) restocking fee, by agreement, to cover handling, inspection, stocking and repackaging. Authorized systems returns are subject to a forty-five percent (45%) of list restocking charge. Products not currently offered for sale by NP (including COM) shall not be authorized for return. All returned products must be unused, in original condition and in the original NP packing cartons. No refund or credit will be given for damaged products.

WARRANTY CLAIMS

Neutral Posture reserves the right to specify that items or parts claimed to be defective, be returned to the factory for our inspection. If the claim is justified, repair or replacement of defective parts under warranty will be made through NP at no cost to the customer. NP will, at its discretion, reimburse the furniture dealer for labor (actual costs only) on warranty parts. The furniture dealer must submit a quote to be approved prior to service. If approved, the furniture dealer must then submit an invoice to NP for reimbursement after the service is completed. Freight for products and parts covered under warranty will be covered for the fortyeight (48) contiguous states, and the District of Columbia, with the method of shipping at NP's discretion. All claims must include the product serial number. NP will have no warranty obligation if the product was subjected to abuse, alteration, misuse, negligence or accident or if the user fails to perform the proper maintenance for the product.

WARRANTY

Neutral Posture warrants to the original purchaser only that the products Neutral Posture manufactures and sells to purchaser are free of defects in workmanship and materials, during the applicable warranty period set forth below.

This comprehensive warranty applies to all products installed or reconfigured by an authorized installer.

Warranty period set forth below is for 24-hour, 7 days a week, multi-shift use. Should any failure occur to a product listed below during the applicable warranty period from the date of shipment, Neutral Posture shall, upon prompt written notice, repair or replace, at its option, the affected part or parts.

PRODUCT AND PERIOD OF WARRANTY

Lifetime

Panels and panel connector parts, high pressure laminate worksurfaces, table tops and common tops, storage, modesty/privacy screens

10 Years

Cascade worksurfaces, height adjustable worksurface supports (except for gas lift), laminate overhead doors, desktop and storage accessories (unless otherwise specified)

5 Years

Table bases, tapered table legs, anti-fatigue mats, operational parts, controls, electrical, lighting (except light ballasts, bulbs and power supply), special or custom product, height adjustable worksurface support gas lift

3 Years

Electric height adjustable bases (including motor), fabric

1 Year

Light ballasts, bulbs and power supply

This warranty does not apply to:

- Damage caused by a carrier.
- Normal wear and tear or acts or omissions of parties other than Neutral Posture (including user modification, improper use or installation of products).
- COM or other third party materials applied to products.
- Products not installed by or under the auspices of a Neutral Posture Dealer.
- Dramatic temperature variations or exposure to unusual conditions.
- Changes in surface finishes including colorfastness due to aging or exposure to light.

The express warranties contained herein are in lieu of all other warranties, express or implied, including any warranties of merchantability and fitness for particular purpose and all other warranties arising from course of dealing or usage of trade.

The remedies provided above are the customer's sole remedies for any failure of Neutral Posture to comply with its obligations regarding the workmanship of its products. Correction of any nonconformity in the manner and for the period of time provided shall constitute complete fulfillment of all liabilities of Neutral Posture, with respect to or arising out of the product furnished hereunder.

CERTIFICATIONS & STANDARDS

ANSI/BIFMA

Independent tests show that Equity components meet or exceed current ANSI/BIFMA X5.6 Panel System and ANSI/ BIFMA X5.9 Storage Unit standards. Electrical components are UL listed. Panels have tested to NRC ratings of 0.75.

SCS INDOOR ADVANTAGE CERTIFICATION

The Equity product line is certified by SCS Global Services for indoor air quality.

DESIGN

NP reserves the right to make changes and improvements in design and materials and to discontinue parts and components at the discretion of NP.

WOMEN'S BUSINESS ENTERPRISE (WBE)

This certification is administered by the Women's Business Enterprise National Council (WBENC) and is used by most large corporations to qualify potential vendors as credible diversity suppliers.

WOMAN OWNED SMALL BUSINESS (WOSB)

The U.S. Small Business Administration's WOSB Federal Contract Program provides greater access to federal contracting opportunities for WOSBs. The program allows contracting officers to set aside specific contracts for certified WOSBs and helps federal agencies achieve the existing statutory goal of five percent of federal contracting dollars being awarded to WOSBs. NP is certified as a WOSB.

HISTORICALLY UNDERUTILIZED BUSINESS (HUB)

The Texas Historically Underutilized Business (HUB) program encourages the use of HUBs in state procurement and provides information to minority and woman-owned businesses on the state's procurement process.

BUSINESS AND INSTITUTIONAL FURNITURE MANUFACTURER'S ASSOCIATION

NP is a member of the Business and Institutional Furniture Manufacturer's Association (BIFMA). Tests developed by BIFMA and approved by the American National Standards Institute (ANSI) determine the strength and durability of office furniture in its everyday use. Although this testing does not serve as a warranty or guarantee, NP standard products within this price list meet or exceed applicable ANSI/BIFMA X5.6 Panel Systems and ANSI/BIFMA X5.9 Storage Unit standards. Combinations of options added on to the standard products may not meet ANSI/ BIFMA standards. Those combinations which do not meet ANSI/BIFMA standards are not available on GSA. Additionally, Equity is BIFMA level 2 certified. For more information, contact Customer Service at customerservice@neutralposture.com.

GENERAL INFORMATION

Neutral Posture pedestals, overheads, and storage cabinets ship with lock cores. The locks are field installed. If your purchase order does not specify key-alike you will automatically receive random lock cores with your order.

Neutral Posture furniture can be keyed-alike or random keyed.

KEY-ALIKE

Furniture may be keyed alike at no charge. Write "key-alike" in the description of your purchase order for any storage piece you wish to have keyed alike.

Using the key-alike instructions, order cores and keys as line items on your purchase order. Neutral Posture will select key numbers from the standard range of 226 – 425. Key numbers will not be repeated unless over 199 sets are ordered.

There is no charge for key-alike orders if placed with the furniture order.

If product is ordered and shipped random-keyed, additional lock cores for key-alike are billable.

KEYS

A key is shipped with every lock core. 199 Key numbers are available. For numbers above 199, contact Customer Service. Additional keys and key blanks are available.

MASTER KEYING

Neutral Posture locks can be controlled by means of a master key. There is no additional per-lock charge for master keying. Master keys must be ordered separately. See service parts for master key model # and pricing.

INSTALLING LOCK CORES

Lock cores can be installed or removed in the field by using a change key. Cores must be in the unlocked position to be removed. See service parts for change key model number and pricing.

SERVICE PARTS

MODEL #	DESCRIPTION	LIST
NLCKE	Shrouded Key (Specify key number desired)	\$18
NAKC	Change Key	\$18
NKM	Master Key	\$18

NOTE: A letter of approval on company letterhead from the client must accompany all orders for change and master keys.


NOTE: Neutral Posture locks/keys are not compatible with Knoll Equity pedestals/double pedestals.

HOW TO SPECIFY KEY-ALIKE

Following is an example of how to specify keyalike for a cluster of 10 workstations.

STEP 1

Using the project floor plan, count the number of locks in each workstation.



STEP 2

Count the number of workstations with the same quantity of locks. Group together the workstations with a like number of locks.

5 workstations with 2 locks per station 3 workstations with 4 locks per station 2 workstations with 5 locks per station

STEP 3

For the first group (5 sets of 2 locks), enter the number of workstations in the quantity column.

QTY	MODEL #	DESCRIPTION	UNIT LIST	EXT LIST
5	NSPEC 2	Set of 2 cores/keys	N/C	N/C

STEP 4

Then enter the model number "NSPEC___" and add a suffix for the number of locks for that group (i.e., for 2 locks per station, add the suffix "2"). Up to 30 lock cores are available in a set (i.e., NSPEC 30).

QTY	MODEL #	DESCRIPTION	UNIT LIST	EXT LIST
5	NSPEC 2	Set of 2 cores/keys	N/C	N/C

STEP 5

Repeat for other groups.

QTY	MODEL #	DESCRIPTION	UNIT LIST	EXT LIST
5	NSPEC 2	Set of 2 cores/keys	N/C	N/C
3	NSPEC 4	Set of 4 cores/keys	N/C	N/C
2	NSPEC 5	Set of 5 cores/keys	N/C	N/C

Your key instructions are complete.

Neutral Posture will select key numbers for each set from 199 available numbers.

For additions to existing installations, specify desired key numbers in the description.

GSA Contract Overview

GSA CONTRACT

We have had a contract with GSA for over 20 years and they continue to be our most favored customer.

NP is dedicated to helping government agencies meet their facilities and acquisition needs. NP is registered with the System For Award Management (SAM) formerly Central Contractor Registry (CCR) with ORCA certifications, has an assigned cage code of 0UTL8 and is eligible to receive federal contract awards. NP is also recognized as a Woman Owned Small Disadvantaged Business by the U.S. Small Business Administration (SBA).

WOMEN-OWNED SMALL BUSINESS (WOSB)/ ECONOMICALLY DISADVANTAGED WOMEN-OWNED SMALL BUSINESS (EDWOSB)

The U. S. Small Business Administration (SBA) issued the Final Rule to amend its regulations governing small business contracting procedures. The SBA has increased the emphasis and awareness of contracting mandates regarding the new 5% spend mandate for WOSB/EDWOSB's similar to those in place for 8a, SDV and HUB Zone businesses.

The SBA has also implemented a Sole Source vehicle for Economically Disadvantaged Women-Owned Small Businesses (EDWOSB). Neutral Posture, a small business manufacturer, received this certification in April of 2016.

Our Packaged Office contract includes many great manufacturing partners and we are willing to team with other manufacturers to support strong GSA Dealers and meet the needs of our customers.

For more information please visit NeutralPosture.com/WOSB

GSA OVERVIEW

GSA Contract# GS-27F-0014Y

Schedule 71 – Furniture

SIN 71–1 SIN 71–205	Packaged Office Chairs-Dining Room, Desk, Side, Period Style and Bar Stools
SIN 711-1	Furniture Systems and Workstation Clusters
SIN 711-11	Tables and Accessories
SIN 711-18	Multipurpose Seating
SIN 711–19	Stacking Chairs and Dollies
SIN 711-2	Worksurfaces, Workstations, Computer
	Furniture and Accessories
SIN 711-3	Filing and Storage Cabinets, Shelves, Mobile
	Carts, Dollies, Racks & Accessories
SIN 711–91	Project Management (Furniture Related)
SIN 711-94	Office Design/Layout Services
SIN 711-95	Installation services
SIN 71–500	Order-level Materials (OLMs)

NAICS CODES

337214	Office Furniture (except wood) Manufacturing
337211	Wood Office Furniture Manufacturing
337127	Institutional Furniture Manufacturing
423210	Furniture Merchant Wholesalers

NP products may be found on GSA Advantage.

GSA Contract Details

TERM DATE 6/26/2012 - 6/26/2022

1a.	Special Item Numbers Awarded		
	SIN 711-1	Furniture Systems and Workstation Clusters	
	SIN 711-11	Tables and Accessories	
	SIN 711-18	Multipurpose Seating	
	SIN 711-19	Stacking Chairs and Dollies	
	SIN 711-95	Installation Services	
	SIN 711-2	Worksurfaces, Workstations, Computer	
		Furniture and Accessories	
	SIN 711-3	Filing and Storage Cabinets, Shelves, Mobile	
		Carts, Dollies, Racks & Accessories	
	SIN 711-91	Project Management (Furniture Related)	
	SIN 711-94	Office Design/Layout Services	
	SIN 71-1	Packaged Office	
	SIN 71-205	Chairs-Dining Room, Desk, Side,	
		Period Style and Bar Stools	
	SIN 71-500	Order-level Materials (OLMs)	
1b.	Lowest Priced	ltem	

Call Corporate Office
Call Corporate Office
EP3P29 Single Post \$32.55
TBR30X-L1/P1 Round Table \$337.50
NCUGG1 Urethane \$151.20
NSID115 Grade C \$336.00
11 Keyboard Tray
SPTRY Pencil Tray \$5.95
Not Applicable
Not Applicable

1c. Installation Rate — SIN 711–1, 711–3, 711–11 \$51.50 per hour (non-union inclusive IFF) \$106.25 per hour (union inclusive of IFF)

Project Management Fee — SIN 711-91

Senior Project Manager\$75 per hour (inclusive IFF)Project Manager\$55.58 per hour (inclusive IFF)Project Coordinator\$50 per hour (inclusive IFF)

Design/Layout Fee — **SIN 711–94** \$65 per hour (inclusive IFF) \$85 per hour CADD service (inclusive IFF)

2. Maximum Order

SIN 71–1
SIN 71–205. \$1,000,000
SIN 711–1\$500,000
SIN 711–11\$500,000
SIN 711–18. \$200,000
SIN 711–19. \$200,000
SIN 711–2\$200,000
SIN 711–3
SIN 711–91. \$150,000
SIN 711–94. \$150,000
SIN 711–95
SIN 71–500. \$0

\$50

3. Minimum Order

All SINs

- 4. Geographic Coverage CONUS & OCONUS
- 5. Point of Production 3904 N. Texas Avenue, Bryan, Brazos County, Texas, USA

6. Discount from List Price

Seating/Workplace Accessories SIN 711–2, 711–18, 711–19, 711–205 — Discount 58%

Systems

SIN 711-1, 711-3, 711-11 — Discount 70%

- 7. Quantity Discounts No discount tiers have been negotiated.
- 8. Prompt Payment Terms Net 30 Days
- 9. Government Purchase Cards Accepted Visa/Master Card

10. Foreign Item None

11a. Time of Delivery

5 – 90 days after receipt of order

11b. Expedited Delivery

Expedited delivery available. Contact NP Customer Service.

11c. Overnight and 2-day Delivery Available with an upcharge. Contact NP Customer Service.

12. F.O.B. Points

Destination/CONUS, within the 48 contiguous states and the District of Columbia. Port of embarkation for delivery to Alaska, Hawaii, Puerto Rico, the Virgin Islands and U.S. Government installations overseas.

13. Ordering Address

Neutral Posture, Inc. attn: Order Entry/ * or dealer 3904 N. Texas Avenue Bryan, TX 77803 979.778.0502 800.446.3746 fax 979.778.0408 orderentry@neutralposture.com * Authorized Dealers should be cited on order

14. Payment Address

Neutral Posture, Inc. 3904 N. Texas Avenue Bryan, TX 77803

15. Warranty Provision Neutral Posture's commercial warranty applies.

16. Export Packing Charges Contact NP Customer Service for quote.

- **17. Terms and Conditions of Government Purchase Card** Government purchase cards will be accepted for purchases at prices shown in this authorized price list (no additional discount offered).
- 18. Terms and Conditions Of Rental, Maintenance, and Repair Not applicable
- 19. Terms and Conditions of Installation Installation and instruction are available from authorized dealers. Please contact your local NP Dealer for pricing.
- 20. Terms and Conditions of Repair Parts Repair parts are offered at the agreed upon discount from the NP repair parts price list in effect at the time the repair parts are ordered.
- **20a.** Terms and Conditions for Any Other Services GSA has accepted all of our standard terms and conditions as noted on page 6–8.
- 21. List of Service and Distribution Points Not applicable
- 22. List of Dealers Please contact NP, or visit NeutralPosture.com for the name of your nearest authorized Dealer.
- 23. Preventive Maintenance Not offered or applicable
- 24. Environmental Attributes Not applicable

25. Other Information

Tax Identification Number (TIN):	74-2983577
DUNS:	61-0339723
Cage Code:	0UTL8
NAICS:	337214

26. SAM

NP is registered in System For Award Management (SAM).

NOTE: It is mandatory that all Government purchase orders be made out to NP only. Local Dealers are not authorized to accept purchase orders, issue invoices or receive payment of Government funds for these items without serious violation of this Federal Supply Schedule Contract.

WALL MOUNTING SUGGESTIONS

The following information is provided only as a guide, and represents minimum recommendations only. Neutral Posture does not accept responsibility for the attachment of any Neutral Posture product to a Customer's site wall. Wall specification/construction is the responsibility of the Customer and its structural engineer/architect. Failure to properly attach Neutral Posture products to adequate wall structures can lead to property damage and/or personal injury.

You should consult your own structural engineers and/or architects and must not rely on the information provided herein.

It is the responsibility of the Customer and its structural engineers/architects to verify that the permanent structural walls (studs, blocks, solid masonry, etc.) on which the Neutral Posture products are intended to be mounted are designed appropriately to support the product weight, PLUS 3 lbs. per linear inch for each usable shelf length.

NOTE: A cabinet's top is considered a "usable shelf" and MUST be included in the calculation of the total load for an overhead cabinet.

It is the responsibility of the Customer and its structural engineer/architects to specify the fasteners and method for attaching the Neutral Posture supplied wall mounting cleat, bracket, frame, etc. to the supporting wall and to confirm that the installers have adhered to these specifications. For all local building standards and codes, and additional requirements (including, but not limited to, seismic conditions) the Customer should always consult local code agencies.

Wall Mounting

	New Construction		E	xisting Constructio	n	
		Cinder Block or Poured Concrete Masonry Wall	Wood Stud Wall, the studs being FULL HEIGHT to the roof/floor above	Wood Stud Wall, the studs being only ceiling height	Steel Stud Wall, the studs being FULL HEIGHT to the roof/floor above	Steel Stud Wall, the studs being only ceiling height
Stud Specification	Wood studs, grade #2 or better, 3 ½" minimum width, OR Metal studs, minimum 25 gage thickness, 3 %" minimum width	The wall must be a minimum of 6" thick, and must be full height to the roof/floor structure above	Wood studs must be Grade #2, or better, 3 ½" minimum width	Wood studs must be Grade #2, or better, 3 ½" minimum width	Metal studs must be minimum 25 gage thickness, 3 %" minimum width	Metal studs must be minimum 25 gage thickness, 3 %" minimum width
Stud Centers	Metal and wood studs must be spaced at 16" c/c maximum.	N/A	Wood studs must be spaced at 16" c/c maximum.	Wood studs must be spaced at 16" c/c maximum.	Metal studs must be spaced at 16" c/c maximum.	Metal studs must be spaced at 16" c/c maximum.
Stud Height	Metal and wood studs must extend upwards, and be securely attached to the roof/floor structure above.			Wood studs must be braced above the ceiling, and be securely attached to the roof/floor structure above Affix #2 grade (cap' across the top of the studs, then place diagonal studs from the top cap up to underside of the roof/ floor structure above.		Metal studs must be braced above the ceiling and be securely attached to the roof/floor structure above Affix metal bracing 'cap' across the top of the studs. Then place diagonal studs from the top cap up to underside of the roof / floor structure above.
Mounting the Neutral Posture Supplied Cleat, Bracket, Frame, etc	Insert a 2" x 6" wood block, #2 grade or better, [or a locally approved flexible wood backing system] horizontally between each of the studs to accommodate the full width of the cabinet and beyond to the next stud. Fasten the wood block to each stud using three screws at the ends of each block. (Fasten the locally approved wood backing system as directed by the manufacturer.) Fasten the Neutral Posture supplied wall mounting cleat, bracket, frame, etc directly to each wood block every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6" and fasten the lower horizontal element to each wall stud, using one fastener per stud.	Fasten the Neutral Posture supplied cabinet wall mounting cleat, bracket, frame, etc. directly to the masonry wall every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wall every 6" and fasten the lower horizontal element to the wall every 16".	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet and beyond to the next stud. Insert a 2" x 6" wood block, #2 grade or better, horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" x 6" wood block, #2 grade or better, horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet and beyond to the next stud. Insert a 2" x 6" wood block, #2 grade or better, [or a locally approved flexible wood backing system] horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet and beyond to the next stud. Insert a 2" x 6" wood block, #2 grade or better, [or a locally approved flexible wood backing system] horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6" and fasten the lower horizontal element to each wall stud, using one fastener per stud.
Fasten the Neutral Posture Supplied Wall Cleat With	#10 x 2 ¹ / ₂ " wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	34s" x 3 1/2" masonry screws Screws or equiv. in every mounting hole provided with 1 1/4" embedment, screwed directly into the masonry wall	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking

Finishes

FABRICS A Cross Check Mayer F299 Forte Mayer F298 Quattro Mayer F300 Strata F164 Mayer B Cape Cod Guilford of Maine F3073 Grasscloth Mayer F137 Luminary Mayer F100 Guilford of Maine Metallation F5118 Guilford of Maine Metro F3077 Guilford of Maine Sprite F2671 Guilford of Maine Tweed F2737 C Rattan Guilford of Maine F3087 Reverb Mayer F421 D Echo Mayer F388 Pact Momentum F0911 E Infinity F0914A Momentum Marathon Momentum F0914B Momentum Millennium F0914C Odyssey F0914D Momentum F0914E Tradition Momentum Verse Momentum F0910

LAMINATES L1 Casual Linen SS-CLN SP-GRM Grey Mesh Linen SS-LN SW-MGM Mangalore Mango **Mission Maple** SW-MNM Nickle Ev SS-NEV Organic Cotton SS-OC Soft Gold Mesh SP-SGM Sterling Ash SW-STA L2 Asian Sand PW-ASD Astro Strandz PP-AST Biltmore Cherry PW-BCH PP-CST Cosmic Strandz **Empire Mahogany** PW-EMH Fired Steel PP-FIS Forged Steel PP-FOS PW-SCH Shaker Cherry Silver Alchemy PW-SAL PW-STK Studio Teak PP-VST Vapor Strandz

EDGE BANDS

Asian Sand	EB-ASD
Astro Strandz	EB-AST
Beige	EB-BEI
Biltmore Cherry	EB-BCH
Casual Linen	EB-CLN
Cosmic Strandz	EB-CST
Custom Laminate	EB-COL
Empire Mahogany	EB-EMH
Fashion Grey	EB-FGR
Fired Steel	EB-FIS
Forged Steel	EB-FOR
Grey	EB-GRY
Grey Mesh	EB-GRM
Khaki Brown	EB-BRN
Linen	EB-LN
Mangalore Mango	EB-MGM
Mission Maple	EB-MNM
Nickle Ev	EB-NEV
Organic Cotton	EB-OC
Pepperdust	EB-PPR
Platinum	EB-PLT
Sand	EB-SND
Shadow	EB-SHD
Shaker Cherry	EB-SCH
Silver Alchemy	EB-SAL
Slate Grey	EB-SGR
Soft Gold Mesh	EB-SGM
Sterling Ash	EB-STA
Studio Teak	EB-STK
Vapor Strandz	EB-VST
Virtual Design Laminate	EB-VL

NOTE: Laminates and other finishes may vary in color due to different dye lots. Slight variations are normal.

Finishes

PAINTS

P1Cream201TDesigner Beige202TGrey203TJet Black204TSky White200T

P2

Brass	303
Champagne	301
Platinum	302

PLEXIGLASS

CL
IC
SM
TR

LF

NOT AVAILABLE ON INSERT PANELS

Frost

GLASS

Clear	CL
Grey	GR
Smoked	SM
Translucent	TR

DESIGNER GLASS

Patterns from Skyline Design. Some exceptions apply.

There is a minimum \$500 set-up and crating fee for all designer glass orders. Please call customer service for a quote 979.778.0502 ext 301.

CORIAN

Glacier White
Pearl Grey
Corian Clay
Silver Grey
Corian Grey

TEXTURED CORIAN

CR001	Glacier White	CR001T
CR002	Pearl Grey	CR002T
CR003	Corian Clay	CR003T
CR004	Silver Grey	CR004T
CR005	Corian Grey	CR005T

Custom Finishes Program

While Neutral Posture offers a large selection of unique finishes, we understand you might want to create a signature on your project or brand your project. We are offering an easy way for you to provide pricing to your client.

CUSTOMER'S OWN FABRIC

Neutral Posture can apply any UL fire rated fabric. This will add to the lead time as we will require three yards of fabric to test on a panel. Test yardage should be sent to the factory address in Bryan, TX with the project name clearly marked on the label noting test yardage.

Neutral Posture Test Fabric Attention: Systems Product Manager 3904 N. Texas Ave. Bryan, TX 77803

We can also grade-in any fabric from any supplier in the industry. Please contact your sales representative or Customer Service for grade-in pricing. Note that all grade-ins must be pre-approved for suitability before production begins.

CUSTOMER'S OWN LAMINATE

All of Neutral Posture's standard laminates are Wilsonart. For your project, you can select any Wilsonart laminate and use L1 for standard laminates, L2 for premium laminates and L3 for custom and virtual library programs. An upcharge may apply for matching edge banding. Please contact your sales representative or Customer Service for more information.

We can also grade-in any laminate from any other supplier. Please contact your sales representative or Customer Service for grade-in pricing. Note that all grade-ins must be pre-approved for suitability before production begins.

CUSTOM RAL PAINT FINISHES

Whether it is an 8 person or 1,000 person project, use any RAL powder coat color on your metal products. If you have any questions, please contact your sales representative or Customer Service for more information.

HOW TO PRICE

Legacy finishes are only available for existing customers to match existing installs

LEGACY – LAMINATES

LEGACY ·	– EDGE	BANDS
----------	--------	-------

L1	
Jet Black	111
Folkstone Grey (was LA)	114
Soft Grey (was M42)	117
Bright White	118
Pumice (was LF)	119
Micro Grey	121
Brushed Sand	122
Brushed Grey	123
Medium Cherry	124
Natural Maple	125
Natural Cherry	126
Walnut	127
Fog	128
Micro Sand	129
Caramel Maple	MC
Clear Maple	CM
Deep Mahogany	MP58
Grey Granite	M95
Light Oak	MP70
Pearwood	PA
Rose Granite	M96
Sand	SD
Med. Grey (Slate)	M89
Taupe	M80
Warm Cherry	WM
White Essence	ES7
Winter Grey Matrix	MR6

Jet Black	111
Dark Grey (was Y3)	113
Folkstone Grey (was LA)	114
Medium Grey (was Y2)	115
Soft Grey (was E)	117
Bright White	118
Pumice (was LF)	119
Medium Cherry	124
Natural Maple	125
Natural Cherry	126
Walnut	127
Fog	128
Dark Neutral	D
Taupe	R
Sand	SD
Caramel Maple	MC
Clear Maple	CM

LEGACY – PAINTS & PLASTICS

P1	
Jet Black	111
Brown	112
Dark Grey (was Y3)	113
Folkstone Grey (was LA)	114
Med. Grey (was Y2)	115
Sandstone	116
Soft Grey (was E)	117
Dark Neutral	D
Taupe	R
P2	
Beige Mist Metallic	611
Medium Metallic Grey	612
Beige Metallic	Н
Light Tan Metallic	W
Р3	
Bright White	118
Silver	613

NOTE: EP1 and EP2 panels and components are not available in the following:

118
112
111

Step 1 – Model #						Step 2 – Surface Finish	Step 3 – Trim Finish
	Тор Сар	Panel Type	w	н	Raceway	Fabric	Paint
EP Equity Panel	3 Beveled N Flat	FA Fabric Panel	36	29	K with knockouts N without knockouts	F298 Forte	301 Champagne
EP		FA	36		К	F298	301

FEATURES

HEI	GHTS
29"	Н
36"	Н
41"	Н
49"	Н
54"	Н
61"	Н
66"	Н
81"	Н
wII	חדווכ


WIDTHS 12" W

18" W 24" W 30" W 36" W 42" W 48" W 60" W

THICKNESS

1 1⁄2"

TOP CAP



3 – Beveled

RACEWAY

(K) with knockouts (N) without knockouts

PANEL RATINGS

NRC	.75
STC	15

N – Flat

CONSTRUCTION

FABRIC PANEL FRAME Galvaneal roll formed steel frame

FABRIC PANEL CORE Mineral wool Fiberglass backer

INSERT PANEL FRAME Extruded aluminum

INSERT PANEL CORE

¼" Laminate¼" Perforated aluminum¼" PlexiglassOpen Frame

TOP CAP, SLOTTED STANDARD

Cold rolled roll formed steel

TOP CAP CLIP Spring steel

RACEWAY COVER, RACEWAY BASE & RACEWAY RETENTION CHANNEL

Cold rolled roll formed steel

RACEWAY STANCHIONS Pressed & folded steel

PANEL HOOKS Steel

POSTS Steel tube

POST CONNECTORS Diecast aluminum

SHROUDS Pressed & folded steel

SURFACE MATERIALS

ALL PANELS Trim – paint

FABRIC PANELS (FA)

Fabric

INSERT PANELS

Plexiglass (PG)	
Clear	CL
lce	IC
Smoked	SM
Translucent	TR

Glass (GL)

Clear	CL
Grey	GR
Smoked	SM
Translucent	TR

Designer Glass (DG)

Patterns from Skyline Design. Some exceptions apply.

There is a minimum \$500 set-up and crating fee for all designer glass orders. Please call customer service for a quote 979.778.0502 ext 301.


Laminate (LM) Laminate


Perforated Aluminum (PA) Paint

Open Frame (OF) Paint

POSTS, CONNECTORS & SHROUDS Paint

PANELS





20

29 "	H	FABRIC							PAINT		
W	MODEL #	A	A B C D E F G H							P2	P3
12"	EP(3/N)FA1229(K/N)	\$430	\$460	\$500	\$550	\$610	\$680	\$760	\$850	+ \$25	+ \$50
18"	EP(3/N)FA1829(K/N)	\$480	\$510	\$550	\$600	\$660	\$730	\$810	\$900	+ \$25	+ \$50
24"	EP(3/N)FA2429(K/N)	\$530	\$560	\$600	\$650	\$710	\$780	\$860	\$950	+ \$25	+ \$50
30"	EP(3/N)FA3029(K/N)	\$580	\$610	\$650	\$700	\$760	\$830	\$910	\$1,000	+ \$25	+ \$50
36"	EP(3/N)FA3629(K/N)	\$650	\$710	\$790	\$890	\$1,010	\$1,150	\$1,310	\$1,490	+ \$25	+ \$50
42"	EP(3/N)FA4229(K/N)	\$690	\$750	\$830	\$930	\$1,050	\$1,190	\$1,350	\$1,530	+ \$25	+ \$50
48"	EP(3/N)FA4829(K/N)	\$730	\$790	\$870	\$970	\$1,090	\$1,230	\$1,390	\$1,570	+ \$25	+ \$50
60"	EP(3/N)FA6029(K/N)	\$770	\$830	\$910	\$1,010	\$1,130	\$1,270	\$1,430	\$1,610	+ \$25	+ \$50

36" H

12"	EP(3/N)FA1236(K/N)	\$455	\$490	\$535	\$590	\$660	\$740	\$835	\$945	+ \$25	+ \$50
18"	EP(3/N)FA1836(K/N)	\$505	\$540	\$585	\$640	\$710	\$790	\$885	\$995	+ \$25	+ \$50
24"	EP(3/N)FA2436(K/N)	\$555	\$590	\$635	\$690	\$760	\$840	\$935	\$1,045	+ \$25	+ \$50
30"	EP(3/N)FA3036(K/N)	\$605	\$640	\$685	\$740	\$810	\$890	\$985	\$1,095	+ \$25	+ \$50
36"	EP(3/N)FA3636(K/N)	\$675	\$745	\$835	\$945	\$1,085	\$1,250	\$1,450	\$1,685	+ \$25	+ \$50
42"	EP(3/N)FA4236(K/N)	\$720	\$790	\$880	\$990	\$1,130	\$1,295	\$1,495	\$1,730	+ \$25	+ \$50
48"	EP(3/N)FA4836(K/N)	\$765	\$835	\$925	\$1,035	\$1,175	\$1,340	\$1,540	\$1,775	+ \$25	+ \$50
60"	EP(3/N)FA6036(K/N)	\$810	\$880	\$970	\$1,080	\$1,220	\$1,385	\$1,585	\$1,820	+ \$25	+ \$50

41" H

12"	EP(3/N)FA1241(K/N)	\$480	\$520	\$570	\$630	\$710	\$800	\$910	\$1,040	+ \$25	+ \$50
18"	EP(3/N)FA1841(K/N)	\$530	\$570	\$620	\$680	\$760	\$850	\$960	\$1,090	+ \$25	+ \$50
24"	EP(3/N)FA2441(K/N)	\$580	\$620	\$670	\$730	\$810	\$900	\$1,010	\$1,140	+ \$25	+ \$50
30"	EP(3/N)FA3041(K/N)	\$630	\$670	\$720	\$780	\$860	\$950	\$1,060	\$1,190	+ \$25	+ \$50
36"	EP(3/N)FA3641(K/N)	\$700	\$780	\$880	\$1,000	\$1,160	\$1,350	\$1,590	\$1,880	+ \$25	+ \$50
42"	EP(3/N)FA4241(K/N)	\$750	\$830	\$930	\$1,050	\$1,210	\$1,400	\$1,640	\$1,930	+ \$25	+ \$50
48"	EP(3/N)FA4841(K/N)	\$800	\$880	\$980	\$1,100	\$1,260	\$1,450	\$1,690	\$1,980	+ \$25	+ \$50
60"	EP(3/N)FA6041(K/N)	\$850	\$930	\$1,030	\$1,150	\$1,310	\$1,500	\$1,740	\$2,030	+ \$25	+ \$50

49" H

	•										
12"	EP(3/N)FA1249(K/N)	\$540	\$580	\$630	\$690	\$770	\$870	\$990	\$1,140	+ \$25	+ \$50
18"	EP(3/N)FA1849(K/N)	\$590	\$630	\$680	\$740	\$820	\$920	\$1,040	\$1,190	+ \$25	+ \$50
24"	EP(3/N)FA2449(K/N)	\$640	\$680	\$730	\$790	\$870	\$970	\$1,090	\$1,240	+ \$25	+ \$50
30"	EP(3/N)FA3049(K/N)	\$690	\$730	\$780	\$840	\$920	\$1,020	\$1,140	\$1,290	+ \$25	+ \$50
36"	EP(3/N)FA3649(K/N)	\$760	\$840	\$940	\$1,060	\$1,230	\$1,440	\$1,710	\$2,030	+ \$25	+ \$50
42"	EP(3/N)FA4249(K/N)	\$810	\$890	\$990	\$1,110	\$1,280	\$1,490	\$1,760	\$2,080	+ \$25	+ \$50
48"	EP(3/N)FA4849(K/N)	\$860	\$940	\$1,040	\$1,160	\$1,330	\$1,540	\$1,810	\$2,130	+ \$25	+ \$50
60"	EP(3/N)FA6049(K/N)	\$930	\$1,010	\$1,110	\$1,230	\$1,400	\$1,610	\$1,880	\$2,200	+ \$25	+ \$50


N – Flat

Specify	Application Notes	Assembly	Top Cap Styles
1. Model # 2. Fabric 3. Paint	The panel is fabric covered. If two different fabrics are used on one panel, the price will reflect the cost of the most expensive panel fabric.	Included • Panel • Top cap • Metal raceway covers	3 – Beveled
	NOTE: Power duplexes cannot be installed on 12" W panels. Side mount receptacles available on 24" W panels and wider.	Ordered Separately Posts Panel connectors Electrical components 	

Pricing is for P1 paint colors. Add the appropriate upcharge if using P2 or P3 trim.

Panels

Fabric Panels




54"	H	FABRIC									PAINT	
W	MODEL #	A	В	C	D	E	F	G	Н	P2	P3	
12"	EP(3/N)FA1254(K/N)	\$590	\$630	\$680	\$750	\$850	\$960	\$1,090	\$1,250	+ \$25	+ \$50	
18"	EP(3/N)FA1854(K/N)	\$640	\$680	\$730	\$800	\$900	\$1,010	\$1,140	\$1,300	+ \$25	+ \$50	
24"	EP(3/N)FA2454(K/N)	\$690	\$730	\$780	\$850	\$950	\$1,060	\$1,190	\$1,350	+ \$25	+ \$50	
30"	EP(3/N)FA3054(K/N)	\$740	\$780	\$830	\$900	\$1,000	\$1,110	\$1,240	\$1,400	+ \$25	+ \$50	
36"	EP(3/N)FA3654(K/N)	\$820	\$910	\$1,010	\$1,150	\$1,360	\$1,590	\$1,860	\$2,190	+ \$25	+ \$50	
42"	EP(3/N)FA4254(K/N)	\$870	\$960	\$1,060	\$1,200	\$1,410	\$1,640	\$1,910	\$2,240	+ \$25	+ \$50	
48"	EP(3/N)FA4854(K/N)	\$920	\$1,010	\$1,110	\$1,250	\$1,460	\$1,690	\$1,960	\$2,290	+ \$25	+ \$50	
60"	EP(3/N)FA6054(K/N)	\$990	\$1,080	\$1,180	\$1,320	\$1,530	\$1,760	\$2,030	\$2,360	+ \$25	+ \$50	
51"	н											
12"	EP(3/N)FA1261(K/N)	\$640	\$690	\$750	\$830	\$940	\$1,060	\$1,200	\$1,370	+ \$25	+ \$50	
18"	EP(3/N)FA1861(K/N)	\$690	\$740	\$800	\$880	\$990	\$1,110	\$1,250	\$1,420	+ \$25	+ \$50	
24"	EP(3/N)FA2461(K/N)	\$740	\$790	\$850	\$930	\$1,040	\$1,160	\$1,300	\$1,470	+ \$25	+ \$50	
30"	EP(3/N)FA3061(K/N)	\$790	\$840	\$900	\$980	\$1,090	\$1,210	\$1,350	\$1,520	+ \$25	+ \$50	
36"	EP(3/N)FA3661(K/N)	\$860	\$960	\$1,080	\$1,240	\$1,470	\$1,720	\$2,000	\$2,340	+ \$25	+ \$50	
42"	EP(3/N)FA4261(K/N)	\$910	\$1,010	\$1,130	\$1,290	\$1,520	\$1,770	\$2,050	\$2,390	+ \$25	+ \$50	
48" 60"	EP(3/N)FA4861(K/N) EP(3/N)FA6061(K/N)	\$960 \$1,050	\$1,060 \$1,150	\$1,180 \$1,270	\$1,340 \$1,430	\$1,570 \$1,660	\$1,820 \$1,910	\$2,100 \$2,190	\$2,440 \$2,530	+ \$25 + \$25	+ \$50 + \$50	
66 "	н	. <u>.</u>										
12"	EP(3/N)FA1266(K/N)	\$660	\$710	\$770	\$850	\$970	\$1,100	\$1,250	\$1,430	+ \$25	+ \$50	
18"	EP(3/N)FA1866(K/N)	\$710	\$760	\$820	\$900	\$1,020	\$1,150	\$1,300	\$1,480	+ \$25	+ \$50	
24"	EP(3/N)FA2466(K/N)	\$760	\$810	\$870	\$950	\$1,070	\$1,200	\$1,350	\$1,530	+ \$25	+ \$50	
30"	EP(3/N)FA3066(K/N)	\$810	\$860	\$920	\$1,000	\$1,120	\$1,250	\$1,400	\$1,580	+ \$25	+ \$50	
36"	EP(3/N)FA3666(K/N)	\$890	\$1,000	\$1,130	\$1,290	\$1,540	\$1,820	\$2,140	\$2,530	+ \$25	+ \$50	
42"	EP(3/N)FA4266(K/N)	\$940	\$1,050	\$1,180	\$1,340	\$1,590	\$1,870	\$2,190	\$2,580	+ \$25	+ \$50	
48"	EP(3/N)FA4866(K/N)	\$990	\$1,100	\$1,230	\$1,390	\$1,640	\$1,920	\$2,240	\$2,630	+ \$25	+ \$50	
60"	EP(3/N)FA6066(K/N)	\$1,080	\$1,190	\$1,320	\$1,480	\$1,730	\$2,010	\$2,330	\$2,720	+ \$25	+ \$5(
81"		6710		<u> </u>	¢020	ć1 070	ć1 240	ć1 420	¢1.650	. 625	. 65	
12"	EP(3/N)FA1281(K/N)	\$710	\$770	\$830	\$920	\$1,070	\$1,240	\$1,430	\$1,650	+ \$25	+ \$50	
18"	EP(3/N)FA1881(K/N)	\$760	\$820	\$880	\$970	\$1,120	\$1,290	\$1,480	\$1,700	+ \$25	+ \$50	
24"	EP(3/N)FA2481(K/N)	\$810	\$870	\$930	\$1,020	\$1,170	\$1,340	\$1,530	\$1,750	+ \$25	+ \$50	
30"	EP(3/N)FA3081(K/N)	\$860	\$920	\$980	\$1,070	\$1,220	\$1,390	\$1,580	\$1,800	+ \$25	+ \$50	
36" 42"	EP(3/N)FA3681(K/N)	\$1,040	\$1,160	\$1,280	\$1,470	\$1,800	\$2,170	\$2,580	\$3,040	+ \$25	+ \$50	
42"	EP(3/N)FA4281(K/N)	\$1,160	\$1,280	\$1,400	\$1,590	\$1,920	\$2,290	\$2,700	\$3,160	+ \$25	+ \$50	
40"	EP(3/N)FA4881(K/N)	\$1,250	\$1,370	\$1,490	\$1,680	\$2,010	\$2,380	\$2,790	\$3,250	+ \$25	+ \$50	
48" 60"	EP(3/N)FA6081(K/N)	\$1,340	\$1,460	\$1,580	\$1,770	\$2,100	\$2,470	\$2,880	\$3,340	+ \$25	+ \$50	


					UPCHARG	(NET)			
Guardian [®] Panel Option					HEIG	HT			
BULLET RESISTANT PANEL			29"	41"	49"	54"	61"	66"	81"
NIJ Level IIIA compliant		30"	\$218	\$315	\$368	\$405	\$458	\$495	\$607
Protection against handguns	WIDTH	36"	\$261	\$378	\$441	\$486	\$549	\$594	\$607 \$729 \$850
up to .44 Magnum	MI	42"	\$305	\$441	\$515	\$567	\$641	\$693	\$850
 Inconspicuous – looks like a regular panel 		48"	\$348	\$504	\$588	\$648	\$732	\$792	\$972

NOTE: To specify a Guardian Panel add a "G" to the end of the panels model number.

Pricing is for P1 paint colors. Add the appropriate upcharge if using P2 or P3 trim.



		:							••••••	
29" H			6	ILASS INSERT	r	LA	MINATE INSE	RT	PAI	NT
W	MODEL #	OF	DG	GL	PG	L1	L2	L3	P2	P3
12"	EP(3/N)()1229(K/N)	\$697	\$1,097	\$937	\$847	\$897	\$987	\$1,076	+ \$25	+ \$50
18"	EP(3/N)()1829(K/N)	\$707	\$1,197	\$967	\$867	\$947	\$1,042	\$1,136	+ \$25	+ \$50
24"	EP(3/N)()2429(K/N)	\$717	\$1,297	\$997	\$887	\$977	\$1,075	\$1,172	+ \$25	+ \$50
30"	EP(3/N)()3029(K/N)	\$737	\$1,397	\$1,037	\$917	\$1,007	\$1,108	\$1,208	+ \$25	+ \$50
36"	EP(3/N)()3629(K/N)	\$757	\$1,487	\$1,087	\$957	\$1,057	\$1,163	\$1,268	+ \$25	+ \$50
42"	EP(3/N)()4229(K/N)	\$777	\$1,587	\$1,137	\$1,007	\$1,107	\$1,218	\$1,328	+ \$25	+ \$50
48"	EP(3/N)()4829(K/N)	\$797	\$1,697	\$1,197	\$1,067	\$1,167	\$1,284	\$1,400	+ \$25	+ \$50
60"	EP(3/N)()6029(K/N)	\$837	\$1,867	\$1,267	\$1,137	\$1,237	\$1,361	\$1,484	+ \$25	+ \$50
41" H										
12"	EP(3/N)()1241(K/N)	\$737	\$1,237	\$1,057	\$947	\$947	\$1,042	\$1,136	+ \$25	+ \$50
18"	EP(3/N)()1841(K/N)	\$747	\$1,327	\$1,077	\$967	\$1,047	\$1,152	\$1,256	+ \$25	+ \$50
24"	EP(3/N)()2441(K/N)	\$757	\$1,437	\$1,117	\$997	\$1,087	\$1,196	\$1,304	+ \$25	+ \$50
30"	EP(3/N)()3041(K/N)	\$777	\$1,567	\$1,167	\$1,037	\$1,137	\$1,251	\$1,364	+ \$25	+ \$50
36"	EP(3/N)()3641(K/N)	\$797	\$1,667	\$1,217	\$1,087	\$1,187	\$1,306	\$1,424	+ \$25	+ \$50
42"	EP(3/N)()4241(K/N)	\$817	\$1,777	\$1,277	\$1,147	\$1,247	\$1,372	\$1,496	+ \$25	+ \$50
48"	EP(3/N)()4841(K/N)	\$837	\$1,957	\$1,357	\$1,217	\$1,327	\$1,460	\$1,592	+ \$25	+ \$50
60"	EP(3/N)()6041(K/N)	\$877	\$2,247	\$1,447	\$1,297	\$1,417	\$1,559	\$1,700	+ \$25	+ \$50
49" H										
12"	EP(3/N)()1249(K/N)	\$747	\$1,257	\$1,077	\$967	\$997	\$1,097	\$1,196	+ \$25	+ \$50
18"	EP(3/N)()1849(K/N)	\$757	\$1,357	\$1,107	\$997	\$1,077	\$1,185	\$1,292	+ \$25	+ \$50
24"	EP(3/N)()2449(K/N)	\$767	\$1,477	\$1,157	\$1,037	\$1,127	\$1,240	\$1,352	+ \$25	+ \$50
30"	EP(3/N)()3049(K/N)	\$787	\$1,637	\$1,217	\$1,087	\$1,187	\$1,306	\$1,424	+ \$25	+ \$50
36"	EP(3/N)()3649(K/N)	\$807	\$1,797	\$1,277	\$1,147	\$1,247	\$1,372	\$1,496	+ \$25	+ \$50
42"	EP(3/N)()4249(K/N)	\$827	\$1,967	\$1,347	\$1,217	\$1,317	\$1,449	\$1,580	+ \$25	+ \$50
48"	EP(3/N)()4849(K/N)	\$847	\$2,147	\$1,427	\$1,297	\$1,397	\$1,537	\$1,676	+ \$25	+ \$50



\$887

\$2,377

\$1,557

\$1,407

\$1,527

\$1,680

\$1,832

+ \$25

+ \$50

Electrical components

22

be installed on 12" W panels. Side mount receptacles available on 24" W panels and wider.

CL . . Clear GR . . Grey SM. . Smoked TR ... Translucent


60"

EP(3/N)()6049(K/N)

through the panel.

Insert Panels

Panels



54" H	1		GLASS INSERT			LAMINATE INSERT			PAINT		
W	MODEL #	OF	DG	GL	PG	L1	L2	L3	P2	P3	
12"	EP(3/N)()1254(K/N)	\$777	\$1,267	\$1,087	\$977	\$1,047	\$1,152	\$1,256	+ \$25	+ \$50	
18"	EP(3/N)()1854(K/N)	\$787	\$1,377	\$1,127	\$1,017	\$1,097	\$1,207	\$1,316	+ \$25	+ \$50	
24"	EP(3/N)()2454(K/N)	\$797	\$1,507	\$1,187	\$1,067	\$1,157	\$1,273	\$1,388	+ \$25	+ \$50	
30"	EP(3/N)()3054(K/N)	\$817	\$1,677	\$1,257	\$1,127	\$1,227	\$1,350	\$1,472	+ \$25	+ \$50	
36"	EP(3/N)()3654(K/N)	\$837	\$1,847	\$1,327	\$1,197	\$1,297	\$1,427	\$1,556	+ \$25	+ \$50	
42"	EP(3/N)()4254(K/N)	\$857	\$2,027	\$1,407	\$1,277	\$1,377	\$1,515	\$1,652	+ \$25	+ \$50	
48"	EP(3/N)()4854(K/N)	\$877	\$2,227	\$1,507	\$1,367	\$1,477	\$1,625	\$1,772	+ \$25	+ \$50	
60"	EP(3/N)()6054(K/N)	\$917	\$2,447	\$1,627	\$1,477	\$1,597	\$1,757	\$1,916	+ \$25	+ \$50	
51" H	I										
12"	EP(3/N)()1261(K/N)	\$787	\$1,307	\$1,107	\$987	\$1,067	\$1,174	\$1,280	+ \$25	+ \$50	
18"	EP(3/N)()1861(K/N)	\$797	\$1,407	\$1,157	\$1,037	\$1,117	\$1,229	\$1,340	+ \$25	+ \$50	
24"	EP(3/N)()2461(K/N)	\$807	\$1,557	\$1,227	\$1,097	\$1,187	\$1,306	\$1,424	+ \$25	+ \$50	
30"	EP(3/N)()3061(K/N)	\$827	\$1,737	\$1,307	\$1,167	\$1,267	\$1,394	\$1,520	+ \$25	+ \$50	
36"	EP(3/N)()3661(K/N)	\$847	\$1,917	\$1,387	\$1,247	\$1,347	\$1,482	\$1,616	+ \$25	+ \$50	
42"	EP(3/N)()4261(K/N)	\$867	\$2,117	\$1,487	\$1,337	\$1,447	\$1,592	\$1,736	+ \$25	+ \$50	
48"	EP(3/N)()4861(K/N)	\$887	\$2,327	\$1,597	\$1,437	\$1,557	\$1,713	\$1,868	+ \$25	+ \$50	
60"	EP(3/N)()6061(K/N)	\$937	\$2,657	\$1,717	\$1,547	\$1,677	\$1,845	\$2,012	+ \$25	+ \$50	
66" H	_										
12"	EP(3/N)()1266(K/N)	\$797	\$1,317	\$1,117	\$997	\$1,077	\$1,185	\$1,292	+ \$25	+ \$50	
18"	EP(3/N)()1866(K/N)	\$807	\$1,447	\$1,177	\$1,057	\$1,137	\$1,251	\$1,364	+ \$25	+ \$50	
24"	EP(3/N)()2466(K/N)	\$817	\$1,607	\$1,257	\$1,127	\$1,217	\$1,339	\$1,460	+ \$25	+ \$50	
30"	EP(3/N)()3066(K/N)	\$837	\$1,797	\$1,347	\$1,207	\$1,307	\$1,438	\$1,568	+ \$25	+ \$50	
36"	EP(3/N)()3666(K/N)	\$857	\$1,987	\$1,437	\$1,297	\$1,397	\$1,537	\$1,676	+ \$25	+ \$50	
42"	EP(3/N)()4266(K/N)	\$877	\$2,197	\$1,547	\$1,397	\$1,507	\$1,658	\$1,808	+ \$25	+ \$50	
48"	EP(3/N)()4866(K/N)	\$897	\$2,417	\$1,667	\$1,507	\$1,627	\$1,790	\$1,952	+ \$25	+ \$50	
60"	EP(3/N)()6066(K/N)	\$947	\$2,737	\$1,787	\$1,627	\$1,747	\$1,922	\$2,096	+ \$25	+ \$50	
81" H											
12"	EP(3/N)()1281(K/N)	\$857	\$1,547	\$1,327	\$1,187	\$1,287	\$1,416	\$1,544	+ \$25	+ \$50	
18"	EP(3/N)()1881(K/N)	\$867	\$1,727	\$1,427	\$1,287	\$1,387	\$1,526	\$1,664	+ \$25	+ \$50	
24"	EP(3/N)()2481(K/N)	\$877	\$1,927	\$1,527	\$1,387	\$1,487	\$1,636	\$1,784	+ \$25	+ \$50	
30"	EP(3/N)()3081(K/N)	\$897	\$2,127	\$1,627	\$1,487	\$1,587	\$1,746	\$1,904	+ \$25	+ \$50	
36"	EP(3/N)()3681(K/N)	\$917	\$2,327	\$1,727	\$1,587	\$1,687	\$1,856	\$2,024	+ \$25	+ \$50	
42"	EP(3/N)()4281(K/N)	\$937	\$2,527	\$1,827	\$1,687	\$1,787	\$1,966	\$2,144	+ \$25	+ \$50	
48"	EP(3/N)()4881(K/N)	\$957	\$2,747	\$1,947	\$1,807	\$1,907	\$2,098	\$2,288	+ \$25	+ \$50	
60"	EP(3/N)()6081(K/N)	\$1,027	\$3,347	\$2,097	\$1,957	\$2,057	\$2,263	\$2,468	+ \$25	+ \$50	

	Тор Сар	Panel Type	w	Н	Raceway
EP Equity panel	3 Beveled N Flat	OF Open frame DG Designer glass insert GL Glass insert PG Plexiglass insert LM Laminate insert	36	29	K With knockouts N Without knockouts
EP	N	PG	36	29	к

Pricing is for P1 paint colors. Add the appropriate upcharge if using P2 or P3 trim.

29" H)" H			NSERT PAINT	PAINT		
W	MODEL #	PA	P1	P2	P3	P2	P3
12"	EP(3/N)PA1229(K/N)	\$797	\$847	\$857	\$867	+ \$25	+ \$50
18"	EP(3/N)PA1829(K/N)	\$807	\$867	\$887	\$907	+ \$25	+ \$50
24"	EP(3/N)PA2429(K/N)	\$827	\$887	\$917	\$947	+ \$25	+ \$50
30"	EP(3/N)PA3029(K/N)	\$857	\$917	\$947	\$987	+ \$25	+ \$50
36"	EP(3/N)PA3629(K/N)	\$897	\$957	\$987	\$1,027	+ \$25	+ \$50
42"	EP(3/N)PA4229(K/N)	\$937	\$1,007	\$1,047	\$1,087	+ \$25	+ \$50
48"	EP(3/N)PA4829(K/N)	\$997	\$1,067	\$1,117	\$1,167	+ \$25	+ \$50
60"	EP(3/N)PA6029(K/N)	\$1,067	\$1,137	\$1,197	\$1,257	+ \$25	+ \$50
41 " U							

41" H

12"	EP(3/N)PA1241(K/N)	\$877	\$947	\$967	\$987	+ \$25	+ \$50
18"	EP(3/N)PA1841(K/N)	\$897	\$967	\$987	\$1,017	+ \$25	+ \$50
24"	EP(3/N)PA2441(K/N)	\$927	\$997	\$1,027	\$1,067	+ \$25	+ \$50
30"	EP(3/N)PA3041(K/N)	\$967	\$1,037	\$1,077	\$1,127	+ \$25	+ \$50
36"	EP(3/N)PA3641(K/N)	\$1,017	\$1,087	\$1,137	\$1,197	+ \$25	+ \$50
42"	EP(3/N)PA4241(K/N)	\$1,067	\$1,147	\$1,207	\$1,277	+ \$25	+ \$50
48"	EP(3/N)PA4841(K/N)	\$1,137	\$1,217	\$1,297	\$1,367	+ \$25	+ \$50
60"	EP(3/N)PA6041(K/N)	\$1,217	\$1,297	\$1,397	\$1,487	+ \$25	+ \$50

49" H


12"	EP(3/N)PA1249(K/N)	\$897	\$967	\$987	\$1,007	+ \$25	+ \$50
18"	EP(3/N)PA1849(K/N)	\$927	\$997	\$1,027	\$1,057	+ \$25	+ \$50
24"	EP(3/N)PA2449(K/N)	\$967	\$1,037	\$1,087	\$1,127	+ \$25	+ \$50
30"	EP(3/N)PA3049(K/N)	\$1,017	\$1,087	\$1,147	\$1,197	+ \$25	+ \$50
36"	EP(3/N)PA3649(K/N)	\$1,067	\$1,147	\$1,217	\$1,287	+ \$25	+ \$50
42"	EP(3/N)PA4249(K/N)	\$1,137	\$1,217	\$1,297	\$1,387	+ \$25	+ \$50
48"	EP(3/N)PA4849(K/N)	\$1,217	\$1,297	\$1,397	\$1,497	+ \$25	+ \$50
60"	EP(3/N)PA6049(K/N)	\$1,327	\$1,407	\$1,527	\$1,637	+ \$25	+ \$50

Specify	Application Notes	Assembly	Top Cap Styles	
1. Model #	Insert Panels are	Included	3 – Beveled	N – Flat
2. Insert paint	constructed with a tapered	• Panel	5 – Develeu	N – FIdl
3. Paint	aluminum frame that is	• Top cap		
	mitered in the corners.	Metal raceway covers		
NOTE: Power duplexes cannot	Insert panels may be			
be installed on 12" W panels.	ordered multiple insert	Ordered Separately		
Side mount receptacles available	options, or as an open frame	• Posts		
on 24" W panels and wider.	for complete accessibility	 Panel connectors 		

through the panel.

- Electrical components

Insert Panels Perforated Aluminum



54" H			I	NSERT PAINT		PAI	NT
W	MODEL #	PA	P1	P2	P3	P2	P3
12"	EP(3/N)PA1254(K/N)	\$907	\$977	\$997	\$1,017	+ \$25	+ \$50
18"	EP(3/N)PA1854(K/N)	\$947	\$1,017	\$1,047	\$1,077	+ \$25	+ \$50
24"	EP(3/N)PA2454(K/N)	\$997	\$1,067	\$1,117	\$1,167	+ \$25	+ \$50
30"	EP(3/N)PA3054(K/N)	\$1,047	\$1,127	\$1,187	\$1,247	+ \$25	+ \$50
36"	EP(3/N)PA3654(K/N)	\$1,117	\$1,197	\$1,277	\$1,357	+ \$25	+ \$50
42"	EP(3/N)PA4254(K/N)	\$1,197	\$1,277	\$1,367	\$1,457	+ \$25	+ \$50
48"	EP(3/N)PA4854(K/N)	\$1,287	\$1,367	\$1,467	\$1,567	+ \$25	+ \$50
60"	EP(3/N)PA6054(K/N)	\$1,397	\$1,477	\$1,607	\$1,737	+ \$25	+ \$50

<u>61"</u> H

-							
12"	EP(3/N)PA1261(K/N)	\$917	\$987	\$1,007	\$1,037	+ \$25	+ \$50
18"	EP(3/N)PA1861(K/N)	\$967	\$1,037	\$1,077	\$1,117	+ \$25	+ \$50
24"	EP(3/N)PA2461(K/N)	\$1,017	\$1,097	\$1,147	\$1,197	+ \$25	+ \$50
30"	EP(3/N)PA3061(K/N)	\$1,087	\$1,167	\$1,227	\$1,297	+ \$25	+ \$50
36"	EP(3/N)PA3661(K/N)	\$1,167	\$1,247	\$1,327	\$1,407	+ \$25	+ \$50
42"	EP(3/N)PA4261(K/N)	\$1,257	\$1,337	\$1,427	\$1,527	+ \$25	+ \$50
48"	EP(3/N)PA4861(K/N)	\$1,357	\$1,437	\$1,537	\$1,657	+ \$25	+ \$50
60"	EP(3/N)PA6061(K/N)	\$1,687	\$1,747	\$1,867	\$2,007	+ \$25	+ \$50


66" H

12"	EP(3/N)PA1266(K/N)	\$927	\$997	\$1,027	\$1,057	+ \$25	+ \$50
18"	EP(3/N)PA1866(K/N)	\$987	\$1,057	\$1,097	\$1,147	+ \$25	+ \$50
24"	EP(3/N)PA2466(K/N)	\$1,047	\$1,127	\$1,177	\$1,237	+ \$25	+ \$50
30"	EP(3/N)PA3066(K/N)	\$1,127	\$1,207	\$1,277	\$1,347	+ \$25	+ \$50
36"	EP(3/N)PA3666(K/N)	\$1,217	\$1,297	\$1,387	\$1,477	+ \$25	+ \$50
42"	EP(3/N)PA4266(K/N)	\$1,307	\$1,397	\$1,497	\$1,597	+ \$25	+ \$50
48"	EP(3/N)PA4866(K/N)	\$1,397	\$1,507	\$1,627	\$1,747	+ \$25	+ \$50
60"	EP(3/N)PA6066(K/N)	\$1,707	\$1,877	\$2,007	\$2,157	+ \$25	+ \$50

81" H

v i ii							
12"	EP(3/N)PA1281(K/N)	\$1,087	\$1,187	\$1,227	\$1,277	+ \$25	+ \$50
18"	EP(3/N)PA1881(K/N)	\$1,187	\$1,287	\$1,347	\$1,427	+ \$25	+ \$50
24"	EP(3/N)PA2481(K/N)	\$1,287	\$1,387	\$1,467	\$1,567	+ \$25	+ \$50
30"	EP(3/N)PA3081(K/N)	\$1,487	\$1,587	\$1,687	\$1,807	+ \$25	+ \$50
36"	EP(3/N)PA3681(K/N)	\$1,587	\$1,687	\$1,807	\$1,947	+ \$25	+ \$50
42"	EP(3/N)PA4281(K/N)	\$1,647	\$1,747	\$1,907	\$2,057	+ \$25	+ \$50
48"	EP(3/N)PA4881(K/N)	\$1,697	\$1,797	\$2,007	\$2,167	+ \$25	+ \$50
60"	EP(3/N)PA6081(K/N)	\$2,197	\$2,397	\$2,647	\$2,847	+ \$25	+ \$50

		Тор Сар	Panel Type	w	Н	Raceway
EP	Equity panel	3 Beveled N Flat	PA Perforated Aluminum	36	29	K With knockouts N Without knockouts
EP		N	PA	36	29	К




			•••••••••••••••••••••••••••••••••••••••	••••••
29" H		• • • •	PAINT	
W	MODEL #	P1	P2	P3
12"	EP(3/N)TQ1229	\$330	\$380	\$405
18"	EP(3/N)TQ1829	\$380	\$430	\$455
24"	EP(3/N)TQ2429	\$430	\$480	\$505
30"	EP(3/N)TQ3029	\$480	\$530	\$555
36"	EP(3/N)TQ3629	\$550	\$600	\$625
42"	EP(3/N)TQ4229	\$590	\$640	\$665
48"	EP(3/N)TQ4829	\$630	\$680	\$705
60"	EP(3/N)TQ6029	\$670	\$720	\$745

41" H

12"	EP(3/N)TQ1241	\$380	\$430	\$455
18"	EP(3/N)TQ1841	\$430	\$480	\$505
24"	EP(3/N)TQ2441	\$480	\$530	\$555
30"	EP(3/N)TQ3041	\$530	\$580	\$605
36"	EP(3/N)TQ3641	\$600	\$650	\$675
42"	EP(3/N)TQ4241	\$650	\$700	\$725
48"	EP(3/N)TQ4841	\$700	\$750	\$775
60"	EP(3/N)TQ6041	\$750	\$800	\$825


49" H

12"	EP(3/N)TQ1249	\$440	\$490	\$515
18"	EP(3/N)TQ1849	\$490	\$540	\$565
24"	EP(3/N)TQ2449	\$540	\$590	\$615
30"	EP(3/N)TQ3049	\$590	\$640	\$665
36"	EP(3/N)TQ3649	\$660	\$710	\$735
42"	EP(3/N)TQ4249	\$710	\$760	\$785
48"	EP(3/N)TQ4849	\$760	\$810	\$835
60"	EP(3/N)TQ6049	\$830	\$880	\$905



to support each corner.

Tequity[™] Panels



	PAINT	
P1	P2	P3
\$490	\$540	\$565
\$540	\$590	\$615
\$590	\$640	\$665
\$640	\$690	\$715
\$720	\$770	\$795
\$770	\$820	\$845
\$820	\$870	\$895
\$890	\$940	\$965
	\$490 \$540 \$590 \$640 \$720 \$770 \$820	\$490 \$540 \$540 \$590 \$590 \$640 \$640 \$690 \$720 \$770 \$770 \$820 \$820 \$870

61" H

12"	EP(3/N)TQ1261	\$54	0 \$590	\$615
18"	EP(3/N)TQ1861	\$59	0 \$640	\$665
24"	EP(3/N)TQ2461	\$64	0 \$690	\$715
30"	EP(3/N)TQ3061	\$69	0 \$740	\$765
36"	EP(3/N)TQ3661	\$76	0 \$810	\$835
42"	EP(3/N)TQ4261	\$81	0 \$860	\$885
48"	EP(3/N)TQ4861	\$86	0 \$910	\$935
60"	EP(3/N)TQ6061	\$95	0 \$1,000	\$1,025

66" H

12"	EP(3/N)TQ1266	\$560	\$610	\$635
18"	EP(3/N)TQ1866	\$610	\$660	\$685
24"	EP(3/N)TQ2466	\$660	\$710	\$735
30"	EP(3/N)TQ3066	\$710	\$760	\$785
36"	EP(3/N)TQ3666	\$790	\$840	\$865
42"	EP(3/N)TQ4266	\$840	\$890	\$915
48"	EP(3/N)TQ4866	\$890	\$940	\$965
60"	EP(3/N)TQ6066	\$980	\$1,030	\$1,055

81" H

	-			
12"	EP(3/N)TQ1281	\$560	\$610	\$635
18"	EP(3/N)TQ1881	\$610	\$660	\$685
24"	EP(3/N)TQ2481	\$660	\$710	\$735
30"	EP(3/N)TQ3081	\$710	\$760	\$785
36"	EP(3/N)TQ3681	\$790	\$840	\$865
42"	EP(3/N)TQ4281	\$840	\$890	\$915
48"	EP(3/N)TQ4881	\$890	\$940	\$965
60"	EP(3/N)TQ6081	\$980	\$1,030	\$1,055

		Тор Сар	Panel Type	W	н
EP	Equity panel	3 Beveled N Flat	TQ Tequity	36	29
EP		N	TQ	36	29

Sliding Doors





49" H			INSER	ГТҮРЕ	LA	MINATE INSE	RT	PAI	NT
OPENING	ACTUAL OPENING	MODEL #	CR	PG	LM 1	LM 2	LM 3	P2	P3
36"	34.5"	EDR()3649(L/R)B	\$2,207	\$1,577	\$1,507	\$1,658	\$1,808	+ \$25	+ \$50
54" H									
36"	34.5"	EDR()3654(L/R)B	\$2,407	\$1.657	\$1,677	\$1,845	62.012		
			:	<i>Q</i> 1,007	Ş1,077	31,04J	\$2,012	+ \$25	+ \$50
61" H			• • • • • • •	¥1,007	\$1,077	د ۲ ۵,۱	\$2,012	+ \$25	+ \$50

Specify

- 1. Model #
- 2. Insert type
- 3. Insert color
- 4. Paint

Application Notes

Sliding doors can mount on an end or corner post and require a straight, unobstructed panel run of at least 42" for their open position. Left/Right refers to opening direction.

Insert Type

CR . . Corian **PG** . . Plexiglass **LM** . . Laminate

Plexiglass Finishes

CL . . Clear IC . . . lce SM . . Smoked TR . . Translucent LF . . . Frost

Corian Finishes


Glacier White CR001
Pearl Grey CR002
Corian Clay CR003
Silver Grey CR004
Corian Grey CR001

Assembly

Included • Door

Hardware

Sliding Doors



66" H			INSER	Т ТҮРЕ	LA	MINATE INSE	RT	PAI	IT
OPENING	ACTUAL OPENING	MODEL#	CR	PG	LM 1	LM 2	LM 3	P2	P
36"	34.5"	EDR()3666(L/R)B	\$2,907	\$1,827	\$1,877	\$2,065	\$2,252	+ \$25	+ \$50
81" H -	— includes a heade	r across the opening							
36"	34.5"	EDR()3681(L/R)B	\$3,307	\$1,877	\$2,157	\$2,373	\$2,588	+ \$25	+ \$50

						For 81" Wide Only
	Insert Type	w	н	Door Open	Door Handle	Anchor Panel Width
EDR Equity door	CR Corian	36	61	L	B Bar	42
	PG Plexiglass			R		48
	LM Laminate		1			60
		:				
		:	1			
			-			
DR	LM	36	61		В	42


Panels

Post Assemblies

Ø	9	P

		:	•••••••••	
Stra	ight		PAINT	
H	MODEL #	P1	P2	P3
29"	EP(3/N)P29S	\$148	\$155	\$162
36"	EP(3/N)P36S	\$149	\$156	\$163
41"	EP(3/N)P41S	\$150	\$157	\$164
49"	EP(3/N)P49S	\$152	\$159	\$166
54"	EP(3/N)P54S	\$154	\$161	\$168
61"	EP(3/N)P61S	\$156	\$163	\$170
66"	EP(3/N)P66S	\$158	\$165	\$172
81"	EP(3/N)P81S	\$175	\$182	\$189

2-wa	ay L		PAINT	•••••
H	MODEL #	: P1	P2	P3
29"	EP(3/N)P29L	\$148	\$155	\$162
36"	EP(3/N)P36L	\$149	\$156	\$163
41"	EP(3/N)P41L	\$150	\$157	\$164
49"	EP(3/N)P49L	\$153	\$160	\$167
54"	EP(3/N)P54L	\$157	\$164	\$171
61"	EP(3/N)P61L	\$165	\$172	\$179
66"	EP(3/N)P66L	\$172	\$179	\$186
81"	EP(3/N)P81L	\$185	\$192	\$199



A

2-way 120

2-000	19 120			
29"	EP(3/N)P29120	\$159	\$166	\$173
36"	EP(3/N)P36120	\$163	\$170	\$177
41"	EP(3/N)P41120	\$167	\$174	\$181
49"	EP(3/N)P49120	\$171	\$178	\$185
54"	EP(3/N)P54120	\$175	\$182	\$189
61"	EP(3/N)P61120	\$183	\$190	\$197
66"	EP(3/N)P66120	\$190	\$197	\$204
81"	EP(3/N)P81120	\$202	\$209	\$216

Specify	Application Notes	Assembly	Top Cap Styles	
1. Model # 2. Paint	Used to connect panels of the same height.	Included • Single height post	3 – Beveled	N — Flat
	Bottom glides on post allow for up to 1 ½" of vertical adjustment.	 Panel connector Appropriate metal shroud 		
	Add "NS" to the end to of the model number to specify without shroud for use with Tequity panels.			

Panels



			••••••		
-wa	ay T		PAINT		
H	MODEL#	P1	P2	P3	
29"	EP(3/N)P29T	\$148	\$155	\$162	
36"	EP(3/N)P36T	\$149	\$156	\$163	
41"	EP(3/N)P41T	\$150	\$157	\$164	
49"	EP(3/N)P49T	\$152	\$159	\$166	
54"	EP(3/N)P54T	\$154	\$161	\$168	
61"	EP(3/N)P61T	\$157	\$164	\$171	
66"	EP(3/N)P66T	\$164	\$171	\$178	
81"	EP(3/N)P81T	\$176	\$183	\$190	

Ś

			••••••	
4-way X			PAINT	
H	MODEL #	P1	P2	P3
29"	EP(3/N)P29X	\$148	\$155	\$162
36"	EP(3/N)P36X	\$149	\$156	\$163
41"	EP(3/N)P41X	\$150	\$157	\$164
49"	EP(3/N)P49X	\$152	\$159	\$166
54"	EP(3/N)P54X	\$154	\$161	\$168
61"	EP(3/N)P61X	\$156	\$163	\$170
66"	EP(3/N)P66X	\$158	\$165	\$172
81"	EP(3/N)P81X	\$171	\$178	\$185



3-way 120

	·/ · - ·			
29"	EP(3/N)P29Y	\$179	\$188	\$197
36"	EP(3/N)P36Y	\$180	\$189	\$198
41"	EP(3/N)P41Y	\$181	\$190	\$199
49"	EP(3/N)P49Y	\$183	\$192	\$201
54"	EP(3/N)P54Y	\$185	\$194	\$203
61"	EP(3/N)P61Y	\$187	\$196	\$205
66"	EP(3/N)P66Y	\$193	\$202	\$211
81"	EP(3/N)P81Y	\$206	\$215	\$224



Carpet Gripper

<u>carper an</u>						
DESCRIPTION	MODEL #	BLACK ONLY				
12 Pack	EP1CG12	\$38				

		Top Cap		н	Connection Type		Options Shroud
EP	Equity panel	3 Beveled N Flat	P Post	29	120 2-way 120 E End w/post L 2-way L T 3-way T S Straight X 4-way Y 3-way 120	1	NS No Shroud
EP		N	Р	29	S		

		······	······			
End	w/Post		PAINT			
H	MODEL #	P1	P2	P3		
29"	EP(3/N)P29E	\$159	\$166	\$173		
36"	EP(3/N)P36E	\$162	\$169	\$176		
41"	EP(3/N)P41E	\$164	\$171	\$178		
49"	EP(3/N)P49E	\$168	\$175	\$182		
54"	EP(3/N)P54E	\$171	\$178	\$185		
61"	EP(3/N)P61E	\$180	\$187	\$194		
66"	EP(3/N)P66E	\$186	\$193	\$200		
81"	EP(3/N)P81E	\$199	\$206	\$213		

End w/Post

Specify

1. Model #

2. Paint

Application Notes

Used to finish a panel end that is not being connected to another panel.

Add "NS" to the end to of the model number to specify without shroud for use with Tequity panels.


Assembly

- Included

 Single height post
- Panel connector
- Appropriate metal shroud

3 – Beveled

Top Cap Styles



N – Flat

Wall Starter/Wall Mounted Channel

Panel \	Wall St	arter				PAINT	
W	D	H	H (Actual)	MODEL #	P1	P2	P
1 1⁄2"	1/2"	29"	23"	EP3PWS29	\$44	\$45	\$4
1 1⁄2"	1/2"	36"	30"	EP3PWS36	\$44	\$45	\$47
1 1⁄2"	1/2"	41"	35"	EP3PWS41	\$44	\$45	\$47
1 1⁄2"	1/2"	49"	43"	EP3PWS49	\$48	\$50	\$55
1 1⁄2"	1/2"	54"	49"	EP3PWS54	\$50	\$55	\$59
1 1⁄2"	1/2"	61"	55"	EP3PWS61	\$50	\$55	\$59
1 ½"	1/2"	64"	60"	EP3PWS64	\$52	\$56	\$62
1 1⁄2"	1/2"	81"	75"	EP3PWS81	\$59	\$63	\$69

Wall Mounted Channel

ľ	2 1/8"	3⁄4″	29"	23"	EP3WMC29	\$112	\$116	\$122
	2 1/8"	3⁄4″	36"	30"	EP3WMC36	\$112	\$116	\$122
	2 1/8"	3⁄4″	41"	35"	EP3WMC41	\$112	\$116	\$122
	2 1/8"	3⁄4″	49"	43"	EP3WMC49	\$114	\$120	\$128
	2 1/8"	3⁄4″	54"	49"	EP3WMC54	\$116	\$122	\$129
	2 1/8"	3⁄4″	61"	55"	EP3WMC61	\$130	\$135	\$145
	2 1/8"	3⁄4″	66"	60"	EP3WMC66	\$133	\$144	\$148
	2 1/8"	3⁄4″	81"	75"	EP3WMC81	\$162	\$168	\$178
	2 1/8"	3⁄4″	120"	120"	EP3WMC120	\$249	\$262	\$276

Panel Wall Starter

Specify

1. Model #

2. Paint

Wall Mounted Channel

Specify	Application Notes
1. Model # 2. Paint	Allows hanging of all components and accessories on reinforced building walls.
	NOTE: Neutral Posture assumes no responsibility for wall construction or performance of fasteners used.

Assembly


- Included
- Panel top & bottom hook Panel connector

Not Included

• Fasteners to attach to wall

Ordered Separately

- Post
- Shrouds



Top Cap Styles

Assembly

- Included
- Extruded aluminum channel

				
Single He	eight		PAINT	
н	MODEL #	P1	P2	P3
29"	EP3P29	\$93	\$96	\$99
36"	EP 3 P 36	\$94	\$97	\$100
41"	EP3P41	\$94	\$97	\$100
49"	EP 3 P 49	\$96	\$99	\$102
54"	EP3P54	\$99	\$102	\$105
61"	EP 3 P 61	\$105	\$108	\$111
64"	EP3P64	\$107	\$110	\$113
81"	EP3P81	\$117	\$120	\$123

Dual Height

Duai neigi				
29"/36"	EP3DP2936	\$155	\$165	\$175
29"/41"	EP3DP2941	\$155	\$165	\$175
29"/49"	EP3DP2949	\$165	\$175	\$185
29"/54"	EP3DP2954	\$165	\$175	\$185
29"/61"	EP3DP2961	\$175	\$185	\$195
29"/66"	EP3DP2966	\$175	\$185	\$195
29"/81"	EP3DP2981	\$195	\$205	\$215
36"/41"	EP3DP3641	\$160	\$170	\$180
36"/49"	EP3DP3649	\$165	\$175	\$185
36"/54"	EP3DP3654	\$165	\$175	\$185
36"/61"	EP3DP3661	\$175	\$185	\$195
36"/66"	EP3DP3666	\$175	\$185	\$195
36"/81"	EP3DP3681	\$195	\$205	\$215
41"/49"	EP3DP4149	\$165	\$175	\$185
41"/54"	EP3DP4154	\$165	\$175	\$185
41"/61"	EP3DP4161	\$175	\$185	\$195
41"/66"	EP3DP4166	\$175	\$185	\$195
41"/81"	EP3DP4181	\$195	\$205	\$215
49"/54"	EP3DP4954	\$165	\$175	\$185
49"/61"	EP3DP4961	\$175	\$185	\$195
49"/66"	EP3DP4966	\$175	\$185	\$195
49"/81"	EP3DP4981	\$195	\$205	\$215
54"/61"	EP3DP5461	\$175	\$185	\$195
54"/66"	EP3DP5466	\$175	\$185	\$195
54"/81"	EP3DP5481	\$195	\$205	\$215
61"/66"	EP3DP6166	\$175	\$185	\$195
61"/81"	EP3DP6181	\$195	\$205	\$215
66"/81"	EP3DP6681	\$195	\$205	\$215

Triple Heig	ht		PAINT		
Н	MODEL #	P1	P2	P3	
29"/36"/41"	EP3TP293641	\$190	\$200	\$210	
29"/36"/49"	EP3TP293649	\$190	\$200	\$210	
29"/36"/54"	EP3TP293654	\$195	\$205	\$210	
29"/36"/61"	EP3TP293661	\$195	\$205	\$210	
29"/36"/64"	EP3TP293664	\$195	\$205	\$210	
29"/36"/81"	EP3TP293681	\$225	\$235	\$245	
29"/41"/49"	EP3TP294149	\$195	\$205	\$215	
29"/41"/54"	EP3TP294154	\$195	\$205	\$215	
29"/41"/61"	EP3TP294161	\$200	\$210	\$220	
29"/41"/64"	EP3TP294164	\$200	\$210	\$220	
29"/41"/81"	EP3TP294181	\$230	\$240	\$250	
29"/49"/54"	EP3TP294954	\$195	\$205	\$215	
29"/49"/61"	EP3TP294961	\$200	\$210	\$220	
29"/49"/64"	EP3TP294964	\$200	\$210	\$220	
29"/49"/81"	EP3TP294981	\$230	\$240	\$250	
29"/54"/61"	EP3TP295461	\$200	\$210	\$220	
29"/54"/64"	EP3TP295464	\$200	\$210	\$220	
29"/54"/81"	EP3TP295481	\$230	\$240	\$250	
29"/61"/64"	EP3TP296164	\$200	\$210	\$220	
29"/61"/81"	EP3TP296181	\$230	\$240	\$250	
29"/64"/81"	EP3TP296481	\$230	\$240	\$250	
36"/41"/49"	EP3TP364149	\$195	\$205	\$215	
36"/41"/54"	EP3TP364154	\$195	\$205	\$215	
36"/41"/61"	EP3TP364161	\$200	\$210	\$220	
36"/41"/64"	EP3TP364164	\$200	\$210	\$220	
36"/41"/81"	EP3TP364181	\$230	\$240	\$250	
36"/49"/54"	EP3TP364954	\$195	\$205	\$215	
36"/49"/61"	EP3TP364961	\$200	\$210	\$220	
36"/49"/64"	EP3TP364964	\$200	\$210	\$220	
36"/49"/81"	EP3TP364981	\$230	\$240	\$250	
36"/54"/61"	EP3TP365461	\$200	\$210	\$220	
36"/54"/64"	EP3TP365464	\$200	\$210	\$220	
36"/54"/81"	EP3TP365481	\$230	\$240	\$250	
36"/61"/64"	EP3TP366164	\$200	\$210	\$220	
36"/61"/81"	EP3TP366181	\$230	\$240	\$250	
36"/64"/81"	EP3TP366481	\$230	\$240	\$250	
41"/49"/54"	EP3TP414954	\$195	\$205	\$215	
41"/49"/61"	EP3TP414961	\$200	\$210	\$220	
41"/49"/64"	EP3TP414964	\$200	\$210	\$220	

Specify

1. Model # 2. Paint

Application Notes

Bottom glides on post allow for up to 1 $\frac{1}{2}$ of vertical adjustment.

Specify one multi-height panel connector (EP3PCMF) for each low panel when using either a dual or triple height post in a multi-height connection.

Dual Height Posts

Used where 2 monolithic panels of 2 different heights intersect.

Triple Height Posts

Used where 3 monolithic panels of 3 different heights intersect.

Assembly

Included • Muti-height post

Ordered Separately

Panel connectors

Metal shrouds

Connectors/Shrouds

7
تھ
D
<u>@</u> _
5

			•••••••••••	•••••
iriple Heig	jht		PAINT	
H	MODEL #	P1	P2	P3
41"/49"/81"	EP3TP414981	\$230	\$240	\$250
41"/54"/61"	EP3TP415461	\$200	\$210	\$220
41"/54"/64"	EP3TP415464	\$200	\$210	\$220
41"/54"/81"	EP3TP415481	\$230	\$240	\$250
41"/61"/64"	EP3TP416164	\$200	\$210	\$220
41"/61"/81"	EP3TP416181	\$230	\$240	\$250
41"/64"/81"	EP3TP416481	\$230	\$240	\$250
49"/54"/61"	EP3TP495461	\$200	\$210	\$220
49"/54"/64"	EP3TP495464	\$200	\$210	\$220
49"/54"/81"	EP3TP495481	\$230	\$240	\$250
49"/61"/64"	EP3TP496164	\$200	\$210	\$220
49"/61"/81"	EP3TP496181	\$230	\$240	\$250
49"/64"/81"	EP3TP496481	\$230	\$240	\$250
54"/61"/64"	EP3TP546164	\$200	\$210	\$220
54"/61"/81"	EP3TP546181	\$230	\$240	\$250
54"/64"/81"	EP3TP546481	\$230	\$240	\$250
61"/64"/81"	EP3TP616481	\$230	\$240	\$250

		· · · · · · · · · · · · · · · · · · ·	.	
Connectors			PAINT	
DESCRIPTION	MODEL #	P1	P2	P3
Straight	EP(3/N)PCS	\$37	\$40	\$43
2-way L	EP(3/N)PCL	\$37	\$40	\$43
2-way 120	EP3PC120	\$37	\$40	\$43
2-way adjustable angle	EPNPCA	\$47	\$50	\$53
3-way T	EP(3/N)PCT	\$47	\$50	\$53
3-way Y 120	EP(3/N)PCY	\$47	\$50	\$53
4-way X	EP(3/N)PCX	\$47	\$50	\$53
End with post	EP(3/N)PCEP	\$37	\$40	\$43
Multi-height filler	EP(3/N)PCMF	\$37	\$40	\$43
Trim filler	EPNCTF	\$37	\$40	\$43

Straight

2-way

4-way X



3-way T

End with post





2-way L

Multi-height filler



		······	••••••	
Metal Shrouds			PAINT	
DESCRIPTION	MODEL #	P1	P2	P3
Straight	EP3SS	\$27	\$30	\$34
L outside	EP3SL	\$37	\$40	\$44
120 outside	EP3SO120	\$37	\$40	\$44
120 inside	EP3SI120	\$37	\$40	\$44
End w/post	EP3SEP	\$47	\$50	\$54

Straight

120 outside

L outside


120 inside End w/post



Top Cap Styles

Model #
 Paint





COMPONENTS

Equity stack-on panels provide the flexibility to increase the overall height of any standard Equity panel.

The stack-on panel is available in all standard Equity widths and a variety of heights in both slotted and slotless versions.

STACK-ON PANELS W/ SLOTS

Stack-on panels with slots provide the capability to hang standard Equity components such as shelves and overheads as long as the weight load does not exceed 3lbs. per linear inch.

STACK-ON PANELS W/O SLOTS

Stack-on panels without slots do not allow for hanging components, but do provide a cleaner aesthetic when specifying window applications.

Up to two (2) load bearing stackon panels may be stacked on top of a standard Equity panel as long as the total height above the base panels is no taller than 40" and neither individual stackon panel is taller than 20".

Stack-on panel width must match the width of the panel it is stacking on.

Stack-on panel connectors must be used between adjacent stack-on panels.


STACK-ON PANEL CONNECTORS

STANDARD STACK-ON POST

Standard stack-on post bottom uses a conical shaped bolt that connects it to the full height post directly beneath it. Panel connectors for the top of the stack-on post must be ordered separately to match the geometry of the stack-on panels.

EXTENDED STACK-ON POST


Extended stack-on post bottom uses a double-threaded round connector to attach to the full-height post directly beneath it. Multi-height panel connectors (EPNPCMF) must be used on either side of this connector to provide a smooth transition for full-height post covers. Standard panel connectors are used along the top of the stack-on panels.




SPECIFYING STACK-ON CONFIGURATIONS

All connectors between the base panel and Stack-on Panel MUST have flat (N) profile.

Stack-On Panels




Stack-On Configurations Using Standard Stack-on Posts




Level 1


Level 1



Stack-On Configurations Using Standard Stack-on Posts




Fabric with Slots



40

		:	•••••	•••••	••••••	••••••••••	••••••	••••••		••••••••••	
12"	H				FABR	IC				PAIN	т
W	MODEL #	A	В	C	D	E	F	G	H	P2	P3
12"	EP1SF1212	\$400	\$420	\$450	\$490	\$530	\$575	\$625	\$680	+ \$20	+ \$40
18"	EP1SF1812	\$420	\$440	\$470	\$510	\$550	\$595	\$645	\$700	+ \$20	+ \$40
24"	EP1SF2412	\$440	\$460	\$490	\$530	\$570	\$615	\$665	\$720	+ \$20	+ \$40
30"	EP1SF3012	\$460	\$480	\$510	\$550	\$590	\$635	\$685	\$740	+ \$20	+ \$40
36"	EP1SF3612	\$480	\$510	\$550	\$600	\$670	\$750	\$840	\$950	+ \$20	+ \$40
42"	EP1SF4212	\$500	\$530	\$570	\$620	\$690	\$770	\$860	\$970	+ \$20	+ \$40
48"	EP1SF4812	\$520	\$550	\$590	\$640	\$710	\$790	\$880	\$990	+ \$20	+ \$40
60"	EP1SF6012	\$540	\$570	\$610	\$660	\$730	\$810	\$900	\$1,010	+ \$20	+ \$40
13"	H										
12"	EP1SF1213	\$420	\$440	\$470	\$510	\$550	\$595	\$645	\$700	+ \$20	+ \$40
18"	EP1SF1813	\$440	\$460	\$490	\$530	\$570	\$615	\$665	\$720	+ \$20	+ \$40
24"	EP1SF2413	\$460	\$480	\$510	\$550	\$590	\$635	\$685	\$740	+ \$20	+ \$40
30"	EP1SF3013	\$480	\$520	\$570	\$630	\$700	\$790	\$890	\$1,010	+ \$20	+ \$40
36"	EP1SF3613	\$500	\$540	\$590	\$650	\$720	\$810	\$910	\$1,030	+ \$20	+ \$40
42"	EP1SF4213	\$520	\$560	\$610	\$670	\$740	\$830	\$930	\$1,050	+ \$20	+ \$40
48"	EP1SF4813	\$540	\$580	\$630	\$690	\$760	\$850	\$950	\$1,070	+ \$20	+ \$40
60"	EP1SF6013	\$560	\$600	\$650	\$710	\$780	\$870	\$970	\$1,090	+ \$20	+ \$40
		•									
15"	н										
12"	EP1SF1215	\$440	\$460	\$490	\$530	\$575	\$625	\$680	\$740	+ \$20	+ \$40
18"	EP1SF1815	\$460	\$480	\$510	\$550	\$595	\$645	\$700	\$760	+ \$20	+ \$40
24"	EP1SF2415	\$480	\$500	\$530	\$570	\$615	\$665	\$700	\$780	+ \$20	+ \$40
30"	EP1SF3015	\$500	\$540	\$590	\$650	\$720	\$820	\$930	\$1,050	+ \$20	+ \$40
36"	EP1SF3615	\$500	\$560	\$590	\$670	\$740	\$840	\$950	\$1,070	+ \$20	+ \$40
42"	EP1SF4215	\$540	\$580	\$630	\$690	\$760	\$860	\$970	\$1,090	+ \$20	+ \$40
48"	EP1SF4815	\$560	\$600	\$650	\$710	\$780	\$880	\$990	\$1,110	+ \$20	+ \$40
60"	EP1SF6015	\$580	\$620	\$670	\$730	\$800	\$900	\$1,010	\$1,130	+ \$20	+ \$40
00	1.1.910015	: ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	2020	2070	2750	2000	4,700	91,010	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	1 720	1,240




Pricing is for P1 paint colors. Add the appropriate upcharge if using P2 or P3 trim.

Stack-on Panels

Fabric with Slots

Panels




17"	H				FABR	IC				PAIN	т
W	MODEL #	A	В	c	D	E	F	G	н	P2	P3
12"	EP1SF1217	\$460	\$490	\$530	\$575	\$625	\$680	\$740	\$805	+ \$20	+ \$40
18"	EP1SF1817	\$480	\$510	\$550	\$595	\$645	\$700	\$760	\$825	+ \$20	+ \$40
24"	EP1SF2417	\$500	\$530	\$570	\$615	\$665	\$720	\$780	\$845	+ \$20	+ \$40
30"	EP1SF3017	\$520	\$570	\$630	\$700	\$790	\$900	\$1,020	\$1,150	+ \$20	+ \$40
36"	EP1SF3617	\$540	\$590	\$650	\$720	\$810	\$920	\$1,040	\$1,170	+ \$20	+ \$40
42"	EP1SF4217	\$560	\$610	\$670	\$740	\$830	\$940	\$1,060	\$1,190	+ \$20	+ \$40
48"	EP1SF4817	\$580	\$630	\$690	\$760	\$850	\$960	\$1,080	\$1,210	+ \$20	+ \$40
60"	EP1SF6017	\$600	\$650	\$710	\$780	\$870	\$980	\$1,100	\$1,230	+ \$20	+ \$40
20" H											
12"	EP1SF1220	\$480	\$510	\$550	\$595	\$645	\$700	\$760	\$830	+ \$20	+ \$40
18"	EP1SF1820	\$500	\$530	\$570	\$615	\$665	\$720	\$780	\$850	+ \$20	+ \$40
24"	EP1SF2420	\$520	\$550	\$590	\$635	\$685	\$740	\$800	\$870	+ \$20	+ \$40

24"	EP1SF2420	\$520	\$550	\$590	\$635	\$685	\$740	\$800	\$870	+ \$20	+ \$40
30"	EP1SF3020	\$540	\$590	\$650	\$720	\$820	\$950	\$1,090	\$1,240	+ \$20	+ \$40
36"	EP1SF3620	\$560	\$610	\$670	\$740	\$840	\$970	\$1,110	\$1,260	+ \$20	+ \$40
42"	EP1SF4220	\$580	\$630	\$690	\$760	\$860	\$990	\$1,130	\$1,280	+ \$20	+ \$40
48"	EP1SF4820	\$610	\$660	\$720	\$790	\$890	\$1,020	\$1,160	\$1,310	+ \$20	+ \$40
60"	EP1SF6020	\$630	\$680	\$740	\$810	\$910	\$1,040	\$1,180	\$1,330	+ \$20	+ \$40

	Insert Type	W H
EP1S Stack-on Panel	F Fabric	36 20
EP1S	F	36 20
	ii	

Fabric without Slots



12"	H				FABR	IC	•			PAIN	т
W	MODEL #	A	В	c	D	E	F	G	Н	P2	P3
12"	EP1SF1212N	\$400	\$420	\$450	\$490	\$530	\$575	\$625	\$680	+ \$20	+ \$40
18"	EP1SF1812N	\$420	\$440	\$470	\$510	\$550	\$595	\$645	\$700	+ \$20	+ \$40
24"	EP1SF2412N	\$440	\$460	\$490	\$530	\$570	\$615	\$665	\$720	+ \$20	+ \$40
30"	EP1SF3012N	\$460	\$480	\$510	\$550	\$590	\$635	\$685	\$740	+ \$20	+ \$40
36"	EP1SF3612N	\$480	\$510	\$550	\$600	\$670	\$750	\$840	\$950	+ \$20	+ \$40
42"	EP 1 SF 4212 N	\$500	\$530	\$570	\$620	\$690	\$770	\$860	\$970	+ \$20	+ \$40
48"	EP 1 SF 4812 N	\$520	\$550	\$590	\$640	\$710	\$790	\$880	\$990	+ \$20	+ \$40
60"	EP1SF6012N	\$540	\$570	\$610	\$660	\$730	\$810	\$900	\$1,010	+ \$20	+ \$40
13"	н										
12"	EP1SF1213N	\$420	\$440	\$470	\$510	\$550	\$595	\$645	\$700	+ \$20	+ \$40
18"	EP1SF1813N	\$440	\$460	\$490	\$530	\$570	\$615	\$665	\$720	+ \$20	+ \$40
24"	EP1SF2413N	\$460	\$480	\$510	\$550	\$590	\$635	\$685	\$740	+ \$20	+ \$40
30"	EP1SF3013N	\$480	\$520	\$570	\$630	\$700	\$790	\$890	\$1,010	+ \$20	+ \$40
36"	EP1SF3613N	\$500	\$540	\$590	\$650	\$720	\$810	\$910	\$1,030	+ \$20	+ \$40
42"	EP1SF4213N	\$520	\$560	\$610	\$670	\$740	\$830	\$930	\$1,050	+ \$20	+ \$40
48"	EP1SF4813N	\$540	\$580	\$630	\$690	\$760	\$850	\$950	\$1,070	+ \$20	+ \$40
15"					4520	4575		****		400	
12"	EP1SF1215N	\$440	\$460	\$490	\$530	\$575	\$625	\$680	\$740	+ \$20	+ \$40
18"	EP1SF1815N	\$460	\$480	\$510	\$550	\$595	\$645	\$700	\$760	+ \$20	+ \$40
24" 30"	EP1SF2415N EP1SF3015N	\$480	\$500	\$530	\$570	\$615	\$665	\$720 \$930	\$780	+ \$20	+ \$40
30 36"	EP15F3015N EP15F3615N	\$500 \$520	\$540 \$560	\$590 \$610	\$650 \$670	\$720 \$740	\$820 \$840	\$930	\$1,050 \$1,070	+ \$20 + \$20	+ \$40 + \$40
42"	EP13F3615N EP1SF4215N	\$520	\$580	\$630	\$690	\$740 \$760	\$860	\$950	\$1,090		
42	EP15F4215N EP1SF4815N	\$560	\$600	\$650	\$710	\$780	\$880	\$970	\$1,090	+ \$20 + \$20	+ \$40 + \$40
40 60"	EP1SF6015N	\$580	\$620	\$670	\$730	\$800	\$900	\$990	\$1,130	+ \$20	+ \$40
00	LETSTOOTSN	÷ 300	3020	2070	2730	2000	3900	\$1,010	\$1,150	T 320	+ ↓ +0
17"	н	1									
12"	EP1SF1217N	\$460	\$490	\$530	\$575	\$625	\$680	\$740	\$805	+ \$20	+ \$40
18"	EP1SF1817N	\$480	\$510	\$550	\$595	\$645	\$700	\$760	\$825	+ \$20	+ \$40
24"	EP1SF2417N	\$500	\$530	\$570	\$615	\$665	\$720	\$780	\$845	+ \$20	+ \$40
30"	EP1SF3017N	\$520	\$570	\$630	\$700	\$790	\$900	\$1,020	\$1,150	+ \$20	+ \$40
36"	EP1SF3617N	\$540	\$590	\$650	\$720	\$810	\$920	\$1,040	\$1,170	+ \$20	+ \$40
42"	EP1SF4217N	\$560	\$610	\$670	\$740	\$830	\$940	\$1,060	\$1,190	+ \$20	+ \$40
48"	EP1SF4817N	\$580	\$630	\$690	\$760	\$850	\$960	\$1,080	\$1,210	+ \$20	+ \$40
60"	EP1SF6017N	\$600	\$650	\$710	\$780	\$870	\$980	\$1,100	\$1,230	+ \$20	+ \$40

Specify

1. Model #

- 2. Fabric
- 3. Paint

Included

Assembly

Stack-on panel
Flat (N) top cap attached to the bottom of stack-on panel

Not Included

- Top cap
- (use top cap from base panel)


Top Cap Styles

Ordered Separately


Stack-on posts

Panel connectors





Stack-on Panels Fabric without Slots



20"	H				FABR	IC				PAINT	
W	MODEL #	A	В	C	D	E	F	G	н	P2	P3
12"	EP1SF1220N	\$480	\$510	\$550	\$595	\$645	\$700	\$760	\$830	+ \$20	+ \$40
18"	EP1SF1820N	\$500	\$530	\$570	\$615	\$665	\$720	\$780	\$850	+ \$20	+ \$40
24"	EP1SF2420N	\$520	\$550	\$590	\$635	\$685	\$740	\$800	\$870	+ \$20	+ \$40
30"	EP1SF3020N	\$540	\$590	\$650	\$720	\$820	\$950	\$1,090	\$1,240	+ \$20	+ \$40
36"	EP1SF3620N	\$560	\$610	\$670	\$740	\$840	\$970	\$1,110	\$1,260	+ \$20	+ \$40
42"	EP 1 SF 4220 N	\$580	\$630	\$690	\$760	\$860	\$990	\$1,130	\$1,280	+ \$20	+ \$40
48"	EP 1 SF 4820 N	\$610	\$660	\$720	\$790	\$890	\$1,020	\$1,160	\$1,310	+ \$20	+ \$40
60"	EP1SF6020N	\$630	\$680	\$740	\$810	\$910	\$1,040	\$1,180	\$1,330	+ \$20	+ \$40

25" H

12"	EP1SF1225N	\$500	\$530	\$570	\$615	\$675	\$745	\$825	\$915	+ \$20	+ \$40
18"	EP1SF1825N	\$520	\$550	\$590	\$635	\$695	\$765	\$845	\$935	+ \$20	+ \$40
24"	EP1SF2425N	\$540	\$570	\$610	\$655	\$715	\$785	\$865	\$955	+ \$20	+ \$40
30"	EP1SF3025N	\$560	\$610	\$670	\$750	\$880	\$1,030	\$1,190	\$1,360	+ \$20	+ \$40
36"	EP1SF3625N	\$580	\$630	\$690	\$770	\$900	\$1,050	\$1,210	\$1,380	+ \$20	+ \$40
42"	EP 1 SF 4225 N	\$600	\$650	\$710	\$790	\$920	\$1,070	\$1,230	\$1,400	+ \$20	+ \$40
48"	EP 1 SF 4825 N	\$630	\$680	\$740	\$820	\$950	\$1,100	\$1,260	\$1,430	+ \$20	+ \$40
60"	EP1SF6025N	\$670	\$720	\$780	\$860	\$990	\$1,140	\$1,300	\$1,470	+ \$20	+ \$40

32" H


12"	EP1SF1232N	\$520	\$550	\$590	\$635	\$695	\$785	\$885	\$995	+ \$20	+ \$40
18"	EP1SF1832N	\$540	\$570	\$610	\$655	\$715	\$805	\$905	\$1,015	+ \$20	+ \$40
24"	EP1SF2432N	\$560	\$590	\$630	\$675	\$735	\$825	\$925	\$1,035	+ \$20	+ \$40
30"	EP1SF3032N	\$580	\$630	\$690	\$780	\$930	\$1,100	\$1,290	\$1,510	+ \$20	+ \$40
36"	EP 1 SF 3632 N	\$600	\$650	\$710	\$800	\$950	\$1,120	\$1,310	\$1,530	+ \$20	+ \$40
42"	EP 1 SF 4232 N	\$620	\$670	\$730	\$820	\$970	\$1,140	\$1,330	\$1,550	+ \$20	+ \$40
48"	EP 1 SF 4832 N	\$650	\$700	\$760	\$850	\$1,000	\$1,170	\$1,360	\$1,580	+ \$20	+ \$40
60"	EP1SF6032N	\$680	\$730	\$790	\$880	\$1,030	\$1,200	\$1,390	\$1,610	+ \$20	+ \$40

37" H

	••										
12"	EP1SF1237N	\$540	\$580	\$630	\$690	\$770	\$860	\$960	\$1,070	+ \$20	+ \$40
18"	EP1SF1837N	\$560	\$600	\$650	\$710	\$790	\$880	\$980	\$1,090	+ \$20	+ \$40
24"	EP1SF2437N	\$580	\$620	\$670	\$730	\$810	\$900	\$1,000	\$1,110	+ \$20	+ \$40
30"	EP1SF3037N	\$600	\$670	\$750	\$840	\$1,000	\$1,170	\$1,370	\$1,620	+ \$20	+ \$40
36"	EP1SF3637N	\$620	\$690	\$770	\$860	\$1,020	\$1,190	\$1,390	\$1,640	+ \$20	+ \$40
42"	EP1SF4237N	\$640	\$710	\$790	\$880	\$1,040	\$1,210	\$1,410	\$1,660	+ \$20	+ \$40
48"	EP1SF4837N	\$670	\$740	\$820	\$910	\$1,070	\$1,240	\$1,440	\$1,690	+ \$20	+ \$40
60"	EP1SF6037N	\$700	\$770	\$850	\$940	\$1,100	\$1,270	\$1,470	\$1,720	+ \$20	+ \$40

	Insert Type	w	н	Slots
EP1S Stack-on panel	F Fabric	36	37	N Without slots
EP1S	F	36	37	Ν

Insert with Slots



18" EP2S()1812 \$957 \$737 \$667 \$697 \$767 \$836 - 24" EP2S()2412 \$1,002 \$782 \$697 \$732 \$805 \$878 - 30" EP2S()3012 \$1,052 \$812 \$717 \$752 \$827 \$902 - 36" EP2S()3612 \$1,107 \$847 \$737 \$777 \$855 \$932 - 42" EP2S()4212 \$1,157 \$877 \$757 \$797 \$877 \$956 - 48" EP2S()4812 \$1,197 \$917 \$777 \$827 \$910 \$992 - 60" EP2S()6012 \$1,327 \$977 \$797 \$877 \$965 \$1,052 - 13" H \$1,327 \$977 \$797 \$877 \$965 \$1,052 -	+ \$20 + \$4	÷	12	LAMINATE INSERT					12" H	
18" EP2S()1812 \$957 \$737 \$667 \$697 \$767 \$836 - 24" EP2S()2412 \$1,002 \$782 \$697 \$732 \$805 \$878 - 30" EP2S()3012 \$1,052 \$812 \$717 \$752 \$827 \$902 - 36" EP2S()3612 \$1,107 \$847 \$737 \$777 \$855 \$932 - 42" EP2S()4212 \$1,157 \$877 \$757 \$797 \$877 \$956 - 48" EP2S()4812 \$1,197 \$917 \$777 \$827 \$910 \$992 - 60" EP2S()6012 \$1,327 \$977 \$797 \$877 \$965 \$1,052 - 13" H \$1,327 \$977 \$797 \$877 \$965 \$1,052 -	+ \$20 + \$4 + \$20 + \$4	+ \$20	13	L2	L1	PG	GL	DG	MODEL #	W
24" EP2S()2412 \$1,002 \$782 \$697 \$732 \$805 \$878 - 30" EP2S()3012 \$1,052 \$812 \$717 \$752 \$827 \$902 - 36" EP2S()3612 \$1,107 \$847 \$737 \$777 \$855 \$932 - 42" EP2S()4212 \$1,157 \$877 \$757 \$797 \$877 \$956 - 48" EP2S()4812 \$1,197 \$917 \$777 \$827 \$910 \$992 - 60" EP2S()6012 \$1,327 \$977 \$797 \$877 \$965 \$1,052 - 13" H \$797 \$877 \$965 \$1,052 -	+ \$20 + \$4		\$812	\$745	\$677	\$647	\$707	\$927	EP2S()1212	12"
30" EP2S()3012 \$1,052 \$812 \$717 \$752 \$827 \$902 - 36" EP2S()3612 \$1,107 \$847 \$737 \$777 \$855 \$932 - 42" EP2S()4212 \$1,157 \$877 \$757 \$797 \$877 \$956 - 48" EP2S()4812 \$1,197 \$917 \$777 \$827 \$910 \$992 - 60" EP2S()6012 \$1,327 \$977 \$797 \$877 \$965 \$1,052 - 13" H		+ \$20	\$836	\$767	\$697	\$667	\$737	\$957	EP2S()1812	18"
36" EP2S()3612 \$1,107 \$847 \$737 \$777 \$855 \$932 - 42" EP2S()4212 \$1,157 \$877 \$757 \$797 \$877 \$956 - 48" EP2S()4812 \$1,197 \$917 \$777 \$827 \$910 \$992 - 60" EP2S()6012 \$1,327 \$977 \$797 \$877 \$965 \$1,052 - 13" H	± \$20 ± \$	+ \$20	\$878	\$805	\$732	\$697	\$782	\$1,002	EP2S()2412	24"
42" EP2S()4212 \$1,157 \$877 \$757 \$797 \$877 \$956 - 48" EP2S()4812 \$1,197 \$917 \$777 \$827 \$910 \$992 - 60" EP2S()6012 \$1,327 \$977 \$797 \$877 \$965 \$1,052 - 13" H	- ,20 ÷ ,	+ \$20	\$902	\$827	\$752	\$717	\$812	\$1,052	EP2S()3012	30"
48" EP2S()4812 \$1,197 \$917 \$777 \$827 \$910 \$992 - 60" EP2S()6012 \$1,327 \$977 \$797 \$877 \$965 \$1,052 - 13" H - - - - - - -	+ \$20 + \$4	+ \$20	\$932	\$855	\$777	\$737	\$847	\$1,107	EP2S()3612	36"
60" EP2S()6012 \$1,327 \$977 \$797 \$877 \$965 \$1,052 -	+ \$20 + \$4	+ \$20	\$956	\$877	\$797	\$757	\$877	\$1,157	EP2S()4212	42"
<u>13" H</u>	+ \$20 + \$4	+ \$20	\$992	\$910	\$827	\$777	\$917	\$1,197	EP2S()4812	48"
	+ \$20 + \$4	+ \$20	\$1,052	\$965	\$877	\$797	\$977	\$1,327	EP2S()6012	60"
12" EP2S()1213 \$967 \$747 \$687 \$717 \$789 \$860 -										13" H
	+ \$20 + \$4	+ \$20	\$860	\$789	\$717	\$687	\$747	\$967	EP2S()1213	12"
18" EP25()1813 \$997 \$777 \$707 \$737 \$811 \$884	+ \$20 + \$4	+ \$20	\$884	\$811	\$737	\$707	\$777	\$997	EP2S()1813	18"
24" EP2S()2413 \$1,052 \$812 \$727 \$762 \$838 \$914 -	+ \$20 + \$4	+ \$20	\$914	\$838	\$762	\$727	\$812	\$1,052	EP2S()2413	24"
30" EP2S()3013 \$1,102 \$842 \$747 \$782 \$860 \$938 -	+ \$20 + \$4	+ \$20	\$938	\$860	\$782	\$747	\$842	\$1,102	EP2S()3013	30"
36" EP2S()3613 \$1,157 \$877 \$767 \$807 \$888 \$968 -	+ \$20 + \$4	+ \$20	\$968	\$888	\$807	\$767	\$877	\$1,157	EP2S()3613	36"
42" EP2S()4213 \$1,207 \$907 \$787 \$827 \$910 \$992 -	+ \$20 + \$4	+ \$20	\$992	\$910	\$827	\$787	\$907	\$1,207	EP2S()4213	42"
48" EP2S()4813 \$1,287 \$947 \$807 \$857 \$943 \$1,028 -	+ \$20 + \$4	+ \$20	\$1,028	\$943	\$857	\$807	\$947	\$1,287	EP2S()4813	48"
60" EP2S()6013 \$1,397 \$997 \$817 \$897 \$987 \$1,076 -	+ \$20 + \$4	+ \$20	\$1,076	\$987	\$897	\$817	\$997	\$1,397	EP2S()6013	60"
15"		÷				,				_
	+ \$20 + \$4	÷								
	+ \$20 + \$4	+ \$20	\$908	\$833	\$757	\$727	\$797	\$1,017	EP2S()1815	
	+ \$20 + \$4	+ \$20	\$938	\$860	\$782	\$747	\$832	\$1,072	EP2S()2415	
		+ \$20		\$882	\$802		\$862	\$1,122		
36" EP2S()3615 \$1,177 \$897 \$787 \$827 \$910 \$992 -	+ \$20 + \$4	+ \$20	\$992	\$910	\$827	\$787	\$897	\$1,177	EP2S()3615	36"
	+ \$20 + \$4	+ \$20	\$1,016	\$932	\$847	\$807	\$927	\$1,227		
48" EP2S()4815 \$1,297 \$957 \$817 \$867 \$954 \$1,040 -	400 ÷	+ \$20	\$1,040	\$954	\$867	\$817	\$957	\$1,297	EP2S()4815	48"
60" EP2S()6015 \$1,417 \$1,017 \$837 \$917 \$1,009 \$1,100 -	+ \$20 + \$4		\$1 100	\$1,009	\$917	\$837	\$1.017	\$1,417	EP2S()6015	60"

	-	-14	
- 3	pe	cII	v
_	r -		

- 1. Model #
- 2. Insert type
- 3. Insert color
- 4. Paint

Plexiglass Finishes

- **CL** . . Clear **IC** . . . lce
- SM. . Smoked TR . . Translucent

Glass Finishes

- CL . . Clear
- GR . . Grey
- SM. . Smoked
- TR ... Translucent

Assembly Included

Stack-on panel
Flat (N) top cap attached to the bottom of stack-on panel

Not Included

• Top cap (use top cap from base panel)


Ordered Separately

- Stack-on posts
- Panel connectors

Stack-on Panels

Insert with Slots

Panels



60"

EP2S()6020

		ł	••••••••••••••••		•••••••	••••••	•••••	•••••••	
17" H		G	LASS INSERT		LAN	AINATE INSE	RT	PAII	NT
W	MODEL #	DG	GL	PG	L1	L2	L3	P2	P3
12"	EP2S()1217	\$1,007	\$787	\$727	\$747	\$822	\$896	+ \$20	+ \$40
18"	EP2S()1817	\$1,057	\$817	\$747	\$777	\$855	\$932	+ \$20	+ \$40
24"	EP2S()2417	\$1,112	\$852	\$767	\$802	\$882	\$962	+ \$20	+ \$40
30"	EP2S()3017	\$1,162	\$882	\$787	\$822	\$904	\$986	+ \$20	+ \$40
36"	EP2S()3617	\$1,217	\$917	\$807	\$847	\$932	\$1,016	+ \$20	+ \$40
42"	EP2S()4217	\$1,277	\$937	\$817	\$857	\$943	\$1,028	+ \$20	+ \$40
48"	EP2S()4817	\$1,357	\$977	\$837	\$887	\$976	\$1,064	+ \$20	+ \$40
60"	EP2S()6017	\$1,477	\$1,037	\$857	\$937	\$1,031	\$1,124	+ \$20	+ \$40
<u>20" H</u>									
12"	EP2S()1220	\$1,067	\$807	\$747	\$777	\$855	\$932	+ \$20	+ \$40
18"	EP2S()1820	\$1,097	\$837	\$767	\$797	\$877	\$956	+ \$20	+ \$40
24"	EP2S()2420	\$1,152	\$872	\$787	\$822	\$904	\$986	+ \$20	+ \$40
30"	EP2S()3020	\$1,182	\$902	\$807	\$842	\$926	\$1,010	+ \$20	+ \$40
36"	EP2S()3620	\$1,267	\$927	\$817	\$857	\$943	\$1,028	+ \$20	+ \$40
42"	EP2S()4220	\$1,337	\$957	\$837	\$877	\$965	\$1,052	+ \$20	+ \$40
48"	EP2S()4820	\$1,417	\$997	\$857	\$907	\$998	\$1,088	+ \$20	+ \$40


\$1,537 \$1,057

\$877


\$957

\$1,053 \$1,148 + \$20

+ \$40



Insert without Slots



2" H		(GLASS INSERT		LA	MINATE INSE	RT	PAINT		
w	MODEL #	DG	GL	PG	L1	L2	L3	P2	P3	
12"	EP2S()1212N	\$927	\$707	\$647	\$677	\$745	\$812	+ \$20	+ \$40	
18"	EP2S()1812N	\$957	\$737	\$667	\$697	\$767	\$836	+ \$20	+ \$40	
24"	EP2S()2412N	\$1,002	\$782	\$697	\$732	\$805	\$878	+ \$20	+ \$40	
30"	EP2S()3012N	\$1,052	\$812	\$717	\$752	\$827	\$902	+ \$20	+ \$40	
36"	EP2S()3612N	\$1,107	\$847	\$737	\$777	\$855	\$932	+ \$20	+ \$40	
42"	EP2S()4212N	\$1,157	\$877	\$757	\$797	\$877	\$956	+ \$20	+ \$4	
48"	EP2S()4812N	\$1,197	\$917	\$777	\$827	\$910	\$992	+ \$20	+ \$4	
60"	EP2S()6012N	\$1,327	\$977	\$797	\$877	\$965	\$1,052	+ \$20	+ \$4	
13" H										
12"	EP2S()1213N	\$967	\$747	\$687	\$717	\$789	\$860	+ \$20	+ \$4	
18"	EP2S()1813N	\$997	\$777	\$707	\$737	\$811	\$884	+ \$20	+ \$4	
24"	EP2S()2413N	\$1,052	\$812	\$727	\$762	\$838	\$914	+ \$20	+ \$4	
30"	EP2S()3013N	\$1,102	\$842	\$747	\$782	\$860	\$938	+ \$20	+ \$4	
36"	EP2S()3613N	\$1,157	\$877	\$767	\$807	\$888	\$968	+ \$20	+ \$4	
42"	EP2S()4213N	\$1,207	\$907	\$787	\$827	\$910	\$992	+ \$20	+ \$4	
48"	EP2S()4813N	\$1,287	\$947	\$807	\$857	\$943	\$1,028	+ \$20	+ \$4	
60"	EP2S()6013N	\$1,397	\$997	\$817	\$897	\$987	\$1,076	+ \$20	+ \$4	
1 5" H	EP2S()1215N	\$987	\$767	\$707	\$737	\$811	\$884	+ \$20	+ \$4	
	EP2S()1215N EP2S()1815N	\$987 \$1,017	\$767 \$797	\$707 \$727	\$737 \$757	\$811 \$833	\$884 \$908	+ \$20 + \$20	+ \$4 + \$4	
12"									+ \$4	
12" 18"	EP2S()1815N	\$1,017	\$797	\$727	\$757	\$833	\$908	+ \$20	+ \$4 + \$4	
12" 18" 24"	EP2S()1815N EP2S()2415N	\$1,017 \$1,072	\$797 \$832	\$727 \$747	\$757 \$782	\$833 \$860	\$908 \$938	+ \$20 + \$20	+ \$4 + \$4 + \$4	
12" 18" 24" 30"	EP2S()1815N EP2S()2415N EP2S()3015N	\$1,017 \$1,072 \$1,122	\$797 \$832 \$862	\$727 \$747 \$767	\$757 \$782 \$802	\$833 \$860 \$882	\$908 \$938 \$962	+ \$20 + \$20 + \$20	+ \$4 + \$4 + \$4 + \$4	
12" 18" 24" 30" 36"	EP2S()1815N EP2S()2415N EP2S()3015N EP2S()3615N	\$1,017 \$1,072 \$1,122 \$1,177	\$797 \$832 \$862 \$897	\$727 \$747 \$767 \$787	\$757 \$782 \$802 \$827	\$833 \$860 \$882 \$910	\$908 \$938 \$962 \$992	+ \$20 + \$20 + \$20 + \$20	+ \$4 + \$4 + \$4 + \$4 + \$4 + \$4	
12" 18" 24" 30" 36" 42"	EP2S()1815N EP2S()2415N EP2S()3015N EP2S()3615N EP2S()4215N	\$1,017 \$1,072 \$1,122 \$1,177 \$1,227	\$797 \$832 \$862 \$897 \$927	\$727 \$747 \$767 \$787 \$807	\$757 \$782 \$802 \$827 \$847	\$833 \$860 \$882 \$910 \$932	\$908 \$938 \$962 \$992 \$1,016	+ \$20 + \$20 + \$20 + \$20 + \$20		
12" 18" 24" 30" 36" 42" 48"	EP2S()1815N EP2S()2415N EP2S()3015N EP2S()3615N EP2S()4215N EP2S()4815N	\$1,017 \$1,072 \$1,122 \$1,177 \$1,227 \$1,297	\$797 \$832 \$862 \$897 \$927 \$957	\$727 \$747 \$767 \$787 \$807 \$817	\$757 \$782 \$802 \$827 \$847 \$867	\$833 \$860 \$882 \$910 \$932 \$954	\$908 \$938 \$962 \$992 \$1,016 \$1,040	+ \$20 + \$20 + \$20 + \$20 + \$20 + \$20 + \$20	+ \$4 + \$4 + \$4 + \$4 + \$4 + \$4 + \$4	
12" 18" 24" 30" 36" 42" 48" 60"	EP2S()1815N EP2S()2415N EP2S()3015N EP2S()3615N EP2S()4215N EP2S()4815N	\$1,017 \$1,072 \$1,122 \$1,177 \$1,227 \$1,297	\$797 \$832 \$862 \$897 \$927 \$957	\$727 \$747 \$767 \$787 \$807 \$817	\$757 \$782 \$802 \$827 \$847 \$867 \$917	\$833 \$860 \$882 \$910 \$932 \$954	\$908 \$938 \$962 \$992 \$1,016 \$1,040	+ \$20 + \$20 + \$20 + \$20 + \$20 + \$20 + \$20	+ \$4 + \$4 + \$4 + \$4 + \$4 + \$4	
12" 18" 24" 30" 36" 42" 48" 60" 7" H	EP2S()1815N EP2S()2415N EP2S()3015N EP2S()3615N EP2S()4215N EP2S()4815N EP2S()6015N	\$1,017 \$1,072 \$1,122 \$1,177 \$1,227 \$1,297 \$1,417	\$797 \$832 \$862 \$897 \$927 \$957 \$1,017	\$727 \$747 \$767 \$787 \$807 \$817 \$837	\$757 \$782 \$802 \$827 \$847 \$867 \$917	\$833 \$860 \$882 \$910 \$932 \$954 \$1,009	\$908 \$938 \$962 \$992 \$1,016 \$1,040 \$1,100	+ \$20 + \$20 + \$20 + \$20 + \$20 + \$20 + \$20 + \$20	+ \$4 + \$4 + \$4 + \$4 + \$4 + \$4 + \$4 + \$4	
12" 18" 24" 30" 36" 42" 48" 60" 7" H 12"	EP2S()1815N EP2S()2415N EP2S()3015N EP2S()3615N EP2S()4215N EP2S()4815N EP2S()6015N EP2S()1217N	\$1,017 \$1,072 \$1,122 \$1,177 \$1,227 \$1,297 \$1,417 \$1,417	\$797 \$832 \$862 \$897 \$927 \$957 \$1,017 \$787	\$727 \$747 \$767 \$787 \$807 \$817 \$837 \$837	\$757 \$782 \$802 \$827 \$847 \$867 \$917 \$917	\$833 \$860 \$882 \$910 \$932 \$954 \$1,009 \$822	\$908 \$938 \$962 \$992 \$1,016 \$1,040 \$1,100	+ \$20 + \$20 + \$20 + \$20 + \$20 + \$20 + \$20 + \$20 + \$20	+ \$4 + \$4 + \$4 + \$4 + \$4 + \$4 + \$4 + \$4	
12" 18" 24" 30" 36" 42" 48" 60" 7" H 12" 18"	EP2S()1815N EP2S()2415N EP2S()3015N EP2S()3615N EP2S()4215N EP2S()4815N EP2S()6015N EP2S()1217N EP2S()1817N	\$1,017 \$1,072 \$1,122 \$1,177 \$1,227 \$1,297 \$1,417 \$1,417 \$1,007 \$1,057	\$797 \$832 \$862 \$897 \$927 \$957 \$1,017 \$787 \$817	\$727 \$747 \$767 \$787 \$807 \$817 \$837 \$837 \$727 \$727 \$747	\$757 \$782 \$802 \$827 \$847 \$867 \$917 \$747 \$777	\$833 \$860 \$882 \$910 \$932 \$954 \$1,009 \$822 \$855	\$908 \$938 \$962 \$992 \$1,016 \$1,040 \$1,100 \$1,100	+ \$20 + \$20	+ \$4 + \$4 + \$4 + \$4 + \$4 + \$4 + \$4 + \$4	
12" 18" 24" 30" 36" 42" 48" 60" 7" H 12" 18" 24"	EP2S()1815N EP2S()2415N EP2S()3015N EP2S()3615N EP2S()4215N EP2S()4215N EP2S()6015N EP2S()6015N EP2S()1217N EP2S()1217N EP2S()1817N EP2S()2417N	\$1,017 \$1,072 \$1,122 \$1,177 \$1,227 \$1,227 \$1,297 \$1,417 \$1,417 \$1,057 \$1,112	\$797 \$832 \$862 \$927 \$957 \$1,017 \$1,017 \$817 \$817 \$852	\$727 \$747 \$767 \$787 \$807 \$817 \$837 \$837 \$727 \$727 \$747 \$767	\$757 \$782 \$802 \$827 \$847 \$867 \$917 \$747 \$777 \$802	\$833 \$860 \$882 \$910 \$932 \$954 \$1,009 \$822 \$855 \$882	\$908 \$938 \$962 \$992 \$1,016 \$1,040 \$1,100 \$1,100 \$896 \$932 \$962	+ \$20 + \$20	+ \$4 + \$4 + \$4 + \$4 + \$4 + \$4 + \$4 + \$4	
12" 18" 24" 30" 36" 42" 48" 60" 7" H 12" 18" 24" 30"	EP2S()1815N EP2S()2415N EP2S()3015N EP2S()3615N EP2S()4215N EP2S()4215N EP2S()6015N EP2S()6015N EP2S()1217N EP2S()1217N EP2S()1817N EP2S()2417N EP2S()3017N	\$1,017 \$1,072 \$1,122 \$1,177 \$1,227 \$1,227 \$1,297 \$1,417 \$1,417 \$1,057 \$1,057 \$1,112 \$1,162	\$797 \$832 \$862 \$927 \$957 \$1,017 \$1,017 \$817 \$817 \$852 \$882	\$727 \$747 \$767 \$787 \$807 \$817 \$837 \$837 \$727 \$747 \$747 \$767 \$787	\$757 \$782 \$802 \$827 \$847 \$867 \$917 \$717 \$777 \$802 \$822	\$833 \$860 \$882 \$910 \$932 \$954 \$1,009 \$822 \$855 \$882 \$882 \$904	\$908 \$938 \$962 \$992 \$1,016 \$1,040 \$1,100 \$1,100 \$896 \$9932 \$962 \$986	+ \$20 + \$20	+ \$4 + \$4 + \$4 + \$4 + \$4 + \$4 + \$4 + \$4	
12" 18" 24" 30" 36" 42" 48" 60" 7" H 12" 18" 24" 30" 36"	EP2S()1815N EP2S()2415N EP2S()3015N EP2S()3615N EP2S()4215N EP2S()4215N EP2S()6015N EP2S()6015N EP2S()1217N EP2S()1217N EP2S()1817N EP2S()2417N EP2S()3017N EP2S()3617N	\$1,017 \$1,072 \$1,122 \$1,177 \$1,227 \$1,227 \$1,297 \$1,417 \$1,417 \$1,007 \$1,007 \$1,0157 \$1,112 \$1,162 \$1,217	\$797 \$832 \$862 \$927 \$957 \$1,017 \$1,017 \$857 \$817 \$852 \$882 \$882 \$917	\$727 \$747 \$767 \$787 \$807 \$817 \$837 \$837 \$727 \$747 \$767 \$787 \$807	\$757 \$782 \$802 \$827 \$847 \$867 \$917 \$717 \$777 \$802 \$822 \$847	\$833 \$860 \$882 \$910 \$932 \$954 \$1,009 \$822 \$855 \$882 \$904 \$932	\$908 \$938 \$962 \$992 \$1,016 \$1,040 \$1,100 \$1,100 \$896 \$932 \$962 \$986 \$1,016	+ \$20 + \$20	+ \$4 + \$4 + \$4 + \$4 + \$4 + \$4 + \$4 + \$4	

.....

Specify

- 1. Model #
- 2. Insert Type
- 3. Insert color
- 4. Paint

- Plexiglass Finishes
- CL . . Clear
- IC . . . Ice SM . . Smoked
- TR ... Translucent
- III . . ITUIISIUC

Glass Finishes

- CL . . Clear
- GR ... Grey
- SM. . Smoked
- TR ... Translucent

Assembly Included

Stack-on panel
Flat (N) top cap attached to the bottom of stack-on panel

Not Included


- Top cap (use top cap from base panel)
- Ordered Separately
- Stack-on posts
- Panel connectors

Panels

Stack-on Panels

Insert without Slots

Panels




W 12" 18" 24" 30" 36" 42" 48"	MODEL # EP2S()1220N EP2S()1820N		DG	GL	PG	L1	L2	L3	P2	P
18" 24" 30" 36" 42"										
24" 30" 36" 42"	EP2S()1820N		\$1,067	\$807	\$747	\$777	\$855	\$932	+ \$20	+ \$4
30" 36" 42"			\$1,097	\$837	\$767	\$797	\$877	\$956	+ \$20	+ \$4
36" 42"	EP2S()2420N		\$1,152	\$872	\$787	\$822	\$904	\$986	+ \$20	+ \$4
42"	EP2S()3020N		\$1,182	\$902	\$807	\$842	\$926	\$1,010	+ \$20	+ \$4
	EP2S()3620N		\$1,267	\$927	\$817	\$857	\$943	\$1,028	+ \$20	+ \$4
48"	EP2S()4220N		\$1,337	\$957	\$837	\$877	\$965	\$1,052	+ \$20	+ \$4
	EP2S()4820N		\$1,417	\$997	\$857	\$907	\$998	\$1,088	+ \$20	+ \$4
60"	EP2S()6020N		\$1,537	\$1,057	\$877	\$957	\$1,053	\$1,148	+ \$20	+ \$4
25" H										
12"	EP2S()1225N		\$1,097	\$837	\$777	\$807	\$888	\$968	+ \$20	+ \$4
18"	EP2S()1825N		\$1,127	\$867	\$797	\$827	\$910	\$992	+ \$20	+ \$4
24"	EP2S()2425N		\$1,182	\$902	\$817	\$852	\$937	\$1,022	+ \$20	+ \$4
30"	EP2S()3025N		\$1,232	\$932	\$837	\$872	\$959	\$1,046	+ \$20	+ \$4
36"	EP2S()3625N		\$1,307	\$967	\$857	\$897	\$987	\$1,076	+ \$20	+ \$4
42"	EP2S()4225N		\$1,377	\$997	\$877	\$917	\$1,009	\$1,100	+ \$20	+ \$4
48"	EP2S()4825N		\$1,457	\$1,037	\$907	\$947	\$1,042	\$1,136	+ \$20	+ \$4
60"	EP2S()6025N		\$1,617	\$1,097	\$937	\$997	\$1,097	\$1,196	+ \$20	+ \$4
2" H					;					
12"	EP2S()1232N		\$1,117	\$857	\$797	\$827	\$910	\$992	+ \$20	+ \$4
18"	EP2S()1832N		\$1,167	\$887	\$817	\$847	\$932	\$1,016	+ \$20	+ \$4
24"	EP2S()2432N		\$1,222	\$922	\$837	\$872	\$959	\$1,046	+ \$20	+ \$4
30"	EP2S()3032N		\$1,312	\$952	\$857	\$892	\$981	\$1,070	+ \$20	+ \$4
36"	EP2S()3632N		\$1,407	\$987	\$877	\$917	\$1,009	\$1,100	+ \$20	+ \$4
42"	EP2S()4232N		\$1,497	\$1,017	\$897	\$937	\$1,031	\$1,124	+ \$20	+ \$4
48"	EP2S()4832N		\$1,587	\$1,067	\$927	\$977	\$1,075	\$1,172	+ \$20	+ \$4
60"	EP2S()6032N		\$1,757	\$1,157	\$977	\$1,057	\$1,163	\$1,268	+ \$20	+ \$4
37" H										
12"	EP2S()1237N		\$1,157	\$877	\$817	\$847	\$932	\$1,016	+ \$20	+ \$4
18"	EP2S()1837N		\$1,217	\$917	\$837	\$877	\$965	\$1,052	+ \$20	+ \$4
24"	EP2S()2437N		\$1,317	\$957	\$857	\$907	\$998	\$1,088	+ \$20	+ \$4
30"	EP2S()3037N		\$1,417	\$997	\$877	\$937	\$1,031	\$1,124	+ \$20	+ \$4
36"	EP2S()3637N		\$1,517	\$1,037	\$897	\$967	\$1,064	\$1,160	+ \$20	+ \$4
42"	EP2S()4237N		\$1,597	\$1,077	\$917	\$997	\$1,097	\$1,196	+ \$20	+ \$4
48"	EP2S()4837N		\$1,687	\$1,127	\$947	\$1,037	\$1,141	\$1,244	+ \$20	+ \$4
60"	EP2S()6037N		\$1,897	\$1,197	\$997	\$1,097	\$1,207	\$1,316	+ \$20	+ \$4
			Ir	isert Type		w	н		Slots	
EP2S Sta	ack-on panel	DG		r glass insert		36	15	N	w/o S	lots
	-	GL	Glass ins	sert						
		PG LM	Plexigla Laminate	e insert						
			Lannidu	C IIIJCI L						
							-			
						:	1	:		

PG

EP2S

36 15 N

Stack-on Panels Perforated Aluminum Insert with Slots



12" H			IN	SERT PAINT		PAI	١T
W	MODEL #	PA	P1	P2	P3	P2	P3
12"	EP2SPA1212	\$647	\$697	\$717	\$737	+ \$20	+ \$40
18"	EP2SPA1812	\$667	\$717	\$737	\$757	+ \$20	+ \$40
24"	EP2SPA2412	\$697	\$747	\$767	\$787	+ \$20	+ \$40
30"	EP2SPA3012	\$717	\$777	\$797	\$817	+ \$20	+ \$40
36"	EP2SPA3612	\$737	\$797	\$817	\$837	+ \$20	+ \$40
42"	EP2SPA4212	\$757	\$817	\$837	\$857	+ \$20	+ \$40
48"	EP2SPA4812	\$777	\$837	\$857	\$877	+ \$20	+ \$40
60"	EP2SPA6012	\$797	\$877	\$907	\$937	+ \$20	+ \$40
12"	EP2SPA1213	\$687	\$737	\$757	\$777	+ \$20	+ \$40
13" H					:		
18"	EP2SPA1813	\$707	\$757	\$777	\$797	+ \$20	+ \$40
24"	EP2SPA2413	\$727	\$787	\$807	\$827	+ \$20	+ \$40
30"	EP2SPA3013	\$747	\$807	\$827	\$847	+ \$20	+ \$40
36"	EP2SPA3613	\$767	\$827	\$847	\$867	+ \$20	+ \$40
42"	EP2SPA4213	\$787	\$847	\$867	\$887	+ \$20	+ \$40
48"	EP2SPA4813	\$807	\$867	\$887	\$917	+ \$20	+ \$40
60"	EP2SPA6013	\$817	\$907	\$937	\$977	+ \$20	+ \$40
15"							
12"	EP2SPA1215	\$707	\$757	\$777	\$797	+ \$20	+ \$40
18"	EP2SPA1815	\$727	\$777	\$797	\$817	+ \$20	+ \$40


12	EPZSPAIZIS	\$707	3/3/	\$777	\$/9/	+ \$20	+ \$40
18"	EP2SPA1815	\$727	\$777	\$797	\$817	+ \$20	+ \$40
24"	EP2SPA2415	\$747	\$797	\$827	\$847	+ \$20	+ \$40
30"	EP2SPA3015	\$767	\$817	\$857	\$877	+ \$20	+ \$40
36"	EP2SPA3615	\$787	\$847	\$887	\$907	+ \$20	+ \$40
42"	EP2SPA4215	\$807	\$867	\$917	\$937	+ \$20	+ \$40
48"	EP2SPA4815	\$817	\$887	\$947	\$967	+ \$20	+ \$40
60"	EP2SPA6015	\$837	\$937	\$997	\$1,027	+ \$20	+ \$40

Specify	Assembly	
1. Model #	Included	Ordered Separately
2. Insert color	 Stack-on panel 	Stack-on posts
3. Paint	 Flat (N) top cap attached to the bottom of stack-on panel 	Panel connectors
	Not Included	
	• Top cap	
	(use top cap from	

base panel)

Stack-on Panels

Perforated Aluminum Insert with Slots



48"

60"

EP2SPA4820

EP2SPA6020

17" H				NSERT PAINT		PAI	NT
W	MODEL #	PA	P1	P2	P3	P2	P3
12"	EP2SPA1217	\$727	\$777	\$797	\$817	+ \$20	+ \$40
18"	EP2SPA1817	\$747	\$797	\$817	\$837	+ \$20	+ \$40
24"	EP2SPA2417	\$767	\$827	\$847	\$867	+ \$20	+ \$40
30"	EP2SPA3017	\$787	\$847	\$877	\$897	+ \$20	+ \$40
36"	EP2SPA3617	\$807	\$877	\$907	\$927	+ \$20	+ \$40
42"	EP2SPA4217	\$817	\$897	\$937	\$957	+ \$20	+ \$40
48"	EP2SPA4817	\$837	\$927	\$977	\$997	+ \$20	+ \$40
60"	EP2SPA6017	\$857	\$977	\$1,027	\$1,057	+ \$20	+ \$40
20" H							
12"	EP2SPA1220	\$747	\$797	\$817	\$837	+ \$20	+ \$40
18"	EP2SPA1820	\$767	\$817	\$837	\$857	+ \$20	+ \$40
24"	EP2SPA2420	\$787	\$837	\$867	\$887	+ \$20	+ \$40
30"	EP2SPA3020	\$807	\$867	\$897	\$917	+ \$20	+ \$40
36"	EP2SPA3620	\$817	\$897	\$937	\$957	+ \$20	+ \$40
42"	EP2SPA4220	\$837	\$917	\$977	\$997	+ \$20	+ \$40

\$857

\$877 \$1,017

\$947

\$1,017

\$1,067

\$1,047

\$1,117

+ \$20

+ \$20


+ \$40

+ \$40

		Insert Type	w	Н
EP2S	Stack-on panel	PA Perforated Aluminum	36	15
EP2S		PA	36	15
EP23			20	12

Stack-on Panels

Perforated Aluminum Insert without Slots



2" H			••••••••••••••••••••••••••••••••••••••						
				INSERT PAINT			PAINT		
W	MODEL #	PA	L1	L2	L3	P2	Р		
12"	EP2SPA1212N	\$647	\$697	\$717	\$737	+ \$20	+ \$4		
18"	EP2SPA1812N	\$667	\$717	\$737	\$757	+ \$20	+ \$4		
24"	EP2SPA2412N	\$697	\$747	\$767	\$787	+ \$20	+ \$4		
30"	EP2SPA3012N	\$717	\$777	\$797	\$817	+ \$20	+ \$4		
36"	EP2SPA3612N	\$737	\$797	\$817	\$837	+ \$20	+ \$4		
42"	EP2SPA4212N	\$757	\$817	\$837	\$857	+ \$20	+ \$4		
48"	EP2SPA4812N	\$777	\$837	\$857	\$877	+ \$20	+ \$4		
60"	EP2SPA6012N	\$797	\$877	\$907	\$937	+ \$20	+ \$4		
13" H									
12"	EP2SPA1213N	\$687	\$737	\$757	\$777	+ \$20	+ \$4		
18"	EP2SPA1813N	\$707	\$757	\$777	\$797	+ \$20	+ \$4		
24"	EP2SPA2413N	\$727	\$787	\$807	\$827	+ \$20	+ \$4		
30"	EP2SPA3013N	\$747	\$807	\$827	\$847	+ \$20	+ \$4		
36"	EP2SPA3613N	\$767	\$827	\$847	\$867	+ \$20	+ \$4		
42"	EP2SPA4213N	\$787	\$847	\$867	\$887	+ \$20	+ \$4		
48"	EP2SPA4813N	\$807	\$867	\$887	\$917	+ \$20	+ \$4		
60"	EP2SPA6013N	\$817	\$907	\$937	\$977	+ \$20	+ \$4		
15" H									
12"	EP2SPA1215N	\$707	\$757	\$777	\$797	+ \$20	+ \$4		
18"	EP2SPA1815N	\$727	\$777	\$797	\$817	+ \$20	+ \$4		
24"	EP2SPA2415N	\$747	\$797	\$827	\$847	+ \$20	+ \$4		
30"	EP2SPA3015N	\$767	\$817	\$857	\$877	+ \$20	+ \$4		
36"	EP2SPA3615N	\$787	\$847	\$887	\$907	+ \$20	+ \$4		
42"	EP2SPA4215N	\$807	\$867	\$917	\$937	+ \$20	+ \$4		
48"	EP2SPA4815N	\$817	\$887	\$947	\$967	+ \$20	+ \$4		
60"	EP2SPA6015N	\$837	\$937	\$997	\$1,027	+ \$20	+ \$4		
17" H									
12"	EP2SPA1217N	\$727	\$777	\$797	\$817	+ \$20	+ \$4		
18"	EP2SPA1817N	\$747	\$797	\$817	\$837	+ \$20	+ \$4		
24"	EP2SPA2417N	\$767	\$827	\$847	\$867	+ \$20	+ \$4		
30"	EP2SPA3017N	\$787	\$847	\$877	\$897	+ \$20	+ \$4		
36"	EP2SPA3617N	\$807	\$877	\$907	\$927	+ \$20	+ \$4		
42"	EP2SPA4217N	\$817	\$897	\$937	\$957	+ \$20	+ \$4		
40"		6027	6007	6077	¢007				

Specify

48"

60"

Assembly

Included

EP2SPA4817N

EP2SPA6017N

Model #
 Insert color

3. Paint

.

• Stack-on panel • Flat (N) top cap

attached to the bottom of stack-on panel

Not Included

- Top cap
- (use top cap from base panel)

Ordered Separately

\$837

\$857

\$927

\$977

\$977

\$1,027

\$997

\$1,057

+ \$20


+ \$20

+ \$40

+ \$40

Stack-on Panels Perforated Aluminum Insert without Slots

Panels



20" H		I	NSERT PAINT		PAII	T	
w	MODEL #	PA	L1	L2	L3	P2	P
12"	EP2SPA1220N	\$747	\$797	\$817	\$837	+ \$20	+ \$4
18"	EP2SPA1820N	\$767	\$817	\$837	\$857	+ \$20	+ \$4
24"	EP2SPA2420N	\$787	\$837	\$867	\$887	+ \$20	+ \$4
30"	EP2SPA3020N	\$807	\$867	\$897	\$917	+ \$20	+ \$4
36"	EP2SPA3620N	\$817	\$897	\$937	\$957	+ \$20	+ \$4
42"	EP2SPA4220N	\$837	\$917	\$977	\$997	+ \$20	+ \$4
48"	EP2SPA4820N	\$857	\$947	\$1,017	\$1,047	+ \$20	+ \$4
60"	EP2SPA6020N	\$877	\$1,017	\$1,067	\$1,117	+ \$20	+ \$4
					.,		
25" H	EP2SPA1225N	\$777	\$827	\$847	\$867	+ \$20	+ \$4
18"	EP2SPA1825N	\$797	\$847	\$877	\$897	+ \$20	+ \$4
24"	EP2SPA2425N	\$817	\$877	\$907	\$927	+ \$20	+ \$4
30"	EP2SPA3025N	\$837	\$897	\$947	\$967	+ \$20	+ \$4
36"	EP2SPA3625N	\$857	\$927	\$987	\$1,007	+ \$20	+ \$4
42"	EP2SPA4225N	\$857	\$957	\$1,027	\$1,007	+ \$20	+ \$4
48"	EP2SPA4825N	\$907	\$997	\$1,027	\$1,047	+ \$20	+ \$4
60"	EP2SPA6025N	\$937	\$1,077	\$1,117	\$1,157	+ \$20	+ \$4
32" H				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	+ ,,		
ЭД П 12"	EP2SPA1232N	\$797	\$847	\$867	\$887	+ \$20	+ \$4
18"	EP2SPA1832N	\$817	\$867	\$897	\$917	+ \$20	+ \$4
24"	EP2SPA2432N	\$837	\$897	\$927	\$947	+ \$20	+ \$4
30"	EP2SPA3032N	\$857	\$947	\$977	\$997	+ \$20	+ \$4
36"	EP2SPA3632N	\$877	\$987	\$1,027	\$1,047	+ \$20	+ \$4
42"	EP2SPA4232N	\$897	\$1,017	\$1,077	\$1,097	+ \$20	+ \$4
48"	EP2SPA4832N	\$927	\$1,017	\$1,127	\$1,147	+ \$20	+ \$4
60"	EP2SPA6032N	\$977	\$1,137	\$1,217	\$1,247	+ \$20	+ \$4
37" H							
12"	EP2SPA1237N	\$817	\$867	\$887	\$907	+ \$20	+ \$4
18"	EP2SPA1837N	\$837	\$887	\$917	\$937	+ \$20	+ \$4
24"	EP2SPA2437N	\$857	\$917	\$947	\$977	+ \$20	+ \$4
30"	EP2SPA3037N	\$877	\$977	\$1,007	\$1,037	+ \$20	+ \$4
36"	EP2SPA3637N	\$897	\$1,027	\$1,057	\$1,097	+ \$20	+ \$4
42"	EP2SPA4237N	\$917	\$1,057	\$1,107	\$1,157		+ \$4
48"	EP2SPA4837N	\$947	\$1,097	\$1,157	\$1,217		+ \$4
60"	EP2SPA6037N	\$997	\$1,197	\$1,257	\$1,317	+ \$20	+ \$4
	Insert Type		W	н		Slots	
EP2S Sta	ack-on panel PA Perforated Aluminum		36	15	N	Without SI	ots
EP2S	PA		36	15	N		

Pricing is for P1 paint colors. Add the appropriate upcharge if using P2 or P3 trim.

Stack-on Posts



Standar	d		PAINT		
H	MODEL #		P1	P2	P3
12"	EP1SPC12		\$125	\$130	\$135
13"	EP1SPC13		\$135	\$140	\$145
15"	EP1SPC15		\$145	\$150	\$155
17"	EP1SPC17		\$155	\$160	\$165
20"	EP1SPC20		\$175	\$185	\$195
25"	EP1SPC25		\$190	\$200	\$210
32"	EP1SPC32		\$200	\$210	\$220
37"	EP1SPC37		\$210	\$220	\$230
Panel conn	ectors must be ordered	d separately.			

Extended

EACCING	. •4						
12"	EP1SPC12E		\$125	\$130	\$135		
13"	EP1SPC13E		\$135	\$140	\$145		
15"	EP1SPC15E		\$145	\$150	\$155		
17"	EP1SPC17E		\$155	\$160	\$165		
20"	EP1SPC20E		\$175	\$185	\$195		
25"	EP1SPC25E		\$190	\$200	\$210		
32"	EP1SPC32E		\$200	\$210	\$220		
37"	EP1SPC37E		\$210	\$220	\$230		
Panel conn	Panal connectors must be ordered constately						

Panel connectors must be ordered separately.

Specify

1. Model #

2. Paint

Application Notes

Stack-on post must be used between adjacent stack-on panels.

Standard Stack-on

Standard stack-on post bottom uses a conical shaped bolt that connects it to the connector directly beneath it. Panel connectors for the top of the stack-on post must be ordered separately to match the geometry of the stack-on panels.

Extended Stack-on

Extended stack-on post bottom uses a double-threaded round connector to attach to the fullheight post directly beneath it. Multi-height panel connectors (EPNPCMF) must be used on either side of the bottom of this connector to provide a smooth transition. Standard panel connectors are used along the top of the stack-on panels.

\$141

Panels

Coat Hook Straight

DESCRIPTION	W	D	H	MODEL #	BLACK OR MATTE ALUM
5 Pack	1⁄8"	1 3⁄8"	2 ¾"	ЕРЗММСН (В/Р)	\$141



Coat Hook Postless End

5 Pack	1 3⁄8"	3⁄8"	2 3⁄8"	EP3MMCHPE (R/L)(B/P)	
--------	--------	------	--------	----------------------	--

C	
SDE	


Model #
 Paint

Coat Hook


Aluminum coat hook attaches to any exposed Equity vertical slot. There are two versions. The straight version will work on any Equity vertical slot except for those on an inside corner. The postless end version is handed and extends beyond the edge of a panel with a postless end. Hand is determined by which side of the panel the coat hook is installed on while facing the panel.

Available in two colors Black (B) Matte Aluminum (P)


Frameless Glass



8" H			
W	H	MODEL #	LIST
12"	8"	EPFLGL1208	\$140
18"	8"	EPFLGL1808	\$190
24"	8"	EPFLGL2408	\$240
30"	8"	EPFLGL3008	\$290
36"	8"	EPFLGL3608	\$340
42"	8"	EPFLGL4208	\$390
48"	8"	EPFLGL4808	\$440
60"	8"	EPFLGL6008	\$490
66"	8"	EPFLGL6608	\$540
72"	8"	EPFLGL7208	\$590



12" H	I		
W	Н	MODEL#	LIST
12"	12"	EPFLGL1212	\$190
18"	12"	EPFLGL1812	\$250
24"	12"	EPFLGL2412	\$310
30"	12"	EPFLGL3012	\$360
36"	12"	EPFLGL3612	\$410
42"	12"	EPFLGL4212	\$460
48"	12"	EPFLGL4812	\$510
60"	12"	EPFLGL6012	\$560
66"	12"	EPFLGL6612	\$610
72"	12"	EPFLGL7212	\$660



W	Н	MODEL #	LIST
12"	14"	EPFLGL1214	\$220
18"	14"	EPFLGL1814	\$300
24"	14"	EPFLGL2414	\$380
30"	14"	EPFLGL3014	\$460
36"	14"	EPFLGL3614	\$540
42"	14"	EPFLGL4214	\$620
48"	14"	EPFLGL4814	\$700
60"	14"	EPFLGL6014	\$780
66"	14"	EPFLGL6614	\$860
72"	14"	EPFLGL7214	\$940

<u> </u>	
\n	ecity
JP	eury

1. Model # 2. Glass finish

Glass Finishes

CL ... Clear GR . . Grey

SM. . Smoked

TR . . Translucent

Attachment connectors

Assembly

Not Included

Application Notes		Тор Сар	Туре	w	Н
Glass is a single-pane, %" tempered safety glass. Frameless Glass can span multiple panels with	EP Equity	Panel FL Frameless	GL Glass	48	12
one piece of glass.	EP	FL	GL	48	12

Frameless Glass

Frameless Connectors			PAINT		
DESCRIPTION	MODEL #		P1	P2	P3
Straight	EPFLCS		\$60	\$66	\$72
2-way L	EPFLCL		\$65	\$72	\$78
3-way T	EPFLCT		\$65	\$72	\$78
3-way Y 120	EPFLCY		\$65	\$72	\$78
4-way X	EPFLCX		\$65	\$72	\$78
End	EPFLCE		\$60	\$66	\$72



EPFLCS

Attachment hardware



EPFLCL



EPFLCT



EPFLCY



4-way X

EPFLCX



End **EPFLCE**

Specify **Application Notes** Тор Сар Туре w EP Equity panel FL Frameless С Straight 1. Model # Frameless glass mounts to Connector S L 2-way L 2. Paint panels on either end thru Т 3-way T connectors that screw into Υ 3-way Y the top of the panel's posts. Х 4-way X E End Assembly с S EP FL Included



			••••••	••••••	••••••
Add-o	on Screens			PAINT	
W	н	MODEL #	P1	P2	P3
12"	15"	EP3AOPG1215	\$602	\$625	\$643
18"	15"	EP3AOPG1815	\$683	\$706	\$725
24"	15"	EP3AOPG2415	\$709	\$732	\$750
30"	15"	EP3AOPG3015	\$749	\$772	\$786
36"	15"	EP3AOPG3615	\$798	\$820	\$838
42"	15"	EP3AOPG4215	\$885	\$910	\$924
48"	15"	EP3AOPG4815	\$966	\$991	\$1,006
60"	15"	EP3AOPG6015	\$988	\$1,010	\$1,028

Specify

- 1. Model #
- 2. Plexiglass finish
- 3. Paint

Plexiglass Finishes

- CL . . Clear
- SM. . Smoked
- $\textbf{TR} \dots \textbf{Translucent}$
- LF...Frost

Application Notes

Add-on screens mount on the slotted standard with (2) die cast stanchion brackets that are included.

All attachment hardware is included.


Two add-on screens may not be mounted next to each other on the inside corner of a 90° connection. Add-on screens are compatible with flat (N) and beveled (3) top caps.

Assembly

Included

Attachment hardware

Panels



at R	ail — panel m	ounted			PAINT	
W	н	MODEL #	MATTE ALUM	P1	P2	P3
12"	6"	SR 612	\$120	\$150	\$165	\$180
18"	6"	SR618	\$130	\$160	\$176	\$192
24"	6"	SR624	\$150	\$180	\$198	\$216
30"	6"	SR630	\$160	\$190	\$209	\$228
36"	6"	SR636	\$170	\$200	\$220	\$240
42"	6"	SR642	\$180	\$220	\$242	\$264
48"	6"	SR648	\$200	\$240	\$264	\$288
60"	6"	SR660	\$210	\$260	\$286	\$312


Slat Rail Access	Slat Rail Accessories			PAINT	
DESCRIPTION	MODEL #	MATTE ALUM	P1	P2	P3
File hanger	SRAFLH	\$70	\$100	\$110	\$120
Paper tray	SRAPAT	\$80	\$110	\$121	\$132
Upright tray	SRAUPT	\$60	\$90	\$99	\$108
Small tray	SRASMT	\$50	\$80	\$88	\$96
Pencil holder	SRAPNH	\$50	\$80	\$88	\$96

Specify

1. Model # 2. Paint

consist of a 4-circuit and a 6-circuit system. Each circuit in the systems provides a maximum of 20 amps. The four circuit system has eight wires; the six-circuit system has ten wires. Both 8- and 10-wire systems contain two 10-gauge "super" neutrals and two ground wires so that sensitive electronic equipment may be easily protected from unwanted electrical interference. "E" Series electrical can be connected to either single phase or threephase building power supplies.

"E" Series electrical systems




SPECIFICATION CHECKLIST

The following is a general checklist to ensure your order has been specified properly and to expedite entry of your order. It should be reviewed by a licensed electrician to ensure compliance with any local code requirements.

- Base or ceiling infeed modules. One for each point of connection to the building power supply. Select model desired. Electrical connection to the building power supply must be made by a licensed electrician to ensure proper installation.
- Select panels. Conduit jumpers are used to pass power to electrified panels. These panels do not have factory-installed power wiring, but modular power components are field-installed.
- Shrouds must be used for each panel to panel point to complete the raceway connection.
 Shrouds are included when post assemblies are ordered.
 Shrouds can also be ordered separately when building a multiple height connection.
- 4. Duplex receptacles. Specify the circuit which receptacles are to access: #1, #2, #3 and #4D for 2+2 info eight-wire applications and additionally #5D and #6D for ten wire applications. If connecting to single-phase supply, do not order #2 and #5D receptacles.
- 5. Select and order appropriate conduit jumpers to pass power between panels.
- 6. Conduit Jumpers are for regular panel to panel connections or used to pass power through panels from terminal block to terminal block, which can be located up to 12 feet apart.

Calculate Correct Jumper Length

- 1) Add widths of both panels containing terminal blocks.
- 2) Divide by 2.
- Add width of any nonelectrified panels inbetween. The result is the correct jumper length.



 Modular wiring components. Internal panel wiring is fully modular and is field-installed into the raceway of panels. When wiring is field-installed the following components must be specified:

A. Terminal blocks

To branch circuits, splice jumpers or locate receptacles. Blocks snap-lock into place and are always located in the center of a panel. Panels have one block location only. Base infeed and ceiling infeed modules are each designed to plug into a terminal block, which must be ordered separately from the infeed.

- B. Duplex Receptacles Always specified separately according to circuit access.
- C. Side Mount Receptacles Available for panels 24" and wider. All standard receptacles fit into side mount position on right side of terminal block connector end. Therefore, no circuit number restriction.


SPECIAL CONSIDERATIONS

In addition to the checklist the following points should be remembered when planning a layout utilizing this electrical distribution system.

- "E" Series electrical consists of four or six 20-amp circuits, any of which can be accessed as desired by plugging in a specially numbered receptacle at terminal block locations in panels.
- Electrified panels can be interspersed between nonelectrified panels with the use of extra-length jumpers which pass circuitry to the next electrified panel.
- 3. For isolation, the 2nd ground must be properly and separately grounded to the building by the installing licensed electrician.
- 4. Certain cities or localities carry special codes limiting the use of certain items within this system. Equity products are available which comply with these code requirements. Neutral Posture recommends contacting your local sales representative for clarification and possible restrictions.

Because of our continuous product improvements, these specifications are subject to change without notice. Please consult your sales representative for the latest information prior to ordering.

ELECTRICAL



BASE INFEED MODULE

Modular base-mounted infeed conduits in eight-wire and tenwire versions are provided for connection to building power supplies housed in underfloor outlet boxes, floor mounted (monuments) or wall outlet boxes. Available "unhanded" for ease in introducing power from left or right of infeed location. The cover plates provided by others, for floor monuments, recessed floor boxes or wall boxes are to be punched to receive a half-inch (trade size) knockout hole for installation of the box fitting, which is included on the infeed circuit. The wiring connection is to be made within the box inside the monument or behind the floor or wall flush plate. The 4' 6" conduit can be shortened to meet field conditions by cutting the infeed (loose) end. Base Infeed Module plugs into terminal block at the receptacle location. For New York and San Francisco base infeed, see page 63.

Connecting to the building power source must be performed by a licensed electrician.

CEILING INFEED MODULE

The straight tubular infeed may be shortened (on its bottom end) if it will not fit field conditions. ceiling infeed module is filled with 8- or 10- wire conduit and plugs into terminal block in adjacent panel. Harness length is 19'. Upper tube of module is 6' 7" in length.

RACEWAY PANELS WITH FIELD-INSTALLED COMPONENTRY:

- An independent cableway with capacity for up to ten 3/8" dia. communications cables.
- A terminal block at the center of the panel allows for jumpers to connect panel to panel electrical connections and placement of duplex receptacles.
- Terminal block allows for receptacles in two locations, one on each side of the center of the panel (back to back), into which duplex 15-amp receptacles can be placed. The raceway covers are provided with removable knockouts.
- 4. For increased electric demands a second duplex receptacle per panel side can be added to panels 24" and wider. This receptacle plugs directly into the right side terminal block connector ends. Any standard "E" Series receptacle may be used.
- 5. The faceplates on both sides of the panel are removable without removing receptacles.

The system and all standard components are UL-listed. Because of our continuous product improvements, these specifications are subject to change without notice. Please consult a Neutral Posture sales representative for the latest information prior to ordering.

CABLE CAPACITY

FILL	100%	40 %
Cat 5	35	14
Cat 6	28	11

8-WIRE SYSTEM

2 + 2

3+1

The 2+2 electrical system consists of four 20 amp, 120 volt, 60-Hertz circuits. These circuits will accommodate 120 volt single phase, 120/240 volt split phase and 120/208 volt three phase power. The system components have a 20 amp capacity. The (NEC) only allows steady loads to 80% of capacity which is equivalent to 16 amps. Each circuit can generally power 8 - 10 duplex convenience outlets that are performing a normal load. However, in heavy load situations, such as computer systems each circuit will power 3 - 5 duplex outlets.

3 + 1

The 3+1 electrical system consists of four 20 amp, 120 volt, 60-Hertz circuits. These circuits will power a 120 volt single phase, a 120/240 volt split and a 120/208 volt three phase power. Each system components have the capacity to power 20 amp. The National Electric Code (NEC) only allows steady loads to 80% of capacity which is equivalent to 16 amps. Each circuit can generally power 8-10 duplex convenience outlets that are performing a normal load. However, in heavy load situations, such as computer systems each circuit will power 3 – 5 duplex outlets. If each work station has two convenience duplex outlets and one protected duplex, the 8-wire (4-circuit) system can supply a cluster of 6 - 10 workstations from each infeed.

4D

HOT

Ν

ISOLATED


G

ISOLATED

Pink

White/Red

Green/Yellow



T

1

HOT 2 Red

HOT

3

HOT

Ν

SHARED

G

SHARED

Black

Blue

White/Black

Green

10-WIRE SYSTEM

The 3+3 electrical system

consists of six 20 amp, 120 volt,

accommodate 120 volt single

60-Hertz circuits. The circuits will

120/208 volt three phase power.

Each system components have

the capacity to power 20 amp.

The National Electric Code (NEC)

only allows steady loads to 80% of

capacity which is equivalent to 16

power 8 - 10 duplex convenience

amps. Each circuit can generally

outlets that are performing a

normal load. However, in heavy

systems each circuit will power

3 – 5 duplex outlets. If each

load situations, such as computer

workstation has two convenience


duplex outlets and one protected

system can supply a cluster of 9 - 15 workstations from each infeed.

duplex, the 10-wire (6-circuit)

phase, 120/240 volt split phase and

3 + 3



COMPATIBILITY

Equity power systems use similar components in all electrical systems. However, all parts are

not functionally interchangeable and should be used based on instructions given.



Ceiling Infeeds			PAINT	•		
W	D	H	MODEL#	P1	P2	P3
4"	1 ½"	120"	EE3CM41M	\$625	\$656	\$689
4"	1 ½"	120"	EE3CM49M	\$625	\$656	\$689
4"	1 ½"	120"	EE3CM54M	\$625	\$656	\$689
4"	1 ½"	120"	EE3CM61M	\$625	\$656	\$689
4"	1 ½"	120"	EE3CM66M	\$625	\$656	\$689
4"	1 1⁄2"	120"	EE3CM81M	\$625	\$656	\$689

Ceiling Infeed Harness

DESCRIPTION	MODEL #	LIST
E-Series 10-wire	EE1CH-10	\$573
E-Series 8-wire	EE1CH-8	\$470

S	pe	cif
_	r -	

1. Model #

2. Paint

Fabric cover modules are not available

Configurations

8-wire 2 + 2

3 + 1

10-wire 3 + 3

Application Notes

To connect a metal ceiling infeed to a corner or straight connection use an adjustable angle connector or an adjustable angle connector with multiheight connector for a three-way connection. Ceiling Infeeds

Electrical harnesses not included with modules. Modules are hollow to accommodate power and/ or data cables from source into systems furniture.

With electrical harness installed, infeed holds 28 Cat 6 cables.

No "hang on" capabilities. Module cannot be used for panel support. Powder coated module is 120" long metal extrusion with attachment hooks at proper height to attach to appropriate height post.


Cables/conduit are laid into module by removal of twopiece front $1\frac{1}{2}$ " wide vertical access cover which runs the length of the extrusion. Includes escutcheon plate which is white to integrate with ceiling. Tube is trim colored to match system trim.

Electrical Base Infeeds




Base Infeeds

DESCRIPTION	W	MODEL #	LIST
8-wire (right handed)	54"	EE1BI-8	\$244
8-wire (right handed)	72"	EE1BI72-8	\$301
10-wire (right handed)	54"	EE1BI-10	\$295
10-wire (right handed)	72"	EE1BI72-10	\$358
8-wire (left handed)	54"	EE1BI-8-L	\$244
8-wire (left handed)	72"	EE1BI72-8-L	\$301
10-wire (left handed)	54"	EE1BI-10-L	\$295
10-wire (left handed)	72"	EE1BI72-10-L	\$358







Base Infeeds – New York

10-wire	EE1BI-10N	\$371
8-wire	EE1BI-8N	\$304

Base Infeeds – San Francisco

8-wire (non-handed)	54"	EE1BI-8SF	\$244
8-wire (non-handed)	72"	EE1BI72-8SF	\$301
10-wire (non-handed)	54"	EE1BI-10SF	\$295
10-wire (non-handed)	72"	EE1BI72-10SF	\$358

Jumper End Base Infeeds

10-wire w/ground	72"	EE1BIJ-10G	\$411
8-wire w/ground	72"	EE1BIJ-8G	\$340
8-wire	72"	EE1BIJ-8	\$313
10-wire	72"	EE1BIJ-10	\$386

Configurations	Base Infeeds	Jumper End Base Infeeds
8-wire	An infeed conduit connects	Connects by hardwiri
2 + 2 3 + 1	to the wall or floor outlet box of a building's power	to a building's electric supply in floor or wal
10-wire 3 + 3	supply and plugs into a terminal block in panel	by a licensed electrici Plugs into one set of
5 - 5	raceway. Power entry can be from either left or right	terminal connections end of terminal block
	side of panel. Metal cover conceals the baseboard	Terminal block must l located in panel adjae

connection and is reversible

for either left or right entry.

Can be field-cut to proper

lengths. Color is black.

A terminal block must


be ordered separately.

ring ical all box cian. ns at :k. be located in panel adjacent to source. Terminal block is ordered separately.

Base infeed can be field cut by a licensed electrician to necessary length. Conduit is encased in black plastic sealer.



Terminal Block		8-WIRE	10-WIRE
DESCRIPTION	MODEL #		
8-wire or 10-wire	EE1TB(8/10)	\$56	\$72



Duplex Receptacle		8-WIF	RE	10-WIRE
DESCRIPTION	MODEL #	(3+1)	(2+2)	(3+3)
Circuit #1	EE1R1	\$50	\$50	\$50
Circuit #2	EE1R2	\$50	\$50	\$50
Circuit #3 dedicated for 2+2	EE1R3D	N/A	\$50	N/A
Circuit #3 for 3+1	EE 1 R 3	\$50	N/A	\$50
Circuit #4 dedicated circuit for 3+1, 2+2 or 3+3	EE1R4D	\$50	\$50	\$50
Circuit #5 dedicated circuit for 3+3	EE1R5D	N/A	N/A	\$50
Circuit #6 dedicated circuit for 3+3	EE1R6D	N/A	N/A	\$50



Duplex Receptacle (10 Pack)

Circuit #1	EE1R1 P10	\$411	\$411	\$411
Circuit #2	EE1R2 P10	\$411	\$411	\$411
Circuit #3 dedicated for 2+2	EE1R3D P10	N/A	\$411	N/A
Circuit #3 for 3+1	EE1R3 P10	\$411	N/A	\$411
Circuit #4 dedicated circuit for 3+1, 2+2 or 3+3	EE1R4D P10	\$411	\$411	\$411
Circuit #5 dedicated circuit for 3+3	EE1R5D P10	N/A	N/A	\$411
Circuit #6 dedicated circuit for 3+3	EE1R6D P10	N/A	N/A	\$411



Receptacle – Side Mount

10 Pack	EE1SMRB10	\$250	\$250	\$250
Data Shield				

Terminal block shield	EE15BR	\$77	\$77	\$77




Knock-out Replacement Cover

DESCRIPTION	MODEL #	LIST
10 Pack	EE1KC10	\$68

Application Notes	Terminal Block	Side Mount Receptacles
Receptacles are black only.	A modular eight or ten wire block that snaps into the base location in center of the panel. Used to branch circuits, splice jumpers or locate duplex receptacles back to back.	Plugs directly into the right side of terminal block to provide a second duplex receptacle where required. Any "E" Series receptacle can be used in panels 24" wide and wider. Side mount receptacle bracket (EE1SMRB10) is needed when using a side mount receptacle.

Electrical

Electrical Jumper



mper			8-WIRE 10	-WIR
LENGTH (NOMINAL)	LENGTH (ACTUAL)	MODEL #		
18"	11 ½"	EE1C18-(8/10)	\$109	\$12
21"	14 1⁄2"	EE1C21-(8/10)	\$113	\$13
24"	17 ½"	EE1C24-(8/10)	\$116	\$13
27"	20 1⁄2"	EE1C27-(8/10)	\$117	\$14
30"	23 1⁄2"	EE1C30-(8/10)	\$120	\$14
33"	26 1⁄2"	EE1C33-(8/10)	\$123	\$15
36"	29 1⁄2"	EE1C36-(8/10)	\$124	\$15
39"	32 1⁄2"	EE1C39-(8/10)	\$130	\$16
42"	35 1⁄2"	EE1C42-(8/10)	\$133	\$16
45"	38 1⁄2"	EE1C45-(8/10)	\$136	\$16
48"	41 ½"	EE1C48-(8/10)	\$141	\$17
51"	44 1⁄2"	EE1C51-(8/10)	\$146	\$17
54"	47 1⁄2"	EE1C54-(8/10)	\$146	\$17
57"	50 ½"	EE1C57-(8/10)	\$154	\$18
60"	53 ½"	EE1C60-(8/10)	\$157	\$19
63"	56 ½"	EE1C63-(8/10)	\$162	\$19
66"	59 ½"	EE1C66-(8/10)	\$165	\$20
69"	62 ½"	EE1C69-(8/10)	\$165	\$20
72"	65 ½"	EE1C72-(8/10)	\$170	\$20
75"	68 1⁄2"	EE1C75-(8/10)	\$172	\$2
78"	71 ½"	EE1C78-(8/10)	\$174	\$2
81"	74 1⁄2"	EE1C81-(8/10)	\$177	\$2
84"	77 ½"	EE1C84-(8/10)	\$178	\$2
87"	80 ½"	EE1C87-(8/10)	\$186	\$22
90"	83 1⁄2"	EE1C90-(8/10)	\$190	\$2
93"	86 ½"	EE1C93-(8/10)	\$192	\$23
96"	89 ½"	EE1C96-(8/10)	\$199	\$24
99"	92 ½"	EE1C99-(8/10)	\$202	\$24
102"	95 ½"	EE1C102-(8/10)	\$205	\$24
105"	98 1⁄2"	EE1C105-(8/10)	\$207	\$2
108"	101 ½"	EE1C108-(8/10)	\$208	\$25
111"	104 ½"	EE1C111-(8/10)	\$216	\$25
114"	107 ½"	EE1C114-(8/10)	\$220	\$26
120"	113 ½"	EE1C120-(8/10)	\$230	\$27
126"	119 ½"	EE1C126-(8/10)	\$234	\$28
132"	125 ½"	EE1C132-(8/10)	\$238	\$29
144"	137 ½"	EE1C144-(8/10)	\$253	\$30

 Add widths of both panels containing terminal blocks. Divide by two. 	EEC78-8/10 36 48 24
	36 48 24
 Add width of any non-electrified panels in-between. 	1 <u>36</u> <u>+ 24</u>
The result is the correct jumper length.	$2 \begin{array}{c} 60 \\ \div 2 \\ \hline 30 \\ + 48 \end{array}$
	non-electrified panels in-between. The result is the correct

Terminal Block


MODEL #	LIST
EE1TB-(N3/N4)	\$72

Duplex Receptacles

EE1RIIIN	\$58
EE1RIIN	\$58
EE1RIN	\$58
EE1RIVN	\$58

Duplex Receptacles (10 pack)

EE1RIIIN P10	\$437
EE1RIIN P10	\$437
EE1RIN P10	\$437
EE1RIVN P10	\$437



Base Infeeds

NOMINAL LENGTH	MODEL #	LIST
54"	EE1BI-(N3/N4)	\$312
72"	EE1BI72-(N3/N4)	\$330

Base Infeeds – San Francisco

54"	EE1BI-(N3/N4)SF	\$312
72"	EE1BI72-(N3/N4)SF	\$330

Ceiling Infeed Harness

DESCRIPTION	MODEL#	LIST
E-Series 8-wire	EE1CH-N3	\$683
E-Series 10-wire	EE1CH-N4	\$817


Application Notes	Calculate the Correct Length	
Jumpers Transmit power circuits from one panel mounted terminal block to another. Can carry power through panels where no terminal blocks are installed. The length of the jumper corresponds	 Add widths of both panels containing terminal blocks. Divide by two. Add width of any non-electrified panels in-between. 	EE1C78-N3
	Jumpers Transmit power circuits from one panel mounted terminal block to another. Can carry power through panels where no terminal blocks are	Jumpers1. Add widths of bothTransmit power circuits1. Add widths of bothfrom one panel mountedterminal blocks.terminal block to2. Divide by two.another. Can carry power3. Add width of anythrough panels wherenon-electrified panelsno terminal blocks arein-between.installed. The length ofThe result is the correct

Order EE1C**78**-N3

78

2 hots and 2 neutrals sharing another ground)

Jumper



NOMINAL LENGTH	MODEL #	LIST
18"	EE1C18-(N3/N4)	\$133
21"	EE1C21-(N3/N4)	\$141
24"	EE1C24-(N3/N4)	\$145
27"	EE1C27-(N3/N4)	\$152
30"	EE1C30-(N3/N4)	\$157
33"	EE1C33-(N3/N4)	\$161
36"	EE1C36-(N3/N4)	\$162
39"	EE1C39-(N3/N4)	\$167
42"	EE1C42-(N3/N4)	\$174
45"	EE1C45-(N3/N4)	\$178
48"	EE1C48-(N3/N4)	\$179
51"	EE1C51-(N3/N4)	\$187
54"	EE1C54-(N3/N4)	\$187
57"	EE1C57-(N3/N4)	\$193
60"	EE1C60-(N3/N4)	\$202
63"	EE1C63-(N3/N4)	\$206
66"	EE1C66-(N3/N4)	\$208
69"	EE1C69-(N3/N4)	\$208
72"	EE1C72-(N3/N4)	\$219
75"	EE1C75-(N3/N4)	\$223
78"	EE1C78-(N3/N4)	\$227
81"	EE1C81-(N3/N4)	\$230
84"	EE1C84-(N3/N4)	\$232
87"	EE1C87-(N3/N4)	\$241
90"	EE1C90-(N3/N4)	\$244
93"	EE1C93-(N3/N4)	\$247
96"	EE1C96-(N3/N4)	\$253
99"	EE1C99-(N3/N4)	\$255
102"	EE1C102-(N3/N4)	\$259
105"	EE1C105-(N3/N4)	\$266
108"	EE1C108-(N3/N4)	\$267
111"	EE1C111-(N3/N4)	\$277
114"	EE1C114-(N3/N4)	\$280
120"	EE1C120-(N3/N4)	\$293
126"	EE1C126-(N3/N4)	\$298
132"	EE1C132-(N3/N4)	\$305
144"	EE1C144-(N3/N4)	\$322

Specification Information

8-wire N3

8-wire N3 = 2+1 system (2 hots and 2 neutrals sharing one ground, 1 isolated hot and 1 isolated neutral on an isolated ground)

10-wire N4

10-wire N4 = 2+2 system (2 hots and 2 neutrals sharing one ground, 2 hots and 2 neutrals sharing another ground)


Application Notes

Jumpers Transmit power circuits from one panel mounted terminal block to another. Can carry power through panels where no terminal blocks are installed. The length of the jumper corresponds to the distance between the terminal blocks.

Calculate the Correct Length

- 1. Add widths of both panels containing terminal blocks.
- 2. Divide by two.
- Add width of any non-electrified panels in-between.

The result is the correct jumper length.



Charge Spot

DESCRIPTION	MODEL #	LIST
Wireless device charger	AWDC1	\$427
Wireless device charger (4 Pack) w/multi unit power supply	AWDC4	\$1,447



Charge Spot Dongles

Apple Lightning dongle	AWDCSA	\$77
mUSB dongle	AWDCSU	\$77

Charge Spot Replacement Power

Single unit power supply	AWDCRPS1	\$57
Multi unit power supply	AWDCRPS4	\$257



Desktop Power

108" Cord length	3 ¾"	4 1⁄2"	EE4WSME108	\$177
72" Cord length	3 ¾"	4 1⁄2"	EE4WSME72	\$157



Desktop Data

3 ¾"	2 1⁄2"	5"	EE4WSMC	\$133



Desktop Power & Data

108" Cord length	EE4WSMED108	\$379
72" Cord length	EE4WSMED72	\$347

Specify	Desktop Modules	Data Wiring
1. Model #	Duplex electrical and communications outlets that attach at any point along the rear of a worksurface.	Data wiring and keystones provided by customer's cabling contractor.
	Accommodates surfaces 1" to 1 ¾" thick.	
	Installation Clamps to back of worksurface with included bracketry.	
	Available in black only.	

Electrical Desktop Data & Power



Ashley Duo

W	D	Н	MODEL #	LIST
5 ½"	3 1⁄8"	2"	EE4WSAD120	\$390
5 ½"	3 1⁄8"	2"	EE4WSAD72	\$380
	5 ½"	5 1/2" 3 1/8"	W D H 5 ½" 3 ½" 2" 5 ½" 3 ½" 2"	5 ½" 3 ½" 2" EE4WSAD120

EE4WSA202CM120

EE4WSA202CM72

EE4WSA202CM120HW

EE4WSA202CM72HW

Ashley Duo Air	
In-worksurface pop-up p	0

worksurface pop-up power	7"	5"	EPUPM72	

2"

2"

Ashley 202

120" cord length

120" cord length, hardwired

Clamp



72" cord length	5 1⁄2"	3 1⁄8"	2"	
72" cord length, hardwired	5 1⁄2"	3 1⁄8"	2"	
Under-worksurface				
Under-worksurface				
120" cord length	5 1⁄2"	3 1⁄8"	2"	
120" cord length, hardwired	5 1⁄2"	3 1⁄8"	2"	
72" cord length	5 1⁄2"	3 1⁄8"	2"	
72" cord length, hardwired	5 1⁄2"	3 1⁄8"	2"	

5 1⁄2"

5 1⁄2"

3 1⁄8"

3 1⁄8"



Under-worksurface					
120" cord length	5 1⁄2"	3 1⁄8"	2"	EE4WSA202UW120	\$317
120" cord length, hardwired	5 1⁄2"	3 1⁄8"	2"	EE4WSA202UW120HW	\$392
72" cord length	5 1⁄2"	3 1⁄8"	2"	EE4WSA202UW72	\$307
72" cord length, hardwired	5 1⁄2"	3 1⁄8"	2"	EE4WSA202UW72HW	\$382
In-surface					
120" cord length	5 1⁄2"	3 1⁄8"	2"	EE4WSA202IS120	\$367
120" cord length, hardwired	5 1⁄2"	3 1⁄8"	2"	EE4WSA202IS120HW	\$442
72" cord length	5 1⁄2"	3 1⁄8"	2"	EE4WSA202IS72	\$357
72" cord length, hardwired	5 ½"	3 1⁄8"	2"	EE4WSA202IS72HW	\$432

Ashley Quad



10 1/8"	3 1/8"	1 ¾"	EE4UWSAQ2D72	\$657
10 %"	3 1/8"	1 3⁄4"	EE4UWSAQ2D120	\$677
10 %"	3 1/8"	1 ¾"	EE4PSAQ2D72	\$727
10 %"	3 1/8"	1 3⁄4"	EE4PSAQ2D120	\$747
	10 %"	10 %" 3 %" 10 %" 3 %"	10 %" 3 %" 1 ¾"	10 %" 3 %" 1 ¾" EE4UWSAQ2D120 10 %" 3 %" 1 ¾" EE4PSAQ2D72

Specify Ashley Duo

- 1. Model #
- 2. Metal trim finish
- 3. Plastic finish

Ashley Duo Ashley 202		Ashley Quad	Metal Trim Finishes		
Specifications	Specifications	Specifications	MBLK Black		
• 2 - 15A, 120V AC	• 2 - 15A, 120V AC	• 4 - 15A, 120V AC	MWHT White		
Power Outlets	Power Outlets	Power Outlets	MSILSilver		
• 2 - 2.1A/10.5W USB	 2 Data Inserts for 	• 2- 2.1A/10.5W USB			
Charging Ports	HDMI, RJ45, RJ11,	Charging Ports			
• 6' or 10' Cord and	VGA or Blank Insert	 2 Data Inserts for 	Plastic Finishes		
Hardwire Options	• 6' or 10' Cord or	HDMI, RJ45, RJ11,	PBLKBlack		
Meets USB.org Battery	Hardwire Option	VGA or Blank Insert	PWHTWhite		
Charging 1.2 Specifications	 Accommodates surfaces 	• 6' or 10' Cord or	PSILSilver		
 Accommodates surfaces 	1" to 1 ¾" thick.	Hardwire Option			
1" to 1 ¾" thick.					

\$497

\$367

\$442

\$357

\$432

Worksurfaces

General Info

ep 1 – Model #									Step 2 – Surf	ace Finish	Step 3 – Edg	e Finish
					Ор	tions						
Worksurface Type	w	D		Wiring			Extended Er	nds	Lan	ninate	Edg	e Band
EW1 Rectangle	48	24	G	Grommets	\$25	E	One End	\$21	PW-STK	Studio Teak	EB-STK	Studio Teal
		:	G2	Scallop	\$50	EE	Both Ends	\$42				
	40	24	G			F			PW-STK	:	EB-STK	:
EW1	48	: 24 :	G						FW-JIK		ED-JIK	•

FEATURES WIRING & CABLING DEPTHS GROMMET 20" 24" 30" 36" WIDTHS 24" When a standard grommet is specified 30" it is in a rear, centered location and is 36" available in black only. Corner worksurfaces 42" provide two edge grommets. 48" 54" SCALLOP 60" 66"

72" 78" 84" 90" 96" 102" 108"

114" 120"

THICKNESS

1 1⁄8"

CABLE DROP

3/8" Cable management gap

11

G

G2

Scalloped grommets feature additional half

grommet also allows for cord management

by itself when it is wrapped by panels and

not adjacent to other worksurfaces.

grommets on either end to provide a full grommet when two tops meet. The half

EDGE DETAIL

STANDARD 3mm ABS

WOODGRAIN 2mm PVC

SURFACE MATERIALS

STANDARD WORKSURFACE High pressure laminate

CASCADE WORKSURFACE

Thermafoil (available on Cascade edge only)


EDGEBAND

Available matching or contrasting. Upcharge may be applicable.

SUPPORTS

Under worksurface — black powdercoat Countercap supports — paint

WORKSURFACES



General Info

Top surface available in standard laminates. For a complete list of color offering consult the Finishes page (page 14) at the beginning of the price list.

Underside of all 24" deep and deeper rectangular worksurfaces are predrilled for mounting of support bracketry.

The front edge of 30" deep cantilevered surfaces should not be loaded in excess of 180 pounds.

Worksurfaces are designed to provide a ³/₈" cable management gap between the back edge of the worksurface and wall panel.

D & P TOPS

Equity "D" and "P" tops are actual depth plus 1½" to cover two posts and may not be panel wrapped. This allows an adjustable bar support to support the flat end without being visually obtrusive. Adjacent worksurfaces should be specified so as not to cover a post where a "D" or "P" top may be used.

WORKSURFACE DIMENSIONS

Equity is measured from the center of the posts on each end of the panel. A standard worksurface is dimensioned to fit in a fully panel wrapped configuration. It is therefore 1 $\frac{1}{2}$ " narrower than the nominal panel dimension. If you would like the worksurface to extend to cover one post you will need to add an "E" to the worksurface item number. This will add 1 $\frac{1}{2}$ " to the width of the surface. If you would like the worksurface to extend to cover both posts then you will need to add "EE", extending the surface by 3" from the standard. Adjustable height work surface to meet anti-pinch point requirements around their perimeter.

E....Covers 1 post EE ...Covers 2 posts


24" DEEP STRAIGHTS & 15" TOWERS




When adding a 15" tower to the end of a worksurface you will need to add a "**T**" to the end of the model number in order to make the worksurface and tower completely flush. This will only be necessary on 24" deep worksurfaces with a width from 48" – 84".

(T) – Available on

			<i>i j i i i a i i a</i>
	W (actual)	Н	W
EW 14824 T	43 ¼"	24"	48"
EW 15424 T	49 ¼"	24"	54"
EW 16024 T	55 ¼"	24"	60"
EW 16624 T	61 ¼"	24"	66"
EW 17224 T	67 ¼"	24"	72"
EW 17824 T	73 ¼"	24"	78"
EW 18424 T	79 ¼"	24"	84"






Worksurf	face Sizes	Cantile	ver-C	Adjustable Ba	r Support-S	Supporting Pedestal	Supporting Pedestal
W	D	EB1C20	(L/R)	EB1SR(S/L)	24" Deep	30" Deep
24"	20"	200 lbs	2C	200 lbs	25	N/A	N/A
24"	24"	200 lbs	2C	200 lbs	25	+1 Support	N/A
30"	20"	200 lbs	2C	200 lbs	25	N/A	N/A
30"	24"	200 lbs	2C	200 lbs	25	+1 Support	N/A
30"	30"	200 lbs	2C	200 lbs	25	_	+1 Support
36"	20"	200 lbs	2C	200 lbs	25	N/A	N/A
36"	24"	200 lbs	2C	200 lbs	25	+1 Support	N/A
36"	30"	200 lbs	2C	200 lbs	25	_	+1 Support
42"	20"	200 lbs	2C	200 lbs	25	N/A	N/A
42"	24"	200 lbs	2C	200 lbs	25	+1 Support	N/A
42"	30"	200 lbs	2C	200 lbs	25	_	+1 Support
48"	20"	216 lbs	2C	216 lbs	25	N/A	N/A
48"	24"	216 lbs	2C	216 lbs	25	+1 Support	N/A
48"	30"	216 lbs	2C	216 lbs	25	_	+1 Support
54"	20"	243 lbs	3C	243 lbs	2S/1C	N/A	N/A
54"	24"	243 lbs	3C	243 lbs	2S/1C	+2 Support	N/A
54"	30"	243 lbs	3C	243 lbs	2S/1C	_	+2 Support
60"	20"	270 lbs	3C	270 lbs	2S/1C	N/A	N/A
60"	24"	270 lbs	3C	270 lbs	25/1C	+2 Support	N/A
60"	30"	270 lbs	3C	270 lbs	2S/1C	_	+2 Support
66"	20"	297 lbs	3C	297 lbs	2S/1C	N/A	N/A
66"	24"	297 lbs	3C	297 lbs	2S/1C	+2 Support	N/A
66"	30"	297 lbs	3C	297 lbs	2S/1C	_	+2 Support
72"	20"	324 lbs	3C	324 lbs	2S/1C	N/A	N/A
72"	24"	324 lbs	3C	324 lbs	2S/1C	+2 Support	N/A
72"	30"	324 lbs	3C	324 lbs	2S/1C	_	+2 Support
78"	20"	351 lbs	3C	351 lbs	25/1C	N/A	N/A
78"	24"	351 lbs	3C	351 lbs	2S/1C	+2 Support	N/A
84"	20"	378 lbs	3C	378 lbs	25/1C	N/A	N/A
84"	24"	378 lbs	3C	378 lbs	2S/1C	+2 Support	N/A
84"	30"	_		378 lbs	2S/1C	_	+2 Support
90"	20"	405 lbs	3C	405 lbs	2S/1C	N/A	N/A
90"	24"	405 lbs	3C	405 lbs	2S/1C	+2 Support	N/A
96"	20"	432 lbs	3C	432 lbs	2S/1C	N/A	N/A
96"	24"	432 lbs	3C	432 lbs	2S/1C	+2 Support	N/A
96"	30"	_		432 lbs	2S/2C	_	+2 Support
108"	20"	486 lbs	4C	486 lbs	2S/2C	N/A	N/A
108"	24"	486 lbs	4C	486 lbs	2S/2C	+3 Support	N/A
108"	30"	_		486 lbs	2S/2C	_	+3 Support
120"	20"	540 lbs	4C	540 lbs	2S/2C	N/A	N/A
120"	24"	540 lbs	4C	540 lbs	2S/2C	+3 Support	N/A
120"	30"	—		540 lbs	2S/2C	_	+3 Support


- Support must be installed for every four feet of width. As indicated, 5' worksurfaces require three supports; two panels are required to install the center support.
- The applications shown in the table emphasize the fundamentals of worksurface loading and support. As long as these criteria are met, supports can be interchanged.
- Supporting drawer pedestals can replace only one support.
- Depth of stretchered worksurfaces must be equal to or less than side panel widths.
- Stretchered worksurfaces should be used where heavy loading is anticipated.
- Cantilevers cannot be used as primary support for 36" deep surfaces or 30" deep surfaces wider than 72".
- The front edge of 30" deep surfaces should not be loaded in excess of 180 pounds.

73


Weights listed are the Business Institutional Furniture Manufacturers Association (BIFMA) functional load requirements for panel hung worksurface loading. If loads larger than these listed are anticipated, approval from Neutral Posture is required.


INSTALLATIONS WHICH VIOLATE THESE REQUIREMENTS WILL NOT BE COVERED BY THE NEUTRAL POSTURE WARRANTY.





Straights






24" DEEP STRAIGHTS & 15" TOWERS




When adding a 15" tower to the end of a worksurface you will need to add a "T" to the end of the model number in order to make the worksurface and tower completely flush. This will only be necessary on 24" deep worksurfaces with a width from 48" – 84".

					Op	tions		
	W	D		Wiring		Ex	tended Ends	
EW1 Rectangle	48	24	G	Grommet	\$25	E	One End	\$21
			G2	Scallop	\$50	EE	Both Ends	\$42
EW1	48	24	G			E		

Worksurfaces **Straights**



				••••••	•••••
50" L)eep			LAMINATE	
W	D	MODEL #	L1	L2	L3
24"	30"	EW 12430	\$390	\$429	\$468
30"	30"	EW 13030	\$420	\$462	\$504
36"	30"	EW 13630	\$445	\$490	\$534
42"	30"	EW 14230	\$475	\$523	\$570
48"	30"	EW 14830	\$490	\$539	\$588
54"	30"	EW 15430	\$570	\$627	\$684
60"	30"	EW 16030	\$615	\$677	\$738
66"	30"	EW 16630	\$655	\$721	\$786
72"	30"	EW 17230	\$690	\$759	\$828
78"	30"	EW 17830	\$710	\$781	\$852
84"	30"	EW 18430	\$750	\$825	\$900
90"	30"	EW 19030	\$790	\$869	\$948
96"	30"	EW 19630	\$815	\$897	\$978
102"	30"	EW 110230	\$900	\$990	\$1,080
108"	30"	EW 110830	\$945	\$1,040	\$1,134
114"	30"	EW 111430	\$980	\$1,078	\$1,176
120"	30"	EW 112030	\$1,020	\$1,122	\$1,224



36 "	Deep				
48"	36"	EW 14836	\$680	\$748	\$816
54"	36"	EW 15436	\$705	\$776	\$846
60"	36"	EW 16036	\$735	\$809	\$882
66"	36"	EW 16636	\$775	\$853	\$930
72"	36"	EW 17236	\$830	\$913	\$996
78"	36"	EW 17836	\$875	\$963	\$1,050
84"	36"	EW 18436	\$900	\$990	\$1,080
90"	36"	EW 19036	\$945	\$1,040	\$1,134
96"	36"	EW 19636	\$1,000	\$1,100	\$1,200
102"	36"	EW 110236	\$1,055	\$1,161	\$1,266
108"	36"	EW 110836	\$1,115	\$1,227	\$1,338
114"	36"	EW 111436	\$1,175	\$1,293	\$1,410

EW112036

Specify


- 1. Model #
- 2. Options
- 3. Laminate
- 4. Edge band



3

€

120" 36"



Grommet \$25

Support Information

\$1,348

\$1,470


\$1,225

All supports must be ordered separately. See page 84 – 85.

Worksurface Loading & Support See page 73.

A center support must be used with a 54" wide or wider worksurface.


Corners



Strai	ght	Front			LAMINATE	
Α	L	R	MODEL #	L1	L2	L3
36"	20"	20"	EW1C3620	\$565	\$622	\$678
36"	24"	24"	EW 1 C 3624	\$565	\$622	\$678
36"	30"	30"	EW 1 C 3630	\$635	\$699	\$762
42"	20"	20"	EW1C4220	\$715	\$787	\$858
42"	24"	24"	EW1C4224	\$715	\$787	\$858
42"	30"	30"	EW 1 C 4230	\$775	\$853	\$930
48"	20"	20"	EW1C4820	\$855	\$941	\$1,026
48"	24"	24"	EW 1 C 4824	\$855	\$941	\$1,026
48"	30"	30"	EW 1 C 4830	\$870	\$957	\$1,044








Curved Front 36

42 48 60

2" 24" 24" EW1CC4224 \$790 \$869 \$948 8" 24" 24" \$940 \$1,034 \$1,128		еагі	ιοπι				
B" 24" EWICC4824 \$940 \$1,034 \$1,128	б"	24"	24"	EW1CC3624	\$620	\$682	\$744
	2"	24"	24"	EW1CC4224	\$790	\$869	\$948
0" 24" 24" EW1CC6024 \$1,050 \$1,155 \$1,260	8"	24"	24"	EW1CC4824	\$940	\$1,034	\$1,128
	0"	24"	24"	EW1CC6024	\$1,050	\$1,155	\$1,260




48	" 24"	24"	EW1C4824K	\$850	\$935	\$1,020	



Different Returns

36"	24"	30"	EW1C362430	\$760	\$836	\$912	
36"	30"	24"	EW1C363024	\$760	\$836	\$912	
42"	24"	30"	EW1C422430	\$855	\$941	\$1,026	
42"	30"	24"	EW1C423024	\$855	\$941	\$1,026	
48"	24"	30"	EW1C482430	\$945	\$1,040	\$1,134	
48"	30"	24"	EW1C483024	\$945	\$1,040	\$1,134	



Split Corner — all hardware included					LAMINATE	PAINT (CANTILEVERS ONLY)		
Α	L	R	MODEL #	L1	L2	L3	P2	P3
36"	24"	24"	EW1SC3624	\$1,885	\$2,074	\$2,262	+ \$15	+ \$30
42"	24"	24"	EW1SC4224	\$1,935	\$2,129	\$2,322	+ \$15	+ \$30
42"	30"	30"	EW1SC4230	\$1,965	\$2,162	\$2,358	+ \$15	+ \$30
48"	24"	24"	EW1SC4824	\$2,045	\$2,250	\$2,454	+ \$15	+ \$30
48"	30"	30"	EW1SC4830	\$2,180	\$2,398	\$2,616	+ \$15	+ \$30

Paint option is for cantilevers only. All other hardware is only avaiable in black.




1. Model #

- 2. Options
- 3. Laminate
- 4. Edge band
- 5. Grain direction

Grain Direction L – Left R – Right D – Diagonal

Insert the desired direction after the laminate finish code.

Add \$25 to list price for diagonal grain (D).



Application Notes

A return panel may not be used next to corner worksurfaces, as they cover both posts for a smooth transition with adjacent rectangular worksurfaces.

Support Information


All supports must be ordered separately. See page 84 – 85.

Worksurface Loading & Support See page 73.


A center support must be used with a 54" wide or wider worksurface.

78

Blended Corners




D:L	4 II.a.					••••••	
Righ	т на	na				LAMINATE	
L	A	В	R	MODEL #	L1	L2	L3
24"	36"	60"	24"	EW1BS3660S(X/L/R/B)	\$845	\$930	\$1,014
24"	48"	60"	24"	EW1BS4860S(X/L/R/B)	\$865	\$952	\$1,038
24"	48"	66"	24"	EW1BS4866S(X/L/R/B)	\$890	\$979	\$1,068
24"	36"	72"	24"	EW1BS3672S(X/L/R/B)	\$890	\$979	\$1,068
24"	48"	72"	24"	EW1BS4872S(X/L/R/B)	\$930	\$1,023	\$1,116
24"	48"	60"	30"	EW1BS4860D(X/L/R/B)	\$890	\$979	\$1,068
24"	48"	66"	30"	EW1BS4866D(X/L/R/B)	\$910	\$1,001	\$1,092
24"	48"	72"	30"	EW1BS4872D(X/L/R/B)	\$965	\$1,062	\$1,158
30"	48"	60"	24"	EW1BD4860S(X/L/R/B)	\$890	\$979	\$1,068
30"	48"	66"	24"	EW1BD4866S(X/L/R/B)	\$895	\$985	\$1,074
30"	48"	72"	24"	EW1BD4872S(X/L/R/B)	\$940	\$1,034	\$1,128



Left	Hand						
24"	60"	36"	24"	EW1BS6036S(X/L/R/B)	\$845	\$930	\$1,014
24"	60"	48"	24"	EW1BS6048S(X/L/R/B)	\$870	\$957	\$1,044
24"	66"	48"	24"	EW1BS6648S(X/L/R/B)	\$890	\$979	\$1,068
24"	72"	36"	24"	EW1BS7236S(X/L/R/B)	\$895	\$985	\$1,074
24"	72"	48"	24"	EW1BS7248S(X/L/R/B)	\$930	\$1,023	\$1,116
24"	60"	48"	30"	EW1BS6048D(X/L/R/B)	\$870	\$957	\$1,044
24"	66"	48"	30"	EW1BS6648D(X/L/R/B)	\$890	\$979	\$1,068
24"	72"	48"	30"	EW1BS7248D(X/L/R/B)	\$940	\$1,034	\$1,128
30"	60"	48"	24"	EW1BD6048S(X/L/R/B)	\$870	\$957	\$1,044
30"	66"	48"	24"	EW1BD6648S(X/L/R/B)	\$910	\$1,001	\$1,092
30"	72"	48"	24"	EW1BD7248S(X/L/R/B)	\$965	\$1,062	\$1,158

						Options
	L	Α	В	R	Posts Covered	Wiring
EW1B Blended Worksurface	S 24"	36	72	S 24"	X No posts covered	G Grommet \$25
	D 30"	-	-	D 30"	L Left side post covered	G2 Scallop \$50
		:	:		R Right side post covered	
		-	-		B Both side posts covered	
EW1B	S	36	72	S	x	G
			·····	······	······································	



A center support must be used with a 54" wide or wider worksurface.

smooth transition to the


next attached worksurface.



Right Hand					LAMINATE	
A	В	C	MODEL #	11	L2	L3
60"	48"	24"	EW1BP6048SR	\$975	\$1,073	\$1,170
72"	48"	24"	EW1BP7248SR	\$995	\$1,095	\$1,194
72"	48"	30"	EW1BP7248DR	\$1,020	\$1,122	\$1,224
78"	48"	24"	EW1BP7848SR	\$1,040	\$1,144	\$1,248
78"	48"	30"	EW1BP7848DR	\$1,040	\$1,144	\$1,248
84"	48"	24"	EW1BP8448SR	\$1,225	\$1,348	\$1,470
84"	48"	30"	EW1BP8448DR	\$1,250	\$1,375	\$1,500

B A an"


Left	Left Hand								
60"	48"	24"	EW1BP6048SL	\$975	\$1,073	\$1,170			
72"	48"	24"	EW1BP7248SL	\$995	\$1,095	\$1,194			
72"	48"	30"	EW1BP7248DL	\$1,020	\$1,122	\$1,224			
78"	48"	24"	EW1BP7848SL	\$1,040	\$1,144	\$1,248			
78"	48"	30"	EW1BP7848DL	\$1,040	\$1,144	\$1,248			
84"	48"	24"	EW1BP8448SL	\$1,225	\$1,348	\$1,470			
84"	48"	30"	EW1BP8448DL	\$1,250	\$1,375	\$1,500			




Specify **Grain Direction** Grommet Support Information 1. Model # Blended peninsulas do not All supports must be 2. Options come with a grommet. Due ordered separately. See " 3. Laminate to this, if the worksurface page 84 – 85. 4. Edge band adjacent to the "C" side is ordered with scallops there Worksurface Loading & Support See page 73. will be a one-half scallop where the Center support must be return meets the used for all surfaces which peninsula. exceed 48" in length. \mathcal{T}

80

Peninsulas




D Pe	ninsu	la	LAMINATE			
W	D	MODEL #	L1	L2	L3	
60"	30"	EW 1 D 6030	\$550	\$605	\$660	
72"	30"	EW1D7230	\$955	\$1,051	\$1,146	
72"	36"	EW 1 D 7236	\$1,115	\$1,227	\$1,338	
84"	30"	EW 1 D 8430	\$1,250	\$1,375	\$1,500	
84"	36"	EW 1 D 8436	\$1,390	\$1,529	\$1,668	



-	9 & P Península								
	72"	30"	EW1(9/P)7230	\$955	\$1,051	\$1,146			
	72"	36"	EW1(9/P)7236	\$1,115	\$1,227	\$1,338			
	84"	30"	EW1(9/P)8430	\$1,250	\$1,375	\$1,500			
	84"	36"	EW1(9/P)8436	\$1,390	\$1,529	\$1,668			

72	30
:	
:	:
:	:
72	30
	72









Half Round with Notch

W	D	MODEL #	L1	L2	L3
48"	30"	EW1HR4830N	\$745	\$820	\$894
60"	36"	EW1HR6036N	\$934	\$1,027	\$1,121



Corner Round

D	MODEL#	L1	L2	L3
24"	EW1CR24	\$335	\$369	\$402
30"	EW1CR30	\$365	\$402	\$438

			Options
	w	D	Notch
EW1HR Half Round	36	72	N Round Notch
EW1HR	36	72	Ν

Grain Direction	Half Round Without Notches	Half Round With Notches	Support Information
\longleftrightarrow	Half rounds without notches	Included	All supports must b

Splice plates

• Bar support

Not Included nor Required

attach to panels by means

and are supported by

column bases, available

in standard trim colors. Column is fixed height.

of an adjustable bar support

All supports must be ordered separately. See page 84 – 85.

Worksurface Loading & Support See page 73.

82

Specify


1. Model #

2. Options


3. Laminate


4. Edge band

Blended Double Corner & 135° Curved Corner



Blended Double Corner			e Corner		LAMINATE	
A	В	C	MODEL #	LI	L2	L3
96"	48"	24"	EW1BC9648	\$1,250	\$1,375	\$1,500






135° Curved Cluster

A	В	MODEL#	L1	L2	L3
36"	24"	EW 11353624	\$917	\$1,009	\$1,100
42"	24"	EW 11354224	\$1,145	\$1,260	\$1,374
48"	24"	EW 11354824	\$1,317	\$1,449	\$1,580

135° Cluster Core

A	MODEL #	ព	L2	L3
36"	EW 1135 C 36	\$586	\$645	\$703
42"	EW 1135 C 42	\$647	\$712	\$776
48"	EW 1135 C 48	\$711	\$782	\$853




Supports











				:			
Cantilever	antilever						
DESCRIPTION	D	MODEL #	BLACK	P1	P2	P3	
Left hand	20"	EB1C20L	\$90	\$150	\$165	\$180	
Left hand (10 pack)	20"	EB1C20L10	\$700	\$1,000	\$1,100	\$1,200	
Right hand	20"	EB1C20R	\$90	\$150	\$165	\$180	
Right hand (10 pack)	20"	EB1C20R10	\$700	\$1,000	\$1,100	\$1,200	
120 Cantilever							
Left hand 60°	18"	EB3C18L60	\$92	\$152	\$167	\$182	
Left hand 90°	18"	EB3C18L90	\$92	\$152	\$167	\$182	
Right hand 60°	18"	EB3C18R60	\$92	\$152	\$167	\$182	
Right hand 90°	18"	EB3C18R90	\$92	\$152	\$167	\$182	
Splice Plate 20" Flat bracket (20" & 24" tops)		EB 1 F 24	\$45	N/A	N/A	N/A	
26" Flat bracket (30" & 36" tops)		EB1F30	\$52	N/A	N/A	N/A	
Alignment plate		EB1APW	\$14	N/A	N/A	N/A	
Bracket							
Panel to worksurface bracket		EB1PWS(L/R)	\$15	\$50	\$55	\$60	
Panel to worksurface bracket (Pair – L/R)		EB1PWSP	\$29	\$90	\$99	\$108	
V Channel Support							
54"		VS 54	\$125	N/A	N/A	N/A	

Worksurface Support Rail

46"	60"	WSR46	\$80	N/A	N/A	N/A
57"	72"	WSR 57	\$95	N/A	N/A	N/A

1

Worksurface cantilevers lock into panel slotted standards at 1" increments. Cantilevers are handed.

Panel to Worksurface Bracket

Can be specified in lieu of cantilever when worksurface is same depth as adjacent panel.

A single bracket can be specified behind a pedestal to secure adjacent panel to worksurface.



Adjustable Bar Support			•	PAINT	
DESCRIPTION	MODEL #	BLACK	P1	P2	P3
24", 30" and 36"	EB1SRS	\$200	\$250	\$275	\$300
24", 30" and 36" (10 pack)	EB1SRS10	\$1,900	\$2,400	\$2,640	\$2,880
42", 48" and 60"	EB1SRL	\$225	\$275	\$303	\$330
42", 48" and 60" (10 pack)	EB1SRL10	\$2,000	\$2,600	\$2,860	\$3,120

)esk En	d Panels			LAMINATE	
Н	W	MODEL #	L1	L2	L3
29"	20"	EB1DEP20	\$613	\$674	\$736
29"	24"	EB1DEP24	\$625	\$688	\$750
29"	30"	EB1DEP30	\$661	\$727	\$793

Specify	Adjustable Bar Support
1. Model #	Adjustable bar supports
2. Paint	position in the slotted
	standards at 1" increments.
	Two sizes of adjustable
	bar supports are available.
	Small adjustable bar
	support fits 24" through
	36" wide panels; the larger
	adjustable bar support
	fits 42" through 60" wide
	panels. All have keyhole
	slots to mount worksurfaces

and are non-handed.

Column Bases				PAINT	
DESCRIPTION	Н	MODEL #	P1	P2	P3
Fixed height support column	27 ¾"	EB1FCOL	\$320	\$348	\$362

Tanavadlawa					
Tapered Legs					
Single leg	27 ¾"	TBTL	\$350	\$385	\$420
Single leg w/caster	27 3⁄4"	TBTLC	\$375	\$410	\$445
Set of 2	27 3⁄4"	TBTL2	\$600	\$660	\$720
Set of 2 w/casters	27 3⁄4"	TBTL2C	\$650	\$710	\$770
Set of 4	27 3⁄4"	TBTL4	\$1,150	\$1,265	\$1,380
Set of 4 w/casters	27 3⁄4"	TBTL4C	\$1,250	\$1,365	\$1,480
Bar height single leg	40 1⁄2"	TBTLBH	\$790	\$890	\$990
Bar height set of 2	40 1⁄2"	TBTLBH2	\$1,500	\$1,800	\$1,875
Bar height set of 4	40 1⁄2"	TBTLBH4	\$2,700	\$3,000	\$3,400

Specify

1. Model # 2. Paint


Worksurfaces Supports



0 Legs				PAINT	
DESCRIPTION	Н	MODEL #	P1	P2	P3
24" Deep	27 ¾"	TBOLL24	\$597	\$657	\$716
30" Deep	27 ¾"	TBOLL30	\$607	\$668	\$728
24" Deep (set of 2)	27 ¾"	TBOLL242	\$1,177	\$1,295	\$1,412
30" Deep (set of 2)	27 ³ ⁄4"	TBOLL302	\$1,197	\$1,317	\$1,436



T Legs					
20" Deep	27 3/4"	TBTLL20	\$337	\$371	\$404
26" Deep	27 3⁄4"	TBTLL26	\$347	\$382	\$416
36" Deep	27 ¾"	TBTLL36	\$367	\$404	\$440
42" Deep	27 3⁄4"	TBTLL42	\$447	\$492	\$536
48" Deep	27 ¾"	TBTLL48	\$527	\$580	\$632
20" Deep (set of 2)	27 ¾"	TBTLL202	\$657	\$723	\$788
26" Deep (set of 2)	27 ¾"	TBTLL262	\$677	\$745	\$812
36" Deep (set of 2)	27 3⁄4"	TBTLL362	\$717	\$789	\$860
42" Deep (set of 2)	27 3⁄4"	TBTLL422	\$877	\$965	\$1,052
48" Deep (set of 2)	27 3⁄4"	TBTLL482	\$1,027	\$1,130	\$1,232



C Legs					
20" Deep	27 ¾"	TBCLL20	\$337	\$371	\$404
26" Deep	27 3⁄4"	TBCLL26	\$347	\$382	\$416
32" Deep	27 3⁄4"	TBCLL32	\$367	\$404	\$440
20" Deep (set of 2)	27 3⁄4"	TBCLL202	\$657	\$723	\$788
26" Deep (set of 2)	27 ¾"	TBCLL262	\$677	\$745	\$812
32" Deep (set of 2)	27 ¾"	TBCLL322	\$727	\$800	\$872

Specify	Levelers	
I. Model # 2. Paint	Adjustable height levelers are included at no additional cost on all models. Shank Length C & T legs — ¾-16 x ¾" O legs — ¾-16 x 2"	Leveler extensions can be ordered separately. Please contact Customer Service for information on ordering leveler extensions. Casters can be ordered in place of levelers for an upcharge on most standard height tables.

Height Adjustable Worksurfaces

Panel Supported



Pneuma	atic He	eight Adjustable		LAMINATE		W	/OOD VENEER	
W	D	MODEL #	L1	L2	L3			
42"	24"	EAW14224	\$2,047	\$2,137	\$2,177	\$2,397	\$2,577	\$2,657
48"	24"	EAW14824	\$2,137	\$2,179	\$2,221	\$2,577	\$2,661	\$2,745
54"	24"	EAW15424	\$2,237	\$2,252	\$2,287	\$2,757	\$2,787	\$2,857
60"	24"	EAW16024	\$2,252	\$2,303	\$2,353	\$2,787	\$2,889	\$2,989
72"	24"	EAW17224	\$2,352	\$2,409	\$2,465	\$2,987	\$3,101	\$3,213
42"	30"	EAW14230	\$2,147	\$2,220	\$2,267	\$2,577	\$2,723	\$2,817
48"	30"	EAW14830	\$2,207	\$2,256	\$2,305	\$2,667	\$2,765	\$2,863
54"	30"	EAW15430	\$2,317	\$2,374	\$2,431	\$2,887	\$3,001	\$3,115
60"	30"	EAW16030	\$2,362	\$2,424	\$2,485	\$2,937	\$3,061	\$3,183
72"	30"	EAW17230	\$2,477	\$2,546	\$2,615	\$3,167	\$3,305	\$3,443

Pneumatic Height Adjustable – Mech Only

W	D	MODEL #	BLACK OR SILVER
42"	24"	EAW4224M	\$1,697
42"	30"	EAW4230M	\$1,697
48"	24"	EAW4824M	\$1,717
48"	30"	EAW4830M	\$1,717
54"	24"	EAW5424M	\$1,717
54"	30"	EAW5430M	\$1,717
60"	24"	EAW6024M	\$1,747
60"	30"	EAW6030M	\$1,747
72"	24"	EAW7224M	\$1,787
72"	30"	EAW7230M	\$1,787


free end of the adjustable

worksurface. The free end

should be supported with a cantilever or pedestal.

of the fixed worksurface

			Options		
Worksurface Type	w	D		Wiring	
EAW1 Height Adjustable	42	24	G2	Grommet Scallop	\$25 \$50
EAW1	42	24	G		



There will be a 1" space around the perimeter of the adjustable height worksurface in order to prevent pinch points.

Specify

- 1. Model #
- 2. Laminate

movement.

G

Grommet \$25


G2

Scallop \$50



Height Adjustable Worksurfaces

Electric



Worksur	face Or	I Y — For Height Adjustable Supports		LAMINATE		W	OOD VENEER	
W	D	MODEL #	L1	L2	L3	W1	W2	W3
42"	24"	EAW14224WS	\$400	\$440	\$480	\$800	\$880	\$960
42"	30"	EAW14230WS	\$475	\$523	\$570	\$950	\$1,046	\$1,140
48"	24"	EAW14824WS	\$420	\$462	\$504	\$840	\$924	\$1,008
48"	30"	EAW14830WS	\$490	\$539	\$588	\$980	\$1,078	\$1,176
54"	24"	EAW15424WS	\$460	\$506	\$552	\$920	\$1,012	\$1,104
54"	30"	EAW15430WS	\$550	\$605	\$659	\$1,100	\$1,210	\$1,318
60"	24"	EAW16024WS	\$505	\$556	\$606	\$1,010	\$1,112	\$1,212
60"	30"	EAW16030WS	\$615	\$677	\$738	\$1,230	\$1,354	\$1,476
72"	24"	EAW17224WS	\$565	\$622	\$678	\$1,130	\$1,244	\$1,356
72"	30"	EAW17230WS	\$690	\$759	\$828	\$1,380	\$1,518	\$1,656




Electric Height Adjustable Base

DESCRIPTION	FOOT DEPTH	MODEL #	BLACK OR SILVER
2 legs	23 3⁄5"	TBAHL224	\$1,997
2 legs	29"	TBAHL230	\$1,997
3 legs	23 3⁄5"	TBAHL324	\$2,797



· · ·	urtur u ≭arti		
- 40	5.6" – 75.4"	23.9" - 49.5"	22.8"



Specify

1. Model #

2. Trim color

Application Notes


Electric Height Adjustable Base Adjustable height bases can be used with 24" & 30" deep worksurfaces. Worksurfaces must be between 48" – 84" wide.

Adjustable height bases have a capacity of 264 lbs evenly distributed.

Comes with four position memory controller.

Anti-collision stops and reverses the travel of the table when the table collides with a fixed object during operation.

3-stage legs offer a large height adjustment range of 24" – 50".



120° Planning

These worksurfaces are designed specifically for Equity 120° applications. The (L/R) suffix at the end of a model number indicates a defined pedestal location. If the worksurface has no defined pedestal location, the (L/R) represents the curved side of the top. All tops and tables are available with 2mm edge band or a cascading edge.


Worksurface: W3

This worksurface, combined with the T3 transition top, works best with the "apartment" layout. This application allows for stations on both sides of the spine, and is ideal for high density layouts. Available in extended versions for placement directly next to another worksurface.

Worksurface: W6 (L/R)

In the "big house," "full house" or "open house", this worksurface allows for a pedestal on one side (determined by the L/R).

Applications for this top include a call center with the "open house," technical applications with the "full house," and managerial layouts with the "big house."




Worksurface: W4

This top works well in the "open house," "full house," and "big house" layouts for call center, professional and managerial applications.




Worksurface: W7 (L/R)

Used in conjunction with a T4 transition top, the W7 worksurface provides a great teaming space when the "townhouse" layout is used. The "open house" layout incorporates the T2 transition top for professional or technical stations with shared space for conferencing. Available in extended versions for placement directly next to another worksurface.



Worksurface: W5 (L/R)

With transition top T5 and this worksurface, teaming is made easy using the "townhouse" or "open house" layout. The shared space allows for call center, professional or technical applications.




Worksurface: W11 / W1118 (L/R)

This top is a spacious option for a technical station in the "open house" layout. Adding a T2 transition top provides additional teaming space. The W11 surface also fits nicely in a private managerial office or a "full house" professional application.




Worksurface: W12 / W1218 (L/R)

This top, with the T5/T518 transition top provides a technical office with shared conferencing space in the "open house" layout. The 18 return allows ample space in the supervisory application of the "full house."



Worksurface: W13 / W1318 (L/R)

This surface provides a teaming space with the T2/T218 transition in the "open house" layout. The W13/W1318 creates generous worksurface space in the "full house" as well as the management layout of the "big house."





Transition tops require columns (not included — (page 85)) for support. Flat brackets (not included — (page 84)) are required to attach transition tops to adjacent worksurfaces.



Transition top



Transition top



Transition top



Transition top

Peninsula Tops

Peninsula tops provide additional workspace in a "big house" layout.

Peninsula tops are freestanding and supported by table legs, columns or a combination of both (not included — (page 85)).




Peninsula top




Peninsula top: P2 right hand



Peninsula top: P2 left hand




13					LAMINATE	
W	L	R	MODEL #	L1	L2	L3
48"	24"	24"	EW 1 W 34824	\$1,020	\$1,122	\$1,224
oodgraiı	n Direction					
			<u></u>			



W4 48" 24" 24" **EW**1**W**44824






W5

48"	24"	24"	EW1W54824L	\$975	\$1,073	\$1,170
48"	24"	24"	EW1W54824R	\$975	\$1,073	\$1,170
Woodgrain	n Direction	1				

\$1,030

\$1,133

\$1,236



W6


48" 24" EW1W64824R \$1,090	\$1,199	\$1,308

Woodgrain Direction



Specify	Support Information	Application Notes	W3	
 Model # Laminate Edge band 	All supports must be ordered separately. See page 84 – 85.	Refer to the worksurface planning page (90) for worksurface drawings	W3 top may be extended on either the left or right hand side by adding an "EL" or "ER" to the end	
	Worksurface Loading & Support See page 73.	and applications.	of the model number and adding \$21 (list).	
			W3 top may be extended on both ends by adding an "EB" to the end of the model number and adding \$42 (list).	

120°




w

R	MODEL #	L1	L2	L3
24"	EW 1 W 74824 L	\$1,085	\$1,194	\$1,302
24"	EW1W74824R	\$1,085	\$1,194	\$1,302
		24" EW1W74824L 24" EW1W74824R	24" EW1W74824L \$1,085 24" EW1W74824R \$1,085	24" EW1W74824L \$1,085 \$1,194 24" EW1W74824R \$1,085 \$1,194





48"	24"	18"	EW1W11482418	\$1,280	\$1,408	\$1,536
48"	18"	24"	EW 1 W 11481824	\$1,280	\$1,408	\$1,536
Woodgrain	Direction					




W12

48" 18" 24" EW1W12481824 \$1,360 \$1,496 48" 0.1" 0.1" 0.1" 0.1	
	5 \$1,632
48" 24" 24" EW1W124824L \$1,360 \$1,496	5 \$1,632
48" 24" 24" EW1W124824R \$1,360 \$1,496	5 \$1,632

Woodgrain Direction





W13

48"	24"	18"	EW1W13482418	\$1,310	\$1,441	\$1,572
48"	18"	24"	EW1W13481824	\$1,310	\$1,441	\$1,572
48"	24"	24"	EW1W134824L	\$1,310	\$1,441	\$1,572
48"	24"	24"	EW1W134824R	\$1,310	\$1,441	\$1,572

Woodgrain Direction



Specify

- 1. Model #
- 2. Laminate 3. Edge band

Support Information

All supports must be ordered separately. See page 84 – 85.

Worksurface Loading & Support See page 73.


Application Notes

Refer to the worksurface planning page (90) for worksurface drawings and applications.

W7

Straight ends are available extended by adding an "E" to the end of the model number and adding \$21 (list).


Transition Tops





Peninsula Tops

35" 52" EW1P15235 (L/R) \$725 \$798	\$870
36" 38" EW1P23836(L/R) \$700 \$770	\$840



CASCADE EDGE



Cascade edge worksurfaces are wrapped with a thermafoil sheet that is heated and pressed around a substrate. This substrate can be FSC certified upon request. Thermafoil is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat cascade edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Cascade edge worksurfaces in solid colors utilize a non-PVC construction and are also free of any plasticizers, pthalates and lead content.

AVAILABLE LAMINATES


Solid

114 Folkstone Grey 117 Soft Grey 118 Bright White 119 Pumice


Woodgrain 124 Medium Cherry 125 Natural Maple 126 Natural Cherry 127 Walnut

Straights

	-			
24" [Deep		LAMINATI	E
W	D	MODEL#	SOLID	WOODGRAIN
24"	24"	ECE1R2424N	\$222	\$255
30"	24"	ECE1R3024N	\$255	\$293
36"	24"	ECE1R3624N	\$281	\$324
42"	24"	ECE1R4224N	\$324	\$373
48"	24"	ECE1R4824N	\$364	\$419
54"	24"	ECE1R5424N	\$391	\$449
60"	24"	ECE1R6024N	\$424	\$488
66"	24"	ECE1R6624N	\$459	\$526
72"	24"	ECE1R7224N	\$479	\$551
78"	24"	ECE1R7824N	\$515	\$591
84"	24"	ECE1R8424N	\$544	\$625
90"	24"	ECE1R9024N	\$614	\$704
96"	24"	ECE1R9624N	\$670	\$770




24"	30"	ECE1R2430N	\$282	\$326
30"	30"	ECE1R3030N	\$317	\$364
36"	30"	ECE1R3630N	\$353	\$406
42"	30"	ECE1R4230N	\$383	\$439
48"	30"	ECE1R4830N	\$424	\$488
54"	30"	ECE1R5430N	\$480	\$552
60"	30"	ECE1R6030N	\$528	\$606
66"	30"	ECE1R6630N	\$589	\$677
72"	30"	ECE1R7230N	\$614	\$704
78"	30"	ECE1R7830N	\$654	\$752
84"	30"	ECE1R8430N	\$696	\$800
90"	30"	ECE1R9030N	\$748	\$860
96"	30"	ECE1R9630N	\$800	\$919
Sam	ple			
12"	12"	ECE1R1212G2	\$137	\$159




30" Deep


Corners & Extended Corners



				:.	•••••••••••••••••••••••••••••••••••••••	
Corne	er – Cu	irved	Front		LAMINA	TE
A	В	C		MODEL #	SOLID	WOODGRAIN
36"	24"	24"		ECE1L3636SSN	\$554	\$639
42"	24"	24"		ECE1L4242SSN	\$670	\$770
42"	24"	30"		ECE1L4242SDN	\$796	\$913
42"	30"	24"		ECE1L4242DSN	\$796	\$913
48"	24"	24"		ECE1L4848SSN	\$752	\$865
48"	24"	30"		ECE1L4848SDN	\$901	\$1,036
48"	30"	24"		ECE1L4848DSN	\$901	\$1,036
48"	30"	30"		ECE1L4848DDN	\$808	\$930
Right	Hand	I .				
42"	60"	24"	24"	ECE1L4260SS()N	\$919	\$1,058
42"	66"	24"	24"	ECE1L4266SS()N	\$943	\$1,086
42"	72"	24"	24"	ECE1L4272SS()N	\$979	\$1,127
401						



42	60	24	24	ECE L420033()N	2919	\$1,050
42"	66"	24"	24"	ECE1L4266SS()N	\$943	\$1,086
42"	72"	24"	24"	ECE1L4272SS()N	\$979	\$1,127
42"	78"	24"	24"	ECE1L4278SS()N	\$991	\$1,138
48"	60"	24"	24"	ECE1L4860SS()N	\$932	\$1,070
48"	60"	24"	30"	ECE1L4860SD()N	\$913	\$1,052
48"	60"	30"	24"	ECE1L4860DS()N	\$913	\$1,052
48"	66"	24"	24"	ECE1L4866SS()N	\$965	\$1,109
48"	66"	24"	30"	ECE1L4866SD()N	\$961	\$1,106
48"	66"	30"	24"	ECE1L4866DS()N	\$961	\$1,106
48"	72"	24"	24"	ECE1L4872SS()N	\$1,000	\$1,150
48"	72"	24"	30"	ECE1L4872SD()N	\$1,006	\$1,158
48"	72"	30"	24"	ECE1L4872DS()N	\$1,006	\$1,158
48"	78"	24"	24"	ECE1L4878SS()N	\$1,102	\$1,268
48"	84"	24"	24"	ECE1L4884SS()N	\$1,239	\$1,426



Left Hai	nd
----------	----

60"	42"	24"	24"	ECE1L6042SS()N	\$919	\$1,058
60"	48"	24"	24"	ECE1L6048SS()N	\$932	\$1,070
60"	48"	24"	30"	ECE1L6048SD()N	\$913	\$1,052
60"	48"	30"	24"	ECE1L6048DS()N	\$913	\$1,052
66"	42"	24"	24"	ECE1L6642SS()N	\$943	\$1,086
66"	48"	24"	24"	ECE1L6648SS()N	\$965	\$1,109
66"	48"	24"	30"	ECE1L6648SD()N	\$961	\$1,106
66"	48"	30"	24"	ECE1L6648DS()N	\$961	\$1,106
72"	42"	24"	24"	ECE1L7242SS()N	\$979	\$1,127
72"	48"	24"	24"	ECE1L7248SS()N	\$1,000	\$1,150
72"	48"	24"	30"	ECE1L7248SD()N	\$1,006	\$1,158
72"	48"	30"	24"	ECE1L7248DS()N	\$1,006	\$1,158
78"	42"	24"	24"	ECE1L7842SS()N	\$991	\$1,138
78"	48"	24"	24"	ECE1L7848SS()N	\$1,102	\$1,268
84"	48"	24"	24"	ECE1L8448SS()N	\$1,239	\$1,426

Application Notes


Center-Located Edge Grommet

To specify, replace the "N" suffix from the model number with "G". Add \$42.

Equity "L" worksurfaces are handed and may or may not cover a post on either or both sides. Hand is determined from the seated position. Option suffixes for Equity blended corners are as follows:

- X....No posts covered
- ${\bm L} \dots Left \text{ post covered}$
- **R**....Right post covered


B....Both posts covered



Corner Peninsulas



D:l.	4 II.a.	I			•••••
Righ	тна	na		LAMINAT	E
A	c	D	MODEL #	SOLID	WOODGRAIN
24"	66"	48"	ECE1BD6648SR	\$898	\$1,032
30"	66"	48"	ECE1BD6648DR	\$943	\$1,086
24"	72"	48"	ECE1BD7248SR	\$917	\$1,057
30"	72"	48"	ECE1BD7248DR	\$978	\$1,125
24"	78"	48"	ECE1BD7848SR	\$1,060	\$1,219
30"	78"	48"	ECE1BD7848DR	\$1,096	\$1,259
24"	84"	48"	ECE1BD8448SR	\$1,089	\$1,252
30"	84"	48"	ECE1BD8448DR	\$1,158	\$1,330



|--|

24"	48"	66"	ECE1BD6648SL	\$898	\$1,032
30"	48"	66"	ECE1BD6648DL	\$943	\$1,086
24"	48"	72"	ECE1BD7248SL	\$917	\$1,057
30"	48"	72"	ECE1BD7248DL	\$978	\$1,125
24"	48"	78"	ECE1BD7848SL	\$1,060	\$1,219
30"	48"	78"	ECE1BD7848DL	\$1,096	\$1,259
24"	48"	84"	ECE1BD8448SL	\$1,089	\$1,252
30"	48"	84"	ECE1BD8448DL	\$1,158	\$1,330



Edge Profile

Scallop \$50

117 Soft Grey 118 Bright White 119 Pumice

Woodgrain 124 Medium Cherry 125 Natural Maple 126 Natural Cherry 127 Walnut

Support Information

All supports must be ordered separately. See page 84 – 85.


Worksurface Loading & Support See page 73.


3. Laminate

......

Waves

. ,






Right	Hand	l	LAMINATE				
W	L	R	A	В	MODEL #	SOLID	WOODGRAIN
36"	24"	30"	3"	15"	ECE1W362430N	\$596	\$685
42"	24"	30"	9"	15"	ECE1W422430N	\$626	\$721
48"	24"	30"	15"	15"	ECE1W482430N	\$671	\$772
72"	24"	30"	30 ½"	23 ½"	ECE1W722430N	\$854	\$980


Left Hand

36"	30"	24"	15"	1 1⁄2"	ECE1W363024N	\$596	\$685
42"	30"	24"	15"	7 1⁄2"	ECE1W423024N	\$626	\$721
48"	30"	24"	15"	15"	ECE1W483024N	\$671	\$772
72"	30"	24"	23 ½"	30 ½"	ECE1W723024N	\$854	\$980



120° Worksurface

48"	48"	24"	24"	ECE1W34824G	\$979	\$1,127



Rounds



				LAMINA	.TE
W	D	MODEL #	S	OLID	WOODGRAIN
8"	48"	ECE1H4818P	\$	479	\$55
18"	18"	ECE1H4818PC	\$	479	\$55
18"	18"	ECE1H4818PE	\$	479	\$55
50"	24"	ECE1H6024P	\$	659	\$76
50"	24"	ECE1H6024PC	\$	659	\$76
50"	24"	ECE1H6024PE	\$	659	\$76



Corner Round w/Notch


24"	24"	ECE1CR24N	\$255	\$293



P

postless end

PC Notched for post with cover



Edge Profile

127 Walnut

Support Information

All supports must be ordered separately. See page 84 – 85.

Worksurface Loading & Support See page 73.

Worksurfaces Accessories

÷



 \bigcirc

Cable Sleeve w/Cover

Н	D	MODEL #	BLACK ONLY
1 3⁄8"	3 ¼"	EW1CS	\$28

Edge Grommet

Н	W	D	MODEL #	BLACK ONLY
13⁄8"	2 ¼"	13⁄8"	EW1WSG	\$28



Personal Drawer

DESCRIPTION	MODEL#	BLACK ONLY
Personal Drawer	SPD 18	\$350



V	Vork	surface			PAINT			
1	H	W	D	MODEL #	BLACK	P1	P2	P3
	2"	20"	4"	EW1CB20	\$55	\$100	\$110	\$120
	2"	32"	4"	EW 1 CB 32	\$76	\$125	\$138	\$150
	2"	42"	4"	EW 1 CB 42	\$82	\$150	\$165	\$180

Cable Sleeve with Cover

Used to pass cables through a worksurface. Fits 3" diameter hole, field cut, in worksurface. Smooth plastic prevents abrasion of cords and cables.

Cover snaps into sleeve. Cover has slots that allow passage of one or two cables, yet gives appearance of surface continuity.

Available in black only.


Edge Grommet

Designed to accommodate various styles and quantities of cords/plugs between rear of worksurface and panel for improved cord/plug management. Designed to work with Equity EW1 tops shipped after 2005.

Available in black only.

Worksurface Cable Basket

Attaches to the underside of worksurface for excess cable management. Slides forward from its position adjacent to the panel face to allow passage of plugs. Constructed of steel wire.




				LAMINATE		PAINT	
W (actual)	D	MODEL #	L1	L2	L3	P2	P3
10 ½"	15 ¼"	EW(3/N)1215	\$320	\$352	\$384	+ \$25	+ \$50
22 ½"	15 ¼"	EW(3/N)2415	\$340	\$374	\$408	+ \$25	+ \$50
28 ½"	15 ¼"	EW(3/N)3015	\$345	\$380	\$414	+ \$25	+ \$50
34 ½"	15 ¼"	EW(3/N)3615	\$350	\$385	\$420	+ \$25	+ \$50
40 1⁄2"	15 ¼"	EW(3/N)4215	\$365	\$402	\$438	+ \$25	+ \$50
46 1⁄2"	15 ¼"	EW(3/N)4815	\$390	\$429	\$468	+ \$25	+ \$50
58 1⁄2"	15 ¼"	EW(3/N)6015	\$425	\$468	\$510	+ \$25	+ \$50
70 ½"	15 ¼"	EW(3/N)7215	\$480	\$528	\$576	+ \$25	+ \$50
82 1⁄2"	15 ¼"	EW(3/N)8415	\$530	\$583	\$636	+ \$25	+ \$50
94 1⁄2"	15 ¼"	EW(3/N)9615	\$570	\$627	\$684	+ \$25	+ \$50
106 ½"	15 ¼"	EW(3/N)10815	\$620	\$682	\$744	+ \$25	+ \$50
118 ½"	15 ¼"	EW(3/N)12015	\$675	\$743	\$810	+ \$25	+ \$50
	10 ½" 22 ½" 28 ½" 34 ½" 40 ½" 40 ½" 58 ½" 58 ½" 70 ½" 82 ½" 94 ½" 106 ½"	10 ½" 15 ¼" 22 ½" 15 ¼" 28 ½" 15 ¼" 34 ½" 15 ¼" 40 ½" 15 ¼" 40 ½" 15 ¼" 58 ½" 15 ¼" 58 ½" 15 ¼" 70 ½" 15 ¼" 82 ½" 15 ¼" 94 ½" 15 ¼" 106 ½" 15 ¼"	10 ½" 15 ¼" EW(3/N)1215 22 ½" 15 ¼" EW(3/N)2415 28 ½" 15 ¼" EW(3/N)3015 34 ½" 15 ¼" EW(3/N)3615 40 ½" 15 ¼" EW(3/N)4215 46 ½" 15 ¼" EW(3/N)4815 58 ½" 15 ¼" EW(3/N)4815 58 ½" 15 ¼" EW(3/N)4815 70 ½" 15 ¼" EW(3/N)6015 70 ½" 15 ¼" EW(3/N)6015 94 ½" 15 ¼" EW(3/N)9615 106 ½" 15 ¼" EW(3/N)10815	W (астил.) D MODEL# L1 10 ½" 15 ¼" EW(3/N)1215 \$320 22 ½" 15 ¼" EW(3/N)2415 \$340 28 ½" 15 ¼" EW(3/N)3015 \$345 34 ½" 15 ¼" EW(3/N)3615 \$350 40 ½" 15 ¼" EW(3/N)4215 \$365 46 ½" 15 ¼" EW(3/N)4815 \$390 58 ½" 15 ¼" EW(3/N)6015 \$425 70 ½" 15 ¼" EW(3/N)7215 \$480 82 ½" 15 ¼" EW(3/N)8415 \$530 94 ½" 15 ¼" EW(3/N)9615 \$570 106 ½" 15 ¼" EW(3/N)10815 \$620	10 ½" 15 ¼" EW(3/N)1215 \$320 \$352 22 ½" 15 ¼" EW(3/N)2415 \$340 \$374 28 ½" 15 ¼" EW(3/N)3015 \$345 \$380 34 ½" 15 ¼" EW(3/N)3615 \$350 \$385 40 ½" 15 ¼" EW(3/N)4215 \$365 \$402 46 ½" 15 ¼" EW(3/N)4215 \$365 \$402 58 ½" 15 ¼" EW(3/N)4215 \$365 \$402 58 ½" 15 ¼" EW(3/N)4215 \$365 \$402 58 ½" 15 ¼" EW(3/N)4815 \$390 \$429 58 ½" 15 ¼" EW(3/N)6015 \$425 \$468 70 ½" 15 ¼" EW(3/N)7215 \$480 \$528 82 ½" 15 ¼" EW(3/N)8415 \$530 \$583 94 ½" 15 ¼" EW(3/N)9615 \$570 \$627 106 ½" 15 ¼" EW(3/N)10815 \$620 \$682	W (астил.) D MODEL# L1 L2 L3 10 ½" 15 ¼" EW(3/N)1215 \$320 \$352 \$384 22 ½" 15 ¼" EW(3/N)2415 \$340 \$374 \$408 28 ½" 15 ¼" EW(3/N)3015 \$345 \$380 \$414 34 ½" 15 ¼" EW(3/N)3615 \$350 \$385 \$420 40 ½" 15 ¼" EW(3/N)4215 \$365 \$402 \$438 46 ½" 15 ¼" EW(3/N)4215 \$365 \$402 \$438 58 ½" 15 ¼" EW(3/N)4815 \$390 \$429 \$468 58 ½" 15 ¼" EW(3/N)7215 \$468 \$510 70 ½" 15 ¼" EW(3/N)8415 \$530 \$583 \$636 94 ½" 15 ¼" EW(3/N)9615 \$570 \$627 \$684 106 ½" 15 ¼" EW(3/N)10815 \$620 \$682 \$744	W (actual) D MODEL # L1 L2 L3 P2 10 ½" 15 ¼" EW(3/N)1215 \$320 \$352 \$384 + \$25 22 ½" 15 ¼" EW(3/N)2415 \$340 \$374 \$408 + \$25 28 ½" 15 ¼" EW(3/N)3015 \$345 \$380 \$414 + \$25 34 ½" 15 ¼" EW(3/N)3615 \$350 \$385 \$420 + \$25 40 ½" 15 ¼" EW(3/N)4215 \$365 \$402 \$438 + \$25 40 ½" 15 ¼" EW(3/N)4215 \$365 \$402 \$438 + \$25 46 ½" 15 ¼" EW(3/N)4815 \$390 \$429 \$468 + \$25 58 ½" 15 ¼" EW(3/N)6015 \$425 \$468 \$510 + \$25 70 ½" 15 ¼" EW(3/N)7215 \$480 \$528 \$576 + \$25 82 ½" 15 ¼" EW(3/N)8415 \$530 \$583 \$636 + \$25 94 ½" <td< td=""></td<>

w

Extended One End

12"	12"	15 ¼"	EW(3/N)1215E	\$330	\$363	\$396	+ \$25	+ \$50
24"	24"	15 ¼"	EW(3/N)2415E	\$350	\$385	\$420	+ \$25	+ \$50
30"	30"	15 ¼"	EW(3/N)3015E	\$355	\$391	\$426	+ \$25	+ \$50
36"	36"	15 ¼"	EW(3/N)3615E	\$360	\$396	\$432	+ \$25	+ \$50
42"	42"	15 ¼"	EW(3/N)4215E	\$375	\$413	\$450	+ \$25	+ \$50
48"	48"	15 ¼"	EW(3/N)4815E	\$400	\$440	\$480	+ \$25	+ \$50
60"	60"	15 ¼"	EW(3/N)6015E	\$435	\$479	\$522	+ \$25	+ \$50
72"	72"	15 ¼"	EW(3/N)7215E	\$490	\$539	\$588	+ \$25	+ \$50
84"	84"	15 ¼"	EW(3/N)8415E	\$540	\$594	\$648	+ \$25	+ \$50
96"	96"	15 ¼"	EW(3/N)9615E	\$580	\$638	\$696	+ \$25	+ \$50
108"	108"	15 ¼"	EW(3/N)10815E	\$630	\$693	\$756	+ \$25	+ \$50



Extended Both End

Extended Ends

LV									
_	12"	13 ½"	15 ¼"	EW(3/N)1215EE	\$340	\$374	\$408	+ \$25	+ \$50
	24"	25 ½"	15 ¼"	EW(3/N)2415EE	\$360	\$396	\$432	+ \$25	+ \$50
	30"	31 ½"	15 ¼"	EW(3/N)3015EE	\$365	\$402	\$438	+ \$25	+ \$50
	36"	37 ½"	15 ¼"	EW(3/N)3615EE	\$370	\$407	\$444	+ \$25	+ \$50
	42"	43 ½"	15 ¼"	EW(3/N)4215EE	\$385	\$424	\$462	+ \$25	+ \$50
	48"	49 1⁄2"	15 ¼"	EW(3/N)4815EE	\$410	\$451	\$492	+ \$25	+ \$50
	60"	61 ½"	15 ¼"	EW(3/N)6015EE	\$445	\$490	\$534	+ \$25	+ \$50
	72"	73 ½"	15 ¼"	EW(3/N)7215EE	\$500	\$550	\$600	+ \$25	+ \$50
	84"	85 ½"	15 ¼"	EW(3/N)8415EE	\$550	\$605	\$660	+ \$25	+ \$50
	96"	97 ½"	15 ¼"	EW(3/N)9615EE	\$590	\$649	\$708	+ \$25	+ \$50
	108"	109 ½"	15 ¼"	EW(3/N)10815EE	\$640	\$704	\$768	+ \$25	+ \$50

Specify

- 1. Model #
- 2. Options
- 3. Laminate
- 4. Edge band
- 5. Cantilever color

Application Notes


E....Covers 1 post Counter caps are EE . . Covers 2 posts designed for mounting

on top of panels. Counter caps fit between posts, appropriate to fit between two taller panels and a dual/triple height connectors.

Support Information Steel cantilevers are supplied.

Top Cap Compatibility





Counter Caps Corners


.

PAINT

LAMINATE




Corner




W	D	MODEL #	L1	L2	L3	P2	P3
24"	15 ¼"	EW(3/N)CC2415	\$420	\$462	\$504	+ \$25	+ \$50
30"	15 ¼"	EW(3/N)CC3015	\$435	\$479	\$522	+ \$25	+ \$50
36"	15 ¼"	EW(3/N)CC3615	\$450	\$495	\$540	+ \$25	+ \$50
xtend [,]	ed Left						
24"	15 ¼"	EW(3/N)CC2415LHE	\$430	\$473	\$516	+ \$25	+ \$50
30"	15 ¼"	EW(3/N)CC3015LHE	\$445	\$490	\$534	+ \$25	+ \$50
36"	15 ¼"	EW(3/N)CC3615LHE	\$460	\$506	\$552	+ \$25	+ \$50
	15 ¼" ed Right 15 ¼"	EW(3/N)CC3615LHE EW(3/N)CC2415RHE	\$460	\$506	\$552	+ \$25	+ \$50 + \$50
tende	ed Right						
24"	ed Right	EW(3/N)CC2415RHE	\$430	\$473	\$516	+ \$25	+ \$50
24" 30" 36"	ed Right 15 ¼" 15 ¼"	EW(3/N)CC2415RHE EW(3/N)CC3015RHE	\$430 \$445	\$473 \$490	\$516 \$534	+ \$25 + \$25	+ \$50 + \$50
24" 30" 36"	15 ¼" 15 ¼" 15 ¼"	EW(3/N)CC2415RHE EW(3/N)CC3015RHE	\$430 \$445	\$473 \$490	\$516 \$534	+ \$25 + \$25	+ \$50 + \$50
24" 30" 36"	ed Right 15 ¼" 15 ¼" 15 ¼" ed Both	EW(3/N)CC2415RHE EW(3/N)CC3015RHE EW(3/N)CC3615RHE	\$430 \$445 \$460	\$473 \$490 \$506	\$516 \$534 \$552	+ \$25 + \$25 + \$25	+ \$50 + \$50 + \$50






Specify	Extended Ends	Application Notes	Support Information	Top Cap Compatil	bility
1. Model # 2. Options 3. Laminate	ECovers 1 post EECovers 2 posts	Counter caps are designed for mounting on top of panels.	Steel cantilevers are supplied.	3 – Beveled	N — Flat
4. Edge band 5. Cantilever color		Counter caps fit between posts, appropriate to fit between two taller panels and a dual/triple height connectors.			\bigcirc

Open Shelves



Full Hei	ull Height				PAINT		
W	D	Н	MODEL #	P1	P2	P3	
24"	12 %"	10 ¼"	ES2OS24	\$232	\$247	\$257	
30"	12 3⁄8"	10 1⁄4"	ES2OS30	\$254	\$269	\$279	
36"	12 ¾"	10 1⁄4"	ES2OS 36	\$254	\$269	\$279	
42"	12 ¾"	10 1⁄4"	ES2OS42	\$266	\$281	\$291	
48"	12 ¾"	10 ¼"	ES2OS 48	\$278	\$293	\$303	
60"	12 ¾"	10 1⁄4"	ES2OS60	\$298	\$313	\$323	
72"	12 3⁄8"	10 1⁄4"	ES 2 OS 72	\$322	\$337	\$347	



Half	Hei	ig	ht	t

_							
	24"	12 3⁄8"	7 ¼"	ES3OS24	\$280	\$295	\$305
	30"	12 ¾"	7 ¼"	ES3OS30	\$310	\$325	\$335
	36"	12 ¾"	7 ¼"	ES3OS36	\$310	\$325	\$335
	42"	12 ¾"	7 ¼"	ES3OS42	\$322	\$337	\$347
	48"	12 ¾"	7 ¼"	ES3OS48	\$339	\$354	\$364
	60"	12 ¾"	7 ¼"	ES3OS60	\$364	\$379	\$389
	72"	12 ¾"	7 ¼"	ES30S72	\$392	\$407	\$417




24"	EC2SB24	\$191	\$201	\$207
30"	EC2SB30	\$210	\$220	\$230
36"	EC2SB36	\$210	\$220	\$230
42"	EC2SB42	\$220	\$230	\$237
48"	EC2SB48	\$230	\$237	\$244
60"	EC2SB60	\$259	\$269	\$277
72"	EC2SB72	\$295	\$304	\$313

\sum	Shelf –	Divider			BLACK ONLY		
Ø	2"	9"	6"	EC2SD	\$133	N/A	N/A

Specify	Application Notes	Shelf Type	W
1. Model # 2. Paint	Open shelf consists of two steel end panels and one steel shelf. NOTE: Cannot be converted to an enclosed cabinet.	ES2OS Open Shelf ES3OS Open Shelf – Half Height ES2OS	³⁶ 36
	Shelf Divider		

Available in black only.


Open Shelves




								·····		
Full Laminate					LAMINATE			WOOD VENEER		
W	D	Н	MODEL #	P1	P2	P3	W1	W2	W3	
24"	12 %"	10 ¼"	ES2OSL24	\$355	\$391	\$426	\$711	\$782	\$853	
30"	12 3⁄8"	10 ¼"	ES2OSL30	\$363	\$399	\$435	\$725	\$798	\$870	
36"	12 ¾"	10 ¼"	ES2OSL36	\$370	\$407	\$444	\$739	\$813	\$887	
42"	12 ¾"	10 ¼"	ES2OSL42	\$381	\$419	\$457	\$761	\$837	\$913	
48"	12 3⁄8"	10 ¼"	ES2OSL48	\$391	\$430	\$470	\$783	\$861	\$939	
60"	12 3⁄8"	10 ¼"	ES2OSL60	\$553	\$609	\$664	\$1,107	\$1,217	\$1,328	
72"	12 3⁄8"	10 ¼"	ES2OSL72	\$712	\$783	\$854	\$1,423	\$1,566	\$1,708	


Specify	Application Notes	Shelf Type	w
1. Model # 2. Laminate/Veneer	Can not be converted into an enclosed cabinet.	ES2OSL Open Shelf Full Laminate	36
		ES2OSL	36

Overheads



Laminate Front — Side Hinge Door				LAMINATE			PAINT		
W	D	н	# DOORS	MODEL #	L1	L2	L3	P2	P3
24"	12 ½"	14 ¼"	2	EC2OL24	\$677	\$745	\$812	+ \$25	+ \$50
30"	12 ½"	14 ¼"	2	EC2OL30	\$727	\$800	\$872	+ \$25	+ \$50
36"	12 ½"	14 ¼"	2	EC2OL36	\$777	\$855	\$932	+ \$25	+ \$50
42"	12 ½"	14 ¼"	2	EC2OL42	\$827	\$910	\$992	+ \$25	+ \$50
48"	12 ½"	14 ¼"	2	EC2OL48	\$877	\$965	\$1,052	+ \$25	+ \$50
60"	12 ½"	14 ¼"	4	EC2OL60	\$1,227	\$1,350	\$1,472	+ \$25	+ \$50
72"	12 ½"	14 ¼"	4	EC2OL72	\$1,327	\$1,460	\$1,592	+ \$25	+ \$50





Open

Overhead – Side Hinge

Includes matching

ABS edge band.

W

24"

30"

36"

42"

48"

60"

72"

72"

Painted Steel — Flipper Door

D

12 ½"

12 1⁄2"

12 ½"

12 ½"

12 ½"

12 ½"

12 1⁄2"

12 ½"

Н

14 ¼"

14 ¼"

14 ¼"

14 ¼"

14 ¼"

14 ¼"

14 ¼"

14 ¼"

DOORS

1

1

1

1

1

1

1

2

MODEL #

EC2OP24

EC2OP30

EC2OP36

EC20P42

EC20P48

EC2OP60

EC20P72

EC2OP272

pen						
24"	12 ½"	14 ¼"	EC20024	\$457	\$503	\$548
30"	12 ½"	14 ¼"	EC20030	\$557	\$613	\$668
36"	12 ½"	14 ¼"	EC20036	\$577	\$635	\$692
42"	12 ½"	14 ¼"	EC20042	\$607	\$668	\$728
48"	12 ½"	14 ¼"	EC20048	\$707	\$778	\$848
60"	12 ½"	14 ¼"	EC20060	\$807	\$888	\$968
72"	12 ½"	14 ¼"	EC20072	\$907	\$998	\$1,088



Overhead Back 24" 5⁄8" 14" EC2CB24 \$191 \$201 \$207 5⁄8" 30" 14" EC2CB30 \$210 \$220 \$230 36" 5⁄8" 14" EC2CB36 \$210 \$220 \$230 42" 5⁄8" 14" EC2CB42 \$220 \$230 \$237 5⁄8" EC2CB48 \$237 \$244 48" 14" \$230 \$269 60" 5⁄8" 14" EC2CB60 \$277 \$259 72" 5⁄8" 14" EC2CB72 \$304 \$313 \$295

Specify

1. Model #

- 2. Paint
- 3. Optional Laminate

Overhead – Flipper Door

Door uses heavy-duty ball bearing hinges to allow door to flip forward and up and over top of cabinet. Can be opened at an angle. Door rolls on glides for smooth, friction-free operation.

	Overhead Type	w		
EC2OL	Side Hinge	36		
EC2OP	Flipper Door			
EC200	Open			
ES2OL		36		

PAINT

P2

\$627

\$706

\$706

\$784

\$826

\$938

\$1,029

\$1,244

P3

\$652

\$731

\$731

\$809

\$851

\$963

\$1,054

\$1,269

P1

\$602

\$681

\$681

\$759


\$801

\$913


\$1,004

\$1,219

Overheads



Full La	minate -	— Side Hinge	e Door			LAMINATE		W	WOOD VENEER		
W	D	н	# DOORS	MODEL #	L1	L2	L3	W1	W2	W3	
24"	12 ½"	14 ¼"	2	EC2OCL24D	\$1,388	\$1,527	\$1,666	\$2,777	\$3,054	\$3,332	
30"	12 1⁄2"	14 ¼"	2	EC2OCL30D	\$1,412	\$1,554	\$1,695	\$2,825	\$3,107	\$3,390	
36"	12 1⁄2"	14 ¼"	2	EC2OCL36D	\$1,436	\$1,580	\$1,724	\$2,873	\$3,160	\$3,447	
42"	12 ½"	14 ¼"	2	EC2OCL42D	\$1,472	\$1,620	\$1,767	\$2,945	\$3,239	\$3,534	
48"	12 1⁄2"	14 ¼"	2	EC2OCL48D	\$1,508	\$1,659	\$1,810	\$3,017	\$3,318	\$3,620	
60"	12 1⁄2"	14 ¼"	4	EC2OCL60D	\$2,048	\$2,253	\$2,458	\$4,097	\$4,506	\$4,916	
72"	12 ½"	14 ¼"	4	EC2OCL72D	\$2,588	\$2,847	\$3,106	\$5,177	\$5,694	\$6,212	



		• • • • •							
24"	12 ½"	14 ¼"	EC2OCL24	\$1,184	\$1,303	\$1,421	\$2,369	\$2,606	\$2,843
30"	12 1⁄2"	14 ¼"	EC2OCL30	\$1,208	\$1,329	\$1,450	\$2,417	\$2,658	\$2,900
36"	12 ½"	14 ¼"	EC2OCL36	\$1,232	\$1,356	\$1,479	\$2,465	\$2,711	\$2,958
42"	12 ½"	14 ¼"	EC2OCL42	\$1,268	\$1,395	\$1,522	\$2,537	\$2,790	\$3,044
48"	12 ½"	14 ¼"	EC2OCL48	\$1,304	\$1,435	\$1,565	\$2,609	\$2,870	\$3,131
60"	12 ½"	14 ¼"	EC2OCL60	\$1,844	\$2,029	\$2,213	\$3,689	\$4,058	\$4,427
72"	12 1⁄2"	14 ¼"	EC2OCL72	\$2,372	\$2,610	\$2,847	\$4,745	\$5,219	\$5,694

Panel Supported


Specify

- 1. Model #
- 2. Laminate/Veneer


Overhead

Includes matching ABS edge band.

Shared Storage



					•••••••••••••••••••••••••••••••••••••••	•••••
12" H					LAMINATE	
W	D	н	MODEL #	L1	L2	L3
24"	14"	12"	EC2OY2412	\$977	\$1,075	\$1,172
30"	14"	12"	EC2OY3012	\$997	\$1,097	\$1,196
36"	14"	12"	EC2OY3612	\$1,017	\$1,119	\$1,220
42"	14"	12"	EC2OY4212	\$1,047	\$1,152	\$1,256
48"	14"	12"	EC2OY4812	\$1,077	\$1,185	\$1,292
60"	14"	12"	EC2OY6012	\$1,497	\$1,647	\$1,796
72"	14"	12"	EC2OY7212	\$1,937	\$2,131	\$2,324
84"	14"	12"	EC2OY8412	\$2,357	\$2,593	\$2,828



14" H						
24"	14"	14 ¼"	EC2OY2414	\$987	\$1,086	\$1,184
30"	14"	14 ¼"	EC2OY3014	\$1,007	\$1,108	\$1,208
36"	14"	14 ¼"	EC2OY3614	\$1,027	\$1,130	\$1,232
42"	14"	14 ¼"	EC20Y4214	\$1,057	\$1,163	\$1,268
48"	14"	14 ¼"	EC2OY4814	\$1,087	\$1,196	\$1,304
60"	14"	14 ¼"	EC2OY6014	\$1,537	\$1,691	\$1,844
72"	14"	14 ¼"	EC20Y7214	\$1,977	\$2,175	\$2,372
84"	14"	14 ¼"	EC20Y8414	\$2,407	\$2,648	\$2,888

SHARED STORAGE DIMENSIONS

Equity is measured from the center of the posts on each end of the panel. A standard shared storage is dimensioned to fit in a fully panel wrapped configuration. It is therefore 1-½" narrower than the nominal panel dimension. If you would like the shared storage to extend to cover the center of one post you will need to add an "E" to the shared storage item number. This will add ¾" to the width of the shared storage. If you would like the shared storage to extend to cover the center of both posts then you will need to add "EE", extending the shared storage by 1 ½" from the standard.

- E....Covers center of 1 post
- **EE** . . Covers center of 2 posts









						Optio	ns	
		w	D		Door		Extended Ends	
ES20 Equity Overhead	Y Shared Storage	36	14	D MD	No Door Door Markerboard Door	E EE	One End Both Ends	\$21 \$42
ES20	Y	36	14	D		Е		

Shared Storage



				,	••••••••	••••••		
12" H	w/Door	S — includes 2 lo		LAMINATE				
W	D	H	MODEL #	ព	L2	L3		
24"	14"	12"	EC2OY2412(D/MD)	\$1,117	\$1,229	\$1,340		
30"	14"	12"	EC2OY3012(D/MD)	\$1,147	\$1,262	\$1,376		
36"	14"	12"	EC2OY3612(D/MD)	\$1,177	\$1,295	\$1,412		
42"	14"	12"	EC2OY4212(D/MD)	\$1,207	\$1,328	\$1,448		
48"	14"	12"	EC2OY4812(D/MD)	\$1,237	\$1,361	\$1,484		
60"	14"	12"	EC2OY6012(D/MD)	\$1,687	\$1,856	\$2,024		
72"	14"	12"	EC2OY7212(D/MD)	\$2,127	\$2,340	\$2,552		
84"	14"	12"	EC2OY8412(D/MD)	\$2,507	\$2,758	\$3,008		



14" H w/Doors — includes 2 locks

24"	14"	14 ¼"	EC2OY2414(D/MD)	\$1,157	\$1,273	\$1,388
30"	14"	14 ¼"	EC2OY3014(D/MD)	\$1,177	\$1,295	\$1,412
36"	14"	14 ¼"	EC2OY3614(D/MD)	\$1,197	\$1,317	\$1,436
42"	14"	14 ¼"	EC2OY4214(D/MD)	\$1,227	\$1,350	\$1,472
48"	14"	14 ¼"	EC2OY4814(D/MD)	\$1,257	\$1,383	\$1,508
60"	14"	14 ¼"	EC2OY6014(D/MD)	\$1,707	\$1,878	\$2,048
72"	14"	14 ¼"	EC2OY7214(D/MD)	\$2,157	\$2,373	\$2,588
84"	14"	14 ¼"	EC2OY8414(D/MD)	\$2,627	\$2,890	\$3,152


Specify

- 1. Model #
- 2. Options
 3. Laminate


Shared Storage

Includes matching ABS edge band.

Tackboards



12" H					FAB	RIC			
W	MODEL #	A	В	c	D	E	F	G	н
24"	EP1TB2412	\$200	\$225	\$250	\$300	\$400	\$500	\$600	\$700
30"	EP1TB3012	\$250	\$275	\$300	\$350	\$450	\$550	\$650	\$750
36"	EP1TB3612	\$300	\$325	\$350	\$400	\$500	\$600	\$700	\$800
42"	EP1TB4212	\$325	\$350	\$375	\$425	\$525	\$625	\$725	\$825
48"	EP1TB4812	\$350	\$375	\$400	\$450	\$550	\$650	\$750	\$850
60"	EP1TB6012	\$400	\$425	\$450	\$500	\$600	\$700	\$800	\$900
20" H									
24"	EP1TB2420	\$300	\$325	\$350	\$400	\$500	\$600	\$700	\$800
30"	EP1TB3020	\$325	\$350	\$375	\$425	\$525	\$625	\$725	\$825
36"	EP1TB3620	\$350	\$375	\$400	\$450	\$550	\$650	\$750	\$850
42"	EP1TB4220	\$375	\$400	\$425	\$475	\$575	\$675	\$775	\$875
48"	EP1TB4820	\$400	\$425	\$450	\$500	\$600	\$700	\$800	\$900
60"	EP1TB6020	\$450	\$475	\$500	\$550	\$650	\$750	\$850	\$950
25" H									
24"	EP1TB2425	\$350	\$375	\$400	\$450	\$550	\$650	\$750	\$850
30"	EP1TB3025	\$375	\$400	\$425	\$475	\$575	\$675	\$775	\$875
36"	EP1TB3625	\$400	\$425	\$450	\$500	\$600	\$700	\$800	\$900
42"	EP1TB4225	\$425	\$450	\$475	\$525	\$625	\$725	\$825	\$925
48"	EP1TB4825	\$450	\$475	\$500	\$550	\$650	\$750	\$850	\$950
60"	EP1TB6025	\$500	\$525	\$550	\$600	\$700	\$800	\$900	\$1,000
36" H									
24"	EP1TB2436	\$400	\$425	\$450	\$500	\$600	\$700	\$800	\$900
30"	EP1TB3036	\$450	\$475	\$500	\$550	\$650	\$750	\$850	\$950
36"	EP1TB3636	\$475	\$500	\$525	\$575	\$675	\$775	\$875	\$975
42"	EP1TB4236	\$500	\$525	\$550	\$600	\$700	\$800	\$900	\$1,000
48"	EP1TB4836	\$525	\$550	\$575	\$625	\$725	\$825	\$925	\$1,025
60"	EP1TB6036	\$575	\$600	\$625	\$675	\$775	\$875	\$975	\$1,075



					Options	
Specify	Application Notes		W	н	Extended Ends	
1. Model # 2. Fabric	Specify in areas where heavy tacking application is required. Solid core construction will easily accept T-pins, push pins and thumbtacks.	EW1 Tackboard	48 36	20 20	E One End EE Both Ends E	\$21 \$42
	Clips attach unit to slotted standards.					

Wall Mounted Channel

		C 1			
all Mo	unted	Channe			PAINT
W	D	Н	H (Actual)	MODEL #	P1 P2 P3
2 1/8"	3⁄4"	29"	23"	EP3WMC29	\$112 \$116 \$122
2 1/8"	3⁄4"	41"	35"	EP3WMC41	\$112 \$116 \$122
2 1/8"	3⁄4"	49"	43"	EP3WMC49	\$114 \$120 \$128
2 1/8"	3⁄4"	54"	49"	EP3WMC54	\$116 \$122 \$129
2 1/8"	3⁄4"	61"	55"	EP3WMC61	\$130 \$135 \$145
2 1/8"	3⁄4"	66"	60"	EP3WMC66	\$133 \$144 \$148
2 1/8"	3⁄4"	81"	75"	EP3WMC81	\$162 \$168 \$178
2 1/8"	3⁄4″	120"	120"	EP3WMC120	\$249 \$262 \$276

Mobile Whiteboard

DESC	W	Н	MODEL#	LIST
Whiteboard both sides	30"	40"	MWHBDWW3040	\$748
Whiteboard both sides	48"	72"	MWHBDWW4872	\$638

Whiteboard

DESC	W	Н	MODEL #	LIST
Whiteboard	48"	36"	WHBD4836	\$268
Whiteboard	60"	36"	WHBD6036	\$386
Whiteboard	72"	48"	WHBD7248	\$496
Whiteboard	96"	48"	WHBD9648	\$576
Whiteboard	120"	48"	WHBD12048	\$676
Whiteboard	144"	48"	WHBD14448	\$786

Corkboard

DESC	W	Н	MODEL #	LIST
Corkboard	36"	24"	CKBD3624	\$108
Corkboard	48"	36"	CKBD4836	\$119
Corkboard	60"	36"	CKBD6036	\$188
Corkboard	60"	48"	CKBD6048	\$228
Corkboard	72"	48"	CKBD7248	\$258
Corkboard	96"	48"	CKBD9648	\$298
Corkboard	120"	48"	CKBD12048	\$346
Corkboard	144"	48"	CKBD14448	\$408


Specify	Application Notes		Assembly
1. Model # 2. Paint	Allows hanging of all components and accessories on reinforced building walls.	NOTE: Neutral Posture, Inc. assumes no responsibility for wall construction or performance of fasteners used.	Included • Extruded aluminum channel • Insert which snaps
	Painted extruded aluminum with a plastic insert which		into place

snaps in place, covering mounting screws.

LIGHTING

Just as the design of a work environment is important, a company's investment in workplace lighting is equally such. Light empowers a person's work, influences their mood and helps them focus. Workers need well-lit spaces to be productive and feel their best. Developing a work environment that supports worker well being and performance through the use of lighting will reduce employee stress, absenteeism and accidents while increasing work performance.

LIGHTING



Task Lights



REED Premier — Stand alone w/18-watt power supply

DESCRIPTION	Н	W	D	WATTAGE	MODEL #	LIST
Suggested Shelf size 24" – 36"	1⁄2"	16 ½″	2"	8.0	LRPSO-17-SA	\$397
Suggested Shelf size 30" – 42"	1⁄2"	23 ¼″	2"	12.4	LRPSO-24-SA	\$517



REED Premier — Stand alone or Starter w/60-watt power supply

Suggested Shelf size 24" – 36"	1/2"	16 ½″	2"	8.0	LRPSO-17-ST	\$477
Suggested Shelf size 30" – 42"	1/2"	23 ¼″	2"	12.4	LRPSO-24-ST	\$597
Suggested Shelf size 42" – 48"	1/2"	30"	2"	16.4	LRPSO-31-ST	\$627
Suggested Shelf size 54" – 60"	1/2"	43 ¾"	2"	24.2	LRPSO-44-ST	\$777
Suggested Shelf size >72"	1⁄2"	57 ½"	2"	31.2	LRPSO-58-ST	\$957



REED Premier — Extension

Suggested Shelf size 24" - 36"	1⁄2"	16 ½″	2"	8.0	LRPSO-17-EX	\$357
Suggested Shelf size 30" – 42"	1⁄2"	23 ¼″	2"	12.4	LRPSO-24-EX	\$497
Suggested Shelf size 42" – 48"	1⁄2"	30"	2"	16.4	LRPSO-31-EX	\$527
Suggested Shelf size 54" – 60"	1⁄2"	43 ¾"	2"	24.2	LRPSO-44-EX	\$697
Suggested Shelf size >72"	1⁄2"	57 ½"	2"	31.2	LRPSO-58-EX	\$877



REED Premier — Accessories

REED Premier

Properly diffused

light provides a softly

blended light pattern

A single-touch on/

that reduces eye strain.

off and touch and hold

with last state memory.

The automatic turn off

feature comes standard and will turn the fixture

continuous use (±15 mins).

off after 10 hours of

continuous dimming pad

Occupancy sensor kit	3⁄4"	2"	2"	LRP-OS	\$307



Specify

1. Model #

Specify Notes	Interlinking Co
60-watt power supply is required when interlinking.	17" 24"

Total interlinked system wattage cannot exceed 54 watts. See the interlinking combination chart for reference.

Extension fixtures come standard with 8" and 30" interlinking cords.

Not recommended to interlink standard and high output versions.

One occupancy sensor needed per string of interlinked fixtures.

ombination Chart

_	_	_	_	_	_	_	_	_	-
17"	24"	31"	44"	58"	17"	24"	31"	44"	58'
6	0	0	0	0	1	3	0	0	0
5	1	0	0	0	1	2	1	0	0
5	0	0	0	0	1	1	2	0	0
4	1	0	0	0	1	0	2	0	0
4	0	1	0	0	1	0	1	1	0
4	0	0	0	0	1	0	0	1	0
3	2	0	0	0	1	0	0	0	1
3	1	1	0	0	0	4	0	0	0
3	0	1	0	0	0	3	1	0	0
3	0	0	1	0	0	2	1	0	0
3	0	0	0	0	0	1	1	1	0
2	3	0	0	0	0	1	0	0	1
2	2	0	0	0	0	0	3	0	0
2	0	2	0	0	0	0	2	0	0
2	0	1	0	0	0	0	1	1	0
2	0	0	1	0	0	0	1	0	1
2	0	0	0	1	0	0	0	2	0
2	0	0	0	0					

Task Lights



T5 – Task Light

DESCRIPTION	H	W	D	MODEL #	LIST
Use with 24" and wider overhead	1 1⁄2"	19"	4"	EL4T5E19S	\$259
Use with 30" and wider overhead	1 1⁄2"	25"	4"	EL4T5E25S	\$268
Use with 42" and wider overhead	1 1⁄2"	37"	4"	EL4T5E37S	\$275
Use with 60" and wider overhead	1 1⁄2"	49"	4"	EL4T5E49S	\$291




LED – Task Light

Use with 24" and wider overhead	1"	16"	1"	EL4LED16	\$495
Use with 30" and wider overhead	1"	25"	1"	EL4LED25	\$595
Use with 42" and wider overhead	1"	31"	1"	EL4LED31	\$655
Use with 60" and wider overhead	1"	37"	1"	EL4LED37	\$727

Specify	Application Notes	T5 Task Light	LED
1. Model #	All task lights mount into the recess in the underside of overhead cabinets and shelves at least 6" wider than task light width. All task lights are TCLP compliant and meet requirements of California Title 20 and Title 24.	120v and includes T5 cool white (4100K) fluorescent lamp, electronic ballast, 9' grounded cord-set, prismatic lens, rocker switch, one cord exit management clip and mounting hardware. Housings are black. T5 task lights come with mounting supports. City of Chicago Installations Specify suffix – CH	 Consumes only 9.4 Watts Color temperature: 3300 Non-handed toggle switch location Cord location can be either end LED task lights are magnetic and require no mounting supports.
		and add \$45 list.	
		Example: EL4T525S-CH	

Freestanding Lights





DESCRIPTION	MODEL #	LIST
Freestanding	LVOY-S-FS-(B,W,S)	\$797
Freestanding w/occupancy sensor	LVOY-S-FS-(B,W,S)-OS	\$977
Freestanding USB	LVOY-S-FSUSB-(B,W,S)	\$857
Freestanding USB w/occupancy sensor	LVOY-S-FSUSB-(B,W,S)-OS	\$1,057
Surface Mount	LVOY-S-SM-(B,W,S)	\$797
Surface Mount w/occupancy sensor	LVOY-S-SM-(B,W,S)-OS	\$977
Clamp Mount	LVOY-S-CM-(B,W,S)	\$797
Clamp Mount w/occupancy sensor	LVOY-S-CM-(B,W,S)-OS	\$977



Voyage — Double arm

DESCRIPTION	MODEL #	LIST
Freestanding	LVOY-D-FS-(B,W,S)	\$877
Freestanding w/occupancy sensor	LVOY-D-FS-(B,W,S)-OS	\$1,057
Freestanding USB	LVOY-D-FSUSB-(B,W,S)	\$977
Freestanding USB w/occupancy sensor	LVOY-D-FSUSB-(B,W,S)-OS	\$1,127
Surface Mount	LVOY-D-SM-(B,W,S)	\$877
Surface Mount w/occupancy sensor	LVOY-D-SM-(B,W,S)-OS	\$1,057
Clamp Mount	LVOY-D-CM-(B,W,S)	\$977
Clamp Mount w/occupancy sensor	LVOY-D-CM-(B,W,S)-OS	\$1,057

Specify

1. Model #

Voyage

Properly diffused light provides a softly blended light pattern that reduces eye strain.

A single-touch on/ off and touch and hold continuous dimming pad with last state memory. The automatic turn off feature comes standard and will turn the fixture off after 10 hours of continuous use.

The optional occupancy sensor will turn the fixture off after 30 minutes of inactivity and back on as the user re-enters the workspace. If occupant is present, the light will remain on.

Color Options B – Black

W – White

S – Silver

Freestanding Lights



Revo	— Single arm
------	--------------

DESCRIPTION	MODEL #	LIST
Freestanding	LREV-S-FS-(B,W,S)	\$797
Freestanding w/occupancy sensor	LREV-S-FS-(B,W,S)-OS	\$977
Freestanding USB	LREV-S-FSUSB-(B,W,S)	\$877
Freestanding USB w/occupancy sensor	LREV-S-FSUSB-(B,W,S)-OS	\$1,007
Surface Mount	LREV-S-SM-(B,W,S)	\$797
Surface Mount w/occupancy sensor	LREV-S-SM-(B,W,S)-OS	\$977
Clamp Mount	LREV-S-CM-(B,W,S)	\$797
Clamp Mount w/occupancy sensor	LREV-S-CM-(B,W,S)-OS	\$977



Revo — Double Arm


DESCRIPTION	MODEL #	LIST
Freestanding	LREV-D-FS-(B,W,S)	\$877
Freestanding w/occupancy sensor	LREV-D-FS-(B,W,S)-OS	\$1,057
Freestanding USB	LREV-D-FSUSB-(B,W,S)	\$977
Freestanding USB w/occupancy sensor	LREV-D-FSUSB-(B,W,S)-OS	\$1,127
Surface Mount	LREV-D-SM-(B,W,S)	\$877
Surface Mount w/occupancy sensor	LREV-D-SM-(B,W,S)-OS	\$977
Clamp Mount	LREV-D-CM-(B,W,S)	\$877
Clamp Mount w/occupancy sensor	LREV-D-CM-(B,W,S)-OS	\$977

Specify	Application Notes		
1. Model #	Properly diffused light source under the round head provides a softly blended light pattern that reduces eye strain. Single-touch on/off and touch and hold continuous dimming pad with last state memory.	The automatic turn off feature comes standard and will turn the fixture off after 10 hours of continuous use. The optional occupancy sensor will turn the fixture off after 30 minutes of inactivity and back on as the user re-enters the workspace. If occupant is present, the light will remain on.	Color Options B – Black W – White S – Silver

Lighting

Tables

General Info



FEATURES

BASE TYPES

- X Base
- Y Base w/ or w/o adjustable bar support
- Tapered Leg

BASE OPTIONS

- Bar height
- Flip top
- Casters

NOTE: Not all options are available on all bases.

WORKSURFACE TYPES

- Round
- Square
- Rectangular
- Oval

LEVELERS

Adjustable height levelers are included at no additional cost on all models.

SHANK LENGTH

X & Y bases — ¾-16 x ¾" Tapered legs — ¾-16 x 1 ¾"

Leveler extensions can be ordered separately. Please contact Customer Service for information on ordering leveler extensions. Casters can be ordered in place of levelers for an upcharge on most standard height tables.

SAFETY

For safety and stability purposes, the caster and flip top options cannot be added to bar height tables or the following table models: TBR60, TBS48, TBS60, TBOT54120, TBOT60144.

CUSTOM TABLES

Custom size tables and custom height bases are available upon request, pending Engineering approval. Customization charges may apply. Contact Customer Service for additional information and pricing.

CONSTRUCTION

X BASES

X bases are made from cast aluminum with 2 ¼" tubing OD x 13 gauge.

Y BASE

Y base is made from cast aluminum with 2 ¼" steel tube.

X BASE MOUNTING PLATES

X base mounting plates are made of steel 4 gauge x 12" x 12" or 8" x 8".

Y BASE MOUNTING PLATES

Y base mounting plates are made from 0.187" x 6" x 8" fabricated steel.

WORKSURFACES

All worksurfaces are made with a core, high pressure laminate and edge band. All nonwoodgrain edge bands are made of ABS material. All woodgrain edge bands are made of PVC material. The overall thickness is 1 ¹/₈".

WORKSURFACE HEIGHTS

Standard	27 ¾"
Bar Height	40 ¾"

SURFACE MATERIALS

WORKSURFACE

- Laminate
- Edge band

X BASES

Paint

Y BASE Paint

TAPERED LEGS Paint

HEIGHT ADJUSTABLE BASE

Black or silver

TABLES





Round — w/X base					LAMINATE	PAINT			
DESCRIPTION	Н	W	D	MODEL #		L1 L2	L3	P2	P3
X base	29"	29 ¾"	29 ¾"	TBR30X	\$1,12	5 \$1,238	\$1,350	+ \$100	+ \$200
X base	29"	35 ¾"	35 ¾"	TBR36X	\$1,15	0 \$1,265	\$1,380	+ \$100	+ \$200
X base	29"	41 ¾"	41 ¾"	TBR42X	\$1,22	5 \$1,348	\$1,470	+ \$100	+ \$200
X base	29"	47 ¾"	47 ¾"	TBR48X	\$1,51	0 \$1,661	\$1,812	+ \$100	+ \$200

Options for Round Tables — w/X base

DESCRIPTION	OPTION CODE	UPCHARGE
Bar height	вн	+ \$100
Casters (set of 4)	с	+ \$100
Flip top	FT	+ \$200



Round — w/Tapered legs						LAMINATE	PAINT		
DESCRIPTION	H	W	D	MODEL #	ព	L2	L3	P2	P3
4 Tapered legs	29"	29 ¾"	29 ¾"	TBR30T	\$1,600	\$1,760	\$1,920	+ \$100	+ \$200
4 Tapered legs	29"	35 ¾"	35 ¾"	TBR36T	\$1,625	\$1,788	\$1,950	+ \$100	+ \$200
4 Tapered legs	29"	41 ¾"	41 ¾"	TBR42T	\$1,650	\$1,815	\$1,980	+ \$100	+ \$200
4 Tapered legs	29"	47 ¾"	47 ¾"	TBR48T	\$1,675	\$1,843	\$2,010	+ \$100	+ \$200

Options for Round Tables — w/Tapered legs


DESCRIPTION	OPTION CODE	UPCHARGE
Casters (set of 4)	c	+ \$100



Round — w/di	isc base					LAMINATE		PAINT	
DESCRIPTION	Н	W	D	MODEL #	L1	L2	L3	P2	P3
Disc base	29"	29 ¾"	29 ¾"	TBR30D	\$2,127	\$2,340	\$2,552	+ \$100	+ \$200
Disc base	29"	35 ¾"	35 ¾"	TBR36D	\$2,227	\$2,450	\$2,672	+ \$100	+ \$200

Options for Round Tables — w/Disc base

DESCRIPTION	OPTION CODE	UPCHARGE
Bar height	вн	+ \$100
Flip top	FT	+ \$200





Square — w/X base				 	LAMINATE		PAINT		
DESCRIPTION	Н	W	D	MODEL #	L1	L2	L3	P2	P3
X base	29"	29 ¾"	29 ¾"	TBS30X	\$1,125	\$1,238	\$1,350	+ \$100	+ \$200
X base	29"	35 ¾"	35 ¾"	TBS36X	\$1,200	\$1,320	\$1,440	+ \$100	+ \$200
X base	29"	41 ¾"	41 ¾"	TBS42X	\$1,250	\$1,375	\$1,500	+ \$100	+ \$200

Options for Square Tables — w/X base


DESCRIPTION	OPTION CODE	UPCHARGE
Bar height	BH	+ \$100
Casters (set of 4)	c	+ \$100
Flip top	FT	+ \$200



Square — w/Tap	oered legs					LAMINATE		PAII	
DESCRIPTION	Н	W	D	MODEL #	11	L2	L3	P2	P3
4 Tapered Legs	29"	29 ¾"	29 ¾"	TBS30T	\$1,600	\$1,760	\$1,920	+ \$100	+ \$200
4 Tapered Legs	29"	35 ¾"	35 ¾"	TBS36T	\$1,625	\$1,788	\$1,950	+ \$100	+ \$200
4 Tapered Legs	29"	41 ¾"	41 ¾"	TBS42T	\$1,635	\$1,799	\$1,962	+ \$100	+ \$200
4 Tapered Legs	29"	47 ¾"	47 ¾"	TBS48T	\$1,650	\$1,815	\$1,980	+ \$100	+ \$200

Options for Square Tables — w/Tapered legs

DESCRIPTION	OPTION CODE	UPCHARGE
Casters (set of 4)	c	+ \$100





Oval — w/Y base						LAMINATE		PAIN	г
DESCRIPTION	Н	W	D	MODEL #	L1	L2	L3	P2	P3
w/stretcher	29"	71 ¾"	35 ¾"	TBOT3672Y	\$3,190	\$3,509	\$3,828	+ \$200	+ \$300
w/stretcher	29"	95 ¾"	47"	TBOT4896Y	\$5,225	\$5,748	\$6,270	+ \$200	+ \$300
w/stretcher	29"	119 ¾"	47"	TBOT48120Y	\$6,395	\$7,035	\$7,674	+ \$200	+ \$300

Options for Oval Tables — w/Y base

DESCRIPTION	OPTION CODE	UPCHARGE
Bar height	вн	+ \$300
Casters (set of 4)	с	+ \$100
Flip top	FT	+ \$300



Oval — w/Tapered legs					LAMINATE		PAIN	т	
DESCRIPTION	H	W	D	MODEL #	L1	L2	L3	P2	P3
6 Tapered legs	29"	71 ¾"	35 ¾"	TBOT3672T	\$3,200	\$3,520	\$3,840	+ \$250	+ \$350
6 Tapered legs	29"	95 ¾"	47"	TBOT4896T	\$3,500	\$3,850	\$4,200	+ \$250	+ \$350
6 Tapered legs*	29"	119 ¾"	47"	TBOT48120T	\$3,850	\$4,235	\$4,620	+ \$250	+ \$350
6 Tapered legs*	29"	119 ¾"	53 ¾"	TBOT54120T	\$6,900	\$7,590	\$8,280	+ \$250	+ \$350
6 Tapered legs*	29"	143 ¾"	59 ¾"	TBOT60144T	\$7,500	\$8,250	\$9,000	+ \$250	+ \$350
6 Tapered legs* * Includes a support ra		143 ¾"	59 ¾"	TBOT60144T	\$7,500	\$8,250	\$9,000	+ \$250	+

Options for Oval Tables — w/Tapered legs

DESCRIPTION	OPTION CODE	UPCHARGE
Casters (set of 6)	с	+ \$150

Specify	Grain Direction				Shape	D	w	Base	
1. Model #		тв	Table	R	Round	34	69	Y	Y base
2. Options	\leftarrow			S	Square			Т	Tapered legs
3. Laminate				RCT	Rectangle				
4. Edge band				ОТ	Oval				
5. Base paint		ļ		-				:	
		ТВ		ОТ		34	69	Y	



Rectangle — w/Y base					LAMINATE		PAIN	т	
DESCRIPTION	Н	W	D	MODEL #	L1	L2	L3	P2	P3
w/o stretcher	29"	47 ¾"	29 ¾"	TBRCT3048Y	\$1,415	\$1,557	\$1,698	+ \$200	+ \$300
w/stretcher	29"	58 ½"	35 ½"	TBRCT3660Y	\$2,035	\$2,239	\$2,442	+ \$200	+ \$300
w/stretcher	29"	59 ¾"	29 ¾"	TBRCT3060Y	\$1,725	\$1,898	\$2,070	+ \$200	+ \$300
w/stretcher	29"	69 ¼"	34"	TBRCT3469Y	\$3,065	\$3,372	\$3,678	+ \$200	+ \$300
w/stretcher	29"	71 ¾"	29 ¾"	TBRCT3072Y	\$2,035	\$2,239	\$2,442	+ \$200	+ \$300
w/stretcher	29"	71 ¾"	35 ¾"	TBRCT3672Y	\$2,415	\$2,657	\$2,898	+ \$200	+ \$300
w/stretcher*	29"	79 ¼"	34"	TBRCT3479Y	\$3,065	\$3,372	\$3,678	+ \$200	+ \$300
w/stretcher*	29"	83 ¾"	41 ¾"	TBRCT4284Y	\$3,275	\$3,603	\$3,930	+ \$200	+ \$300
w/stretcher*	29"	95 ¾"	47 ¾"	TBRCT4896Y	\$4,165	\$4,582	\$4,998	+ \$200	+ \$300

Options for Rectangle Tables – w/Y base

DESCRIPTION	OPTION CODE	UPCHARGE
Bar height	вн	+ \$300
Casters (set of 4)	с	+ \$100
Flip top	FT	+ \$300




Rectangle –	- w/Tapere	d legs			6 6 7 8 8 8 8 8 8	LAMINATE		PAIN	r
DESCRIPTION	Н	W	D	MODEL #	L1	L2	L3	P2	P3
4 Tapered legs	29"	47 ¾"	29 ¾"	TBRCT3048T	\$1,900	\$2,090	\$2,280	+ \$250	+ \$350
4 Tapered legs	29"	58 ½"	35 ½"	TBRCT3660T	\$2,200	\$2,420	\$2,640	+ \$250	+ \$350
4 Tapered legs	29"	59 ¾"	29 ¾"	TBRCT3060T	\$2,100	\$2,310	\$2,520	+ \$250	+ \$350
6 Tapered legs	29"	69 ¼"	34"	TBRCT3469T	\$2,300	\$2,530	\$2,760	+ \$250	+ \$350
6 Tapered legs	29"	71 ¾"	29 ¾"	TBRCT3072T	\$2,100	\$2,310	\$2,520	+ \$250	+ \$350
6 Tapered legs	29"	71 ¾"	35 ¾"	TBRCT3672T	\$2,300	\$2,530	\$2,760	+ \$250	+ \$350
6 Tapered legs*	29"	79 ¼"	34"	TBRCT3479T	\$2,500	\$2,750	\$3,000	+ \$250	+ \$350
6 Tapered legs*	29"	83 ¾"	41 ¾"	TBRCT4284T	\$2,750	\$3,025	\$3,300	+ \$250	+ \$350
6 Tapered legs*	29"	95 ¾"	47 ¾"	TBRCT4896T	\$2,850	\$3,135	\$3,420	+ \$250	+ \$350
* Includes a support ra	il								

······

Options for Rectangle Tables — w/Tapered legs

DESCRIPTION	OPTION CODE	UPCHARGE
Casters (set of 6)	c	+ \$150







24" D					LAMINATE		V	VOOD VENEER	
Н	W	D	MODEL #	L1	L2	L3	W1	W2	W3
24" - 50"	48"	24"	TBRCT2448H	\$2,177	\$2,395	\$2,612	\$2,597	\$2,857	\$3,116
24" - 50"	54"	24"	TBRCT2454H	\$2,227	\$2,450	\$2,672	\$2,677	\$2,945	\$3,212
24" - 50"	60"	24"	TBRCT2460H	\$2,277	\$2,505	\$2,732	\$2,782	\$3,060	\$3,338
24" - 50"	66"	24"	TBRCT2466H	\$2,327	\$2,560	\$2,792	\$2,882	\$3,170	\$3,458
24" - 50"	72"	24"	TBRCT2472H	\$2,377	\$2,615	\$2,852	\$2,942	\$3,236	\$3,530
24" - 50"	78"	24"	TBRCT2478H	\$2,427	\$2,670	\$2,912	\$3,007	\$3,308	\$3,608
24" – 50"	84"	24"	TBRCT2484H	\$2,477	\$2,725	\$2,972	\$3,067	\$3,374	\$3,680



30" D					LAMINATE			WOOD VENEER		
Н	W	D	MODEL #		L1	L2	L3	W1	W2	W3
24" – 50"	48"	30"	TBRCT3048H		\$2,227	\$2,450	\$2,672	\$2,717	\$2,989	\$3,260
24" – 50"	54"	30"	TBRCT3054H		\$2,277	\$2,505	\$2,732	\$2,847	\$3,132	\$3,416
24" - 50"	60"	30"	TBRCT3060H		\$2,327	\$2,560	\$2,792	\$2,942	\$3,236	\$3,530
24" – 50"	66"	30"	TBRCT3066H	-	\$2,377	\$2,615	\$2,852	\$3,032	\$3,335	\$3,638
24" - 50"	72"	30"	TBRCT3072H		\$2,427	\$2,670	\$2,912	\$3,117	\$3,429	\$3,740
24" – 50"	78"	30"	TBRCT3078H		\$2,477	\$2,725	\$2,972	\$3,187	\$3,506	\$3,824
24" - 50"	84"	30"	TBRCT3084H		\$2,527	\$2,780	\$3,032	\$3,277	\$3,605	\$3,932

Specify

- Model #
 Laminate
- 3. Edge band
- 4. Support color
- Black or Silver

Application Notes

Electric Height Adjustable Base

Adjustable height bases can be used with 24" & 30" deep worksurfaces. Worksurfaces must be betweetn 48" – 84" wide. Adjustable height bases have a capacity of 264 lbs evenly distributed.

Comes with four position memory controller.

Anti-collision stops and reverses the travel of the table when the table collides with a fixed object during operation.

3-stage legs offer a large height adjustment range of 24" – 50".



24" D					••••••			•••••••		•••••
24 0						LAMINATE		V	/OOD VENEER	
Н	W	D	MODEL #		L1	L2	L3	W1	W2	W3
24" – 50"	42"	24"	TBRCT2442PH		\$3,007	\$3,308	\$3,608	\$3,407	\$3,748	\$4,088
24" – 50"	48"	24"	TBRCT2448PH		\$3,057	\$3,363	\$3,668	\$3,477	\$3,825	\$4,172
24" - 50"	54"	24"	TBRCT2454PH		\$3,107	\$3,418	\$3,728	\$3,557	\$3,913	\$4,268
24" – 50"	60"	24"	TBRCT2460PH		\$3,157	\$3,473	\$3,788	\$3,662	\$4,028	\$4,394
24" – 50"	66"	24"	TBRCT2466PH		\$3,307	\$3,638	\$3,968	\$3,862	\$4,248	\$4,634
24" – 50"	72"	24"	TBRCT2472PH		\$3,357	\$3,693	\$4,028	\$3,922	\$4,314	\$4,706
24" – 50"	78"	24"	TBRCT2478PH		\$3,407	\$3,748	\$4,088	\$3,987	\$4,386	\$4,784
24" – 50"	84"	24"	TBRCT2484PH		\$3,507	\$3,858	\$4,208	\$4,097	\$4,507	\$4,916
				•			•			



30" D						LAMINATE		•	WOOD VENEER	ł
Н	W	D	MODEL #		L1	L2	L3	W1	W2	W3
24" – 50"	42"	30"	TBRCT3042PH	\$3	,057	\$3,363	\$3,668	\$3,532	\$3,885	\$4,238
24" – 50"	48"	30"	TBRCT3048PH	\$3	,107	\$3,418	\$3,728	\$3,597	\$3,908	\$4,218
24" – 50"	54"	30"	TBRCT3054PH	\$3	,307	\$3,638	\$3,968	\$3,877	\$4,208	\$4,538
24" - 50"	60"	30"	TBRCT3060PH	\$3	,357	\$3,693	\$4,028	\$3,972	\$4,308	\$4,643
24" – 50"	66"	30"	TBRCT3066PH	\$3	,407	\$3,748	\$4,088	\$4,062	\$4,403	\$4,743
24" – 50"	72"	30"	TBRCT3072PH	\$3	,457	\$3,803	\$4,148	\$4,147	\$4,493	\$4,838
24" – 50"	78"	30"	TBRCT3078PH	3,50	7.00	\$3,858	\$4,208	\$4,217	\$4,568	\$4,918
24" – 50"	84"	30"	TBRCT3084PH	3,55	7.00	\$3,913	\$4,268	\$4,307	\$4,663	\$5,018

......

Specify

- 1. Model #
- 2. Laminate
- 3. Edge band 4. Support color
- Black or Silver

Application Notes


Provides 18" of vertical movement.

Specification Guidelines


Pneumatic Height

Adjustable Base Pneumatic height adjustable height bases can be used with 24" & 30" deep worksurfaces. Worksurfaces must be between 48" - 84" wide. NOTE: Adjustable worksurface meets BIFMA loading requirements for safety. Mechanism is designed to have up to 100 lbs. of load and function smoothly.


Privacy/Modesty Panels



Priv	acy	/ & Mod	lesty Panels	S	SCREEN TYPE			
W	H	BRACKETS	MODEL #	CR	PG	тс		
12"	12"	2	PRVMOD(CR/PG/TC)12	\$334	\$294	\$714		
18"	12"	2	PRVMOD(CR/PG/TC)18	\$414	\$334	\$974		
24"	12"	2	PRVMOD(CR/PG/TC)24	\$494	\$394	\$1,234		
30"	12"	2	PRVMOD(CR/PG/TC)30	\$574	\$454	\$1,494		
36"	12"	2	PRVMOD(CR/PG/TC)36	\$654	\$514	\$1,774		
42"	12"	2	PRVMOD(CR/PG/TC)42	\$734	\$574	\$2,034		
48"	12"	2	PRVMOD(CR/PG/TC)48	\$814	\$634	\$2,294		
60"	12"	3	PRVMOD(CR/PG/TC)60	\$1,014	\$754	\$2,834		









Modesty Panels

Privacy Panels

2

2

2

2

2

2

2

3

PRV(CR/PG/TC)12

PRV(CR/PG/TC)18

PRV(CR/PG/TC)24

PRV(CR/PG/TC)30

PRV(CR/PG/TC)36

PRV(CR/PG/TC)42

PRV(CR/PG/TC)48

PRV(CR/PG/TC)60

12" 12"

18" 12"

24" 12"

30" 12"

36" 12"

42" 12"

48" 12"

60" 12"

MUU	uesu	y ra			
12"	12"	2	MOD(CR/PG/TC)12	\$167 \$14	7 \$357
18"	12"	2	MOD(CR/PG/TC)18	\$207 \$16	7 \$487
24"	12"	2	MOD(CR/PG/TC)24	\$247 \$197	7 \$617
30"	12"	2	MOD(CR/PG/TC)30	\$287 \$22	7 \$747
36"	12"	2	MOD(CR/PG/TC)36	\$327 \$25	7 \$887
42"	12"	2	MOD(CR/PG/TC)42	\$367 \$28	7 \$1,017
48"	12"	2	MOD(CR/PG/TC)48	\$407 \$31	7 \$1,147
60"	12"	3	MOD(CR/PG/TC)60	\$507 \$37	7 \$1,417

Specify	
---------	--

- 1. Model # 2. Insert type
- 3. Insert color

Trim - Brushed nickel only

Screen Type

- CR . . Corian
- PG...Plexiglass
- TC ... Textured Corian

Glacier White								
Pearl Grey								
Corian Clay	•	•	•	•	•	•	•	,
Silver Grey	•	•	•	•	•	•	•	,
Corian Grey .	•							,

Corian Finishes

lacier White CRO	001
earl Grey CRO	002
orian Clay CRO	003
ilver Grey CRO	004
orian Grey CRO	005

Textured Corian Finishes								
Glacier White	CR001T							
Pearl Grey	CR002T							
Corian Clay	CR003T							
Silver Grey	CR004T							
Corian Grey	CR005T							

Plexiglass Finishes

\$167

\$207

\$247

\$287

\$327

\$367

\$407

\$507

\$147

\$167

\$197

\$227

\$257

\$357

\$487

\$617

\$747

\$887

\$287 \$1,017

\$317 \$1,147


\$377 \$1,417

IC . . . lce SM. . Smoked TR ... Translucent LF. . . Frost

Application Notes

Screens are ¼" thick.

Widths are 1" less than nominal to allow for 1/2" set-back on each side.



н

н

w

rivacy & Modesty Panels — Laminate				LAMINATE			
H	BRACKETS	MODEL#		L1	L2	L3	
27"	2	PRVMODLM24		\$497	\$547	\$596	
27"	2	PRVMODLM30		\$567	\$624	\$680	
27"	2	PRVMODLM36		\$607	\$668	\$728	
27"	2	PRVMODLM42		\$637	\$701	\$764	
27"	2	PRVMODLM48		\$677	\$745	\$812	
27"	3	PRVMODLM60		\$707	\$778	\$848	
	H 27" 27" 27" 27" 27"	H BRACKETS 27" 2 27" 2 27" 2 27" 2 27" 2 27" 2 27" 2 27" 2 27" 2	H BRACKETS MODEL # 27" 2 PRVMODLM24 27" 2 PRVMODLM30 27" 2 PRVMODLM36 27" 2 PRVMODLM42 27" 2 PRVMODLM36 27" 2 PRVMODLM42 27" 2 PRVMODLM42	BRACKETS MODEL# 27" 2 PRVMODLM24 27" 2 PRVMODLM30 27" 2 PRVMODLM36 27" 2 PRVMODLM42 27" 2 PRVMODLM36 27" 2 PRVMODLM42 27" 2 PRVMODLM42	Acy & Modesty Panels — Laminate Laminate H BRACKETS MODEL # L1 27" 2 PRVMODLM24 \$497 27" 2 PRVMODLM30 \$567 27" 2 PRVMODLM36 \$607 27" 2 PRVMODLM42 \$637 27" 2 PRVMODLM48 \$637	BRACKETS MODEL # LAMINATE 27" 2 PRVMODLM24 \$497 \$547 27" 2 PRVMODLM30 \$668 \$607 \$668 27" 2 PRVMODLM42 \$637 \$701 27" 2 PRVMODLM42 \$637 \$701 27" 2 PRVMODLM48 \$677 \$745	

Privacy & Modesty Panels __fabric

Priv	/acy	/ & Moc	lesty Panels — fabric				FAB	RIC			
W	H	BRACKETS	MODEL #	A	В	C	D	E	F	G	Н
24"	27"	2	PRVMODFA24	\$357	\$407	\$437	\$457	\$567	\$687	\$797	\$897
30"	27"	2	PRVMODFA30	\$377	\$447	\$477	\$497	\$607	\$727	\$827	\$937
36"	27"	2	PRVMODFA36	\$397	\$487	\$517	\$537	\$647	\$767	\$867	\$977
42"	27"	2	PRVMODFA42	\$417	\$517	\$557	\$577	\$687	\$797	\$907	\$1,017
48"	27"	2	PRVMODFA48	\$487	\$607	\$647	\$657	\$777	\$897	\$987	\$1,107
60"	27"	3	PRVMODFA60	\$617	\$747	\$797	\$807	\$907	\$1,037	\$1,137	\$1,247

Tackable Privacy

& Slat Rail Combo						FAB	RIC					PAINT		
W	Н	BRACKETS	MODEL #	A	В	C	D	E	F	G	H	P1	P2	P3
12"	12"	2	PRVTKSR1212	\$207	\$257	\$307	\$357	\$407	\$467	\$557	\$707	+ \$25	+ \$50	+ \$75
18"	12"	2	PRVTKSR1218	\$237	\$297	\$347	\$397	\$447	\$507	\$597	\$747	+ \$25	+ \$50	+ \$75
24"	12"	2	PRVTKSR1224	\$267	\$337	\$387	\$437	\$487	\$547	\$637	\$787	+ \$25	+ \$50	+ \$75
30"	12"	2	PRVTKSR1230	\$297	\$377	\$427	\$477	\$557	\$587	\$677	\$827	+ \$25	+ \$50	+ \$75
36"	12"	2	PRVTKSR1236	\$347	\$417	\$467	\$517	\$597	\$757	\$857	\$1,027	+ \$25	+ \$50	+ \$75
42"	12"	2	PRVTKSR1242	\$377	\$457	\$507	\$557	\$637	\$777	\$897	\$1,067	+ \$25	+ \$50	+ \$75
48"	12"	2	PRVTKSR1248	\$407	\$497	\$547	\$597	\$677	\$797	\$957	\$1,107	+ \$25	+ \$50	+ \$75
60"	12"	3	PRVTKSR1260	\$447	\$537	\$587	\$637	\$717	\$817	\$997	\$1,147	+ \$25	+ \$50	+ \$75

Specify

- 1. Model #
- 2. Insert type 3. Insert color

Trim - Brushed nickel only

Screen Type

- CR . . Corian
- PG...Plexiglass
- TC ... Textured Corian
- Silver Grey..... CR004 Corian Grey CR005

Corian Finishes

Corian Clay CR003

Corian Finishes	Textured Corian Finishes
Glacier White CR001	Glacier White C
Pearl Grey CR002	Pearl Grey C

Glacier White	CR001T
Pearl Grey	CR002T
Corian Clay	CR003T
Silver Grey	CR004T
Corian Grey	CR005T

Plexiglass Finishes


IC . . . Ice SM. . Smoked TR ... Translucent LF. . . Frost

Application Notes


Screens are ¼" thick.

Widths are 1" less than nominal to allow for 1/2" set-back on each side.

Mobile Privacy Screens




24" W		INFILL FIN		FRAME
н	MODEL #	STANDARD	PREMIUM	BLACK/WHITE
53"	FRMWL2453-S-S	\$3,807	\$4,607	+ \$600
72"	FRMWL2472-S-S-S	\$3,907	\$4,707	+ \$600



		.		
52" W		INFILL FINIS	HES	FRAME
н	MODEL #	STANDARD	PREMIUM	BLACK/WHITE
53"	FRMWL5253-SS-SS	\$4,007	\$4,807	+ \$600
53"	FRMWL5253-SS-R	\$3,657	\$4,407	+ \$600
53"	FRMWL5253-R-SS	\$3,657	\$4,407	+ \$600
53"	FRMWL5253-R-R	\$3,307	\$4,057	+ \$600
72"	FRMWL5272-SS-SS-SS	\$4,107	\$5,107	+ \$600
72"	FRMWL5272-R-SS-R	\$4,327	\$5,607	+ \$600
72"	FRMWL5272-SS-R-SS	\$4,707	\$5,907	+ \$600
72"	FRMWL5272-R-R-R	\$4,107	\$5,207	+ \$600

Specify	Frame Colors	Application Notes
1. Model #	Anodized Aluminum	Frame
2. Frame color	White	Includes hardware.
3. Insert color Standard Frame - Anodized Aluminum	Black	Infills Infills are available in grades A and B. See page 129 for available finishes.
		Bases Bases are not included in the pricing. For base pricing see page 129.


Mobile Privacy Screens



I	n	MUDEL #	STANDARD	PREMIUM	DLACK/WHILE
	53"	FRMWL7253-RS-SR	\$4,607	\$5,707	+ \$600
	53"	FRMWL7253-SSS-RS	\$4,807	\$6,057	+ \$600
	53"	FRMWL7253-SSS-SR	\$4,807	\$6,507	+ \$600
	53"	FRMWL7253-SSS-SSS	\$5,157	\$6,407	+ \$600
	72"	FRMWL7272-SR-RS-SR	\$5,907	\$7,607	+ \$600
	72"	FRMWL7272-SR-SSS-SR	\$6,507	\$8,807	+ \$600
	72"	FRMWL7272-SR-SSS-RS	\$6,207	\$7,957	+ \$600
	72"	FRMWL7272-SSS-SSS-SSS	\$7,207	\$9,007	+ \$600

Bases

Juses			
DESCRIP	MODEL #	ANODIZED ALUMINUM	BLACK/WHITE
Half moon base	B 01	\$90	\$117
12" Floor mount plate	B 02	\$100	\$130
Caster base set	B 03	\$200	\$260
12" Diameter link base	B 04	\$100	\$130
Flush base	B 05	\$220	\$286
6" Floor mount plate	B 06	\$100	\$130
6" Non-floor mounted base	B 07	\$100	\$130



INFILL FINISHES

Standard						Premium			
Solid Colors	Gr A	Translucent	Gr A	Acoustic	Gr A	Fabrics	Gr B	Laminate	Gr B
White		Twinwall Clear Texture		Charcoal		White		Madagascar	
Black		Twinwall White		Cobalt		Gray		Ebony	
Yellow		Twinwall Smoke		Cranberry		Black		Zebrano	
Red		Frosted Acrylic		Marble		Red		Asian Gray	
Dark Gray		Clear Acrylic		Midnight		Blue		Maple	
Light Gray				Sand		Green		Cherry	
Blue				Sherbet		Orange		Dry Erase	
				Shiitake		Camel		Magnetic Dry Erase	
				Snow		Brown		- /	
				Steel					
				Pewter					

STORAGE

Neutral Posture is not only dedicated to good posture, we are also dedicated to making offices more efficient and more enjoyable to work in. Neutral Posture knows that to increase efficiency in the office things must be organized well and be easily accessible. Neutral Posture offers the most space efficient and easily accessible products on the market.

Neutral Posture offers many diverse storage units making sure you can always find the exact unit of storage for your office's needs. From small pedestals that can double as seating to large towers with wardrobe capability, Neutral Posture can fit your needs in any situation. Along with our wide range of storage options, Neutral Posture also lets you truly personalize your office equipment, making your office a welcoming place for not only your customers, but, your employees as well. Neutral Posture provides storage units that work together--meaning that they will work better for you and your workspace. Neutral Posture allows customization by offering several different color options, fabric patterns and even several different pulls and lock options to make sure your office space looks exactly how you want. Storage units that are cohesive have numerous benefits, such as taking up less space, being easier to access and making your office look more unified.

TRUE DIMENSIONS

Disclaimer: While Equity panels and worksurfaces are based on centerline to centerline dimensions, all storage dimensions are true dimensions.

STORAGE

	<u> </u>	0		Î	<u> </u>	Ĭ
0	ė	-				-
		0				_
	-	0			0	-
			μ	4		

630







Z







	PEDESTALS	LATERALS	TOWERS	CREDENZAS	CABINETS	LOCKERS	BOOKCASES
Pencil tray							
	•	•	•				
Drawer dividers							
	•		•				
Magnetic label							
	•	•	•	•			
Ped drawer front filler							
	•		•				
Magnetic drawer dividers							
		•		•			
Magnetic shelf divider							
		•	•	•	•		•
Lateral file conversion bar							
		-					
Worksurface supporting bracket							
			•				
Ped accessory package – FF							
	•		•				
Ped accessory package – BBF							
	•		•				
Ped accessory package – BF							
	•						

		MODEL #
	Pencil tray	SPTRY
1 577	6" Drawer divider	SBDD
	12" Drawer divider	SFDD
	Magnetic label	SMLB
	Ped drawer front filler	SPFF
	Magnetic drawer dividers	SMDDB
	Magnetic shelf divider	SMSD
	Lateral file conversion bar	SLFCB

LIST \$17

\$17 \$37

\$67

\$66

\$97

\$77

\$77

D	Z	J
ħ	1	7

20

PED ACCESSORY PACKAGE – FF

2 – 12" Drawer dividers	SFFA	\$67
PED ACCESSORY PACKAGE	– BBF	
2 – 6" Drawer dividers 1 – 12" Drawer dividers	SBBFA	\$77



PED ACCESSORY PACKAGE – BF

1 – Pencil tray

1 – 6" Drawer divider	SBFA	\$67
1 – 12" Drawer divider		
1 – Pencil tray		

Pedestals

General Info

Step 1 – Model

	Pedestal		Drawers	D		Pull	
SPED SMPED SCMPED SSPED SWSPED SWSLKR SFC	Freestanding Pedestal Mobile Pedestal Mobile Pedestal w/Cushion Suspended Pedestal Worksurface Supporting Pedestal Worksurface Supporting Locker File Center	FF BBF BF	File File Box Box File Box File	19	J B R	J Pull Bar Pull Radiused Pull	301
SPED		BBF		19	В		301

inish	Step 3 – Fror	nt Finish	
	Not	Available w/J Pull	
		Laminate	
agne	PW-STK	Studio Teak	
	PW-STK		

FEATURES

COUNTER WEIGHTS

- Freestanding, mobile and cushion pedestals include factory installed counterweights.
- Counterweights are not necessary for
 worksurface supporting or suspended pedestals.

LOCK

- Lock core is removable.
- Keyed alike available upon request.
- Master and change key available upon request. See (page 9).
- Individual locking drawers available upon request. Upcharge may apply.

DRAWERS

- Include full suspension steel ball-bearing slides.
- Drawer fronts include rubber bumpers for quiet operation.

LEVELING GLIDES

4 Leveling glides allow for 1 5%" adjustment.

CASTERS – MOBILE PEDS

• 4 Black casters, 2 of which are locking.

CONSTRUCTION

OUTER SHELL & DRAWER CONSTRUCTION

Welded steel frame construction & formed channels ensure strength in key areas.

Top channels
Side channels
Outer panels
Drawer fronts
Drawer bins

DRAWER LOAD CAPACITY

6" Box drawers	50 lbs
12" File drawers	70 lbs

18 – 21 Gauge 18 – 21 Gauge

22 Gauge

20 Gauge

22 Gauge

12 1⁄8"

15 1⁄5"

18 ¼"

24 1⁄4"

DRAWER INNER DIMENSIONS

Height	
Box drawer	4 1⁄2"
File drawer	9 1⁄2"

Width All drawers

Denth


Deptil	
18" Deep pedestal	
22" Deep pedestal	
30" Deep pedestal	

PULL STYLES

Step 2 – Case F

Paints Champ

Available with Laminate Front





SURFACE MATERIALS

PEDESTAL Paint

FRONTS

w/Bar pull (B) w/Radiused pull (R) w/J pull (J) Paint or Laminate Paint or Laminate Paint

DRAWER PULL

Bar (**B**) Radiused (**R**) J (**J**) Satin nickel Satin nickel Paint


MOBILE PED HANDLE

Satin nickel

LOCK Satin nickel

CUSHION TOP Upholstery

PEDESTALS



Pedestals



Freestanding			PAINT			LAMINATE FRONT (UPCHARGE)			
H	W	D	MODEL #	P1	P2	P3	L1	L2	L3
27 ¾"	15 ¼"	21 %"	SPEDFF22(J/B/R)	\$597	\$657	\$716	+ \$260	+ \$286	+ \$312
27 ¾"	15 ¼"	21 1/8"	SPEDBBF22(J/B/R)	\$637	\$701	\$764	+ \$280	+ \$308	+ \$336
27 ¾"	15 ¼"	27 1/8"	SPEDFF30(J/B/R)	\$677	\$745	\$812	+ \$271	+ \$366	+ \$460
27 ¾"	15 ¼"	27 1/8"	SPEDBBF30(J/B/R)	\$697	\$767	\$836	+ \$279	+ \$376	+ \$474


Mobile

26 %"	15 ¼"	18 %"	SMPEDFF19(J/B/R)	\$597	\$657	\$716	+ \$260	+ \$286	+ \$312
26 %"	15 ¼"	18 1/8"	SMPEDBBF19(J/B/R)	\$647	\$712	\$776	+ \$285	+ \$314	+ \$342
21 %"	15 ¼"	18 1/8"	SMPEDBF19(J/B/R)	\$577	\$635	\$692	+ \$250	+ \$275	+ \$300
26 %"	15 ¼"	21 1/8"	SMPEDFF22(J/B/R)	\$637	\$701	\$764	+ \$280	+ \$308	+ \$336
26 %"	15 ¼"	21 1/8"	SMPEDBBF22(J/B/R)	\$677	\$745	\$812	+ \$300	+ \$330	+ \$360
21 %"	15 ¼"	21 1/8"	SMPEDBF22(J/B/R)	\$587	\$646	\$704	+ \$250	+ \$275	+ \$300
26 %"	15 ¼"	27 %"	SMPEDFF30(J/B/R)	\$657	\$723	\$788	+ \$263	+ \$355	+ \$447
26 %"	15 ¼"	27 1/8"	SMPEDBBF30(J/B/R)	\$687	\$756	\$824	+ \$275	+ \$371	+ \$467
21 %"	15 ¼"	27 %"	SMPEDBF30(J/B/R)	\$607	\$668	\$728	+ \$243	+ \$328	+ \$413



obil	e Cushi	on					FABR	IC			
H	W	D	MODEL #	1	2	3	4	5	6	7	8
1"	15 ¼"	18 1/8"	PC 19	\$180	\$210	\$240	\$270	\$340	\$400	\$460	\$550
1"	15 ¼"	21 1/8"	PC22	\$180	\$210	\$240	\$270	\$340	\$400	\$460	\$550
1"	15 ¼"	27 %"	PC 30	\$180	\$210	\$240	\$270	\$340	\$400	\$460	\$550





Pedestals



Suspe	nded				PAINT		LAMINATE FRONT (UPCHARGE)			
H	W	D	MODEL #	P1	P2	P3	L1	L2	L3	
25"	15 ¼"	21 %"	SSPEDFF22(J/B/R)	\$597	\$657	\$716	+ \$260	+ \$286	+ \$312	
25"	15 ¼"	21 %"	SSPEDBBF22(J/B/R)	\$637	\$701	\$764	+ \$280	+ \$308	+ \$336	
19 %"	15 ¼"	21 %"	SSPEDBF22(J/B/R)	\$497	\$547	\$596	+ \$215	+ \$237	+ \$258	
Vorks	urface	Support	ing							
27 ¾"	15 ¼"	17 %"	SWSPEDFF18(J/B/R)	\$577	\$635	\$692	+ \$255	+ \$281	+ \$306	
27 ¾"	15 ¼"	17 %"	SWSPEDBBF18(J/B/R)	\$617	\$679	\$740	+ \$270	+ \$297	+ \$324	
27 ¾"	15 ¼"	21 %"	SWSPEDFF22(J/B/R)	\$577	\$635	\$692	+ \$255	+ \$281	+ \$306	
27 3⁄4"	15 ¼"	21 %"	SWSPEDBBF22(J/B/R)	\$617	\$679	\$740	+ \$270	+ \$297	+ \$324	



27 ¾"

27 ¾"

15 ¼"

15 ¼"

27 %"

27 %"

Mobile Slim					PAINT			LAMINATE FRONT (UPCHARGE)		
DRAWER ACCESS	Н	W	D	MODEL #	P1	P2	P3	L1	L2	L3
L	20"	12"	18 %"	SMPEDSLM19L(J/B/R)	\$1,097	\$1,207	\$1,316	+ \$280	+ \$308	+ \$336
R	20"	12"	18 %"	SMPEDSLM19R(J/B/R)	\$1,097	\$1,207	\$1,316	+ \$280	+ \$308	+ \$336
Both	20"	12"	18 %"	SMPEDSLM19B(J/B/R)	\$1,147	\$1,262	\$1,376	+ \$280	+ \$308	+ \$336

\$597

\$657

\$657

\$723

\$716

\$788

+ \$239

+ \$263

+ \$322

+ \$355

+ \$406

+ \$447

SWSPEDFF30(J/B/R)

SWSPEDBBF30(J/B/R)



Mobile Slim Cushion				FABRIC								
Н	W	D	MODEL #		1	2	3	4	5	6	7	8
1"	12"	18 %"	PCS19		\$180	\$210	\$240	\$270	\$340	\$400	\$460	\$550

									Options	
pecify		Lateral			w		Pull			
. Model # 2. Case finish 3. Front finish Laminate not available on J Pull	SPED SMPED SCMPED SSPED SWSPED SWSLKR SFC	Freestanding Pedestal Mobile Pedestal Mobile Pedestal w/Cushion Suspended Pedestal Worksurface Supporting Pedestal Worksurface Supporting Locker File Center	FF BBF BF	File File Box Box File Box File	19	J B R	J Pull Bar Pull Radiused Pull	DL	Digital Lock	\$357
	SPED		BBF		19	В		DL		

File Centers

General Info

Step 3 – Front Finish Step 1 - Model # Step 2 - Case Finish Not Available w/J Pull **File Center** Pull Drawers D Paints Laminate SFC File Center File File 19 J Pull 301 Champagne **PW-STK** Studio Teak SCFC Freestanding File Center w/cushion BBF **Box Box File** Bar Pull В SCMFC Mobile File Center w/cushion BF Box File R Radiused Pull 19 B SFC BBF 301 **PW-STK**

FEATURES

COUNTER WEIGHTS

- Freestanding file centers include factory installed counterweights.
- Counterweights are not necessary for worksurface supporting file centers.

LOCK

- Lock core is removable.
- Keyed alike available upon request.
- Master and change key available upon request. See (page 9).
- Individual locking drawers available upon request. Upcharge may apply.

DRAWERS

- Include full suspension steel ball-bearing slides.
- Drawer fronts include rubber bumpers for quiet operation.

LEVELING GLIDES

4 Leveling glides allow for 1 5%" adjustment.

CASTERS – MOBILE PEDS

• 4 Black casters, 2 of which are locking

CONSTRUCTION

OUTER SHELL & DRAWER CONSTRUCTION

Welded steel frame construction & formed channels ensure strength in key areas.

Top channels	
Side channels	
Outer panels	
Drawer fronts	
Drawer bins	

DRAWER LOAD CAPACITY

6" Box drawers	50 lbs
12" File drawers	70 lbs

18 – 21 Gauge 18 – 21 Gauge

22 Gauge

20 Gauge

22 Gauge

12 1⁄8"

15 1⁄5"

26 1⁄4"

DRAWER INNER DIMENSIONS

Height	
Box drawer	4 1⁄2"
File drawer	9 ½"

Width All drawers

Depth

18" Deep pedestal 30" Deep pedestal

PULL STYLES

Available with Laminate Front

B – Bar Pull R – Radiused

٦	
J	
	J – J Pull

SURFACE MATERIALS

PEDESTAL Paint

FRONTS

w/Bar pull (**B**) w/Radiused pull (**R**) w/J pull (**J**) Paint or Laminate Paint or Laminate Paint

DRAWER PULL


Bar **(B)** Radiused **(R)** J **(J)** Satin nickel Satin nickel Paint

Satin nickel

LOCK

CUSHION TOP Upholstery

FILE CENTERS



File Centers



Worksu	irface S	Suppor	rting File Center		PAINT		LAMINAT	E FRONT (UPCHA	RGE)
Н	W	D	MODEL #	P1	P2	P3	L1	L2	L3
27 ¾"	30 ½"	18 ¼"	SFCFFLAT(J/B)	\$1,177	\$1,295	\$1,412	+ \$520	+ \$572	+ \$624
27 ¾"	30 ½"	18 ¼"	SFCBBFLAT(J/B)	\$1,187	\$1,306	\$1,424	+ \$540	+ \$594	+ \$648
27 ¾"	30 ½"	18 ¼"	SFCFBBLAT(J/B)	\$1,187	\$1,306	\$1,424	+ \$540	+ \$594	+ \$648




Mobile File Center w/cushion

24 1/8" 30 1/2" 18 3/8" SCMFCBBLAT(J/B) \$2,007 \$2,208 \$2,408 + \$700 + \$971	+ \$1,241
--	-----------

Mobile Cushion Fabric Upcharges

SEATING GRADES	UPCHARGE
1	+ \$225
2	+ \$300
3	+ \$400
4	+ \$500
5	+ \$600
6	+ \$700
7	+ \$800
8	+ \$900



File Centers



Mobile File Center w/Cupboard Door			PAINT			LAMINATE FRONT (UPCHARGE)				
HINGE	Н	W	D	MODEL #	P1	P2	P3	L1	L2	L3
L	22 ¾"	30 ½"	18 ¼"	SMFCFBCUBL(J/B)	\$1,247	\$1,347	\$1,447	+ \$540	+ \$594	+ \$648
R	22 3⁄8"	30 ½"	18 ¼"	SMFCFBCUBR(J/B)	\$1,247	\$1,347	\$1,447	+ \$540	+ \$594	+ \$648




Mobile File Center w/Open Shelf

L 22 3/8" 30 1/2" 18 1/4" SMFCFBSHFL	J/B) \$1,147	\$1,347	\$1,447	+ \$530	+ \$583	+ \$636
R 22 3/8" 30 1/2" 18 1/4" SMFCFBSHFR	J/B) \$1,147	\$1,347	\$1,447	+ \$530	+ \$583	+ \$636




Mobile File Center Cushion		FABRIC									
Н	W	D	MODEL #	A/1	B/2	C/3	D/4	E/5	F/6	G/7	H/8
1"	30 ½"	18 ¼"	MFCC30	\$327	\$427	\$477	\$527	\$577	\$627	\$677	\$747



Laterals

General Info



FEATURES

COUNTER WEIGHTS

- Counterweights are not included with laterals.
- Counterweights are not necessary for worksurface supporting laterals.

LOCK

- · Lock core is removable.
- Keyed alike available upon request.
- Master and change key available upon request. See (page 9).
- Individual locking drawers available upon request. Upcharge may apply.

DRAWERS

- All drawers include full extension steel ball-bearing slides with anti-rebound features to ensure smooth operation.
- Drawer fronts include rubber bumpers for quiet operation.
- The top opening of 5-high laterals features an over-the-top flipper door with 13 ¼" inside clear height for binder storage.
- Drawer includes full-height side panels.
 2 file bars are included in each
- drawer, for side-to-side filing.Conversion bars for front to back filing are sold separately.
- All lateral drawer bins will accommodate A4, letter and legal size filing.

LEVELING GLIDES

4 leveling glides allow for 1 1/4" adjustment.

COUNTERWEIGHTS

Counterweights are required for all lateral files that are not ganged together or otherwise anchored.

CONSTRUCTION

OUTER SHELL & DRAWER CONSTRUCTION

Welded steel frame construction & formed channels ensure strength in key areas. Standard depth is 18 ¼".

Inner frame Outer panels Drawer fronts Drawer bins

30" Wide lateral

36" Wide lateral

42" Wide lateral

DRAWER LOAD CAPACITY

140 lbs
168 lbs
192 lbs

20 Gauge

22 Gauge

20 Gauge

20 Gauge

16"

DRAWER INNER DIMENSIONS

Height	
Top flipper door	13 ¼"
Drawer immediately below lock strip	9 3⁄5"
All other drawers	10 ¾"

Width	
30" Wide lateral	26 1/10"
36" Wide lateral	32 1/10"
42" Wide lateral	38 ½o"

Depth

18 ¼" Deep lateral

PULL STYLES

Available with Laminate Front

B – Bar Pull



SURFACE MATERIALS

LATERAL Paint

FRONTS

w/Bar pull **(B)** w/J pull **(J)** Paint or Laminate Paint

DRAWER PULL

Bar **(B)** J **(J)** Satin nickel Paint

LOCK


Satin nickel

TOP

Paint or Laminate

Storage

LATERALS





Drawer					PAINT		LAMINAT	E FRONT (UPCHAR	(GE)
H	W	D	MODEL #	P1	P2	P3	L1	L2	L3
28 ¾"	30"	18 ¼"	SLAT230(J/B)	\$897	\$987	\$1,076	+ \$400	+ \$440	+ \$528
28 ¾"	36"	18 ¼"	SLAT236(J/B)	\$1,097	\$1,207	\$1,316	+ \$440	+ \$484	+ \$581
28 ¾"	42"	18 ¼"	SLAT242(J/B)	\$1,147	\$1,262	\$1,376	+ \$480	+ \$528	+ \$634

Counterweights are required for all lateral files that are not ganged together or otherwise anchored.



3 Drawer

				:					
39 1/8"	30"	18 ¼"	SLAT330(J/B)	\$1,247	\$1,372	\$1,496	+ \$550	+ \$605	+ \$726
39 7⁄8"	36"	18 ¼"	SLAT336(J/B)	\$1,397	\$1,537	\$1,676	+ \$590	+ \$649	+ \$779
39 1/8"	42"	18 ¼"	SLAT342(J/B)	\$1,497	\$1,647	\$1,796	+ \$630	+ \$693	+ \$832

Counterweights are required for all lateral files that are not ganged together or otherwise anchored.



4 Drawer

51 ¾"	30"	18 ¼"	SLAT430(J/B)	\$1,547	\$1,702	\$1,856	+ \$670	+ \$737	+ \$884
51 3 ⁄8"	36"	18 ¼"	SLAT436(J/B)	\$1,697	\$1,867	\$2,036	+ \$700	+ \$770	+ \$924
51 ¾"	42"	18 ¼"	SLAT442(J/B)	\$1,797	\$1,977	\$2,156	+ \$730	+ \$803	+ \$964


Counterweights are required for all lateral files that are not ganged together or otherwise anchored.



5 Drawer — fixed top shelf

		•							
65 %"	30"	18 ¼"	SLAT530(J/B)	\$1,847	\$2,032	\$2,216	+ \$740	+ \$814	+ \$977
65 %"	36"	18 ¼"	SLAT536(J/B)	\$1,997	\$2,197	\$2,396	+ \$760	+ \$836	+ \$1,003
65 %"	42"	18 ¼"	SLAT542(J/B)	\$2,197	\$2,417	\$2,636	+ \$780	+ \$858	+ \$1,030

Counterweights are required for all lateral files that are not ganged together or otherwise anchored.



5 Drawer — w/roll-out shelf

65 %"	30"	18 ¼"	SLAT5R30(J/B)	\$2,777	\$3,055	\$3,332	+ \$2,000	+ \$2,200	+ \$2,400
65 1/8"	36"	18 ¼"	SLAT5R36(J/B)	\$3,177	\$3,495	\$3,812	+ \$2,000	+ \$2,200	+ \$2,400
65 %"	42"	18 ¼"	SLAT5R42(J/B)	\$3,377	\$3,715	\$4,052	+ \$2,000	+ \$2,200	+ \$2,400

Counterweights are required for all lateral files that are not ganged together or otherwise anchored.

						Options
Specify	Pulls	Lateral	# Drawers	w	Pull	
 Model # Case finish Front finish Laminate not available on J pull 	B – Bar Pull J – J Pull	SLAT Lateral SWSLAT Worksurface Supporting	2 3 4 5	36	J JPull B Bar Pull	CW Counterweights \$167 DL Digital Lock \$357
Application Notes	_	SLAT		36	J	CW
Included		·······	•••••	•••••	•••••	

- Leveling glides for
- 1 ⁵/₈" adjustment

Storage



BF					PAINT		LAMINATE FRONT (UPCHARGE)		
H	W	D	MODEL #	P1	P2	P3	L1	L2	L3
22 5⁄8"	30"	18 ¼"	SLAT130(J/B)	\$1,007	\$1,108	\$1,208	+ \$350	+ \$486	+ \$621
22 5⁄8"	36"	18 ¼"	SLAT136(J/B)	\$1,107	\$1,218	\$1,328	+ \$350	+ \$496	+ \$641
22 5⁄8"	42"	18 ¼"	SLAT142(J/B)	\$1,207	\$1,328	\$1,448	+ \$350	+ \$506	+ \$661

BF Shelf

	••								
22 5⁄8"	30"	18 ¼"	SLATS130	\$807	\$888	\$968	N/A	N/A	N/A
22 5⁄8"	36"	18 ¼"	SLATS136	\$907	\$998	\$1,088	N/A	N/A	N/A
22 5⁄8"	42"	18 ¼"	SLATS142	\$1,007	\$1,108	\$1,208	N/A	N/A	N/A



Worksurface Supporting


_										
	27 ¾"	30"	18 ¼"	SWSLAT230(J/B)	\$897	\$987	\$1,076	+ \$400	+ \$440	+ \$528
	27 ¾"	36"	18 ¼"	SWSLAT236(J/B)	\$997	\$1,097	\$1,196	+ \$440	+ \$484	+ \$581
	27 ¾"	42"	18 ¼"	SWSLAT242(J/B)	\$1,097	\$1,207	\$1,316	+ \$480	+ \$528	+ \$634



2 Drawer/2 Open Shelves

		-							
51 ¾"	30"	18 ¼"	SLAT2S2F30(J/B)	\$2,207	\$2,428	\$2,648	+ \$2,000	+ \$2,200	+ \$2,400
52 3∕ 8"	36"	18 ¼"	SLAT2S2F36(J/B)	\$2,507	\$2,758	\$3,008	+ \$2,000	+ \$2,200	+ \$2,400
53 ¾"	42"	18 ¼"	SLAT2S2F42(J/B)	\$2,957	\$3,253	\$3,548	+ \$2,000	+ \$2,200	+ \$2,400

Counterweights are required for all lateral files that are not ganged together or otherwise anchored.




2 Drawer/3 Open Shelves


65 %"	30"	18 ¼"	SLAT3S2F30(J/B)	\$2,307	\$2,538	\$2,768	+ \$2,000	+ \$2,200	+ \$2,400
65 %"	36"	18 ¼"	SLAT3S2F36(J/B)	\$2,607	\$2,868	\$3,128	+ \$2,000	+ \$2,200	+ \$2,400
65 %"	42"	18 ¼"	SLAT3S2F42(J/B)	\$3,057	\$3,363	\$3,668	+ \$2,000	+ \$2,200	+ \$2,400

Counterweights are required for all lateral files that are not ganged together or otherwise anchored.

Lateral – Accessories

DESCRIPTION	MODEL #	BLACK ONLY
Lateral ganging kit	SLATGK	\$147





B Dra	wer				PAINT	
H	W	D	MODEL #	P1	P2	P
39 %"	30"	18 ¼"	S6BLAT30(J/B)	\$1,877	\$2,065	\$2,25
39 %"	36"	18 ¼"	S6BLAT36(J/B)	\$1,977	\$2,175	\$2,37
39 %"	42"	18 ¼"	S6BLAT42(J/B)	\$2,157	\$2,373	\$2,58

Counterweights are required for all lateral files that are not ganged together or otherwise anchored.

6B Drawer, No Top

39 %"	30"	18 ¼"	S6BLAT30NT(J/B)	\$1,807	\$1,988	\$2,168
39 1/8"	36"	18 ¼"	S6BLAT36NT(J/B)	\$1,907	\$2,098	\$2,288
39 %"	42"	18 ¼"	S6BLAT42NT(J/B)	\$2,107	\$2,318	\$2,528

Counterweights are required for all lateral files that are not ganged together or otherwise anchored.



BBF Drawer


28 ¾"	30"	18 ¼"	S2BFLAT30(J/B)	\$1,207	\$1,328	\$1,448
28 3⁄8"	36"	18 ¼"	S2BFLAT36(J/B)	\$1,307	\$1,438	\$1,568
28 3⁄8"	42"	18 ¼"	S2BFLAT42(J/B)	\$1,407	\$1,548	\$1,688

Counterweights are required for all lateral files that are not ganged together or otherwise anchored.

BBF Drawer, No Top

28 3⁄8"	30"	18 ¼"	S2BFLAT30NT(J/B)	\$1,207	\$1,328	\$1,448
28 3⁄8"	36"	18 ¼"	S2BFLAT36NT(J/B)	\$1,307	\$1,438	\$1,568
28 3⁄8"	42"	18 ¼"	S2BFLAT42NT(J/B)	\$1,407	\$1,548	\$1,688

Counterweights are required for all lateral files that are not ganged together or otherwise anchored.



BBFF Drawer

39 1/8"	42"	18 ¼"	S2B2FLAT42(J/B)	\$1,807	\$1,988	\$2,168
39 %"	36"	18 ¼"	S2B2FLAT36(J/B)	\$1,707	\$1,878	\$2,048
39 1/8"	30"	18 ¼"	S2B2FLAT30(J/B)	\$1,607	\$1,768	\$1,928

Counterweights are required for all lateral files that are not ganged together or otherwise anchored.

BBFF Drawer, No Top

39 %	30	18 1⁄4	S2B2FLAT30NT(J/B)	\$1,607	\$1,768	\$1,928
39 7⁄8	36	18 1⁄4	S2B2FLAT36NT(J/B)	\$1,707	\$1,878	\$2,048
39 7⁄8	42	18 1⁄4	S2B2FLAT42NT(J/B)	\$1,807	\$1,988	\$2,168

Counterweights are required for all lateral files that are not ganged together or otherwise anchored.

			Options
Specify	Lateral	W Pu	II
1. Model # 2. Case finish	S6BLAT6B Drawer LatS2BFLATBBF Drawer LatS2B2FLATBBFF Drawer Lat	36 J J Pull B Bar Pu	
	S6BLAT	36 J	CW



Common Top – 18" Deep

Comn	non To	op – 18	3" Deep	I	LAMINATE	
н	W	D	MODEL #	L1	L2	L3
5⁄8"	30"	18 ¼"	LT 30	\$350	\$385	\$420
5⁄8"	36"	18 ¼"	LT 36	\$380	\$418	\$456
5⁄8"	42"	18 ¼"	LT 42	\$390	\$429	\$468
5⁄8"	60"	18 ¼"	LT 60	\$410	\$451	\$492
5⁄8"	66"	18 ¼"	LT 66	\$465	\$512	\$558
5⁄8"	72"	18 ¼"	LT 72	\$485	\$534	\$582
5⁄8"	84"	18 ¼"	LT 84	\$490	\$539	\$588
5⁄8"	90"	18 ¼"	LT 90	\$495	\$545	\$594
5⁄8"	108"	18 ¼"	LT 108	\$530	\$583	\$636
5⁄8"	126"	18 ¼"	LT 126	\$705	\$776	\$846

Common Top – 36" Deep

- Specify
- Model #
 Laminate
- 3. Edge band



5⁄8"	30"	36 1⁄2"	LT3037	\$500	\$550	\$600
5⁄8"	36"	36 ½"	LT3637	\$550	\$605	\$660
5⁄8"	42"	36 1⁄2"	LT4237	\$625	\$688	\$750
5⁄8"	60"	36 ½"	LT6037	\$725	\$798	\$870
5⁄8"	66"	36 1⁄2"	LT6637	\$800	\$880	\$960
5⁄8"	72"	36 1⁄2"	LT7237	\$850	\$935	\$1,020
5⁄8"	84"	36 1⁄2"	LT8437	\$900	\$990	\$1,080
5⁄8"	90"	36 1⁄2"	LT9037	\$950	\$1,045	\$1,140
5⁄8"	108"	36 1⁄2"	LT10837	\$1,150	\$1,265	\$1,380
5⁄8"	126"	36 1⁄2"	LT12637	\$1,250	\$1,375	\$1,500

					•••••••••••••••••••••••••••••••••••••••	•••••••••••••••••••••••••••••••••••••••	•••••••	••••••	••••••	••••••	•••••	
ushi	i on – '	18" Dee	р				FAB	RIC				
H	W	D	MODEL #	A/1	B/2	C/3	D/4	E/5	F/6	G/7	H/8	
1"	30"	18 ¼"	LC30	\$327	\$427	\$477	\$527	\$577	\$627	\$677	\$747	
1"	36"	18 ¼"	LC 36	\$352	\$452	\$507	\$557	\$617	\$682	\$747	\$837	
1"	42"	18 ¼"	LC42	\$377	\$477	\$537	\$587	\$657	\$737	\$817	\$92	
1"	60"	18 ¼"	LC 60	\$437	\$537	\$607	\$667	\$757	\$857	\$957	\$1,10	
1"	66"	18 ¼"	LC66	\$462	\$562	\$637	\$697	\$802	\$912	\$1,027	\$1,18	
1"	72"	18 ¼"	LC72	\$487	\$587	\$667	\$727	\$847	\$967	\$1,097	\$1,26	
1"	84"	18 ¼"	LC84	\$527	\$627	\$717	\$787	\$927	\$1,067	\$1,237	\$1,38	
1"	90"	18 ¼"	LC90	\$557	\$657	\$747	\$817	\$977	\$1,127	\$1,317	\$1,46	
1"	108"	18 ¼"	LC108	\$617	\$717	\$817	\$897	\$1,077	\$1,252	\$1,447	\$1,62	
1"	126"	18 ¼"	LC126	\$677	\$777	\$887	\$977	\$1,177	\$1,377	\$1,577	\$1,78	

Cushion – 36" Deep

Specify

- 1. Model #
- 2. Fabric

1"	30"	36 ½"	LC3037	\$477	\$537	\$597	\$697	\$797	\$897	\$997	\$1,097
1"	36"	36 1⁄2"	LC 3637	\$507	\$577	\$642	\$757	\$872	\$992	\$1,112	\$1,257
1"	42"	36 1⁄2"	LC4237	\$537	\$617	\$687	\$817	\$947	\$1,087	\$1,227	\$1,417
1"	60"	36 ½"	LC 6037	\$607	\$707	\$797	\$937	\$1,107	\$1,297	\$1,497	\$1,807
1"	66"	36 ½"	LC6637	\$637	\$737	\$837	\$987	\$1,177	\$1,382	\$1,607	\$1,947
1"	72"	36 ½"	LC7237	\$667	\$767	\$877	\$1,037	\$1,247	\$1,467	\$1,717	\$2,087
1"	84"	36 ½"	LC8437	\$727	\$827	\$957	\$1,127	\$1,367	\$1,617	\$1,897	\$2,297
1"	90"	36 1⁄2"	LC 9037	\$757	\$857	\$997	\$1,177	\$1,437	\$1,717	\$2,017	\$2,437
1"	108"	36 ½"	LC 10837	\$837	\$942	\$1,097	\$1,287	\$1,567	\$1,907	\$2,257	\$2,717
1"	126"	36 1⁄2"	LC12637	\$917	\$1,027	\$1,197	\$1,397	\$1,697	\$2,097	\$2,497	\$2,997

Storage

General Info

Step 1 – Model #						Step 2 – Case Finish	Step 3 – Front Finish
							Not Available w/J Pull
	н	w	Drawers	Coat Door	Pull	Paint	Laminate
STWR Tower	56	22	FF BBF	L Left R Right	J J Pull B Bar Pull R Radiused Pull	301 Champagne	PW-STK Studio Teak
STWR	56	22	FF	L	В	301	PW-STK

FEATURES

LOCK

- Lock core is removable.
- 24" Side access tower includes 2
- locks. All others include 1 lock.
- Keyed alike available upon request.Master and change key available
- Master and change key available upon request. See (page 9).
 Individual locking drawers available
- upon request. Upcharge may apply.

DRAWERS

- Include full suspension steel ball-bearing slides.
- Drawer fronts include rubber
- bumpers for quiet operation.Slides include anti-rebound and quick disconnect features.
- File drawer dividers which allow sideto-side filing are sold separately.

SHELVES

Shelves are adjustable in 1 ¹/₂" increments.

LEVELING GLIDES – TOWER Leveling glides allow for 7%" adjustment.

LEVELING GLIDES – SIDE ACCESS TOWER

Leveling glides allow for 1 5/8" adjustment.

DOORS

Cupboard and coat doors include concealed hinges that allow for 110° degree opening.

CONSTRUCTION

OUTER SHELL & DRAWER CONSTRUCTION

Welded steel frame construction & formed channels ensure strength in key areas.

Inner top channel	18 Gauge
Bottom channel	18 Gauge
Side channels	18 Gauge
Outer top	21 Gauge
Outer back	21 Gauge
Outer sides	21 Gauge
Outer center	21 Gauge
Drawer & door fronts	21 Gauge
Shelves	18 Gauge
Drawer bins	22 Gauge
Drawer fronts	20 Gauge

DRAWER LOAD CAPACITY

SHELF LOAD CAPACITY

6" Box drawers

12" File drawers

Shelf

DRAWER INNER DIMENSIONS

Height Box drawer	4 1/2"
File drawer	9 1⁄2"
Width	

All drawers

Depth

All drawers

PULL STYLES

Available with Laminate Front

B – Bar Pull	R – Radiused



SURFACE MATERIALS

CASE Paint

50 lbs

70 lbs

61 lbs

12 1⁄2"

18 ¼"

FRONTS

w/Bar Pull (B)	
w/Radiused Pull (R)	
w/J Pull (J)	

Paint or Laminate Paint or Laminate Paint

NOTE: Laminate is not available on 24" side access towers, 15" towers or 15" side access towers.

DRAWER PULL

Bar **(B)** Radiused **(R)** J **(J)** Satin nickel Satin nickel Paint

LOCK

Satin nickel

-

storage

TOWERS






STWR5624BBFLB

	High	— does	not inclu	ıde an adj. shelf		PAINT			LAMINATE FRONT (UPCHARGE)			
COAT DOOR	н	w	D	MODEL #	P1	P2	P3	L1	L2	L3		
L	39 %"	23 ½"	23 ½"	STWR4024FFL(J/B/R)	\$1,947	\$2,142	\$2,336	+ \$900	+ \$990	+ \$1,080		
R	39 %"	23 ½"	23 ½"	STWR4024FFR(J/B/R)	\$1,947	\$2,142	\$2,336	+ \$900	+ \$990	+ \$1,080		
L	39 %"	23 ½"	23 ½"	STWR4024BBFL(J/B/R)	\$1,997	\$2,197	\$2,396	+ \$930	+ \$1,023	+ \$1,116		
R	39 1/8"	23 ½"	23 ½"	STWR4024BBFR(J/B/R)	\$1,997	\$2,197	\$2,396	+ \$930	+ \$1,023	+ \$1,116		
46"	High.	— does	not inclu	ıde an adj. shelf								
L	46"	23 ½"	23 ½"	STWR4624FFL(J/B/R)	\$2,097	\$2,307	\$2,516	+ \$920	+ \$1,012	+ \$1,104		
R	46"	23 ½"	23 ½"	STWR4624FFR(J/B/R)	\$2,097	\$2,307	\$2,516	+ \$920	+ \$1,012	+ \$1,104		
L	46"	23 ½"	23 ½"	STWR4624BBFL(J/B/R)	\$2,147	\$2,362	\$2,576	+ \$950	+ \$1,045	+ \$1,140		
R	46"	23 ½"	23 ½"	STWR4624BBFR(J/B/R)	\$2,147	\$2,362	\$2,576	+ \$950	+ \$1,045	+ \$1,140		
51"	High	— inclu	des 1 adj	. shelf								
1	51 3⁄8"	23 ½"	23 ½"	STWR5124FFL(J/B/R)	\$2,147	\$2,362	\$2,576	+ \$950	+ \$1,045	** * * *		
L				31WR312411E(J/D/R)	72,147	<i>42,302</i>	<i>42,570</i>			+ \$1,140		
R	51 ¾"	23 ½"	23 ½"	STWR5124FFR(J/B/R)	\$2,147	\$2,362	\$2,576	+ \$950	+ \$1,045			
-	51 ¾" 51 ¾"	23 ½" 23 ½"	23 ½" 23 ½"							+ \$1,140 + \$1,140 + \$1,164		
R			23 ½"	STWR5124FFR(J/B/R)	\$2,147	\$2,362	\$2,576	+ \$950	+ \$1,045	+ \$1,140 + \$1,164		
R L R	51 ¾"	23 ½" 23 ½"	23 ½"	STWR5124FFR(J/B/R) STWR5124BBFL(J/B/R) STWR5124BBFR(J/B/R)	\$2,147 \$2,197	\$2,362 \$2,417	\$2,576 \$2,636	+ \$950 + \$970	+ \$1,045 + \$1,067	+ \$1,140		
R L R	51 ¾" 51 ¾"	23 ½" 23 ½"	23 ½" 23 ½"	STWR5124FFR(J/B/R) STWR5124BBFL(J/B/R) STWR5124BBFR(J/B/R)	\$2,147 \$2,197	\$2,362 \$2,417	\$2,576 \$2,636	+ \$950 + \$970	+ \$1,045 + \$1,067	+ \$1,140 + \$1,164		
R L R	51 ¾" 51 ¾" High	23 ½" 23 ½" — inclu	23 ½" 23 ½" des 1 adj	STWR5124FFR(J/B/R) STWR5124BBFL(J/B/R) STWR5124BBFR(J/B/R) shelf	\$2,147 \$2,197 \$2,197	\$2,362 \$2,417 \$2,417	\$2,576 \$2,636 \$2,636	+ \$950 + \$970 + \$970	+ \$1,045 + \$1,067 + \$1,067	+ \$1,140 + \$1,164 + \$1,164 + \$1,164		
R L R 56"	51 ¾" 51 ¾" High 56"	23 ½" 23 ½" — inclue 23 ½"	23 ½" 23 ½" des 1 adj 23 ½"	STWR5124FFR(J/B/R) STWR5124BBFL(J/B/R) STWR5124BBFR(J/B/R) shelf STWR5624FFL(J/B/R)	\$2,147 \$2,197 \$2,197 \$2,197 \$2,197	\$2,362 \$2,417 \$2,417 \$2,417	\$2,576 \$2,636 \$2,636 \$2,636	+ \$950 + \$970 + \$970 + \$970	+ \$1,045 + \$1,067 + \$1,067 + \$1,067	+ \$1,140 + \$1,164 + \$1,164		

66" High — includes 2 adj. shelves

~~	····g··	Inclu	ues z auj	. 31161763						
L	65 %"	23 ½"	23 ½"	STWR6624FFL(J/B/R)	\$2,397	\$2,637	\$2,876	+ \$1,200	+ \$1,320	+ \$1,440
R	65 %"	23 ½"	23 ½"	STWR6624FFR(J/B/R)	\$2,397	\$2,637	\$2,876	+ \$1,200	+ \$1,320	+ \$1,440
L	65 %"	23 ½"	23 ½"	STWR6624BBFL(J/B/R)	\$2,447	\$2,692	\$2,936	+ \$1,300	+ \$1,430	+ \$1,560
R	65 %"	23 ½"	23 ½"	STWR6624BBFR(J/B/R)	\$2,447	\$2,692	\$2,936	+ \$1,300	+ \$1,430	+ \$1,560

							Options	
	н	w	Drawers	Coat Door	Pull			
STWR Tower	56	22	FF BBF	L Left R Right	J J Pull B Bar Pull R Radiused Pull	DL	Digital Lock	\$357
STWR	56		FF		L	DL		



Side Access Towers

24" Wide



SSAT5624BBFRB


					:	•••••••••••••••••••••••••••••••••••••••	••••••
46" H	ligh_	does not i	nclude an adj.	shelf		PAINT	
COAT DOOR	Н	w	D	MODEL #	P1	P2	P3
L	46"	23 ½"	23 ½"	SSAT4624FFL(J/B/R)	\$2,077	\$2,285	\$2,492
R	46"	23 ½"	23 ½"	SSAT4624FFR(J/B/R)	\$2,077	\$2,285	\$2,492
L	46"	23 1⁄2"	23 ½"	SSAT4624BBFL(J/B/R)	\$2,127	\$2,340	\$2,552
R	46"	23 ½"	23 ½"	SSAT4624BBFR(J/B/R)	\$2,127	\$2,340	\$2,552
51" H	ligh_	includes 1	adj. shelf				
L	51 ¾"	23 ½"	23 ½"	SSAT5124FFL(J/B/R)	\$2,147	\$2,362	\$2,576
R	51 ⅔"	23 ½"	23 ½"	SSAT5124FFR(J/B/R)	\$2,147	\$2,362	\$2,576
L	51 ⅔"	23 ½"	23 ½"	SSAT5124BBFL(J/B/R)	\$2,197	\$2,417	\$2,636
R	51 ¾"	23 ½"	23 ½"	SSAT5124BBFR(J/B/R)	\$2,197	\$2,417	\$2,636
56" H	ligh_	includes 1	adj. shelf				
L	56"	23 ½"	23 ½"	SSAT5624FFL(J/B/R)	\$2,227	\$2,450	\$2,672
R	56"	23 ½"	23 ½"	SSAT5624FFR(J/B/R)	\$2,227	\$2,450	\$2,672
L	56"	23 ½"	23 ½"	SSAT5624BBFL(J/B/R)	\$2,327	\$2,560	\$2,792
R	56"	23 ½"	23 ½"	SSAT5624BBFR(J/B/R)	\$2,327	\$2,560	\$2,792
66" H	ligh —	includes 2	adj. shelves				
L	65 %"	23 ½"	23 ½"	SSAT6524FFL(J/B/R)	\$2,347	\$2,582	\$2,816
R	65 %"	23 ½"	23 ½"	SSAT6524FFR(J/B/R)	\$2,347	\$2,582	\$2,816
L	65 %"	23 ½"	23 ½"	SSAT6524BBFL(J/B/R)	\$2,397	\$2,637	\$2,876
R	65 %"	23 1⁄2"	23 ½"	SSAT6524BBFR(J/B/R)	\$2,397	\$2,637	\$2,876



Worksurface Supporting Bracket — factory installed BLACK ONLY \$97

Add at the end of tower model number	SWSSB	\$

							Options	
		н	w	Drawers	Coat Door	Pull		
SSAT	Side Access Tower	56	22	FF BBF	L Left R Right	J J Pull B Bar Pull R Radiused Pull	SWSSB DL Digital Lock	\$97 \$357
SSAT		56	22	FF	L	J	SWSSB	







STWR5615FFLB

6" H	igh_	does not i	nclude an a	dj. shelf		PAINT	
HINGE	H	W	D	MODEL #	P1	P2	P3
L	46"	15 ¼"	23 ½"	STWR4615FFL(J/B/R)	\$1,347	\$1,482	\$1,616
R	46"	15 ¼"	23 1⁄2"	STWR4615FFR(J/B/R)	\$1,347	\$1,482	\$1,616
L	46"	15 ¼"	23 1⁄2"	STWR4615BBFL(J/B/R)	\$1,477	\$1,625	\$1,772
R	46"	15 ¼"	23 1⁄2"	STWR4615BBFR(J/B/R)	\$1,477	\$1,625	\$1,772
L	51 ¾"	15 ¼"	23 1⁄2"	STWR5115FFL(J/B/R)	\$1,477	\$1,625	\$1,77
1" H	igh_	includes 1	adj. shelf				
R	51 %"	15 ¼"	23 1⁄2"	STWR5115FFR(J/B/R)	\$1,477	\$1,625	\$1,772
L	51 ¾"	15 ¼"	23 ½"	STWR5115BBFL(J/B/R)	\$1,547	\$1,702	\$1,856
R	51 ¾"	15 ¼"	23 ½"	STWR5115BBFR(J/B/R)	\$1,547	\$1,702	\$1,856
6" H	igh—i	includes 1	adj. shelf				
L	56"	15 ¼"	23 ½"	STWR5615FFL(J/B/R)	\$1,477	\$1,625	\$1,772
R	56"	15 ¼"	23 1⁄2"	STWR5615FFR(J/B/R)	\$1,477	\$1,625	\$1,772
L	56"	15 ¼"	23 ½"	STWR5615BBFL(J/B/R)	\$1,547	\$1,702	\$1,856

66" High — includes 2 adj. shelves

			-				
L	65 %"	15 ¼"	23 ½"	STWR6615FFL(J/B/R)	\$1,597	\$1,757	\$1,916
R	65 7⁄8"	15 ¼"	23 1⁄2"	STWR6615FFR(J/B/R)	\$1,597	\$1,757	\$1,916
L	65 1/8"	15 ¼"	23 1⁄2"	STWR6615BBFL(J/B/R)	\$1,697	\$1,867	\$2,036
R	65 7⁄8"	15 ¼"	23 1⁄2"	STWR6615BBFR(J/B/R)	\$1,697	\$1,867	\$2,036





Side Access Towers

Options

15" Wide

	\geq
	6000
Į	6345

SSAT5615BBFLB

	igii—	does not i	nclude an adj. she	lf		PAINT	
OPEN	Н	W	D	MODEL #	P1	P2	P3
L	46"	15 ¼"	23 1⁄2"	SSAT4615FFL(J/B/R)	\$1,297	\$1,427	\$1,556
R	46"	15 ¼"	23 1⁄2"	SSAT4615FFR(J/B/R)	\$1,297	\$1,427	\$1,556
L	46"	15 ¼"	23 ½"	SSAT4615BBFL(J/B/R)	\$1,397	\$1,537	\$1,676
R	46"	15 ¼"	23 1⁄2"	SSAT4615BBFR(J/B/R)	\$1,397	\$1,537	\$1,676
51" H	ligh_	includes 1	adj. shelf				
L	51 ⅔"	15 ¼"	23 ½"	SSAT5115FFL(J/B/R)	\$1,397	\$1,537	\$1,676
R	51 ¾"	15 ¼"	23 1⁄2"	SSAT5115FFR(J/B/R)	\$1,397	\$1,537	\$1,676
L	51 %"	15 ¼"	23 ½"	SSAT5115BBFL(J/B/R)	\$1,497	\$1,647	\$1,796
R	51 3⁄8"	15 ¼"	23 1⁄2"	SSAT5115BBFR(J/B/R)	\$1,497	\$1,647	\$1,796
			23 1/2" adj. shelf 23 1/2"	SSAT5115BBFR(J/B/R) SSAT5615FFL(J/B/R)	\$1,497	\$1,647	\$1,796
6" H	ligh_	includes 1	adj. shelf		• • • • •		\$1,796
5 6" H ∟	igh — ^{56"}	includes 1 15 ¼"	adj. shelf 23 ½"	SSAT5615FFL(J/B/R)	\$1,497	\$1,647	\$1,796 \$1,796
6" Н ∟ R	56"	includes 1 15 ¼" 15 ¼"	adj. shelf 23 ½" 23 ½"	SSAT5615FFL(J/B/R) SSAT5615FFR(J/B/R)	\$1,497 \$1,497	\$1,647 \$1,647	\$1,796 \$1,796 \$1,916
5 6" H L R L R	56" 56" 56" 56"	includes 1 15 ¼" 15 ¼" 15 ¼" 15 ¼"	adj. shelf 23 ½" 23 ½" 23 ½"	SSAT5615FFL(J/B/R) SSAT5615FFR(J/B/R) SSAT5615BBFL(J/B/R)	\$1,497 \$1,497 \$1,597	\$1,647 \$1,647 \$1,757	\$1,796 \$1,796 \$1,916
5 6" H L R L R	56" 56" 56" 56"	includes 1 15 ¼" 15 ¼" 15 ¼" 15 ¼"	adj. shelf 23 ½" 23 ½" 23 ½" 23 ½"	SSAT5615FFL(J/B/R) SSAT5615FFR(J/B/R) SSAT5615BBFL(J/B/R)	\$1,497 \$1,497 \$1,597	\$1,647 \$1,647 \$1,757	\$1,796 \$1,796 \$1,916 \$1,916
56" H L R L R	56" 56" 56" 56"	includes 1 15 ¼" 15 ¼" 15 ¼" 15 ¼" includes 2	adj. shelf 23 ½" 23 ½" 23 ½" 23 ½" 23 ½" adj. shelves	SSAT5615FFL(J/B/R) SSAT5615FFR(J/B/R) SSAT5615BBFL(J/B/R) SSAT5615BBFR(J/B/R)	\$1,497 \$1,497 \$1,597 \$1,597	\$1,647 \$1,647 \$1,757 \$1,757	\$1,796 \$1,796 \$1,916 \$1,916 \$1,856
56"H R L R 56"H L	56" 56" 56" 56" 56"	includes 1 15 ¼" 15 ¼" 15 ¼" 15 ¼" includes 2 15 ¼"	adj. shelf 23 ½" 23 ½" 23 ½" 23 ½" 23 ½" adj. shelves 23 ½"	SSAT5615FFL(J/B/R) SSAT5615FFR(J/B/R) SSAT5615BBFL(J/B/R) SSAT5615BBFR(J/B/R)	\$1,497 \$1,497 \$1,597 \$1,597 \$1,547	\$1,647 \$1,647 \$1,757 \$1,757 \$1,757	

a de la	- e l

Worksurface Supporting Bracket — factory installed					
Add at the end of tower model number	SWSSB	\$97			

WORKSURFACES & 15" SIDE ACCESSS TOWERS



When adding a 15" tower to the end of a worksurface you will need to add a "T" to the end of the model number in order to make the worksurface and tower completely flush. This will only be neccessary on 24" deep worksurfaces with a width from 48" – 84".

		н	w	Drawers	Coat Door		Pull			
SSAT	Side Access Tower	56	15	FF BBF	L Left R Right	B Ba	P ull r Pull diused Pull	SWSSB DL	Digital Lock	\$9 \$35
SSAT		56	15	FF	L	J		SWSSB		
pecify . Model : . Case fir		Pulls B – B	ar Pull	J – J Pull	Levelir			Must k a Side	rface Supporting be ordered wit Access Tower. y installed.	

Credenzas

General Info

tep 1 – Model	#				Step 2 – Case Finish		Step 3 – Front Finish				
										No	ot Available w/J Pull
	Dra	wer Width	She	lf Width		Тор	Pull		Paint		Laminate
SCR Credenza	30	D Drawer	20	S Shelf		Metal Top No Top	J JPull B Bar Pull	301	Champagne	PW-STK	Studio Teak
SCR	30	D			МТ		В	301		PW-STI	

FEATURES

COUNTERWEIGHT

- Two drawer cabinets include factory installed counterweights
- Low storage cabinets that do not include shelves do not need counterweight

LOCK

- Available on credenza products
 which feature drawers
- Lock core is removable
- Keyed alike available upon request
- Master and change key available upon request. See (page 9).

DRAWERS

- Include full suspension steel ball-bearing slides
- Drawer fronts include rubber bumpers for quiet operation

SHELF

34" High adjustable shelf

LEVELING GLIDES

4 Leveling glides allow for $\frac{1}{2}$ adjustment

TOP

Available in metal, cushion and laminate

CONSTRUCTION

OUTER SHELL & DRAWER CONSTRUCTION

Welded steel frame construction & formed channels ensure strength in key areas.

Bottom channels	16 Gauge
Top channels	18 Gauge
Shelves	18 Gauge
Side channels	20 Gauge
Side panels	20 Gauge
Тор	20 Gauge
Fronts	20 Gauge
Drawer bins	22 Gauge

DRAWER INNER DIMENSIONS

Height	
6" Drawer	4 1⁄2"
12" Drawer	10 3⁄5"

Width

30" Wide drawer	26 7/10"
36" Wide drawer	32 7/10"
42" Wide drawer	38 7⁄10"

Depth All drawers

SHELF INNER DIMENSIONS

Height	
All shelves	16 % "
Width	
30" Wide drawer	28 1⁄2"
36" Wide drawer	34 ½"
42" Wide drawer	40 ½"
Depth	
All drawers	19"

PULL STYLES

Available with Laminate Front

B – Bar Pull



SURFACE MATERIALS

CASE Paint

FRONTS

w/Bar pull **(B)** w/J pull **(J)**

Paint or Laminate Paint

DRAWER PULL

Bar **(B)** J **(J)** Satin nickel Paint


LOCK Satin nickel

15 %10"

CUSHION TOP Upholstery

Storage

CREDENZAS



Credenzas



Credenzas			PAINT		LAMINATE FRONT (UPCHARGE)					
DESCRIPTION	Н	W	D	MODEL #	P1	P2	P3	L1	L2	L3
30" Drawers, 30" open shelf	22 ¼"	60"	20"	SCR30D30S(J/B)	\$2,783	\$3,061	\$3,340	+ \$530	+ \$583	+ \$636
30" Drawers, 36" open shelf	22 ¼"	66"	20"	SCR30D36S(J/B)	\$2,868	\$3,155	\$3,442	+ \$530	+ \$583	+ \$636
36" Drawers, 36" open shelf	22 1⁄4"	72"	20"	SCR36D36S(J/B)	\$2,928	\$3,221	\$3,514	+ \$550	+ \$605	+ \$660



Credenza – Drawers

30" Drawers, metal top	22 1⁄4"	30"	20"	SCRD3020MT(J/B)	\$1,147	\$1,262	\$1,376	+ \$530	+ \$583	+ \$636
36" Drawers, metal top	22 ¼"	36"	20"	SCRD3620MT(J/B)	\$1,197	\$1,317	\$1,436	+ \$550	+ \$605	+ \$660
42" Drawers, metal top	22 ¼"	42"	20"	SCRD4220MT(J/B)	\$1,297	\$1,427	\$1,556	+ \$590	+ \$649	+ \$708




Credenza - Shelves - includes 1 adj. shelf

30" Shelf, metal top	22 1⁄4"	30"	20"	SCRS3020MT	\$917	\$1,009	\$1,100	N/A	N/A	N/A
36" Shelf, metal top	22 ¼"	36"	20"	SCRS3620MT	\$977	\$1,075	\$1,172	N/A	N/A	N/A
42" Shelf, metal top	22 1⁄4"	42"	20"	SCRS4220MT	\$1,057	\$1,163	\$1,268	N/A	N/A	N/A

Credenza – Accessories

Floating top supports, 2 legs	5 ½"	2 1⁄2"	1 1⁄8"	SCRSL2	\$247	\$272	\$296	N/A	N/A	N/A
Credenza center leg support				SCRCLS	\$197	N/A	N/A	N/A	N/A	N/A
Credenza ganging kit				SCRGK	\$147	N/A	N/A	N/A	N/A	N/A



Specify	Credenza Includes	Application Notes						
Specify 1. Model # 2. Case finish 3. Front finish Laminate not available on J pull	 2 low storage cabinets 1 laminate top & ganging kit 1 credenza center support leg 	 Credenzas must be assembled in the field When ganging 2 units together, order ganging kit Leveling glides allow for 1 ⁵/₈" adjustment 	 Drawer units include 1 6" drawer & 1 – 12" file drawer & counterweight Center Leg Helps to gang 2 credenza pieces together side by side Eliminate the 4 legs in the 	 Ganging Kit Ganging kit for use when specifying laminate top separately, does not include center leg Floating Top Supports Floating top supports may not be used on 				
	B - Bar Pull		center and replace with this single support leg	a metal top, includes top mounting bracket, screws & drill plate				

Credenzas

.....

ŗ




Credenza – Common Tops					LAMINATE			
DESCRIPTION	Н	W	D	MODEL #	L1	L2	L3	
Single 30" W credenza top	5⁄8"	30"	20"	CT 30	\$365	\$402	\$438	
Single 36" W credenza top	5⁄8"	36"	20"	CT 36	\$390	\$429	\$468	
Single 42" W credenza top	5⁄8"	42"	20"	CT 42	\$420	\$462	\$504	
Double 30" W credenza top	5⁄8"	60"	20"	CT 60	\$475	\$523	\$570	
Double 30"/36" W credenza top	5⁄8"	66"	20"	CT 66	\$500	\$550	\$600	
Double 36" W credenza top OR 30"/42" W credenza top	5⁄8"	72"	20"	CT 72	\$510	\$561	\$612	
Double 36"/42" W credenza top	5⁄8"	78"	20"	CT 78	\$530	\$583	\$636	
Double 42" W credenza top	5⁄8"	84"	20"	CT 84	\$560	\$616	\$672	
Triple 30" W credenza top	5⁄8"	90"	20"	CT 90	\$590	\$649	\$708	



,..... **Credenza Cushion Tops** FABRIC Н W D MODEL # H/8 A/1 B/2 C/3 D/4 E/5 F/6 G/7 1" 12" 20" SCRC2012 \$207 \$432 \$507 \$607 \$707 \$807 \$1,132 \$1,307 1" 18" 20" SCRC2018 \$247 \$472 \$547 \$647 \$747 \$847 \$1,172 \$1,347 1" SCRC2030 30" 20" \$327 \$552 \$627 \$727 \$827 \$927 \$1,252 \$1,427 1" 36" 20" SCRC2036 \$397 \$622 \$697 \$797 \$897 \$997 \$1,322 \$1,497 1" SCRC2042 42" 20" \$737 \$837 \$937 \$1,037 \$1,537 \$437 \$662 \$1,362 1" 60" 20" SCRC2060 \$752 \$827 \$927 \$1,027 \$1,627 \$527 \$1,127 \$1,452 1" 66" 20" SCRC2066 \$567 \$792 \$867 \$967 \$1,067 \$1,167 \$1,492 \$1,667 1" SCRC2072 72" 20" \$597 \$822 \$897 \$997 \$1,097 \$1,197 \$1,522 \$1,697



- 1. Model #
- 2. Case finish
- 3. Front finish Laminate not available on J pull



Application Notes

Center Leg

• Helps to gang 2 credenza pieces together side by side


Ganging Kit

• When ganging 2 units together, order ganging kit, does not include center leg

Floating Top Supports

 Floating top supports may not be used on a metal top, includes top mounting bracket, screws & drill plate

Cabinets



FEATURES

LOCK

- Lock core is removable.
- Keyed alike available upon request.
- Master and change key available upon request. See (page 9).

DOORS

•	Concealed hinges allow for	
	110° degrees opening.	

LEVELING GLIDES

4 Leveling glides allow for 1/4" adjustment.

CONSTRUCTION

OUTER SHELL & DRAWER CONSTRUCTION Welded steel frame construction & formed

channels ensure strength in key areas.

Back panel Side panels Inner channels Top Doors	20 – 22 Gauge 20 – 22 Gauge 18 Gauge 18 Gauge 18 Gauge
SHELF LOAD CAPACITY	
Shelf	140 lbs
TOP LOAD CAPACITY	
30" Wide cabinets	140 lbs
36" Wide cabinets	169 lbs
42" Wide cabinets	197 lbs
INNER DIMENSIONS	
Height	
2 High	23 ½"
3 High	35"
4 High	46 1⁄2"
5 High	61"
6 High	72 ½"
Width	
30" Wide cabinet	26 ¾"
36" Wide cabinet	32 ¾"
42" Wide cabinet	38 ¾"
Depth	
18" Deep	17 ¾o"
24" Deep	22 3 ⁄5"

PULL STYLES


B – Bar Pull



SURFACE MATERIALS

CASE Paint	
FRONTS	
w/Bar Pull (B)	Paint
w/J Pull (J)	Paint
DRAWER PULL	
Bar (B)	Satin nickel
ן (ו) ר	Paint
LOCK Satin nickel	

CABINETS



Cabinets



51 ¾"

42"

18 ¼" SCAB524218(J/B)

2 Higł	1				PAINT	
H	W	D	MODEL #	P1	P2	P
28 ¾"	30"	18 ¼"	SCAB293018(J/B)	\$997	\$1,097	\$1,196
28 ¾"	36"	18 ¼"	SCAB293618(J/B)	\$1,097	\$1,207	\$1,316
28 ¾"	42"	18 ¼"	SCAB294218(J/B)	\$1,197	\$1,317	\$1,436
39 %"	36"	18 ¼"	SCAB403618(J/B)	\$1,297	\$1,427	\$1,55
39 %" 39 %"	30" 36"	18 ¼" 18 ¼"	SCAB403018(J/B) SCAB403618(J/B)	\$1,197 \$1,297	\$1,317 \$1,427	\$1,436 \$1,556
39 1/8"	42"	18 ¼"	SCAB404218(J/B)	\$1,397	\$1,537	\$1,676
4 Higł	n					
51 ¾"	30"	18 ¼"	SCAB523018(J/B)	\$1,447	\$1,592	\$1,736
51 ⅔"	36"	18 ¼"	SCAB523618(J/B)	\$1,547	\$1,702	\$1,856
				:		

\$1,647

ł

\$1,812

\$1,976

							Options	
Specify 1. Model #	Application Notes Leveling glides allow	SCAB Cabinet	H 77	W 30	D 18	Pull J J Pull	DL Digital Lock	\$357
2. Case finish	for ¼" adjustment	-				B Bar Pull		
		SCAB	77	30	18	J	DL	

Cabinets



5 High	n				PAINT	
Н	W	D	MODEL #	P1	P2	P3
65 %"	30"	18 ¼"	SCAB663018(J/B)	\$1,647	\$1,812	\$1,976
65 %"	36"	18 ¼"	SCAB663618(J/B)	\$1,747	\$1,922	\$2,096
65 %"	36"	23 1⁄2"	SCAB663624(J/B)	\$2,147	\$2,362	\$2,576
65 %"	42"	18 ¼"	SCAB664218(J/B)	\$1,847	\$2,032	\$2,216




6 High	1					
77 3⁄8"	30"	18 ¼"	SCAB773018(J/B)	\$1,897	\$2,087	\$2,276
77 3⁄8"	36"	18 ¼"	SCAB773618(J/B)	\$1,997	\$2,197	\$2,396
77 3⁄8"	36"	23 ½"	SCAB773624(J/B)	\$2,247	\$2,472	\$2,696
77 3⁄8"	42"	18 ¼"	SCAB774218(J/B)	\$2,097	\$2,307	\$2,516

							Options	
ecify	Application Notes		н	W		D	D Pull	D Pull
1. Model # 2. Case finish	• Leveling glides allow for ¼" adjustment	SCAB Cabinet	77	30		18	18 J J Pull B Bar Pull	
		SCAB	77	30				

Storage

Lockers



FEATURES

LOCK

- Lock core is removable.
- Keyed alike available upon request.
- Master and change key available upon request. See (page 9).
- Digital lock available upon request.
- Keyless available upon request.

BODY

• Available in 2 depths: 18 1/4" and 23 1/2".

DOORS

- All lockers come standard with metal doors.
- Concealed hinges allow for 100 degree opening.

SHELF

- Includes one fixed shelf on top
- w/ 12" clear height above.
- Additional shelves may be ordered separately.

COAT ROD

Includes side-to-side coat rod beneath shelf.

LEVELING GLIDES

- 4 leveling glides allow for 7/8" adjustment.
- Glides are accessible from the inside of the locker.

CONSTRUCTION

OUTER SHELL & DRAWER CONSTRUCTION

Welded steel frame construction & formed channels ensure strength in key areas.

Top panel	21 Gauge
Side panels	21 Gauge
Back panel	21 Gauge
Center panel	21 Gauge
Inner top channel	18 Gauge
Inner bottom channel	18 Gauge
Inner side channels	18 Gauge
Bottom panel	16 Gauge
Door fronts	20 – 22 Gauge
Shelves	18 Gauge

DRAWER INNER DIMENSIONS

Height	
Above shelf	12"
Below coat rod – 51" High	31 7⁄10"
Below coat rod – 66" High	46 1⁄5"

Width	
All lockers	9
Depth	
18 ½" Deep locker	17 %"
23 ½" Deep locker	22 ⅔"

PULL STYLES



J – J Pull

SURFACE MATERIALS

LOCKER

Paint


DRAWER PULL

Bar **(B)** J **(J)** Satin nickel Paint

LOCK

Satin nickel

LOCKERS




Lockers



2 N	/ide	51" High				PAINT	
HINGE	Н	W	D	MODEL #	P1	P2	P3
L	51 ¾"	12"	18"	SLKR5118L(J/B)	\$1,397	\$1,537	\$1,676
R	51 3⁄8"	12"	18"	SLKR5118R(J/B)	\$1,397	\$1,537	\$1,676
L	51 ¾"	12"	24"	SLKR5124L(J/B)	\$1,427	\$1,570	\$1,712
R	51 ¾"	12"	24"	SLKR5124R(J/B)	\$1,427	\$1,570	\$1,712
2" W	/ide_	66" High					
L	65 %"	12"	18"	SLKR6618L(J/B)	\$1,477	\$1,625	\$1,772
R	65 %"	12"	18"	SLKR6618R(J/B)	\$1,477	\$1,625	\$1,772
L	65 %"	12"	24"	SLKR6624L(J/B)	\$1,527	\$1,680	\$1,832
	65 %"	12"	24"	SLKR6624R(J/B)	\$1,527	\$1,680	\$1,832

								Options	
Specify	Application Notes		н	D	Hinge		Pull		
1. Model # 2. Case finish	 Includes 1 fixed shelf on top with 12" clear height above 	SLKR Locker	5	18	L R	В	J Pull Bar Pull	DL Digital Lock	\$357
	 Side to side coat rod under shelf 	SLKR	51	18	L	J		DL	
	 Leveling glides allow for ⁷/₈" adjustment 								

Lockers



Double							PAINT	
ТҮРЕ	HINGE	H	W	D	MODEL #	P1	P2	P3
2 Door	L	65 %"	12"	18"	SLKR2D6612L(J/B)	\$1,607	\$1,768	\$1,928
2 Door	R	65 %"	12"	18"	SLKR2D6612R(J/B)	\$1,607	\$1,768	\$1,928
2 Door	L	65 %"	18"	18"	SLKR2D6618L(J/B)	\$1,707	\$1,878	\$2,048
2 Door	R	65 %"	18"	18"	SLKR2D6618R(J/B)	\$1,707	\$1,878	\$2,048

Quad								
4 Door	L	65 %"	24"	18"	SLKR4D6624L(J/B)	\$2,707	\$2,978	\$3,248
4 Door	R	65 %"	24"	18"	SLKR4D6624R(J/B)	\$2,707	\$2,978	\$3,248



Cubby								
4 Door	L	34 ¾"	24"	18"	SLKR4D3524L(J/B)	\$1,907	\$2,098	\$2,288
4 Door	R	34 ¾"	24"	18"	SLKR4D3524R(J/B)	\$1,907	\$2,098	\$2,288
8 Door	L	65 %"	24"	18"	SLKR8D6624L(J/B)	\$3,307	\$3,638	\$3,968
8 Door	R	65 %"	24"	18"	SLKR8D6624R(J/B)	\$3,307	\$3,638	\$3,968

Shelves

Qty 2	12"	SLKRS122	\$257	\$283	\$308
Qty 2	18"	SLKRS182	\$297	\$327	\$356
Qty 4	24"	SLKRS244	\$357	\$393	\$428

								Options	
Specify	Application Notes		Doors	н	D	Hinge	Pull		
1. Model # 2. Case finish	 Doors are keyed randomly Locking doors hinge left or right 	SLKR Locke	r 2D 4D 8D	66	18	L R	J J Pull B Bar Pull	DL Digital Lock	\$357
	 Leveling glides allow for ⁷/₈" adjustment 	SLKR	2D	66	18		J	DL	

Storage

Bookcases

Step 1 – Model # Step 2 – Case Finish H W Paint SBC Bookcase 66 42 301 Champagne SBC 66 42 301 SBC 301 SBC

FEATURES

SHELVES

- 1" thick.
- Adjustable in ½" increments.
- 2-high bookcases will accommodate binder-height storage on both shelves.
- All other bookcases, binder-height storage is available on all but 1 shelf.

LEVELING GLIDES

4 Leveling glides allow for 1 5/8" adjustment.

SAFETY:

- To ensure stability, do not install a 4, 5 or 6 high bookcase in the center of a room.
- Bookcases should be installed backto back or against a wall.

NOTE

- 2 high bookcases are slightly shorter than 2-high lateral files and double door storage cabinets.
- 2 high bookcases are designed to fit under a worksurface.

CONSTRUCTION

OUTER SHELL & DRAWER CONSTRUCTION Welded steel frame construction & formed channels ensure strength in key areas.

channels ensure strength in key areas.

Side channels	22 Gauge	Pa
Side panels	22 Gauge	
Bottom panel	18 Gauge	
Shelves	18 Gauge	

140 lbs

SHELF LOAD CAPACITY

All bookcases


INNER DIMENSIONS

25 1⁄5"
37 ³⁄10"
48 5
63 ³⁄1₀"
74 1 ⁄5"
27 ⁷ /10"
33 7/10"
39 7⁄10"
13 1⁄10"

SURFACE MATERIALS

	CASE Paint	
ige ige ige	TOP Paint	

BOOKCASES



Bookcases




2 High					PAINT	
Н	W	D	MODEL #	P1	P2	P3
27 ¾"	30"	13 3⁄8"	SBC2830	\$827	\$910	\$992
27 ¾"	36"	13 3⁄8"	SBC2836	\$877	\$965	\$1,052
27 ¾"	42"	13 3⁄8"	SBC2842	\$977	\$1,075	\$1,172
3 High						
39 %"	30"	13 3⁄8"	SBC4030	\$897	\$987	\$1,076
39 1/8"	36"	13 3⁄8"	SBC4036	\$977	\$1,075	\$1,172
39 1/8"	42"	13 ¾"	SBC4042	\$1,077	\$1,185	\$1,292
4 High						
51 %"	30"	13 3 ⁄8"	SBC5230	\$997	\$1,097	\$1,196
51 ¾"	36"	13 3⁄8"	SBC5236	\$1,077	\$1,185	\$1,292
51 ⅔"	42"	13 3⁄8"	SBC5242	\$1,177	\$1,295	\$1,412

Specify 1. Model

2. Case finish

Application Notes

- Steel frame constructionDouble wall construction
- on side panels
- Leveling glides allow for ⁵/₈" adjustment
- Shelves adjust in ½" increments
- Bookcases should be installed with back against a wall
- Shelf capacity 140 lbs
- 2 high bookcase is slightly shorter than 2 door
- cabinet as it is designed to fit under a worksurface



.....

Bookcases



				PAINT	
W	D	MODEL #	P1	P2	P3
30"	13 %"	SBC6630	\$1,097	\$1,207	\$1,316
36"	13 3⁄8"	SBC6636	\$1,177	\$1,295	\$1,412
42"	13 3⁄8"	SBC 6642	\$1,277	\$1,405	\$1,532
30"	13 %"	SBC7730	\$1,197	\$1,317	\$1,436
36"	13 3⁄8"	SBC 7736	\$1,277	\$1,405	\$1,532
42"	13 %"	SBC7742	\$1,377	\$1,515	\$1,652
	30" 36" 42" 30" 36"	30" 13 ¾" 36" 13 ¾" 42" 13 ¾" 30" 13 ¾" 30" 13 ¾" 36" 13 ¾"	30" 13 %" SBC6630 36" 13 %" SBC6636 42" 13 %" SBC6642 30" 13 %" SBC7730 36" 13 %" SBC7736	30" 13 %" SBC6630 \$1,097 36" 13 %" SBC6636 \$1,177 42" 13 %" SBC6642 \$1,277 30" 13 %" SBC7730 \$1,197 36" 13 %" SBC7736 \$1,277	W D MODEL# P1 P2 30" 13 ¾" SBC6630 \$1,097 \$1,207 36" 13 ¾" SBC6636 \$1,177 \$1,295 42" 13 ¾" SBC6642 \$1,277 \$1,405 30" 13 ¾" SBC7730 \$1,197 \$1,317 36" 13 ¾" SBC7736 \$1,277 \$1,405


ecity

1. Model #

2. Case finish

Application Notes

- Steel frame construction
- Double wall construction on side panels
- Leveling glides allow for 5%" adjustment
- Shelves adjust in 1/2" increments
- Bookcases should be installed with back against a wall.
- Shelf capacity 140 lbs • 2 high bookcase is slightly shorter than 2 door
 - cabinet as it is designed to fit under a worksurface




WORKPLACE ACCESSORIES

Neutral Posture is proud to offer the complete package for commercial office furniture. Workplace accessories round out our offering and allow users to truly customize their space to be as comfortable and as ergonomic as possible.

CUSTOMIZE YOUR SPACE WITH:


Keyboard mechanisms Keyboard trays Monitor arms Footrests Tablet holders CPU holders Forearm supports Patented ergonomic products

WORKPLACE ACCESSORIES



Keyboard Trays & Arms

	KEYBOARD ARMS				
			er li		
	Leverless	Sit/Stand	Econo	Dual Indicator HFES compliant	
Code	A	С	E	U	
Leverless Height	\checkmark	\checkmark	N/A	N/A	
Height	-6" – 2.5"	-6" - 8"	-5.25" – 0"	-6.5" – 2.38"	
Tilt	-15° – 0°	-15° – 0°	-15° – 15°	-20° – 10°	
Spring Assist	\checkmark	\checkmark	\checkmark	\checkmark	
360° Rear Swivel	\checkmark	\checkmark	\checkmark	\checkmark	
Track Length	23"	21"	18"	19"	
(OPTIONAL) Short Track	18"	18"	N/A	N/A	
Glide Track	\checkmark	\checkmark	\checkmark	\checkmark	
Quick Ship	QS	QS	QS		
List	\$210	\$230	\$160	\$245	




OS

KEYBOARD TRAYS

11
Straights, corners & natural keyboards
Anti-skid neoprene pads hold keyboard securely in place

\$155




52

List

- Straight20" "green" tray
- Height adjustable tilt
- & swivel mouse
- Gel filled palm rest


\$325





List


List \$325



86 — ELEMENTAL®

- Straights, corners and natural keyboards
- Made from 100%
- recycled aluminumPolished surface

List \$295





\$230

List



Easy Combos

EASY COMBOS


	Keyboard Arms				
		Leverless (A)	Sit/Stand (C)	Econo (E)	Dual Indicator (U)
	11	Easy A11 \$365	Easy C11 \$385	Easy E11 \$315	Easy U11 \$400
×	21	Easy A21 \$535	Easy C21 \$555	Easy E21 \$485	Easy U21 \$570
Keyboard Trays	43 – SofTouch™				
ray	15 Sorrouch	Easy A43 \$440	Easy C43 \$460	Easy E43 \$390	Easy U43 \$475
S					
	52	Easy A52 \$535	Easy C52 \$555	Easy E52 \$485	Easy U52 \$570
	86 – elementAl*				
	oo - elementAi	Easy A86 \$505	Easy C86 \$525	Easy E86 \$455	Easy U86 \$540

General

S Short Track – 18" Only available on (A) or (C) arm

\$0

Monitor Arms



BOOST[™]

- Yields 13" of vertical movement & 24" of extension
- Supports monitors weighing up to 20 lbs
- Effortlessly position two monitors at the same height on a single post
- Easily attach two arms on a single post without additional brackets
- Install three or more arms with an optional cross bar
- Convenient keyhole slots to effortlessly install monitor onto mounting plate

NOTE: For multi-screen solutions, contact customerservice@neutralposture.com

Single Arm	Description	List
KCG-110B	Black	\$455
KCG-110S	Silver	\$455
Double Arm		List
KCG-110DB	Black	\$899
KCG-110DS	Silver	\$899
Wall Mount		List
KCG-WMB	Black	\$525


Wall Mount	List	
KCG-WMB	Black	\$525
KCG-WMS	Silver	\$525



FREEDOM

- Includes vesa plate aluminum
- articulating arm & desk clamp base
- Tilt: Up 90°, Down 45°
- Pan: 180°
- Rotation: 360°
- Offers 14" of dynamic onetouch height adjustment
- Full extension range of 23.4"

Model #	Description	List
918001	Silver	\$495



SIT/STAND

- Sturdy aluminum construction
- with vesa compatibility
- Width & depth adjustable fasteners
- Convenient pull handle

lodel #	Description	List
CG-SSB	Black	\$575
CG-SSS	Silver	\$575

Workplace Accessories

Mounts easily under worksurface storing

CPU safely under desk & off the floor

• Adjusts to either a vertical

Adjustable width of 5.5" – 9.8"

or horizontal position

& height of 15.5" - 20"

ACCESSORIES



- FOREARM SUPPORTS
 Alleviates shoulder, neck & body burden
 Promotes good posture &
 ergonomic sitting
 Reduces pressure on ulnar nerve
- Reduces upper body fatigue
- Lightweight & portable



Model 1	Model 2

160241 \$240	160243 \$240	w/Hooks
160242 \$240	160244 \$240	w/Screws

ANTI-FATIGUE FLOOR MATS

- Premium comfort will not bottom out or lose bounce over time
- Commercial-grade heavy-duty polyurethane
- Matte texture provides optimum traction
- Beveled edge reduces tripping potential
- Available in black

H	w	D	MODEL#	LIST
3⁄4"	32"	20"	EAM3220B	\$285
3⁄4"	48"	20"	EAM4820B	\$435
3⁄4"	72"	20"	EAM7220B	\$648
3⁄4"	36"	24"	EAM3624B	\$360
3⁄4"	60"	36"	EAM6036B	\$828

TABLET HOLDER

- Light weight & portable
- Dimensions: 6.76 x 5.5 x 2
- Holds tablets, phones or documents upright
- Easily adjusts for comfortable viewing angle
- Rests on desktop or flat surfaces
- Available in black only

Model #		
TABHLDR		

List

\$137





CPU HOLDERS

CPU HOLDER

List \$175



CPU HOLDER

- CPU retracts on a 17" track & swivels to allow full accessibility & easy storage
- Accommodates CPU weighing up to 75 lbs & measuring 64" in perimeter
- Installation is quick & easy
- Soft touch anti-slip pads
- prevent CPU from slipping

Model # VCPU **List** \$195



Sit/Stand



STANDUP®

- Retrofits between most existing
- keyboard trays & keyboard arms
- Mounts directly to worksurface without keyboard arm
- Additional 2" 11" of height adjustment
- Infinite range positioning
- \$50 discount when ordered with
- any Easy Combo ((page 173))


MODEL #	LIST
SUP04	\$420





STANDUP® A1

- The integral dual tray system offers a spacious keyboard & mouse platform as
- well as a secondary surface for other items • Extends forward to allow the keyboard
- tray to rest bellow the desk surface
- supporting proper ergonomic positioning
- Over 22" of assisted positioning
- Accommodates users ranging from 5th percentile seated female to
- 95th percentile standing male Supports monitors weighing
- between 5–20 lbs
- Supports technology ranging from 5-25 lbs
- Grommet or clamp mount
- Single or dual monitor


1 MONITOR	MECH	LIST
SUPA1B	Black	\$997
SUPA1S	Silver	\$997
2 MONITORS	MECH	LIST
SUPA2B	Black	\$1,187
SUPA2S	Silver	\$1,187









GROMMET MOUNT










STANDUP® X1

- Easily convert any desk into
- a sit/stand workstation • 13.8" of height range
- accommodates a variety of users • Keyboard tray has 20° (-10° to 10°) of tilt
- Weighs only 40 lbs
- Primary worksurface accommodates two 24" monitors
- No assembly required



36" Wide — Supports up to 35 lbs

MODEL #	MECH	WORKSURFACE	LIST/L1	L2	L3
SUPX136B	Black	N/A	\$ 567	N/A	N/A
SUPX136BL	Black	Laminate	\$ 897	\$ 987	\$ 1,076
SUPX136W	White	N/A	\$ 567	N/A	N/A
SUPX136WL	White	Laminate	\$ 897	\$ 987	\$ 1,076

40" Wide — Supports up to 35 lbs

MODEL #	MECH	WORKSURFACE	LIST/L1	L2	L3
SUPX140BL	Black	Laminate	\$ 955	\$ 1,051	\$ 1,146
SUPX140WL	White	Laminate	\$ 975	\$ 1,073	\$ 1,170

42" Wide — Supports up to 45 lbs

MODEL #	MECH	WORKSURFACE	LIST/L1	L2	L3
SUPX142B	Black	N/A	\$ 975	N/A	N/A
SUPX142BL	Black	Laminate	\$ 995	\$ 1,095	\$ 1,194


48" Wide — Supports up to 45 lbs

MODEL #	MECH	WORKSURFACE	LIST/L1	L2	L3
SUPX148BL	Black	Laminate	\$ 1,175	\$ 1,293	\$ 1,410



STANDUP[®] X1 — CORNER

- Easily convert any desk into
- a sit/stand workstation
- Designed to fit 90° corner desk configurations
- 13.8" of height range
- accommodates a variety of users
- Keyboard tray has 20° (-10° to 10°) of tilt
- Weighs only 42 lbs
- Primary worksurface accommodates two 24" monitors
- No assembly required



36" Wide — Supports up to 35 lbs

MODEL #	MECH	WORKSURFACE	LIST/L1	L2	L3
SUPX1CR36BL	Black	Laminate	\$ 1,365	\$ 1,502	\$ 1,638

42" Wide — Supports up to 35 lbs

MODEL#	MECH	WORKSURFACE	LIST/L1	L2	L3
SUPX1CR42B	Black	N/A	\$ 995	N/A	N/A
SUPX1CR42BL	Black	Laminate	\$ 1,395	\$ 1,535	\$ 1,674

LAMINATES FOR STANDUP X1

.1	

Ebony Starlight – Surf(x)	
Matte White – Surf(x)	

3D-100	
3D-200	

L2 American Natural – Surf(x) Baroque - 3D Shaker Cherry -Surf(x)

L3

3D-300

3D-600

3D-500

All other laminates from Omnova are available at L3 pricing with a minimum order of 10 StandUp X1s.

https://www.omnova.com/ product-types/laminates

Graded In Fabrics

GRADED-IN AND COM UPHOLSTERY

Neutral Posture's furniture is manufactured to the highest standards. Our artisans are skilled in creating consistent finishes across all products and materials. However, the unique nature of upholstery and the other materials that are used in production means that no two pieces of furniture will be exactly alike. Fabrics will upholster differently based on composition and construction. Neutral Posture makes every effort to ensure that each item is produced to our exacting standards, but cannot be held responsible for slight variations in upholstery, color and general appearance.

Similarly, the images in our publications are as accurate as your monitor is calibrated. Customers are reminded that colors and finishes may vary according to the unique nature of each item of furniture.

Neutral Posture will not be responsible for variances in the acoustical performance of a panel due to the fact that certain fabrics perform differently from others. Additionally, Neutral Posture cannot guarantee that the graded-in fabrics will be Indoor Air Quality and/ or BIFMA Level compliant. Please see the fabric manufacturer's website for these details and cleaning instructions specific to selected fabric.

For specific color matching requirements please contact the Customer Service Department.

Please note: The Finish Codes used by Neutral Posture are used as a guide to the appearance of the furniture and should not be used to determine the specific materials used in the construction of an item of furniture.

Carnegie

Twine

The Neutral Posture Upholstery Department is pleased to offer a Graded-in program and also accepts C.O.M. for most products. For certain items or in cases of unusual or difficult fabric patterns additional material may be required. Any unusual or special cutting requirements must be requested in writing and a full-width fabric repeat sent to the Customer Service Department in order for a quotation to be provided. The customer is responsible for shipping C.O.M. to our Upholstery Department.

CARNEGIE			C.F. STINSON	
Manufacturer	Pattern	Grade	Manufacturer	Pattern
Carnegie	Abacus Embroider	Н	Stinson	Acclaim
Carnegie	Arrow X	G	Stinson	Aerie
Carnegie	Bardot	F	Stinson	Ally
Carnegie	Buff	E	Stinson	Aperture
Carnegie	Cane Embroider X	Call	Stinson	Array
Carnegie	Channel	E	Stinson	Axis Too!
Carnegie	Chelsea	E	Stinson	Backdrop
Carnegie	Cirque Couture	Call	Stinson	Binary
Carnegie	Covet	D	Stinson	Code
Carnegie	Crossing	F	Stinson	Dapple
Carnegie	Dazzle	H	Stinson	Del Mar
Carnegie	Departure	E	Stinson	Focus
Carnegie	Edge	F	Stinson	Galaxy
Carnegie	Elite	C	Stinson	Genesis
Carnegie	Groove	E	Stinson	Imprint
Carnegie	Hashtag	E	Stinson	Intermix
Carnegie	Haze X	G	Stinson	Linea
Carnegie	Hepburn	F	Stinson	Lulu
Carnegie	Hide	E	Stinson	Luther II
Carnegie	Impress	E	Stinson	Mason
Carnegie	Index	D	Stinson	Mira
Carnegie	Keystone	E	Stinson	Nikko
Carnegie	Kid	E	Stinson	Prime
Carnegie	Merge	F	Stinson	Repetition
Carnegie	Monocle Embroider	I	Stinson	Ringer
Carnegie	Ola	Call	Stinson	Sight Line
Carnegie	Reverie	E	Stinson	Spree
Carnegie	Rise	C	Stinson	Surf
Carnegie	Roxy	E	Stinson	Tally
Carnegie	Tangle	F	Stinson	Tussah
Carnegie	Theory	E	Stinson	Venture
Carnegie	Touch	C		
Carnegie	Trace X	G		

F

Call – Call for pricing 979.778.0502

Grade

C

D

C

C

C

C

C

D

B

C

C

C

D

B

C

C

Е

C

C

C

C

C

B

C

C

C

C

B

D

C

C

178

Graded In Fabrics

DESIGNTEX		
Manufacturer	Pattern	Grade
Designtex	Appleseed	F
Designtex	Arne	E
Designtex	Billiard	E
Designtex	Birdseye	C
Designtex	Brushed Flannel	E
Designtex	Bubble Wrap	E
Designtex	Cesta	D
Designtex	Chiyogami	G
Designtex	Chromatic	E
Designtex	Clew	E
Designtex	Cloud Velvet	E
Designtex	Crossweave	E
Designtex	Decibel	E
Designtex	Ellipsis	D
Designtex	Everywhere Texture	E
Designtex	Gamut	D
Designtex	Gravity	D
Designtex	Gridley	E
Designtex	Hem Stitch	E
Designtex	Kabuto	G
Designtex	Melange	E
Designtex	Minnie	D
Designtex	New Brunswick	C
Designtex	Ori	G
Designtex	Otto	F
Designtex	Pick Up Sticks	E
Designtex	Plateau	D
Designtex	Reppeweave	E
Designtex	Rocket	E
Designtex	Twist	E
Designtex	Ulster	C
Designtex	Union Cloth	E
Designtex	US Rain State Farm	E
Designtex	Velocity	E
Designtex	Vivid	D

KNOLLTEXTI	LES	
Manufacturer	Pattern	Grade
KnollTextiles	Alignment	F
KnollTextiles	Amplify	F
KnollTextiles	Annex	E
KnollTextiles	Bandwidth	F
KnollTextiles	Beacon	C
KnollTextiles	Broadcloth II	E
KnollTextiles	Cable Twist	E
KnollTextiles	Circle Line	E
KnollTextiles	Circuit	D
KnollTextiles	Clarity	E
KnollTextiles	Criss Cross	E
KnollTextiles	Crossroad	E
KnollTextiles	Delite	C
KnollTextiles	Dristi	F
KnollTextiles	Edo	D
KnollTextiles	Element	E
KnollTextiles	Foil Rap	F
KnollTextiles	Growth Spurt	E
KnollTextiles	Hard Rock	F
KnollTextiles	Heavy Metal	F
KnollTextiles	Hourglass	E
KnollTextiles	Knoll Felt	F
KnollTextiles	Knoll Hopsack	F
KnollTextiles	Logic	E
KnollTextiles	Macro	F
KnollTextiles	Mainframe	E
KnollTextiles	Match Point	E
KnollTextiles	Messa	D
KnollTextiles	Mezzo	F
KnollTextiles	Micro	F
KnollTextiles	Monarch	F
KnollTextiles	Nematic II	E
KnollTextiles	Palladium	F
KnollTextiles	Photon II	E
KnollTextiles	Pivot	C
KnollTextiles	Presto	E
KnollTextiles	Ransom	F
KnollTextiles	Reflect	E
KnollTextiles	Relay	F
KnollTextiles	Skylark	D
KnollTextiles	Symbolic Details	E
KnollTextiles	Tailor Made II	E
KnollTextiles	Twister	D
KnollTextiles	Versatility	E
KnollTextiles	Wonder	D
KnollTextiles	Zenith	E

GUILFORD O	F MAINE	
Manufacturer	Pattern	Grade
Guilford of Maine	Anchorage	В
Guilford of Maine		В
Guilford of Maine		В
Guilford of Maine	•	В
Guilford of Maine		C
Guilford of Maine	. ,	В
	BeeHave (54" bolt)	B
Guilford of Maine		B
Guilford of Maine Guilford of Maine		B
Guilford of Maine		B
Guilford of Maine		B
Guilford of Maine	•	B
	Couture (54" bolt)	B
Guilford of Maine	. ,	B
Guilford of Maine	2	В
Guilford of Maine	Dashing	В
Guilford of Maine	Digit	В
Guilford of Maine	Drift	c
Guilford of Maine	Essence	Α
Guilford of Maine	FR701 [®]	В
Guilford of Maine		В
Guilford of Maine	Galaxy	C
Guilford of Maine		C
Guilford of Maine		В
	Highbeams (54" bolt)	Α
Guilford of Maine		В
	Intuition (54" bolt)	C
Guilford of Maine	. ,	В
Guilford of Maine Guilford of Maine	Lido Meander	B
Guilford of Maine		B
Guilford of Maine		B
Guilford of Maine		B
Guilford of Maine	-	C
Guilford of Maine		В
Guilford of Maine		B
Guilford of Maine	Parameter	B
Guilford of Maine	Phone Tag	c
Guilford of Maine	Pursuit	А
Guilford of Maine	Quadrille (54" bolt)	В
Guilford of Maine	Rattan	c
Guilford of Maine	Reeds	В
Guilford of Maine	Regatta	С
Guilford of Maine		c
Guilford of Maine	Spinel	В
Guilford of Maine	Sprite	В
Guilford of Maine		В
Guilford of Maine	Streetwise	C
Guilford of Maine		C
	Synopsis (54" bolt)	B
Guilford of Maine	-	C
	Theory	B
Guilford of Maine		B
Guilford of Maine	2	B
	Vertical Surface Blends Vertical Surface Solids	C C
Guilford of Maine		B
Guilford of Maine		В
Guinoru of Malife	minsher	D

Graded In Fabrics

LUNA		
Manufacturer	Pattern	Grade
Luna	Affinity	G
Luna	Aspect	G
Luna	Facet	G
Luna	Freehand	E
Luna	Halo	E
Luna	Hammered Metal	E
Luna	ldyll	E
Luna	Incandescent	E
Luna	Intersect	E
Luna	Linea	D
Luna	Luminescence	E
Luna	Quad	E
Luna	Radar	E
Luna	Signal	E
Luna	Sonic	E
Luna	Stepping Stones	E
Luna	Stitch	E
Luna	Transmission	E
Luna	Twiggy	н
Luna	Twist	E

MAHARAM		
Manufacturer	Pattern	Grade
Maharam	Crisp	E
Maharam	Field	E
Maharam	Flock	E
Maharam	Glance	E
Maharam	Glint	E
Maharam	Hum	E
Maharam	Morse	E
Maharam	Parallel	E
Maharam	Reply	E
Maharam	Sharkskin 2	F
Maharam	Sketch	E
Maharam	Spiral	E
Maharam	Unit	E

MAYERManufacturerPatternGradeMayerAnasaziCMayerBasicAMayerBlueprintAMayerCipherAMayerCodeAMayerCodeAMayerCopaBMayerCross CheckAMayerEqualBMayerFlairCMayerForteAMayerGraphAMayerGrassclothBMayerGrillineCMayerMalangeCMayerNelangeCMayerParagonCMayerParagonCMayerPebble BeachBMayerQuattroBMayerSpace OdysseyCMayerSpace OdysseyCMayerStrataBMayerYataBMayerMayerCMayerMayerCMayerMayerCMayerMayerCMayerMayerCMayerMayerCMayerMayerCMayerMayerCMayerMayerCMayer<			
MayerAnasaziCMayerBasicAMayerBlueprintAMayerCipherAMayerCodeAMayerCopaBMayerCross CheckAMayerEchoDMayerFlairCMayerForteAMayerForteAMayerGraphAMayerGrassClothBMayerGridlineCMayerInterludeBMayerNexusBMayerParagonCMayerParagonCMayerRain DropsCMayerSpace OdysseyCMayerSpace OdysseyCMayerSpace OdysseyCMayerStrataBMayerStrataBMayerVirlwindB	MAYER		
MayerBasicAMayerBlueprintAMayerCipherAMayerCodeAMayerCopaBMayerCross CheckAMayerEchoDMayerEqualBMayerFlairCMayerForteAMayerGraphAMayerGrassclothBMayerInterludeBMayerInterludeBMayerNelangeCMayerNelangeCMayerParagonCMayerPebble BeachBMayerRain DropsCMayerSpace OdysseyCMayerSpace OdysseyCMayerSpace OdysseyCMayerStrataBMayerVirlwindB	Manufacturer	Pattern	Grade
MayerBlueprintAMayerCipherAMayerCodeAMayerCopaBMayerCross CheckAMayerEchoDMayerEqualBMayerFlairCMayerForteAMayerForteAMayerGraphAMayerGrassclothBMayerInterludeBMayerNelangeCMayerNelangeCMayerParagonCMayerPebble BeachBMayerQuattroBMayerSpace OdyseyCMayerSpace OdyseyCMayerSpace OdyseyCMayerStrataBMayerYataBMayerStrataBMayerVirlwindB	Mayer	Anasazi	C
MayerCipherAMayerCodeAMayerCopaBMayerCross CheckAMayerEchoDMayerEqualBMayerFlairCMayerForteAMayerGraphAMayerGrassclothBMayerGridlineCMayerInterludeBMayerNelangeCMayerMalagerCMayerNelangeCMayerParagonCMayerPebble BeachBMayerQuattroBMayerSpace OdysseyCMayerSpace OdysseyCMayerStrataBMayerYataBMayerStrataBMayerKataBMayerMayerCMayerMayerCMayerMayerCMayerMayerCMayerMayerCMayerMayerCMayerMayerCMayerMayerCMayerMayerCMayerMayerCMayer </td <td>Mayer</td> <td>Basic</td> <td>Α</td>	Mayer	Basic	Α
MayerCodeAMayerCopaBMayerCross CheckAMayerEchoDMayerEqualBMayerFlairCMayerForteAMayerForteAMayerGraphAMayerGrassclothBMayerGridlineCMayerInterludeBMayerMelangeCMayerNexusBMayerPebble BeachBMayerQuattroBMayerSpace OdysseyCMayerSpace OdysseyCMayerSpace OdysseyCMayerStrataBMayerYataCMayerStrataBMayerKtrataBMayerYataKtrataMayerYataKtrataMayerWhirlwindB	Mayer	Blueprint	Α
MayerCopaBMayerCopaBMayerCross CheckAMayerEchoDMayerEqualBMayerFlairCMayerForteAMayerForteAMayerGraphAMayerGrassclothBMayerGridlineCMayerInterludeBMayerMelangeCMayerNexusBMayerParagonCMayerPebble BeachBMayerQuattroBMayerSpace OdysseyCMayerSpace OdysseyCMayerStrataBMayerYataBMayerMayerCMayerStrataBMayerVirlwindB	Mayer	Cipher	Α
MayerCross CheckAMayerEchoDMayerEqualBMayerFlairCMayerForteAMayerForteAMayerGraphAMayerGrassclothBMayerGridlineCMayerInterludeBMayerMelangeCMayerNexusBMayerParagonCMayerPebble BeachBMayerQuattroBMayerSpace OdysseyCMayerSpace OdysseyCMayerStrataBMayerYataCMayerStrataBMayerKataBMayerMayerCMayerStrataBMayerKtrataBMayerWhirlwindB	Mayer	Code	Α
MayerEchoDMayerEqualBMayerFlairCMayerForteAMayerForteAMayerGraphAMayerGrassclothBMayerGridlineCMayerInterludeBMayerMelangeCMayerNexusBMayerParagonCMayerPebble BeachBMayerRain DropsCMayerSpace OdysseyCMayerSpace OdysseyCMayerStrataBMayerKrataBMayerStrataBMayerKrataBMayer<	Mayer	Copa	В
MayerEqualBMayerFlairCMayerForteAMayerForteAMayerGraphAMayerGrassclothBMayerGridlineCMayerInterludeBMayerLuminaryBMayerMelangeCMayerNexusBMayerParagonCMayerPebble BeachBMayerRain DropsCMayerSpace OdysseyCMayerSpace OdysseyCMayerStrataBMayerVirtwindB	Mayer	Cross Check	Α
MayerFlairCMayerForteAMayerForscoBMayerGraphAMayerGrassclothBMayerGridlineCMayerInterludeBMayerLuminaryBMayerMelangeCMayerNexusBMayerParagonCMayerQuattroBMayerReverbCMayerSpace OdysseyCMayerSpace OdysseyCMayerStrataBMayerKrataCMayerKrataBMayerKrataKrataMayer <t< td=""><td>Mayer</td><td>Echo</td><td>D</td></t<>	Mayer	Echo	D
MayerForteAMayerForteAMayerFrescoBMayerGraphAMayerGrassclothBMayerGridlineCMayerInterludeBMayerLuminaryBMayerMelangeCMayerMulti-CrepeBMayerParagonCMayerPebble BeachBMayerQuattroBMayerReverbCMayerSpace OdysseyCMayerStrataBMayerCtrainCMayerStrataBMayerVirlwindB	Mayer	Equal	В
MayerFrescoBMayerGraphAMayerGrassclothBMayerGridlineCMayerInterludeBMayerLuminaryBMayerMelangeCMayerMulti-CrepeBMayerNexusBMayerParagonCMayerQuattroBMayerReverbCMayerSpace OdysseyCMayerSpectreCMayerStrataBMayerKrataCMayerVirlwindB	Mayer	Flair	C
MayerGraphAMayerGraphAMayerGrassclothBMayerGridlineCMayerInterludeBMayerLuminaryBMayerMelangeCMayerMulti-CrepeBMayerNexusBMayerParagonCMayerQuattroBMayerReverbCMayerSpace OdysseyCMayerSpectreCMayerStrataBMayerCMayerMayerStrataCMayerVirlwindB	Mayer	Forte	Α
MayerGrassclothBMayerGridlineCMayerInterludeBMayerLuminaryBMayerMelangeCMayerMulti-CrepeBMayerNexusBMayerParagonCMayerQuattroBMayerReverbCMayerSpace OdysseyCMayerSpectreCMayerStrataBMayerKrataCMayerMayerCMayerStrataBMayerKrataBMayerKrataBMayerKrataBMayerWhirlwindB	Mayer	Fresco	В
MayerGridlineCMayerInterludeBMayerLuminaryBMayerMelangeCMayerMulti-CrepeBMayerNexusBMayerParagonCMayerPebble BeachBMayerQuattroBMayerReverbCMayerSpace OdysseyCMayerSpectreCMayerStrataBMayerVirlwindB	Mayer	Graph	А
MayerInterludeBMayerLuminaryBMayerLuminaryBMayerMelangeCMayerMulti-CrepeBMayerNexusBMayerParagonCMayerPebble BeachBMayerQuattroBMayerRain DropsCMayerSpace OdysseyCMayerSpectreCMayerStrataBMayerVirlwindB	Mayer	Grasscloth	В
MayerLuminaryBMayerLuminaryBMayerMelangeCMayerMulti-CrepeBMayerNexusBMayerParagonCMayerPebble BeachBMayerQuattroBMayerRain DropsCMayerReverbCMayerSpace OdysseyCMayerSpectreCMayerStrataBMayerTerrainCMayerWhirlwindB	Mayer	Gridline	C
MayerMelangeCMayerMulti-CrepeBMayerNexusBMayerParagonCMayerPebble BeachBMayerQuattroBMayerRain DropsCMayerReverbCMayerSpace OdysseyCMayerStrataBMayerTerrainC	Mayer	Interlude	В
MayerMulti-CrepeBMayerNexusBMayerParagonCMayerPebble BeachBMayerQuattroBMayerRain DropsCMayerReverbCMayerSpace OdysseyCMayerSpectreCMayerStrataBMayerTerrainC	Mayer	Luminary	В
MayerNexusBMayerParagonCMayerPebble BeachBMayerQuattroBMayerRain DropsCMayerReverbCMayerSpace OdysseyCMayerSpectreCMayerStrataBMayerTerrainCMayerWhirlwindB	Mayer	Melange	C
MayerParagonCMayerPebble BeachBMayerQuattroBMayerRain DropsCMayerReverbCMayerSpace OdysseyCMayerSpectreCMayerStrataBMayerTerrainCMayerWhirlwindB	Mayer	Multi-Crepe	В
MayerPebble BeachBMayerQuattroBMayerRain DropsCMayerReverbCMayerSpace OdysseyCMayerSpectreCMayerStrataBMayerTerrainCMayerWhirlwindB	Mayer	Nexus	В
MayerQuattroBMayerRain DropsCMayerReverbCMayerSpace OdysseyCMayerSpectreCMayerStrataBMayerTerrainCMayerWhirlwindB	Mayer	Paragon	C
MayerRain DropsCMayerReverbCMayerSpace OdysseyCMayerSpectreCMayerStrataBMayerTerrainCMayerWhirlwindB	Mayer	Pebble Beach	В
MayerReverbCMayerSpace OdysseyCMayerSpectreCMayerStrataBMayerTerrainCMayerWhirlwindB	Mayer	Quattro	В
MayerSpace OdysseyCMayerSpectreCMayerStrataBMayerTerrainCMayerWhirlwindB	Mayer	Rain Drops	C
MayerSpectre SpectreCMayerSpectreCMayerStrataBMayerTerrainCMayerWhirlwindB	Mayer	Reverb	C
Mayer Strata B Mayer Terrain C Mayer Whirlwind B	Mayer	Space Odyssey	C
Mayer Terrain C Mayer Whirlwind B	Mayer	Spectre	C
Mayer Whirlwind B	Mayer	Strata	В
Majer Milling D	Mayer	Terrain	C
Mayer Zest B	Mayer	Whirlwind	В
	Mayer	Zest	В

Graded In Fabrics

MOMENTUM		
Manufacturer	Pattern	Grade
Momentum	Alpha	В
Momentum	Backdrop	В
Momentum	Cameo	В
Momentum	Curtain Call	В
Momentum	Edict	В
Momentum	Encore	В
Momentum	Extend	В
Momentum	Inlay	C
Momentum	Meander	В
Momentum	Overture	А
Momentum	Pact	Α
Momentum	Saga	В
Momentum	Tenor	А
Momentum	Universe	В
Momentum	Verse	Α

LEGACY TABLE OF CONTENTS

LEGACY FINISHES Laminate Edge Band Paint Plexiglass Fabric	164 164 165 165
GEN 1 & 2 PANELS	166
GEN 1 Fabric Panels	
GEN 2 Insert Panels	- 169
POST ASSEMBLIES Straight Corner (90°) End 3-way (T). 3-way (Y). 4-way (X). Dual Height Posts Triple Height Posts. Single Height Posts. Panel Connectors. Panel Extender Kit	171 171 172 172 172 173 174 175 176

GEN 3 178 Fabric Panels 178
Insert Panels
POST ASSEMBLIES 180
Straight
2-way (L)
2-way (120)
3-way (T)
3-way (120)
4-way (X)
Single Height
Dual Height
Triple Height
End Kits 182
Wall Starter/Wall Mounted Channel
PANEL ACCESSORIES
PANEL ACCESSORIES 184 Vertical Wire Manager 184
Vertical Wire Manager

WALL MOUNTING Wall Mounting Suggestions	
KEY LOCK PROGRAM	192
General Information	. 192
How to Specify Key Alike	. 192
Key-alike ordered prior to 6/12/00.	. 193

Legacy finishes are only available for existing customers to match existing installs

LAMINATES

L1

L 1	
Jet Black	111
Folkstone Grey (was LA)	114
Soft Grey (was M42)	117
Bright White	118
Pumice (was LF)	119
Micro Grey	121
Brushed Sand	122
Brushed Grey	123
Medium Cherry	124
Natural Maple	125
Natural Cherry	126
Walnut	127
Fog	128
Micro Sand	129
Caramel Maple	MC
Clear Maple	CM
Deep Mahogany	MP58
Grey Granite	M95
Light Oak	MP70
Pearwood	PA
Rose Granite	M96
Sand	SD
Med. Grey (Slate)	M89
Taupe	M80
Warm Cherry	WM
White Essence	ES7
Winter Grey Matrix	MR6

EDGE BANDS

Bright White Pumice (was LF) Medium Cherry Natural Maple Natural Cherry Walnut Fog	 113 114 115 117 118 119 124 125 126
Medium Grey (was Y2) Soft Grey (was E) Bright White Pumice (was LF) Medium Cherry Natural Maple Natural Cherry Walnut Fog	115 117 118 119 124 125
Soft Grey (was E) Bright White Pumice (was LF) Medium Cherry Natural Maple Natural Cherry Walnut Fog	117 118 119 124 125
Walnut Fog	118 119 124 125
Pumice (was LF) Medium Cherry Natural Maple Natural Cherry Walnut Fog	119 124 125
Medium Cherry Natural Maple Natural Cherry Walnut Fog	124 125
Natural Maple Natural Cherry Walnut Fog	125
Natural Cherry Walnut Fog	
Natural Cherry Walnut Fog Dark Neutral	126
Fog	
5	127
Dark Neutral	128
	D
Taupe	R
Sand	SD
Caramel Maple	MC
Clear Maple	CM

NOTE: Laminates and other finishes may vary in color due to different dye lots. Slight variations are normal.

Legacy Finishes

PAINTS & PLASTICS

P1

Jet Black	111
Brown	112
Dark Grey (was Y3)	113
Folkstone Grey (was LA)	114
Med. Grey (was Y2)	115
Sandstone	116
Soft Grey (was E)	117
Dark Neutral	D
Taupe	R
Taupe P2	R
	R 611
P2	
P2 Beige Mist Metallic	611
P2 Beige Mist Metallic Medium Metallic Grey	611 612

Bright White118Silver613

NOTE: EP1 and EP2 panels and components are not available in the following:

Bright White	118
Brown	112
Jet Black	111

PLEXIGLASS

Clear	CL
lce	IC
Smoked	SM
Translucent	TR

NOT AVAILABLE ON INSERT PANELS

Frost	LF

FABRICS

E		
Annex	KnollTextiles	W1360
Circle Line	KnollTextiles	W1146
Criss Cross	KnollTextiles	W305
Growth Spurt	KnollTextiles	W692
Photon II	KnollTextiles	W1293
Reflect	KnollTextiles	W884
Symbolic Detail	KnollTextiles	W693
Versatility	KnollTextiles	W432
F		
Amplify	KnollTextiles	W1215
Foil Rap	KnollTextiles	W535
Hard Rock	KnollTextiles	W1007
Heavy Metal	KnollTextiles	W539
Micro	KnollTextiles	W465
Relay	KnollTextiles	W1020

NOTE: All 72 privacy screens require that the textile is railroaded (turned 90 degrees) for application. This must be considered when applying a patterned textile.

Generation 1 Fabric Panel 28" thru 48" High

28" H									PAII	NT
W	MODEL #	A	В	c	D	E	F	G	P2	P3
12"	EP1FA1228R	\$654	\$706	\$722	\$739	\$752	\$765	\$784	N/A	+ \$50
18"	EP1FA1828R	\$681	\$735	\$749	\$767	\$779	\$797	\$815	N/A	+ \$50
24"	EP1FA2428R	\$705	\$763	\$776	\$798	\$811	\$825	\$849	N/A	+ \$50
30"	EP1FA3028R	\$726	\$780	\$798	\$819	\$835	\$850	\$872	N/A	+ \$50
36"	EP1FA3628R	\$759	\$818	\$834	\$855	\$873	\$886	\$910	N/A	+ \$50
42"	EP1FA4228R	\$792	\$853	\$872	\$894	\$912	\$925	\$947	N/A	+ \$50
48"	EP1FA4828R	\$820	\$887	\$901	\$927	\$944	\$961	\$986	N/A	+ \$50
60"	EP1FA6028R	\$874	\$941	\$960	\$988	\$1,004	\$1,019	\$1,047	N/A	+ \$50
40" H										
12"	EP1FA1240R	\$687	\$740	\$756	\$776	\$789	\$804	\$821	N/A	+ \$50
18"	EP1FA1840R	\$720	\$776	\$792	\$811	\$825	\$840	\$860	N/A	+ \$50
24"	EP1FA2440R	\$752	\$811	\$827	\$851	\$865	\$881	\$901	N/A	+ \$50
30"	EP1FA3040R	\$775	\$838	\$852	\$877	\$892	\$907	\$929	N/A	+ \$50
36"	EP1FA3640R	\$800	\$865	\$881	\$904	\$922	\$936	\$961	N/A	+ \$50
42"	EP1FA4240R	\$893	\$962	\$982	\$1,007	\$1,027	\$1,043	\$1,073	N/A	+ \$50
48"	EP1FA4840R	\$921	\$995	\$1,010	\$1,039	\$1,056	\$1,076	\$1,101	N/A	+ \$50
60"	EP1FA6040R	\$1,034	\$1,117	\$1,136	\$1,168	\$1,189	\$1,208	\$1,242	N/A	+ \$50

:

48" H

-											
	12"	EP1FA1248R	\$706	\$764	\$777	\$799	\$812	\$827	\$850	N/A	+ \$50
	18"	EP1FA1848R	\$741	\$801	\$815	\$839	\$853	\$872	\$892	N/A	+ \$50
	24"	EP1FA2448R	\$812	\$879	\$895	\$912	\$935	\$953	\$973	N/A	+ \$50
	30"	EP1FA3048R	\$836	\$901	\$921	\$944	\$961	\$978	\$1,004	N/A	+ \$50
	36"	EP1FA3648R	\$848	\$915	\$930	\$956	\$970	\$989	\$1,014	N/A	+ \$50
	42"	EP1FA4248R	\$941	\$1,016	\$1,037	\$1,063	\$1,083	\$1,101	\$1,130	N/A	+ \$50
	48"	EP1FA4848R	\$1,004	\$1,083	\$1,101	\$1,133	\$1,154	\$1,173	\$1,204	N/A	+ \$50
	60"	EP1FA6048R	\$1,141	\$1,235	\$1,256	\$1,288	\$1,312	\$1,335	\$1,370	N/A	+ \$50

le	Specification Information		Application Notes
EP1FA3648R, W3513, 117	Specify fabric and trim color. Post assemblies or	Electrical components must be ordered separately.	Panel is fabric covered. If two different fabrics are
Fabric panel	connection elements must be ordered separately.	NOTE: P2 trim colors are	used on one panel, price will reflect cost of the more
Width	NOTE: Power duplexes cannot	and panel components.	expensive panel fabric.
Height	be installed on 12" W panels. Side mount receptacles available		NOTE: EP1 & EP2 Panels and components are available
Raceway	in 24" W panels and wider		in legacy colors only.
Foundation, Corn Silk	while using "E" series power.		
Soft Grey trim			
	117 Fabric panel Width Height Raceway Foundation, Corn Silk	EP1FA3648R, W3513, 117 Specify fabric and trim color. Post assemblies or connection elements must be ordered separately. Fabric panel NOTE: Power duplexes cannot be installed on 12" W panels. Width NOTE: Power duplexes cannot be installed on 12" W panels. Raceway Side mount receptacles available in 24" W panels and wider while using "E" series power. Foundation, Corn Silk Side context of the series power.	EP1FA3648R, W3513, 117Specify fabric and trim color. Post assemblies or connection elements must be ordered separately.Electrical components must be ordered separately.WidthNOTE: Power duplexes cannot be installed on 12" W panels. Side mount receptacles available in 24" W panels and wider while using "E" series power.Blectrical components must be ordered separately.NOTE: P2 trim colors are not available on EP1 panels and panel components.NoTE: P2 trim colors are not available on EP1 panels and panel components.

Pricing is for P1 paint trim colors. Add the appropriate upcharge if using P2 or P3 trim.

Generation 1 fabric panel 53" thru 80" High

53" H									PAIN	т
W	MODEL #	A	В	c	D	E	F	G	P2	P3
12"	EP1FA1253R	\$724	\$778	\$796	\$814	\$829	\$844	\$868	N/A	+ \$50
18"	EP1FA1853R	\$760	\$819	\$835	\$856	\$874	\$887	\$912	N/A	+ \$50
24"	EP1FA2453R	\$801	\$868	\$884	\$907	\$923	\$937	\$962	N/A	+ \$50
30"	EP1FA3053R	\$821	\$889	\$904	\$930	\$946	\$962	\$988	N/A	+ \$50
36"	EP1FA3653R	\$946	\$1,021	\$1,042	\$1,073	\$1,088	\$1,109	\$1,136	N/A	+ \$50
42"	EP1FA4253R	\$989	\$1,069	\$1,088	\$1,118	\$1,136	\$1,158	\$1,187	N/A	+ \$50
48"	EP1FA4853R	\$1,045	\$1,129	\$1,150	\$1,182	\$1,202	\$1,222	\$1,254	N/A	+ \$50
60"	EP1FA6053R	\$1,187	\$1,282	\$1,305	\$1,340	\$1,365	\$1,389	\$1,424	N/A	+ \$50
60" H										
12"	EP1FA1260R	\$740	\$800	\$814	\$838	\$852	\$868	\$889	N/A	+ \$50
18"	EP1FA1860R	\$784	\$849	\$863	\$886	\$899	\$918	\$941	N/A	+ \$50
24"	EP1FA2460R	\$800	\$865	\$881	\$904	\$922	\$936	\$961	N/A	+ \$50
30"	EP1FA3060R	\$885	\$956	\$970	\$1,002	\$1,016	\$1,036	\$1,058	N/A	+ \$50
36"	EP1FA3660R	\$966	\$1,043	\$1,061	\$1,091	\$1,113	\$1,130	\$1,160	N/A	+ \$50
42"	EP1FA4260R	\$1,053	\$1,136	\$1,160	\$1,190	\$1,209	\$1,231	\$1,263	N/A	+ \$50
48"	EP1FA4860R	\$1,137	\$1,230	\$1,251	\$1,285	\$1,308	\$1,330	\$1,368	N/A	+ \$50
60"	EP1FA6060R	\$1,307	\$1,413	\$1,438	\$1,477	\$1,503	\$1,529	\$1,569	N/A	+ \$50
65" H										
12"	EP1FA1265R	\$779	\$844	\$858	\$884	\$897	\$916	\$936	N/A	+ \$50
18"	EP1FA1865R	\$799	\$862	\$880	\$901	\$921	\$933	\$959	N/A	+ \$50
24"	EP1FA2465R	\$895	\$967	\$986	\$1,010	\$1,032	\$1,047	\$1,075	N/A	+ \$50
30"	EP1FA3065R	\$947	\$1,024	\$1,043	\$1,074	\$1,091	\$1,110	\$1,137	N/A	+ \$50
36"	EP1FA3665R	\$1,007	\$1,088	\$1,110	\$1,138	\$1,160	\$1,179	\$1,208	N/A	+ \$50
42"	EP1FA4265R	\$1,098	\$1,189	\$1,208	\$1,243	\$1,264	\$1,285	\$1,321	N/A	+ \$50
48"	EP1FA4865R	\$1,190	\$1,284	\$1,308	\$1,343	\$1,369	\$1,393	\$1,428	N/A	+ \$50
60"	EP1FA6065R	\$1,374	\$1,483	\$1,513	\$1,554	\$1,579	\$1,608	\$1,650	N/A	+ \$50
80" H										
12"	EP1FA1280R	\$795	\$855	\$873	\$895	\$913	\$927	\$953	N/A	+ \$50
18"	EP1FA1880R	\$844	\$913	\$929	\$955	\$969	\$988	\$1,012	N/A	+ \$50
24"	EP1FA2480R	\$899	\$971	\$992	\$1,018	\$1,037	\$1,054	\$1,080	N/A	+ \$50
30"	EP1FA3080R	\$1,010	\$1,091	\$1,115	\$1,143	\$1,163	\$1,183	\$1,212	N/A	+ \$50
36"	EP1FA3680R	\$1,128	\$1,215	\$1,240	\$1,276	\$1,297	\$1,319	\$1,352	N/A	+ \$50
42"	EP1FA4280R	\$1,242	\$1,340	\$1,365	\$1,401	\$1,428	\$1,452	\$1,488	N/A	+ \$50
48"	EP1FA4880R	\$1,352	\$1,460	\$1,486	\$1,528	\$1,555	\$1,581	\$1,621	N/A	+ \$50
60"	EP1FA6080R	\$1,577	\$1,701	\$1,734	\$1,782	\$1,814	\$1,844	\$1,893	N/A	+ \$50
Order Code		Specification	Information					Application	Notes	
	1EA 2460P W2513	Specify fab	ric and trir	n color.	Electrical	componen	ts must	Panel is fa	bric cover	ed. If

Order Co	de	Specification Information		Application Notes
e.g.	EP1FA2460R, W3513, 117	Specify fabric and trim color. Post assemblies or	Electrical components must be ordered separately.	Panel is fabric covered. If two different fabrics are
EP1FA	Fabric panel	connection elements must be ordered separately.	NOTE: P2 trim colors are not available on EP1 panels	used on one panel, price will reflect cost of the more
24	Width		and panel components.	expensive panel fabric.
60	Height	Post assemblies or		NOTE: EP1 & EP2 Panels and components are available
W351-3	Foundation,Corn Silk	in 24" W panels and wider		in legacy colors only.
117	Soft Grey trim			

Generation 2 Insert Panel

(compatible with generation 1 panel components only)



20	Н				PAINT		
W		MODEL#	OPEN FRAME (OF)	PLEXIGLASS (PG)*	P2		
12'	1	EP2()1228R	\$697	\$936	N/A	+ \$5	
18'	1	EP2()1828R	\$711	\$1,004	N/A	+ \$5	
24'	1	EP2()2428R	\$725	\$1,058	N/A	+ \$5	
30'	1	EP2()3028R	\$740	\$1,121	N/A	+ \$5	
36'	1	EP2()3628R	\$759	\$1,174	N/A	+ \$5	
42'	1	EP2()4228R	\$778	\$1,269	N/A	+ \$5	
48'	1	EP2()4828R	\$797	\$1,293	N/A	+ \$5	
60'	•	EP2()6028R	\$834	\$1,408	N/A	+ \$5	
40" I	H						
12"		EP2()1240R	\$736	\$1,028	N/A	+ \$5	
18"		EP2()1840R	\$751	\$1,090	N/A	+ \$5	
24"		EP2()2440R	\$763	\$1,154	N/A	+ \$5	
30"		EP2()3040R	\$779	\$1,270	N/A	+ \$5	
36"		EP2()3640R	\$797	\$1,430	N/A	+ \$5	
42"		EP2()4240R	\$818	\$1,460	N/A	+ \$5	
48"		EP2()4840R	\$836	\$1,481	N/A	+ \$5	
60"		EP2()6040R	\$874	\$1,632	N/A	+ \$5	
4011							
48" 		EP2()1248R	\$751	\$1,057	N/A	+ \$5	
18'	1	EP2()1848R	\$766	\$1,165	N/A	+ \$5	
24'		EP2()2448R	\$777	\$1,248	N/A	+ \$5	
30'		EP2()3048R	\$797	\$1,359	N/A	+ \$5	
36'		EP2()3648R	\$811	\$1,382	N/A	+ \$5	
42'	1	EP2()4248R	\$834	\$1,522	N/A	+ \$5	
48'		EP2()4848R	\$852	\$1,802	N/A	+ \$5	
60'	1	EP2()6048R	\$887	\$1,821	N/A	+ \$5	
53" I	H						
12'		EP2()1253R	\$776	\$1,091	N/A	+ \$5	
18'		EP2()1853R	\$792	\$1,197	N/A	+ \$5	
24'		EP2()2453R	\$800	\$1,279	N/A	+ \$5	
30'		EP2()3053R	\$820	\$1,393	N/A	+ \$5	
36'		EP2()3653R	\$836	\$1,484	N/A	+ \$5	
42'		EP2()4253R	\$857	\$1,648	N/A	+ \$5	
48'		EP2()4853R	\$877	\$1,669	N/A	+ \$5	
60'		EP2()6053R	\$915	\$1,854	N/A	+ \$5	
* All Col	ors						
			Application Not	65			
Order Co	de	Specification Information	Application Notes Top caps and base raceway		Generation 2 insert panels		
Order Co		Specification Information Specify insert type, insert	Top caps and			•	
Order Co e.g. EP2PG	de EP2PG3648R, PC, 613 Plexiglass Insert Panel	•		cluded with and panel	Generation 2 inser incorporate the ge 3 mitered panel fr with generation 1	eneratio ame	
e.g. EP2PG	EP2PG3648R, PC, 613 Plexiglass Insert Panel	Specify insert type, insert	Top caps and covers are inc panels. Posts	cluded with and panel nust be	incorporate the ge 3 mitered panel fr with generation 1 caps and base race	eneratio ame top eway	
e.g. EP2PG 36	EP2PG3648R, PC, 613 Plexiglass Insert Panel Width	Specify insert type, insert	Top caps and covers are inc panels. Posts connectors n	cluded with and panel nust be rately.	incorporate the ge 3 mitered panel fr with generation 1 caps and base race covers and will on	eneratio ame top eway ly work	
e.g. EP2PG	EP2PG3648R, PC, 613 Plexiglass Insert Panel	Specify insert type, insert	Top caps and covers are inc panels. Posts connectors n ordered sepa NOTE: P2 trim co not available or	cluded with and panel nust be rately. olors are t EP2 panels	incorporate the ge 3 mitered panel fr with generation 1 caps and base race covers and will on with generation 1	ameration ame top eway ly work panels	
e.g. EP2PG 36	EP2PG3648R, PC, 613 Plexiglass Insert Panel Width	Specify insert type, insert	Top caps and covers are inc panels. Posts connectors n ordered sepa NOTE: P2 trim c	cluded with and panel nust be rately. olors are t EP2 panels	incorporate the ge 3 mitered panel fr with generation 1 caps and base race covers and will on with generation 1 and panel compos	eneration ame top eway ly work panels nents.	
e.g. EP2PG 36 48	EP2PG3648R, PC, 613 Plexiglass Insert Panel Width Height	Specify insert type, insert	Top caps and covers are inc panels. Posts connectors n ordered sepa NOTE: P2 trim co not available or	cluded with and panel nust be rately. olors are t EP2 panels	incorporate the ge 3 mitered panel fr with generation 1 caps and base race covers and will on with generation 1	eneration ame top eway ly work panels nents.	

Generation 2 Insert Panel (compatible with generation 1 panel components only)

.

\$2,625

\$988

N/A

ĺ		/	
	4	24	

60" H				DAINT	
		()		PAINT	
W	MODEL #	OPEN FRAME (OF)	PLEXIGLASS (PG)*	P2	P3
12"	EP2()1260R	\$784	\$1,129	N/A	+ \$50
18"	EP2()1860R	\$799	\$1,251	N/A	+ \$50
24"	EP2()2460R	\$810	\$1,379	N/A	+ \$50
30"	EP2()3060R	\$827	\$1,518	N/A	+ \$50
36"	EP2()3660R	\$844	\$1,539	N/A	+ \$50
42"	EP2()4260R	\$868	\$1,679	N/A	+ \$50
48"	EP2()4860R	\$884	\$1,816	N/A	+ \$50
60"	EP2()6060R	\$921	\$2,036	N/A	+ \$50
65" H					
12"	EP2()1265R	\$797	\$1,143	N/A	+ \$50
18"	EP2()1865R	\$811	\$1,267	N/A	+ \$50
24"	EP2()2465R	\$821	\$1,413	N/A	+ \$50
30"	EP2()3065R	\$839	\$1,535	N/A	+ \$50
36"	EP2()3665R	\$857	\$1,555	N/A	+ \$50
42"	EP2()4265R	\$879	\$1,695	N/A	+ \$50
48"	EP2()4865R	\$895	\$2,076	N/A	+ \$50
60"	EP2()6065R	\$930	\$2,115	N/A	+ \$50
80" H					
12"	EP2()1280R	\$851	\$1,304	N/A	+ \$50
18"	EP2()1880R	\$868	\$1,446	N/A	+ \$50
24"	EP2()2480R	\$877	\$1,576	N/A	+ \$50
30"	EP2()3080R	\$894	\$1,825	N/A	+ \$50
36"	EP2()3680R	\$913	\$1,983	N/A	+ \$50
42"	EP2()4280R	\$930	\$2,287	N/A	+ \$50
48"	EP2()4880R	\$948	\$2,308	N/A	+ \$50
	.,				

* All Colors

60"

Order C	ode	Specification Information	Application Notes		
e.g.	EP2PG2460R, 613	,613 Specify insert type, insert NOTE: P2 trim of color and trim color. not available or		Generation 2 insert panels incorporate the generation	
EP2PG	Plexiglass Insert Panel	Top caps and base raceway covers are included with	or panel components.	3 mitered panel frame with generation 1 top	
24	Width	panels. Posts and panel connectors must be ordered separately.			caps and base raceway covers and will only work
60	Height			with generation 1 panels and panel components.	
R	Raceway Silver trim				
613		-		NOTE: EP1 & EP2 Panels and components are available in legacy colors only.	

+ \$50

EP2()6080R

(SH) M

Panel Wall Starter

W	D	H*	ACTUAL HEIGHT	MODEL #	P1	P2	P3
11⁄2"	1⁄2"	28"	23"	EP1PWS28	\$44	N/A	\$48
11⁄2"	1⁄2"	40"	35"	EP1PWS40	\$44	N/A	\$48
11⁄2"	1⁄2"	48"	43"	EP1PWS48	\$48	N/A	\$52
11⁄2"	1⁄2"	53"	48"	EP1PWS53	\$50	N/A	\$56
11⁄2"	1⁄2"	60"	55"	EP1PWS60	\$50	N/A	\$56
11⁄2"	1⁄2"	65"	60"	EP1PWS65	\$52	N/A	\$59
11⁄2"	1⁄2"	80"	75"	EP1PWS80	\$59	N/A	\$69

Wall Mounted Channel

21/8"	3⁄4"	28"	23"	EP1WMC28	\$112	N/A	\$122
21/8"	3⁄4"	40"	35"	EP1WMC40	\$112	N/A	\$122
21/8"	3⁄4"	48"	43"	EP1WMC48	\$114	N/A	\$124
21/8"	3⁄4"	53"	48"	EP1WMC53	\$116	N/A	\$128
21/8"	3⁄4"	60"	55"	EP1WMC60	\$130	N/A	\$145
21/8"	3⁄4"	65"	60"	EP1WMC65	\$133	N/A	\$150
21/8"	3⁄4"	80"	75"	EP1WMC80	\$162	N/A	\$178
21/8"	3⁄4"	120"	120"	EP1WMC120	\$249	N/A	\$276

* - actual height

Order Co	ode	Specification Information	Application Notes			
e.q.	EP1PWS60, 117	Specify trim color. Wall starter:				be ordered separately.
	WS Panel wall starter assumes no responsibility pane		Used to start a run of panels by fastening to an	Wall mount channel: Allows hanging of		
60	Height		existing wall and attaching a connector assembly to	all components and accessories on reinforced building walls.		
117	Soft Grey trim	Grey trim performance of fasteners used.	it. Creates 1¼" space from face of wall to centerline of			
			post. Constructed of steel.	Painted extruded aluminu		
			The wall starter includes	with a plastic inset which snaps in place, covering		

panel top and bottom hooks and modified panel connector. Fasteners not included to attach to wall.

Post and shrouds must

num mounting screws.

NOTE: EP1 & EP2 Panels and components are available in legacy colors only.

Generation 1 single height post assemblies straight, corner and end

C ARE	

S A

ø

De

Straigh	t					
W	D	H	MODEL #	P1	P2	P3
-	-	28"	EP1P28S	\$148	N/A	\$164
-	-	40"	EP1P40S	\$150	N/A	\$165
-	-	48"	EP1P48S	\$152	N/A	\$166
-	-	53"	EP1P53S	\$154	N/A	\$168
-	-	60"	EP1P60S	\$156	N/A	\$170
-	-	65"	EP1P65S	\$157	N/A	\$172
-	-	80"	EP1P80S	\$161	N/A	\$177

Corner (90°)

	(
-	-	28"	EP1P28L	\$144	N/A	\$156
-	-	40"	EP1P40L	\$145	N/A	\$157
-	-	48"	EP1P48L	\$146	N/A	\$161
-	-	53"	EP1P53L	\$148	N/A	\$164
-	-	60"	EP1P60L	\$150	N/A	\$165
-	-	65"	EP1P65L	\$152	N/A	\$166
-	-	80"	EP1P80L	\$156	N/A	\$170

End

-	 _	28"	EP1P28E	\$157	N/A	\$172
-	 -	40"	EP1P40E	\$159	N/A	\$174
-	 -	48"	EP1P48E	\$161	N/A	\$177
-	 -	53"	EP1P53E	\$162	N/A	\$178
-	 -	60"	EP1P60E	\$164	N/A	\$179
-	 -	65"	EP1P65E	\$165	N/A	\$183
-	 -	80"	EP1P80E	\$167	N/A	\$187

Order Code		Specification Information	Application Notes			
e.g.	EP1P48S, 117	of the same he	Used to connect panels of the same height.	NOTE: EP1 & EP2 Panels and components are available		
EP1P	Post		Kit includes single height	ingle height in legacy colors only.		
48	Height		post, panel connector and base raceway shroud(s) appropriate for the	Bottom levelers on post		
s	Straight assembly			allow for up to 1½" vertical adjustment.		
117	Soft Grey trim		geometry specified.	-		

Generation 1 single height post assemblies three and four way



J

3-way (T)

/	• •					
W	D	Н	MODEL #	P1	P2	P3
-	-	28"	EP1P28T	\$144	N/A	\$156
-	-	40"	EP1P40T	\$145	N/A	\$157
-	-	48"	EP1P48T	\$146	N/A	\$161
-	-	53"	EP1P53T	\$148	N/A	\$164
-	-	60"	EP1P60T	\$150	N/A	\$165
-	-	65"	EP1P65T	\$152	N/A	\$166
-	-	80"	EP1P80T	\$156	N/A	\$170

\$179

\$183

\$185

\$186

\$187

\$190

\$192

N/A

N/A

N/A

N/A

N/A

N/A

N/A

\$201

\$202

\$203

\$205

\$206

\$208

\$208

EP1P28Y

EP1P40Y

EP1P48Y

EP1P53Y

EP1P60Y

EP1P65Y

EP1P80Y

X

4-way (X)

3-way (Y)

_

_

_

_

_

_

_

28"

40"

48"

53"

60"

65"

80"

-	T way (A)							
	-	-	28"	EP1P28X	\$124	N/A	\$136	
	-	-	40"	EP1P40X	\$128	N/A	\$141	
	-	-	48"	EP1P48X	\$129	N/A	\$144	
	-	-	53"	EP1P53X	\$130	N/A	\$145	
	-	-	60"	EP1P60X	\$131	N/A	\$146	
	-	-	65"	EP1P65X	\$132	N/A	\$147	
	-	-	80"	EP1P80X	\$135	N/A	\$150	

Order Code		Specification Information	Application Notes Used to connect panels of the same height.	
e.g. EP1P80T, 117 EP1P Post		Specify trim color		
		-	Kit includes single height	
0	Height	-	post, panel connector and base raceway shroud(s)	
"T" assembly		-	appropriate for the	
7	Soft Grey trim	-	geometry specified.	
		-	NOTE: EP1 & EP2 Panels and components are available in legacy colors only.	

Bottom levelers on post allow for up to 1½" vertical adjustment.

Generation 1 dual height posts

Dual Height Post								
W	D	н	MODEL #	P1	P2	P3		
-	-	28"/40"	EP1DP2840	\$154	N/A	\$168		
-	-	28"/48"	EP1DP2848	\$164	N/A	\$179		
-	-	28"/53"	EP1DP2853	\$167	N/A	\$187		
-	-	28"/60"	EP1DP2860	\$170	N/A	\$190		
-	-	28"/65"	EP1DP2865	\$177	N/A	\$193		
-	-	28"/80"	EP1DP2880	\$193	N/A	\$215		
-	-	40"/48"	EP1DP4048	\$164	N/A	\$179		
-	-	40"/53"	EP1DP4053	\$167	N/A	\$187		
-	-	40"/60"	EP1DP4060	\$170	N/A	\$190		
-	-	40"/65"	EP1DP4065	\$177	N/A	\$193		
-	-	40"/80"	EP1DP4080	\$193	N/A	\$215		
-	-	48"/53"	EP1DP4853	\$167	N/A	\$187		
-	-	48"/60"	EP1DP4860	\$170	N/A	\$190		
-	-	48"/65"	EP1DP4865	\$177	N/A	\$193		
-	-	48"/80"	EP1DP4880	\$193	N/A	\$215		
-	-	53"/60"	EP1DP5360	\$170	N/A	\$190		
-	-	53"/65"	EP1DP5365	\$177	N/A	\$193		
-	-	53"/80"	EP1DP5380	\$199	N/A	\$219		
-	-	60"/65"	EP1DP6065	\$177	N/A	\$193		
-	-	60"/80"	EP1DP6080	\$193	N/A	\$215		
-	-	65"/80"	EP1DP6580	\$193	N/A	\$215		

NOTE: EP1 & EP2 Panels and
components are available
in legacy colors only.

Generation 1 triple height posts

Triple Height Post

inpic neig						
w	D	н	MODEL#	P1	P2	P3
-	-	28"/40"/48"	EP1TP284048	\$193	N/A	\$215
-	-	28"/40"/53"	EP1TP284053	\$193	N/A	\$215
-	-	28"/40"/60"	EP1TP284060	\$193	N/A	\$215
-	-	28"/40"/65"	EP1TP284065	\$206	N/A	\$229
-	-	28"/40"/80"	EP1TP284080	\$230	N/A	\$253
-	-	28"/48"/53"	EP1TP284853	\$193	N/A	\$215
-	-	28"/48"/60"	EP1TP284860	\$193	N/A	\$215
-	-	28"/48"/65"	EP1TP284865	\$206	N/A	\$229
-	-	28"/48"/80"	EP1TP284880	\$230	N/A	\$253
-	-	28"/53"/60"	EP1TP285360	\$193	N/A	\$215
-	-	28"/53"/65"	EP1TP285365	\$205	N/A	\$227
-	-	28"/53"/80"	EP1TP285380	\$229	N/A	\$249
-	-	28"/60"/65"	EP1TP286065	\$206	N/A	\$229
-	-	28"/60"/80"	EP1TP286080	\$230	N/A	\$253
-	-	28"/65"/80"	EP1TP286580	\$230	N/A	\$253
-	-	40"/48"/53"	EP1TP404853	\$193	N/A	\$215
-	-	40"/48"/60"	EP1TP404860	\$193	N/A	\$215
-	-	40"/48"/65"	EP1TP404865	\$206	N/A	\$229
-	-	40"/48"/80"	EP1TP404880	\$230	N/A	\$253
-	-	40"/53"/60"	EP1TP405360	\$193	N/A	\$215
-	-	40"/53"/65"	EP1TP405365	\$205	N/A	\$227
-	_	40"/53"/80"	EP1TP405380	\$229	N/A	\$249
-	-	40"/60"/65"	EP1TP406065	\$206	N/A	\$229
-	-	40"/60"/80"	EP1TP406080	\$230	N/A	\$253
-	-	40"/65"/80"	EP1TP406580	\$230	N/A	\$253
-	-	48"/53"/60"	EP1TP485360	\$193	N/A	\$215
-	-	48"/53"/65"	EP1TP485365	\$205	N/A	\$227
-	-	48"/53"/80"	EP1TP485380	\$208	N/A	\$231
-	-	48"/60"/65"	EP1TP486065	\$206	N/A	\$229
-	-	48"/60"/80"	EP1TP486080	\$230	N/A	\$253
-	-	48"/65"/80"	EP1TP486580	\$230	N/A	\$253
-	-	53"/60"/65"	EP1TP536065	\$205	N/A	\$227
-	-	53"/60"/80"	EP1TP536080	\$207	N/A	\$230
-	-	53"/65"/80"	EP1TP536580	\$230	N/A	\$253
-	-	60"/65"/80"	EP1TP606580	\$230	N/A	\$253


Order Code		Specification Information	Application Notes			
e.g.	EP1TP406080, 113	Specify trim color.	Triple height posts are used where 3 or 4 panels of three	NOTE: EP1 & EP2 Panels and components are available		
EP1TP	Triple height post		different heights intersect.	in legacy colors only.		
40	Height one		Bottom levelers on posts allow for up to 1½"			
60	Height two		vertical adjustment.			
80	Height three		Due to the variety of			
113	Dark Grey trim		combinations possible, connector caps, shrouds			
			and post covers must all			
			be ordered separately.			

Generation 1 single height posts

Single Height Post

W	D	н	MODEL #	P1	P2	P3
-	-	28"	EP1P28	\$72	N/A	\$78
-	-	40"	EP1P40	\$73	N/A	\$80
-	-	48"	EP1P48	\$74	N/A	\$83
-	-	53"	EP1P53	\$76	N/A	\$84
-	-	60"	EP1P60	\$77	N/A	\$86
-	-	65"	EP1P65	\$78	N/A	\$87
-	-	80"	EP1P80	\$83	N/A	\$89

Order Code		Specification Information	Application Notes		
e.g. EP1P48, 177		Specify trim color.	Bottom leveler on posts allow for up to $1\frac{1}{2}$ " of		
EP1P	Post	 Panel connectors and shrouds must be 	vertical adjustment.		
48	Height 7 Soft Grey trim	order separately.	NOTE: EP1 & EP2 Panels and		
117		—	components are available in legacy colors only.		








Panel Connectors

ТҮРЕ	MODEL #	P1	P2	P3
End with post	EP1PCEP	\$36	\$38	\$39
End with post (for post covers)	EP1PCEPK	\$36	\$38	\$39
Four-way "X"	EP1PCX	\$52	\$56	\$62
Multi-height filler	EP1PCMF	\$26	\$28	\$29
Post plug (pkg. of 25)	EP1PLUG	\$17	\$23	\$24
Straight	EP1PCS	\$31	\$33	\$35
Three-way "T"	EP1PCT	\$47	\$49	\$52
Three-way "Y" 120°	EP1PCY	\$47	\$49	\$52
Trim filler	EP1PCTF	\$26	\$28	\$29
Two-way "L"	EP1PCL	\$39	\$40	\$41
Two-way "L" (for post covers)	EP1PCLK	\$39	\$40	\$41
Two-way adjustable angle	EP1PCA	\$49	\$56	\$56




Raceway Shrouds

End with post	EP1SEP	\$49	N/A	\$56
End with post (for post covers)	EP1SEPK	\$49	N/A	\$56
Inside 120	EP1SI120	\$17	N/A	\$24
Outside "L"	EP1SL	\$36	N/A	\$39
Outside "L" (for post covers)	EP1SLK	\$36	N/A	\$39
Outside 120	EP1SO120	\$28	N/A	\$31
Outside 135	EP1SO135	\$28	N/A	\$31
Straight	EP1SS	\$26	N/A	\$29

Order Code		Specification Information		Application Notes		
e.g.	EP1SEP	Specify panel connector and shroud trim color.	NOTE: EP1 & EP2 Panels and components are available	Panel connectors stabilize panel to panel connections.	This piece butts against EP1PCS and EP1PCT, when	
EP1S	Post shroud	t shroud Specify one multi-height in legacy colors only. Panel connectors have		Panel connectors have	installed as an addition.	
EP	End with post	filler (ÉP1PCMF) for each low panel in a multi- height connection.	ler (ÉP1PCMF) for eachEXCEPTION: EP1 posts connectorsw panel in a multi-only are available in all colors as	painted finish and a quick mount design. Mounting screws are included. Conical connector screw is included with post.	Shrouds provide a finished raceway cover at posts. Two- way "L" connections do not require an inside shroud.	
				The EP1PCTF is a trim filler piece that is to be used when no other post part can be used in a given panel layout.		

Generation 1 panel extender kit



Panel Extender Kit – 36" Wide

W	D	н	MODEL #	P1	P2	ADD FOR P3
36"	-	40"	EP1PE3640R	\$352	N/A	\$50
36"	-	48"	EP1PE3648R	\$392	N/A	\$50
36"	-	53"	EP1PE3653R	\$423	N/A	\$50
36"	-	60"	EP1PE3660R	\$451	N/A	\$50
36"	-	65"	EP1PE3665R	\$477	N/A	\$50
36"	-	80"	EP1PE3680R	\$553	N/A	\$50

Panel Extender Kit – 40" Wide

 			• •••••			
48"	-	40"	EP1PE4840R	\$366	N/A	\$50
48"	-	48"	EP1PE4848R	\$408	N/A	\$50
48"	-	53"	EP1PE4853R	\$435	N/A	\$50
48"	-	60"	EP1PE4860R	\$469	N/A	\$50
48"	-	65"	EP1PE4865R	\$489	N/A	\$50
48"	-	80"	EP1PE4880R	\$569	N/A	\$50

Panel Extender Kit – 60" Wide

60"	-	40"	EP1PE6040R	\$387	N/A	\$50
60"	-	48"	EP1PE6048R	\$423	N/A	\$50
60"	-	53"	EP1PE6053R	\$452	N/A	\$50
60"	-	60"	EP1PE6060R	\$485	N/A	\$50
60"	-	65"	EP1PE6065R	\$507	N/A	\$50
60"	-	80"	EP1PE6080R	\$582	N/A	\$50

Order CodeSpecificale.g.EP1PE6065R, 117SpecifyEP1PERaceway panel
extender kitJumper
throug
separat60Width in inchesimper
panel e65Heightpanel eRRacewayimper
panel e117Soft Grey trim

it i

Specification Information

Specify trim color.

Jumpers to carry power through panel are ordered separately. With panel extender kits, add 3" to jumper length for each panel extender kit used. A kit designed to be field mounted onto panels to extend the width of the panel by 3" (1½" on each side). This adaption of the panel(s) will allow clearance when positioning existing freestanding equipment, i.e., files and desks, between side panels.

Application Notes

Kit contains two aluminum side extrusions, an extended top cap, extended baseboard covers, and installation hardware and instructions.

NOTE: EP1 & EP2 Panels and components are available in legacy colors only.

Generation 3 Fabric Panel


H

								:	•••••••••••	•••••
64" H								PAIN	т	
W	MODEL #	А	В	C	D	E	F	G	P2	P3
12"	EP3FA1264(K/N)	\$660	\$710	\$770	\$850	\$970	\$1,100	\$1,250	+ \$25	+ \$50
18"	EP3FA1864(K/N)	\$710	\$760	\$820	\$900	\$1,020	\$1,150	\$1,300	+ \$25	+ \$50
24"	EP3FA2464(K/N)	\$760	\$810	\$870	\$950	\$1,070	\$1,200	\$1,350	+ \$25	+ \$50
30"	EP3FA3064(K/N)	\$810	\$860	\$920	\$1,000	\$1,120	\$1,250	\$1,400	+ \$25	+ \$50
36"	EP3FA3664(K/N)	\$890	\$1,000	\$1,130	\$1,290	\$1,540	\$1,820	\$2,140	+ \$25	+ \$50
42"	EP3FA4264(K/N)	\$940	\$1,050	\$1,180	\$1,340	\$1,590	\$1,870	\$2,190	+ \$25	+ \$50
48"	EP3FA4864(K/N)	\$990	\$1,100	\$1,230	\$1,390	\$1,640	\$1,920	\$2,240	+ \$25	+ \$50
60"	EP3FA6064(K/N)	\$1,080	\$1,190	\$1,320	\$1,480	\$1,730	\$2,010	\$2,330	+ \$25	+ \$50

	Top Cap	Panel Type	w	н	Raceway
EP Equity panel	3 Beveled FA	A Fabric panel	36	29	K With knockoutsN Without knockouts
EP	3 F/			29	к

Generation 3 Insert Panel





				•••••••••••••••••••••••••••••••••••••••	
64" H				PAINT	
w	MODEL #	OPEN FRAME (OF)	PLEXIGLASS (PG)*	P2	P3
12"	EP3()1264(K/N)	\$797	\$1,147	+ \$25	+ \$50
18"	EP3()1864(K/N)	\$807	\$1,267	+ \$25	+ \$50
24"	EP3()2464(K/N)	\$817	\$1,397	+ \$25	+ \$50
30"	EP3()3064(K/N)	\$837	\$1,497	+ \$25	+ \$50
36"	EP3()3664(K/N)	\$857	\$1,597	+ \$25	+ \$50
42"	EP3()4264(K/N)	\$877	\$1,697	+ \$25	+ \$50
48"	EP3()4864(K/N)	\$897	\$1,797	+ \$25	+ \$50
60"	EP3()6064(K/N)	\$947	\$1,997	+ \$25	+ \$50

	Panel Type	W	н	Raceway
EP3 Equity panel	OF Open frame PG Plexiglass insert	36	29	K With knockouts N Without knockouts
EP	PG	36	29	к

Legacy

Generation 3

Post Assemblies

<u>A</u>		:	· · · · · · · · · · · · · · · · · · ·	······	<u>A</u>					
	Straight		PAINT			3-wa	ay T		PAINT	
	H MODEL #	P1	P2	P3		н	MODEL #	P1	P2	P3
	64" EP3P64S	\$157	\$165	\$172		64"	EP3P64T	\$152	\$159	\$166
	2-way L	:	PAINT				ay 120		PAINT	
	H MODEL#	P1	P2	P3		Н	MODEL #	P1	P2	P3
	64" EP3P64L	\$152	\$159	\$166		64"	EP3P64Y	\$190	\$201	\$208
	2-way 120		PAINT			4-wa	ay X		PAINT	
	H MODEL#	Р1	P2	P3		н	MODEL #	: P1	P2	P3
	64" EP3P64120	\$157	\$165	\$172)	64"	EP3P64X	\$132	\$141	\$147

Specify	Application Notes	Assembly	Top Cap Style	
 Model # Paint trim color 	Used to connect panels of the same height	Included • Single height post	3 – Beveled	
	Bottom glides on post allow for up to 1 ½" of vertical adjustment.	 Panel connector Appropriate metal shroud 		

Generation 3 Post Assemblies

Sing	Single Height			PAINT	
	H	MODEL #	P1	P2	P3
	64"	EP3P64	\$78	\$83	\$87


Dual Height

29"/64"	EP3DP2964	\$177	\$187	\$197
41"/64"	EP3DP4164	\$177	\$187	\$197
49"/64"	EP3DP4964	\$177	\$187	\$197
54"/64"	EP3DP5464	\$177	\$187	\$197
61"/64"	EP3DP6164	\$177	\$187	\$197
64"/81"	EP3DP6481	\$193	\$205	\$215

		·····	.	,
Triple Heig	ht		PAINT	
н	MODEL #	P1	P2	P3
29"/41"/64"	EP3TP294164	\$208	\$220	\$232
29"/49"/64"	EP3TP294964	\$208	\$220	\$232
29"/54"/64"	EP3TP295464	\$208	\$220	\$232
29"/61"/64"	EP3TP296164	\$208	\$220	\$232
29"/64"/81"	EP3TP296481	\$230	\$239	\$250
41"/49"/64"	EP3TP414964	\$208	\$220	\$232
41"/54"/64"	EP3TP415464	\$208	\$220	\$232
41"/61"/64"	EP3TP416164	\$208	\$220	\$232
41"/64"/81"	EP3TP416481	\$230	\$239	\$250
49"/54"/64"	EP3TP495464	\$208	\$220	\$232
49"/61"/64"	EP3TP496164	\$208	\$220	\$232
49"/64"/81"	EP3TP496481	\$230	\$239	\$250
54"/61"/64"	EP3TP546164	\$208	\$220	\$232
54"/64"/81"	EP3TP546481	\$230	\$239	\$250
61"/64"/81"	EP3TP616481	\$230	\$239	\$250

		н		Connection Type
EP3 Equity panel	P Post	64	120	2-way 120
			Е	End w/post
			ETK	Postless end
			L	2-way L
			Т	3-way T
			s	Straight
			Х	4-way
			Υ	3-way 120
EP3	Р	64	S	

End Kits



Dect	loss End		••••	• •••••
POSL	less End		PAINT	
Н	MODEL #	F	°1 P2	P3
29"	EP3ETK29	\$15	7 \$160	\$163
41"	EP3ETK41	\$15	9 \$162	\$165
49"	EP3ETK49	\$16	1 \$164	\$167
54"	EP3ETK54	\$16	3 \$166	\$169
61"	EP3ETK61	\$16	5 \$168	\$171
64"	EP3ETK64	\$16	7 \$170	\$173
66"	EP3ETK66	\$16	7 \$170	\$173
81"	EP3ETK81	\$17	6 \$179	\$182

End w/Post

Specify

- 1. Model #
- 2. Paint trim color

Application Notes

Used to finish a panel end that is not being connected to another panel.

Postless End

Specify

Model #
 Paint trim color

Application Notes

Used to finish a panel end that is not being connected to another panel.

NOTE: Postless end kit should not be used on panels that are placed perpendicular to a worksurface of the same depth as the front of the worksurface will extend approximately ¾" beyond the panel end.

Assembly

Included

- Single height postPanel connector
- Appropriate metal shroud
- pp op on a set



Assembly

- Included
- Panel connector
- Appropriate metal shroud



Top Cap Styles

3 – Beveled

Wall Starter/Wall Mounted Channel

Nall Starter PAINT	
D H H (Actual) MODEL # P1 P2	P3
½" 64" 60" EP3PWS64 \$52 \$56	\$62
ounted Channel	\$148
with the second state the second state <thte second="" sta<="" td=""><td></td></thte>	

Panel Wall Starter

Specify

1. Model

2. Paint trim color

Application Notes

Used to start a run of panels by fastening to an existing wall and attaching a connector assembly to it. Creates 1¼" space from face to wall to centerline of post. Constructed of steel.

NOTE: Neutral Posture assumes no responsibility for wall construction or performance of fasteners used.

Assembly

- Included
- Panel top & bottom hook
- Panel connector

Not Included

Fasteners to attach to wall

Ordered Separately

- Post
- Shrouds

Top Cap Styles

3 – Beveled

Specify

Wall Mounted Channel

Model #
 Paint trim color

Application Notes

Allows hanging of all components and accessories on reinforced building walls.

Painted extruded aluminum with a plastic insert which snaps in place, covering mounting screws.

NOTE: Neutral Posture assumes no responsibility for wall construction or performance of fasteners used.

Assembly

- Included
- Extruded aluminum channel
- Insert which snaps into place

¢



W	D	Н	MODEL #	P1	P2	Р3
1⁄2"	3⁄4"	80"	EC1VWM80	\$29	\$31	\$33

Metal Ceiling Module

4"	11⁄2"	120"	EE1CM40M	\$625	N/A	\$689
4"	11⁄2"	120"	EE1CM48M	\$625	N/A	\$689
4"	11⁄2"	120"	EE1CM53M	\$625	N/A	\$689
4"	11⁄2"	120"	EE1CM60M	\$625	N/A	\$689
4"	11⁄2"	120"	EE1CM65M	\$625	N/A	\$689
4"	11⁄2"	120"	EE1CM80M	\$625	N/A	\$689

Ceiling Infeeds – Generation 3

4"	1 1⁄2"	120"	EE3CM64M	\$625	\$656	\$689

Order Co	de	Vertical Wire Manager:	Ceiling Infeed Modules:		
e.g.	EC1VWM80, 177	A plastic strip designed to hide a cord running down	Electrical harnesses not included with modules.	by separating the front edge of the pliable tube. Infeed	Painted metal module is 120" long metal extrusion
EC1VWM	Vertical Wire Manager	the edge of the panel. Cut to desired length in field.	Modules are hollow to accommodate power and/	module is attached to an available post location of	with attachment hooks at proper height to attach to
80	Length		or data cables from source into systems furniture.	the appropriate height. The module can not be used for	appropriate height post. To connect a metal ceiling infeed to a corner or a straight connection you must use an adjustable
117	Soft Grey trim	-	With electrical harness installed, infeed holds 35 CAT 5 cables.	panel support and there are no "hang on" capabilities. Includes escutcheon plate.	
Specifica	tion Information		Cables/conduit are laid into	Plate and plastic tube are white to integrate with	angle connector or adjustable angle connector
Specify	trim color.		the lower metal body by removal of the front 1-½"	standard ceiling color.	with a multi-height
			wide access cover and into the upper plastic extrusion	No "hang on" capabilities. Module cannot be used for panel support.	panel connector.

Panel accessories

Coat Hook, Coat Hanger and Carpet Grips

T.	EP1 Coat Hook (6/carton)							
	w	D	н	MODEL #	P1	P2	P3	
	1/2"	3⁄4"	5"	EP1CH	\$120	N/A	N/A	
)	Coat H	anger						
	17"	3⁄8"	9¼"	EP1CHG	\$15	N/A	N/A	
UUU UUUU	Carpet	Grippe	r (12 pack)					
				EP1CG12	\$38	N/A	N/A	
	EP3 Co	at Hook	straight (5	pack)				
Ľ	1⁄8"	1¾"	23⁄8"	ЕРЗММСН (В/Р)	\$141	N/A	N/A	
SP	EP3 Co	at Hook	x Postless Er	nd (5 pack)				
UŞ	13⁄8"	3⁄8"	23⁄8"	EP3MMCHPE (R/L)(B/P)	\$141	N/A	N/A	

Order Code

oraci	740
e.g.	EP1CH, 117
EP1CH	Coat hook
117	Soft Grey trim

Application Notes

Specification Information

Specify trim color.

Coat Hook and Coat

Hanger available only in

Grey, Soft Grey or Taupe.

NOTE: EP1 & EP2 Panels and

components are available

in legacy colors only.

Dark Neutral, Medium

Coat Hanger A plastic coat hanger available to hang on coat hook. EP1 Coat hook:

Molded plastic hook hangs over EP1 panels to hold coats and hangers. Coat hook must hang over

straight post location if being used w/EP3 panels.

Carpet gripper:12 per package.

EP3 Coat hook

Aluminum coat hook attaches to any exposed Equity vertical slot. There are two versions. The straight version will work on any Equity vertical slot except for those on an inside corner. The postless end version is handed and extends beyond the edge of a panel with a postless end. Hand is determined by which side of the panel the coat hook is installed on while facing the panel. Available in two colors; Black (B) or Matte Aluminum (P).

Counter Caps, Straight Generation 1 and Generation 2 profiles

Straight



NOMINAL W	ACTUAL W	D	н	MODEL #	P1	P2	P3
12"	10.5"	15.25"	-	EW(1/2)1215	\$268	\$278	\$284
24"	22.5"	15.25"	-	EW(1/2)2415	\$297	\$303	\$311
30"	28.5"	15.25"	-	EW(1/2)3015	\$323	\$332	\$339
36"	34.5"	15.25"	-	EW(1/2)3615	\$323	\$332	\$339
42"	40.5"	15.25"	-	EW(1/2)4215	\$330	\$336	\$344
48"	46.5"	15.25"	-	EW(1/2)4815	\$333	\$341	\$348
60"	58.5"	15.25"	-	EW(1/2)6015	\$367	\$374	\$382
72"	70.5"	15.25"	-	EW(1/2)7215	\$387	\$392	\$402
84"	82.5"	15.25"	-	EW(1/2)8415	\$419	\$427	\$435
96"	94.5"	15.25"	-	EW(1/2)9615	\$435	\$444	\$451
108"	106.5"	15.25"	-	EW(1/2)10815	\$449	\$456	\$464
120"	118.5"	15.25"	-	EW(1/2)12015	\$500	\$506	\$513
120	110.5	15.25		200(1/2/12015	2000	2300	210

Straight – Extended One End

	12"	12"	15.25"	-	EW(1/2)1215E	\$279	\$286	\$296
	24"	24"	15.25"	-	EW(1/2)2415E	\$305	\$314	\$322
	30"	30"	15.25"	-	EW(1/2)3015E	\$329	\$334	\$342
\geq	36"	36"	15.25"	-	EW(1/2)3615E	\$329	\$334	\$342
	42"	42"	15.25"	-	EW(1/2)4215E	\$336	\$344	\$351
	48"	48"	15.25"	-	EW(1/2)4815E	\$347	\$353	\$361
	60"	60"	15.25"	-	EW(1/2)6015E	\$373	\$380	\$388
	72"	72"	15.25"	-	EW(1/2)7215E	\$405	\$410	\$418
	84"	84"	15.25"	-	EW(1/2)8415E	\$422	\$430	\$438
	96"	96"	15.25"	-	EW(1/2)9615E	\$441	\$448	\$455
	108"	108"	15.25"	-	EW(1/2)10815E	\$473	\$481	\$489

Straight – Extended Both Ends

_								
	12"	13.5"	15.25"	-	EW(1/2)1215EE	\$286	\$296	\$302
	24"	25.5"	15.25"	-	EW(1/2)2415EE	\$319	\$325	\$333
Ð	30"	31.5"	15.25"	-	EW(1/2)3015EE	\$334	\$342	\$350
	36"	37.5"	15.25"	-	EW(1/2)3615EE	\$334	\$342	\$350
	42"	43.5"	15.25"	-	EW(1/2)4215EE	\$347	\$353	\$361
	48"	49.5"	15.25"	-	EW(1/2)4815EE	\$387	\$392	\$402
	60"	61.5"	15.25"	-	EW(1/2)6015EE	\$383	\$390	\$397
	72"	73.5"	15.25"	-	EW(1/2)7215EE	\$413	\$420	\$428
	84"	85.5"	15.25"	-	EW(1/2)8415EE	\$436	\$445	\$452
	96"	97.5"	15.25"	-	EW(1/2)9615EE	\$449	\$456	\$464
	108"	109.5"	15.25"	-	EW(1/2)10815EE	\$487	\$494	\$502

Order Code

e.g.	EW16015,117, 117, 117			
EW1 Worksurface				
60	Width			
15	Depth			
117	Soft Grey laminate			
117	Soft Grey edge			
117	Soft Grey cantilever trim			

Specification Information

Specify surface, trim and cantilever trim color.

EW1 Counter caps work with all existing counter caps and are for use on Generation 1 or Generation 2 panels only. Plastic cantilevers are supplied.

EW2 counter caps are for use with Generation 3 panels only. Steel brackets are provided.

Counter caps are designed for mounting on top of panels.

Straight counter caps overhang both sides of the panel equally.

Counter caps fit between posts, appropriate to fit between two taller panels and a dual/triple height connectors.


A counter cap extension (E) covers one post.

A counter cap extension (EE) covers 2 posts.

Steel mounted brackets are supplied.

Counter caps, corner Generation 1 and Generation 2 profiles





Corne	r					
w	D	Н	MODEL #	P1	P2	P3
24"	15.25"	-	EW(1/2)CC2415	\$378	\$392	\$409
30"	15.25"	-	EW(1/2)CC3015	\$406	\$419	\$435
36"	15.25"	-	EW(1/2)CC3615	\$413	\$428	\$445

Corner – Extended Left

24"	15.25"	-	EW(1/2)CC2415LHE	\$387	\$402	\$416
30"	15.25"	-	EW(1/2)CC3015LHE	\$413	\$428	\$445
36"	15.25"	-	EW(1/2)CC3615LHE	\$422	\$438	\$453



Corner – Extended Right

			-			
24"	15.25"	-	EW(1/2)CC2415RHE	\$387	\$402	\$416
30"	15.25"	-	EW(1/2)CC3015RHE	\$413	\$428	\$445
36"	15.25"	-	EW(1/2)CC3615RHE	\$422	\$438	\$453

Corner – Extended Both Ends

24"	15.25"	-	EW(1/2)CC2415EE	\$402	\$416	\$432
30"	15.25"	-	EW(1/2)CC3015EE	\$436	\$452	\$466
36"	15.25"	-	EW(1/2)CC3615EE	\$445	\$461	\$474

Specification Information Application Notes Order Code Specify surface, trim and Counter caps are They are non-handed A counter cap extension EW1CC3015, 117, cantilever trim color. designed for mounting e.g. and screw holes for (E) covers one post. 117, 117 on top of panels. the mounting brackets EW1 counter caps work A counter cap extension EW1 Worksurface must be field-drilled. with all existing counter Corner counter caps-(E) (EE) covers 2 posts. С Curved corner caps and are for use extended one end, mount Steel mounting brackets with Generation 1 or on top of 24", 30" or 36" are supplied. Width 30 Generation 2 panels. Plastic panels at 90° to each other. cantilevers are supplied. 15 Depth EW2 counter caps are 117 Soft Grey laminate for use with Generation 117 Soft Grey edge 3 panels only. Soft Grey 117 cantilever trim

Freestanding support components




 \bigcirc

Flat Brackets (black only)

	-						
W	D	Н	TOP SIZE	MODEL #.	P1	P2	P
	15"			EB1F24	\$45	n/a	n/a
	21"			EB1F30	\$52	n/a	n/a
Column	Base						
		27¾"		EB1FCOL	\$320	\$348	\$36

Tackable Privacy Screens



Tackable Privacy

		•								
W	D	н	MODEL #.	A	В	c	D	E	F	G
36"	3⁄4"	21"	EF2PS36	\$392	\$426	\$431	\$443	\$451	\$458	\$472
42"	3⁄4"	21"	EF2PS42	\$411	\$443	\$452	\$467	\$473	\$483	\$495
48"	3⁄4"	21"	EF2PS48	\$428	\$461	\$472	\$485	\$491	\$499	\$513
60"	3⁄4"	21"	EF2PS60	\$459	\$497	\$507	\$519	\$529	\$536	\$553
72"	3⁄4"	21"	EF2PS72	\$491	\$531	\$541	\$556	\$565	\$574	\$592

Order C	ode	Specification Information
e.g.	EF2OS60, 117	Specify shelf and stanchion trim color where required.
EF20S Equity freestanding privacy screen		NOTE: Fabric on 72" privacy screens and will be
60	Length in inches	railroaded (turned 90°).
117	Soft Grey trim	

WALL MOUNTING SUGGESTIONS

The following information is provided only as a guide, and represents minimum recommendations only. Neutral Posture does not accept responsibility for the attachment of any Neutral Posture product to a Customer's site wall. Wall specification/construction is the responsibility of the Customer and its structural engineer/architect. Failure to properly attach Neutral Posture products to adequate wall structures can lead to property damage and/or personal injury.

You should consult your own structural engineers and/or architects and must not rely on the information provided herein.

It is the responsibility of the Customer and its structural engineers/architects to verify that the permanent structural walls (studs, blocks, solid masonry, etc.) on which the Neutral Posture products are intended to be mounted are designed appropriately to support the product weight, PLUS 3 lbs. per linear inch for each usable shelf length.

NOTE: A cabinet's top is considered a "usable shelf" and MUST be included in the calculation of the total load for an overhead cabinet.

It is the responsibility of the Customer and its structural engineer/architects to specify the fasteners and method for attaching the Neutral Posture supplied wall mounting cleat, bracket, frame, etc. to the supporting wall and to confirm that the installers have adhered to these specifications. For all local building standards and codes, and additional requirements (including, but not limited to, seismic conditions) the Customer should always consult local code agencies.

Wall Mounting

	New Construction			Existing Construction	n	
		Cinder Block or Poured Concrete Masonry Wall	Wood Stud Wall, the studs being FULL HEIGHT to the roof/floor above	Wood Stud Wall, the studs being only ceiling height	Steel Stud Wall, the studs being FULL HEIGHT to the roof/floor above	Steel Stud Wall, the studs being only ceiling height
Stud Specification	Wood studs, grade #2 or better, 3 ½" minimum width, OR Metal studs, minimum 25 gage thickness, 3 %" minimum width	The wall must be a minimum of 6" thick, and must be full height to the roof/floor structure above	Wood studs must be Grade #2, or better, 3 ½" minimum width	Wood studs must be Grade #2, or better, 3 ½" minimum width	Metal studs must be minimum 25 gage thickness, 3 %" minimum width	Metal studs must be minimum 25 gage thickness, 3 %" minimum width
Stud Centers	Metal and wood studs must be spaced at 16" c/c maximum.	N/A	Wood studs must be spaced at 16" c/c maximum.	Wood studs must be spaced at 16" c/c maximum.	Metal studs must be spaced at 16" c/c maximum.	Metal studs must be spaced at 16" c/c maximum.
Stud Height	Metal and wood studs must extend upwards, and be securely attached to the roof/floor structure above.			Wood studs must be braced above the ceiling, and be securely attached to the roof/floor structure above Affix #2 grade 'cap' across the top of the studs, then place diagonal studs from the top cap up to underside of the roof/ floor structure above.		Metal studs must be braced above the ceiling and be securely attached to the roof/floor structure above Affix metal bracing 'cap' across the top of the studs. Then place diagonal studs from the top cap up to underside of the roof / floor structure above.
Mounting the Neutral Posture Supplied Cleat, Bracket, Frame, etc	Insert a 2" x 6" wood block, #2 grade or better, for a locally approved flexible wood backing system] horizontally between each of the studs to accommodate the full width of the cabinet and beyond to the next stud. Fasten the wood block to each stud using three screws at the ends of each block. (Fasten the locally approved wood backing system as directed by the manufacturer.) Fasten the Neutral Posture supplied wall mounting cleat, bracket, frame, etc directly to each wood block every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6" and fasten the lower horizontal element to each wall stud, using one fastener per stud.	Fasten the Neutral Posture supplied cabinet wall mounting cleat, bracket, frame, etc. directly to the masonry wall every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wall every 6" and fasten the lower horizontal element to the wall every 16".	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet and beyond to the next stud. Insert a 2" x 6" wood block, #2 grade or better, horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" x 6" wood block, #2 grade or better, horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet and beyond to the next stud. Insert a 2" x 6" wood block, #2 grade or better, [or a locally approved flexible wood backing system] horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet and beyond to the next stud. Insert a 2" x 6" wood block, #2 grade or better, [or a locally approved flexible wood backing system] horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6" and fasten the lower horizontal element to each wall stud, using one fastener per stud
Fasten the Neutral Posture Supplied Wall Cleat With	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	%s" x 3 ½" masonry screws Screws or equiv. in every mounting hole provided with 1 ¼" embedment, screwed directly into the masonry wall	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking

Legacy

GENERAL INFORMATION

Following is the Neutral Posture key lock policy, applicable to all products.

Neutral Posture pedestals, overheads, and storage cabinets ship without lock cores installed. The locks are field installed. If your purchase order does not specify key-alike you will automatically receive random lock cores with your order.

Neutral Posture furniture can be keyed-alike or random keyed.

KEY-ALIKE

Furniture may be keyed alike at no charge. Write "key-alike" in the description of your purchase order for any storage piece you wish to have keyed alike.

Using the key-alike instructions, order cores and keys as line items on your purchase order. Neutral Posture will select key numbers from the standard range of 226 – 425. Key numbers will not be repeated unless over 199 sets are ordered.

There is no charge for key-alike orders if placed with the furniture order.

If product is ordered and shipped random-keyed, additional lock cores for key-alike are billable.

KEYS

A key is shipped with every lock core. 199 Key numbers are available. For numbers above 199, contact Sales Support. Additional keys and key blanks are available.

MASTER KEYING

Neutral Posture locks can be controlled by means of a master key. There is no additional per-lock charge for master keying. Master keys must be ordered separately.

INSTALLING LOCK CORES

Lock cores can be installed or removed in the field by using a change key. Cores must be in the unlocked position to be removed. See service parts for change key pattern number and pricing.

SERVICE PARTS

MODEL #	DESCRIPTION	LIST
NLCKE	Shrouded Key (Specify key number desired)	\$18
NAKC	Change Key	\$18
NKM	Master Key	\$18

NOTE: A letter of approval on company letterhead from the client must accompany all orders for master keys.


NOTE: Neutral Posture locks/keys are not compatible with Knoll Equity pedestals/double pedestals.

HOW TO SPECIFY KEY-ALIKE

Following is an example of how to specify keyalike for a cluster of 10 workstations.

STEP 1

Using the project floor plan, count the number of locks in each workstation.



STEP 2

Count the number of workstations with the same quantity of locks. Group together the workstations with a like number of locks.

5 workstations with 2 locks per station 3 workstations with 4 locks per station 2 workstations with 5 locks per station

STEP 3

For the first group (5 sets of 2 locks), enter the number of workstations in the quantity column.

QTY	MODEL #	DESCRIPTION	UNIT LIST	EXT LIST
5	NSPEC 2	Set of 2 cores/keys	N/C	N/C

STEP 4

Then enter the pattern number "NSPEC__" and add a suffix for the number of locks for that group (i.e., for 2 locks per station, add the suffix "2"). Up to 30 lock cores are available in a set (i.e., NSPEC 30).

QTY	MODEL #	DESCRIPTION	UNIT LIST	EXT LIST
5	NSPEC 2	Set of 2 cores/keys	N/C	N/C

STEP 5

Repeat for other groups.

QTY	MODEL #	DESCRIPTION	UNIT LIST	EXT LIST
5	NSPEC 2	Set of 2 cores/keys	N/C	N/C
3	NSPEC 4	Set of 4 cores/keys	N/C	N/C
2	NSPEC 5	Set of 5 cores/keys	N/C	N/C

Your key instructions are complete.

Neutral Posture will select key numbers for each set from 199 available numbers.

For additions to existing installations, specify desired key numbers in the description.

Key-alike policy to match locks

ordered prior to %12/00

EQUITY

In order to specify an Equity locking component with an "H" series core, apply an "A" suffix to the Equity Base pattern number.

All keyed locks in the Equity system are randomly* keyed, as a standard offering. For those requiring all locks within a workstation (or group of workstations) to be keyed alike, Equity also offers a key-alike option.

EQUITY LOCKING COMPONENTS

Identify the cabinets to be keyed alike by adding the suffix "P" to the standard catalog number (i.e., EC20F36AP indicates a keyalike EC20F36A cabinet). The cabinet will be factory-prepared with the hardware mechanisms excluding the lock core and key. List price will be reduced by \$22.

MULTIPLE KEY-ALIKE PACKAGES

For multiple keys of the same number, specify ALCKE - (number of keys desired, from 2 to 8.) Price is: Number of Keys x \$22. (i.e.: ALCKE-5 Pkg. of five cores with keys = \$110.00)

LOCK CORES

Order the lock cores required separately (ALCKE series). Cores are numbered sequentially, with up to 250 different combinations available (ALCKEH6001- ALCKEH6250). Use one line item for each quantity of lock cores to be keyed alike. Series H6001-H6100 are standard lead-time.

MASTER KEY

A master key (AKM) is available that will unlock all cabinets and pedestals with the same prefix letter, for

example: H6001, H6002. A single key is supplied and priced, as shown below.


DESCRIPTION	CATALOG NUMBER	LIST
Equity Lock and Keys	ALCKE(H6)	\$22
Change Key	AKC	18.
Master Key	AKM	18.

SHIPMENT

Additional lead time of 2-4 weeks may apply when more than 100 lock sequences are specified for key-alike (contact Sales Support for current lead times).

The key-alike core and keys are shipped separately from the components for field installation in the appropriate workstation components.

*Randomly keyed means that no attempt is made to assure that locks have the same number or that they are, in fact, different.



NeutralPosture.com 3904 N. Texas Ave. Bryan, TX 77803 **T** 979.778.0502 **F** 979.778.0408

NeutralPosture

GSA SCS Indoor Advantage BIFMA e3/LEVEL ISO 9001:2008 Approved

