
# 



NeutralPosture

2021 September



# **TABLE OF CONTENTS**

GENERAL INFORMATION         4           Panels         4           Power         4           Raceway         4           Environmental Impact         4           Storage         4           Legacy Customers         4
SUSTAINABLE DESIGN5Manufacturing Process.5Shipping Initiatives.5
TERMS AND CONDITIONS         6           Ordering         6           Pricing         6           Taxes         6           Lead Time         6           Customer's Own Material         6           Storage Fee         6           Compliance with Law         6           Shipping         7           Accessorial Charges Freight Damage         7           Delay/Force Majeure         7           Returns         7           Warranty Claims         7           Warranty         8           Certifications & Standards         8           Key-Alike Program         9           GSA Contract Overview         10           GSA Contract Details         11           Wall Mounting Suggestions         12           Wall Mounting Details         13
FINISHES         14           Fabrics         14           Laminates         14           Edge Bands         14           Paints         15           Plexiglass         15           Glass         15           Designer Glass         15           Corian         15           Textured Corian         15           CUSTOM FINISHES PROGRAM         16           Customer's Own Fabric         16
Customer's Own Laminate16Custom RAL Paint Finishes16LEGACY FINISHES17Legacy – Laminates17Legacy – Edge Bands17Legacy – Paint & Plastics17

PANELS	18
Features	18
Construction	
Surface Materials	18
Fabric Panels	
Insert Panels	
Perforated Aluminum Insert Panels	
Tequity Panels	
Sliding Doors	
Post Assemblies	
End Kits	32
Wall Starter/Wall Mounted Channel	
Posts (Multi-height).	
Connectors/Shrouds	
STACK-ON PANELS	
Components	
Stack-on Panel Connectors	
Specifying Stack-on Configurations	
Stack-on Diagram	
Stack-on Configurations	
Fabric with slots	
Insert with slots	
Insert with slots	44
Perforated Aluminum Insert w/slots	
Perforated Aluminum Insert w/o slots	
Stack-on Posts.	
Panel Accessories	
Frameless Glass.	
Frameless Glass Connectors	
Add-on Screens	
Slat Rail	
Slat Rail Accessories	57
FLECTRICAL	
ELECTRICAL	
How to Order	
Infeeds Technical Data	
Ceiling Infeeds	
Base Infeeds	
Components	
Knock-out Replacement Cover	
Jumper.	
Dedicated Neutral System Components	
Dedicated Neutral Jumpers	
Charge Spot (Wireless Charger)	
Desktop Data & Power	
Ashley Duo.	
Ashley 202	
Ashley Trio	
Ashley Quad	

WORKSURFACES	<b>70</b>
Features	
Wiring & Cabling	
Edge Detail	
Surface Materials	
General Information	
Support Information	
Grain Direction	
Straights	
Corners	
Split Corner	
Blended Corners.	
Corner Peninsulas	
Peninsulas	
Half Round & Linking	
Blended Double Corner	
135° Curved Corner	
Supports	
Legs	
Worksurface for Height Adjustable Supports	
Electric Height Adjustable Base	
120° Planning	
120°	
Transition Tops	94
CASCADE WORKSURFACES	95
Cascade Edge	95
Cascade Edge	
Straights	96
3	96 97
Straights	96 97 98
Straights	96 97 98 99
Straights	96 97 98 99 100
Straights Corners & Extended Corners Corner Peninsulas Waves Rounds	96 97 98 99 100 101
Straights Corners & Extended Corners Corner Peninsulas Waves Rounds Accessories Personal Drawer	96 97 98 99 100 101
Straights Corners & Extended Corners Corner Peninsulas Waves Rounds Accessories Personal Drawer  COUNTER CAPS	96 97 98 99 100 101 101
Straights Corners & Extended Corners Corner Peninsulas Waves Rounds Accessories Personal Drawer  COUNTER CAPS Straights	96 97 98 99 100 101 101 102
Straights Corners & Extended Corners Corner Peninsulas Waves. Rounds. Accessories Personal Drawer  COUNTER CAPS Straights Corners	96 97 98 99 100 101 101 102 102
Straights Corners & Extended Corners Corner Peninsulas Waves Rounds Accessories Personal Drawer  COUNTER CAPS Straights Corners	96 97 98 99 100 101 101 102 102
Straights Corners & Extended Corners Corner Peninsulas Waves Rounds Accessories Personal Drawer  COUNTER CAPS Straights Corners  PANEL SUPPORTED STORAGE  1	96 97 98 99 100 101 101 102 103
Straights Corners & Extended Corners Corner Peninsulas Waves Rounds Accessories Personal Drawer  COUNTER CAPS Straights Corners	96 97 98 99 100 101 101 102 103
Straights Corners & Extended Corners Corner Peninsulas Waves Rounds Accessories Personal Drawer  COUNTER CAPS Straights Corners  PANEL SUPPORTED STORAGE 1 Open Shelves Overheads	96 97 98 99 100 101 101 102 103 <b>04</b> 104 106
Straights Corners & Extended Corners Corner Peninsulas Waves Rounds Accessories Personal Drawer  COUNTER CAPS Straights Corners  PANEL SUPPORTED STORAGE 1 Open Shelves	96 97 98 99 100 101 101 102 103 <b>04</b> 104 106
Straights Corners & Extended Corners Corner Peninsulas Waves Rounds Accessories Personal Drawer  COUNTER CAPS Straights Corners  PANEL SUPPORTED STORAGE 1 Open Shelves Overheads Shared Storage Tackboards	96 97 98 99 100 101 101 102 103 <b>04</b> 104 106 108 110
Straights Corners & Extended Corners Corner Peninsulas Waves Rounds Accessories Personal Drawer  COUNTER CAPS Straights Corners  PANEL SUPPORTED STORAGE 1 Open Shelves Overheads Shared Storage	96 97 98 99 100 101 101 102 103 <b>04</b> 104 106 108 110
Straights Corners & Extended Corners Corner Peninsulas Waves Rounds Accessories Personal Drawer  COUNTER CAPS Straights Corners  PANEL SUPPORTED STORAGE 1 Open Shelves Overheads Shared Storage Tackboards Wall Mounted Channel Whiteboard	96 97 98 99 100 101 101 102 103 <b>04</b> 104 106 108 110 111 111
Straights Corners & Extended Corners Corner Peninsulas Waves Rounds Accessories Personal Drawer  COUNTER CAPS Straights Corners  PANEL SUPPORTED STORAGE 1 Open Shelves Overheads Shared Storage Tackboards Wall Mounted Channel Whiteboard Corkboard	96 97 98 99 100 101 101 102 103 <b>04</b> 104 106 108 110 111 111
Straights Corners & Extended Corners Corner Peninsulas Waves Rounds Accessories Personal Drawer  COUNTER CAPS Straights Corners  PANEL SUPPORTED STORAGE 1 Open Shelves Overheads Shared Storage Tackboards Wall Mounted Channel Whiteboard Corkboard	96 97 98 99 100 101 101 102 103 <b>04</b> 106 108 110 111 111
Straights Corners & Extended Corners Corner Peninsulas Waves Rounds Accessories Personal Drawer  COUNTER CAPS Straights Corners  PANEL SUPPORTED STORAGE 1 Open Shelves Overheads Shared Storage Tackboards Wall Mounted Channel Whiteboard Corkboard	96 97 98 99 100 101 101 102 103 <b>04</b> 106 108 110 111 111
Straights Corners & Extended Corners Corner Peninsulas Waves Rounds Accessories Personal Drawer  COUNTER CAPS Straights Corners  PANEL SUPPORTED STORAGE 1 Open Shelves Overheads Shared Storage Tackboards Wall Mounted Channel Whiteboard Corkboard	96 97 98 99 100 101 102 102 103 <b>04</b> 104 106 110 111 111 111
Straights Corners & Extended Corners Corner Peninsulas Waves Rounds Accessories Personal Drawer  COUNTER CAPS Straights Corners  PANEL SUPPORTED STORAGE 1 Open Shelves Overheads Shared Storage Tackboards Wall Mounted Channel Whiteboard Corkboard  LIGHTING 1	96 97 98 99 100 101 102 102 103 <b>04</b> 104 106 110 111 111 111

TABLES Features Construction Surface Materials	118 118
OCCASIONAL Round Square	120
CONFERENCE Oval. Rectangle	122
DESKS C-Legs O-Legs T-Legs	124
SIT/STAND DESKS Electric Height Adjustable Stand-biased	126 127
SIT/STAND PACKAGES  1000 Series Sit/Stand Packages  8000 Series Sit/Stand Packages	128
SCREENS Privacy/Modesty Panels Desktop Mobile Privacy.	130 132

STORAGE	
Accessory Availability  Accessories	
PEDESTALS	
Features	. 138
Construction	
Surface MaterialsPedestals	
FILE CENTERS	
Features	
Construction	
Surface Materials	
File Centers	
LATERALSFeatures	
Construction	
Surface Materials	. 146
Laterals Lateral – BF	
Lateral – Worksurface Supporting	
Lateral – Lateral/Open Shelves	. 149
Lateral – 6B, BBF & BBFF Lateral – Common Tops	
Lateral – Common 10ps Lateral – Cushions	. 151
TOWERS	152
Features	
Construction	
Surface Materials	
24" Wide – Side Access	. 155
15" Wide	
CREDENZAS Features	
Construction	
Surface Materials	
Credenzas Credenza – Drawers	
Credenza – Shelves	. 160
Accessories	
Credenza – Common Tops Credenza – Cushion Tops	
CABINETS	
Features	
Construction	. 162
Surface Materials	
<b>LOCKERS</b> Features	
Construction	
Surface Materials	
Lockers Lockers – Double	
Lockers – Quad	. 168
Lockers – Cubby Lockers – Common Tops	. 168
BOOKCASESFeatures	
Construction	
Surface Materials	
Bookcases	. 172

WORKPLACE ACCESSORIES	174
Keyboard Trays	176
Keyboard Arms	176
Easy Combos	177
Monitor Arms	178
CPU Holders	178
Forearm Supports	179
Anti-fatigue Floor Mats	179
Tablet Holder	179
StandUp	180
StandUp A1	
StandUp X1	181
StandUp X1 – Corner	101
Standop X1 - Conner	101
·	
GRADED IN FABRICS	
GRADED IN FABRICS	<b>182</b>
GRADED IN FABRICS Carnegie C.F. Stinson	<b>182</b> 182
GRADED IN FABRICS Carnegie C.F. Stinson Designtex	<b>182</b> 182 183
GRADED IN FABRICS Carnegie C.F. Stinson	<b>182</b> 182 183
GRADED IN FABRICS Carnegie C.F. Stinson Designtex	182 182 183 183
GRADED IN FABRICS Carnegie C.F. Stinson Designtex Guilford of Maine	
GRADED IN FABRICS Carnegie C.F. Stinson Designtex Guilford of Maine Luna	
GRADED IN FABRICS Carnegie C.F. Stinson Designtex Guilford of Maine Luna Luna	182 182 182 183 183 183 184 184
GRADED IN FABRICS Carnegie C.F. Stinson Designtex Guilford of Maine Luna Luna Maharam	182 182 182 183 183 183 184 184

# **General Information**

#### **PANELS**

Width dimension of all panels is centerline to centerline of adjacent panel connectors.

Panel thickness is 1½". Panel thickness at the base covers is 2".

#### **FABRIC PANELS**

Fabric panels incorporate a mineral wool core construction. Fabric panels are acoustical and fully tackable. The base raceway is nominally 5" high.

#### **INSERT PANELS**

Insert panels are constructed with a tapered aluminum frame that is mitered in the corners. Insert panels may be ordered with plexiglass, laminate, perforated aluminum or as an open frame for complete accessibility through the panel.

#### **STACK-ON PANELS**

Stack-on panels connect on the top of any standard panel to provide additional privacy or new aesthetic options and can also be load bearing.

#### **PANEL CONNECTORS**

Panel connectors are 1½" diameter and required at every panel connection and panel end (except when postless end assembly is used). Posts are painted to match the selected trim finish and include an adjustable glide on the bottom for leveling.

#### **POWER**

Fabric and insert panels accept electrical components.

Equity panels distribute power through the office and directly to the individual workstation through field-installed modular, electrical wiring components in the base of the panels. The panel base is factory prepared to accept a terminal block in a centered location where two 20-amp receptacles can be installed; one on each side of a panel, arranged back-to-back. An auxiliary side mount duplex receptacle is also available and plugs directly into the side of the terminal block connector end when a second duplex receptacle is required.

#### **RACEWAY**

The panel base cover provides openings for receptacles and/ or communication outlets, which can be covered when not in use.

All panel bases provide a cable management segment to facilitate lay-in of workstation cables and cords.

#### **CABLE CAPACITY**

ELECTRICAL	WITH		/ITH WITH	
FILL	100%	40%	100%	40%
Cat 5	36	14	102	40
Cat 6	28	11	80	32

#### **STORAGE**

All storage components come standard locking.

Master key and key alike are available upon request.

#### **LEGACY PRODUCTS**

Neutral Posture offers Legacy products for existing Equity which was ordered before February of 2016.

For any code compliance testing data, please contact Customer Service at customerservice@neutralposture.com or 979.778.0502.

#### **ENVIRONMENTAL IMPACT**

Neutral Posture takes great pride in providing one of the most environmentally friendly furniture systems available on the market today.

Building an effective Green Program takes a company-wide effort, but we think it's worth the effort to ensure that our manufacturing process leaves the smallest possible footprint on the environment. Neutral Posture products are designed and manufactured to support a long and useful product life. Our products, if need be, can withstand repeated service, repairs and handling; and our products are made with standardized parts and components which make replacing worn out parts easy and as green as possible.

The steel and plastic materials used to construct Equity can be recycled after the product's life. The system is also designed to be cleaned with low environmental impact materials.

The clean technology used to manufacture the Equity system results in negligible off-gassing from the product.

We continually work with many 3rd party organizations to firmly establish a quality Sustainability Program.

- BIFMA level® Certification
- SCS Indoor Advantage Gold Certification
- LEED
- Underwriters Laboratories (UL)
- Canadian Standards Association (CSA)
- Occupational Safety and Health Administration (OSHA)
- · ISO 9001:2015

#### **GREEN MANUFACTURING PROCESS**

Neutral Posture is highly efficient in its manufacturing process. New roll forming machines can change between parts with zero scrap. Current manufacturing efforts recycle process water and refrain from using hazardous process chemicals.

#### **PLASTIC**

Neutral Posture uses plastic which contains up to 25% pre-consumer recycled plastics. The majority of the plastics used in Neutral Posture products are #3 and #7 plastics and can be recycled in many areas.

#### **STEEL & ALUMINUM**

Neutral Posture products contain steel and aluminum that is 100% recyclable. Additionally, up to 25% of this steel comes from preconsumer recycled product. Aluminum maintains a high scrap value and is known for having a very long working life.

#### FABRIC

Neutral Posture maintains an excellent supply of green fabrics. These fabrics are made from pre- and post-consumer recycled materials. Some fabrics contain 100% recycled materials and continues to divert recycled plastic from landfills, turning it into beautiful designs.

#### PANEL INNER

Neutral Posture uses mineral wool, spun from basalt and volcanic rocks to provide lightweight, sound resistant panels. These mineral wool inserts are considered rapidly renewable products.

#### WOOD

Wood worksurfaces and panels use 100% recycled/recovered wood fiber. All adhesives used in these products are virtually VOC-free and pass stringent emission standards.

#### **GREEN SHIPPING INITIATIVES**

Neutral Posture holds their freight carrier partners accountable to similar criteria as suppliers, however, due to the immense impact freight companies have on the environment, all carriers must also become a partner in the Environmental Protection Agency (EPA) SmartWay program within one year of service. All freight carriers are screened through a logistics company and become a partner associate with Neutral Posture based on annual evaluation reports.

#### PACKAGING OPTIONS

Our cardboard shipping boxes are produced from 45% recycled material and 100% of the materials come from renewable pulp sources. For large orders, customers can choose to use a box made from 100% recycled materials for an upcharge.

#### A LONG AND HEALTHY PRODUCT LIFE

Neutral Posture products are made to last, as is evidenced by our limited lifetime warranty. Neutral Posture has been around since the 1980s and it is not unusual to find original products from our first year of production in perfect working condition. Although we are continually improving our products, we allow for retrofitting of earlier generations. This allows the customer to upgrade individual components as desired without having to discard the product they already have or purchase a new one. This helps avoid filling landfills with used furniture and is another way in which Neutral Posture customers contribute to their immediate health and wellbeing as well as the continued wellness of our environment.

For more information about Neutral Posture's sustainability program, visit Neutral Posture.com/sustainability.

#### **TERMS AND CONDITIONS**

For all non-rated or new accounts, payment terms are Cash in Advance (C.I.A.) until credit has been approved or rated. Please send full credit information and references and allow time for Credit Department approval.

For all established accounts, payment is due within thirty (30) days from the invoice date. Neutral Posture (NP) reserves the right to change or cancel the terms of sale based on volume, credit rating and/or credit information. Prepayment, whole or in part, may be requested at any time at the discretion of the corporate office. For orders greater than \$100,000 net, a fifty percent (50%) deposit is due at the time of order placement, with the remainder due within thirty (30) days of the date of invoice.

Past due accounts are subject to a 1.5% late charge or maximum amount permitted under local law, for each thirty (30) days the outstanding balance remains open after the due date.

Withholding of payments based on carrier damages, shortages or other disputes is illegal and subject to charges.

Neutral Posture does not accept credit cards.

#### **ORDERING**

All orders must be in writing; faxed, emailed or mailed. The product model number(s) contained in the order acknowledgment shall be the final expression of the order. A purchase order is not binding on NP until customer has received NP's order confirmation or acknowledgment. Orders must have a contact name and phone number. Orders may not be canceled without written consent of Neutral Posture.

To expedite complete/correct entry of your order, be certain all model numbers, quantities, colors and area identifications are completely specified. Also, include complete purchase order number(s), bill-to and ship-to addresses, a contact name and specific factory shipping dates required.

Orders should be sent to: Neutral Posture, Inc. 3904 N Texas Avenue Bryan, TX 77803 979.778.0502 (Option 2) 800.446.3746 979.778.0408 FAX

 $\hbox{E-mail: orderentry} @ neutral posture.com$ 

When an order is received, it is assigned a scheduled ship date. That date is shown on the order acknowledgment.

Purchase orders may not be changed or canceled, in whole or in part, without prior written consent of NP. Changes may affect delivery dates. Expenses incurred because of changes shall be charged to customer. In the event of cancellation, customer will be liable for reasonable cancellation charges as established by NP. Orders for special product, orders including customer's own material (COM) and orders pursuant to expedited delivery programs, may not be canceled.

An Expedite Fee of a minimum of 3% of net will be charged for orders requiring less than standard lead time.

#### **PRICES**

Prices are subject to change without notice. List prices shall be those in effect on the date of receipt of purchase order unless shipment is requested more than ninety (90) days after order entry in which case prices in effect on the date of shipment apply. Prices in effect at time of shipment prevails in the event of a discrepancy.

#### **TAXES**

All sales, use, excise and other taxes applicable to the sale of the products shall be paid by customer. If customer claims an exemption from any tax, customer shall submit to NP the appropriate exemption certificates.

#### **LEAD TIME**

Please contact Customer Service for current lead time at customerservice@neutralposture.com or 979.778.0502.

#### **CUSTOMER'S OWN MATERIAL (COM)**

A customer who requests a fabric or other surface material not standard to NP's line of products, must submit samples of the requested material to NP prior to entry of a customer order. NP shall determine if the material is suitable to its manufacturing processes and meets any requirements of Underwriters Laboratories and/or Canadian Standards Association. If the COM is acceptable, NP will then establish a price for using the COM. For a description of the procedures for submitting samples and testing, contact Customer Service. NP shall have no responsibility for the appearance, condition, performance, durability, colorfastness or any other physical attribute of the COM. Customer shall indemnify and hold NP harmless for any damages, injuries or losses arising out of or related to use of the COM on the product.

#### STORAGE FEE

Any changes made by the customer to postpone the delivery date on orders which have already gone into production, will be charged a storage fee. This fee will be applied to both partially and fully built orders. NP will advise of fee prior to applying charge.

#### **COMPLIANCE WITH LAW**

Customer is solely responsible for compliance with all applicable federal, state and local laws, ordinances, regulations, rules and standards relating to the installation, maintenance, use and operation of the products.

#### **TERMS AND CONDITIONS**

#### **SHIPPING**

Most NP products include shipping. For Equity, only orders that are over \$2,000 (Net) include shipping. For orders under \$2,000 (Net) please contact Customer Service for a shipping quote. In accordance with the aforementioned conditions, all standard discount orders are F.O.B destination delivered by way of parcel or freight carrier dock to dock within the forty-eight (48) contiguous United States and the District of Columbia. NP will designate the shipping mode and carrier based on geographical location and best service as defined by our Logistics Department.

For orders shipping outside the forty-eight (48) contiguous United States and the District of Columbia, customer pays shipping from port of embarkation to destination and order will be shipped "best way". Customer will incur additional charges if they choose to specify a freight carrier.

Any order requiring special delivery service, other than normal dock to dock delivery, will incur additional charges. These services include, but are not limited to residential delivery, limited access delivery, lift gate service, inside delivery, call before delivery, re-routed deliveries, specific delivery date/time requests or congestion fees. These charges will be quoted upon customer request.

Conditions beyond the control of NP, including weather, available facilities and traffic conditions, may affect exact time of delivery. NP shall not be responsible for specific carrier delivery date or time unless it has made a specific delivery commitment, in writing.

Delivery date and time are at the discretion of the carrier within reasonable transit time unless special arrangements have been agreed to in writing between customer and NP prior to shipment.

#### **Accessorial Charges**

Delivery Appointment Required Inside Delivery/Pick Up Items Over 96 Inches Lift Gate Required Limited Access Delivery Notification/CBD Residential Delivery Ship Fully Assembled Pre-delivery Notification Re-delivery/Return Trip

Contact Customer Service at customerservice@neutralposture.com or 979.778.0502 for pricing.

#### **DELAY/FORCE MAJEURE**

NP shall not be liable for failure to perform or for delay in performance due to fire, flood, strike or other labor difficulty, act of God, act of any governmental authority or of the customer, riot, embargo, fuel or energy shortage, wrecks or delay in transportation, inability to obtain necessary labor, materials or manufacturing facilities from usual sources or failure of suppliers to meet their contractual obligations, or due to any cause beyond its reasonable control. If any such event occurs, NP may extend delivery dates by a period of time necessary to overcome the effect of such delay, allocate available product or cancel any purchase order.

#### **FREIGHT DAMAGE**

Upon receipt of shipment consignee is responsible for checking delivery for shortages or signs of damage. If a problem is discovered, bring it to the driver's attention immediately. If any of the goods called for on the Bill of Lading are shorted or damaged, consignees should not accept them until the carrier makes a notation on the freight bill of the shorted or damaged goods. The more precise the notation, the easier the claim can be resolved. NP's responsibility ceases when the consignee signs the freight delivery receipt as received in good condition. Shipping claims must be made within thirty (30) days of shipment delivery.

#### **RETURNS**

The return of product without written authorization by NP shall not be accepted. All merchandise returns must be pre-approved by the corporate office and sent freight prepaid. Contact the Warranty Department, warrantyrequest@neutralposture.com, to receive a Return Merchandise Authorization (RMA) number for any return. RMAs are valid for thirty (30) days and any returned merchandise without a RMA number will be refused.

No deductions from any NP invoices can be made for return merchandise until it is approved by the corporate office. No deductions will be honored until returned goods are processed through our Quality Control Audit.

All returns for canceled orders must be pre-approved by the corporate office and sent freight prepaid. No returns will be authorized unless our inventory allows it, the parts are in good reusable condition and it was sold within the last thirty (30) days. Authorized seating returns will be charged a thirty percent (30%) (twenty percent (20%) for GSA) restocking fee, by agreement, to cover handling, inspection, stocking and repackaging. Authorized systems returns are subject to a forty-five percent (45%) of list restocking charge. Products not currently offered for sale by NP (including COM) shall not be authorized for return. All returned products must be unused, in original condition and in the original NP packing cartons. No refund or credit will be given for damaged products.

#### **WARRANTY CLAIMS**

Neutral Posture reserves the right to specify that items or parts claimed to be defective, be returned to the factory for our inspection. If the claim is justified, repair or replacement of defective parts under warranty will be made through NP at no cost to the customer. NP will, at its discretion, reimburse the furniture dealer for labor (actual costs only) on warranty parts. The furniture dealer must submit a quote to be approved prior to service. If approved, the furniture dealer must then submit an invoice to NP for reimbursement after the service is completed. Freight for products and parts covered under warranty will be covered for the fortyeight (48) contiguous states and the District of Columbia, with the method of shipping at NP's discretion. All claims must include the product serial number. NP will have no warranty obligation if the product was subjected to abuse, alteration, misuse, negligence or accident or if the user fails to perform the proper maintenance for the product.

# **Selling Policy**

#### WARRANTY

Neutral Posture warrants to the original purchaser only that the products Neutral Posture manufactures and sells to purchaser are free of defects in workmanship and materials, during the applicable warranty period set forth below.

This comprehensive warranty applies to all products installed or reconfigured by an authorized installer.

Warranty period set forth below is for 24-hour, 7 days a week, multi-shift use. Should any failure occur to a product listed below during the applicable warranty period from the date of shipment, Neutral Posture shall, upon prompt written notice, repair or replace, at its discretion, the affected part or parts.

#### PRODUCT AND PERIOD OF WARRANTY

#### Lifetime

Panels and panel connector parts, high pressure laminate worksurfaces, table tops and common tops, storage, modesty/privacy screens

#### 10 Years

Cascade worksurfaces, height adjustable worksurface supports (except for gas lift), laminate overhead doors, sliding doors, desktop and storage accessories (unless otherwise specified)

#### 5 Years

Table bases, tapered table legs, anti-fatigue mats, operational parts, controls, electrical, lighting (except light ballasts, bulbs and power supply), special or custom product, height adjustable worksurface support gas lift

#### 3 Years

Electric height adjustable bases (including motor), fabric

#### 1 Year

Light ballasts, bulbs and power supply

This warranty does not apply to:

- Damage caused by a carrier.
- Normal wear and tear or acts or omissions of parties other than Neutral Posture (including user modification, improper use or installation of products).
- COM or other third party materials applied to products.
- Products not installed by or under the auspices of a Neutral Posture Dealer.
- Dramatic temperature variations or exposure to unusual conditions.
- Changes in surface finishes including colorfastness due to aging or exposure to light.

The express warranties contained herein are in lieu of all other warranties, express or implied, including any warranties of merchantability and fitness for particular purpose and all other warranties arising from course of dealing or usage of trade.

The remedies provided above are the customer's sole remedies for any failure of Neutral Posture to comply with its obligations regarding the workmanship of its products. Correction of any nonconformity in the manner and for the period of time provided shall constitute complete fulfillment of all liabilities of Neutral Posture, with respect to or arising out of the product furnished hereunder.

#### **CERTIFICATIONS & STANDARDS**

#### ANSI/BIFMA

Independent tests show that Equity components meet or exceed current ANSI/BIFMA X5.6 Panel System and ANSI/BIFMA X5.9 Storage Unit standards. Electrical components are UL listed. Panels have tested to NRC ratings of 0.75.

#### SCS INDOOR ADVANTAGE CERTIFICATION

The Equity product line is certified by SCS Global Services for indoor air quality.

#### DESIGN

NP reserves the right to make changes and improvements in design and materials and to discontinue parts and components at their discretion.

#### **WOMEN'S BUSINESS ENTERPRISE (WBE)**

This certification is administered by the Women's Business Enterprise National Council (WBENC) and is used by most large corporations to qualify potential vendors as credible diversity suppliers.

#### **WOMAN OWNED SMALL BUSINESS (WOSB)**

The U.S. Small Business Administration's WOSB Federal Contract Program provides greater access to federal contracting opportunities for WOSBs. The program allows contracting officers to set aside specific contracts for certified WOSBs and helps federal agencies achieve the existing statutory goal of five percent of federal contracting dollars being awarded to WOSBs. NP is certified as a WOSB.

#### HISTORICALLY UNDERUTILIZED BUSINESS (HUB)

The Texas Historically Underutilized Business (HUB) program encourages the use of HUBs in state procurement and provides information to minority and woman-owned businesses on the state's procurement process.

# BUSINESS AND INSTITUTIONAL FURNITURE MANUFACTURER'S ASSOCIATION

NP is a member of the Business and Institutional Furniture Manufacturer's Association (BIFMA). Tests developed by BIFMA and approved by the American National Standards Institute (ANSI) determine the strength and durability of office furniture in its everyday use. Although this testing does not serve as a warranty or guarantee, NP standard products within this price list meet or exceed applicable ANSI/BIFMA X5.6 Panel Systems and ANSI/BIFMA X5.9 Storage Unit standards. Combinations of options added on to the standard products may not meet ANSI/BIFMA standards. Those combinations which do not meet ANSI/BIFMA standards are not available on GSA. Additionally, Equity is BIFMA level 2 certified. For more information, contact Customer Service at customerservice@neutralposture.com.

#### **GENERAL INFORMATION**

Neutral Posture pedestals, overheads and storage cabinets ship with lock cores. The locks are field installed. If your purchase order does not specify key-alike you will automatically receive random lock cores with your order.

Neutral Posture furniture can be keyed-alike or random keyed.

#### **KEY-ALIKE**

Furniture may be keyed alike at no charge if specified with a furniture order. Write "key-alike" in the description of your purchase order for any storage piece you wish to have keyed alike.

Using the key-alike instructions, order cores and keys as line items on your purchase order. Neutral Posture will select key numbers from the standard range of 226 – 425. Key numbers will not be repeated unless over 199 sets are ordered.

There is no charge for key-alike orders if placed with the furniture order.

If product is ordered and shipped random-keyed, additional lock cores for key-alike are billable.

#### **KEYS**

A key is shipped with every lock core. 199 key numbers are available. For numbers above 199, contact Customer Service. Additional keys and key blanks are available.

#### **MASTER KEYING**

Neutral Posture locks can be controlled by means of a master key. There is no additional per-lock charge for master keying. Master keys must be ordered separately. See service parts below for master key model # and pricing.

#### **INSTALLING LOCK CORES**

Lock cores can be installed or removed in the field by using a change key. Cores must be in the unlocked position to be removed. See service parts below for change key model number and pricing.

#### **SERVICE PARTS**

MODEL#	DESCRIPTION	LIST
NLCKE	Shrouded Key (Specify key number desired)	\$21
NAKC	Change Key	\$21
NKM	Master Key	\$21

NOTE: A letter of approval on company letterhead from the client must accompany all orders for change and master keys.


NOTE: Neutral Posture locks/keys are not compatible with Knoll Equity pedestals/double pedestals.

#### **HOW TO SPECIFY KEY-ALIKE**

Following is an example of how to specify keyalike for a cluster of 10 workstations.

#### STFP 1

Using the project floor plan, count the number of locks in each workstation.



#### STEP 2

Count the number of workstations with the same quantity of locks. Group together the workstations with a like number of locks.

3 workstations with 4 locks per station 2 overhead w/laminate fronts

2 workstations with 5 locks per station

5 workstations with 2 locks per station

#### STEP 3

For the first group (3 sets of 4 locks), enter the number of workstations in the quantity column.

QTY	MODEL#	DESCRIPTION	UNIT LIST	EXT LIST
3	NSPEC4	Set of 4 cores/kevs	N/C	N/C

#### STEP 4

Then enter the model number "NSPEC\_\_" and add a suffix for the number of locks for that group (i.e., for 2 locks per station, add the suffix "2"). Up to 30 lock cores are available in a set (i.e., NSPEC 30).

QTY	MODEL#	DESCRIPTION	UNIT LIST	EXT LIST
3	NSPEC4	Set of 4 cores/keys	N/C	N/C

#### STEP 4b

If the station has overheads w/laminate fronts add a suffix for the number of locks needed for the overheads w/laminate fronts for that group (i.e., for 2 overhead laminate front locks per station, add the suffix "OL2").

QTY	MODEL#	DESCRIPTION	UNIT LIST	EXT LIST
3	NSPEC4OL2	Set of 4 cores/keys, 2 for overheads w/laminate fronts	N/C	N/C

#### STEP 5

Repeat for other groups.

QTY	MODEL#	DESCRIPTION	UNIT LIST	EXT LIST
3	NSPEC4OL2	Set of 3 cores/keys	N/C	N/C
2	NSPEC5	Set of 5 cores/keys	N/C	N/C
5	NSPEC2	Set of 2 cores/keys	N/C	N/C

Your key instructions are complete.

Neutral Posture will select key numbers for each set from 199 available numbers.

For additions to existing installations, specify desired key numbers in the description.

#### **GSA Contract Overview**

#### **GSA CONTRACT**

We have had a contract with GSA for over 25 years and they continue to be our most favored customer.

NP is dedicated to helping government agencies meet their facilities and acquisition needs. NP is registered with the System For Award Management (SAM) formerly Central Contractor Registry (CCR) with ORCA certifications, has an assigned cage code of OUTL8 and is eligible to receive federal contract awards. NP is also recognized as a Woman Owned Small Disadvantaged Business by the U.S. Small Business Administration (SBA).

#### WOMEN-OWNED SMALL BUSINESS (WOSB)/ ECONOMICALLY DISADVANTAGED WOMEN-OWNED SMALL BUSINESS (EDWOSB)

The U. S. Small Business Administration (SBA) issued the Final Rule to amend its regulations governing small business contracting procedures. The SBA has increased the emphasis and awareness of contracting mandates regarding the new 5% spend mandate for WOSB/EDWOSB's similar to those in place for 8a, SDV and HUB Zone businesses.

The SBA has also implemented a Sole Source vehicle for Economically Disadvantaged Women-Owned Small Businesses (EDWOSB). Neutral Posture, a small business manufacturer, received this certification in April of 2016.

Our Packaged Office contract includes many great manufacturing partners and we are willing to team with other manufacturers to support strong GSA Dealers and meet the needs of our customers.

For more information please visit NeutralPosture.com/WOSB

#### **GSA OVERVIEW**

GSA Contract# GS-27F-0014Y

Schedule MAS - Furniture

SIN 337121H	Household, Dormitory & Quarters Furniture
SIN 337127	Institutional Furniture
SIN 33721	Office Furniture
SIN 33721P	Packaged Office Furniture

SIN OLM Order Level Materials

#### **NAICS CODES**

337127	Institutional Furniture Manufacturing
337211	Wood Office Furniture Manufacturing
337214	Office Furniture (except wood) Manufacturing
423210	Furniture Merchant Wholesalers

NP products may be found on GSA Advantage.

#### **GSA Contract Details**

GS-27F-0014Y

#### TERM DATE 6/26/2012 - 6/26/2022

#### 1a. Special Item Numbers Awarded

SIN 337121H Household, Dormitory & Quarters Furniture

SIN 337127 Institutional Furniture
SIN 33721 Office Furniture
SIN 33721P Packaged Office Furniture

1b. Lowest Priced Item

SIN OLM

SIN 337121H Contact Corporate Office SIN 337127 Contact Corporate Office

SIN 33721 SPTRY Pencil Tray ...... \$5.95

Order Level Materials

SIN 33721P Contact Corporate Office

#### 1c. Installation Rate — SIN 33721

\$51.50 per hour (non-union inclusive IFF) \$106.25 per hour (union inclusive of IFF)

2. Maximum Order

SIN 337121H	\$1,000,000
SIN 337127	\$250,000
SIN 33721	\$250,000
SIN 33721P	\$5,000,000
SIN OLM	\$0

#### 3. Minimum Order

All SINs ......\$50

#### 4. Geographic Coverage

CONUS & OCONUS

#### 5. Point of Production

3904 N. Texas Avenue, Bryan, 77803, Brazos County, TX, USA

#### 6. Discount from List Price

#### Seating/Workplace Accessories

SIN 33721 — Discount 58%

#### Systems

SIN 33721 — Discount 70%

#### 7. Quantity Discounts

No discount tiers have been negotiated.

#### 8. Prompt Payment Terms

Net 30 Days

#### 9. Government Purchase Cards Accepted

Visa/Master Card

#### 10. Foreign Item

None

#### 11a. Time of Delivery

5 – 90 days after receipt of order

#### 11b. Expedited Delivery

Expedited delivery available. Contact Customer Service.

#### 11c. Overnight and 2-day Delivery

Available with an upcharge. Contact Customer Service.

#### 12. F.O.B. Points

Destination/CONUS, within the 48 contiguous states and the District of Columbia. Port of embarkation for delivery to Alaska, Hawaii, Puerto Rico, the Virgin Islands and U.S. Government installations overseas.

#### 13. Ordering Address

Neutral Posture, Inc. attn: Order Entry/ \* or dealer 3904 N. Texas Avenue Bryan, TX 77803 979.778.0502 800.446.3746 fax 979.778.0408 orderentry@neutralposture.com \* Authorized Dealers should be cited on order

#### 14. Payment Address

Neutral Posture, Inc. 3904 N. Texas Avenue Bryan, TX 77803

#### 15. Warranty Provision

Neutral Posture's commercial warranty applies.

#### 16. Export Packing Charges

Contact Customer Service for quote.

#### 17. Terms and Conditions of Government Purchase Card

Government purchase cards will be accepted for purchases at prices shown in this authorized price list (no additional discount offered).

#### 18. Terms and Conditions Of Rental, Maintenance, and Repair

Not applicable

#### 19. Terms and Conditions of Installation

Installation and instruction are available from authorized dealers. Please contact your local NP Dealer for pricing.

#### 20. Terms and Conditions of Repair Parts

Repair parts are offered at the agreed upon discount from the NP repair parts price list in effect at the time the repair parts are ordered.

#### 20a. Terms and Conditions for Any Other Services

GSA has accepted all of our standard terms and conditions as noted on page 6–8.

#### 21. List of Service and Distribution Points

Not applicable

#### 22. List of Dealers

Please contact Customer Service, or visit NeutralPosture. com for the name of your nearest authorized Dealer.

#### 23. Preventive Maintenance

Not offered or applicable

#### 24. Environmental Attributes

Not applicable

#### 25. Other Information

 Tax Identification Number (TIN):
 74-2983577

 DUNS:
 61-0339723

 Cage Code:
 0UTL8

 NAICS:
 337214

#### 26. SAM

NP is registered in System For Award Management (SAM).

**NOTE:** It is mandatory that all Government purchase orders be made out to NP only. Local Dealers are not authorized to accept purchase orders, issue invoices or receive payment of Government funds for these items without serious violation of this Federal Supply Schedule Contract.

# **Wall Mounting**

#### **WALL MOUNTING SUGGESTIONS**

The following information is provided only as a guide and represents minimum recommendations only. Neutral Posture does not accept responsibility for the attachment of any Neutral Posture product to a customer's site wall. Wall specification/construction is the responsibility of the customer and its structural engineer/architect. Failure to properly attach Neutral Posture products to adequate wall structures can lead to property damage and/or personal injury.

You should consult your own structural engineers and/or architects and must not rely on the information provided herein.

It is the responsibility of the customer and its structural engineers/architects to verify that the permanent structural walls (studs, blocks, solid masonry, etc.) on which the

Neutral Posture products are intended to be mounted are designed appropriately to support the product weight, PLUS 3 lbs. per linear inch for each usable shelf length.

NOTE: A cabinet's top is considered a "usable shelf" and MUST be included in the calculation of the total load for an overhead cabinet.

It is the responsibility of the customer and its structural engineer/architects to specify the fasteners and method for attaching the Neutral Posture supplied wall mounting cleat, bracket, frame, etc. to the supporting wall and to confirm that the installers have adhered to these specifications. For all local building standards and codes, and additional requirements (including, but not limited to, seismic conditions) the customer should always consult local code agencies.

# **New Construction**

# **Existing Construction**

'		Cinder Block or Poured Concrete Masonry Wall	Wood Stud Wall, the studs being <b>FULL HEIGHT</b> to the roof/floor above	Wood Stud Wall, the studs being only ceiling height	Steel Stud Wall, the studs being <b>FULL HEIGHT</b> to the roof/floor above	Steel Stud Wall, the studs being only ceiling height
Stud Specification	Wood studs, grade #2 or better, 3 ½" minimum width, OR Metal studs, minimum 25 gage thickness, 3 %" minimum width	The wall must be a minimum of 6" thick, and must be full height to the roof/floor structure above	Wood studs must be Grade #2, or better, 3 ½" minimum width	Wood studs must be Grade #2, or better, 3 ½" minimum width	Metal studs must be minimum 25 gage thickness, 3 %" minimum width	Metal studs must be minimum 25 gage thickness, 3 %" minimum width
Stud Centers	Metal and wood studs must be spaced at 16" c/c maximum.	N/A	Wood studs must be spaced at 16" c/c maximum.	Wood studs must be spaced at 16" c/c maximum.	Metal studs must be spaced at 16" c/c maximum.	Metal studs must be spaced at 16" c/c maximum.
Stud Height	Metal and wood studs must extend upwards, and be securely attached to the roof/floor structure above.			Wood studs must be braced above the ceiling, and be securely attached to the roof/floor structure above Affix #2 grade 'cap' across the top of the studs, then place diagonal studs from the top cap up to underside of the roof/floor structure above.		Metal studs must be braced above the ceiling and be securely attached to the roof/floor structure above Affix metal bracing 'cap' across the top of the studs. Then place diagonal studs from the top cap up to underside of the roof / floor structure above.
Mounting the Neutral Posture Supplied Cleat, Bracket, Frame, etc	Insert a 2" x 6" wood block, #2 grade or better, [or a locally approved flexible wood backing system] horizontally between each of the studs to accommodate the full width of the cabinet and beyond to the next stud.  Fasten the wood block to each stud using three screws at the ends of each block.  (Fasten the locally approved wood backing system as directed by the manufacturer.)  Fasten the Neutral Posture supplied wall mounting cleat, bracket, frame, etc directly to each wood block every 6".  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6" and fasten the lower horizontal element to each wall stud, using one fastener per stud.	Fasten the Neutral Posture supplied cabinet wall mounting cleat, bracket, frame, etc. directly to the masonry wall every 6".  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wall every 6" and fasten the lower horizontal element to the wall every 16".	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet and beyond to the next stud.  Insert a 2" x 6" wood block, #2 grade or better, horizontally between each of the exposed studs.  Fasten the wood block to each stud using three screws at the ends of each block.  Replace the drywall and repair as desired.  Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6".  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud.  Insert a 2" x 6" wood block, #2 grade or better, horizontally between each of the exposed studs.  Fasten the wood block to each stud using three screws at the ends of each block.  Replace the drywall and repair as desired.  Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6".  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet and beyond to the next stud.  Insert a 2" x 6" wood block, #2 grade or better, for a locally approved flexible wood backing system] horizontally between each of the exposed studs.  Fasten the wood block to each stud using three screws at the ends of each block.  Replace the drywall and repair as desired.  Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6".  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud,	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet and beyond to the next stud.  Insert a 2" x 6" wood block, #2 grade or better, [or a locally approved flexible wood backing system] horizontally between each of the exposed studs.  Fasten the wood block to each stud using three screws at the ends of each block.  Replace the drywall and repair as desired.  Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6".  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6" and fasten the lower horizontal element to each wall stud,
Fasten the Neutral Posture Supplied Wall Cleat With	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	%" x 3 ½" masonry screws Screws or equiv. in every mounting hole provided with 1 ¼" embedment, screwed directly into the masonry wall	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	using one fastener per stud.  #10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	using one fastener per stud.  #10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking

# **Finishes**

A		
<u>A</u>		WIDTH
Cross Check	Mayer	54"
Forte	Mayer	54"
Quattro	Mayer	54"
Strata	Mayer	66"
В		
Cape Cod	Guilford of Maine	66"
Grasscloth	Mayer	66"
Luminary	Mayer	66"
Metallation	Guilford of Maine	66"
Metro	Guilford of Maine	66"
Pact	Momentum	66"
Sprite	Guilford of Maine	66"
Tweed	Guilford of Maine	66"
C		
Infinity C-Zero	Momentum	57"
Fedora	Mayer	54"
Marathon C-Zero	Momentum	57"
Millennium C-Zero	Momentum	56"
Odyssey C-Zero	Momentum	56"
Rattan	Guilford of Maine	66"
Reverb	Mayer	54"
Tradition C-Zero	Momentum	56"
Verse	Momentum	66"
_		
D		

LAMINATES		EDGE BANDS	
L1			
Casual Linen	SS-CLN	Asian Sand	EB-ASD
Grey Mesh	SP-GRM	Astro Strandz	EB-AST
Linen	SS-LN	Beige	EB-BEI
Mangalore Mango	SW-MGM	Biltmore Cherry	EB-BCH
Mission Maple	SW-MNM	Casual Linen	EB-CLN
Nickle Ev	SS-NEV	Cosmic Strandz	EB-CST
Organic Cotton	SS-OC	Custom Laminate	EB-COL
Soft Gold Mesh	SP-SGM	Empire Mahogany	EB-EMH
Sterling Ash	SW-STA	Fashion Grey	EB-FGR
		Fired Steel	EB-FIS
<u>L2</u>		Forged Steel	EB-FOR
Asian Sand	PW-ASD	Grey	EB-GRY
Astro Strandz	PP-AST	Grey Mesh	EB-GRM
Biltmore Cherry	PW-BCH	Khaki Brown	EB-BRN
Cosmic Strandz	PP-CST	Linen	EB-LN
Empire Mahogany	PW-EMH	Mangalore Mango	EB-MGN
Fired Steel	PP-FIS	Mission Maple	EB-MNN
Forged Steel	PP-FOS	Nickle Ev	EB-NEV
Shaker Cherry	PW-SCH	Organic Cotton	EB-OC
Silver Alchemy	PW-SAL	Pepperdust	EB-PPR
Studio Teak	PW-STK	Platinum	EB-PLT
Vapor Strandz	PP-VST	Sand	EB-SND
		Shadow	EB-SHD
		Shaker Cherry	EB-SCH
		Silver Alchemy	EB-SAL
		Slate Grey	EB-SGR
		Soft Gold Mesh	EB-SGM
		Sterling Ash	EB-STA
		Studio Teak	EB-STK
		Vapor Strandz	EB-VST
		Virtual Design Laminate	EB-VL

NOTE: Laminates and other finishes may vary in color due to different dye lots. Slight variations are normal.

PAINTS	
P1	
Cream	201T
Designer Beige	202T
Grey	203T
Jet Black	204T
Sky White	200T
P2	
Brass	303
Champagne	301
Platinum	302

CL
IC
LF
SM
TR

GLASS	
Clear	CL
Grey	GR
Smoked	SM
Translucent	TR

# **DESIGNER GLASS**

Patterns from Skyline Design. Some exceptions apply.

There is a minimum \$500 set-up and crating fee for all designer glass orders. Please call Customer Service for a quote 979.778.0502 ext 301.

CORIAN		TEXTURED CORIAN	
Glacier White	CR001	Glacier White	CR001T
Pearl Grey	CR002	Pearl Grey	CR002T
Corian Clay	CR003	Corian Clay	CR003T
Silver Grey	CR004	Silver Grey	CR004T
Corian Grey	CR005	Corian Grey	CR005T

# **Custom Finishes Program**

While Neutral Posture offers a large selection of unique finishes, we understand you might want to create a signature on your project or brand your project. We are offering an easy way for you to provide pricing to your client.

#### **CUSTOMER'S OWN FABRIC**

Neutral Posture can apply any UL fire rated fabric. This will add to the lead time as we will require three yards of fabric to test on a panel. Test yardage should be sent to the factory address in Bryan, TX with the project name clearly marked on the label noting test yardage.

Neutral Posture Test Fabric Attention: Systems Product Manager 3904 N. Texas Ave. Bryan, TX 77803

We can also grade-in any fabric from any supplier in the industry. Please contact Customer Service for grade-in pricing. Note that all grade-ins must be pre-approved for suitability before production begins.

#### **CUSTOMER'S OWN LAMINATE**

All of Neutral Posture's standard laminates are Wilsonart. For your project, you can select any Wilsonart laminate and use L1 for standard laminates, L2 for premium laminates and L3 for custom and virtual library programs. An upcharge may apply for matching edge banding. Please contact Customer Service for more information.

We can also grade-in any laminate from any other supplier. Please contact Customer Service for grade-in pricing. Note that all grade-ins must be pre-approved for suitability before production begins.

#### **CUSTOM RAL PAINT FINISHES**

Whether it is an 8 person or 1,000 person project, use any RAL powder coat color on your metal products. If you have any questions, please contact Customer Service for more information.

#### **HOW TO PRICE**

For Each Order

# Legacy finishes are only available for existing customers to match existing installs

LEGACY – LAMINATES		LEGACY – EDGE BANI	OS
L1			
Bright White	118	Bright White	118
Caramel Maple	MC	Caramel Maple	MC
Clear Maple	CM	Clear Maple	CM
Deep Mahogany	MP58	Jet Black	111
Jet Black	111	Medium Cherry	124
Medium Cherry	124	Pumice (was LF)	119
Pearwood	PA		
Pumice (was LF)	119		
Warm Cherry	WM		
White Essence	ES7		
Winter Grey Matrix	MR6		

NOTE: If your laminate is not listed please contact Customer Service at customerservice@neutralposture.com or 979.778.0502 ext. 301 to check availability.

LEGACY – PAINTS & PLAST	rics
P1	
Jet Black	111
Brown	112
Dark Grey (was Y3)	113
Folkstone Grey (was LA)	114
Med. Grey (was Y2)	115
Sandstone	116
Soft Grey (was E)	117
Dark Neutral	D
Taupe	R
P2	
Beige Mist Metallic	611
Medium Metallic Grey	612
Beige Metallic	Н
Light Tan Metallic	W
P3	
Bright White	118
Silver	613

# NOTE: EP1 and EP2 panels and components are not available in the following:

Bright White	118
Brown	112
Jet Black	111

# **Panels**

**General Info** 

#### Step 1 - Model #

	Тор Сар	Panel Type	W	н	Raceway
EP Equity Panel	3 Beveled <b>N Flat</b>	FA Fabric Panel	36	29	K with knockouts N without knockouts
EP		:	36	29	К

Sten	2 -	Surface	Finish
Steb		Juliace	LIIIISI

Step 3 - Trim Finish

Fabric	Paint
F298 Forte	301 Champagne
F298	301
F290	301

F	F	ΑT	U	R	FS
		n i	v	11	

#### **HEIGHTS**

29" H

36" H

41" H

49" H 54" H

61" H

66" H

81" H

#### **WIDTHS**

12" W

18" W 24" W

30" W

36" W

42" W

48" W

60" W

#### **THICKNESS**

1 ½"

#### **TOP CAP**





3 – Beveled

N – Flat

#### RACEWAY

(K) with knockouts (N) without knockouts

#### PANEL RATINGS

NRC	.75
STC	15

#### **CONSTRUCTION**

#### **FABRIC PANEL FRAME**

Galvaneal roll formed steel frame

#### **FABRIC PANEL CORE**

Mineral wool Fiberglass backer

#### **INSERT PANEL FRAME**

Extruded aluminum

#### **INSERT PANEL CORE**

1/4" Laminate

1/4" Perforated aluminum

1/4" Plexiglass

Open Frame

#### TOP CAP, SLOTTED STANDARD

Cold rolled, roll formed steel

#### **TOP CAP CLIP**

Spring steel

# RACEWAY COVER, RACEWAY BASE & RACEWAY RETENTION CHANNEL

Cold rolled, roll formed steel

#### **RACEWAY STANCHIONS**

Pressed & folded steel

#### **PANEL HOOKS**

Steel

#### **POSTS**

Steel tube

#### **POST CONNECTORS**

Diecast aluminum

#### **SHROUDS**

Pressed & folded steel

#### **SURFACE MATERIALS**

#### **ALL PANELS**

Trim – paint

#### **FABRIC PANELS (FA)**

Fabric

#### **INSERT PANELS**

m.1			100	
Ple	xia	lass	(PG)	)

Clear	CL
Ice	IC
Smoked	SM
Translucent	TR

#### Glass (GL)

Clear	CL
Grey	GR
Smoked	SM
Translucent	TR

#### **Designer Glass (DG)**

Patterns from Skyline Design. Some exceptions apply.

There is a minimum \$500 set-up and crating fee for all designer glass orders. Please call customer service for a quote 979.778.0502 ext 301.

#### Laminate (LM)

Laminate

#### Perforated Aluminum (PA)

Paint


#### Open Frame (OF)


Paint

#### **POSTS, CONNECTORS & SHROUDS**

Paint

# **PANELS**





29"	H	FABRIC						PAINT			
W	MODEL#	A	В	C	D	E	F	G	Н	P2	Р3
12"	EP(3/N)FA1229(K/N)	\$495	\$525	\$565	\$615	\$675	\$745	\$825	\$915	+ \$30	+ \$60
18"	EP(3/N)FA1829(K/N)	\$552	\$582	\$622	\$672	\$732	\$802	\$882	\$972	+ \$30	+ \$60
24"	EP(3/N)FA2429(K/N)	\$610	\$640	\$680	\$730	\$790	\$860	\$940	\$1,030	+ \$30	+ \$60
30"	EP(3/N)FA3029(K/N)	\$667	\$697	\$737	\$787	\$847	\$917	\$997	\$1,087	+ \$30	+ \$60
36"	EP(3/N)FA3629(K/N)	\$748	\$808	\$888	\$988	\$1,108	\$1,248	\$1,408	\$1,588	+ \$30	+ \$60
42"	EP(3/N)FA4229(K/N)	\$794	\$854	\$934	\$1,034	\$1,154	\$1,294	\$1,454	\$1,634	+ \$30	+ \$60
48"	EP(3/N)FA4829(K/N)	\$840	\$900	\$980	\$1,080	\$1,200	\$1,340	\$1,500	\$1,680	+ \$30	+ \$60
60"	EP(3/N)FA6029(K/N)	\$886	\$946	\$1,026	\$1,126	\$1,246	\$1,386	\$1,546	\$1,726	+ \$30	+ \$60

#### 41" H

12"	EP(3/N)FA1241(K/N)	\$552	\$592	\$642	\$702	\$782	\$872	\$982	\$1,112	+ \$30	+ \$60
18"	EP(3/N)FA1841(K/N)	\$610	\$650	\$700	\$760	\$840	\$930	\$1,040	\$1,170	+ \$30	+ \$60
24"	EP(3/N)FA2441(K/N)	\$667	\$707	\$757	\$817	\$897	\$987	\$1,097	\$1,227	+ \$30	+ \$60
30"	EP(3/N)FA3041(K/N)	\$725	\$765	\$815	\$875	\$955	\$1,045	\$1,155	\$1,285	+ \$30	+ \$60
36"	EP(3/N)FA3641(K/N)	\$805	\$885	\$985	\$1,105	\$1,265	\$1,455	\$1,695	\$1,985	+ \$30	+ \$60
42"	EP(3/N)FA4241(K/N)	\$863	\$943	\$1,043	\$1,163	\$1,323	\$1,513	\$1,753	\$2,043	+ \$30	+ \$60
48"	EP(3/N)FA4841(K/N)	\$920	\$1,000	\$1,100	\$1,220	\$1,380	\$1,570	\$1,810	\$2,100	+ \$30	+ \$60
60"	EP(3/N)FA6041(K/N)	\$978	\$1,058	\$1,158	\$1,278	\$1,438	\$1,628	\$1,868	\$2,158	+ \$30	+ \$60

#### 49" H

12"	EP(3/N)FA1249(K/N)	\$621	\$661	\$711	\$771	\$851	\$951	\$1,071	\$1,221	+ \$30	+ \$60
18"	EP(3/N)FA1849(K/N)	\$679	\$719	\$769	\$829	\$909	\$1,009	\$1,129	\$1,279	+ \$30	+ \$60
24"	EP(3/N)FA2449(K/N)	\$736	\$776	\$826	\$886	\$966	\$1,066	\$1,186	\$1,336	+ \$30	+ \$60
30"	EP(3/N)FA3049(K/N)	\$794	\$834	\$884	\$944	\$1,024	\$1,124	\$1,244	\$1,394	+ \$30	+ \$60
36"	EP(3/N)FA3649(K/N)	\$874	\$954	\$1,054	\$1,174	\$1,344	\$1,554	\$1,824	\$2,144	+ \$30	+ \$60
42"	EP(3/N)FA4249(K/N)	\$932	\$1,012	\$1,112	\$1,232	\$1,402	\$1,612	\$1,882	\$2,202	+ \$30	+ \$60
48"	EP(3/N)FA4849(K/N)	\$989	\$1,069	\$1,169	\$1,289	\$1,459	\$1,669	\$1,939	\$2,259	+ \$30	+ \$60
60"	EP(3/N)FA6049(K/N)	\$1,070	\$1,150	\$1,250	\$1,370	\$1,540	\$1,750	\$2,020	\$2,340	+ \$30	+ \$60

#### Specify

- 1. Model #
- 2. Fabric
- 3. Paint

#### **Application Notes**

The panel is fabric covered. If two different fabrics are used on one panel, the price will reflect the cost of the most expensive panel fabric.

NOTE: Power duplexes cannot be installed on 12" W panels. Side mount receptacles available on 24" W panels and wider.

#### Assembly

#### Included

- Panel
- Top cap
- Metal raceway covers

#### **Ordered Separately**

- Posts
- Panel connectors
- Electrical components


#### **Top Cap Styles**

3 – Beveled

N – Flat







<b>54</b> " l	H		•••••••		FAB	RIC	•	•		PAII	NT
W	MODEL#	А	В	С	D	E	F	G	Н	P2	P3
12"	EP(3/N)FA1254(K/N)	\$679	\$719	\$769	\$839	\$939	\$1,049	\$1,179	\$1,339	+ \$30	+ \$60
18"	EP(3/N)FA1854(K/N)	\$736	\$776	\$826	\$896	\$996	\$1,106	\$1,236	\$1,396	+ \$30	+ \$60
24"	EP(3/N)FA2454(K/N)	\$794	\$834	\$884	\$954	\$1,054	\$1,164	\$1,294	\$1,454	+ \$30	+ \$60
30"	EP(3/N)FA3054(K/N)	\$851	\$891	\$941	\$1,011	\$1,111	\$1,221	\$1,351	\$1,511	+ \$30	+ \$60
36"	EP(3/N)FA3654(K/N)	\$943	\$1,033	\$1,133	\$1,273	\$1,483	\$1,713	\$1,983	\$2,313	+ \$30	+ \$60
42"	EP(3/N)FA4254(K/N)	\$1,001	\$1,091	\$1,191	\$1,331	\$1,541	\$1,771	\$2,041	\$2,371	+ \$30	+ \$60
48"	EP(3/N)FA4854(K/N)	\$1,058	\$1,148	\$1,248	\$1,388	\$1,598	\$1,828	\$2,098	\$2,428	+ \$30	+ \$60
60"	EP(3/N)FA6054(K/N)	\$1,139	\$1,229	\$1,329	\$1,469	\$1,679	\$1,909	\$2,179	\$2,509	+ \$30	+ \$60

# 61" H

12"	EP(3/N)FA1261(K/N)	\$736	\$786	\$846	\$926	\$1,036	\$1,156	\$1,296	\$1,466	+ \$30	+ \$60
18"	EP(3/N)FA1861(K/N)	\$794	\$844	\$904	\$984	\$1,094	\$1,214	\$1,354	\$1,524	+ \$30	+ \$60
24"	EP(3/N)FA2461(K/N)	\$851	\$901	\$961	\$1,041	\$1,151	\$1,271	\$1,411	\$1,581	+ \$30	+ \$60
30"	EP(3/N)FA3061(K/N)	\$909	\$959	\$1,019	\$1,099	\$1,209	\$1,329	\$1,469	\$1,639	+ \$30	+ \$60
36"	EP(3/N)FA3661(K/N)	\$989	\$1,089	\$1,209	\$1,369	\$1,599	\$1,849	\$2,129	\$2,469	+ \$30	+ \$60
42"	EP(3/N)FA4261(K/N)	\$1,047	\$1,147	\$1,267	\$1,427	\$1,657	\$1,907	\$2,187	\$2,527	+ \$30	+ \$60
48"	EP(3/N)FA4861(K/N)	\$1,104	\$1,204	\$1,324	\$1,484	\$1,714	\$1,964	\$2,244	\$2,584	+ \$30	+ \$60
60"	EP(3/N)FA6061(K/N)	\$1,208	\$1,308	\$1,428	\$1,588	\$1,818	\$2,068	\$2,348	\$2,688	+ \$30	+ \$60

# 66" H


12"	EP(3/N)FA1266(K/N)	\$759	\$809	\$869	\$949	\$1,069	\$1,199	\$1,349	\$1,529	+ \$30	+ \$60
18"	EP(3/N)FA1866(K/N)	\$817	\$867	\$927	\$1,007	\$1,127	\$1,257	\$1,407	\$1,587	+ \$30	+ \$60
24"	EP(3/N)FA2466(K/N)	\$874	\$924	\$984	\$1,064	\$1,184	\$1,314	\$1,464	\$1,644	+ \$30	+ \$60
30"	EP(3/N)FA3066(K/N)	\$932	\$982	\$1,042	\$1,122	\$1,242	\$1,372	\$1,522	\$1,702	+ \$30	+ \$60
36"	EP(3/N)FA3666(K/N)	\$1,024	\$1,134	\$1,264	\$1,424	\$1,674	\$1,954	\$2,274	\$2,664	+ \$30	+ \$60
42"	EP(3/N)FA4266(K/N)	\$1,081	\$1,191	\$1,321	\$1,481	\$1,731	\$2,011	\$2,331	\$2,721	+ \$30	+ \$60
48"	EP(3/N)FA4866(K/N)	\$1,139	\$1,249	\$1,379	\$1,539	\$1,789	\$2,069	\$2,389	\$2,779	+ \$30	+ \$60
60"	EP(3/N)FA6066(K/N)	\$1,242	\$1,352	\$1,482	\$1,642	\$1,892	\$2,172	\$2,492	\$2,882	+ \$30	+ \$60

# 81" H

12"	EP(3/N)FA1281(K/N)	\$817	\$877	\$937	\$1,027	\$1,177	\$1,347	\$1,537	\$1,757	+ \$30	+ \$60
18"	EP(3/N)FA1881(K/N)	\$874	\$934	\$994	\$1,084	\$1,234	\$1,404	\$1,594	\$1,814	+ \$30	+ \$60
24"	EP(3/N)FA2481(K/N)	\$932	\$992	\$1,052	\$1,142	\$1,292	\$1,462	\$1,652	\$1,872	+ \$30	+ \$60
30"	EP(3/N)FA3081(K/N)	\$989	\$1,049	\$1,109	\$1,199	\$1,349	\$1,519	\$1,709	\$1,929	+ \$30	+ \$60
36"	EP(3/N)FA3681(K/N)	\$1,196	\$1,316	\$1,436	\$1,626	\$1,956	\$2,326	\$2,736	\$3,196	+ \$30	+ \$60
42"	EP(3/N)FA4281(K/N)	\$1,334	\$1,454	\$1,574	\$1,764	\$2,094	\$2,464	\$2,874	\$3,334	+ \$30	+ \$60
48"	EP(3/N)FA4881(K/N)	\$1,438	\$1,558	\$1,678	\$1,868	\$2,198	\$2,568	\$2,978	\$3,438	+ \$30	+ \$60
60"	EP(3/N)FA6081(K/N)	\$1,541	\$1,661	\$1,781	\$1,971	\$2,301	\$2,671	\$3,081	\$3,541	+ \$30	+ \$60

				UPCHARGE	(NET)			
				HEIGI	IT			
		29"	41"	49"	54"	61"	66"	81"
	30"	\$251	\$362	\$423	\$466	\$527	\$569	\$698
표	36"	\$300	\$435	\$507	\$559	\$631	\$683	\$838
M	42"	\$351	\$507	\$592	\$652	\$737	\$797	\$978
	48"	\$400	\$580	\$676	\$745	\$842	\$911	\$1,118
	WIDTH	HI 36" 42"	30" \$251 36" \$300 42" \$351	30" \$251 \$362 36" \$300 \$435 42" \$351 \$507	HEIGH  29" 41" 49"  30" \$251 \$362 \$423  36" \$300 \$435 \$507  42" \$351 \$507 \$592	30" \$251 \$362 \$423 \$466 36" \$300 \$435 \$507 \$559 42" \$351 \$507 \$592 \$652	HEIGHT   29"   41"   49"   54"   61"	HEIGHT  29" 41" 49" 54" 61" 66"  30" \$251 \$362 \$423 \$466 \$527 \$569  36" \$300 \$435 \$507 \$559 \$631 \$683  42" \$351 \$507 \$592 \$652 \$737 \$797

NOTE: To specify a Guardian Panel add a "G" to the end of the panels model number.



29" H			G	iLASS INSERT		LAI	MINATE INSE	RT	PAIN	۱T
W	MODEL#	OF	PG	GL	DG	L1	L2	L3	P2	P3
12"	EP(3/N)()1229(K/N)	\$802	\$974	\$1,078	\$1,262	\$1,055	\$1,160	\$1,265	+ \$30	+ \$60
18"	EP(3/N)()1829(K/N)	\$813	\$997	\$1,112	\$1,377	\$1,089	\$1,198	\$1,307	+ \$30	+ \$60
24"	EP(3/N)()2429(K/N)	\$825	\$1,020	\$1,147	\$1,492	\$1,124	\$1,236	\$1,348	+ \$30	+ \$60
30"	EP(3/N)()3029(K/N)	\$848	\$1,055	\$1,193	\$1,607	\$1,158	\$1,274	\$1,390	+ \$30	+ \$60
36"	EP(3/N)()3629(K/N)	\$871	\$1,101	\$1,250	\$1,710	\$1,216	\$1,337	\$1,459	+ \$30	+ \$60
42"	EP(3/N)()4229(K/N)	\$894	\$1,158	\$1,308	\$1,825	\$1,273	\$1,400	\$1,528	+ \$30	+ \$60
48"	EP(3/N)()4829(K/N)	\$917	\$1,227	\$1,377	\$1,952	\$1,342	\$1,476	\$1,610	+ \$30	+ \$60
60"	EP(3/N)()6029(K/N)	\$963	\$1,308	\$1,457	\$2,147	\$1,423	\$1,565	\$1,707	+ \$30	+ \$60

41	"	Н

12"	EP(3/N)()1241(K/N)	\$848	\$1,089	\$1,216	\$1,423	\$1,181	\$1,299	\$1,417	+ \$30	+ \$60
18"	EP(3/N)()1841(K/N)	\$859	\$1,112	\$1,239	\$1,526	\$1,204	\$1,324	\$1,445	+ \$30	+ \$60
24"	EP(3/N)()2441(K/N)	\$871	\$1,147	\$1,285	\$1,653	\$1,250	\$1,375	\$1,500	+ \$30	+ \$60
30"	EP(3/N)()3041(K/N)	\$894	\$1,193	\$1,342	\$1,802	\$1,308	\$1,438	\$1,569	+ \$30	+ \$60
36"	EP(3/N)()3641(K/N)	\$917	\$1,250	\$1,400	\$1,917	\$1,365	\$1,502	\$1,638	+ \$30	+ \$60
42"	EP(3/N)()4241(K/N)	\$940	\$1,319	\$1,469	\$2,044	\$1,434	\$1,577	\$1,721	+ \$30	+ \$60
48"	EP(3/N)()4841(K/N)	\$963	\$1,400	\$1,561	\$2,251	\$1,526	\$1,679	\$1,831	+ \$30	+ \$60
60"	EP(3/N)()6041(K/N)	\$1,009	\$1,492	\$1,664	\$2,584	\$1,630	\$1,793	\$1,955	+ \$30	+ \$60

#### 49" H

12"	EP(3/N)()1249(K/N)	\$859	\$1,112	\$1,239	\$1,446	\$1,204	\$1,324	\$1,445	+ \$30	+ \$60
18"	EP(3/N)()1849(K/N)	\$871	\$1,147	\$1,273	\$1,561	\$1,239	\$1,362	\$1,486	+ \$30	+ \$60
24"	EP(3/N)()2449(K/N)	\$882	\$1,193	\$1,331	\$1,699	\$1,296	\$1,426	\$1,555	+ \$30	+ \$60
30"	EP(3/N)()3049(K/N)	\$905	\$1,250	\$1,400	\$1,883	\$1,365	\$1,502	\$1,638	+ \$30	+ \$60
36"	EP(3/N)()3649(K/N)	\$928	\$1,319	\$1,469	\$2,067	\$1,434	\$1,577	\$1,721	+ \$30	+ \$60
42"	EP(3/N)()4249(K/N)	\$951	\$1,400	\$1,549	\$2,262	\$1,515	\$1,666	\$1,817	+ \$30	+ \$60
48"	EP(3/N)()4849(K/N)	\$974	\$1,492	\$1,641	\$2,469	\$1,607	\$1,767	\$1,928	+ \$30	+ \$60
60"	EP(3/N)()6049(K/N)	\$1,020	\$1,618	\$1,791	\$2,734	\$1,756	\$1,932	\$2,107	+ \$30	+ \$60

#### Specify

- 1. Model#
- 2. Insert type
- 3. Insert color
- 4. Paint

**NOTE: Power duplexes cannot** be installed on 12" W panels. Side mount receptacles available on 24" W panels and wider.

#### Plexiglass Finishes

CL ..Clear

**IC** . . . lce

SM..Smoked

 ${\bf TR}$  . . Translucent

#### **Glass Finishes**

**CL** . . Clear **GR** . . Grey

SM..Smoked

TR .. Translucent

#### **Application Notes**

Insert Panels are constructed with a tapered aluminum frame that is mitered in the corners. Insert panels may be ordered with multiple insert options or as an open frame for complete accessibility through the panel.

#### Assembly

#### Included

- Panel
- Top cap
- Metal raceway covers

#### **Ordered Separately**

- Posts
- Panel connectors
- Electrical components


#### **Top Cap Styles**

3 - Beveled

N – Flat







42"

48"

60"

EP(3/N)()4281(K/N)

EP(3/N)()4881(K/N)

EP(3/N)()6081(K/N)

54" H			0	LASS INSERT	·	LA	MINATE INSE	RT	PAII	NT
W	MODEL#	OF	PG	GL	DG	L1	L2	L3	P2	P3
12"	EP(3/N)()1254(K/N)	\$894	\$1,124	\$1,250	\$1,457	\$1,216	\$1,337	\$1,459	+ \$30	+ \$60
18"	EP(3/N)()1854(K/N)	\$905	\$1,170	\$1,296	\$1,584	\$1,262	\$1,388	\$1,514	+ \$30	+ \$60
24"	EP(3/N)()2454(K/N)	\$917	\$1,227	\$1,365	\$1,733	\$1,331	\$1,464	\$1,597	+ \$30	+ \$60
30"	EP(3/N)()3054(K/N)	\$940	\$1,296	\$1,446	\$1,929	\$1,411	\$1,552	\$1,693	+ \$30	+ \$60
36"	EP(3/N)()3654(K/N)	\$963	\$1,377	\$1,526	\$2,124	\$1,492	\$1,641	\$1,790	+ \$30	+ \$60
42"	EP(3/N)()4254(K/N)	\$986	\$1,469	\$1,618	\$2,331	\$1,584	\$1,742	\$1,900	+ \$30	+ \$60
48"	EP(3/N)()4854(K/N)	\$1,009	\$1,572	\$1,733	\$2,561	\$1,699	\$1,868	\$2,038	+ \$30	+ \$60
60"	EP(3/N)()6054(K/N)	\$1,055	\$1,699	\$1,871	\$2,814	\$1,837	\$2,020	\$2,204	+ \$30	+ \$60
61" H										
12"	EP(3/N)()1261(K/N)	\$905	\$1,135	\$1,273	\$1,503	\$1,227	\$1,350	\$1,472	+ \$30	+ \$60
18"	EP(3/N)()1861(K/N)	\$917	\$1,193	\$1,331	\$1,618	\$1,285	\$1,413	\$1,541	+ \$30	+ \$60
24"	EP(3/N)()2461(K/N)	\$928	\$1,262	\$1,411	\$1,791	\$1,365	\$1,502	\$1,638	+ \$30	+ \$60
30"	EP(3/N)()3061(K/N)	\$951	\$1,342	\$1,503	\$1,998	\$1,457	\$1,603	\$1,748	+ \$30	+ \$60
36"	EP(3/N)()3661(K/N)	\$974	\$1,434	\$1,595	\$2,205	\$1,549	\$1,704	\$1,859	+ \$30	+ \$60
42"	EP(3/N)()4261(K/N)	\$997	\$1,538	\$1,710	\$2,435	\$1,664	\$1,830	\$1,997	+ \$30	+ \$60
48"	EP(3/N)()4861(K/N)	\$1,020	\$1,653	\$1,837	\$2,676	\$1,791	\$1,970	\$2,149	+ \$30	+ \$60
60"	EP(3/N)()6061(K/N)	\$1,078	\$1,779	\$1,975	\$3,056	\$1,929	\$2,121	\$2,314	+ \$30	+ \$60
66" H										
12"	EP(3/N)()1266(K/N)	\$917	\$1,147	\$1,285	\$1,515	\$1,239	\$1,362	\$1,486	+ \$30	+ \$60
18"	EP(3/N)()1866(K/N)	\$928	\$1,216	\$1,354	\$1,664	\$1,308	\$1,438	\$1,569	+ \$30	+ \$60
24"	EP(3/N)()2466(K/N)	\$940	\$1,296	\$1,446	\$1,848	\$1,400	\$1,540	\$1,679	+ \$30	+ \$60
30"	EP(3/N)()3066(K/N)	\$963	\$1,388	\$1,549	\$2,067	\$1,503	\$1,653	\$1,804	+ \$30	+ \$60
36"	EP(3/N)()3666(K/N)	\$986	\$1,492	\$1,653	\$2,285	\$1,607	\$1,767	\$1,928	+ \$30	+ \$60
42"	EP(3/N)()4266(K/N)	\$1,009	\$1,607	\$1,779	\$2,527	\$1,733	\$1,906	\$2,080	+ \$30	+ \$60
48"	EP(3/N)()4866(K/N)	\$1,032	\$1,733	\$1,917	\$2,780	\$1,871	\$2,058	\$2,245	+ \$30	+ \$60
60"	EP(3/N)()6066(K/N)	\$1,089	\$1,871	\$2,055	\$3,148	\$2,009	\$2,210	\$2,411	+ \$30	+ \$60
81" H										
12"	EP(3/N)()1281(K/N)	\$986	\$1,365	\$1,526	\$1,779	\$1,480	\$1,628	\$1,776	+ \$30	+ \$60
18"	EP(3/N)()1881(K/N)	\$997	\$1,480	\$1,641	\$1,986	\$1,595	\$1,755	\$1,914	+ \$30	+ \$60
24"	EP(3/N)()2481(K/N)	\$1,009	\$1,595	\$1,756	\$2,216	\$1,710	\$1,881	\$2,052	+ \$30	+ \$60
30"	EP(3/N)()3081(K/N)	\$1,032	\$1,710	\$1,871	\$2,446	\$1,825	\$2,008	\$2,190	+ \$30	+ \$60
36"	EP(3/N)()3681(K/N)	\$1,055	\$1,825	\$1,986	\$2,676	\$1,940	\$2,134	\$2,328	+ \$30	+ \$60

	Тор Сар	Panel Type	W	Н	Raceway
EP Equity Panel	3 Beveled	OF Open frame	36	29	K With knockouts
	N Flat	DG Designer glass insert		:	N Without knockouts
		GL Glass insert	:	Ė	
•		PG Plexiglass insert		:	
<b>.</b>		LM Laminate insert	•		
:				:	
•			:	:	
EP	N	PG	36	29	К

\$1,940

\$2,078

\$2,101

\$2,239

\$2,412

\$2,906

\$3,159

\$3,849 \$2,366

\$2,055

\$2,193

\$2,261

\$2,412

\$2,602

\$2,466

\$2,632

\$2,839

+ \$30

+ \$30

+ \$30

+ \$60

+ \$60

+ \$60


\$1,078

\$1,101

\$1,181 \$2,251

# **Insert Panels**

**Perforated Aluminum** 



29" H			I	NSERT PAINT		FRAME	PAINT
w	MODEL#	PA	P1	P2	P3	P2	P3
12"	EP(3/N)PA1229(K/N)	\$917	\$967	\$977	\$987	+ \$30	+ \$60
18"	EP(3/N)PA1829(K/N)	\$928	\$988	\$1,008	\$1,028	+ \$30	+ \$60
24"	EP(3/N)PA2429(K/N)	\$951	\$1,011	\$1,041	\$1,071	+ \$30	+ \$60
30"	EP(3/N)PA3029(K/N)	\$986	\$1,046	\$1,076	\$1,116	+ \$30	+ \$60
36"	EP(3/N)PA3629(K/N)	\$1,032	\$1,092	\$1,122	\$1,162	+ \$30	+ \$60
42"	EP(3/N)PA4229(K/N)	\$1,078	\$1,148	\$1,188	\$1,228	+ \$30	+ \$60
48"	EP(3/N)PA4829(K/N)	\$1,147	\$1,217	\$1,267	\$1,317	+ \$30	+ \$60
60"	EP(3/N)PA6029(K/N)	\$1,227	\$1,297	\$1,357	\$1,417	+ \$30	+ \$60

#### 41" H

12"	EP(3/N)PA1241(K/N)	\$1,009	\$1,079	\$1,099	\$1,119	+ \$30	+ \$60
18"	EP(3/N)PA1841(K/N)	\$1,032	\$1,102	\$1,122	\$1,152	+ \$30	+ \$60
24"	EP(3/N)PA2441(K/N)	\$1,066	\$1,136	\$1,166	\$1,206	+ \$30	+ \$60
30"	EP(3/N)PA3041(K/N)	\$1,112	\$1,182	\$1,222	\$1,272	+ \$30	+ \$60
36"	EP(3/N)PA3641(K/N)	\$1,170	\$1,240	\$1,290	\$1,350	+ \$30	+ \$60
42"	EP(3/N)PA4241(K/N)	\$1,227	\$1,307	\$1,367	\$1,437	+ \$30	+ \$60
48"	EP(3/N)PA4841(K/N)	\$1,308	\$1,388	\$1,468	\$1,538	+ \$30	+ \$60
60"	EP(3/N)PA6041(K/N)	\$1,400	\$1,480	\$1,580	\$1,670	+ \$30	+ \$60

#### 49" H

12"	EP(3/N)PA1249(K/N)	\$1,032	\$1,102	\$1,122	\$1,142	+ \$30	+ \$60
18"	EP(3/N)PA1849(K/N)	\$1,066	\$1,136	\$1,166	\$1,196	+ \$30	+ \$60
24"	EP(3/N)PA2449(K/N)	\$1,112	\$1,182	\$1,232	\$1,272	+ \$30	+ \$60
30"	EP(3/N)PA3049(K/N)	\$1,170	\$1,240	\$1,300	\$1,350	+ \$30	+ \$60
36"	EP(3/N)PA3649(K/N)	\$1,227	\$1,307	\$1,377	\$1,447	+ \$30	+ \$60
42"	EP(3/N)PA4249(K/N)	\$1,308	\$1,388	\$1,468	\$1,558	+ \$30	+ \$60
48"	EP(3/N)PA4849(K/N)	\$1,400	\$1,480	\$1,580	\$1,680	+ \$30	+ \$60
60"	EP(3/N)PA6049(K/N)	\$1,526	\$1,606	\$1,726	\$1,836	+ \$30	+ \$60

#### Specify

- 1. Model#
- 2. Insert paint
- 3. Paint

NOTE: Power duplexes cannot be installed on 12" W panels. Side mount receptacles available on 24" W panels and wider.

#### **Application Notes**

Insert Panels are constructed with a tapered aluminum frame that is mitered in the corners. Insert panels may be ordered multiple insert options or as an open frame for complete accessibility through the panel.

#### Assembly

#### Included

- Panel
- Top cap
- Metal raceway covers

#### **Ordered Separately**

- Posts
- Panel connectors
- Electrical components


#### **Top Cap Styles**

3 – Beveled

N – Flat







54" H	H INSERT PAINT		·	FRAME PAINT			
W	MODEL#	PA	P1	P2	Р3	P2	P
12"	EP(3/N)PA1254(K/N)	\$1,043	\$1,113	\$1,133	\$1,153	+ \$30	+ \$60
18"	EP(3/N)PA1854(K/N)	\$1,089	\$1,159	\$1,189	\$1,219	+ \$30	+ \$6
24"	EP(3/N)PA2454(K/N)	\$1,147	\$1,217	\$1,267	\$1,317	+ \$30	+ \$6
30"	EP(3/N)PA3054(K/N)	\$1,204	\$1,284	\$1,344	\$1,404	+ \$30	+ \$6
36"	EP(3/N)PA3654(K/N)	\$1,285	\$1,365	\$1,445	\$1,525	+ \$30	+ \$6
42"	EP(3/N)PA4254(K/N)	\$1,377	\$1,457	\$1,547	\$1,637	+ \$30	+ \$6
48"	EP(3/N)PA4854(K/N)	\$1,480	\$1,560	\$1,660	\$1,760	+ \$30	+ \$6
60"	EP(3/N)PA6054(K/N)	\$1,607	\$1,687	\$1,817	\$1,947	+ \$30	+ \$6
51" H							
12"	EP(3/N)PA1261(K/N)	\$1,055	\$1,125	\$1,145	\$1,175	+ \$30	+ \$6
18"	EP(3/N)PA1861(K/N)	\$1,112	\$1,182	\$1,222	\$1,262	+ \$30	+ \$6
24"	EP(3/N)PA2461(K/N)	\$1,170	\$1,250	\$1,300	\$1,350	+ \$30	+ \$6
30"	EP(3/N)PA3061(K/N)	\$1,250	\$1,330	\$1,390	\$1,460	+ \$30	+ \$6
36"	EP(3/N)PA3661(K/N)	\$1,342	\$1,422	\$1,502	\$1,582	+ \$30	+ \$6
42"	EP(3/N)PA4261(K/N)	\$1,446	\$1,526	\$1,616	\$1,716	+ \$30	+ \$6
48"	EP(3/N)PA4861(K/N)	\$1,561	\$1,641	\$1,741	\$1,861	+ \$30	+ \$6
60"	EP(3/N)PA6061(K/N)	\$1,940	\$2,000	\$2,120	\$2,260	+ \$30	+ \$6
56" H							
12"	EP(3/N)PA1266(K/N)	\$1,066	\$1,136	\$1,166	\$1,196	+ \$30	+ \$6
18"	EP(3/N)PA1866(K/N)	\$1,135	\$1,205	\$1,245	\$1,295	+ \$30	+ \$6
24"	EP(3/N)PA2466(K/N)	\$1,204	\$1,284	\$1,334	\$1,394	+ \$30	+ \$6
30"	EP(3/N)PA3066(K/N)	\$1,296	\$1,376	\$1,446	\$1,516	+ \$30	+ \$6
36"	EP(3/N)PA3666(K/N)	\$1,400	\$1,480	\$1,570	\$1,660	+ \$30	+ \$6
42"	EP(3/N)PA4266(K/N)	\$1,503	\$1,593	\$1,693	\$1,793	+ \$30	+ \$6
48"	EP(3/N)PA4866(K/N)	\$1,607	\$1,717	\$1,837	\$1,957	+ \$30	+ \$6
60"	EP(3/N)PA6066(K/N)	\$1,963	\$2,133	\$2,263	\$2,413	+ \$30	+ \$6
31" H							
12"	EP(3/N)PA1281(K/N)	\$1,250	\$1,350	\$1,390	\$1,440	+ \$30	+ \$6
18"	EP(3/N)PA1881(K/N)	\$1,365	\$1,465	\$1,525	\$1,605	+ \$30	+ \$6
24"	EP(3/N)PA2481(K/N)	\$1,480	\$1,580	\$1,660	\$1,760	+ \$30	+ \$6
30"	EP(3/N)PA3081(K/N)	\$1,710	\$1,810	\$1,910	\$2,030	+ \$30	+ \$6
36"	EP(3/N)PA3681(K/N)	\$1,825	\$1,925	\$2,045	\$2,185	+ \$30	+ \$0
		, ,,		\$2,154	\$2,304		

	Top Cap	Panel Type	W	Н	Raceway
EP Equity Panel	3 Beveled <b>N Flat</b>	PA Perforated Aluminum	36	29	K With knockouts  N Without knockouts
EP	N	PA	36	29	К

\$1,952

\$2,527 \$2,727

\$2,052

\$2,262

\$2,977

\$2,422

\$3,177

+ \$30

+ \$30

+ \$60

+ \$60


EP(3/N)PA4881(K/N)

EP(3/N)PA6081(K/N)

48"

60"

# **Tequity™ Panels**



				:
29" H			PAINT	
W	MODEL#	P1	P2	P3
12"	EP(3/N)TQ1229	\$380	\$430	\$455
18"	EP(3/N)TQ1829	\$437	\$487	\$512
24"	EP(3/N)TQ2429	\$495	\$545	\$570
30"	EP(3/N)TQ3029	\$552	\$602	\$627
36"	EP(3/N)TQ3629	\$633	\$683	\$708
42"	EP(3/N)TQ4229	\$679	\$729	\$754
48"	EP(3/N)TQ4829	\$725	\$775	\$800
60"	EP(3/N)TQ6029	\$771	\$821	\$846

41" H				
12"	EP(3/N)TQ1241	\$437	\$487	\$512
18"	EP(3/N)TQ1841	\$495	\$545	\$570
24"	EP(3/N)TQ2441	\$552	\$602	\$627
30"	EP(3/N)TQ3041	\$610	\$660	\$685
36"	EP(3/N)TQ3641	\$690	\$740	\$765
42"	EP(3/N)TQ4241	\$748	\$798	\$823
48"	EP(3/N)TQ4841	\$805	\$855	\$880
60"	EP(3/N)TQ6041	\$863	\$913	\$938

49" H				
12"	EP(3/N)TQ1249	\$506	\$556	\$581
18"	EP(3/N)TQ1849	\$564	\$614	\$639
24"	EP(3/N)TQ2449	\$621	\$671	\$696
30"	EP(3/N)TQ3049	\$679	\$729	\$754
36"	EP(3/N)TQ3649	\$759	\$809	\$834
42"	EP(3/N)TQ4249	\$817	\$867	\$892
48"	EP(3/N)TQ4849	\$874	\$924	\$949
60"	EP(3/N)TQ6049	\$955	\$1,005	\$1,030

_		
ς	nacity	
,	pecity	

- 1. Model #
- 2. Paint

#### **Application Notes**

Tequity panels are constructed with a 16 gauge welded steel frame.

# Worksurface Support w/Tequity Panels

When specifying worksurfaces use panel to worksurface brackets to support each corner.

#### Assembly

# Included Panel

• Top cap

#### **Ordered Separately**

- Posts
- Panel connectors


#### **Top Cap Styles**

3 – Beveled





# Tequity™ Panels



			PAINT	
W	MODEL#	P1	P2	P:
12"	EP(3/N)TQ1254	\$564	\$614	\$639
18"	EP(3/N)TQ1854	\$621	\$671	\$696
24"	EP(3/N)TQ2454	\$679	\$729	\$75
30"	EP(3/N)TQ3054	\$736	\$786	\$81
36"	EP(3/N)TQ3654	\$828	\$878	\$90
42"	EP(3/N)TQ4254	\$886	\$936	\$96
48"	EP(3/N)TQ4854	\$943	\$993	\$1,01
60"	EP(3/N)TQ6054	\$1,024	\$1,074	\$1,09
61" H				
12"	EP(3/N)TQ1261	\$621	\$671	\$69
18"	EP(3/N)TQ1861	\$679	\$729	\$75
24"	EP(3/N)TQ2461	\$736	\$786	\$81
30"	EP(3/N)TQ3061	\$794	\$844	\$86
36"	EP(3/N)TQ3661	\$874	\$924	\$94
42"	EP(3/N)TQ4261	\$932	\$982	\$1,00
48"	EP(3/N)TQ4861	\$989	\$1,039	\$1,06
60"	EP(3/N)TQ6061	\$1,093	\$1,143	\$1,16
66" H				
12"	EP(3/N)TQ1266	\$644	\$694	\$71
18"	EP(3/N)TQ1866	\$702	\$752	\$77
24"	EP(3/N)TQ2466	\$759	\$809	\$83
30"	EP(3/N)TQ3066	\$817	\$867	\$89
36"	EP(3/N)TQ3666	\$909	\$959	\$98
42"	EP(3/N)TQ4266	\$966	\$1,016	\$1,04
48"	EP(3/N)TQ4866	\$1,024	\$1,074	\$1,09
60"	EP(3/N)TQ6066	\$1,127	\$1,177	\$1,20
81" H				
12"	EP(3/N)TQ1281	\$702	\$752	\$77
12	EP(3/N)TQ1881	\$759	\$809	\$83
18"	EF(3/N)IQ1001			
	EP(3/N)TQ2481	\$817	\$867	\$89
18"		\$817 \$874	\$867 \$924	
18" 24"	EP(3/N)TQ2481			\$89 \$94 \$1,15

\$1,323

\$1,426

\$1,373

\$1,476

	Тор Сар	Panel Type	W	Н
EP Equity Panel	3 Beveled <b>N Flat</b>	TQ Tequity	36	29
EP	N	TQ	36	29

EP(3/N)TQ4881

EP(3/N)TQ6081

48"

60"

\$1,398

\$1,501

# **Sliding Doors**



49" H			INSER'	ГТҮРЕ	LA	MINATE INSE	RT	PAII	NT
OPENING	ACTUAL OPENING	MODEL#	PG	CR	LM 1	LM 2	LM 3	P2	P3
<sup>36"</sup> <b>54" H</b>	34.5"	EDR( )3649(L/R)B	\$1,814	\$2,538	\$1,733	\$1,906	\$2,080	+ \$30	+\$60
36"	34.5"	EDR( )3654(L/R)B	\$1,906	\$2,768	\$1,929	\$2,121	\$2,314	+ \$30	+ \$60

Specify	Application Notes	Insert Type	Plexiglass Finishes	Corian Finishes
1. Model # 2. Insert type 3. Insert color 4. Paint	Sliding doors can mount on an end or corner post and require a straight, unobstructed panel run of at least 42" for their open position. Left/Right refers to opening direction.	CR Corian PG Plexiglass LM Laminate	CLClear IClce SMSmoked TRTranslucent LFFrost	Glacier White CR001 Pearl Grey CR002 Corian Clay CR003 Silver Grey CR004 Corian Grey CR001
	NOTE: Sliding doors are only compatible with N (flat) top caps.			Assembly Included Door Hardware



61" H			INSER	ГТҮРЕ	LAI	MINATE INSE	RT	PAIN	١T
OPENING	ACTUAL OPENING	MODEL#	PG	CR	LM 1	LM 2	LM 3	P2	Р3
36"	34.5"	EDR( )3661(L/R)B	\$1,986	\$3,113	\$2,021	\$2,223	\$2,425	+ \$30	+ \$60

66" H									
36"	34.5"	EDR( )3666(L/R)B	\$2,159	\$3,803	\$2,481	\$2,729	\$2,977	+ \$30	+ \$60

						For 81" Wide Only
	Insert Type	W	н	Door Open	<b>Door Handle</b>	Anchor Panel Width
EDR Equity Door	CR Corian	36	61	L Left	B Bar	42
	PG Plexiglass	•	:	R Right	:	48
	LM Laminate		:	:		60
:	:		:		:	
<u>:</u>	•					
			,			
EDR	LM	36	61	L	В	42

# **Post Assemblies**



		***************************************	••••••	· · · · · · · · · · · · · · · · · · ·
Stra	ight		PAINT	
Н	MODEL#	P1	P2	Р3
29"	EP(3/N)P29S	\$170	\$185	\$200
41"	EP(3/N)P41S	\$173	\$188	\$203
49"	EP(3/N)P49S	\$175	\$190	\$205
54"	EP(3/N)P54S	\$177	\$192	\$207
61"	EP(3/N)P61S	\$179	\$194	\$209
66"	EP(3/N)P66S	\$182	\$197	\$212
81"	EP(3/N)P81S	\$201	\$216	\$231



2-wa	ay L		PAINT	
Н	MODEL#	P1	P2	P3
29"	EP(3/N)P29L	\$170	\$185	\$200
41"	EP(3/N)P41L	\$173	\$188	\$203
49"	EP(3/N)P49L	\$176	\$191	\$206
54"	EP(3/N)P54L	\$181	\$196	\$211
61"	EP(3/N)P61L	\$190	\$205	\$220
66"	EP(3/N)P66L	\$198	\$213	\$228
81"	EP(3/N)P81L	\$213	\$228	\$243



#### 2-way 120

_ '''	4) 120			
29"	EP(3/N)P29120	\$183	\$198	\$213
41"	EP(3/N)P41120	\$192	\$207	\$222
49"	EP(3/N)P49120	\$197	\$212	\$227
54"	EP(3/N)P54120	\$201	\$216	\$231
61"	EP(3/N)P61120	\$210	\$225	\$240
66"	EP(3/N)P66120	\$219	\$234	\$249
81"	EP(3/N)P81120	\$232	\$247	\$262

#### Specify

- 1. Model #
- 2. Paint

#### **Application Notes**

Used to connect panels of the same height.

Bottom glides on post allow for up to 1 ½" of vertical adjustment.

Add "NS" to the end to of the model number to specify without shroud for use with Tequity panels.

#### Assembly

#### Included

- Single height post
- Panel connector
- Appropriate metal shroud

#### Top Cap Styles

3 – Beveled

N – Flat







		•••			
3-wa	ay T			PAINT	
Н	MODEL#		P1	P2	P3
29"	EP(3/N)P29T		\$170	\$185	\$200
41"	EP(3/N)P41T		\$173	\$188	\$203
49"	EP(3/N)P49T		\$175	\$190	\$205
54"	EP(3/N)P54T		\$177	\$192	\$207
61"	EP(3/N)P61T		\$181	\$196	\$211
66"	EP(3/N)P66T		\$189	\$204	\$219
81"	EP(3/N)P81T		\$202	\$217	\$232



		**************************************	••••••••••	
4-wa	ay X		PAINT	
Н	MODEL#	P1	P2	P3
29"	EP(3/N)P29X	\$170	\$185	\$200
41"	EP(3/N)P41X	\$173	\$188	\$203
49"	EP(3/N)P49X	\$175	\$190	\$205
54"	EP(3/N)P54X	\$177	\$192	\$207
61"	EP(3/N)P61X	\$179	\$194	\$209
66"	EP(3/N)P66X	\$182	\$197	\$212
81"	EP(3/N)P81X	\$197	\$212	\$227



#### 3-way 120

3-W	19 120			
29"	EP(3/N)P29Y	\$206	\$221	\$236
41"	EP(3/N)P41Y	\$208	\$223	\$238
49"	EP(3/N)P49Y	\$210	\$225	\$240
54"	EP(3/N)P54Y	\$213	\$228	\$243
61"	EP(3/N)P61Y	\$215	\$230	\$245
66"	EP(3/N)P66Y	\$222	\$237	\$252
81"	EP(3/N)P81Y	\$237	\$252	\$267



# **Carpet Gripper**

DESCRIPTION	MODEL#	BLACK ONLY
12 Pack	EP1CG12	\$44

	Тор Сар		Н		Connection Type		Options Shroud
EP Equity Panel	3 Beveled <b>N Flat</b>	P Post		120 E L T <b>S</b> X	2-way 120 End w/post 2-way L 3-way T <b>Straight</b> 4-way 3-way 120	NS	No Shroud (Tequity Only)
EP	N	Р	29	S			



		······································		
End	w/Post		PAINT	
Н	MODEL#	P1	P2	Р3
29"	EP(3/N)P29E	\$183	\$198	\$213
41"	EP(3/N)P41E	\$189	\$204	\$219
49"	EP(3/N)P49E	\$193	\$208	\$223
54"	EP(3/N)P54E	\$197	\$212	\$227
61"	EP(3/N)P61E	\$207	\$222	\$237
66"	EP(3/N)P66E	\$214	\$229	\$244
81"	EP(3/N)P81E	\$229	\$244	\$259

# End w/Post

#### Specify

- 1. Model#
- 2. Paint

#### Application Notes

Used to finish a panel end that is not being connected to another panel.

Add "NS" to the end to of the model number to specify without shroud for use with Tequity panels.

#### Assembly

#### Included

- Single height post
- Panel connector
- Appropriate metal shroud

#### Top Cap Styles

3 – Beveled







# **Wall Starter/Wall Mounted Channel**

						************		
	Panel Wall Starter						PAINT	
Ī	w	D	Н	<b>H</b> (Actual)	MODEL#	P	1 P2	P3
	1 ½"	1/2"	29"	23"	EP3PWS29	\$5	\$53	\$56
	1 1/2"	1/2"	41"	35"	EP3PWS41	\$5	\$53	\$56
	1 1/2"	1/2"	49"	43"	EP3PWS49	\$55	\$58	\$64
	1 ½"	1/2"	54"	49"	EP3PWS54	\$58	\$64	\$70
	1 1/2"	1/2"	61"	55"	EP3PWS61	\$58	\$64	\$70
	1 1/2"	1/2"	64"	60"	EP3PWS64	\$60	\$66	\$73
	1 1/2"	1/2"	81"	75"	EP3PWS81	\$68	3 \$74	\$81

#### **Wall Mounted Channel**

2 %"	3/4"	29"	23"	EP3WMC29	\$129	\$134	\$141
2 1/8"	3/4"	41"	35"	EP3WMC41	\$129	\$134	\$141
2 1/8"	3/4"	49"	43"	EP3WMC49	\$131	\$138	\$148
2 1/8"	3/4"	54"	49"	EP3WMC54	\$133	\$140	\$150
2 1/8"	3/4"	61"	55"	EP3WMC61	\$150	\$157	\$169
2 1/8"	3/4"	66"	60"	EP3WMC66	\$153	\$166	\$178
2 1/8"	3/4"	81"	75"	EP3WMC81	\$186	\$199	\$211
2 1/8"	3/4"	120"	120"	EP3WMC120	\$286	\$301	\$318

#### **Panel Wall Starter**

#### Specify

- 1. Model #
- 2. Paint

#### Application Notes

Used to start a run of panels by fastening to an existing wall and attaching a connector assembly to it. Creates 1¼" space from face of wall to centerline of post. Constructed of steel.

NOTE: Neutral Posture assumes no responsibility for wall construction or performance of fasteners used.

# **Wall Mounted Channel**

#### Specify

- 1. Model #
- 2. Paint

#### Application Notes

Allows hanging of all components and accessories on reinforced building walls.

NOTE: Neutral Posture assumes no responsibility for wall construction or performance of fasteners used.

#### Assembly

#### Included

- Panel top & bottom hook
- Panel connector

#### **Not Included**

• Fasteners to attach to wall

#### **Ordered Separately**

- Post
- Shrouds

#### Top Cap Styles

3 – Beveled





N – Flat

#### Assembly

#### Included

• Extruded aluminum channel

# Posts Multi-height

Single He	eight		PAINT			
Н	MODEL#	P1	P2	Р3		
29"	EP3P29	\$107	\$112	\$117		
41"	<b>EP</b> 3 <b>P</b> 41	\$108	\$113	\$118		
49"	<b>EP</b> 3 <b>P</b> 49	\$110	\$115	\$120		
54"	<b>EP</b> 3 <b>P</b> 54	\$114	\$119	\$124		
61"	<b>EP</b> 3 <b>P</b> 61	\$121	\$126	\$131		
66"	<b>EP</b> 3 <b>P</b> 66	\$123	\$128	\$133		
81"	EP3P81	\$135	\$140	\$145		

#### **Dual Height**

Dual Heig				
29"/41"	EP3DP2941	\$178	\$193	\$208
29"/49"	EP3DP2949	\$190	\$205	\$220
29"/54"	EP3DP2954	\$190	\$205	\$220
29"/61"	EP3DP2961	\$201	\$216	\$231
29"/66"	EP3DP2966	\$201	\$216	\$231
29"/81"	EP3DP2981	\$224	\$239	\$254
41"/49"	EP3DP4149	\$190	\$205	\$220
41"/54"	EP3DP4154	\$190	\$205	\$220
41"/61"	EP3DP4161	\$201	\$216	\$231
41"/66"	EP3DP4166	\$201	\$216	\$231
41"/81"	EP3DP4181	\$224	\$239	\$254
49"/54"	EP3DP4954	\$190	\$205	\$220
49"/61"	EP3DP4961	\$201	\$216	\$231
49"/66"	EP3DP4966	\$201	\$216	\$231
49"/81"	EP3DP4981	\$224	\$239	\$254
54"/61"	EP3DP5461	\$201	\$216	\$231
54"/66"	EP3DP5466	\$201	\$216	\$231
54"/81"	EP3DP5481	\$224	\$239	\$254
61"/66"	EP3DP6166	\$201	\$216	\$231
61"/81"	EP3DP6181	\$224	\$239	\$254
66"/81"	EP3DP6681	\$224	\$239	\$254

Triple Heig	PAINT			
Н	MODEL#	P1	P2	P3
29"/41"/49"	<b>EP</b> 3 <b>TP</b> 294149	\$225	\$240	\$255
29"/41"/54"	<b>EP</b> 3 <b>TP</b> 294154	\$225	\$240	\$255
29"/41"/61"	EP3TP294161	\$230	\$245	\$260
29"/41"/66"	EP3TP294166	\$230	\$245	\$260
29"/41"/81"	EP3TP294181	\$265	\$280	\$295
29"/49"/54"	EP3TP294954	\$225	\$240	\$255
29"/49"/61"	EP3TP294961	\$230	\$245	\$260
29"/49"/66"	EP3TP294966	\$230	\$245	\$260
29"/49"/81"	EP3TP294981	\$265	\$280	\$295
29"/54"/61"	EP3TP295461	\$230	\$245	\$260
29"/54"/66"	EP3TP295466	\$230	\$245	\$260
29"/54"/81"	EP3TP295481	\$265	\$280	\$295
29"/61"/66"	EP3TP296166	\$230	\$245	\$260
29"/61"/81"	EP3TP296181	\$265	\$280	\$295
29"/64"/81"	EP3TP296481	\$265	\$280	\$295
41"/49"/54"	EP3TP414954	\$225	\$240	\$255
41"/49"/61"	EP3TP414961	\$230	\$245	\$260
41"/49"/66"	EP3TP414966	\$230	\$245	\$260
41"/49"/81"	EP3TP414981	\$265	\$280	\$295
41"/54"/61"	EP3TP415461	\$230	\$245	\$260
41"/54"/66"	EP3TP415466	\$230	\$245	\$260
41"/54"/81"	EP3TP415481	\$265	\$280	\$295
41"/61"/66"	EP3TP416166	\$230	\$245	\$260
41"/61"/81"	EP3TP416181	\$265	\$280	\$295
41"/64"/81"	EP3TP416481	\$265	\$280	\$295
49"/54"/61"	EP3TP495461	\$230	\$245	\$260
49"/54"/66"	EP3TP495466	\$230	\$245	\$260
49"/54"/81"	<b>EP</b> 3 <b>TP</b> 495481	\$265	\$280	\$295
49"/61"/66"	EP3TP496166	\$230	\$245	\$260
49"/61"/81"	EP3TP496181	\$265	\$280	\$295
49"/64"/81"	EP3TP496481	\$265	\$280	\$295
54"/61"/66"	EP3TP546166	\$230	\$245	\$260
54"/61"/81"	EP3TP546181	\$265	\$280	\$295
54"/64"/81"	EP3TP546481	\$265	\$280	\$295
61"/64"/81"	<b>EP</b> 3 <b>TP</b> 616481	\$265	\$280	\$295

#### Specify

- 1. Model#
- 2. Paint

#### **Application Notes**

Bottom glides on post allow for up to 1 ½" of vertical adjustment.

Specify one multi-height panel connector (EP3PCMF) for each low panel when using either a dual or triple height post in a multi-height connection.

#### **Dual Height Posts**

Used where 2 monolithic panels of 2 different heights intersect.

**Triple Height Posts**Used where 3 monolithic panels of 3 different heights intersect.

#### Assembly

#### Included

• Muti-height post

#### Ordered Separately

- Panel connectors
- Metal shrouds

## **Connectors/Shrouds**

		,		
Connectors			PAINT	
DESCRIPTION	MODEL#	P1	P2	P3
Straight	EP(3/N)PCS	\$43	\$48	\$53
2-way L	EP(3/N)PCL	\$43	\$48	\$53
2-way 120	EP3PC120	\$43	\$48	\$53
2-way adjustable angle	EPNPCA	\$54	\$59	\$64
3-way T	EP(3/N)PCT	\$54	\$59	\$64
3-way Y 120	EP(3/N)PCY	\$54	\$59	\$64
4-way X	EP(3/N)PCX	\$54	\$59	\$64
End	EP(3/N)PCEP	\$43	\$48	\$53
Multi-height filler	EP(3/N)PCMF	\$43	\$48	\$53
Trim filler	EPNCTF	\$43	\$48	\$53





Straight

-









3-way T









Multi-height filler

	***************************************	•••••	•••••
		PAINT	
MODEL#	P1	P2	P3
EP3SS	\$31	\$36	\$41
EP3SL	\$43	\$48	\$53
EP3SO120	\$43	\$48	\$53
EP3SI120	\$43	\$48	\$53
EP3SEP	\$54	\$59	\$64
	EP3SS EP3SL EP3SO120 EP3SI120	MODEL# P1 EP3SS \$31 EP3SL \$43 EP3SO120 \$43 EP3SI120 \$43	MODEL# P1 P2 EP3SS \$31 \$36 EP3SL \$43 \$48 EP3SO120 \$43 \$48 EP3SI120 \$43 \$48







Straight

L outside

120 outside





120 inside

End

Specify

- 1. Model#
- 2. Paint











### **COMPONENTS**

Equity stack-on panels provide the flexibility to increase the overall height of any standard Equity panel.

The stack-on panel is available in all standard Equity widths and a variety of heights in both slotted and slotless versions.

### STACK-ON PANELS W/ SLOTS

Stack-on panels with slots provide the capability to hang standard Equity components such as shelves and overheads as long as the weight load does not exceed 3lbs. per linear inch.

### STACK-ON PANELS W/O SLOTS

Stack-on panels without slots do not allow for hanging components, but do provide a cleaner aesthetic when specifying window applications.

Up to two (2) load bearing stackon panels may be stacked on top of a standard Equity panel as long as the total height above the base panels is no taller than 40" and neither individual stackon panel is taller than 20".

Stack-on panel width must match the width of the panel it is stacking on.

Stack-on panel connectors must be used between adjacent stack-on panels.


### STACK-ON PANEL CONNECTORS

### STANDARD STACK-ON POST

Standard stack-on post bottom uses a conical shaped bolt that connects it to the full height post directly beneath it. Panel connectors for the top of the stack-on post must be ordered separately to match the geometry of the stack-on panels.


### **EXTENDED STACK-ON POST**

Extended stack-on post bottom uses a double-threaded round connector to attach to the full-height post directly beneath it. Multi-height panel connectors (EPNPCMF) must be used on either side of this connector to provide a smooth transition for full-height post covers. Standard panel connectors are used along the top of the stack-on panels.




## SPECIFYING STACK-ON CONFIGURATIONS

All connectors between the base panel and stack-on panel MUST have flat (N) profile.



# **Stack-On Configurations** Using Standard Stack-on Posts










### **BEVELED TOP CAP**





























# Stack-On Configurations Using Standard Stack-on Posts








**BEVELED TOP CAP** 


**FLAT TOP CAP** 















## **Stack-on Panels**

**Fabric with Slots** 



12"	H		•••••••••••••	••••••••••••	FABR	ıc	•	•		PAIN	т
W	MODEL#	A	В	C	D	E	F	G	Н	P2	Р3
12"	EP1SF1212	\$460	\$480	\$510	\$550	\$590	\$635	\$685	\$740	+ \$25	+ \$50
18"	EP1SF1812	\$483	\$503	\$533	\$573	\$613	\$658	\$708	\$763	+ \$25	+ \$50
24"	EP1SF2412	\$506	\$526	\$556	\$596	\$636	\$681	\$731	\$786	+ \$25	+ \$50
30"	EP1SF3012	\$529	\$549	\$579	\$619	\$659	\$704	\$754	\$809	+ \$25	+ \$50
36"	EP1SF3612	\$552	\$582	\$622	\$672	\$742	\$822	\$912	\$1,022	+ \$25	+ \$50
42"	EP1SF4212	\$575	\$605	\$645	\$695	\$765	\$845	\$935	\$1,045	+ \$25	+ \$50
48"	EP1SF4812	\$598	\$628	\$668	\$718	\$788	\$868	\$958	\$1,068	+ \$25	+ \$50
60"	EP1SF6012	\$621	\$651	\$691	\$741	\$811	\$891	\$981	\$1,091	+ \$25	+ \$50

13"	Н										
12"	EP1SF1213	\$483	\$503	\$533	\$573	\$613	\$658	\$708	\$763	+ \$25	+ \$50
18"	EP1SF1813	\$506	\$526	\$556	\$596	\$636	\$681	\$731	\$786	+ \$25	+ \$50
24"	EP1SF2413	\$529	\$549	\$579	\$619	\$659	\$704	\$754	\$809	+ \$25	+ \$50
30"	EP1SF3013	\$552	\$592	\$642	\$702	\$772	\$862	\$962	\$1,082	+ \$25	+ \$50
36"	EP1SF3613	\$575	\$615	\$665	\$725	\$795	\$885	\$985	\$1,105	+ \$25	+ \$50
42"	EP1SF4213	\$598	\$638	\$688	\$748	\$818	\$908	\$1,008	\$1,128	+ \$25	+ \$50
48"	EP1SF4813	\$621	\$661	\$711	\$771	\$841	\$931	\$1,031	\$1,151	+ \$25	+ \$50
60"	EP1SF6013	\$644	\$684	\$734	\$794	\$864	\$954	\$1,054	\$1,174	+ \$25	+ \$50

15" I	Н										
12"	EP1SF1215	\$506	\$526	\$556	\$596	\$641	\$691	\$746	\$806	+ \$25	+ \$50
18"	<b>EP</b> 1 <b>SF</b> 1815	\$529	\$549	\$579	\$619	\$664	\$714	\$769	\$829	+ \$25	+ \$50
24"	EP1SF2415	\$552	\$572	\$602	\$642	\$687	\$737	\$792	\$852	+ \$25	+ \$50
30"	EP1SF3015	\$575	\$615	\$665	\$725	\$795	\$895	\$1,005	\$1,125	+ \$25	+ \$50
36"	EP1SF3615	\$598	\$638	\$688	\$748	\$818	\$918	\$1,028	\$1,148	+ \$25	+ \$50
42"	EP1SF4215	\$621	\$661	\$711	\$771	\$841	\$941	\$1,051	\$1,171	+ \$25	+ \$50
48"	EP1SF4815	\$644	\$684	\$734	\$794	\$864	\$964	\$1,074	\$1,194	+ \$25	+ \$50
60"	EP1SF6015	\$667	\$707	\$757	\$817	\$887	\$987	\$1,097	\$1,217	+ \$25	+ \$50

_		_	

- 1. Model#
- 2. Fabric
- 3. Paint

### Assembly

## Included

- Stack-on panel
- Flat (N) top cap attached to the bottom of stack-on panel

### Not Included

• Top cap (use top cap from base panel)


### **Ordered Separately**


- Stack-on posts
- Panel connectors



Top Cap Styles







17"	Н	FABRIC								PAINT	
W	MODEL#	A	В	C	D	E	F	G	Н	P2	Р3
12"	EP1SF1217	\$529	\$559	\$599	\$644	\$694	\$749	\$809	\$874	+ \$25	+ \$50
18"	EP1SF1817	\$552	\$582	\$622	\$667	\$717	\$772	\$832	\$897	+ \$25	+ \$50
24"	EP1SF2417	\$575	\$605	\$645	\$690	\$740	\$795	\$855	\$920	+ \$25	+ \$50
30"	EP1SF3017	\$598	\$648	\$708	\$778	\$868	\$978	\$1,098	\$1,228	+ \$25	+ \$50
36"	EP1SF3617	\$621	\$671	\$731	\$801	\$891	\$1,001	\$1,121	\$1,251	+ \$25	+ \$50
42"	EP1SF4217	\$644	\$694	\$754	\$824	\$914	\$1,024	\$1,144	\$1,274	+ \$25	+ \$50
48"	EP1SF4817	\$667	\$717	\$777	\$847	\$937	\$1,047	\$1,167	\$1,297	+ \$25	+ \$50
60"	EP1SF6017	\$690	\$740	\$800	\$870	\$960	\$1,070	\$1,190	\$1,320	+ \$25	+ \$50


## 20" H

12"	EP1SF1220	\$552	\$582	\$622	\$667	\$717	\$772	\$832	\$902	+ \$25	+ \$50
18"	EP1SF1820	\$575	\$605	\$645	\$690	\$740	\$795	\$855	\$925	+ \$25	+ \$50
24"	EP1SF2420	\$598	\$628	\$668	\$713	\$763	\$818	\$878	\$948	+ \$25	+ \$50
30"	EP1SF3020	\$621	\$671	\$731	\$801	\$901	\$1,031	\$1,171	\$1,321	+ \$25	+ \$50
36"	EP1SF3620	\$644	\$694	\$754	\$824	\$924	\$1,054	\$1,194	\$1,344	+ \$25	+ \$50
42"	EP1SF4220	\$667	\$717	\$777	\$847	\$947	\$1,077	\$1,217	\$1,367	+ \$25	+ \$50
48"	EP1SF4820	\$702	\$752	\$812	\$882	\$982	\$1,112	\$1,252	\$1,402	+ \$25	+ \$50
60"	EP1SF6020	\$725	\$775	\$835	\$905	\$1,005	\$1,135	\$1,275	\$1,425	+ \$25	+ \$50

	Insert Type	W	Н
EP1S Stack-on Panel	F Fabric	36	20
EP1S	•	36	20

## **Stack-on Panels**

**Fabric without Slots** 



12"	Н	: : :	•••••••••••••••••••••••••••••••••••••••	•••••••••••••••••••••••••••••••••••••••	FABR	 IC	•	•		PAIN	 IT
W	MODEL#	А	В	C	D	E	F	G	Н	P2	P3
12"	EP1SF1212N	\$460	\$480	\$510	\$550	\$590	\$635	\$685	\$740	+ \$25	+ \$50
18"	EP1SF1812N	\$483	\$503	\$533	\$573	\$613	\$658	\$708	\$763	+ \$25	+ \$50
24"	EP1SF2412N	\$506	\$526	\$556	\$596	\$636	\$681	\$731	\$786	+ \$25	+ \$50
30"	EP1SF3012N	\$529	\$549	\$579	\$619	\$659	\$704	\$754	\$809	+ \$25	+ \$50
36"	EP1SF3612N	\$552	\$582	\$622	\$672	\$742	\$822	\$912	\$1,022	+ \$25	+ \$50
42"	EP1SF4212N	\$575	\$605	\$645	\$695	\$765	\$845	\$935	\$1,045	+ \$25	+ \$50
48"	EP1SF4812N	\$598	\$628	\$668	\$718	\$788	\$868	\$958	\$1,068	+ \$25	+ \$50
60"	EP1SF6012N	\$621	\$651	\$691	\$741	\$811	\$891	\$981	\$1,091	+ \$25	+ \$50
13"	Н										
12"	EP1SF1213N	\$483	\$503	\$533	\$573	\$613	\$658	\$708	\$763	+ \$25	+ \$50
18"	EP1SF1813N	\$506	\$526	\$556	\$596	\$636	\$681	\$731	\$786	+ \$25	+ \$50
24"	EP1SF2413N	\$529	\$549	\$579	\$619	\$659	\$704	\$754	\$809	+ \$25	+ \$50
30"	EP1SF3013N	\$552	\$592	\$642	\$702	\$772	\$862	\$962	\$1,082	+ \$25	+ \$50
36"	EP1SF3613N	\$575	\$615	\$665	\$725	\$795	\$885	\$985	\$1,105	+ \$25	+ \$50
42"	EP1SF4213N	\$598	\$638	\$688	\$748	\$818	\$908	\$1,008	\$1,128	+ \$25	+ \$50
48"	EP1SF4813N	\$621	\$661	\$711	\$771	\$841	\$931	\$1,031	\$1,151	+ \$25	+ \$50
60"	EP1SF6013N	\$644	\$684	\$734	\$794	\$864	\$954	\$1,054	\$1,174	+ \$25	+ \$50
15"	Н										
12"	EP1SF1215N	\$506	\$526	\$556	\$596	\$641	\$691	\$746	\$806	+ \$25	+ \$50
18"	EP1SF1815N	\$529	\$549	\$579	\$619	\$664	\$714	\$769	\$829	+ \$25	+ \$50
24"	EP1SF2415N	\$552	\$572	\$602	\$642	\$687	\$737	\$792	\$852	+ \$25	+ \$50
30"	EP1SF3015N	\$575	\$615	\$665	\$725	\$795	\$895	\$1,005	\$1,125	+ \$25	+ \$50
36"	EP1SF3615N	\$598	\$638	\$688	\$748	\$818	\$918	\$1,028	\$1,148	+ \$25	+ \$50
42"	EP1SF4215N	\$621	\$661	\$711	\$771	\$841	\$941	\$1,051	\$1,171	+ \$25	+ \$50
48"	EP1SF4815N	\$644	\$684	\$734	\$794	\$864	\$964	\$1,074	\$1,194	+ \$25	+ \$50
60"	EP1SF6015N	\$667	\$707	\$757	\$817	\$887	\$987	\$1,097	\$1,217	+ \$25	+ \$50
17"	Н										
12"	EP1SF1217N	\$529	\$559	\$599	\$644	\$694	\$749	\$809	\$874	+ \$25	+ \$50
18"	EP1SF1817N	\$552	\$582	\$622	\$667	\$717	\$772	\$832	\$897	+ \$25	+ \$50
24"	EP1SF2417N	\$575	\$605	\$645	\$690	\$740	\$795	\$855	\$920	+ \$25	+ \$50
30"	EP1SF3017N	\$598	\$648	\$708	\$778	\$868	\$978	\$1,098	\$1,228	+ \$25	+ \$50
36"	EP1SF3617N	\$621	\$671	\$731	\$801	\$891	\$1,001	\$1,121	\$1,251	+ \$25	+ \$50
42"	EP1SF4217N	\$644	\$694	\$754	\$824	\$914	\$1,024	\$1,144	\$1,274	+ \$25	+ \$50
48"	EP1SF4817N	\$667	\$717	\$777	\$847	\$937	\$1,047	\$1,167	\$1,297	+ \$25	+ \$50

•	n	Δ	c	1	Ŧ	
•	۲	·	٠		•	١

60"

EP1SF6017N

- 1. Model #
- 2. Fabric
- 3. Paint

### Assembly

\$690

## Included

• Stack-on panel

\$740

\$800

\$870

 Flat (N) top cap attached to the bottom of stack-on panel

### Not Included

• Top cap (use top cap from base panel)

### **Ordered Separately**

Stack-on posts

\$960

\$1,070

\$1,190

Panel connectors

### Top Cap Styles

\$1,320

+ \$25


3 – Beveled

N – Flat

+ \$50








20"	и	•	••••••••••••	•••••••••••••••••••••••••••••••••••••••	•••••••••••••••••••••••••••••••••••••••	•••••••••••••••••••••••••••••••••••••••	•••••••••••••••••••••••••••••••••••••••	•••••••••••••••••••••••••••••••••••••••		•••••••••••••••••••••••••••••••••••••••	
					FABF					PAIN	
W	MODEL#	A	В	C	D	E	F	G	Н	P2	P3
12"	EP1SF1220N	\$552	\$582	\$622	\$667	\$717	\$772	\$832	\$902	+ \$25	+ \$50
18"	EP1SF1820N	\$575	\$605	\$645	\$690	\$740	\$795	\$855	\$925	+ \$25	+ \$50
24"	EP1SF2420N	\$598	\$628	\$668	\$713	\$763	\$818	\$878	\$948	+ \$25	+ \$50
30"	EP1SF3020N	\$621	\$671	\$731	\$801	\$901	\$1,031	\$1,171	\$1,321	+ \$25	+ \$50
36"	EP1SF3620N	\$644	\$694	\$754	\$824	\$924	\$1,054	\$1,194	\$1,344	+ \$25	+ \$50
42"	EP1SF4220N	\$667	\$717	\$777	\$847	\$947	\$1,077	\$1,217	\$1,367	+ \$25	+ \$50
48"	EP1SF4820N	\$702	\$752	\$812	\$882	\$982	\$1,112	\$1,252	\$1,402	+ \$25	+ \$50
60"	EP1SF6020N	\$725	\$775	\$835	\$905	\$1,005	\$1,135	\$1,275	\$1,425	+ \$25	+ \$50
25"	Н										
12"	EP1SF1225N	\$575	\$605	\$645	\$690	\$750	\$820	\$900	\$990	+ \$25	+ \$50
18"	EP1SF1825N	\$598	\$628	\$668	\$713	\$773	\$843	\$923	\$1,013	+ \$25	+ \$50
24"	EP1SF2425N	\$621	\$651	\$691	\$736	\$796	\$866	\$946	\$1,036	+ \$25	+ \$50
30"	EP1SF3025N	\$644	\$694	\$754	\$834	\$964	\$1,114	\$1,274	\$1,444	+ \$25	+ \$50
36"	EP1SF3625N	\$667	\$717	\$777	\$857	\$987	\$1,137	\$1,297	\$1,467	+ \$25	+ \$50
42"	EP1SF4225N	\$690	\$740	\$800	\$880	\$1,010	\$1,160	\$1,320	\$1,490	+ \$25	+ \$50
48"	EP1SF4825N	\$725	\$775	\$835	\$915	\$1,045	\$1,195	\$1,355	\$1,525	+ \$25	+ \$50
60"	EP1SF6025N	\$771	\$821	\$881	\$961	\$1,091	\$1,241	\$1,401	\$1,571	+ \$25	+ \$50
32"	Н										
12"	EP1SF1232N	\$598	\$628	\$668	\$713	\$773	\$863	\$963	\$1,073	+ \$25	+ \$50
18"	EP1SF1832N	\$621	\$651	\$691	\$736	\$796	\$886	\$986	\$1,096	+ \$25	+ \$50
24"	EP1SF2432N	\$644	\$674	\$714	\$759	\$819	\$909	\$1,009	\$1,119	+ \$25	+ \$50
30"	EP1SF3032N	\$667	\$717	\$777	\$867	\$1,017	\$1,187	\$1,377	\$1,597	+ \$25	+ \$50
36"	EP1SF3632N	\$690	\$740	\$800	\$890	\$1,040	\$1,210	\$1,400	\$1,620	+ \$25	+ \$50
42"	EP1SF4232N	\$713	\$763	\$823	\$913	\$1,063	\$1,233	\$1,423	\$1,643	+ \$25	+ \$50
48"	EP1SF4832N	\$748	\$798	\$858	\$948	\$1,098	\$1,268	\$1,458	\$1,678	+ \$25	+ \$50
60"	EP1SF6032N	\$782	\$832	\$892	\$982	\$1,132	\$1,302	\$1,492	\$1,712	+ \$25	+ \$50
37"	Н										
12"	EP1SF1237N	\$621	\$661	\$711	\$771	\$851	\$941	\$1,041	\$1,151	+ \$25	+ \$50
18"	EP1SF1837N	\$644	\$684	\$734	\$794	\$874	\$964	\$1,064	\$1,174	+ \$25	+ \$50
24"	EP1SF2437N	\$667	\$707	\$757	\$817	\$897	\$987	\$1,087	\$1,197	+ \$25	+ \$50
30"	EP1SF3037N	\$690	\$760	\$840	\$930	\$1,090	\$1,260	\$1,460	\$1,710	+ \$25	+ \$50
36"	EP1SF3637N	\$713	\$783	\$863	\$953	\$1,113	\$1,283	\$1,483	\$1,733	+ \$25	+ \$50
42"	EP1SF4237N	\$736	\$806	\$886	\$976	\$1,136	\$1,306	\$1,506	\$1,756	+ \$25	+ \$50
48"	EP1SF4837N	\$771	\$841	\$921	\$1,011	\$1,171	\$1,341	\$1,541	\$1,791	+ \$25	+ \$50
60"	EP1SF6037N	\$805	\$875	\$955	\$1,045	\$1,205	\$1,375	\$1,575	\$1,825	+ \$25	+ \$50

	Insert Type	W	н	Slots
EP1S Stack-on panel	F Fabric	36	37	N Without slots
		:		
ED16	- :	26	27	NI .
EP1S	F	36		N

## **Stack-on Panels**

**Insert with Slots** 



12" H		(	ILASS INSERT	ſ		MINATE INSE		PAII	
W	MODEL#	PG	GL	DG	L1	L2	L3	P2	P3
12"	EP2S()1212	\$744	\$813	\$1,066	\$779	\$856	\$934	+ \$25	+ \$50
18"	EP2S()1812	\$767	\$848	\$1,101	\$802	\$882	\$962	+ \$25	+ \$50
24"	EP2S()2412	\$802	\$899	\$1,152	\$842	\$926	\$1,010	+ \$25	+ \$50
30"	EP2S()3012	\$825	\$934	\$1,210	\$865	\$951	\$1,038	+ \$25	+ \$50
36"	EP2S()3612	\$848	\$974	\$1,273	\$894	\$983	\$1,072	+ \$25	+ \$50
42"	EP2S()4212	\$871	\$1,009	\$1,331	\$917	\$1,008	\$1,100	+ \$25	+ \$50
48"	EP2S()4812	\$894	\$1,055	\$1,377	\$951	\$1,046	\$1,141	+ \$25	+ \$50
60"	EP2S()6012	\$917	\$1,124	\$1,526	\$1,009	\$1,109	\$1,210	+ \$25	+ \$50

		•	\$917	\$1,124	\$1,526	\$1,009	\$1,109	\$1,210	+ \$25	+ \$50
13" H										
12"	EP2S()1213		\$790	\$859	\$1,112	\$825	\$907	\$989	+ \$25	+ \$50
18"	EP2S()1813		\$813	\$894	\$1,147	\$848	\$932	\$1,017	+ \$25	+ \$50
24"	EP2S()2413		\$836	\$934	\$1,210	\$876	\$964	\$1,052	+ \$25	+ \$50
30"	EP2S()3013		\$859	\$968	\$1,267	\$899	\$989	\$1,079	+ \$25	+ \$50
36"	<b>EP2S()</b> 3613		\$882	\$1,009	\$1,331	\$928	\$1,021	\$1,114	+ \$25	+ \$50
42"	EP2S()4213		\$905	\$1,043	\$1,388	\$951	\$1,046	\$1,141	+ \$25	+ \$50
48"	EP2S()4813		\$928	\$1,089	\$1,480	\$986	\$1,084	\$1,183	+ \$25	+ \$50
60"	EP2S()6013		\$940	\$1,147	\$1,607	\$1,032	\$1,135	\$1,238	+ \$25	+ \$50
15"										
12"	EP2S()1215		\$813	\$882	\$1,135	\$848	\$932	\$1,017	+ \$25	+ \$50

15"									
12"	EP2S()1215	\$813	\$882	\$1,135	\$848	\$932	\$1,017	+ \$25	+ \$50
18"	EP2S()1815	\$836	\$917	\$1,170	\$871	\$958	\$1,045	+ \$25	+ \$50
24"	EP2S()2415	\$859	\$957	\$1,233	\$899	\$989	\$1,079	+ \$25	+ \$50
30"	EP2S()3015	\$882	\$991	\$1,290	\$922	\$1,015	\$1,107	+ \$25	+ \$50
36"	EP2S()3615	\$905	\$1,032	\$1,354	\$951	\$1,046	\$1,141	+ \$25	+ \$50
42"	EP2S()4215	\$928	\$1,066	\$1,411	\$974	\$1,071	\$1,169	+ \$25	+ \$50
48"	EP2S()4815	\$940	\$1,101	\$1,492	\$997	\$1,097	\$1,196	+ \$25	+ \$50
60"	EP2S()6015	\$963	\$1,170	\$1,630	\$1,055	\$1,160	\$1,265	+ \$25	+ \$50

S	рe	ci	fy
_	г.	•	٠,

- 1. Model#
- 2. Insert type
- 3. Insert color 4. Paint

### **Plexiglass Finishes**

**CL** ...Clear  $\textbf{IC} \dots \mathsf{lce}$ 

 $\pmb{\mathsf{SM}}..\mathsf{Smoked}$ 

**TR** . . Translucent

### **Glass Finishes**

**CL** ...Clear  $\textbf{GR} \dots \mathsf{Grey}$  $\textbf{SM}..\mathsf{Smoked}$ 

**TR** . . Translucent

### Assembly

### Included • Stack-on panel

• Flat (N) top cap attached to the bottom of stack-on panel

### Not Included

• Top cap (use top cap from base panel)

### Ordered Separately

- Stack-on posts
- Panel connectors

\$1,252


\$1,321

+ \$25

+ \$25

+ \$50

+ \$50



48"

60"

EP2S()4820

EP2S()6020

		<b>;</b> ·······	• • • • • • • • • • • • • • • • •				••••••		
17" H		(	LASS INSER	Г	LAI	AINATE INSE	:RT	PAII	NT
W	MODEL#	PG	GL	DG	L1	L2	L3	P2	P3
12"	EP2S()1217	\$836	\$905	\$1,158	\$871	\$958	\$1,045	+ \$25	+ \$50
18"	EP2S()1817	\$859	\$940	\$1,216	\$894	\$983	\$1,072	+ \$25	+ \$50
24"	EP2S()2417	\$882	\$980	\$1,279	\$922	\$1,015	\$1,107	+ \$25	+ \$50
30"	EP2S()3017	\$905	\$1,014	\$1,336	\$945	\$1,040	\$1,134	+ \$25	+ \$50
36"	EP2S()3617	\$928	\$1,055	\$1,400	\$974	\$1,071	\$1,169	+ \$25	+ \$50
42"	EP2S()4217	\$940	\$1,078	\$1,469	\$986	\$1,084	\$1,183	+ \$25	+ \$50
48"	EP2S()4817	\$963	\$1,124	\$1,561	\$1,020	\$1,122	\$1,224	+ \$25	+ \$50
60"	EP2S()6017	\$986	\$1,193	\$1,699	\$1,078	\$1,185	\$1,293	+ \$25	+ \$50

#### 20" H 12" EP2S()1220 \$859 \$928 \$1,227 \$894 \$983 \$1,072 + \$25 + \$50 18" \$882 \$1,008 \$1,100 + \$25 + \$50 EP2S()1820 \$963 \$1,262 \$917 24" EP2S()2420 \$1,134 \$905 \$1,003 \$1,325 \$945 \$1,040 + \$25 + \$50 30" EP2S()3020 \$928 \$1,037 \$1,359 \$968 \$1,065 \$1,162 + \$25 + \$50 36" EP2S()3620 \$940 \$1,066 \$1,457 \$1,183 + \$25 + \$50 \$986 \$1,084 42" EP2S()4220 \$963 \$1,101 \$1,538 \$1,009 \$1,109 \$1,210 + \$25 + \$50

\$1,147

\$1,216

\$986

\$1,009

\$1,630

\$1,768

\$1,043

\$1,101


\$1,147

\$1,211

	Insert Type	w H	1
EP2S Stack-on panel	DG Designer glass insert GL Glass insert PG Plexiglass insert LM Laminate insert	36 1	5
EP2S	PG	36 1	5

## **Stack-on Panels**

**Insert without Slots** 



12" H			GLASS INSERT	ſ	LA	MINATE INSE	RT	PAII	NT
W	MODEL#	PG	GL	DG	L1	L2	L3	P2	Р3
12"	EP2S()1212N	\$744	\$813	\$1,066	\$779	\$856	\$934	+ \$25	+ \$50
18"	EP2S()1812N	\$767	\$848	\$1,101	\$802	\$882	\$962	+ \$25	+ \$50
24"	EP2S()2412N	\$802	\$899	\$1,152	\$842	\$926	\$1,010	+ \$25	+ \$50
30"	EP2S()3012N	\$825	\$934	\$1,210	\$865	\$951	\$1,038	+ \$25	+ \$50
36"	EP2S()3612N	\$848	\$974	\$1,273	\$894	\$983	\$1,072	+ \$25	+ \$50
42"	EP2S()4212N	\$871	\$1,009	\$1,331	\$917	\$1,008	\$1,100	+ \$25	+ \$50
48"	EP2S()4812N	\$894	\$1,055	\$1,377	\$951	\$1,046	\$1,141	+ \$25	+ \$50
60"	EP2S()6012N	\$917	\$1,124	\$1,526	\$1,009	\$1,109	\$1,210	+ \$25	+ \$50

## 13" H

12"	EP2S()1213N	\$790	\$859	\$1,112	\$825	\$907	\$989	+ \$25	+ \$50
18"	EP2S()1813N	\$813	\$894	\$1,147	\$848	\$932	\$1,017	+ \$25	+ \$50
24"	EP2S()2413N	\$836	\$934	\$1,210	\$876	\$964	\$1,052	+ \$25	+ \$50
30"	EP2S()3013N	\$859	\$968	\$1,267	\$899	\$989	\$1,079	+ \$25	+ \$50
36"	EP2S()3613N	\$882	\$1,009	\$1,331	\$928	\$1,021	\$1,114	+ \$25	+ \$50
42"	EP2S()4213N	\$905	\$1,043	\$1,388	\$951	\$1,046	\$1,141	+ \$25	+ \$50
48"	EP2S()4813N	\$928	\$1,089	\$1,480	\$986	\$1,084	\$1,183	+ \$25	+ \$50
60"	EP2S()6013N	\$940	\$1,147	\$1,607	\$1,032	\$1,135	\$1,238	+ \$25	+ \$50

## 15" H

12"	EP2S()1215N	\$813	\$882	\$1,135	\$848	\$932	\$1,017	+ \$25	+ \$50
18"	EP2S()1815N	\$836	\$917	\$1,170	\$871	\$958	\$1,045	+ \$25	+ \$50
24"	EP2S()2415N	\$859	\$957	\$1,233	\$899	\$989	\$1,079	+ \$25	+ \$50
30"	EP2S()3015N	\$882	\$991	\$1,290	\$922	\$1,015	\$1,107	+ \$25	+ \$50
36"	EP2S()3615N	\$905	\$1,032	\$1,354	\$951	\$1,046	\$1,141	+ \$25	+ \$50
42"	EP2S()4215N	\$928	\$1,066	\$1,411	\$974	\$1,071	\$1,169	+ \$25	+ \$50
48"	EP2S()4815N	\$940	\$1,101	\$1,492	\$997	\$1,097	\$1,196	+ \$25	+ \$50
60"	EP2S()6015N	\$963	\$1,170	\$1,630	\$1,055	\$1,160	\$1,265	+ \$25	+ \$50

## 17" H

12"	EP2S()1217N	\$836	\$905	\$1,158	\$871	\$958	\$1,045	+ \$25	+ \$50
18"	EP2S()1817N	\$859	\$940	\$1,216	\$894	\$983	\$1,072	+ \$25	+ \$50
24"	EP2S()2417N	\$882	\$980	\$1,279	\$922	\$1,015	\$1,107	+ \$25	+ \$50
30"	EP2S()3017N	\$905	\$1,014	\$1,336	\$945	\$1,040	\$1,134	+ \$25	+ \$50
36"	EP2S()3617N	\$928	\$1,055	\$1,400	\$974	\$1,071	\$1,169	+ \$25	+ \$50
42"	EP2S()4217N	\$940	\$1,078	\$1,469	\$986	\$1,084	\$1,183	+ \$25	+ \$50
48"	EP2S()4817N	\$963	\$1,124	\$1,561	\$1,020	\$1,122	\$1,224	+ \$25	+ \$50
60"	EP2S()6017N	\$986	\$1,193	\$1,699	\$1,078	\$1,185	\$1,293	+ \$25	+ \$50

### Specify

- 1. Model#
- Insert Type
   Insert color

### 4. Paint

### **Plexiglass Finishes**

**CL** ...Clear  $\textbf{IC} \dots \mathsf{lce}$ 

 $\pmb{\mathsf{SM}}..\mathsf{Smoked}$ 

**TR** . . Translucent

### **Glass Finishes**

**CL** ...Clear  $\textbf{GR} \dots \mathsf{Grey}$  $\textbf{SM}..\mathsf{Smoked}$ **TR** . . Translucent

## • Top cap base panel)

### Assembly

### Included


- Stack-on panel
- Flat (N) top cap attached to the bottom of stack-on panel

### Not Included

 Stack-on posts Panel connectors

Ordered Separately


(use top cap from



		;·····						•••••••••••••••••••••••••••••••••••••••	
20" H		(	GLASS INSERT		LA	MINATE INSE	RT	PAII	NT
W	MODEL#	PG	GL	DG	L1	L2	L3	P2	P3
12"	EP2S()1220N	\$859	\$928	\$1,227	\$894	\$983	\$1,072	+ \$25	+ \$50
18"	EP2S()1820N	\$882	\$963	\$1,262	\$917	\$1,008	\$1,100	+ \$25	+ \$50
24"	EP2S()2420N	\$905	\$1,003	\$1,325	\$945	\$1,040	\$1,134	+ \$25	+ \$50
30"	EP2S()3020N	\$928	\$1,037	\$1,359	\$968	\$1,065	\$1,162	+ \$25	+ \$50
36"	EP2S()3620N	\$940	\$1,066	\$1,457	\$986	\$1,084	\$1,183	+ \$25	+ \$50
42"	EP2S()4220N	\$963	\$1,101	\$1,538	\$1,009	\$1,109	\$1,210	+ \$25	+ \$50
48"	EP2S()4820N	\$986	\$1,147	\$1,630	\$1,043	\$1,147	\$1,252	+ \$25	+ \$50
60"	EP2S()6020N	\$1,009	\$1,216	\$1,768	\$1,101	\$1,211	\$1,321	+ \$25	+ \$50
25" H									
12"	EP2S()1225N	\$894	\$963	\$1,262	\$928	\$1,021	\$1,114	+ \$25	+ \$50
18"	EP2S()1825N	\$917	\$997	\$1,296	\$951	\$1,046	\$1,141	+ \$25	+ \$50
24"	EP2S()2425N	\$940	\$1,037	\$1,359	\$980	\$1,078	\$1,176	+ \$25	+ \$50
30"	EP2S()3025N	\$963	\$1,072	\$1,417	\$1,003	\$1,103	\$1,203	+ \$25	+ \$50
36"	EP2S()3625N	\$986	\$1,112	\$1,503	\$1,032	\$1,135	\$1,238	+ \$25	+ \$50
42"	EP2S()4225N	\$1,009	\$1,147	\$1,584	\$1,055	\$1,160	\$1,265	+ \$25	+ \$50
48"	EP2S()4825N	\$1,043	\$1,193	\$1,676	\$1,089	\$1,198	\$1,307	+ \$25	+ \$50
60"	EP2S()6025N	\$1,078	\$1,262	\$1,860	\$1,147	\$1,261	\$1,376	+ \$25	+ \$50
32" H									
12"	EP2S()1232N	\$917	\$986	\$1,285	\$951	\$1,046	\$1,141	+ \$25	+ \$50
18"	EP2S()1832N	\$940	\$1,020	\$1,342	\$974	\$1,071	\$1,169	+ \$25	+ \$50
24"	EP2S()2432N	\$963	\$1,060	\$1,405	\$1,003	\$1,103	\$1,203	+ \$25	+ \$50
30"	EP2S()3032N	\$986	\$1,095	\$1,509	\$1,026	\$1,128	\$1,231	+ \$25	+ \$50
36"	EP2S()3632N	\$1,009	\$1,135	\$1,618	\$1,055	\$1,160	\$1,265	+ \$25	+ \$50
42"	EP2S()4232N	\$1,032	\$1,170	\$1,722	\$1,078	\$1,185	\$1,293	+ \$25	+ \$50
48"	EP2S()4832N	\$1,066	\$1,227	\$1,825	\$1,124	\$1,236	\$1,348	+ \$25	+ \$50
60"	EP2S()6032N	\$1,124	\$1,331	\$2,021	\$1,216	\$1,337	\$1,459	+ \$25	+ \$50
37" H									
12"	EP2S()1237N	\$940	\$1,009	\$1,331	\$974	\$1,071	\$1,169	+ \$25	+ \$50
18"	EP2S()1837N	\$963	\$1,055	\$1,400	\$1,009	\$1,109	\$1,210	+ \$25	+ \$50
24"	EP2S()2437N	\$986	\$1,101	\$1,515	\$1,043	\$1,147	\$1,252	+ \$25	+ \$50
30"	EP2S()3037N	\$1,009	\$1,147	\$1,630	\$1,078	\$1,185	\$1,293	+ \$25	+ \$50
36"	EP2S()3637N	\$1,032	\$1,193	\$1,745	\$1,112	\$1,223	\$1,334	+ \$25	+ \$50
42"	EP2S()4237N	\$1,055	\$1,239	\$1,837	\$1,147	\$1,261	\$1,376	+ \$25	+ \$50
48"	EP2S()4837N	\$1,089	\$1,296	\$1,940	\$1,193	\$1,312	\$1,431	+ \$25	+ \$50
60"	EP2S()6037N	\$1,147	\$1,377	\$2,182	\$1,262	\$1,388	\$1,514	+ \$25	+ \$50

	Insert Type	w	н	Slots
EP2S Stack-on panel	DG Designer glass insert GL Glass insert PG Plexiglass insert LM Laminate insert	36	15	N Without Slots
EP2S	PG	36	15	N

### **Perforated Aluminum Insert with Slots**



12" H			ı	NSERT PAINT		PAII	NT
W	MODEL#	PA	P1	P2	P3	P2	Р3
12"	EP2SPA1212	\$744	\$794	\$814	\$834	+ \$25	+ \$50
18"	EP2SPA1812	\$767	\$817	\$837	\$857	+ \$25	+ \$50
24"	EP2SPA2412	\$802	\$852	\$872	\$892	+ \$25	+ \$50
30"	EP2SPA3012	\$825	\$885	\$905	\$925	+ \$25	+ \$50
36"	EP2SPA3612	\$848	\$908	\$928	\$948	+ \$25	+ \$50
42"	EP2SPA4212	\$871	\$931	\$951	\$971	+ \$25	+ \$50
48"	EP2SPA4812	\$894	\$954	\$974	\$994	+ \$25	+ \$50
60"	EP2SPA6012	\$917	\$997	\$1,027	\$1,057	+ \$25	+ \$50

60"	EP2SPA6012	\$917	\$997	\$1,027	\$1,057	+ \$25	+ \$50
13" H							
12"	EP2SPA1213	\$790	\$840	\$860	\$880	+ \$25	+ \$50
18"	EP2SPA1813	\$813	\$863	\$883	\$903	+ \$25	+ \$50
24"	EP2SPA2413	\$836	\$896	\$916	\$936	+ \$25	+ \$50
30"	EP2SPA3013	\$859	\$919	\$939	\$959	+ \$25	+ \$50
36"	EP2SPA3613	\$882	\$942	\$962	\$982	+ \$25	+ \$50
42"	EP2SPA4213	\$905	\$965	\$985	\$1,005	+ \$25	+ \$50
48"	EP2SPA4813	\$928	\$988	\$1,008	\$1,038	+ \$25	+ \$50
60"	EP2SPA6013	\$940	\$1,030	\$1,060	\$1,100	+ \$25	+ \$50
15"							
12"	ED2CD41215	¢012	Ċ0C2	ċ002	ċ002	. 625	. 650

15"							
12"	EP2SPA1215	\$813	\$863	\$883	\$903	+ \$25	+ \$50
18"	EP2SPA1815	\$836	\$886	\$906	\$926	+ \$25	+ \$50
24"	EP2SPA2415	\$859	\$909	\$939	\$959	+ \$25	+ \$50
30"	EP2SPA3015	\$882	\$932	\$972	\$992	+ \$25	+ \$50
36"	EP2SPA3615	\$905	\$965	\$1,005	\$1,025	+ \$25	+ \$50
42"	EP2SPA4215	\$928	\$988	\$1,038	\$1,058	+ \$25	+ \$50
48"	EP2SPA4815	\$940	\$1,010	\$1,070	\$1,090	+ \$25	+ \$50
60"	EP2SPA6015	\$963	\$1,063	\$1,123	\$1,153	+ \$25	+ \$50

S	рe	ci	fy
_	г.	•	٠,

- 1. Model #
- Insert color
   Paint

### Assembly

## Included

- Stack-on panel
- Flat (N) top cap attached to the bottom of stack-on panel

### Not Included


• Top cap (use top cap from base panel)

### **Ordered Separately**

- Stack-on posts
- Panel connectors

## **Stack-on Panels**

**Perforated Aluminum Insert with Slots** 




17" H	17" H		INSERT PAINT			PAINT	
W	MODEL#	PA	P1	P2	P3	P2	P3
12"	EP2SPA1217	\$836	\$886	\$906	\$926	+ \$25	+ \$50
18"	EP2SPA1817	\$859	\$909	\$929	\$949	+ \$25	+ \$50
24"	EP2SPA2417	\$882	\$942	\$962	\$982	+ \$25	+ \$50
30"	EP2SPA3017	\$905	\$965	\$995	\$1,015	+ \$25	+ \$50
36"	EP2SPA3617	\$928	\$998	\$1,028	\$1,048	+ \$25	+ \$50
42"	EP2SPA4217	\$940	\$1,020	\$1,060	\$1,080	+ \$25	+ \$50
48"	EP2SPA4817	\$963	\$1,053	\$1,103	\$1,123	+ \$25	+ \$50
60"	EP2SPA6017	\$986	\$1,106	\$1,156	\$1,186	+ \$25	+ \$50

#### 20" H 12" EP2SPA1220 \$859 \$909 \$929 \$949 + \$25 + \$50 18" EP2SPA1820 \$882 \$932 \$972 + \$25 + \$50 \$952 24" EP2SPA2420 \$905 \$1,005 + \$25 \$955 \$985 + \$50 30" EP2SPA3020 \$928 \$988 \$1,018 \$1,038 + \$25 + \$50 36" EP2SPA3620 \$940 \$1,020 \$1,060 \$1,080 + \$25 + \$50 42" EP2SPA4220 \$963 \$1,043 \$1,103 \$1,123 + \$25 + \$50 \$1,176 48" EP2SPA4820 \$1,076 + \$25 \$986 \$1,146 + \$50 \$1,249 60" EP2SPA6020 \$1,009 \$1,149 + \$25 + \$50 \$1,199

		Insert Type	W	Н
EP2S	Stack-on panel	PA Perforated Aluminum	36	15
:				
:				
EP2S		PA	36	15

**Perforated Aluminum Insert without Slots** 



12" H		INSERT PAINT			PAINT		
W	MODEL #	PA	L1	L2	L3	P2	P3
12"	EP2SPA1212N	\$744	\$794	\$814	\$834	+ \$25	+ \$50
18"	EP2SPA1812N	\$767	\$817	\$837	\$857	+ \$25	+ \$50
24"	EP2SPA2412N	\$802	\$852	\$872	\$892	+ \$25	+ \$50
30"	EP2SPA3012N	\$825	\$885	\$905	\$925	+ \$25	+ \$50
36"	EP2SPA3612N	\$848	\$908	\$928	\$948	+ \$25	+ \$50
42"	EP2SPA4212N	\$871	\$931	\$951	\$971	+ \$25	+ \$50
48"	EP2SPA4812N	\$894	\$954	\$974	\$994	+ \$25	+ \$50
60"	EP2SPA6012N	\$917	\$997	\$1,027	\$1,057	+ \$25	+ \$50
3" H							

13" H							
12"	EP2SPA1213N	\$790	\$840	\$860	\$880	+ \$25	+ \$50
18"	EP2SPA1813N	\$813	\$863	\$883	\$903	+ \$25	+ \$50
24"	EP2SPA2413N	\$836	\$896	\$916	\$936	+ \$25	+ \$50
30"	EP2SPA3013N	\$859	\$919	\$939	\$959	+ \$25	+ \$50
36"	EP2SPA3613N	\$882	\$942	\$962	\$982	+ \$25	+ \$50
42"	EP2SPA4213N	\$905	\$965	\$985	\$1,005	+ \$25	+ \$50
48"	EP2SPA4813N	\$928	\$988	\$1,008	\$1,038	+ \$25	+ \$50
60"	EP2SPA6013N	\$940	\$1,030	\$1,060	\$1,100	+ \$25	+ \$50

15" H							
12"	EP2SPA1215N	\$813	\$863	\$883	\$903	+ \$25	+ \$50
18"	EP2SPA1815N	\$836	\$886	\$906	\$926	+ \$25	+ \$50
24"	EP2SPA2415N	\$859	\$909	\$939	\$959	+ \$25	+ \$50
30"	EP2SPA3015N	\$882	\$932	\$972	\$992	+ \$25	+ \$50
36"	EP2SPA3615N	\$905	\$965	\$1,005	\$1,025	+ \$25	+ \$50
42"	EP2SPA4215N	\$928	\$988	\$1,038	\$1,058	+ \$25	+ \$50
48"	EP2SPA4815N	\$940	\$1,010	\$1,070	\$1,090	+ \$25	+ \$50
60"	EP2SPA6015N	\$963	\$1,063	\$1,123	\$1,153	+ \$25	+ \$50

17" H							
12"	EP2SPA1217N	\$836	\$886	\$906	\$926	+ \$25	+ \$50
18"	EP2SPA1817N	\$859	\$909	\$929	\$949	+ \$25	+ \$50
24"	EP2SPA2417N	\$882	\$942	\$962	\$982	+ \$25	+ \$50
30"	EP2SPA3017N	\$905	\$965	\$995	\$1,015	+ \$25	+ \$50
36"	EP2SPA3617N	\$928	\$998	\$1,028	\$1,048	+ \$25	+ \$50
42"	EP2SPA4217N	\$940	\$1,020	\$1,060	\$1,080	+ \$25	+ \$50
48"	EP2SPA4817N	\$963	\$1,053	\$1,103	\$1,123	+ \$25	+ \$50
60"	EP2SPA6017N	\$986	\$1,106	\$1,156	\$1,186	+ \$25	+ \$50

- 1. Model#
- 2. Insert color
- 3. Paint

### Assembly

## Included

- Stack-on panel
- Flat (N) top cap attached to the bottom of stack-on panel

### Not Included


• Top cap (use top cap from base panel)

### **Ordered Separately**

- Stack-on posts
- Panel connectors

## **Stack-on Panels**

**Perforated Aluminum Insert without Slots** 



20" H			INSERT PAINT			PAIN	PAINT	
W	MODEL#	PA	L1	L2	L3	P2	P.	
12"	EP2SPA1220N	\$859	\$909	\$929	\$949	+ \$25	+ \$50	
18"	EP2SPA1820N	\$882	\$932	\$952	\$972	+ \$25	+ \$50	
24"	EP2SPA2420N	\$905	\$955	\$985	\$1,005	+ \$25	+ \$5	
30"	EP2SPA3020N	\$928	\$988	\$1,018	\$1,038	+ \$25	+ \$5	
36"	EP2SPA3620N	\$940	\$1,020	\$1,060	\$1,080	+ \$25	+ \$5	
42"	EP2SPA4220N	\$963	\$1,043	\$1,103	\$1,123	+ \$25	+ \$5	
48"	EP2SPA4820N	\$986	\$1,076	\$1,146	\$1,176	+ \$25	+ \$5	
60"	EP2SPA6020N	\$1,009	\$1,149	\$1,199	\$1,249	+ \$25	+ \$5	
5" H								
12"	EP2SPA1225N	\$894	\$944	\$964	\$984	+ \$25	+ \$5	
18"	EP2SPA1825N	\$917	\$967	\$997	\$1,017	+ \$25	+ \$5	
24"	EP2SPA2425N	\$940	\$1,000	\$1,030	\$1,050	+ \$25	+ \$5	
30"	EP2SPA3025N	\$963	\$1,023	\$1,073	\$1,093	+ \$25	+ \$5	
36"	EP2SPA3625N	\$986	\$1,056	\$1,116	\$1,136	+ \$25	+ \$5	
42"	EP2SPA4225N	\$1,009	\$1,089	\$1,159	\$1,179	+ \$25	+ \$5	
48"	EP2SPA4825N	\$1,043	\$1,133	\$1,203	\$1,233	+ \$25	+ \$5	
60"	EP2SPA6025N	\$1,078	\$1,218	\$1,258	\$1,298	+ \$25	+ \$5	
2" H								
12"	EP2SPA1232N	\$917	\$967	\$987	\$1,007	+ \$25	+ \$5	
18"	EP2SPA1832N	\$940	\$990	\$1,020	\$1,040	+ \$25	+ \$5	
24"	EP2SPA2432N	\$963	\$1,023	\$1,053	\$1,073	+ \$25	+ \$5	
30"	EP2SPA3032N	\$986	\$1,076	\$1,106	\$1,126	+ \$25	+ \$5	
36"	EP2SPA3632N	\$1,009	\$1,119	\$1,159	\$1,179	+ \$25	+ \$5	
42"	EP2SPA4232N	\$1,032	\$1,152	\$1,212	\$1,232	+ \$25	+ \$5	
48"	EP2SPA4832N	\$1,066	\$1,186	\$1,266	\$1,286	+ \$25	+ \$5	
60"	EP2SPA6032N	\$1,124	\$1,284	\$1,364	\$1,394	+ \$25	+ \$5	
7" H								
12"	EP2SPA1237N	\$940	\$990	\$1,010	\$1,030	+ \$25	+ \$5	
18"	EP2SPA1837N	\$963	\$1,013	\$1,043	\$1,063	+ \$25	+ \$5	
24"	EP2SPA2437N	\$986	\$1,046	\$1,076	\$1,106	+ \$25	+ \$5	
30"	EP2SPA3037N	\$1,009	\$1,109	\$1,139	\$1,169	+ \$25	+ \$5	
36"	EP2SPA3637N	\$1,032	\$1,162	\$1,192	\$1,232	+ \$25	+\$	

	Insert Type	W	Н	Slots
EP2S Stack-on panel	PA Perforated Aluminum	36	15	N Without Slots
EP2S	PA	36	15	N

\$1,089 \$1,239

\$1,147 \$1,347

\$1,299

\$1,407

\$1,359

\$1,467 + \$25

+ \$25

+ \$50

+ \$50


48"

60"

EP2SPA4837N

EP2SPA6037N







### **Extended**

LACCIIAC	ч				
12"	EP1SPC12E		\$144	\$149	\$154
13"	EP1SPC13E		\$155	\$160	\$165
15"	EP1SPC15E		\$167	\$172	\$177
17"	EP1SPC17E		\$178	\$183	\$188
20"	EP1SPC20E		\$201	\$211	\$221
25"	EP1SPC25E		\$219	\$229	\$239
32"	EP1SPC32E		\$230	\$240	\$250
37"	EP1SPC37E		\$242	\$252	\$262
Panel connectors must be ordered separately.					

### Specify

- 1. Model#
- 2. Paint

### **Application Notes**

Stack-on post must be used between adjacent stack-on panels.

### Standard Stack-on

Standard stack-on post bottom uses a conical shaped bolt that connects it to the connector directly beneath it. Panel connectors for the top of the stack-on post must be ordered separately to match the geometry of the stack-on panels.

### Extended Stack-on

Extended stack-on post bottom uses a double-threaded round connector to attach to the full-height post directly beneath it. Multi-height panel connectors (EPNPCMF) must be used on either side of the bottom of this connector to provide a smooth transition. Standard panel connectors are used along the top of the stack-on panels.



## **Coat Hook Straight**

DESCRIPTION	W	D	Н	MODEL#	BLACK OR MATTE ALUM
5 Pack	1/8"	1 %"	2 3/8"	EP3MMCH (B/P)	\$162



### **Coat Hook Postless End**

5 Pack	1 3/8"	3/8"	2 3/8"	EP3MMCHPE (R/L)(B/P)	\$162

### Specify


- 1. Model#
- 2. Paint

### Coat Hook

Aluminum coat hook attaches to any exposed Equity vertical slot. There are two versions. The straight version will work on any Equity vertical slot except for those on an inside corner. The postless end version is handed and extends beyond the edge of a panel with a postless end. Hand is determined by which side of the panel the coat hook is installed on while facing the panel.


### Available in two colors

Black (B) Matte Aluminum (P)




## 8" H

W	Н	MODEL#	LIST
12"	8"	EPFLGL1208	\$161
18"	8"	EPFLGL1808	\$219
24"	8"	EPFLGL2408	\$276
30"	8"	EPFLGL3008	\$334
36"	8"	EPFLGL3608	\$391
42"	8"	EPFLGL4208	\$449
48"	8"	EPFLGL4808	\$506
60"	8"	EPFLGL6008	\$564
66"	8"	EPFLGL6608	\$621
72"	8"	EPFLGL7208	\$679



## 12" H

w	Н	MODEL#	LIST
12"	12"	EPFLGL1212	\$219
18"	12"	EPFLGL1812	\$288
24"	12"	EPFLGL2412	\$357
30"	12"	EPFLGL3012	\$414
36"	12"	EPFLGL3612	\$472
42"	12"	EPFLGL4212	\$529
48"	12"	EPFLGL4812	\$587
60"	12"	EPFLGL6012	\$644
66"	12"	EPFLGL6612	\$702
72"	12"	EPFLGL7212	\$759



## 14" H

w	Н	MODEL#	LIST
12"	14"	EPFLGL1214	\$253
18"	14"	EPFLGL1814	\$345
24"	14"	EPFLGL2414	\$437
30"	14"	EPFLGL3014	\$529
36"	14"	EPFLGL3614	\$621
42"	14"	EPFLGL4214	\$713
48"	14"	EPFLGL4814	\$805
60"	14"	EPFLGL6014	\$897
66"	14"	EPFLGL6614	\$989
72"	14"	EPFLGL7214	\$1,081

Sp	ecify
1.	Model #

2. Glass finish

### **Glass Finishes**

CL .. Clear  $\textbf{GR} \dots \mathsf{Grey}$ SM...Smoked  $\textbf{TR} \ \dots \text{Translucent}$ 

### **Application Notes**

Glass is a single-pane, 3/8" tempered safety glass. Frameless glass can span multiple panels with one piece of glass.

### Assembly

### Not Included

Attachment connectors

		Тор Сар	Туре	W	Н
EP Equ	ity Panel FL	Frameless	GL Glass	48	12
EP	EI		GL	48	12
	1 -		· - :		

## **Frameless Glass**

Frameless Connectors			PAINT		
DESCRIPTION	MODEL#		P1	P2	Р3
Straight	EPFLCS		\$69	\$79	\$89
2-way L	EPFLCL		\$75	\$85	\$95
3-way T	EPFLCT		\$75	\$85	\$95
3-way Y 120	EPFLCY		\$75	\$85	\$95
4-way X	EPFLCX		\$75	\$85	\$95
End	EPFLCE		\$69	\$79	\$89







2-way L **EPFLCL** 



3-way T EPFLCT



3-way Y 120 **EPFLCY** 



4-way X **EPFLCX** 



End **EPFLCE** 

۱n	ecity
7	,

- 1. Model#
- 2. Paint

Application Notes
Frameless glass mounts to panels on either end thru connectors that screw into the top of the panel's posts.
Assembly

### Included

Attachment hardware

	тор Сар	iype	VV
EP Equity Panel	FL Frameless	C Connector	S Straight
			L 2-way L
			T 3-way T
			Y 3-way Y
			X 4-way X
			E End
EP	FI	c	ς



			:·········	•••••••••••••••••••••••••••••••••••••••	
Add-	on Screens			PAINT	
W	Н	MODEL#	P1	P2	P3
12"	15"	EP3AOPG1215	\$692	\$717	\$742
18"	15"	EP3AOPG1815	\$785	\$810	\$835
24"	15"	EP3AOPG2415	\$815	\$840	\$865
30"	15"	EP3AOPG3015	\$861	\$886	\$911
36"	15"	EP3AOPG3615	\$918	\$943	\$968
42"	15"	EP3AOPG4215	\$1,018	\$1,043	\$1,068
48"	15"	EP3AOPG4815	\$1,111	\$1,136	\$1,161
60"	15"	EP3AOPG6015	\$1,136	\$1,161	\$1,186

Specify	Plexiglass Finishes	Application Notes	
1. Model # 2. Plexiglass finish 3. Paint	CL Clear IC Ice SM Smoked TR Translucent LF Frost	Add-on screens mount on the slotted standard with two (2) die cast stanchion brackets that are included.	Add-on screens are compatible with flat (N) and beveled (3) top caps.
		Two add-on screens may not be mounted next to	Assembly
		each other on the inside corner of a 90° connection.	Included  • Attachment hardware



Slat R	ail —	oanel mounted			PAINT	
W	Н	MODEL#	MATTE ALUM	P1	P2	P3
12"	6"	SR612	\$138	\$168	\$185	\$202
18"	6"	SR618	\$150	\$180	\$197	\$215
24"	6"	SR624	\$173	\$203	\$223	\$243
30"	6"	SR630	\$184	\$214	\$235	\$257
36"	6"	SR636	\$196	\$226	\$248	\$271
42"	6"	SR642	\$207	\$247	\$272	\$296
48"	6"	SR648	\$230	\$270	\$297	\$324
60"	6"	SR660	\$242	\$292	\$321	\$350

Slat Rail Accessories						PAINT		
W	Н	D	MODEL#	DESCRIPTION	MATTE ALUM	P1	P2	Р3
12 1/4"	4"	2 3/4"	SRAFLH	File hanger	\$81	\$111	\$122	\$133
13 1/4"	7/8"	9 5/8"	SRAPAT	Paper tray	\$92	\$122	\$134	\$146
3 1/4"	3 ½"	1 ½"	SRAUPT	Upright tray	\$69	\$99	\$109	\$119
2 ¾"	7/8"	3 %"	SRASMT	Small tray	\$58	\$88	\$96	\$105
7 3/4"	7/8"	3 %"	SRAPNH	Pencil holder	\$58	\$88	\$96	\$105



File Hanger **SRAFLH** 



Paper Tray **SRAPAT** 



Pencil Holder **SRAPNH** 



Small Tray SRASMT




Upright Tray **SRAUPT** 

### Specify

- 1. Model#
- 2. Paint

## **Electrical**

"E" Series electrical systems consist of a 4-circuit and a 6-circuit system. Each circuit in the systems provides a maximum of 20 amps. The four circuit system has eight wires; the six-circuit system has ten wires. Both 8- and 10-wire systems contain two 10-gauge "super" neutrals and two ground wires so that sensitive electronic equipment may be easily protected from unwanted electrical interference. "E" Series electrical can be connected to either single phase or threephase building power supplies.




### **SPECIFICATION CHECKLIST**

The following is a general checklist to ensure your order has been specified properly and to expedite entry of your order. It should be reviewed by a licensed electrician to ensure compliance with any local code requirements.

- Base or ceiling infeed modules.
   One for each point of connection to the building power supply.
   Select model desired. Electrical connection to the building power supply must be made by a licensed electrician to ensure proper installation.
- Select panels. Conduit jumpers are used to pass power to electrified panels. These panels do not have factory-installed power wiring, but modular power components are field-installed.
- Shrouds must be used for each panel to panel point to complete the raceway connection.
   Shrouds are included when post assemblies are ordered.
   Shrouds can also be ordered separately when building a multiple height connection.
- 4. Duplex receptacles. Specify the circuit which receptacles are to access: #1, #2, #3 and #4D for 2+2 info eight-wire applications and additionally #5D and #6D for ten wire applications. If connecting to single-phase supply, do not order #2 and #5D receptacles.
- Select and order appropriate conduit jumpers to pass power between panels.
- Conduit Jumpers are for regular panel to panel connections or used to pass power through panels from terminal block to terminal block, which can be located up to 12 feet apart.

### **Calculate Correct Jumper Length**

- 1) Add widths of both panels containing terminal blocks.
- 2) Divide by 2.
- Add width of any nonelectrified panels inbetween. The result is the correct jumper length.



7. Modular wiring components. Internal panel wiring is fully modular and is field-installed into the raceway of panels. When wiring is field-installed the following components must be specified:

### A. Terminal blocks

To branch circuits, splice jumpers or locate receptacles. Blocks snap-lock into place and are always located in the center of a panel. Panels have one block location only. Base infeed and ceiling infeed modules are each designed to plug into a terminal block, which must be ordered separately from the infeed.

# **B. Duplex Receptacles**Always specified separately according to circuit access.

### C. Side Mount Receptacles

Available for panels 24" and wider. All standard receptacles fit into side mount position on right side of terminal block connector end. Therefore, no circuit number restriction.


### **SPECIAL CONSIDERATIONS**

In addition to the checklist the following points should be remembered when planning a layout utilizing this electrical distribution system.

- "E" Series electrical consists of four or six 20-amp circuits, any of which can be accessed as desired by plugging in a specially numbered receptacle at terminal block locations in panels.
- Electrified panels can be interspersed between nonelectrified panels with the use of extra-length jumpers which pass circuitry to the next electrified panel.
- For isolation, the 2nd ground must be properly and separately grounded to the building by the installing licensed electrician.
- 4. Certain cities or localities carry special codes limiting the use of certain items within this system. Equity products are available which comply with these code requirements. Neutral Posture recommends contacting your local sales representative for clarification and possible restrictions.

Because of our continuous product improvements, these specifications are subject to change without notice. Please consult your sales representative for the latest information prior to ordering.

## **ELECTRICAL**



## **Electrical**

### **BASE INFEED MODULE**

Modular base-mounted infeed conduits in eight-wire and tenwire versions are provided for connection to building power supplies housed in underfloor outlet boxes, floor mounted (monuments) or wall outlet boxes. Available "unhanded" for ease in introducing power from left or right of infeed location. The cover plates provided by others, for floor monuments, recessed floor boxes or wall boxes are to be punched to receive a half-inch (trade size) knockout hole for installation of the box fitting, which is included on the infeed circuit. The wiring connection is to be made within the box inside the monument or behind the floor or wall flush plate. The 4'6" conduit can be shortened to meet field conditions by cutting the infeed (loose) end. Base Infeed Module plugs into terminal block at the receptacle location. For New York and San Francisco base infeed, see page 63.

Connecting to the building power source must be performed by a licensed electrician.

### **CEILING INFEED MODULE**

The straight tubular infeed may be shortened (on its bottom end) if it will not fit field conditions. ceiling infeed module is filled with 8- or 10- wire conduit and plugs into terminal block in adjacent panel. Harness length is 19'. Upper tube of module is 6' 7" in length.

### RACEWAY PANELS WITH FIELD-INSTALLED COMPONENTRY:

- An independent cableway with capacity for up to ten %" dia. communications cables.
- A terminal block at the center of the panel allows for jumpers to connect panel to panel electrical connections and placement of duplex receptacles.
- Terminal block allows for receptacles in two locations, one on each side of the center of the panel (back to back), into which duplex 15-amp receptacles can be placed. The raceway covers are provided with removable knockouts.
- 4. For increased electric demands a second duplex receptacle per panel side can be added to panels 24" and wider. This receptacle plugs directly into the right side terminal block connector ends. Any standard "E" Series receptacle may be used.
- The faceplates on both sides of the panel are removable without removing receptacles.

The system and all standard components are UL-listed. Because of our continuous product improvements, these specifications are subject to change without notice. Please consult a Neutral Posture sales representative for the latest information prior to ordering.

### **CABLE CAPACITY**

FILL	100%	40%
Cat 5	35	14
Cat 6	28	11

### 8-WIRE SYSTEM

### 2 + 2

The 2+2 electrical system consists of four 20 amp, 120 volt, 60-Hertz circuits. These circuits will accommodate 120 volt single phase, 120/240 volt split phase and 120/208 volt three phase power. The system components have a 20 amp capacity. The (NEC) only allows steady loads to 80% of capacity which is equivalent to 16 amps. Each circuit can generally power 8 - 10 duplex convenience outlets that are performing a normal load. However, in heavy load situations, such as computer systems each circuit will power 3 – 5 duplex outlets.


### 3 + 1


The 3+1 electrical system consists of four 20 amp, 120 volt, 60-Hertz circuits. These circuits will power a 120 volt single phase, a 120/240 volt split and a 120/208 volt three phase power. Each system components have the capacity to power 20 amp. The National Electric Code (NEC) only allows steady loads to 80% of capacity which is equivalent to 16 amps. Each circuit can generally power 8-10 duplex convenience outlets that are performing a normal load. However, in heavy load situations, such as computer systems each circuit will power 3 – 5 duplex outlets. If each work station has two convenience duplex outlets and one protected duplex, the 8-wire (4-circuit) system can supply a cluster of 6 - 10 workstations from each infeed.

### **10-WIRE SYSTEM**

#### 3 + 3

The 3+3 electrical system consists of six 20 amp, 120 volt, 60-Hertz circuits. The circuits will accommodate 120 volt single phase, 120/240 volt split phase and 120/208 volt three phase power. Each system components have the capacity to power 20 amp. The National Electric Code (NEC) only allows steady loads to 80% of capacity which is equivalent to 16 amps. Each circuit can generally power 8 - 10 duplex convenience outlets that are performing a normal load. However, in heavy load situations, such as computer systems each circuit will power 3 - 5 duplex outlets. If each workstation has two convenience duplex outlets and one protected duplex, the 10-wire (6-circuit) system can supply a cluster of 9 – 15 workstations from each infeed.





#### 1 Black HOT 2 Red HOT 4D 3 Blue Pink HOT HOT Ν Ν White/Black White/Red SHARED ISOLATED G G Green/Yellow

### **COMPATIBILITY**

Equity power systems use similar components in all electrical systems. However, all parts are

not functionally interchangeable and should be used based on instructions given.

# Electrical Ceiling Infeeds

Ceili	ng In	feed	s		PAINT	
W	D	Н	MODEL#	P1	P2	P3
4"	1 ½"	120"	EE3CM41M	\$719	\$754	\$792
4"	1 ½"	120"	EE3CM49M	\$719	\$754	\$792
4"	1 ½"	120"	EE3CM54M	\$719	\$754	\$792
4"	1 ½"	120"	EE3CM61M	\$719	\$754	\$792
4"	1 ½"	120"	EE3CM66M	\$719	\$754	\$792
4"	1 ½"	120"	EE3CM81M	\$719	\$754	\$792

## **Ceiling Infeed Harness**

DESCRIPTION	MODEL#	LIST
E-Series 10-wire	EE1CH-10	\$659
E-Series 8-wire	EE1CH-8	\$541

### Specify

- 1. Model #
- 2. Paint

Fabric cover modules are not available.

### Configurations

### 8-wire

2 + 2

3 + 1

**10-wire** 3 + 3

### **Application Notes**

To connect a metal ceiling infeed to a corner or straight connection use an adjustable angle connector or an adjustable angle connector with multiheight connector for a three-way connection.

### Ceiling Infeeds

Electrical harnesses not included with modules. Modules are hollow to accommodate power and/ or data cables from source into systems furniture.

With electrical harness installed, infeed holds 28 Cat 6 cables.

No "hang on" capabilities. Module cannot be used for panel support. Powder coated module is 120" long metal extrusion with attachment hooks at proper height to attach to appropriate height post.


Cables/conduit are laid into module by removal of two-piece front 1½" wide vertical access cover which runs the length of the extrusion.

Includes escutcheon plate which is white to integrate with ceiling. Tube is trim colored to match system trim.



### **Base Infeeds**

DESCRIPTION	W	MODEL #	LIST
8-wire (right handed)	54"	EE1BI-8	\$281
8-wire (right handed)	72"	EE1BI72-8	\$346
10-wire (right handed)	54"	<b>EE1BI-1</b> 0	\$339
10-wire (right handed)	72"	<b>EE1BI</b> 72-10	\$412
8-wire (left handed)	54"	EE1BI-8-L	\$281
8-wire (left handed)	72"	EE1BI72-8-L	\$346
10-wire (left handed)	54"	EE1BI-10-L	\$339
10-wire (left handed)	72"	EE1BI72-10-L	\$412




### Base Infeeds – New York

10-wire	EE1BI-10N	\$427
8-wire	EE1BI-8N	\$350



### Base Infeeds – San Francisco

8-wire (non-handed)	54"	EE1BI-8SF	\$281
8-wire (non-handed)	72"	EE1BI72-8SF	\$346
10-wire (non-handed)	54"	EE1BI-10SF	\$339
10-wire (non-handed)	72"	EE1BI72-10SF	\$412



## **Jumper End Base Infeeds**

10-wire (w/ground)	72"	EE1BIJ-10G	\$473
8-wire (w/ground)	72"	EE1BIJ-8G	\$391
8-wire	72"	EE1BIJ-8	\$360
10-wire	72"	EE1BIJ-10	\$444

Configurations
8-wire
2 + 2
3 + 1

10-wire

3 + 3

### Base Infeeds

An infeed conduit connects to the wall or floor outlet box of a building's power supply and plugs into a terminal block in panel raceway. Power entry can be from either left or right side of panel. Metal cover conceals the baseboard connection and is reversible for either left or right entry. Can be field-cut to proper lengths. Color is black. A terminal block must be ordered separately.

### Jumper End Base Infeeds

Connects by hardwiring to a building's electrical supply in floor or wall box by a licensed electrician. Plugs into one set of terminal connections at end of terminal block. Terminal block must be located in panel adjacent to source. Terminal block is ordered separately.

Base infeed can be field cut by a licensed electrician to necessary length. Conduit is encased in black plastic sealer.

# Electrical Components



Terminal Block			/IRE	10-WIRE	
DESCRIPTION	MODEL#	(3+1)	(2+2)	(3+3)	LIST
8-wire	EE1TB8	•	•		\$64
10-wire	EE1TB10			•	\$83



Duplex Receptacle		8-W	8-WIRE		
DESCRIPTION	MODEL#	(3+1)	(2+2)	(3+3)	LIST
Circuit #1	EE1R1				\$58
Circuit #2	EE1R2		•		\$58
Circuit #3 dedicated for 2+2	EE1R3D				\$58
Circuit #3 for 3+1	EE1R3			•	\$58
Circuit #4 dedicated circuit for 3+1, 2+2 or 3+3	EE1R4D				\$58
Circuit #5 dedicated circuit for 3+3	EE1R5D			•	\$58
Circuit #6 dedicated circuit for 3+3	EE1R6D				\$58



Duplex Receptacle (10 Pack)		8-W	/IRE	10-WIRE	
DESCRIPTION	MODEL#	(3+1)	(2+2)	(3+3)	LIST
Circuit #1	EE1R1 P10		•		\$473
Circuit #2	EE1R2 P10				\$473
Circuit #3 dedicated for 2+2	EE1R3D P10				\$473
Circuit #3 for 3+1	EE1R3 P10				\$473
Circuit #4 dedicated circuit for 3+1, 2+2 or 3+3	EE1R4D P10		•		\$473
Circuit #5 dedicated circuit for 3+3	EE1R5D P10				\$473
Circuit #6 dedicated circuit for 3+3	EE1R6D P10				\$473



Receptacle – Side Mount		8-W	/IRE	10-WIRE	
DESCRIPTION	MODEL#	(3+1)	(2+2)	(3+3)	LIST
10 Pack	EE1SMRB10				\$288

Data Shield		8-W	/IRE	10-WIRE	
DESCRIPTION	MODEL#	(3+1)	(2+2)	(3+3)	LIST
Terminal block shield	EE15BR		•		\$89



## **Knock-out Replacement Cover**

DESCRIPTION	MODEL#	LIST
10 Pack	EE1KC10	\$78

### Application Notes

Receptacles are black only.


### Terminal Block

A modular eight or ten wire block that snaps into the base location in center of the panel. Used to branch circuits, splice jumpers or locate duplex receptacles back to back.

### Side Mount Receptacles

Plugs directly into the right side of terminal block to provide a second duplex receptacle where required.

Any "E" Series receptacle can be used in panels 24" wide and wider. Side mount receptacle bracket (EE1SMRB10) is needed when using a side mount receptacle.



			· · · · · · · · · · · · · · · · · · ·	
Jumper			8-WIRE	10-WIRE
LENGTH (NOMINAL)	LENGTH (ACTUAL)	MODEL#		
18"	11 ½"	EE1C18-(8/10)	\$125	\$148
21"	14 ½"	EE1C21-(8/10)	\$130	\$152
24"	17 ½"	EE1C24-(8/10)	\$133	\$155
27"	20 ½"	EE1C27-(8/10)	\$135	\$166
30"	23 ½"	EE1C30-(8/10)	\$138	\$168
33"	26 ½"	EE1C33-(8/10)	\$141	\$175
36"	29 ½"	EE1C36-(8/10)	\$143	\$177
39"	32 ½"	EE1C39-(8/10)	\$150	\$185
42"	35 ½"	EE1C42-(8/10)	\$153	\$191
45"	38 ½"	EE1C45-(8/10)	\$156	\$193
48"	41 ½"	EE1C48-(8/10)	\$162	\$196
51"	44 1/2"	EE1C51-(8/10)	\$168	\$205
54"	47 ½"	EE1C54-(8/10)	\$168	\$205
57"	50 ½"	EE1C57-(8/10)	\$177	\$213
60"	53 ½"	EE1C60-(8/10)	\$181	\$219
63"	56 ½"	EE1C63-(8/10)	\$186	\$222
66"	59 ½"	EE1C66-(8/10)	\$190	\$231
69"	62 ½"	EE1C69-(8/10)	\$190	\$231
72"	65 ½"	EE1C72-(8/10)	\$196	\$238
75"	68 ½"	EE1C75-(8/10)	\$198	\$242
78"	71 ½"	EE1C78-(8/10)	\$200	\$248
81"	74 ½"	EE1C81-(8/10)	\$204	\$250
84"	77 ½"	EE1C84-(8/10)	\$205	\$252
87"	80 ½"	EE1C87-(8/10)	\$214	\$263
90"	83 ½"	EE1C90-(8/10)	\$219	\$267
93"	86 1/2"	EE1C93-(8/10)	\$221	\$270
96"	89 ½"	EE1C96-(8/10)	\$229	\$277
99"	92 ½"	EE1C99-(8/10)	\$232	\$281
102"	95 ½"	EE1C102-(8/10)	\$236	\$286
105"	98 ½"	EE1C105-(8/10)	\$238	\$291
108"	101 ½"	EE1C108-(8/10)	\$239	\$292
111"	104 ½"	EE1C111-(8/10)	\$248	\$298
114"	107 ½"	EE1C114-(8/10)	\$253	\$306
120"	113 ½"	EE1C120-(8/10)	\$265	\$320
126"	119 ½"	EE1C126-(8/10)	\$269	\$325
132"	125 ½"	EE1C132-(8/10)	\$274	\$336
144"	137 ½"	EE1C144-(8/10)	\$291	\$353

### Configurations

**8-wire** 2 + 2

2+2 3+1

10-wire

3+3


### Application Notes

Jumpers transmit power circuits from one panel mounted terminal block to another. Can carry power through panels where no terminal blocks are installed. The length of the jumper corresponds to the distance between the terminal blocks.

### **Calculate the Correct Length**

- Add widths of both panels containing terminal blocks.
- 2. Divide by two.
- 3. Add width of any non-electrified panels in-between.

The result is the correct jumper length.





### **Terminal Block**





### **Duplex Receptacles**

- aprox metoptatio	<del>-</del>	
	EE1RIIIN	\$67
	EE1RIIN	\$67
	EE1RIN	\$67
	EE1RIVN	\$67

MODEL#

EE1TB-(N3/N4)

LIST



## **Duplex Receptacles (10 pack)**

EE1RIIIN P10	\$503
EE1RIIN P10	\$503
EE1RIN P10	\$503
EE1RIVN P10	\$503



### **Base Infeeds**

NOMINAL LENGTH	MODEL#	LIST
54"	EE1BI-(N3/N4)	\$359
72"	EE1BI72-(N3/N4)	\$380



### Base Infeeds – San Francisco

54"	EE1BI-(N3/N4)SF	\$359
72"	EE1BI72-(N3/N4)SF	\$380

## **Ceiling Infeed Harness**

DESCRIPTION	MODEL#	LIST
E-Series 8-wire	EE1CH-N3	\$785
E-Series 10-wire	EE1CH-N4	\$940

### Specification Information

### 8-wire N3

8-wire N3 = 2+1 system (2 hots and 2 neutrals sharing one ground, 1 isolated hot and 1 isolated neutral on an isolated ground)

### 10-wire N4

10-wire N4 = 2+2 system (2 hots and 2 neutrals sharing one ground, 2 hots and 2 neutrals sharing another ground)

### **Application Notes**


### Jumpers

Transmit power circuits from one panel mounted terminal block to another. Can carry power through panels where no terminal blocks are installed. The length of the jumper corresponds to the distance between the terminal blocks.


### Calculate the Correct Length

- Add widths of both panels containing terminal blocks.
- 2. Divide by two.
- 3. Add width of any non-electrified panels in-between.

The result is the correct jumper length.



### **Jumper**



NOMINAL LENGTH	MODEL#	LIST
18"	EE1C18-(N3/N4)	\$153
21"	EE1C21-(N3/N4)	\$162
24"	EE1C24-(N3/N4)	\$167
27"	EE1C27-(N3/N4)	\$175
30"	EE1C30-(N3/N4)	\$181
33"	EE1C33-(N3/N4)	\$185
36"	EE1C36-(N3/N4)	\$186
39"	EE1C39-(N3/N4)	\$192
42"	EE1C42-(N3/N4)	\$200
45"	EE1C45-(N3/N4)	\$205
48"	EE1C48-(N3/N4)	\$206
51"	EE1C51-(N3/N4)	\$215
54"	EE1C54-(N3/N4)	\$215
57"	EE1C57-(N3/N4)	\$222
60"	EE1C60-(N3/N4)	\$232
63"	EE1C63-(N3/N4)	\$237
66"	EE1C66-(N3/N4)	\$239
69"	EE1C69-(N3/N4)	\$239
72"	EE1C72-(N3/N4)	\$252
75"	EE1C75-(N3/N4)	\$256
78"	EE1C78-(N3/N4)	\$261
81"	EE1C81-(N3/N4)	\$265
84"	EE1C84-(N3/N4)	\$267
87"	EE1C87-(N3/N4)	\$277
90"	EE1C90-(N3/N4)	\$281
93"	EE1C93-(N3/N4)	\$284
96"	EE1C96-(N3/N4)	\$291
99"	EE1C99-(N3/N4)	\$293
102"	EE1C102-(N3/N4)	\$298
105"	EE1C105-(N3/N4)	\$306
108"	EE1C108-(N3/N4)	\$307
111"	EE1C111-(N3/N4)	\$319
114"	EE1C114-(N3/N4)	\$322
120"	EE1C120-(N3/N4)	\$337
126"	EE1C126-(N3/N4)	\$343
132"	EE1C132-(N3/N4)	\$351
144"	EE1C144-(N3/N4)	\$370

### Specification Information

### 8-wire N3

8-wire N3 = 2+1 system (2 hots and 2 neutrals sharing one ground, 1 isolated hot and 1 isolated neutral on an isolated ground)

### 10-wire N4

10-wire N4 = 2+2 system (2 hots and 2 neutrals sharing one ground, 2 hots and 2 neutrals sharing another ground)

### **Application Notes**


### Jumpers

Transmit power circuits from one panel mounted terminal block to another. Can carry power through panels where no terminal blocks are installed. The length of the jumper corresponds to the distance between the terminal blocks.

### Calculate the Correct Length

- 1. Add widths of both panels containing terminal blocks.
- 2. Divide by two.
- 3. Add width of any non-electrified panels in-between.

The result is the correct jumper length.





## **Charge Spot**

DESCRIPTION	MODEL#	LIST
Wireless device charger	AWDC1	\$491
Wireless device charger (4 Pack) w/multi unit power supply	AWDC4	\$1,664



## **Charge Spot Dongles**

Apple Lightning dongle	AWDCSA	\$89
mUSB dongle	AWDCSU	\$89

## **Charge Spot Replacement Power**

Single unit power supply	AWDCRPS1	\$66
Multi unit power supply	AWDCRPS4	\$296



## **Ashley Duo**

DESCRIPTION	W	D	Н	MODEL#	LIST
72" Cord length	5 ½"	3 1/8"	2"	EE4WSAD72	\$437
120" Cord length	5 ½"	3 1/8"	2"	EE4WSAD120	\$449



## **Ashley Duo Air**

In-surface pop-up power	7"	5"	EPUPM72	\$437
In-surface pop-up power	7"	5"	EPUPM120	\$449

## **Ashley 202**







Clamp					
72" cord length	5 ½"	3 1/8"	2"	EE4WSA202CM72	\$411
120" cord length	5 ½"	3 1/8"	2"	EE4WSA202CM120	\$422
Under Worksurface					
72" cord length	5 ½"	3 1/8"	2"	EE4WSA202UW72	\$353
120" cord length	5 ½"	3 1/8"	2"	EE4WSA202UW120	\$365
In Surface					
72" cord length	5 ½"	3 1/8"	2"	EE4WSA202IS72	\$411
120" cord length	5 ½"	3 1/8"	2"	EE4WSA202IS120	\$422

### Specify

1. Model#

### Specify Ashley Duo

- 2. Model #
- 3. Metal trim finish
- 4. Plastic finish
- 5. For Hardwired add **HW** to end of model number and add **\$75** to list price

## Ashley Duo

### Specifications

- 2 15A, 120V AC Power Outlets
- 2 2.1A/10.5W USB
- Charging Ports
   6' or 10' Cord and
- Hardwire Options
   Meets USB.org Battery
  Charging 1.2 Specifications
- Accommodates surfaces
   1" to 1 ¾" thick.

### **Data Wiring**

Data wiring and keystones provided by customer's cabling contractor.

### **Ashley Trio**



Clamp					
72" cord length	8"	3 %"	2"	EE4WSATRIOCM72	\$873
120" cord length	8"	3 %"	2"	EE4WSATRIOM120	\$903




Under Worksurface					
72" cord length	8"	3 %"	2"	EE4WSATRIOUW72	\$783
120" cord length	8"	3 %"	2"	EE4WSATRIOUW120	\$813



In Surface					
72" cord length	8 %"	3 %"	2"	EE4WSATRIOIS72	\$838
120" cord length	8 1/8"	3 %"	2"	EE4WSATRIOIS120	\$868

### **Ashley Quad**











### **Specify Ashley**

- 1. Model #
- 2. Metal trim finish
- 3. Plastic finish
- 4. For Hardwired add **HW** to end of model number and add **\$85** to list price.

### Ashley 202

### Specifications

- 2 15A, 120V AC Power Outlets
- 2 Data Inserts for HDMI, RJ45, RJ11, VGA or Blank Insert
- 6' or 10' Cord or Hardwire Option
- Accommodates surfaces 1" to 1 ¾" thick.

### Ashley Trio

### Specifications

- 3- 15A, 120V AC Power Outlets
- 2- 2.1A/10.5W USB Charging Ports
- 6' or 10' Cord or
- Hardwire Option
   1 Data Insert for HDMI,
  RJ45 or VGA ports
- 1 Data Port Adapter Kit Comes Standard

### **Ashley Quad**

### Specifications

- 4 15A, 120V AC Power Outlets
- 2- 2.1A/10.5W USB Charging Ports
- 2 Data Inserts for HDMI, RJ45, RJ11, VGA or Blank Insert
- 6' or 10' Cord or Hardwire Option

### Metal Trim Finishes

MBLK ...... Black MWHT ..... White MSIL ..... Silver

### **Plastic Finishes**

PBLK......Black
PWHT.....White
PSIL ....Silver

## **Worksurfaces**

**General Info** 

Step 1 - Model #

			Options					
Worksurface Type	W	D		Wiring Extended Ends			ds	
EW1 Rectangle	48	24	G G2	<b>Grommets</b> Scallop	<b>\$25</b> \$50	E EE	One End Both Ends	<b>\$21</b> \$42
EW1	48	24	G			Е		

Step 2 - Surface Finish

Laminate Edge Band
PW-STK Studio Teak

EB-STK Studio Teak

PW-STK EB-STK

Step 3 – Edge Finish

### **FEATURES**

## **DEPTHS** 20"

24" 30" 36"

### WIDTHS

24" 30" 36" 42" 48" 54" 60" 66" 72" 78" 84" 90" 96" 102" 108" 114" 120"

### **THICKNESS**

1 1/8"

### **WIRING & CABLING**

### GROMMET



When a standard grommet is specified it is in a rear, centered location and is available in black only. Corner worksurfaces provide two edge grommets.

### **SCALLOP**



Scalloped grommets feature additional half grommets on either end to provide a full grommet when two tops meet. The half grommet also allows for cord management by itself when it is wrapped by panels and not adjacent to other worksurfaces.

### **CABLE DROP**

3/8" Cable management gap

### **EDGE DETAIL**

### **STANDARD**

3mm ABS

### WOODGRAIN

2mm PVC

### **SURFACE MATERIALS**

### STANDARD WORKSURFACE

High pressure laminate

### **CASCADE WORKSURFACE**

Thermafoil (available on Cascade edge only)


### **EDGEBAND**

Available matching or contrasting. Upcharge may be applicable.

### **SUPPORTS**

Under worksurface — black powdercoat Countercap supports — paint

## **WORKSURFACES**



## Worksurface

General Information

Top surface available in standard laminates. For a complete list of color offering consult the Finishes page (page 14) at the beginning of the price list.

Underside of all 24" deep and deeper rectangular worksurfaces are predrilled for mounting of support bracketry.

The front edge of 30" deep cantilevered surfaces should not be loaded in excess of 180 pounds.

Worksurfaces are designed to provide a 3%" cable management gap between the back edge of the worksurface and wall panel.

#### D&PTOPS

Equity "D" and "P" tops are actual depth plus 1½" to cover two posts and may not be panel wrapped. This allows an adjustable bar support to support the flat end without being visually obtrusive. Adjacent worksurfaces should be specified so as not to cover a post where a "D" or "P" top may be used.

#### **WORKSURFACE DIMENSIONS**

Equity is measured from the center of the posts on each end of the panel. A standard worksurface is dimensioned to fit in a fully panel wrapped configuration. It is therefore 1 ½" narrower than the nominal panel dimension. If you would like the worksurface to extend to cover one post you will need to add an "E" to the worksurface item number. This will add 1½" to the width of the surface. If you would like the worksurface to extend to cover both posts then you will need to add "EE", extending the surface by 3" from the standard. Adjustable height work surfaces, page 88, are 2" narrower than a standard surface to meet anti-pinch point requirements around their perimeter.

**E**.... Covers 1 post **EE**... Covers 2 posts


#### 24" DEEP STRAIGHTS & 15" TOWERS



When adding a 15" tower to the end of a worksurface you will need to add a "T" to the end of the model number in order to make the worksurface and tower completely flush. This will only be necessary on 24" deep worksurfaces with a width from 48" – 84".


(T) - Available on

	W	Н	W (actual)	
•	48"	24"	43 1/4"	EW14824T
	54"	24"	49 1/4"	EW15424T
	60"	24"	55 1/4"	EW16024T
	66"	24"	61 ¼"	EW16624T
	72"	24"	67 1/4"	EW17224T
	78"	24"	73 1/4"	EW17824T
	84"	24"	79 1/4"	EW18424T



#### MOUNTING CORNER WORKSURFACES

**USING ALL CANTILEVERS** 



USING 2 CANTILEVERS AND 1 PANEL TO WORKSURFACE BRACKET



## Worksurface Support Information


Worksur	Worksurface Sizes Cantilever-C Adjustable Bar Support-S		Supporting Pedestal	Supporting Pedestal			
W	D	EB1C20(I	L/R)	EB1SR(S/	L)	24" Deep	30" Deep
24"	20"	200 lbs	2C	200 lbs	25	N/A	N/A
24"	24"	200 lbs	2C	200 lbs	2S	+1 Support	N/A
30"	20"	200 lbs	2C	200 lbs	25	N/A	N/A
30"	24"	200 lbs	2C	200 lbs	2S	+1 Support	N/A
30"	30"	200 lbs	2C	200 lbs	25	_	+1 Support
36"	20"	200 lbs	2C	200 lbs	25	N/A	N/A
36"	24"	200 lbs	2C	200 lbs	25	+1 Support	N/A
36"	30"	200 lbs	2C	200 lbs	25	_	+1 Support
42"	20"	200 lbs	2C	200 lbs	25	N/A	N/A
42"	24"	200 lbs	2C	200 lbs	25	+1 Support	N/A
42"	30"	200 lbs	2C	200 lbs	25	_	+1 Support
48"	20"	216 lbs	2C	216 lbs	2S	N/A	N/A
48"	24"	216 lbs	2C	216 lbs	25	+1 Support	N/A
48"	30"	216 lbs	2C	216 lbs	25	_	+1 Support
54"	20"	243 lbs	3C	243 lbs	2S/1C	N/A	N/A
54"	24"	243 lbs	3C	243 lbs	2S/1C	+2 Support	N/A
54"	30"	243 lbs	3C	243 lbs	2S/1C	_	+2 Support
60"	20"	270 lbs	3C	270 lbs	2S/1C	N/A	N/A
60"	24"	270 lbs	3C	270 lbs	2S/1C	+2 Support	N/A
60"	30"	270 lbs	3C	270 lbs	2S/1C	_	+2 Support
66"	20"	297 lbs	3C	297 lbs	2S/1C	N/A	N/A
66"	24"	297 lbs	3C	297 lbs	2S/1C	+2 Support	N/A
66"	30"	297 lbs	3C	297 lbs	2S/1C		+2 Support
72"	20"	324 lbs	3C	324 lbs	2S/1C	N/A	N/A
72"	24"	324 lbs	3C	324 lbs	2S/1C	+2 Support	N/A
72"	30"	324 lbs	3C	324 lbs	2S/1C	_	+2 Support
78"	20"	351 lbs	3C	351 lbs	2S/1C	N/A	N/A
78"	24"	351 lbs	3C	351 lbs	2S/1C	+2 Support	N/A
84"	20"	378 lbs	3C	378 lbs	2S/1C	N/A	N/A
84"	24"	378 lbs	3C	378 lbs	2S/1C	+2 Support	N/A
84"	30"			378 lbs	2S/1C	_	+2 Support
90"	20"	405 lbs	3C	405 lbs	2S/1C	N/A	N/A
90"	24"	405 lbs	3C	405 lbs	2S/1C	+2 Support	N/A
96"	20"	432 lbs	3C	432 lbs	2S/1C	N/A	N/A
96"	24"	432 lbs	3C	432 lbs	2S/1C	+2 Support	N/A
96"	30"	_		432 lbs	2S/2C	_	+2 Support
108"	20"	486 lbs	4C	486 lbs	2S/2C	N/A	N/A
108"	24"	486 lbs	4C	486 lbs	2S/2C	+3 Support	N/A
108"	30"			486 lbs	2S/2C		+3 Support
120"	20"	540 lbs	4C	540 lbs	2S/2C	N/A	N/A
120"	24"	540 lbs	4C	540 lbs	2S/2C	+3 Support	N/A
120"	30"	_		540 lbs	2S/2C	_	+3 Support

- Support must be installed for every four feet of width. As indicated, 5' worksurfaces require three supports; two panels are required to install the center support.
- The applications shown in the table emphasize the fundamentals of worksurface loading and support.
   As long as these criteria are met, supports can be interchanged.
- Supporting drawer pedestals can replace only one support.
- Depth of stretchered worksurfaces must be equal to or less than side panel widths.
- Stretchered worksurfaces should be used where heavy loading is anticipated.
- Cantilevers cannot be used as primary support for 36" deep surfaces or 30" deep surfaces wider than 72".
- The front edge of 30" deep surfaces should not be loaded in excess of 180 pounds.


Weights listed are the Business Institutional Furniture Manufacturers Association (BIFMA) functional load requirements for panel hung worksurface loading. If loads larger than these listed are anticipated, approval from Neutral Posture is required.

INSTALLATIONS WHICH VIOLATE THESE REQUIREMENTS WILL NOT BE COVERED BY THE NEUTRAL POSTURE WARRANTY.


## Worksurface



W3	W6	W13
	W7	T3
W4	W11	T4
W5	W12	T5



20" [	)eep			LAMINATE			
W	D	MODEL #	L1	L2	L3		
24"	20"	<b>EW</b> 12420	\$357	\$392	\$428		
30"	20"	<b>EW</b> 13020	\$385	\$424	\$462		
36"	20"	<b>EW</b> 13620	\$420	\$462	\$504		
42"	20"	<b>EW</b> 14220	\$449	\$493	\$538		
48"	20"	EW14820	\$483	\$531	\$580		
54"	20"	<b>EW</b> 15420	\$512	\$563	\$614		
60"	20"	<b>EW</b> 16020	\$546	\$601	\$656		
66"	20"	<b>EW</b> 16620	\$575	\$633	\$690		
72"	20"	<b>EW</b> 17220	\$587	\$645	\$704		
78"	20"	<b>EW</b> 17820	\$610	\$670	\$731		
84"	20"	<b>EW</b> 18420	\$644	\$708	\$773		
90"	20"	<b>EW</b> 19020	\$673	\$740	\$807		
96"	20"	<b>EW</b> 19620	\$707	\$778	\$849		
102"	20"	<b>EW</b> 110220	\$736	\$810	\$883		
108"	20"	<b>EW</b> 110820	\$771	\$848	\$925		
114"	20"	<b>EW</b> 111420	\$799	\$879	\$959		
120"	20"	<b>EW</b> 112020	\$834	\$917	\$1,001		



## 24" Deep


	Dech				
24"	24"	EW12424	\$391	\$430	\$469
30"	24"	<b>EW</b> 13024	\$414	\$455	\$497
36"	24"	<b>EW</b> 13624	\$437	\$481	\$524
42"	24"	EW14224	\$460	\$506	\$552
48"	24"	<b>EW</b> 14824	\$483	\$531	\$580
54"	24"	<b>EW</b> 15424	\$518	\$569	\$621
60"	24"	<b>EW</b> 16024	\$581	\$639	\$697
66"	24"	EW16624	\$638	\$702	\$766
72"	24"	<b>EW</b> 17224	\$650	\$715	\$780
78"	24"	<b>EW</b> 17824	\$667	\$734	\$800
84"	24"	EW18424	\$679	\$746	\$814
90"	24"	<b>EW</b> 19024	\$690	\$759	\$828
96"	24"	EW19624	\$730	\$803	\$876
102	" 24"	<b>EW</b> 110224	\$771	\$848	\$925
108	" 24"	<b>EW</b> 110824	\$799	\$879	\$959
114	" 24"	EW111424	\$834	\$917	\$1,001
120	" 24"	EW112024	\$863	\$949	\$1,035

## 24" DEEP STRAIGHTS **& 15" TOWERS**




When adding a 15" tower to the end of a worksurface you will need to add a "T" to the end of the model number in order to make the worksurface and tower completely flush. This will only be necessary on 24" deep worksurfaces with a width from 48" – 84".

				Options					
		W	D		Wiring			Extended En	ds
EW1	Rectangle	48	24	G	Grommet	\$29	Е	One End	\$24
				G2	Scallop	\$58	EE	Both Ends	\$48
EW1		48	24	G			Е		



30" E	)eep		LAMINATE				
W	D	MODEL#	L1	L2	L3		
24"	30"	<b>EW</b> 12430	\$449	\$493	\$538		
30"	30"	<b>EW</b> 13030	\$483	\$531	\$580		
36"	30"	<b>EW</b> 13630	\$512	\$563	\$614		
42"	30"	<b>EW</b> 14230	\$546	\$601	\$656		
48"	30"	<b>EW</b> 14830	\$564	\$620	\$676		
54"	30"	<b>EW</b> 15430	\$656	\$721	\$787		
60"	30"	<b>EW</b> 16030	\$707	\$778	\$849		
66"	30"	<b>EW</b> 16630	\$753	\$829	\$904		
72"	30"	<b>EW</b> 17230	\$794	\$873	\$952		
78"	30"	<b>EW</b> 17830	\$817	\$898	\$980		
84"	30"	<b>EW</b> 18430	\$863	\$949	\$1,035		
90"	30"	<b>EW</b> 19030	\$909	\$999	\$1,090		
96"	30"	<b>EW</b> 19630	\$937	\$1,031	\$1,125		
102"	30"	<b>EW</b> 110230	\$1,035	\$1,139	\$1,242		
108"	30"	<b>EW</b> 110830	\$1,087	\$1,195	\$1,304		
114"	30"	<b>EW</b> 111430	\$1,127	\$1,240	\$1,352		
120"	30"	<b>EW</b> 112030	\$1,173	\$1,290	\$1,408		




## 36" Deep

50	Deck				
48"	36"	<b>EW</b> 14836	\$782	\$860	\$938
54"	36"	<b>EW</b> 15436	\$811	\$892	\$973
60"	36"	<b>EW</b> 16036	\$845	\$930	\$1,014
66"	36"	<b>EW</b> 16636	\$891	\$980	\$1,070
72"	36"	<b>EW</b> 17236	\$955	\$1,050	\$1,145
78"	36"	<b>EW</b> 17836	\$1,006	\$1,107	\$1,208
84"	36"	<b>EW</b> 18436	\$1,035	\$1,139	\$1,242
90"	36"	<b>EW</b> 19036	\$1,087	\$1,195	\$1,304
96"	36"	<b>EW</b> 19636	\$1,150	\$1,265	\$1,380
102"	36"	<b>EW</b> 110236	\$1,213	\$1,335	\$1,456
108"	36"	<b>EW</b> 110836	\$1,282	\$1,410	\$1,539
114"	36"	<b>EW</b> 111436	\$1,351	\$1,486	\$1,622
120"	36"	<b>EW</b> 112036	\$1,409	\$1,550	\$1,691

#### Specify

- 1. Model#
- Options
   Laminate
- 4. Edge band

## **Grain Direction**



## Wiring & Cabling **G2** G

Grommet \$29


#### Scallop \$58

#### Support Information


All supports must be ordered separately. See page 84 – 85.

#### **Worksurface Loading & Support** See page 73.

A center support must be used with a 54" wide or wider worksurface.



Strai	ight	Front		LAMINATE			
Α	L	R	MODEL#	L1	L2	L3	
36"	20"	20"	EW1C3620	\$650	\$715	\$780	
36"	24"	24"	EW1C3624	\$650	\$715	\$780	
36"	30"	30"	EW1C3630	\$730	\$803	\$876	
42"	20"	20"	EW1C4220	\$822	\$904	\$987	
42"	24"	24"	EW1C4224	\$822	\$904	\$987	
42"	30"	30"	EW1C4230	\$891	\$980	\$1,070	
48"	20"	20"	EW1C4820	\$983	\$1,082	\$1,180	
48"	24"	24"	EW1C4824	\$983	\$1,082	\$1,180	
48"	30"	30"	EW1C4830	\$1,001	\$1,101	\$1,201	




## **Curved Front**

	36"	24"	24"	EW1CC3624	\$713	\$784	\$856	
>	42"	24"	24"	EW1CC4224	\$909	\$999	\$1,090	
	48"	24"	24"	EW1CC4824	\$1,081	\$1,189	\$1,297	
	60"	24"	24"	EW1CC6024	\$1,208	\$1,328	\$1,449	




## **Corner with Cutout**

-							
	48"	24"	24"	EW1C4824K	\$978	\$1,075	\$1,173



#### **Different Returns**

				11.1.9				
	36"	24"	30"	EW1C362430	\$874	\$961	\$1,049	
>	36"	30"	24"	EW1C363024	\$874	\$961	\$1,049	
	42"	24"	30"	EW1C422430	\$983	\$1,082	\$1,180	
	42"	30"	24"	EW1C423024	\$983	\$1,082	\$1,180	
	48"	24"	30"	EW1C482430	\$1,087	\$1,195	\$1,304	
	48"	30"	24"	EW1C483024	\$1,087	\$1,195	\$1,304	




Split Corner—all hardware included		LAMINATE			PAINT (CANTILEVERS ONLY)			
A	L	R	MODEL#	L1	L2	L3	P2	P3
36"	24"	24"	EW1SC3624	\$2,168	\$2,385	\$2,601	+ \$20	+ \$35
42"	24"	24"	EW1SC4224	\$2,225	\$2,448	\$2,670	+ \$20	+ \$35
42"	30"	30"	EW1SC4230	\$2,260	\$2,486	\$2,712	+ \$20	+ \$35
48"	24"	24"	EW1SC4824	\$2,352	\$2,587	\$2,822	+ \$20	+ \$35
48"	30"	30"	EW1SC4830	\$2,507	\$2,758	\$3,008	+ \$20	+ \$35

Paint option is for cantilevers only. All other hardware is only available in black.

#### Specify

- 1. Model#
- 2. Options
- 3. Laminate
- 4. Edge band
- 5. Grain direction

## Grain Direction



after the laminate finish code.

NOTE: Add \$30 to list price for diagonal grain (D).

#### Wiring & Cabling





Grommet \$29 Scallop

#### Scallop \$58

#### **Application Notes**


A return panel may not be used next to corner worksurfaces, as they cover both posts for a smooth transition with adjacent rectangular worksurfaces.

#### Support Information


All supports must be ordered separately. See page 84 – 85.

## Worksurface Loading & Support See page 73.

A center support must be used with a 54" wide or wider worksurface.



Righ	ight Hand					LAMINATE			
L	A	В	R	MODEL#	L1	L2	L3		
24"	36"	60"	24"	EW1BS3660S(X/L/R/B)	\$972	\$1,069	\$1,166		
24"	48"	60"	24"	EW1BS4860S(X/L/R/B)	\$995	\$1,094	\$1,194		
24"	48"	66"	24"	EW1BS4866S(X/L/R/B)	\$1,024	\$1,126	\$1,228		
24"	36"	72"	24"	EW1BS3672S(X/L/R/B)	\$1,024	\$1,126	\$1,228		
24"	48"	72"	24"	EW1BS4872S(X/L/R/B)	\$1,070	\$1,176	\$1,283		
24"	48"	60"	30"	EW1BS4860D(X/L/R/B)	\$1,024	\$1,126	\$1,228		
24"	48"	66"	30"	EW1BS4866D(X/L/R/B)	\$1,047	\$1,151	\$1,256		
24"	48"	72"	30"	EW1BS4872D(X/L/R/B)	\$1,110	\$1,221	\$1,332		
30"	48"	60"	24"	EW1BD4860S(X/L/R/B)	\$1,024	\$1,126	\$1,228		
30"	48"	66"	24"	EW1BD4866S(X/L/R/B)	\$1,029	\$1,132	\$1,235		
30"	48"	72"	24"	EW1BD4872S(X/L/R/B)	\$1,081	\$1,189	\$1,297		



## **Left Hand**

24"	60"	36"	24"	EW1BS6036S(X/L/R/B)	\$972	\$1,069	\$1,166
24"	60"	48"	24"	EW1BS6048S(X/L/R/B)	\$1,001	\$1,101	\$1,201
24"	66"	48"	24"	EW1BS6648S(X/L/R/B)	\$1,024	\$1,126	\$1,228
24"	72"	36"	24"	EW1BS7236S(X/L/R/B)	\$1,029	\$1,132	\$1,235
24"	72"	48"	24"	EW1BS7248S(X/L/R/B)	\$1,070	\$1,176	\$1,283
24"	60"	48"	30"	EW1BS6048D(X/L/R/B)	\$1,001	\$1,101	\$1,201
24"	66"	48"	30"	EW1BS6648D(X/L/R/B)	\$1,024	\$1,126	\$1,228
24"	72"	48"	30"	EW1BS7248D(X/L/R/B)	\$1,081	\$1,189	\$1,297
30"	60"	48"	24"	EW1BD6048S(X/L/R/B)	\$1,001	\$1,101	\$1,201
30"	66"	48"	24"	EW1BD6648S(X/L/R/B)	\$1,047	\$1,151	\$1,256
30"	72"	48"	24"	EW1BD7248S(X/L/R/B)	\$1,110	\$1,221	\$1,332

						Options
	L	Α	В	R	Posts Covered	Wiring
EW1B Blended Worksurface	<b>S 24</b> D 30	36	72	<b>S 24</b> D 30	X No posts covered L Left side post covered R Right side post covered B Both side posts covered	G Grommet \$29 G2 Scallop \$58
EW1B	S	36	72	S	X	G

#### Specify

- 1. Model#
- 2. Options
- 3. Laminate
- 4. Edge band

# Grain Direction

# Wiring & Cabling G G Grommet \$29 Scallop \$58

#### **Application Notes**

Blended worksurfaces are designed to take the place of two adjacent worksurfaces by blending them into one top. The front of the worksurface is curved to provide a smooth transition to the next attached worksurface.

#### Support Information


All supports must be ordered separately. See page 84.

**Worksurface Loading & Support** See page 73.

A center support must be used with a 54" wide or wider worksurface.



Righ	t Ha	nd		LAMINATE			
A	В	C	MODEL#	L1	L2	L3	
60"	48"	24"	EW1BP6048SR	\$1,121	\$1,233	\$1,346	
72"	48"	24"	EW1BP7248SR	\$1,144	\$1,259	\$1,373	
72"	48"	30"	EW1BP7248DR	\$1,173	\$1,290	\$1,408	
78"	48"	24"	EW1BP7848SR	\$1,196	\$1,316	\$1,435	
78"	48"	30"	EW1BP7848DR	\$1,196	\$1,316	\$1,435	
84"	48"	24"	EW1BP8448SR	\$1,409	\$1,550	\$1,691	
84"	48"	30"	EW1BP8448DR	\$1,438	\$1,581	\$1,725	



#### **Left Hand**

LCIC	IIIIII	м				
60"	48"	24"	EW1BP6048SL	\$1,121	\$1,233	\$1,346
72"	48"	24"	EW1BP7248SL	\$1,144	\$1,259	\$1,373
72"	48"	30"	EW1BP7248DL	\$1,173	\$1,290	\$1,408
78"	48"	24"	EW1BP7848SL	\$1,196	\$1,316	\$1,435
78"	48"	30"	EW1BP7848DL	\$1,196	\$1,316	\$1,435
84"	48"	24"	EW1BP8448SL	\$1,409	\$1,550	\$1,691
84"	48"	30"	EW1BP8448DL	\$1,438	\$1,581	\$1,725

	Α	В	С	Posts Covered
EW1BP Blended Peninsula	36	72	S 24" Deep	L Left side post covered
			D 30" Deep	R Right side post covered
EW1BP	36	72		L

#### Specify

- 1. Model #
- 2. Options
- 3. Laminate4. Edge band

**Grain Direction** 

#### Grommet


Blended peninsulas do not come with a grommet. Due to this, if the worksurface adjacent to the "C" side is ordered with scallops there will be a one-half scallop where the return meets the peninsula.

#### Support Information


All supports must be ordered separately. See page 84 – 85.

## **Worksurface Loading & Support** See page 73.

Center support must be used for all surfaces which exceed 48" in length.



D Pe	ninsı	ıla	LAMINATE			
W	D	MODEL#	L1	L2	L3	
60"	30"	EW1D6030	\$633	\$696	\$759	
72"	30"	EW1D7230	\$1,098	\$1,208	\$1,318	
72"	36"	EW1D7236	\$1,282	\$1,410	\$1,539	
84"	30"	EW1D8430	\$1,438	\$1,581	\$1,725	
84"	36"	EW1D8436	\$1,599	\$1,758	\$1,918	



#### 9 & P Peninsula

72"	30"	EW1(9/P)7230	\$1,098	\$1,208	\$1,318
72"	36"	EW1(9/P)7236	\$1,282	\$1,410	\$1,539
84"	30"	EW1(9/P)8430	\$1,438	\$1,581	\$1,725
84"	36"	EW1(9/P)8436	\$1,599	\$1,758	\$1,918

		W	D
EW1D	D Peninsula	72	30
EW19	9 Peninsula	:	
EW1P	P Peninsula		
	:		
EW1BP		72	30

#### Specify

- 1. Model#
- 2. Options
- 3. Laminate4. Edge band

# $\leftarrow$

**Grain Direction** 

#### **Application Notes**

Designed for use as primary worksurfaces and for conferencing in small groups.

NOTE: P and D worksurfaces cannot be panel wrapped.

#### **Support Information**

Column bases and adjustable bar supports must be ordered separately. See page 84 – 85.

Worksurface Loading & Support See page 73.

84" wide D, P and 9 worksurfaces include a V support bar mounted on the underside for additional stability.



Half	Half Round without Notch			LAMINATE		
W	D	MODEL#	L1	L2	L3	
48"	30"	EW1HR4830	\$857	\$942	\$1,028	
60"	36"	EW1HR6036	\$1,074	\$1,182	\$1,289	



## **Half Round with Notch**

ĺ	W	D	MODEL#	L1	L2	L3
	48"	30"	EW1HR4830N	\$857	\$942	\$1,028
	60"	36"	EW1HR6036N	\$1,074	\$1,182	\$1,289



## **Corner Round**

ĺ	D	MODEL#	ព	L2	L3
	24"	EW1CR24	\$385	\$424	\$462
	30"	EW1CR30	\$420	\$462	\$504

			Options
	W	D	Notch
EW1HR Half Round	36	72	N Round Notch
EW1HR	36	72	N

#### Specify

- 1. Model#
- 2. Options 3. Laminate

4. Edge band



#### **Half Round Without Notches**

Half rounds without notches attach to panels by means of an adjustable bar support and are supported by column bases, available in standard trim colors. Column is fixed height.

#### **Half Round With Notches**

#### Included

Splice plates


#### Not Included nor Required

• Bar support


#### Support Information

All supports must be ordered separately. See page 84 – 85.

**Worksurface Loading & Support** See page 73.




Blen	ded	Doub	le Corner		LAMINATE	
A	В	C	MODEL#	L1	L2	L3
96"	48"	24"	EW1BC9648	\$1,438	\$1,581	\$1,725



#### 135° Curved Cluster

A	В	MODEL#	L1	L2	L3
36"	24"	<b>EW</b> 11353624	\$1,055	\$1,160	\$1,265
42"	24"	<b>EW</b> 11354224	\$1,317	\$1,448	\$1,580
48"	24"	<b>EW</b> 11354824	\$1,515	\$1,666	\$1,817



## 135° Cluster Core

A	MODEL#	L1	L2	L3
36"	<b>EW</b> 1135 <b>C</b> 36	\$674	\$741	\$809
42"	<b>EW</b> 1135 <b>C</b> 42	\$744	\$818	\$893
48"	<b>EW</b> 1135 <b>C</b> 48	\$818	\$899	\$981

#### Specify

- 1. Model#
- 2. Options
- 3. Laminate
- 4. Edge band

# Grommet \$29 Scallop \$58

# Grain Direction

#### Double Corner

Double corner worksurface is designed to take the place of two adjacent corners by combining them into one top.

48" deep sides are designed to cover a post and cannot be panel wrapped.

#### 135° Curved Cluster

Used in 135° planning configurations.

#### **Support Information**

All supports must be ordered separately. See page 84 – 85.

**Worksurface Loading & Support** See page 73.



Cantilever					PAINT	
DESCRIPTION	D	MODEL#	BLACK	P1	P2	P3
Left hand	20"	EB1C20L	\$104	\$173	\$190	\$207
Left hand (10 pack)	20"	EB1C20L10	\$805	\$1,150	\$1,265	\$1,380
Right hand	20"	EB1C20R	\$104	\$173	\$190	\$207
Right hand (10 pack)	20"	EB1C20R10	\$805	\$1,150	\$1,265	\$1,380



#### 120 Cantilever

120 444						
Left hand 60°	18"	EB3C18L60	\$106	\$175	\$192	\$210
Left hand 90°	18"	EB3C18L90	\$106	\$175	\$192	\$210
Right hand 60°	18"	EB3C18R60	\$106	\$175	\$192	\$210
Right hand 90°	18"	EB3C18R90	\$106	\$175	\$192	\$210




## **Splice Plate**

20" Flat bracket (20" & 24" tops)	EB1F24	\$52	N/A	N/A	N/A
26" Flat bracket (30" & 36" tops)	<b>EB</b> 1 <b>F</b> 30	\$60	N/A	N/A	N/A
Alignment plate	EB1APW	\$16	N/A	N/A	N/A



## **Bracket**

Panel to worksurface bracket	EB1PWS(L/R)	\$17	\$58	\$63	\$69
Panel to worksurface bracket (Pair – L/R)	EB1PWSP	\$33	\$104	\$114	\$124



## **V Channel Support**

54"	<b>VS</b> 54	\$144	N/A	N/A	N/A
100"	VS100	\$276	N/A	N/A	N/A

## **Worksurface Support Rail**

ACTUAL WIDTH	MAX WORKSURFACE WIDT	н				
46"	60"	WSR46	\$92	N/A	N/A	N/A
57"	72"	WSR57	\$109	N/A	N/A	N/A

#### Cantilevers

Worksurface cantilevers lock into panel slotted standards at 1" increments. Cantilevers are handed.

#### Panel to Worksurface Bracket

Can be specified in lieu of cantilever when worksurface is same depth as adjacent panel.

A single bracket can be specified behind a pedestal to secure adjacent panel to worksurface.



Adjustable Bar Support				PAINT	
DESCRIPTION	MODEL#	BLACK	P1	P2	P3
24", 30" and 36"	EB1SRS	\$230	\$288	\$316	\$345
24", 30" and 36" (10 pack)	EB1SRS10	\$2,185	\$2,760	\$3,036	\$3,312
42", 48" and 60"	EB1SRL	\$259	\$316	\$348	\$380
42", 48" and 60" (10 pack)	EB1SRL10	\$2,300	\$2,990	\$3,289	\$3,588



Desk E	nd Panels		LAMINATE		
Н	W	MODEL#	L1	L2	L3
29"	20"	EB1DEP20	\$705	\$775	\$846
29"	24"	EB1DEP24	\$719	\$791	\$863
20"	30"	ER1DED30	\$760	\$836	\$012

#### Specify

1. Model#

2. Paint

#### Adjustable Bar Support

Adjustable bar supports position in the slotted standards at 1" increments. Two sizes of adjustable bar supports are available. Small adjustable bar support fits 24" through 36" wide panels; the larger adjustable bar support fits 42" through 60" wide panels. All have keyhole slots to mount worksurfaces and are non-handed.



Column Bases	Column Bases					
DESCRIPTION	н	MODEL#	P.	P2	Р3	
Fixed height support column	27 ¾"	EB1FCOL	\$368	\$405	\$442	



## **Tapered Legs**

-aperea regs					
Single leg	27 ¾"	TBTL	\$403	\$448	\$493
Single leg w/caster	27 ¾"	TBTLC	\$431	\$476	\$521
Set of 2	27 ¾"	TBTL2	\$690	\$760	\$830
Set of 2 w/casters	27 ¾"	TBTL2C	\$748	\$818	\$888
Set of 4	27 ¾"	TBTL4	\$1,323	\$1,458	\$1,593
Set of 4 w/casters	27 ¾"	TBTL4C	\$1,438	\$1,573	\$1,708
Bar height single leg	40 ½"	TBTLBH	\$909	\$1,024	\$1,139
Bar height set of 2	40 ½"	TBTLBH2	\$1,725	\$2,070	\$2,160
Bar height set of 4	40 ½"	TBTLBH4	\$3,105	\$3,450	\$3,910



## Round Legs — (Bar Height)

Single leg	40 ¾"	TBRL	\$403	\$448	\$493
Single leg w/caster	40 ¾"	TBRLC	\$431	\$476	\$521
Set of 2	40 ¾"	TBRL2	\$690	\$760	\$830
Set of 2 w/casters	40 ¾"	TBRL2C	\$748	\$818	\$888
Set of 4	40 ¾"	TBRL4	\$1,323	\$1,458	\$1,593
Set of 4 w/casters	40 ¾"	TBRL4C	\$1,438	\$1,573	\$1,708

## Specify

- 1. Model # 2. Paint



0 Legs	PAINT				
DESCRIPTION	Н	MODEL#	P1	P2	P3
24" Deep	27 ¾"	TBOLL24	\$687	\$755	\$824
30" Deep	27 ¾"	TBOLL30	\$698	\$768	\$838
24" Deep (set of 2)	27 ¾"	TBOLL242	\$1,354	\$1,489	\$1,624
30" Deep (set of 2)	27 ¾"	TBOLL302	\$1,377	\$1,514	\$1,652



### T Legs

. ==35					
20" Deep	27 ¾"	TBTLL20	\$388	\$426	\$465
26" Deep	27 ¾"	TBTLL26	\$399	\$439	\$479
36" Deep	27 ¾"	TBTLL36	\$422	\$464	\$506
42" Deep	27 ¾"	TBTLL42	\$514	\$565	\$617
48" Deep	27 ¾"	TBTLL48	\$606	\$667	\$727
20" Deep (set of 2)	27 ¾"	TBTLL202	\$756	\$831	\$907
26" Deep (set of 2)	27 ¾"	TBTLL262	\$779	\$856	\$934
36" Deep (set of 2)	27 ¾"	TBTLL362	\$825	\$907	\$989
42" Deep (set of 2)	27 ¾"	TBTLL422	\$1,009	\$1,109	\$1,210
48" Deep (set of 2)	27 ¾"	TBTLL482	\$1,181	\$1,299	\$1,417



## **C** Legs

20" Deep	27 ¾"	TBCLL20	\$388	\$426	\$465
26" Deep	27 ¾"	TBCLL26	\$399	\$439	\$479
32" Deep	27 ¾"	TBCLL32	\$422	\$464	\$506
20" Deep (set of 2)	27 ¾"	TBCLL202	\$756	\$831	\$907
26" Deep (set of 2)	27 ¾"	TBCLL262	\$779	\$856	\$934
32" Deep (set of 2)	27 ¾"	TBCLL322	\$836	\$920	\$1,003

#### Specify

- 1. Model#
- 2. Paint


#### Levelers

Adjustable height levelers are included at no additional cost on all models.

#### Shank Length


C & T-Legs — 3%-16 x 3/4" O-Legs — 3%-16 x 2" Leveler extensions can be ordered separately. Please contact Customer Service for information on ordering leveler extensions. Casters can be ordered in place of levelers for an upcharge on most standard height tables.

## **Height Adjustable Worksurfaces** Worksurface for Height Adjustable Supports



#### Worksurface Only 24" For Height Adjustable Supports LAMINATE WOOD VENEER D MODEL# L1 L2 L3 W1 W2 W3 42" 24" EAW14224WS \$506 \$552 \$460 \$920 \$1,012 \$1,104 48" 24" EAW14824WS \$483 \$531 \$580 \$966 \$1,063 \$1,159 54" 24" EAW15424WS \$529 \$582 \$635 \$1,058 \$1,164 \$1,270 60" EAW16024WS \$639 \$697 \$1,394 24" \$581 \$1,162 \$1,278 24" EAW17224WS \$650 \$715 \$780 \$1,300 \$1,429 \$1,559

Worksurfaces are sized to fit with the Equity system. For stand-alone height adjustable desks see page 126.



### Worksurface Only 30"

For Height Adjustable Supports

42"	30"	EAW14230WS	\$546	\$601	\$656	\$1,093	\$1,202	\$1,311
48"	30"	EAW14830WS	\$564	\$620	\$676	\$1,127	\$1,240	\$1,352
54"	30"	EAW15430WS	\$633	\$696	\$759	\$1,265	\$1,392	\$1,518
60"	30"	EAW16030WS	\$707	\$778	\$849	\$1,415	\$1,556	\$1,697
72"	30"	EAW17230WS	\$794	\$873	\$952	\$1,587	\$1,746	\$1,904

Worksurfaces are sized to fit with the Equity system. For stand-alone height adjustable desks see page 126.

#### Specify


- 1. Model#
- 2. Laminate
- 3. Edge band
- 4. Support color Black or Silver

#### **Application Notes**

Provides 18" of vertical movement.

#### **Grain Direction**





Grommet \$29 Scallop

#### **Specification Guidelines**

Order an adjustable height worksurface to match the panel(s) width the worksurface will be attached to. The worksurface cannot be configured to cover a partial panel.

There will be a 1" space around the perimeter of the adjustable height worksurface in order to prevent pinch points.

When used as a solitary worksurface perpendicular panels of 18" minimum width must be specified on both sides for stability.

When used in conjunction with a stationary worksurface there should be a perpendicular panel at the free end of the adjustable worksurface. The free end of the fixed worksurface should be supported with a cantilever or pedestal.

NOTE: Adjustable worksurface meets BIFMA loading requirements for safety. Mechanism is designed to have up to 100 lbs. of load and function smoothly.









## **Electric Height Adjustable Base**

DESCRIPTION	FOOT DEPTH	MODEL#	BLACK OR SILVER
2 legs	23 ¾"	TBAHL224	\$2,297
3 legs	23 3/5"	TBAHL324	\$3,217





#### Specify

- 1. Model#
- 2. Trim color

#### **Application Notes**

**Electric Height Adjustable Base** Adjustable height bases can be used with 24" and 30" deep worksurfaces. Worksurfaces must be between 48" - 84" wide.

Adjustable height bases have a capacity of 264 lbs evenly distributed.

Comes with four position memory controller.

Anti-collision stops and reverses the travel of the table when the table collides with a fixed object during operation.

3-stage legs offer a large height adjustment range of 24" - 50".

## **Worksurfaces**

120° Planning

These worksurfaces are designed specifically for Equity 120° applications. The (L/R) suffix at the end of a model number indicates a defined pedestal location. If the worksurface has no defined pedestal location, the (L/R) represents the curved side of the top. All tops and tables are available with 2mm edge band or a cascading edge.

#### Worksurface: W3

This worksurface, combined with the T3 transition top, works best with the "apartment" layout. This application allows for stations on both sides of the spine, and is ideal for high density layouts. Available in extended versions for placement directly next to another worksurface.

#### Worksurface: W6 (L/R)


In the "big house," "full house" or "open house", this worksurface allows for a pedestal on one side (determined by the L/R).

Applications for this top include a call center with the "open house," technical applications with the "full house," and managerial layouts with the "big house."



#### Worksurface: W4

This top works well in the "open house," "full house," and "big house" layouts for call center, professional and managerial applications.








#### Worksurface: W7 (L/R)


Used in conjunction with a T4 transition top, the W7 worksurface provides a great teaming space when the "townhouse" layout is used. The "open house" layout incorporates the T2 transition top for professional or technical stations with shared space for conferencing. Available in extended versions for placement directly next to another worksurface.












#### Worksurface: W5 (L/R)


With transition top T5 and this worksurface, teaming is made easy using the "townhouse" or "open house" layout. The shared space allows for call center, professional or technical applications.


#### Worksurface: W11 / W1118 (L/R)

This top is a spacious option for a technical station in the "open house" layout. Adding a T2 transition top provides additional teaming space. The W11 surface also fits nicely in a private managerial office or a "full house" professional application.











#### Worksurface: W12 / W1218 (L/R)

This top, with the T5/T518 transition top provides a technical office with shared conferencing space in the "open house" layout. The 18 return allows ample space in the supervisory application of the "full house."





#### Worksurface: W13 / W1318 (L/R)

This surface provides a teaming space with the T2/T218 transition in the "open house" layout. The W13/W1318 creates generous worksurface space in the "full house" as well as the management layout of the "big house."









#### **Transition Tops**

Transition tops require columns (not included — (page 85)) for support. Flat brackets (not included — (page 84)) are required to attach transition tops to adjacent worksurfaces.



Transition top



Transition top



Transition top



Transition top

#### Peninsula Tops

Peninsula tops provide additional workspace in a "big house" layout.

Peninsula tops are freestanding and supported by table legs, columns or a combination of both (not included — (page 85)).




Peninsula top



Peninsula top: P2 right hand




Peninsula top: P2 left hand



W3	3					LAMINATE	
	W	L	R	MODEL#	L1	L2	L3
	48"	24"	24"	EW1W34824	\$1,173	\$1,290	\$1,408

**Woodgrain Direction** 








48"	24"	24"	EW1W44824	\$1,185	\$1,303	\$1,421








#### **W5**

48"	24"	24"	EW1W54824L	\$1,121	\$1,233	\$1,346
48"	24"	24"	EW1W54824R	\$1,121	\$1,233	\$1,346

#### **Woodgrain Direction**





#### **W6**

48"	24"	24"	EW1W64824L	\$1,254	\$1,379	\$1,504
48"	24"	24"	EW1W64824R	\$1,254	\$1,379	\$1,504

#### **Woodgrain Direction**



#### Specify

- 1. Model#
- 2. Laminate
- 3. Edge band

#### Support Information

All supports must be ordered separately. See page 84 – 85.

**Worksurface Loading & Support** See page 73.


#### **Application Notes**

Refer to the worksurface planning page 90 for worksurface drawings and applications.

#### W3

W3 top may be extended on either the left or right hand side by adding an "EL" or "ER" to the end of the model number and adding \$21 (list).


W3 top may be extended on both ends by adding an "EB" to the end of the model number and adding \$42 (list).



W7				LAMINATE		
W	L	R	MODEL#	L1	L2	L3
48"	24"	24"	EW1W74824L	\$1,248	\$1,373	\$1,497
48"	24"	24"	EW1W74824R	\$1,248	\$1,373	\$1,497

**Woodgrain Direction** 






#### **W11**

48"	24"	18"	EW1W11482418	\$1	,472 \$1,619	\$1,766
48"	18"	24"	EW1W11481824	\$1	,472 \$1,619	\$1,766

**Woodgrain Direction** 






#### W12

48"	24"	18"	EW1W12482418	\$1,564	\$1,720	\$1,877
48"	18"	24"	EW1W12481824	\$1,564	\$1,720	\$1,877
48"	24"	24"	EW1W124824L	\$1,564	\$1,720	\$1,877
48"	24"	24"	EW1W124824R	\$1,564	\$1,720	\$1,877

**Woodgrain Direction** 





## W13

48	" 24"	18"	EW1W13482418	\$1,507	\$1,657	\$1,808
48	" 18"	24"	EW1W13481824	\$1,507	\$1,657	\$1,808
48	" 24"	24"	EW1W134824L	\$1,507	\$1,657	\$1,808
48	" 24"	24"	EW1W134824R	\$1,507	\$1,657	\$1,808

**Woodgrain Direction** 



#### Specify

- 1. Model #
- 2. Laminate
- 3. Edge band

#### **Support Information**

All supports must be ordered separately. See page 84 – 85.

**Worksurface Loading & Support** See page 73.

#### **Application Notes**

Refer to the worksurface planning page 90 for worksurface drawings and applications.

#### W7

Straight ends are available extended by adding an "E" to the end of the model number and adding \$21 (list).

## **Worksurfaces**

**Transition Tops** 



T2				LAMINATE	
W	RETURN	MODEL#	L1	L2	L3
50"	24"	EW1T224	\$753	\$829	\$904
37 ½"	18"	EW1T218	\$707	\$778	\$849



T3
26" 24" EW1T324 \$719 \$791 \$863



T4

26" 24" EW1T424 \$742 \$816 \$890



 T5

 37 ½"
 18"
 EW1T518
 \$776
 \$854
 \$932

 50"
 24"
 EW1T524
 \$759
 \$835
 \$911




## **Peninsula Tops**

35"	52"	EW1P15235 (L/R)	\$834	\$917	\$1,001
36"	38"	EW1P23836(L/R)	\$805	\$886	\$966

#### Specify

- 1. Model#
- 2. Laminate
- 3. Edge band



#### **T2 Transition Top**

T2 transition top comes cut to fit against a postless end. If placing against an end with a post, add an "N" to the end of the model number so it is notched for the post.

#### Support Information

Transition and peninsula tops require a column base for support.

All supports must be ordered separately. See page 84 – 85.

**Worksurface Loading & Support** See page 73.

#### **CASCADE EDGE**

## Cascade

Cascade edge worksurfaces are wrapped with a thermafoil sheet that is heated and pressed around a substrate. This substrate can be FSC certified upon request. Thermafoil is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat cascade edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Cascade edge worksurfaces in solid colors utilize a non-PVC construction and are also free of any plasticizers, pthalates and lead content.

#### **AVAILABLE LAMINATES**

#### Solid

114 Folkstone Grey 117 Soft Grey

118 Bright White

119 Pumice


#### Woodgrain

124 Medium Cherry

125 Natural Maple


126 Natural Cherry

127 Walnut



24" [	)eep		LAMIN	ATE
W	D	MODEL#	SOLID	WOODGRAIN
24"	24"	ECE1R2424N	\$255	\$293
30"	24"	ECE1R3024N	\$293	\$337
36"	24"	ECE1R3624N	\$323	\$373
42"	24"	ECE1R4224N	\$373	\$429
48"	24"	ECE1R4824N	\$419	\$482
54"	24"	ECE1R5424N	\$450	\$516
60"	24"	ECE1R6024N	\$488	\$561
66"	24"	ECE1R6624N	\$528	\$605
72"	24"	ECE1R7224N	\$551	\$634
78"	24"	ECE1R7824N	\$592	\$680
84"	24"	ECE1R8424N	\$626	\$719
90"	24"	ECE1R9024N	\$706	\$810

ECE1R9624N



## 30" Deep

96"

24"	30"	ECE1R2430N	\$324	\$375
30"	30"	ECE1R3030N	\$365	\$419
36"	30"	ECE1R3630N	\$406	\$467
42"	30"	ECE1R4230N	\$440	\$505
48"	30"	ECE1R4830N	\$488	\$561
54"	30"	ECE1R5430N	\$552	\$635
60"	30"	ECE1R6030N	\$607	\$697
66"	30"	ECE1R6630N	\$677	\$779
72"	30"	ECE1R7230N	\$706	\$810
78"	30"	ECE1R7830N	\$752	\$865
84"	30"	ECE1R8430N	\$800	\$920
90"	30"	ECE1R9030N	\$860	\$989
96"	30"	ECE1R9630N	\$920	\$1,057

## Sample 12" 12" ECE1R1212G2 \$158 \$183

#### Specify

- 1. Model#
- 2. Options
- 3. Laminate

#### **Extended Ends**

**E**....Covers 1 post \$25 **EE**...Covers 2 posts \$49



**Grain Direction** 

#### Wiring & Cabling



Scallop \$58

#### **Available Laminates**

#### Solid

- 114 Folkstone Grey 117 Soft Grey
- 118 Bright White
- 119 Pumice

#### Woodgrain

- 124 Medium Cherry
- 125 Natural Maple
- 126 Natural Cherry
- 127 Walnut

#### Support Information

\$771

\$886


All supports must be ordered separately. See page 84 – 85.

## **Worksurface Loading & Support** See page 73.

A center support must be used with a 54" wide or larger worksurface.




Corne	er – Cu	irved Front	LAMINA	IATE	
Α	В	C	MODEL#	SOLID	WOODGRAIN
36"	24"	24"	ECE1L3636SSN	\$637	\$735
42"	24"	24"	ECE1L4242SSN	\$771	\$886
42"	24"	30"	ECE1L4242SDN	\$915	\$1,050
42"	30"	24"	ECE1L4242DSN	\$915	\$1,050
48"	24"	24"	ECE1L4848SSN	\$865	\$995
48"	24"	30"	ECE1L4848SDN	\$1,036	\$1,191
48"	30"	24"	ECE1L4848DSN	\$1,036	\$1,191
48"	30"	30"	ECE1L4848DDN	\$929	\$1,070



## **Right Hand**

42"	60"	24"	24"	ECE1L4260SS()N	\$1,057	\$1,217
42"	66"	24"	24"	ECE1L4266SS()N	\$1,084	\$1,249
42"	72"	24"	24"	ECE1L4272SS()N	\$1,126	\$1,296
42"	78"	24"	24"	ECE1L4278SS()N	\$1,140	\$1,309
48"	60"	24"	24"	ECE1L4860SS()N	\$1,072	\$1,231
48"	60"	24"	30"	ECE1L4860SD()N	\$1,050	\$1,210
48"	60"	30"	24"	ECE1L4860DS()N	\$1,050	\$1,210
48"	66"	24"	24"	ECE1L4866SS()N	\$1,110	\$1,275
48"	66"	24"	30"	ECE1L4866SD()N	\$1,105	\$1,272
48"	66"	30"	24"	ECE1L4866DS()N	\$1,105	\$1,272
48"	72"	24"	24"	ECE1L4872SS()N	\$1,150	\$1,323
48"	72"	24"	30"	ECE1L4872SD()N	\$1,157	\$1,332
48"	72"	30"	24"	ECE1L4872DS()N	\$1,157	\$1,332
48"	78"	24"	24"	ECE1L4878SS()N	\$1,267	\$1,458
48"	84"	24"	24"	ECE1L4884SS()N	\$1,425	\$1,640



## **Left Hand**

60"	42"	24"	24"	ECE1L6042SS()N	\$1,057	\$1,217
60"	48"	24"	24"	ECE1L6048SS()N	\$1,072	\$1,231
60"	48"	24"	30"	ECE1L6048SD()N	\$1,050	\$1,210
60"	48"	30"	24"	ECE1L6048DS()N	\$1,050	\$1,210
66"	42"	24"	24"	ECE1L6642SS()N	\$1,084	\$1,249
66"	48"	24"	24"	ECE1L6648SS()N	\$1,110	\$1,275
66"	48"	24"	30"	ECE1L6648SD()N	\$1,105	\$1,272
66"	48"	30"	24"	ECE1L6648DS()N	\$1,105	\$1,272
72"	42"	24"	24"	ECE1L7242SS()N	\$1,126	\$1,296
72"	48"	24"	24"	ECE1L7248SS()N	\$1,150	\$1,323
72"	48"	24"	30"	ECE1L7248SD()N	\$1,157	\$1,332
72"	48"	30"	24"	ECE1L7248DS()N	\$1,157	\$1,332
78"	42"	24"	24"	ECE1L7842SS()N	\$1,140	\$1,309
78"	48"	24"	24"	ECE1L7848SS()N	\$1,267	\$1,458
84"	48"	24"	24"	ECE1L8448SS()N	\$1,425	\$1,640

#### **Application Notes**

#### Center-Located Edge Grommet

To specify, replace the "N" suffix from the model number with "G". Add \$48.

Equity "L" worksurfaces are handed and may or may not cover a post on either or both sides. Hand is determined from the seated position. Option suffixes for Equity blended corners are as follows:

 $\mathbf{X}$ .... No posts covered


 $\mathbf{L}\dots$  Left post covered

**R**....Right post covered

**B**.... Both posts covered




				•	
Right Hand				LAMINA	re
A	C	D	MODEL#	SOLID	WOODGRAIN
24"	66"	48"	ECE1BD6648SR	\$1,033	\$1,187
30"	66"	48"	ECE1BD6648DR	\$1,084	\$1,249
24"	72"	48"	ECE1BD7248SR	\$1,055	\$1,216
30"	72"	48"	ECE1BD7248DR	\$1,125	\$1,294
24"	78"	48"	ECE1BD7848SR	\$1,219	\$1,402
30"	78"	48"	ECE1BD7848DR	\$1,260	\$1,448
24"	84"	48"	ECE1BD8448SR	\$1,252	\$1,440
30"	84"	48"	ECE1BD8448DR	\$1,332	\$1,530



#### Left Hand

LCIC	Hully	М			
24"	48"	66"	ECE1BD6648SL	\$1,033	\$1,187
30"	48"	66"	ECE1BD6648DL	\$1,084	\$1,249
24"	48"	72"	ECE1BD7248SL	\$1,055	\$1,216
30"	48"	72"	ECE1BD7248DL	\$1,125	\$1,294
24"	48"	78"	ECE1BD7848SL	\$1,219	\$1,402
30"	48"	78"	ECE1BD7848DL	\$1,260	\$1,448
24"	48"	84"	ECE1BD8448SL	\$1,252	\$1,440
30"	48"	84"	ECE1BD8448DL	\$1,332	\$1,530







## Scallop \$58

#### **Available Laminates**

#### Solid

- 114 Folkstone Grey
- 117 Soft Grey
- 118 Bright White
- 119 Pumice

#### Woodgrain


- 124 Medium Cherry
- 125 Natural Maple
- 126 Natural Cherry
- 127 Walnut

#### Support Information


All supports must be ordered separately. See page 84 – 85.

**Worksurface Loading & Support** See page 73.

Edge Profile




Right Hand						LAMINATE	
w	L	R	Α	В	MODEL#	SOLID	WOODGRAIN
36"	24"	30"	3"	15"	ECE1W362430N	\$685	\$788
42"	24"	30"	9"	15"	ECE1W422430N	\$720	\$829
48"	24"	30"	15"	15"	ECE1W482430N	\$772	\$888
72"	24"	30"	30 ½"	23 ½"	ECE1W722430N	\$982	\$1,127



#### **Left Hand**

36"	30"	24"	15"	1 ½"	ECE1W363024N	\$685	\$788
42"	30"	24"	15"	7 ½"	ECE1W423024N	\$720	\$829
48"	30"	24"	15"	15"	ECE1W483024N	\$772	\$888
72"	30"	24"	23 ½"	30 ½"	ECE1W723024N	\$982	\$1,127




#### 120° Worksurface

120	TTOTICS	uiiuc				
48"	48"	24"	24"	ECE1W34824G	\$1,126	\$1,296

ς	n	ρ	ri	fν
-	۲	•	٠.	٠,

- 1. Model#
- 2. Options
- 3. Laminate





#### Wiring & Cabling



Scallop \$58

#### **Available Laminates**

#### Solid

- 114 Folkstone Grey
- 117 Soft Grey
- 118 Bright White
- 119 Pumice

#### Woodgrain

- 124 Medium Cherry
- 125 Natural Maple
- 126 Natural Cherry
- 127 Walnut

#### **Support Information**

All supports must be ordered separately. See page 84 – 85.

**Worksurface Loading & Support** See page 73.

## **Cascade Worksurfaces**



Half	Round	LAMINATE		
W	D	MODEL#	SOLID	WOODGRAIN
18"	48"	ECE1H4818P	\$551	\$634
48"	18"	ECE1H4818PC	\$551	\$634
48"	18"	ECE1H4818PE	\$551	\$634
60"	24"	ECE1H6024P	\$758	\$874
60"	24"	ECE1H6024PC	\$758	\$874
60"	24"	ECE1H6024PE	\$758	\$874



#### **Corner Round**

24"	24"	ECE1CR24L/R	\$293	\$337



## **Corner Round w/Notch**

24"	24"	ECE1CR24N	\$293	\$337

#### Specify

- 1. Model #
- 2. Options
- 3. Laminate

#### Half Round

- P Notched for post
- **PE** Notched for postless end
- **PC** Notched for post with cover

#### **Grain Direction**





#### Edge Profile

#### **Available Laminates**

#### Solid

- 114 Folkstone Grey
- 117 Soft Grey
- 118 Bright White
- 119 Pumice

#### Woodgrain

- 124 Medium Cherry
- 125 Natural Maple
- 126 Natural Cherry
- 127 Walnut

#### Support Information

All supports must be ordered separately. See page 84 – 85.

**Worksurface Loading & Support** See page 73.



#### **Cable Sleeve w/Cover**

Н	D	MODEL #	BLACK ONLY
1 3/8"	3 1/4"	EW1CS	\$32



## **Edge Grommet**

ı	Н	W	D	MODEL#	BLACK ONLY
	13/8"	2 1/4"	13/8"	EW1WSG	\$32



#### **Personal Drawer**

DESCRIPTION	MODEL#	BLACK ONLY
Personal Drawer	SPD18	\$403



orks/	Vorksurface Cable Basket						••••••
Н	W	D	MODEL#	BLACK	P1	P2	P3
2"	20"	4"	EW1CB20	\$63	\$115	\$127	\$138
2"	32"	4"	EW1CB32	\$87	\$144	\$158	\$173
2"	42"	4"	FW1CR42	\$94	\$173	\$190	\$207

#### Cable Sleeve with Cover

Used to pass cables through a worksurface. Fits 3" diameter hole, field cut, in worksurface. Smooth plastic prevents abrasion of cords and cables.

Cover snaps into sleeve. Cover has slots that allow passage of one or two cables, yet gives appearance of surface continuity.

Available in black only.

#### Edge Grommet


Designed to accommodate various styles and quantities of cords/plugs between rear of worksurface and panel for improved cord/plug management. Designed to work with Equity EW1 tops shipped after 2005.

Available in black only.


#### Worksurface Cable Basket

Attaches to the underside of worksurface for excess cable management. Slides forward from its position adjacent to the panel face to allow passage of plugs. Constructed of steel wire.





Straight					LAMINATE		PAINT	,
W (NOMINAL)	W (ACTUAL)	D	MODEL#	L1	L2	L3	P2	P3
12"	10 ½"	15 1/4"	EW(3/N)1215	\$368	\$405	\$442	+ \$30	+ \$60
24"	22 1/2"	15 1/4"	EW(3/N)2415	\$391	\$430	\$469	+ \$30	+ \$60
30"	28 ½"	15 1/4"	EW(3/N)3015	\$397	\$436	\$476	+ \$30	+ \$60
36"	34 ½"	15 1/4"	EW(3/N)3615	\$403	\$443	\$483	+ \$30	+ \$60
42"	40 1/2"	15 1/4"	EW(3/N)4215	\$420	\$462	\$504	+ \$30	+ \$60
48"	46 1/2"	15 1/4"	EW(3/N)4815	\$449	\$493	\$538	+ \$30	+ \$60
60"	58 ½"	15 1/4"	EW(3/N)6015	\$489	\$538	\$587	+ \$30	+ \$60
72"	70 ½"	15 1/4"	EW(3/N)7215	\$552	\$607	\$662	+ \$30	+ \$60
84"	82 1/2"	15 1/4"	EW(3/N)8415	\$610	\$670	\$731	+ \$30	+ \$60
96"	94 1/2"	15 1/4"	EW(3/N)9615	\$656	\$721	\$787	+ \$30	+ \$60
108"	106 ½"	15 1/4"	EW(3/N)10815	\$713	\$784	\$856	+ \$30	+ \$60
120"	118 ½"	15 1/4"	EW(3/N)12015	\$776	\$854	\$932	+ \$30	+ \$60



#### **Extended One End**

	LXtellue	u viie Li	IU						
ľ	12"	12"	15 1/4"	EW(3/N)1215E	\$380	\$417	\$455	+ \$30	+ \$60
	24"	24"	15 1/4"	EW(3/N)2415E	\$403	\$443	\$483	+ \$30	+ \$60
	30"	30"	15 1/4"	EW(3/N)3015E	\$408	\$449	\$490	+ \$30	+ \$60
	36"	36"	15 1/4"	EW(3/N)3615E	\$414	\$455	\$497	+ \$30	+ \$60
	42"	42"	15 1/4"	EW(3/N)4215E	\$431	\$474	\$518	+ \$30	+ \$60
	48"	48"	15 1/4"	EW(3/N)4815E	\$460	\$506	\$552	+ \$30	+ \$60
	60"	60"	15 1/4"	EW(3/N)6015E	\$500	\$550	\$600	+ \$30	+ \$60
	72"	72"	15 1/4"	EW(3/N)7215E	\$564	\$620	\$676	+ \$30	+ \$60
	84"	84"	15 1/4"	EW(3/N)8415E	\$621	\$683	\$745	+ \$30	+ \$60
	96"	96"	15 1/4"	EW(3/N)9615E	\$667	\$734	\$800	+ \$30	+ \$60
	108"	108"	15 1/4"	EW(3/N)10815E	\$725	\$797	\$869	+ \$30	+ \$60



#### **Extended Both End**

LACCIIC	ica both E	IIIM						
12"	13 ½"	15 1/4"	EW(3/N)1215EE	\$391	\$430	\$469	+ \$30	+ \$60
24"	25 ½"	15 1/4"	EW(3/N)2415EE	\$414	\$455	\$497	+ \$30	+ \$60
30"	31 ½"	15 1/4"	EW(3/N)3015EE	\$420	\$462	\$504	+ \$30	+ \$60
36"	37 ½"	15 1/4"	EW(3/N)3615EE	\$426	\$468	\$511	+ \$30	+ \$60
42"	43 ½"	15 1/4"	EW(3/N)4215EE	\$443	\$487	\$531	+ \$30	+ \$60
48"	49 1/2"	15 1/4"	EW(3/N)4815EE	\$472	\$519	\$566	+ \$30	+ \$60
60"	61 ½"	15 1/4"	EW(3/N)6015EE	\$512	\$563	\$614	+ \$30	+ \$60
72"	73 ½"	15 1/4"	EW(3/N)7215EE	\$575	\$633	\$690	+ \$30	+ \$60
84"	85 1/2"	15 1/4"	EW(3/N)8415EE	\$633	\$696	\$759	+ \$30	+ \$60
96"	97 ½"	15 1/4"	EW(3/N)9615EE	\$679	\$746	\$814	+ \$30	+ \$60
108"	109 ½"	15 1/4"	EW(3/N)10815EE	\$736	\$810	\$883	+ \$30	+ \$60

#### Specify

- 1. Model#
- 2. Laminate
- 3. Edge band
- 4. Cantilever color

#### **Extended Ends**

**E**....Covers 1 post

**EE** . . Covers 2 posts

#### **Application Notes**

Counter caps are designed for mounting on top of panels.

Counter caps fit between posts, appropriate to fit between two taller panels and a dual/triple height connectors.

#### **Support Information**

Steel cantilevers are supplied.


#### Top Cap Compatibility

3 - Beveled

N – Flat









Corner				LAMINATE			PAINT	
W	D	MODEL#		L1	L2	L3	P2	P3
24"	15 ¼"	EW(3/N)CC2415		\$483	\$531	\$580	+ \$30	+ \$60
30"	15 1/4"	EW(3/N)CC3015		\$500	\$550	\$600	+ \$30	+ \$60
36"	15 ¼"	EW(3/N)CC3615		\$518	\$569	\$621	+ \$30	+\$60



Extellu	eu Leit						
24"	15 1/4"	EW(3/N)CC2415LHE	\$495	\$544	\$593	+ \$30	+ \$60
30"	15 1/4"	EW(3/N)CC3015LHE	\$512	\$563	\$614	+ \$30	+ \$60
36"	15 1/4"	EW(3/N)CC3615LHE	\$529	\$582	\$635	+ \$30	+ \$60



Ex	Extended Right										
	24"	15 1/4"	EW(3/N)CC2415RHE	\$495	\$544	\$593	+ \$30	+ \$60			
	30"	15 1/4"	EW(3/N)CC3015RHE	\$512	\$563	\$614	+ \$30	+ \$60			
	36"	15 1/4"	EW(3/N)CC3615RHE	\$529	\$582	\$635	+ \$30	+ \$60			



#### **Extended Both** 24" 15 1/4" EW(3/N)CC2415EE \$557 \$607 \$506 + \$30 + \$60 30" 15 1/4" EW(3/N)CC3015EE \$523 \$576 \$628 + \$30 + \$60 36" EW(3/N)CC3615EE 15 1/4" \$541 \$595 \$649 + \$30 + \$60

Specify	S	pe	cif	y
---------	---	----	-----	---

- 1. Model#
- 2. Laminate
- 3. Edge band
- 4. Cantilever color

#### **Extended Ends**

E....Covers 1 post

Extanded Laft

**EE** . . Covers 2 posts

#### **Application Notes**

Counter caps are designed for mounting on top of panels.

Counter caps fit between posts, appropriate to fit between two taller panels and a dual/triple height connectors.

#### **Support Information**

Steel cantilevers are supplied.

#### Top Cap Compatibility


3 - Beveled

N – Flat






## **Open Shelves**



Full He	ight		PAINT			
W	D	Н	MODEL#	P1	P2	Р3
24"	12 ¾"	10 1/4"	ES2OS24	\$267	\$282	\$292
30"	12 3/8"	10 1/4"	ES2OS30	\$292	\$307	\$317
36"	12 ¾"	10 1/4"	ES2OS36	\$292	\$307	\$317
42"	12 ¾"	10 1/4"	ES2OS42	\$306	\$321	\$331
48"	12 3/8"	10 1/4"	ES2OS48	\$320	\$335	\$345
60"	12 ¾"	10 1/4"	ES2OS60	\$343	\$358	\$368
72"	12 ¾"	10 1/4"	ES2OS72	\$370	\$385	\$395



## **Half Height**

24"	12 ¾"	7 1/4"	ES3OS24	\$322	\$337	\$347
30"	12 ¾"	7 1/4"	ES3OS30	\$357	\$372	\$382
36"	12 ¾"	7 1/4"	ES3OS36	\$357	\$372	\$382
42"	12 ¾"	7 1/4"	ES3OS42	\$370	\$385	\$395
48"	12 ¾"	7 1/4"	ES3OS48	\$390	\$405	\$415
60"	12 ¾"	7 1/4"	ES3OS60	\$419	\$434	\$444
72"	12 3/8"	7 1/4"	ES3OS72	\$451	\$466	\$476



## **Shelf Back**

24"	EC2SB24	\$220	\$230	\$240
30"	EC2SB30	\$242	\$252	\$262
36"	EC2SB36	\$242	\$252	\$262
42"	EC2SB42	\$253	\$263	\$273
48"	EC2SB48	\$265	\$275	\$285
60"	EC2SB60	\$298	\$308	\$318
72"	EC2SB72	\$339	\$349	\$359



## **Shelf Divider**

-	Shell bivider				BLACK ONLY				
	2"	9"	6"	EC2SD	\$153	N/A	N/A		

Specify					
					_

1. Model # 2. Paint Application Notes


Open shelf consists of two steel end panels and one steel shelf.

NOTE: Cannot be converted to an enclosed cabinet.

ı		Sneit Type	VV
	ES2OS	Open Shelf	36
	ES3OS	Open Shelf – Half Height	
		•	
	ES2OS	<u>.</u>	36
		••	•••••

Shelf Divider

Available in black only.




Full	Laminate	<b>!</b>			LAMINATE			WOOD VENEER	
W	, D	Н	MODEL#	P1	P2	P3	W1	W2	W3
24	" 12 %"	10 1/4"	ES2OSL24	\$409	\$449	\$490	\$817	\$899	\$981
30	" 12 3/8"	10 1/4"	ES2OSL30	\$417	\$459	\$500	\$834	\$917	\$1,001
36	" 12 ¾"	10 1/4"	ES2OSL36	\$425	\$468	\$510	\$850	\$935	\$1,020
42	12 3/8"	10 1/4"	ES2OSL42	\$438	\$481	\$525	\$875	\$963	\$1,050
48	12 3/8"	10 1/4"	ES2OSL48	\$450	\$495	\$540	\$900	\$990	\$1,080
60	" 12 3/8"	10 1/4"	ES2OSL60	\$636	\$700	\$764	\$1,273	\$1,400	\$1,527
72	12 3/8"	10 1/4"	ES2OSL72	\$818	\$900	\$982	\$1,637	\$1,801	\$1,964

pecify	Ap
. Model #	Ca
. Laminate/Veneer	an

Application Notes

Can not be converted into an enclosed cabinet.


Shelf Type	W
pen Shelf Full Laminate	36
	36
	**



Lamina	Laminate Front — Side Hinge Door				LAMINATE		PAINT		
W	D	Н	# DOORS	MODEL #	L1	L2	L3	P2	Р3
24"	12 ½"	14 1/4"	2	EC2OL24	\$779	\$856	\$934	+ \$30	+ \$60
30"	12 ½"	14 1/4"	2	EC2OL30	\$836	\$920	\$1,003	+ \$30	+ \$60
36"	12 ½"	14 1/4"	2	EC2OL36	\$894	\$983	\$1,072	+ \$30	+ \$60
42"	12 ½"	14 1/4"	2	EC2OL42	\$951	\$1,046	\$1,141	+ \$30	+ \$60
48"	12 ½"	14 1/4"	2	EC2OL48	\$1,009	\$1,109	\$1,210	+ \$30	+ \$60
60"	12 ½"	14 1/4"	4	EC2OL60	\$1,411	\$1,552	\$1,693	+ \$30	+ \$60
72"	12 ½"	14 1/4"	4	EC2OL72	\$1,526	\$1,679	\$1,831	+ \$30	+ \$60



Painted	l Steel -	— Flipper Doc	or			PAINT	
W	D	Н	# DOORS	MODEL#	P1	P2	P3
24"	12 ½"	14 1/4"	1	EC2OP24	\$692	\$717	\$742
30"	12 ½"	14 1/4"	1	EC2OP30	\$783	\$808	\$833
36"	12 ½"	14 1/4"	1	EC2OP36	\$783	\$808	\$833
42"	12 ½"	14 1/4"	1	EC2OP42	\$873	\$898	\$923
48"	12 ½"	14 1/4"	1	EC2OP48	\$921	\$946	\$971
60"	12 ½"	14 1/4"	1	EC2OP60	\$1,050	\$1,075	\$1,100
72"	12 ½"	14 1/4"	1	EC2OP72	\$1,155	\$1,180	\$1,205
72"	12 ½"	14 1/4"	2	EC2OP272	\$1,402	\$1,427	\$1,452



#### **Open** 12 ½" 14 1/4" EC20024 \$526 \$578 \$631 30" 12 ½" 14 1/4" EC20030 \$641 \$705 \$769 36" 12 ½" 14 1/4" EC20036 \$664 \$730 \$796 14 1/4" EC20042 42" 12 ½" \$698 \$768 \$838 EC20048 \$894 \$976 48" 12 ½" 14 1/4" \$813 60" 12 ½" 14 1/4" EC20060 \$1,021 \$928 \$1,114 72" 12 ½" 14 1/4" EC20072 \$1,043 \$1,147 \$1,252



## **Overhead Back**

24"	5/8"	14"	EC2CB24	\$220	\$230	\$240
30"	5/8"	14"	EC2CB30	\$242	\$252	\$262
36"	5/8"	14"	EC2CB36	\$242	\$252	\$262
42"	5/8"	14"	EC2CB42	\$253	\$263	\$273
48"	5/8"	14"	EC2CB48	\$265	\$275	\$285
60"	5/8"	14"	EC2CB60	\$298	\$308	\$318
72"	5/8"	14"	EC2CB72	\$339	\$349	\$359

Sp	ecity	'

- 1. Model#
- 2. Paint
- 3. Optional Laminate


#### Overhead – Side Hinge

Includes matching ABS edge band.


#### Overhead – Flipper Door

Door uses heavy-duty ball bearing hinges to allow door to flip forward and up and over top of cabinet. Can be opened at an angle. Door rolls on glides for smooth, friction-free operation.

	Overhead Type	W
EC2OL	Side Hinge	36
EC2OP	Flipper Door	
EC200	Open	
ES2OL		36



Full Laminate — Side Hinge Door						LAMINATE		WOOD VENEER		
W	D	Н	# DOORS	MODEL#	L1	L2	L3	W1	W2	W3
24"	12 ½"	14 1/4"	2	EC2OCL24D	\$1,597	\$1,756	\$1,916	\$3,193	\$3,513	\$3,832
30"	12 ½"	14 1/4"	2	EC2OCL30D	\$1,624	\$1,787	\$1,949	\$3,249	\$3,573	\$3,898
36"	12 ½"	14 1/4"	2	EC2OCL36D	\$1,652	\$1,817	\$1,982	\$3,304	\$3,634	\$3,964
42"	12 ½"	14 1/4"	2	EC2OCL42D	\$1,693	\$1,863	\$2,032	\$3,387	\$3,725	\$4,064
48"	12 ½"	14 1/4"	2	EC2OCL48D	\$1,735	\$1,908	\$2,082	\$3,469	\$3,816	\$4,163
60"	12 ½"	14 1/4"	4	EC2OCL60D	\$2,356	\$2,591	\$2,827	\$4,711	\$5,182	\$5,654
72"	12 ½"	14 1/4"	4	EC2OCL72D	\$2,977	\$3,274	\$3,572	\$5,953	\$6,549	\$7,144



## **Full Laminate Open**

24"	12 ½"	14 1/4"	EC2OCL24	\$1,362	\$1,498	\$1,634	\$2,724	\$2,997	\$3,269
30"	12 ½"	14 1/4"	EC2OCL30	\$1,390	\$1,529	\$1,668	\$2,779	\$3,057	\$3,335
36"	12 ½"	14 1/4"	EC2OCL36	\$1,417	\$1,559	\$1,701	\$2,835	\$3,118	\$3,401
42"	12 ½"	14 1/4"	EC2OCL42	\$1,459	\$1,605	\$1,750	\$2,917	\$3,209	\$3,501
48"	12 ½"	14 1/4"	EC2OCL48	\$1,500	\$1,650	\$1,800	\$3,000	\$3,300	\$3,600
60"	12 ½"	14 1/4"	EC2OCL60	\$2,121	\$2,333	\$2,545	\$4,242	\$4,666	\$5,091
72"	12 ½"	14 1/4"	EC2OCL72	\$2,728	\$3,001	\$3,274	\$5,457	\$6,002	\$6,548

## **SHARED STORAGE DIMENSIONS**

Equity is measured from the center of the posts on each end of the panel. A standard full laminate overhead is dimensioned to fit in a fully panel wrapped configuration. It is therefore 1-½" narrower than the nominal panel dimension. If you would like the full laminate overhead to extend to cover the center of one post you will need to add an "E" to the full laminate overhead item number. This will add ¾" to the width of the shared storage. If you would like the full laminate overhead to extend to cover the center of both posts then you will need to add "EE", extending the full laminate overhead by 1 ½" from the standard.

 ${f E}$ ....Covers center of 1 post

**EE** . . Covers center of 2 posts








Specify
1. Model # 2. Laminate/Veneer

Includes matching ABS edge band.


**Overhead** 

				Options
	W	D	Door	Extended Ends
ES20 Equity Overhead CL Full Laminate Overhead	ad: 36	14	No Door	E One End \$24
			D Door	EE Both Ends \$48
ES2O CL	36	14	D	E

# **Shared Storage**



401111						
12" H					LAMINATE	
W	D	Н	MODEL#	រេ	L2	L3
24"	14"	12"	EC2OY2412	\$1,124	\$1,236	\$1,348
30"	14"	12"	EC2OY3012	\$1,147	\$1,261	\$1,376
36"	14"	12"	EC2OY3612	\$1,170	\$1,287	\$1,403
42"	14"	12"	EC2OY4212	\$1,204	\$1,324	\$1,445
48"	14"	12"	EC2OY4812	\$1,239	\$1,362	\$1,486
60"	14"	12"	EC2OY6012	\$1,722	\$1,894	\$2,066
72"	14"	12"	EC2OY7212	\$2,228	\$2,450	\$2,673
84"	14"	12"	EC2OY8412	\$2,711	\$2,982	\$3,253



# 14" H

24	" 14"	14 1/4"	EC2OY2414	\$1,135	\$1,249	\$1,362
30	" 14"	14 1/4"	EC2OY3014	\$1,158	\$1,274	\$1,390
36	" 14"	14 1/4"	EC2OY3614	\$1,181	\$1,299	\$1,417
42	." 14"	14 1/4"	EC2OY4214	\$1,216	\$1,337	\$1,459
48	" 14"	14 1/4"	EC2OY4814	\$1,250	\$1,375	\$1,500
60	" 14"	14 1/4"	EC2OY6014	\$1,768	\$1,944	\$2,121
72	." 14"	14 1/4"	EC2OY7214	\$2,274	\$2,501	\$2,728
84	" 14"	14 1/4"	EC2OY8414	\$2,768	\$3,045	\$3,322

## **SHARED STORAGE DIMENSIONS**

Equity is measured from the center of the posts on each end of the panel. A standard shared storage is dimensioned to fit in a fully panel wrapped configuration. It is therefore 1-½" narrower than the nominal panel dimension. If you would like the shared storage to extend to cover the center of one post you will need to add an "E" to the shared storage item number. This will add ¾" to the width of the shared storage. If you would like the shared storage to extend to cover the center of both posts then you will need to add "EE", extending the shared storage by 1 ½" from the standard.


**E**....Covers center of 1 post **EE**...Covers center of 2 posts








						Optio	ns	
		W	D		Door		Extended Ends	
ES20 Equity Overhead	Y Shared Storage	36	14	<b>D</b> MD	No Door <b>Door</b> Markerboard Door	E EE	One End Both Ends	<b>\$24</b> \$48
ES2O	Υ	36	14	D		Е		



				:	· · · · · · · · · · · · · · · · · · ·	• • • • • • • • • • • • • • • • • • • •			
12" H	w/Doors	5 — Includes 2	locks	LAMINATE					
W	D	Н	MODEL#	L1	L2	L3			
24"	14"	12"	EC2OY2412(D/MD)	\$1,285	\$1,413	\$1,541			
30"	14"	12"	EC2OY3012(D/MD)	\$1,319	\$1,451	\$1,583			
36"	14"	12"	EC2OY3612(D/MD)	\$1,354	\$1,489	\$1,624			
42"	14"	12"	EC2OY4212(D/MD)	\$1,388	\$1,527	\$1,666			
48"	14"	12"	EC2OY4812(D/MD)	\$1,423	\$1,565	\$1,707			
60"	14"	12"	EC2OY6012(D/MD)	\$1,940	\$2,134	\$2,328			
72"	14"	12"	EC2OY7212(D/MD)	\$2,446	\$2,691	\$2,935			
84"	14"	12"	EC2OY8412(D/MD)	\$2,883	\$3,171	\$3,460			



# 14" H w/Doors — Includes 2 locks


24"	14"	14 1/4"	EC2OY2414(D/MD)	\$1,331	\$1,464	\$1,597
30"	14"	14 1/4"	EC2OY3014(D/MD)	\$1,354	\$1,489	\$1,624
36"	14"	14 1/4"	EC2OY3614(D/MD)	\$1,377	\$1,514	\$1,652
42"	14"	14 1/4"	EC2OY4214(D/MD)	\$1,411	\$1,552	\$1,693
48"	14"	14 1/4"	EC2OY4814(D/MD)	\$1,446	\$1,590	\$1,735
60"	14"	14 1/4"	EC2OY6014(D/MD)	\$1,963	\$2,159	\$2,356
72"	14"	14 1/4"	EC2OY7214(D/MD)	\$2,481	\$2,729	\$2,977
84"	14"	14 1/4"	EC2OY8414(D/MD)	\$3,021	\$3,323	\$3,625

## Specify

- 1. Model#
- Options
   Laminate

## Shared Storage


Includes matching ABS edge band.



12" H			FABRIC									
W	MODEL#	А	В	C	D	E	F	G	Н			
24"	EP1TB2412	\$230	\$255	\$280	\$330	\$430	\$530	\$630	\$730			
30"	EP1TB3012	\$288	\$313	\$338	\$388	\$488	\$588	\$688	\$788			
36"	EP1TB3612	\$345	\$370	\$395	\$445	\$545	\$645	\$745	\$845			
42"	EP1TB4212	\$374	\$399	\$424	\$474	\$574	\$674	\$774	\$874			
48"	EP1TB4812	\$403	\$428	\$453	\$503	\$603	\$703	\$803	\$903			
60"	<b>EP</b> 1 <b>TB</b> 6012	\$460	\$485	\$510	\$560	\$660	\$760	\$860	\$960			

# 20" H

24"	EP1TB2420	\$345	\$370	\$395	\$445	\$545	\$645	\$745	\$845
30"	EP1TB3020	\$374	\$399	\$424	\$474	\$574	\$674	\$774	\$874
36"	EP1TB3620	\$403	\$428	\$453	\$503	\$603	\$703	\$803	\$903
42"	EP1TB4220	\$431	\$456	\$481	\$531	\$631	\$731	\$831	\$931
48"	EP1TB4820	\$460	\$485	\$510	\$560	\$660	\$760	\$860	\$960
60"	EP1TB6020	\$518	\$543	\$568	\$618	\$718	\$818	\$918	\$1,018



## 25" H

_									
24"	EP1TB2425	\$403	\$428	\$453	\$503	\$603	\$703	\$803	\$903
30"	EP1TB3025	\$431	\$456	\$481	\$531	\$631	\$731	\$831	\$931
36"	EP1TB3625	\$460	\$485	\$510	\$560	\$660	\$760	\$860	\$960
42"	EP1TB4225	\$489	\$514	\$539	\$589	\$689	\$789	\$889	\$989
48"	EP1TB4825	\$518	\$543	\$568	\$618	\$718	\$818	\$918	\$1,018
60"	EP1TB6025	\$575	\$600	\$625	\$675	\$775	\$875	\$975	\$1,075

## 36" H

24"	EP1TB2436	\$460	\$485	\$510	\$560	\$660	\$760	\$860	\$960
30"	EP1TB3036	\$518	\$543	\$568	\$618	\$718	\$818	\$918	\$1,018
36"	EP1TB3636	\$546	\$571	\$596	\$646	\$746	\$846	\$946	\$1,046
42"	EP1TB4236	\$575	\$600	\$625	\$675	\$775	\$875	\$975	\$1,075
48"	EP1TB4836	\$604	\$629	\$654	\$704	\$804	\$904	\$1,004	\$1,104
60"	EP1TB6036	\$661	\$686	\$711	\$761	\$861	\$961	\$1,061	\$1,161

Sp	ecify	
1	Model #	

**Application Notes** 

Specify in areas where heavy tacking application is required.

Solid core construction will easily accept T-pins, push pins and thumbtacks.

Clips attach unit to slotted standards.

			Options	
	W	Н	Extended Ends	
EW1 Tackboard	48	20	E One End	\$24
			EE Both Ends	\$48
EP1TB	36	20	E	

2. Fabric

## **Wall Mounted Channel**

Wall Mo	untod	Channo	.I		
wall Mu	unteu	Ciiaiiiie	PAINT		
W	D	Н	<b>H</b> (Actual)	MODEL#	P1 P2 P3
2 %"	3/4"	29"	23"	EP3WMC29	\$129 \$134 \$141
2 %"	3/4"	41"	35"	EP3WMC41	\$129 \$134 \$141
2 %"	3/4"	49"	43"	EP3WMC49	\$131 \$138 \$148
2 1/8"	3/4"	54"	49"	EP3WMC54	\$133 \$140 \$150
2 %"	3/4"	61"	55"	EP3WMC61	\$150 \$157 \$169
2 %"	3/4"	66"	60"	EP3WMC66	\$153 \$166 \$178
2 %"	3/4"	81"	75"	EP3WMC81	\$186 \$199 \$211
2 %"	3/4"	120"	120"	EP3WMC120	\$286 \$301 \$318

## Specify – Wall Mounted Channel

- 1. Model #
- 2. Paint

## **Wall Mounted Channel Application Notes**

Allows hanging of all components and accessories on reinforced building walls.

Painted extruded aluminum with a plastic insert which snaps in place, covering mounting screws.

NOTE: Neutral Posture, Inc. assumes no responsibility for wall construction or performance of fasteners used.

## Assembly – Wall Mounted Channel

### Included


- Extruded aluminum channel
- Insert which snaps into place


## LIGHTING

Just as the design of a work environment is important, a company's investment in workplace lighting is equally such. Light empowers a person's work, influences their mood and helps them focus. Workers need well-lit spaces to be productive

and feel their best. Developing a work environment that supports worker well being and performance through the use of lighting will reduce employee stress, absenteeism and accidents while increasing work performance.

# **LIGHTING**






## REED Premier — Stand alone w/18-watt power supply

DESCRIPTION	Н	W	D	WATTAGE	MODEL#	LIST
Suggested shelf size 24" – 36"	1/2"	16 ½"	2"	8.0	LRPSO-17-SA	\$457
Suggested shelf size 30" – 42"	1/2"	23 1/4"	2"	12.4	LRPSO-24-SA	\$595



# REED Premier = Stand alone or starter w/60-watt power supply

Suggested shelf size 24" – 36"	1/2"	16 ½"	2"	8.0	LRPSO-17-ST	\$549
Suggested shelf size 30" – 42"	1/2"	23 1/4"	2"	12.4	LRPSO-24-ST	\$687
Suggested shelf size 42" – 48"	1/2"	30"	2"	16.4	LRPSO-31-ST	\$721
Suggested shelf size 54" – 60"	1/2"	43 ¾"	2"	24.2	LRPSO-44-ST	\$894
Suggested shelf size >=72"	1/2"	57 ½"	2"	31.2	LRPSO-58-ST	\$1,101



## **REED Premier** — Extension

Suggested shelf size 24" – 36"	1/2"	16 ½"	2"	8.0	LRPSO-17-EX	\$411
Suggested shelf size 30" – 42"	1/2"	23 1/4"	2"	12.4	LRPSO-24-EX	\$572
Suggested shelf size 42" - 48"	1/2"	30"	2"	16.4	LRPSO-31-EX	\$606
Suggested shelf size 54" – 60"	1/2"	43 ¾"	2"	24.2	LRPSO-44-EX	\$802



## REED Premier — Accessories

O	3/11	2"	2"	I PD OS	ĊZEZ
Occupancy sensor kit	3/4"	2	2"	LRP-US	5353

•	•
	,

### Specify

1. Model#

### **REED Premier**

Properly diffused light provides a softly blended light pattern that reduces eye strain.

A single-touch on/ off and touch and hold continuous dimming pad with last state memory.

The automatic turn off feature comes standard and will turn the fixture off after 10 hours of continuous use (±15 mins).

## Specify Notes

60-watt power supply is required when interlinking.


Total interlinked system wattage cannot exceed 54 watts. See the interlinking combination chart for reference.

Extension fixtures come standard with 8" and 30" interlinking cords.

One occupancy sensor needed per string of interlinked fixtures.

### **Interlinking Combination Chart**

17"	24"	31"	44"	58"	17"	24"	31"	44"	58
6	0	0	0	0	1	3	0	0	(
5	1	0	0	0	1	2	1	0	(
5	0	0	0	0	1	1	2	0	(
4	1	0	0	0	1	0	2	0	(
4	0	1	0	0	1	0	1	1	(
4	0	0	0	0	1	0	0	1	(
3	2	0	0	0	1	0	0	0	
3	1	1	0	0	0	4	0	0	(
3	0	1	0	0	0	3	1	0	(
3	0	0	1	0	0	2	1	0	(
3	0	0	0	0	0	1	1	1	(
2	3	0	0	0	0	1	0	0	
2	2	0	0	0	0	0	3	0	(
2	0	2	0	0	0	0	2	0	(
2	0	1	0	0	0	0	1	1	(
2	0	0	1	0	0	0	1	0	•
2	0	0	0	1	0	0	0	2	(
2	0	0	0	0					



## Tazetta — Black

DESCRIPTION	Н	W	D	MODEL#	LIST
Use with 24" wide overhead	1.3"	13"	4.38"	LTAZ13BLK	\$348
Use with 30" – 36" wide overhead	1.3"	23.3"	4.38"	LTAZ24BLK	\$392
Use with 42" – 48" wide overhead	1.3"	35.1"	4.38"	LTAZ36BLK	\$440
Use with 54" – 60" wide overhead	1.3"	46.9"	4.38"	LTAZ48BLK	\$471
Use with 70" or wider overhead	1.3"	58.7"	4.38"	LTAZ60BLK	\$592



## Tazetta — White

DESCRIPTION	Н	W	D	MODEL#	LIST
Use with 24" wide overhead	1.3"	13"	4.38"	LTAZ13WHT	\$359
Use with 30" – 36" wide overhead	1.3"	23.3"	4.38"	LTAZ24WHT	\$403
Use with 42" – 48" wide overhead	1.3"	35.1"	4.38"	LTAZ36WHT	\$453
Use with 54" – 60" wide overhead	1.3"	46.9"	4.38"	LTAZ48WHT	\$485
Use with 70" or wider overhead	1.3"	58.7"	4.38"	LTAZ60WHT	\$610



## Tazetta = Gray

DESCRIPTION	Н	W	D	MODEL #	LIST
Use with 24" wide overhead	1.3"	13"	4.38"	LTAZ13GRY	\$359
Use with 30" – 36" wide overhead	1.3"	23.3"	4.38"	LTAZ24GRY	\$403
Use with 42" – 48" wide overhead	1.3"	35.1"	4.38"	LTAZ36GRY	\$453
Use with 54" – 60" wide overhead	1.3"	46.9"	4.38"	LTAZ48GRY	\$485
Use with 70" or wider overhead	1.3"	58.7"	4.38"	LTAZ60GRY	\$610

_		
ς	necify	

1. Model#

## **Application Notes**

Lamp T5 fluorescent

**Color Temperature** 3500K

## Certifications

ETL listed: compliant to UL 153 & CSA C22.2 No. 250.4; UL 1598; TAA

**Power Consumption** 

8W 14W 21W 28W 35W

# **Lighting**Freestanding



## Voyage — Single arm

DESCRIPTION	MODEL#	LIST
Freestanding	LVOY-S-FS-(B,W,S)	\$917
Freestanding w/occupancy sensor	LVOY-S-FS-(B,W,S)-OS	\$1,124
Freestanding USB	LVOY-S-FSUSB-(B,W,S)	\$986
Freestanding USB w/occupancy sensor	LVOY-S-FSUSB-(B,W,S)-OS	\$1,216
Surface mount	LVOY-S-SM-(B,W,S)	\$917
Surface mount w/occupancy sensor	LVOY-S-SM-(B,W,S)-OS	\$1,124
Clamp mount	LVOY-S-CM-(B,W,S)	\$917
Clamp mount w/occupancy sensor	LVOY-S-CM-(B,W,S)-OS	\$1,124



## Voyage — Double arm

DESCRIPTION	MODEL#	LIST
DESCRIPTION	MODEL #	LIST
Freestanding	LVOY-D-FS-(B,W,S)	\$1,009
Freestanding w/occupancy sensor	LVOY-D-FS-(B,W,S)-OS	\$1,216
Freestanding USB	LVOY-D-FSUSB-(B,W,S)	\$1,124
Freestanding USB w/occupancy sensor	LVOY-D-FSUSB-(B,W,S)-OS	\$1,296
Surface mount	LVOY-D-SM-(B,W,S)	\$1,009
Surface mount w/occupancy sensor	LVOY-D-SM-(B,W,S)-OS	\$1,216
Clamp mount	LVOY-D-CM-(B,W,S)	\$1,124
Clamp mount w/occupancy sensor	LVOY-D-CM-(B,W,S)-OS	\$1,216

Specify	Voyage		
1. Model #	Properly diffused light provides a softly blended light pattern that reduces eye strain.	The automatic turn off feature comes standard and will turn the fixture off after 10 hours of continuous use.	Color Options B – Black W – White S – Silver
	A single-touch on/ off and touch and hold continuous dimming pad with last state memory.	The optional occupancy sensor will turn the fixture off after 30 minutes of inactivity and back on as the user re-enters the workspace. If occupant is present, the light will remain on.	

# **Lighting** Freestanding



# Revo — Single arm

DESCRIPTION	MODEL#	LIST
Freestanding	LREV-S-FS-(B,W,S)	\$917
Freestanding w/occupancy sensor	LREV-S-FS-(B,W,S)-OS	\$1,124
Freestanding USB	LREV-S-FSUSB-(B,W,S)	\$1,009
Freestanding USB w/occupancy sensor	LREV-S-FSUSB-(B,W,S)-OS	\$1,158
Surface mount	LREV-S-SM-(B,W,S)	\$917
Surface mount w/occupancy sensor	LREV-S-SM-(B,W,S)-OS	\$1,124
Clamp mount	LREV-S-CM-(B,W,S)	\$917
Clamp mount w/occupancy sensor	LREV-S-CM-(B,W,S)-OS	\$1,124
Clamp mount w/occupancy sensor	LREV-S-CM-(B,W,S)-OS	\$1,124



## Revo — Double Arm

DESCRIPTION	MODEL#	LIST
Freestanding	LREV-D-FS-(B,W,S)	\$1,009
Freestanding w/occupancy sensor	LREV-D-FS-(B,W,S)-OS	\$1,216
Freestanding USB	LREV-D-FSUSB-(B,W,S)	\$1,124
Freestanding USB w/occupancy sensor	LREV-D-FSUSB-(B,W,S)-OS	\$1,296
Surface mount	LREV-D-SM-(B,W,S)	\$1,009
Surface mount w/occupancy sensor	LREV-D-SM-(B,W,S)-OS	\$1,124
Clamp mount	LREV-D-CM-(B,W,S)	\$1,009
Clamp mount w/occupancy sensor	LREV-D-CM-(B,W,S)-OS	\$1,124

Specify	Application Notes		
I. Model #	Properly diffused light source under the round head provides a softly blended light pattern that reduces eye strain.  Single-touch on/off and touch and hold continuous dimming pad with last state memory.	The automatic turn off feature comes standard and will turn the fixture off after 10 hours of continuous use.  The optional occupancy sensor will turn the fixture off after 30 minutes of inactivity and back on as the user re-enters the workspace. If occupant is present, the light will remain on.	Color Options B – Black W – White S – Silver

# Tables

#### Step 1 - Model #

			Shape	D	w
ТВ	Table	R	Round	34	69
		S	Square	•	:
		RCT	Rectangle	•	:
		OT	Oval		
TB		RCT		34	69
	:		.:	ii	ii

## Step 2 – Surface Finish

Lam	Laminate		
PW-STK	Studio Teak		
DW 671/			
PW-STK			

Step 3 – Edge Finish

Edge	e Band
EB-STK	Studio Teak
	:

## Step 4 – Trim Finish

	Paints
301	Champagne
:	
:	
	:
301	

## **FEATURES**

#### **BASE TYPES**

- X Base
- Y Base w/ or w/o adjustable bar support
- Tapered Leg

### **BASE OPTIONS**

- Bar height
- Flip top
- Casters

## NOTE: Not all options are available on all bases.

## **WORKSURFACE TYPES**

- Round
- Square
- Rectangular
- Oval

#### **LEVELERS**

Adjustable height levelers are included at no additional cost on all models.

#### **Shank Length**

X & Y bases — 3%-16 x 34"
Tapered legs — 3%-16 x 1 34"

Leveler extensions can be ordered separately. Please contact Customer Service for information on ordering leveler extensions. Casters can be ordered in place of levelers for an upcharge on most standard height tables.

### **SAFETY**

For safety and stability purposes, the caster and flip top options cannot be added to bar height tables or the following table models: TBR60, TBS48, TBS60, TBOT54120, TBOT60144.

## **CUSTOM TABLES**

Custom size tables and custom height bases are available upon request, pending Engineering approval. Customization charges may apply. Contact Customer Service for additional information and pricing.

## **CONSTRUCTION**

#### **X BASE**

X bases are made from cast aluminum with  $2\frac{1}{4}$ " tubing OD x 13 gauge.

#### Y BASE

Y base is made from cast aluminum with 2 ¼" steel tube.

#### **X BASE MOUNTING PLATES**

X base mounting plates are made of steel 4 gauge x 12" x 12" or 8" x 8".

## Y BASE MOUNTING PLATES

Y base mounting plates are made from 0.187" x 6" x 8" fabricated steel.

### WORKSURFACES

All worksurfaces are made with a core, high pressure laminate and edge band. All non-woodgrain edge bands are made of ABS material. All woodgrain edge bands are made of PVC material. The overall thickness is 1 1/8".

#### **WORKSURFACE HEIGHTS**

Standard	27 ¾"
Bar Height	40 ¾"

## **SURFACE MATERIALS**

### WORKSURFACE

- Laminate
- Edge band

## **X BASES**

Paint

### **Y BASE**

**Paint** 

## **TAPERED LEGS**

**Paint** 

### **HEIGHT ADJUSTABLE BASE**

Black or silver

# **TABLES**



Round — w/X base									PAINT		
DESCRIPTION	Н	W	D	MODEL#		L1	L2	L3	P2	P3	
X base	29"	23 ¾"	23 ¾"	TBR24X		\$1,235	\$1,359	\$1,482	+ \$115	+ \$230	
X base	29"	29 ¾"	29 ¾"	TBR30X		\$1,294	\$1,423	\$1,553	+ \$115	+ \$230	
X base	29"	35 ¾"	35 ¾"	TBR36X		\$1,323	\$1,455	\$1,587	+ \$115	+ \$230	
X base	29"	41 ¾"	41 ¾"	TBR42X		\$1,409	\$1,550	\$1,691	+ \$115	+ \$230	
X base	29"	47 ¾"	47 ¾"	TBR48X		\$1,737	\$1,910	\$2,084	+ \$115	+ \$230	
X base	29"	53 ¾"	53 ¾"	TBR54X		\$2,818	\$3,099	\$3,381	+ \$115	+ \$230	



## $\textbf{Round} = \textbf{w}/\underline{\textbf{Tapered legs}}$

DESCRIPTION	Н	W	D	MODEL#	L1	L2	L3	P2	P3
4 Tapered legs	29"	29 ¾"	29 ¾"	TBR30T	\$1,840	\$2,024	\$2,208	+ \$115	+ \$230
4 Tapered legs	29"	35 ¾"	35 ¾"	TBR36T	\$1,869	\$2,056	\$2,243	+ \$115	+ \$230
4 Tapered legs	29"	41 ¾"	41 ¾"	TBR42T	\$1,898	\$2,087	\$2,277	+ \$115	+ \$230
4 Tapered legs	29"	47 ¾"	47 ¾"	TBR48T	\$1,926	\$2,119	\$2,312	+ \$115	+ \$230



## Round = w/Disc base

DESCRIPTION	Н	W	D	MODEL#	L1	L2	L3	P2	Р3
Disc base	29"	29 ¾"	29 ¾"	TBR30D	\$2,446	\$2,691	\$2,935	+ \$115	+ \$230
Disc base	29"	35 ¾"	35 ¾"	TBR36D	\$2,561	\$2,817	\$3,073	+ \$115	+ \$230



## Round — w/TT base


DESCRIPTION	Н	W	D	MODEL#	L1	L2	L3	P2	P3
TT base	29"	59 ¾"	59 ¾"	TBR60TT	\$2,933	\$3,226	\$3,519	+ \$115	+ \$230
TT base	29"	65 ¾"	65 ¾"	TBR66TT	\$2,990	\$3,289	\$3,588	+ \$115	+ \$230
TT base	29"	71 ¾"	71 ¾"	TBR72TT	\$3,048	\$3,352	\$3,657	+ \$115	+ \$230

## **Options for Round Tables**

DESCRIPTION	OPTION CODE	X BASE	TAPERED LEGS	DISC BASE	TT BASE	UPCHARGE
Bar height	ВН	•		•	•	+ \$115
Casters (set of 4)	С	•	•		•	+ \$115
Flip top	FT	•		•	•	+ \$230

Sp	есіту
1.	Model #
2.	Options
3.	Laminate

4. Edge band 5. Base paint



			Shape	D		Base
TB	Table	R	Round	30	X	X base
		S	Square		Т	Tapered legs
		RCT	Rectangle		D	Disc base
		OT	Oval		TT	TT base
					:	
ТВ		R		30	Х	
	. <b>:</b>	i	. <b>∶</b>		i	



Square — w/	( base					LAMINATE		PAINT	
DESCRIPTION	Н	W	D	MODEL#	L1	L2	L3	P2	Р3
X base	29"	23 ¾"	23 ¾"	TBS24X	\$1,236	\$1,360	\$1,484	+ \$115	+ \$230
X base	29"	29 ¾"	29 ¾"	TBS30X	\$1,294	\$1,423	\$1,553	+ \$115	+ \$230
X base	29"	35 ¾"	35 ¾"	TBS36X	\$1,380	\$1,518	\$1,656	+ \$115	+ \$230
X base	29"	41 ¾"	41 ¾"	TBS42X	\$1,438	\$1,581	\$1,725	+ \$115	+ \$230
X base	29"	53 ¾"	53 ¾"	TBS54X	\$2,818	\$3,099	\$3,381	+ \$115	+ \$230



# Square — w/Tapered legs

DESCRIPTION	Н	W	D	MODEL#	L1	L2	L3	P2	P3
4 Tapered Legs	29"	29 ¾"	29 ¾"	TBS30T	\$1,840	\$2,024	\$2,208	+ \$115	+ \$230
4 Tapered Legs	29"	35 ¾"	35 ¾"	TBS36T	\$1,869	\$2,056	\$2,243	+ \$115	+ \$230
4 Tapered Legs	29"	41 ¾"	41 ¾"	TBS42T	\$1,880	\$2,068	\$2,256	+ \$115	+ \$230
4 Tapered Legs	29"	47 ¾"	47 ¾"	TBS48T	\$1,898	\$2,087	\$2,277	+ \$115	+ \$230



## Square — w/TT base

≥	DESCRIPTION	Н	W	D	MODEL#	L1	L2	L3	P2	Р3
	TT base	29"	59 ¾"	59 ¾"	TBS60TT	\$2,933	\$3,226	\$3,519	+ \$115	+ \$230
	TT base	29"	65 ¾"	65 ¾"	TBS66TT	\$2,990	\$3,289	\$3,588	+ \$115	+ \$230
	TT base	29"	71 ¾"	71 ¾"	TBS72TT	\$3,048	\$3,352	\$3,657	+ \$115	+ \$230

## **Options for Square Tables**

DESCRIPTION	OPTION CODE	X BASE	TAPERED LEGS	TT BASE	UPCHARGE
Bar height	вн	•		•	+ \$115
Casters (set of 4)	С	•	•	•	+ \$115
Flip top	FT	•		•	+ \$230

Specify	Grain Direction		Shape	D	Base
1. Model #		TB Table	R Round	30 X	X base
2. Options			S Square	Т	Tapered legs
3. Laminate			RCT Rectangle	TT	TT Base
4. Edge band			OT Oval		
5. Base paint					
•		TB	S	30 X	
		ii	ii	ii i	<b>.:</b>



<b>Oval</b> — w/Y base						LAMINATE		PAIN	T
DESCRIPTION	Н	W	D	MODEL#	L1	L2	L3	P2	P3
w/stretcher	29"	71 ¾"	35 ¾"	TBOT3672Y	\$3,669	\$4,035	\$4,402	+ \$230	+ \$345
w/stretcher	29"	95 ¾"	47"	TBOT4896Y	\$6,009	\$6,610	\$7,211	+ \$230	+ \$345
w/stretcher	29"	119 ¾"	47"	TBOT48120Y	\$7,354	\$8,090	\$8,825	+ \$230	+ \$345



## **Oval** — w/Tapered legs

<u>_</u>									
DESCRIPTION	Н	W	D	MODEL#	L1	L2	L3	P2	P3
6 Tapered legs	29"	71 ¾"	35 ¾"	TBOT3672T	\$3,680	\$4,048	\$4,416	+ \$290	+ \$405
6 Tapered legs	29"	95 ¾"	47"	TBOT4896T	\$4,025	\$4,428	\$4,830	+ \$290	+ \$405
6 Tapered legs*	29"	119 ¾"	47"	TBOT48120T	\$4,428	\$4,870	\$5,313	+ \$290	+ \$405
6 Tapered legs*	29"	119 ¾"	53 ¾"	TBOT54120T	\$7,935	\$8,729	\$9,522	+ \$290	+ \$405
6 Tapered legs*	29"	143 ¾"	59 ¾"	TBOT60144T	\$8,625	\$9,488	\$10,350	+ \$290	+ \$405
* Includes a support ra	il								

## **Options for Oval Tables**

DESCRIPTION	OPTION CODE	Y BASE	TAPERED LEGS	UPCHARGE
Bar height	вн	•		+ \$345
Casters (set of 4)	C	•	•	+ \$115
Flip top	FT	•		+ \$345

Specify	Grain Direction				Shape	D	w	Base	
1. Model #		ТВ	Table	R	Round	34	69	Υ	Y base
2. Options	← →			S	Square		:	Т	Tapered legs
3. Laminate				RCT	Rectangle		•	•	
4. Edge band		:		ОТ	Oval	<u>:</u>			
5. Base paint		į				į .			
		ТВ		ОТ		34	69	Υ	:



Rectangle -	— w/Y base					LAMINATE		PAIN	r
DESCRIPTION	Н	W	D	MODEL#	L1	L2	L3	P2	P3
w/o stretcher	29"	47 ¾"	29 ¾"	TBRCT3048Y	\$1,627	\$1,790	\$1,953	+ \$230	+ \$345
w/stretcher	29"	53 ¾"	23 ¾"	TBRCT2454Y	\$1,581	\$1,739	\$1,898	+ \$230	+ \$345
w/stretcher	29"	59 ¾"	23 ¾"	TBRCT2460Y	\$1,926	\$2,119	\$2,312	+ \$230	+ \$345
w/stretcher	29"	58 ½"	35 ½"	TBRCT3660Y	\$2,340	\$2,574	\$2,808	+ \$230	+ \$345
w/stretcher	29"	59 ¾"	29 ¾"	TBRCT3060Y	\$1,984	\$2,182	\$2,381	+ \$230	+ \$345
w/stretcher	29"	65 3/4"	23 ¾"	TBRCT2466Y	\$2,185	\$2,404	\$2,622	+ \$230	+ \$345
w/stretcher*	29"	69 1/4"	34"	TBRCT3469Y	\$3,525	\$3,877	\$4,230	+ \$230	+ \$345
w/stretcher*	29"	71 ¾"	23 ¾"	TBRCT2472Y	\$2,243	\$2,467	\$2,691	+ \$230	+ \$345
w/stretcher*	29"	71 ¾"	29 ¾"	TBRCT3072Y	\$2,340	\$2,574	\$2,808	+ \$230	+ \$345
w/stretcher*	29"	71 ¾"	35 ¾"	TBRCT3672Y	\$2,777	\$3,055	\$3,333	+ \$230	+ \$345
w/stretcher*	29"	79 1/4"	34"	TBRCT3479Y	\$3,525	\$3,877	\$4,230	+ \$230	+ \$345
w/stretcher*	29"	83 ¾"	41 ¾"	TBRCT4284Y	\$3,766	\$4,143	\$4,520	+ \$230	+ \$345
w/stretcher*	29"	95 ¾"	47 ¾"	TBRCT4896Y	\$4,790	\$5,269	\$5,748	+ \$230	+ \$345
* Includes a support ra	il				•		·		



# Rectangle — w/Tapered legs

Н	W	D	MODEL#	រេ	L2	L3	P2	P3
29"	47 ¾"	29 ¾"	TBRCT3048T	\$2,185	\$2,404	\$2,622	+ \$288	+ \$403
29"	58 ½"	35 ½"	TBRCT3660T	\$2,530	\$2,783	\$3,036	+ \$288	+ \$403
29"	59 ¾"	29 ¾"	TBRCT3060T	\$2,415	\$2,657	\$2,898	+ \$288	+ \$403
29"	69 1/4"	34"	TBRCT3469T	\$2,645	\$2,910	\$3,174	+ \$288	+ \$403
29"	71 ¾"	29 ¾"	TBRCT3072T	\$2,415	\$2,657	\$2,898	+ \$288	+ \$403
29"	71 ¾"	35 ¾"	TBRCT3672T	\$2,645	\$2,910	\$3,174	+ \$288	+ \$403
29"	79 1/4"	34"	TBRCT3479T	\$2,875	\$3,163	\$3,450	+ \$288	+ \$403
29"	83 ¾"	41 ¾"	TBRCT4284T	\$3,163	\$3,479	\$3,795	+ \$288	+ \$403
29"	95 ¾"	47 ¾"	TBRCT4896T	\$3,278	\$3,605	\$3,933	+ \$288	+ \$403
	29" 29" 29" 29" 29" 29" 29" 29"	29" 47 ¾" 29" 58 ½" 29" 59 ¾" 29" 69 ¼" 29" 71 ¾" 29" 79 ¼" 29" 79 ¼"	29" 47 ¾" 29 ¾" 29" 58 ½" 35 ½" 29" 59 ¾" 29 ¾" 29" 69 ¼" 34" 29" 71 ¾" 29 ¾" 29" 71 ¾" 35 ¾" 29" 79 ¼" 34" 29" 83 ¾" 41 ¾"	29" 47 ¾" 29 ¾" TBRCT3048T 29" 58 ½" 35 ½" TBRCT3660T 29" 59 ¾" 29 ¾" TBRCT3060T 29" 69 ¼" 34" TBRCT3469T 29" 71 ¾" 29 ¾" TBRCT3072T 29" 71 ¾" 35 ¾" TBRCT3672T 29" 79 ¼" 34" TBRCT3479T 29" 83 ¾" 41 ¾" TBRCT4284T	29"       47 ¾"       29 ¾"       TBRCT3048T       \$2,185         29"       58 ½"       35 ½"       TBRCT3660T       \$2,530         29"       59 ¾"       29 ¾"       TBRCT3060T       \$2,415         29"       69 ¼"       34"       TBRCT3469T       \$2,645         29"       71 ¾"       29 ¾"       TBRCT3072T       \$2,415         29"       71 ¾"       35 ¾"       TBRCT3672T       \$2,645         29"       79 ¼"       34"       TBRCT3479T       \$2,875         29"       83 ¾"       41 ¾"       TBRCT4284T       \$3,163	29"         47 ¾"         29 ¾"         TBRCT3048T         \$2,185         \$2,404           29"         58 ½"         35 ½"         TBRCT3660T         \$2,530         \$2,783           29"         59 ¾"         29 ¾"         TBRCT3060T         \$2,415         \$2,657           29"         69 ¼"         34"         TBRCT3469T         \$2,645         \$2,910           29"         71 ¾"         29 ¾"         TBRCT3072T         \$2,415         \$2,657           29"         71 ¾"         35 ¾"         TBRCT3672T         \$2,645         \$2,910           29"         79 ¼"         34"         TBRCT3479T         \$2,875         \$3,163           29"         83 ¾"         41 ¾"         TBRCT4284T         \$3,163         \$3,479	29"         47 ¾"         29 ¾"         TBRCT3048T         \$2,185         \$2,404         \$2,622           29"         58 ½"         35 ½"         TBRCT3660T         \$2,530         \$2,783         \$3,036           29"         59 ¾"         29 ¾"         TBRCT3060T         \$2,415         \$2,657         \$2,898           29"         69 ¼"         34"         TBRCT3469T         \$2,645         \$2,910         \$3,174           29"         71 ¾"         29 ¾"         TBRCT3072T         \$2,415         \$2,657         \$2,898           29"         71 ¾"         35 ¾"         TBRCT3672T         \$2,645         \$2,910         \$3,174           29"         79 ¼"         34"         TBRCT3479T         \$2,875         \$3,163         \$3,450           29"         83 ¾"         41 ¾"         TBRCT4284T         \$3,163         \$3,479         \$3,795	29"       47 ¾"       29 ¾"       TBRCT3048T       \$2,185       \$2,404       \$2,622       + \$288         29"       58 ½"       35 ½"       TBRCT3660T       \$2,530       \$2,783       \$3,036       + \$288         29"       59 ¾"       29 ¾"       TBRCT3060T       \$2,415       \$2,657       \$2,898       + \$288         29"       69 ¼"       34"       TBRCT3469T       \$2,645       \$2,910       \$3,174       + \$288         29"       71 ¾"       29 ¾"       TBRCT3072T       \$2,415       \$2,657       \$2,898       + \$288         29"       71 ¾"       35 ¾"       TBRCT3672T       \$2,645       \$2,910       \$3,174       + \$288         29"       79 ¼"       34"       TBRCT3479T       \$2,875       \$3,163       \$3,450       + \$288         29"       83 ¾"       41 ¾"       TBRCT4284T       \$3,163       \$3,479       \$3,795       + \$288

## **Options for Rectangle Tables**

DESCRIPTION	OPTION CODE	Y BASE	TAPERED LEGS	UPCHARGE
Bar height	ВН	•		+ \$345
Casters (set of 4)	С	•	•	+ \$115
Flip top	FT	•		+ \$345

Specify	Grain Direction				Shape	D	w	Base	
1. Model #		ТВ	Table	R	Round	34	69	Υ	Y base
2. Options	<b>←</b>			S	Square		:	Т	Tapered legs
3. Laminate		:		RCT	Rectangle	:			
4. Edge band				OT	Oval	:			
5. Base paint		;							
·		ТВ		RCT		34	69	Υ	



C	-Legs	– 24" D				LAMINATE		PAINT		
	Н	W	D	MODEL#	SUPPORT RAIL	L1	L2	L3	P2	P3
	29"	42"	24"	TBRCT2442C		\$1,263	\$1,309	\$1,355	+ \$80	+ \$155
	29"	48"	24"	TBRCT2448C		\$1,262	\$1,334	\$1,383	+ \$80	+ \$155
	29"	54"	24"	TBRCT2454C	•	\$1,407	\$1,482	\$1,534	+ \$80	+ \$155
	29"	60"	24"	TBRCT2460C	•	\$1,470	\$1,552	\$1,610	+ \$80	+ \$155
	29"	66"	24"	TBRCT2466C	•	\$1,527	\$1,615	\$1,679	+ \$80	+ \$155
	29"	72"	24"	TBRCT2472C	•	\$1,539	\$1,628	\$1,693	+ \$80	+ \$155



C-I	-Legs – 30" D						LAMINATE		PAINT		
	Н	W	D	MODEL#	SUPPORT RAIL	L1	L2	L3	P2	P3	
	29"	42"	30"	TBRCT3042C		\$1,406	\$1,461	\$1,516	+ \$85	+ \$170	
	29"	48"	30"	TBRCT3048C		\$1,424	\$1,480	\$1,536	+ \$85	+ \$170	
	29"	54"	30"	TBRCT3054C	•	\$1,626	\$1,691	\$1,757	+ \$85	+ \$170	
	29"	60"	30"	TBRCT3060C	•	\$1,677	\$1,748	\$1,819	+ \$85	+ \$170	
	29"	66"	30"	TBRCT3066C	•	\$1,723	\$1,799	\$1,874	+ \$85	+ \$170	
	29"	72"	30"	TBRCT3072C	•	\$1,764	\$1,843	\$1,922	+ \$85	+ \$170	



0-Legs	– 24" D					LAMINATE		PAINT		
Н	W	D	MODEL#	SUPPORT RAIL	L1	L2	L3	P2	Р3	
29"	42"	24"	TBRCT2442O		\$1,838	\$1,884	\$1,930	+ \$135	+ \$270	
29"	48"	24"	TBRCT2448O		\$1,861	\$1,909	\$1,958	+ \$135	+ \$270	
29"	54"	24"	TBRCT2454O	•	\$2,006	\$2,057	\$2,109	+ \$135	+ \$270	
29"	60"	24"	TBRCT2460O	•	\$2,069	\$2,127	\$2,185	+ \$135	+ \$270	
29"	66"	24"	TBRCT2466O	•	\$2,126	\$2,190	\$2,254	+ \$135	+ \$270	
29"	72"	24"	TBRCT2472O	•	\$2,138	\$2,203	\$2,268	+ \$135	+ \$270	



(	)-Legs	– 30" D				•	LAMINATE		PAIN	IT
	Н	W	D	MODEL#	SUPPORT RAIL	L1	L2	L3	P2	Р3
	29"	42"	30"	TBRCT3042O		\$1,947	\$2,002	\$2,057	+ \$140	+ \$275
	29"	48"	30"	TBRCT3048O		\$1,941	\$2,021	\$2,077	+ \$140	+ \$275
	29"	54"	30"	TBRCT3054O	•	\$2,143	\$2,232	\$2,298	+ \$140	+ \$275
	29"	60"	30"	TBRCT3060O	•	\$2,194	\$2,289	\$2,360	+ \$140	+ \$275
	29"	66"	30"	TBRCT3066O	•	\$2,240	\$2,340	\$2,415	+ \$140	+ \$275
	29"	72"	30"	TBRCT3072O	•	\$2,281	\$2,384	\$2,463	+ \$140	+ \$275

Specify	Grain Direction			Shape	D	W	Base
1. Model #		ТВ	Table	RCT Rectangle	24	60	C C-Leg
2. Options	← →	•					O O-Leg
3. Laminate							
4. Edge band						:	
5. Base paint		•			,	į ,	
		ТВ		RCT	24	60	С



T-Legs -	- 24" D					LAMINATE		PAIN	IT
Н	W	D	MODEL#	SUPPORT RAIL	L1	L2	L3	P2	Р3
29"	42"	24"	TBRCT2442TL		\$1,263	\$1,309	\$1,355	+ \$80	+ \$155
29"	48"	24"	TBRCT2448TL		\$1,286	\$1,334	\$1,383	+ \$80	+ \$155
29"	54"	24"	TBRCT2454TL	•	\$1,431	\$1,482	\$1,534	+ \$80	+ \$155
29"	60"	24"	TBRCT2460TL	•	\$1,494	\$1,552	\$1,610	+ \$80	+ \$155
29"	66"	24"	TBRCT2466TL	•	\$1,551	\$1,615	\$1,679	+ \$80	+ \$155
29"	72"	24"	TBRCT2472TL	•	\$1,563	\$1,628	\$1,693	+ \$80	+ \$155



T-Legs -	– 30" D					LAMINATE		PAIN	ıT
Н	W	D	MODEL#	SUPPORT RAIL	L1	L2	L3	P2	Р3
29"	42"	30"	TBRCT3042TL		\$1,395	\$1,450	\$1,505	+ \$85	+ \$165
29"	48"	30"	TBRCT3048TL		\$1,413	\$1,469	\$1,525	+ \$85	+ \$165
29"	54"	30"	TBRCT3054TL	•	\$1,615	\$1,680	\$1,746	+ \$85	+ \$165
29"	60"	30"	TBRCT3060TL	•	\$1,666	\$1,737	\$1,808	+ \$85	+ \$165
29"	66"	30"	TBRCT3066TL	•	\$1,712	\$1,788	\$1,863	+ \$85	+ \$165
29"	72"	30"	TBRCT3072TL	•	\$1,753	\$1,832	\$1,911	+ \$85	+ \$165

Specify	Grain Direction		Shape	D	W	Base
1. Model #		TB Table	RCT Rectangle	24	60	TL T-Leg
2. Options	← →					
3. Laminate		•		į		
4. Edge band			:		<u>:</u>	
5. Base paint		į į		; ,	į ,	<u>;</u>
		TB	RCT	24	60	TL

# **Sit/Stand Desks**

**Electric Height Adjustable** 



24" D					LAMINATE		١	WOOD VENEER	
Н	W	D	MODEL#	L1	L2	L3	W1	W2	W3
24" – 50"	48"	24"	TBRCT2448H	\$2,504	\$2,754	\$3,004	\$2,987	\$3,285	\$3,584
24" – 50"	54"	24"	TBRCT2454H	\$2,561	\$2,817	\$3,073	\$3,079	\$3,387	\$3,695
24" – 50"	60"	24"	TBRCT2460H	\$2,619	\$2,880	\$3,142	\$3,200	\$3,520	\$3,839
24" – 50"	66"	24"	TBRCT2466H	\$2,676	\$2,944	\$3,211	\$3,314	\$3,645	\$3,977
24" - 50"	72"	24"	TBRCT2472H	\$2,734	\$3,007	\$3,280	\$3,384	\$3,722	\$4,060
24" – 50"	78"	24"	TBRCT2478H	\$2,791	\$3,070	\$3,349	\$3,458	\$3,804	\$4,150
24" – 50"	84"	24"	TBRCT2484H	\$2,849	\$3,133	\$3,418	\$3,528	\$3,880	\$4,233



30" D					LAMINATE		V	WOOD VENEER	
Н	W	D	MODEL#	L1	L2	L3	W1	W2	W3
24" - 50"	48"	30"	TBRCT3048H	\$2,561	\$2,817	\$3,073	\$3,125	\$3,438	\$3,750
24" – 50"	54"	30"	TBRCT3054H	\$2,619	\$2,880	\$3,142	\$3,275	\$3,602	\$3,929
24" - 50"	60"	30"	TBRCT3060H	\$2,676	\$2,944	\$3,211	\$3,383	\$3,721	\$4,060
24" - 50"	66"	30"	TBRCT3066H	\$2,734	\$3,007	\$3,280	\$3,487	\$3,835	\$4,184
24" - 50"	72"	30"	TBRCT3072H	\$2,791	\$3,070	\$3,349	\$3,585	\$3,944	\$4,302
24" – 50"	78"	30"	TBRCT3078H	\$2,849	\$3,133	\$3,418	\$3,666	\$4,032	\$4,399
24" – 50"	84"	30"	TBRCT3084H	\$2,906	\$3,197	\$3,487	\$3,769	\$4,146	\$4,523

Specify	Grain Direction
1. Model #	
2. Laminate	$\longleftrightarrow$
3. Edge band	
4. Support color	

Black or Silver

Application Note:
Electric Height

Adjustable Base
Adjustable height bases
can be used with 24" &
30" deep worksurfaces.
Worksurfaces must be
between 48" – 84" wide.

Adjustable height bases have a capacity of 264 lbs evenly distributed.

Comes with four position memory controller.

Anti-collision stops and reverses the travel of the table when the table collides with a fixed object during operation.

3-stage legs offer a large height adjustment range of 24" – 50".



24" D						LAMINATE		PAIN	NT
Н	W	D	MODEL#	SUPPORT RAIL	L1	L2	L3	P2	P3
37"	42"	24"	TBRCT2428SB		\$1,807	\$1,853	\$1,899	+ \$135	+ \$270
37"	48"	24"	TBRCT2448SB		\$1,830	\$1,878	\$1,927	+ \$135	+ \$270
37"	54"	24"	TBRCT2454SB	•	\$1,975	\$2,026	\$2,078	+ \$135	+ \$270
37"	60"	24"	TBRCT2460SB	•	\$2,038	\$2,096	\$2,154	+ \$135	+ \$270
37"	66"	24"	TBRCT2466SB	•	\$2,095	\$2,159	\$2,223	+ \$135	+ \$270
37"	72"	24"	TBRCT2472BS	•	\$2,107	\$2,172	\$2,237	+ \$135	+ \$270



30" D						LAMINATE		PAIN	ŧΤ
Н	W	D	MODEL#	SUPPORT RAIL	L1	L2	L3	P2	P3
37"	42"	30"	TBRCT3042SB		\$1,893	\$1,948	\$2,003	+ \$135	+ \$270
37"	48"	30"	TBRCT3048SB		\$1,911	\$1,967	\$2,023	+ \$135	+ \$270
37"	54"	30"	TBRCT3054SB	•	\$2,113	\$2,178	\$2,244	+ \$135	+ \$270
37"	60"	30"	TBRCT3060SB	•	\$2,164	\$2,235	\$2,306	+ \$135	+ \$270
37"	66"	30"	TBRCT3066SB	•	\$2,210	\$2,286	\$2,361	+ \$135	+ \$270
37"	72"	30"	TBRCT3072SB	•	\$2,251	\$2,330	\$2,409	+ \$135	+ \$270

Specify	Grain Direction				Shape	D	W	Base	
1. Model #		ТВ	Table	RCT	Rectangle	24	60	SB	Stand-biased
2. Options	<b>←</b>			:			:		
3. Laminate		į		:		<u>:</u>			
4. Edge band				:			:		
5. Base paint			:	•	:	;	;		:
		ТВ		RCT		24	60	SB	



Height Adjustable	FINISHES		
MODEL#	CHAIR	DESK	LIST
SSWSP1500-MTL-HAT-MPL	Cloud 9 – Metal	Maple w/silver legs	\$5,548
SSWSP1500-INK-HAT-MPL	Cloud 9 – Ink	Maple w/silver legs	\$5,548
SSWSP1500-EBY-HAT-MPL	Cloud 9 – Ebony	Maple w/silver legs	\$5,548
SSWSP1500-MTL-HAT-CHR	Cloud 9 – Metal	Cherry w/black legs	\$5,816
SSWSP1500-INK-HAT-CHR	Cloud 9 – Ink	Cherry w/black legs	\$5,816
SSWSP1500-EBY-HAT-CHR	Cloud 9 – Ebony	Cherry w/black legs	\$5,816



Height Adjustable w/Screens	FINI		
MODEL#	CHAIR	DESK	LIST
SSWSP1500-MTL-HATWS-MPL	Cloud 9 – Metal	Maple w/silver legs	\$7,453
SSWSP1500-INK-HATWS-MPL	Cloud 9 – Ink	Maple w/silver legs	\$7,453
SSWSP1500-EBY-HATWS-MPL	Cloud 9 – Ebony	Maple w/silver legs	\$7,453
SSWSP1500-MTL-HATWS-CHR	Cloud 9 – Metal	Cherry w/black legs	\$7,631
SSWSP1500-INK-HATWS-CHR	Cloud 9 – Ink	Cherry w/black legs	\$7,631
SSWSP1500-EBY-HATWS-CHR	Cloud 9 – Ebony	Cherry w/black legs	\$7,631



Stand-biased	F	FINISHES	
MODEL#	CHAIR	DESK	LIST
SSWSP1500-MTL-STB-MPL	Cloud 9 – Metal	Maple w/silver legs	\$6,231
SSWSP1500-INK-STB-MPL	Cloud 9 – Ink	Maple w/silver legs	\$6,231
SSWSP1500-EBY-STB-MPL	Cloud 9 – Ebony	Maple w/silver legs	\$6,231
SSWSP1500-MTL-STB-CHR	Cloud 9 – Metal	Cherry w/black legs	\$6,167
SSWSP1500-INK-STB-CHR	Cloud 9 – Ink	Cherry w/black legs	\$6,167
SSWSP1500-EBY-STB-CHR	Cloud 9 – Ebony	Cherry w/black legs	\$6,167

For sit/stand package discount information contact your Customer Service Representative at customerservice@neutralposture.com or 979.778.0502 ext. 301

Specify	Height Adjustable	Stand-biased	Application Notes		
1. Model #	Induded • 1000 Series Chair • 60 x 30 Desk • Dual Monitor Arms • Keyboard Arm & Tray	Included  • 1000 Series Chair  • 60 x 30 Desk  • Dual Monitor Arms  • Keyboard Arm & Tray  • N-Position	Electric Height Adjustable Base Adjustable height bases have a capacity of 264 lbs evenly distributed.	Anti-collision stops and reverses the travel of the table when the table collides with a fixed object during operation.	
			Comes with four position memory controller.	3-stage legs offer a large height adjustment range of 24" – 50"	



Height Adjustable	FINI		
MODEL#	CHAIR	DESK	LIST
SSWSP8500-MTL-HAT-MPL	Cloud 9 – Metal	Maple w/silver legs	\$5,749
SSWSP8500-INK-HAT-MPL	Cloud 9 – Ink	Maple w/silver legs	\$5,749
SSWSP8500-EBY-HAT-MPL	Cloud 9 – Ebony	Maple w/silver legs	\$5,749
SSWSP8500-MTL-HAT-CHR	Cloud 9 – Metal	Cherry w/black legs	\$6,017
SSWSP8500-INK-HAT-CHR	Cloud 9 – Ink	Cherry w/black legs	\$6,017
SSWSP8500-EBY-HAT-CHR	Cloud 9 – Ebony	Cherry w/black legs	\$6,017




Height Adjustable w/Screens	F	FINISHES		
MODEL#	CHAIR	DESK	LIST	
SSWSP8500-MTL-HATWS-MPL	Cloud 9 – Metal	Maple w/silver legs	\$7,654	
SSWSP8500-INK-HATWS-MPL	Cloud 9 – Ink	Maple w/silver legs	\$7,654	
SSWSP8500-EBY-HATWS-MPL	Cloud 9 – Ebony	Maple w/silver legs	\$7,654	
SSWSP8500-MTL-HATWS-CHR	Cloud 9 – Metal	Cherry w/black legs	\$7,832	
SSWSP8500-INK-HATWS-CHR	Cloud 9 – Ink	Cherry w/black legs	\$7,832	
SSWSP8500-EBY-HATWS-CHR	Cloud 9 – Ebony	Cherry w/black legs	\$7,832	




Stand-biased		FINISHES		
MODEL#	CHAIR	DESK	LIST	
SSWSP8500-MTL-STB-MPL	Cloud 9 – Metal	Maple w/silver legs	\$6,072	
SSWSP8500-INK-STB-MPL	Cloud 9 – Ink	Maple w/silver legs	\$6,072	
SSWSP8500-EBY-STB-MPL	Cloud 9 – Ebony	Maple w/silver legs	\$6,072	
SSWSP8500-MTL-STB-CHR	Cloud 9 – Metal	Cherry w/black legs	\$6,008	
SSWSP8500-INK-STB-CHR	Cloud 9 – Ink	Cherry w/black legs	\$6,008	
SSWSP8500-EBY-STB-CHR	Cloud 9 – Ebony	Cherry w/black legs	\$6,008	

For sit/stand package discount information contact your Customer Service Representative at customerservice@neutralposture.com or 979.778.0502 ext. 301

Specify	Height Adjustable	Stand-biased	Application Notes		
1. Model #	Included  • 8000 Series Chair  • 60 x 30 Desk  • Dual Monitor Arms  • Keyboard Arm & Tray	Included  • 8000 Series Chair  • 60 x 30 Desk  • Dual Monitor Arms  • Keyboard Arm & Tray  • N·Position	Electric Height Adjustable Base Adjustable height bases have a capacity of 264 lbs evenly distributed.	Anti-collision stops and reverses the travel of the table when the table collides with a fixed object during operation.	
			Comes with four position memory controller.	3-stage legs offer a large height adjustment range of 24" – 50".	




Priv	acy	& Mod	lesty Panels		SCREEN TYPE	
W	Н	BRACKETS	MODEL#	PG	CR	TC
12"	12"	2	PRVMOD(CR/PG/TC)12	\$338	\$384	\$821
18"	12"	2	PRVMOD(CR/PG/TC)18	\$384	\$476	\$1,120
24"	12"	2	PRVMOD(CR/PG/TC)24	\$453	\$568	\$1,419
30"	12"	2	PRVMOD(CR/PG/TC)30	\$522	\$660	\$1,718
36"	12"	2	PRVMOD(CR/PG/TC)36	\$591	\$752	\$2,040
42"	12"	2	PRVMOD(CR/PG/TC)42	\$660	\$844	\$2,339
48"	12"	2	PRVMOD(CR/PG/TC)48	\$729	\$936	\$2,638
60"	12"	3	PRVMOD(CR/PG/TC)60	\$867	\$1,166	\$3,259



## **Privacy Panels**

			<del></del>			
12"	12"	2	PRV(CR/PG/TC)12	\$169	\$192	\$411
18"	12"	2	PRV(CR/PG/TC)18	\$192	\$238	\$560
24"	12"	2	PRV(CR/PG/TC)24	\$227	\$284	\$710
30"	12"	2	PRV(CR/PG/TC)30	\$261	\$330	\$859
36"	12"	2	PRV(CR/PG/TC)36	\$296	\$376	\$1,020
42"	12"	2	PRV(CR/PG/TC)42	\$330	\$422	\$1,170
48"	12"	2	PRV(CR/PG/TC)48	\$365	\$468	\$1,319
60"	12"	3	PRV(CR/PG/TC)60	\$434	\$583	\$1,630



# **Modesty Panels**

		*				
12"	12"	2	MOD(CR/PG/TC)12	\$169	\$192	\$411
18"	12"	2	MOD(CR/PG/TC)18	\$192	\$238	\$560
24"	12"	2	MOD(CR/PG/TC)24	\$227	\$284	\$710
30"	12"	2	MOD(CR/PG/TC)30	\$261	\$330	\$859
36"	12"	2	MOD(CR/PG/TC)36	\$296	\$376	\$1,020
42"	12"	2	MOD(CR/PG/TC)42	\$330	\$422	\$1,170
48"	12"	2	MOD(CR/PG/TC)48	\$365	\$468	\$1,319
60"	12"	3	MOD(CR/PG/TC)60	\$434	\$583	\$1,630

Specify
<ol> <li>Model #</li> <li>Insert type</li> <li>Insert color</li> </ol>
Trim - Brushed nickel only

Screen Type						
CR Corian						
<b>PG</b> Plexiglass						
TC Textured Corian						

Corian Finishes
Glacier White CR001
Pearl Grey CR002
Corian Clay CR003
Silver Grey CR004
Corian Grey CR005


Textured Corian Finishes
Glacier White <b>CR001T</b>
Pearl Grey CR002T
Corian Clay CR003T
Silver Grey CR004T
Corian Grey CR005T

Plexiglass Finishes
IC lce
SMSmoked
TR Translucent
<b>LF</b> Frost

## Application Notes

Screens are 1/4" thick.

Widths are 1" less than nominal to allow for  $\frac{1}{2}$ " set-back on each side.



Privacy & Modesty Panels — fabric FABRIC											
W	Н	BRACKETS	MODEL#	А	В	C	D	E	F	G	Н
24"	27"	2	PRVMODFA24	\$411	\$461	\$491	\$511	\$621	\$741	\$851	\$951
30"	27"	2	PRVMODFA30	\$434	\$504	\$534	\$554	\$664	\$784	\$884	\$994
36"	27"	2	PRVMODFA36	\$457	\$547	\$577	\$597	\$707	\$827	\$927	\$1,037
42"	27"	2	PRVMODFA42	\$480	\$580	\$620	\$640	\$750	\$860	\$970	\$1,080
48"	27"	2	PRVMODFA48	\$560	\$680	\$720	\$730	\$850	\$970	\$1,060	\$1,180
60"	27"	3	PRVMODFA60	\$710	\$840	\$890	\$900	\$1,000	\$1,130	\$1,230	\$1,340

1 11 11 11				Plexiglass Finishes
1. Model #	CR Corian	Glacier White CR001	Glacier White <b>CR001T</b>	IC lce
2. Insert type	<b>PG</b> Plexiglass	Pearl Grey CR002	Pearl Grey CR002T	SMSmoked
3. Insert color	TC Textured Corian	Corian Clay CR003	Corian Clay CR003T	TR Translucent
		Silver Grey CR004	Silver Grey CR004T	<b>LF</b> Frost
Trim - Brushed nickel only		Corian Grey CR005	Corian Grey CR005T	Application Notes

Widths are 1" less than nominal to allow for ½" set-back on each side.



18" H		INSERT	PAII	
W	MODEL#	PG	P2	P3
12"	EDTS()1218()	\$411	+ \$30	+ \$60
18"	EDTS()1818()	\$434	+ \$30	+ \$60
24"	EDTS()2418()	\$457	+ \$30	+ \$60
30"	EDTS()3018()	\$480	+ \$30	+ \$60
36"	EDTS()3618()	\$503	+ \$30	+ \$60
42"	EDTS()4218()	\$526	+ \$30	+ \$60
48"	EDTS()4818()	\$549	+ \$30	+ \$60



24" H				
12"	EDTS()1224()	\$434	+ \$30	+ \$60
18"	EDTS()1824()	\$457	+ \$30	+ \$60
24"	EDTS()2424()	\$480	+ \$30	+ \$60
30"	EDTS()3024()	\$503	+ \$30	+ \$60
36"	EDTS()3624()	\$526	+ \$30	+ \$60
42"	EDTS()4224()	\$549	+ \$30	+ \$60
48"	EDTS()4824()	\$572	+ \$30	+ \$60
60"	FDTS()6024()	\$629	± \$30	± \$60



30" H				
12"	EDTS()1230()	\$503	+ \$30	+ \$60
18"	EDTS()1830()	\$526	+ \$30	+ \$60
24"	EDTS()2430()	\$549	+ \$30	+ \$60
30"	EDTS()3030()	\$572	+ \$30	+ \$60
36"	EDTS()3630()	\$595	+ \$30	+ \$60
42"	EDTS()4230()	\$618	+ \$30	+ \$60
48"	EDTS()4830()	\$641	+ \$30	+ \$60



36" H				
12"	EDTS()1236()	\$595	+ \$30	+ \$60
18"	EDTS()1836()	\$618	+ \$30	+ \$60
24"	EDTS()2436()	\$641	+ \$30	+ \$60
30"	EDTS()3036()	\$664	+ \$30	+ \$60
36"	EDTS()3636()	\$687	+ \$30	+ \$60
42"	EDTS()4236()	\$710	+ \$30	+ \$60
48"	EDTS()4836()	\$733	+ \$30	+ \$60

Spo	ec	317	y			
				_		

- 1. Model # 2. Insert type 3. Insert color 4. Paint

		W	Н	Mounting
EDTS Equity Desktop Screen	PG Plexiglass Insert	36	18	C Clamp \$60
			:	F Freestanding \$0
			:	S Screw down \$0
				:
	_			
EDTS	PG	36	18	F
	ii	ii	ii	ii



61" H		INSERT	PAINT	
W	MODEL #	PG	P2	P3
24"	EMS()2461	\$1,963	+ \$30	+ \$60
30"	EMS()3061	\$2,251	+ \$30	+ \$60
36"	EMS()3661	\$2,596	+ \$30	+ \$60
42"	EMS()4261	\$2,941	+ \$30	+ \$60
48"	EMS()4861	\$3,171	+ \$30	+ \$60



# 64" H

24"	EMS()2464	\$2,078	+ \$30	+ \$60
30"	EMS()3064	\$2,423	+ \$30	+ \$60
36"	EMS()3664	\$2,768	+ \$30	+ \$60
42"	EMS()4264	\$3,113	+ \$30	+ \$60
48"	EMS()4864	\$3,401	+ \$30	+ \$60



## 81" H

24"	EMS( )2481	\$2,653	+ \$30	+ \$60
30"	EMS()3081	\$3,228	+ \$30	+ \$60
36"	EMS()3681	\$3,688	+ \$30	+ \$60
42"	EMS( )4281	\$4,148	+ \$30	+ \$60
48"	EMS()4881	\$4,493	+ \$30	+ \$60

Specify		

- 1. Model # 2. Insert type 3. Insert color 4. Paint

				Options
		W	Н	
EMS Equity Mobile Screen	PG Plexiglass Insert	36	81	C Casters \$115
	i :	1 ! !		
EMS	PG	36	81	

## **STORAGE**

Neutral Posture is not only dedicated to good posture, we are also dedicated to making offices more efficient and more enjoyable to work in. Neutral Posture knows that to increase efficiency in the office things must be organized well and be easily accessible. Neutral Posture offers the most space efficient and easily accessible products on the market.


Neutral Posture offers many diverse storage units making sure you can always find the exact unit of storage for your office's needs. From small pedestals that can double as seating to large towers with wardrobe capability, Neutral Posture can fit your needs in any situation. Along with our wide range of storage options, Neutral Posture also lets you truly personalize your office equipment, making your office a welcoming place for not only your customers, but, your employees as well.


Neutral Posture provides storage units that work together—meaning that they will work better for you and your workspace. Neutral Posture allows customization by offering several different color options, fabric patterns and even several different pulls and lock options to make sure your office space looks exactly how you want. Storage units that are cohesive have numerous benefits, such as taking up less space, being easier to access and making your office look more unified.

#### **TRUE DIMENSIONS**

**Disclaimer:** While Equity panels and worksurfaces are based on centerline to centerline dimensions, all storage dimensions are true dimensions.

# **STORAGE**















	MODEL#	LIST
Pencil tray	SPTRY	\$20
	SBDD	\$20
12" Drawer divider	SFDD	\$43
Magnetic label	SMLB	\$77
Ped drawer front filler	SPFF	\$76
Magnetic drawer dividers	SMDDB	\$112
Magnetic shelf divider	SMSD	\$89
Lateral file conversion bar	SLFCB	\$89



## PED ACCESSORY PACKAGE - FF

2 – 12" Drawer dividers	SFFA	\$77
2 - 12 Diawei divideis	JIIA	7//



## PED ACCESSORY PACKAGE - BBF

2 – 6" Drawer dividers	SBBFA	\$89
1 – 12" Drawer dividers		
1 – Pencil tray		



## PED ACCESSORY PACKAGE – BF

- 1 6" Drawer divider 1 12" Drawer divider 1 Pencil tray SBFA \$77

Step 1 - Model #

'						
	Pedestal		Drawers	D		Pull
SPED	Freestanding Pedestal	FF	File File	19	J	J Pull
SMPED	Mobile Pedestal	BBF	Box Box File		В	Bar Pull
SCMPED	Mobile Pedestal w/Cushion	BF	Box File	:	R	Radiused Pull
SSPED	Suspended Pedestal					
SWSPED	Worksurface Supporting Pedestal					
SWSLKR	Worksurface Supporting Locker			:		
SFC	File Center					
				:	:	
SPED		BBF	:	19	В	:
	· <b>:</b>			ii	·····	·. <b>:</b>

Step 2 – Case Finish

	Paint
301	Champagne
201	:
301	

**Step 3** – Front Finish

Not Available w/J Pull		
	Laminate	
PW-STK	Studio Teak	
: :		
•		
•	:	
PW-STK		

## **FEATURES**

## **COUNTER WEIGHTS**

- Freestanding, mobile and cushion pedestals include factory installed counterweights.
- Counterweights are not necessary for worksurface supporting or suspended pedestals.

#### LOCK

- Lock core is removable.
- Keyed alike available upon request.
- Master and change key available upon request. See (page 9).
- Individual locking drawers available upon request. Upcharge may apply.

### **DRAWERS**

- Include full suspension steel ball-bearing slides.
- Drawer fronts include rubber bumpers for quiet operation.

## **LEVELING GLIDES**

• 4 Leveling glides allow for 1 % " adjustment.

#### **CASTERS - MOBILE PEDS**

• 4 Black casters, 2 of which are locking.

## **CONSTRUCTION**

## **OUTER SHELL & DRAWER CONSTRUCTION**

Welded steel frame construction & formed channels ensure strength in key areas.

Top channels	18 – 21 Gauge
Side channels	18 – 21 Gauge
Outer panels	22 Gauge
Drawer fronts	20 Gauge
Drawer bins	22 Gauge

#### DRAWER LOAD CAPACITY

6" Box drawers	50 lbs
12" File drawers	70 lbs

## **DRAWER INNER DIMENSIONS**


Height


Box drawer

30" Deep pedestal

File drawer	9 ½"
Width	
All drawers	12 1/8"
Depth	
18" Deep pedestal	15 1/5"
22" Deep pedestal	18 ¼"

## **PULL STYLES**







# SURFACE MATERIALS

## **PEDESTAL**

Paint

## **FRONTS**

4 1/2"

24 1/4"

w/Bar pull (B) Paint or Laminate w/Radiused pull (R) Paint or Laminate w/J pull (J) Paint

#### **DRAWER PULL**

Bar <b>(B)</b>	Satin nickel
Radiused (R)	Satin nickel
J ( <b>J</b> )	Paint

## **MOBILE PED HANDLE**

Satin nickel


#### LOCK

Satin nickel

## **CUSHION TOP**

Upholstery

# **PEDESTALS**







Freestanding					PAINT		LAMINATE FRONT (UPCHARGE)			
Н	W	D	MODEL #	P1	P2	P3	L1	L2	L3	
27 ¾"	15 1/4"	21 %"	SPEDFF22(J/B/R)	\$687	\$755	\$824	+ \$299	+ \$329	+ \$359	
27 ¾"	15 1/4"	21 %"	SPEDBBF22(J/B/R)	\$733	\$806	\$879	+ \$322	+ \$354	+ \$386	
27 ¾"	15 1/4"	27 %"	SPEDFF30(J/B/R)	\$779	\$745	\$934	+ \$312	+ \$421	+ \$530	
27 ¾"	15 1/4"	27 %"	SPEDBBF30(J/B/R)	\$802	\$767	\$962	+ \$321	+ \$433	+ \$545	



## Mobile


26 %"	15 ¼"	18 %"	SMPEDFF19(J/B/R)	\$687	\$755	\$824	+ \$299	+ \$329	+ \$359
26 %"	15 1/4"	18 %"	SMPEDBBF19(J/B/R)	\$744	\$818	\$893	+ \$328	+ \$361	+ \$393
21 1/8"	15 1/4"	18 %"	SMPEDBF19(J/B/R)	\$664	\$730	\$796	+ \$288	+ \$316	+ \$345
26 %"	15 1/4"	21 %"	SMPEDFF22(J/B/R)	\$733	\$806	\$879	+ \$322	+ \$354	+ \$386
26 %"	15 1/4"	21 %"	SMPEDBBF22(J/B/R)	\$779	\$856	\$934	+ \$345	+ \$380	+ \$414
21 1/8"	15 1/4"	21 %"	SMPEDBF22(J/B/R)	\$675	\$743	\$810	+ \$288	+ \$316	+ \$345
26 %"	15 1/4"	27 %"	SMPEDFF30(J/B/R)	\$756	\$831	\$907	+ \$302	+ \$408	+ \$514
26 %"	15 1/4"	27 %"	SMPEDBBF30(J/B/R)	\$790	\$869	\$948	+ \$316	+ \$427	+ \$538
21 1/8"	15 1/4"	27 %"	SMPEDBF30(J/B/R)	\$698	\$768	\$838	+ \$279	+ \$377	+ \$475



Mobile Cushion FABRIC												
Н	W	D	MODEL#		1	2	3	4	5	6	7	8
1"	15 1/4"	18 %"	PC19		\$207	\$237	\$267	\$297	\$367	\$427	\$460	\$550
1"	15 1/4"	21 %"	PC22		\$207	\$237	\$267	\$297	\$367	\$427	\$460	\$550
1"	15 1/4"	27 7/6"	PC30		\$207	\$237	\$267	\$297	\$367	\$427	\$460	\$550

## Specify

- 1. Model#
- 2. Case finish
- 3. Front finish Laminate not available on J pull



R – Radiused

## **Ordered Separately**

• Pencil tray

## Freestanding Peds

- Counterweight for stability
- Leveling glides allow for 1 %" adjustment

### Mobile Peds

## Included

- $\bullet \ Counterweight \ for \ stability$
- Black 37mm plastic casters (2 locking & 2 non-locking)

# **Pedestals**



Suspe	nded				PAINT		LAMINATE FRONT (UPCHARGE)		
Н	W	D	MODEL #	P1	P2	P3	L1	L2	L3
25"	15 ¼"	21 %"	SSPEDFF22(J/B/R)	\$687	\$755	\$824	+ \$299	+ \$329	+ \$359
25"	15 1/4"	21 %"	SSPEDBBF22(J/B/R)	\$733	\$806	\$879	+ \$322	+ \$354	+ \$386
19 %"	15 1/4"	21 %"	SSPEDBF22(J/B/R)	\$572	\$629	\$686	+ \$247	+ \$272	+ \$297



# **Worksurface Supporting**

27 ¾"	15 1/4"	17 %"	SWSPEDFF18(J/B/R)	\$664	\$730	\$796	+ \$293	+ \$323	+ \$352
27 ¾"	15 1/4"	17 %"	SWSPEDBBF18(J/B/R)	\$710	\$781	\$851	+ \$311	+ \$342	+ \$373
27 ¾"	15 1/4"	21 %"	SWSPEDFF22(J/B/R)	\$664	\$730	\$796	+ \$293	+ \$323	+ \$352
27 ¾"	15 1/4"	21 %"	SWSPEDBBF22(J/B/R)	\$710	\$781	\$851	+ \$311	+ \$342	+ \$373
27 ¾"	15 1/4"	27 %"	SWSPEDFF30(J/B/R)	\$687	\$755	\$824	+ \$275	+ \$371	+ \$467
27 ¾"	15 1/4"	27 %"	SWSPEDBBF30(J/B/R)	\$756	\$831	\$907	+ \$302	+ \$408	+ \$514



Mobile Slim						PAINT		LAMINATE FRONT (UPCHARGE)		
DRAWER ACCESS	н	w	D	MODEL#	P1	P2	P3	L1	L2	L3
L	20"	12"	18 %"	SMPEDSLM19L(J/B/R)	\$1,262	\$1,388	\$1,514	+ \$322	+ \$354	+ \$386
R	20"	12"	18 %"	SMPEDSLM19R(J/B/R)	\$1,262	\$1,388	\$1,514	+ \$322	+ \$354	+ \$386
Both	20"	12"	18 %"	SMPEDSLM19B(J/B/R)	\$1,319	\$1,451	\$1,583	+ \$322	+ \$354	+ \$386



Mobile Slim Cushion				•••••••••••	••••••••••••	••••••••••••••••	FABR		•••••••••••••••••••••••••••••••••••••••	•••••••••••••	
Н	W	D	MODEL#	1	2	3	4	5	6	7	8
1"	12"	1.9.76"	DCS10	\$207	\$237	\$267	\$207	\$367	\$427	\$460	\$550

Specify					
1.	Model #				
2.	Case finish				
2	Front finish				

3.	Front finish
	Laminate not
	available on J Pull

					Options
	Lateral		w	Pull	
SPED SMPED SCMPED SSPED SWSPED SWSLKR SFC	Freestanding Pedestal Mobile Pedestal W/Cushion Suspended Pedestal Worksurface Supporting Pedestal Worksurface Supporting Locker File Center	FF File File  BBF Box Box File  BF Box File	19	J J Pull <b>B Bar Pull</b> R Radiused Pull	DL Digital Lock \$411
SPED		BBF	19	В	DL

Step 2 - Case Finish

**Paints** 301 Champagne 301

Step 3 – Front Finish

Not Available w/J Pull					
Laminate					
PW-STK	Studio Teak				
:					
•					
PW-STK	<u></u>				

## **FEATURES**

### **COUNTER WEIGHTS**

- Freestanding file centers include factory installed counterweights.
- · Counterweights are not necessary for worksurface supporting file centers.

#### LOCK

- · Lock core is removable.
- Keyed alike available upon request.
- Master and change key available upon request. See (page 9).
- Individual locking drawers available upon request. Upcharge may apply.

### **DRAWERS**

- Include full suspension steel ball-bearing slides.
- Drawer fronts include rubber bumpers for quiet operation.

## **LEVELING GLIDES**

• 4 Leveling glides allow for 1 %" adjustment.

#### **CASTERS – MOBILE PEDS**

• 4 Black casters, 2 of which are locking

## **CONSTRUCTION**

### **OUTER SHELL & DRAWER CONSTRUCTION**

Welded steel frame construction & formed channels ensure strength in key areas.

Top channels	18 – 21 Gauge
Side channels	18 – 21 Gauge
Outer panels	22 Gauge
Drawer fronts	20 Gauge
Drawer bins	22 Gauge

#### DRAWER LOAD CAPACITY

6" Box drawers 50 lbs 12" File drawers 70 lbs

## **DRAWER INNER DIMENSIONS**

Height

30" Deep pedestal

Box drawer	4 ½"
File drawer	9 1/2"
Width	
All drawers	12 1/8"
Depth	
18" Deep pedestal	15 1/5"
• •	

## **PULL STYLES**

## **Available with Laminate Front**







## **SURFACE MATERIALS**

## **PEDESTAL**

Paint

## **FRONTS**

w/Bar pull (B) Paint or Laminate w/Radiused pull (R) Paint or Laminate w/J pull (J) **Paint** 

#### **DRAWER PULL**

Bar (B) Satin nickel Radiused (R) Satin nickel 7 (1) **Paint** 

## **LOCK**


26 1/4"

Satin nickel

## **CUSHION TOP**

Upholstery

## **FILE CENTERS**





Worksu	Worksurface Supporting File Center			PAINT			LAMINATE FRONT (UPCHARGE)			
Н	W	D	MODEL#	P1	P2	Р3	L1	L2	L3	
27 ¾"	30 ½"	18 1/4"	SFCFFLAT(J/B/R)	\$1,354	\$1,489	\$1,624	+ \$598	+ \$658	+ \$718	
27 ¾"	30 ½"	18 1/4"	SFCBBFLAT(J/B/R)	\$1,365	\$1,502	\$1,638	+ \$621	+ \$683	+ \$745	
27 ¾"	30 1/2"	18 1/4"	SFCFBBLAT(J/B/R)	\$1,365	\$1,502	\$1,638	+ \$621	+ \$683	+ \$745	



#### **Mobile File Center w/Cushion**


24 1/8"	30 ½"	18 ¾"	SCMFCBBLAT(J/B/R)		\$2,308	\$2,539	\$2,770	+ \$805	+ \$1,117	+ \$1,427
				:	. ,	, ,	. ,		. ,	. ,

#### **Mobile Cushion Fabric Upcharges**

	<u> </u>
SEATING GRADES	UPCHARGE
1	+ \$225
2	+ \$300
3	+ \$400
4	+ \$500
5	+ \$600
6	+ \$700
7	+ \$800
8	+ \$900

#### Specify

- 1. Model#
- 2. Case finish
- 3. Front finish
  Laminate not
  available on J pull



R – Radiused

#### Ordered Separately

• Pencil tray

#### Freestanding File Center

#### Included

- Counterweight for stability
- Leveling glides allow for 1 %" adjustment

#### Mobile File Center

#### Included

- Counterweight for stability
- Black 37mm plastic casters (2 locking & 2 non-locking)
- 1" cushion in black Other fabrics available for an upcharge.

## **File Centers**



Mobile	Mobile File Center w/Cupboard Door			PAINT			LAMINATE FRONT (UPCHARGE)			
HINGE	Н	W	D	MODEL#	P1	P2	P3	L1	L2	L3
L	22 3/8"	30 ½"	18 1/4"	SMFCFBCUBL(J/B/R)	\$1,434	\$1,549	\$1,664	+ \$621	+ \$683	+ \$745
R	22 3/8"	30 ½"	18 1/4"	SMFCFBCUBR(J/B/R)	\$1,434	\$1,549	\$1,664	+ \$621	+ \$683	+ \$745



## Mobile File Center w/Open Shelf

L	22 %"	30 ½"	18 1/4"	SMFCFBSHFL(J/B/R)	\$1,319	\$1,549	\$1,664	+ \$610	+ \$670	+ \$731
R	22 3/8"	30 ½"	18 1/4"	SMFCFBSHFR(J/B/R)	\$1,319	\$1,549	\$1,664	+ \$610	+ \$670	+ \$731



Mobile File Center Cushion					FABR	IC					
Н	W	D	MODEL#	A/1	B/2	C/3	D/4	E/5	F/6	G/7	H/8
1"	30 ½"	18 ¼"	MFCC30	\$376	\$476	\$526	\$576	\$626	\$676	\$726	\$796

Sp	Specify						
1.	Model #						
2.	Case finish						
_							

Front finish
Laminate not
available on J Pull

					Options
	Lateral		w	Pull	
SFC	File Center	FF File File	19	J J Pull	DL Digital Lock \$411
SCMFC	Mobile File Center w/Cushion	BBF Box Box File		B Bar Pull	
		BF Box File	:	R Radiused Pull	
				•	
		•			
SFC		BBF	19	В	DL
	<b>:</b>	1		i	

#### Step 1 - Model #

Lateral	# of Drawers	W	Pull
SLAT Lateral SWSLAT Worksurface Supporting	3	36	J JPull <b>B Bar Pull</b>
SLAT	3	36	В

Step 2 - Case Finish

Paint
Champagne
. <b>i</b>

Step 3 - Front Finish

Not Available w/J Pull					
	Laminate				
PW-STK	Studio Teak				
PW-STK					

#### **FEATURES**

#### **COUNTER WEIGHTS**

- Counterweights are not included with laterals.
- Counterweights are not necessary for worksurface supporting laterals.

#### **LOCK**

- Lock core is removable.
- Keyed alike available upon request.
- Master and change key available upon request. See (page 9).
- Individual locking drawers available upon request. Upcharge may apply.

#### **DRAWERS**

- All drawers include full extension steel ball-bearing slides with anti-rebound features to ensure smooth operation.
- Drawer fronts include rubber bumpers for quiet operation.
- The top opening of 5-high laterals features an over-the-top flipper door with 13 ¼" inside clear height for binder storage.
- Drawer includes full-height side panels.
- 2 file bars are included in each drawer, for side-to-side filing.
- Conversion bars for front to back filing are sold separately.
- All lateral drawer bins will accommodate A4, letter and legal size filing.

#### **LEVELING GLIDES**

4 leveling glides allow for 1 1/4" adjustment.

#### **COUNTERWEIGHTS**

 Counterweights are required for all lateral files that are not ganged together or otherwise anchored.

#### **CONSTRUCTION**

#### **OUTER SHELL & DRAWER CONSTRUCTION**

Welded steel frame construction & formed channels ensure strength in key areas. Standard depth is 18 ¼".

Inner frame	20 Gauge
Outer panels	22 Gauge
Drawer fronts	20 Gauge
Drawer bins	20 Gauge

#### **DRAWER LOAD CAPACITY**

30" Wide lateral	140 lbs
36" Wide lateral	168 lbs
42" Wide lateral	192 lbs

#### **DRAWER INNER DIMENSIONS**

Height	
Top flipper door	13 ¼"
Drawer immediately below lock strip	9 1/5"
All other drawers	10 ¾"
Width	
30" Wide lateral	26 7/10"
36" Wide lateral	32 1/10"
42" Wide lateral	38 1/10"
Depth	
18 ¼" Deep lateral	16"

#### **PULL STYLES**



B - Bar Pull



#### **SURFACE MATERIALS**

#### LATERAL

Paint

#### **FRONTS**

w/Bar pull (B) Paint or Laminate w/J pull (J) Paint

#### **DRAWER PULL**

Bar (B) Satin nickel J (J) Paint


#### LOCK

Satin nickel

#### **TOP**

Paint or Laminate

## **LATERALS**





2 Draw	er				PAINT		LAMINATE FRONT (UPCHARGE)			
Н	W	D	MODEL#	P1	P2	P3	L1	L2	L3	
28 %"	30"	18 1/4"	SLAT230(J/B)	\$1,032	\$1,135	\$1,238	+ \$460	+ \$506	+ \$607	
28 3/8"	36"	18 1/4"	SLAT236(J/B)	\$1,262	\$1,388	\$1,514	+ \$506	+ \$557	+ \$668	
28 %"	42"	18 1/4"	SLAT242(J/B)	\$1,319	\$1,451	\$1,583	+ \$552	+ \$607	+ \$729	

Counterweights are required for all lateral files that are not ganged together or otherwise anchored.



#### 3 Drawer

39 %"	30"	18 1/4"	SLAT330(J/B)	\$1,434	\$1,577	\$1,721	+ \$633	+ \$696	+ \$835
39 %"	36"	18 1/4"	SLAT336(J/B)	\$1,607	\$1,767	\$1,928	+ \$679	+ \$746	+ \$896
39 %"	42"	18 1/4"	SLAT342(J/B)	\$1,722	\$1,894	\$2,066	+ \$725	+ \$797	+ \$956


Counterweights are required for all lateral files that are not ganged together or otherwise anchored.



#### 4 Drawer

51 %"	30"	18 1/4"	SLAT430(J/B)	\$1,779	\$1,957	\$2,135	+ \$771	+ \$848	+ \$1,017
51 %"	36"	18 1/4"	SLAT436(J/B)	\$1,952	\$2,147	\$2,342	+ \$805	+ \$886	+ \$1,063
51 %"	42"	18 1/4"	SLAT442(J/B)	\$2,067	\$2,273	\$2,480	+ \$840	+ \$923	+ \$1,108


 $\label{lem:counterweights} \textbf{Counterweights are required for all lateral files that are not ganged together or otherwise anchored.}$ 



#### 5 Drawer — fixed top shelf

65 %"	30"	18 1/4"	SLAT530(J/B)	\$2,124	\$2,336	\$2,549	+ \$851	+ \$936	+ \$1,123
65 %"	36"	18 1/4"	SLAT536(J/B)	\$2,297	\$2,526	\$2,756	+ \$874	+ \$961	+ \$1,154
65 %"	42"	18 1/4"	SLAT542(J/B)	\$2,527	\$2,779	\$3,032	+ \$897	+ \$987	+ \$1,184

 $\label{lem:counterweights} \textbf{Counterweights are required for all lateral files that are not ganged together or otherwise anchored.}$ 



#### 5 Drawer — w/roll-out shelf

65 %"	30"	18 1/4"	SLAT5R30(J/B)	\$3,194	\$3,513	\$3,832	+ \$2,300	+ \$2,530	+ \$2,760
65 1/8"	36"	18 1/4"	SLAT5R36(J/B)	\$3,654	\$4,019	\$4,384	+ \$2,300	+ \$2,530	+ \$2,760
65 %"	42"	18 1/4"	SLAT5R42(J/B)	\$3,884	\$4,272	\$4,660	+ \$2,300	+ \$2,530	+ \$2,760

Counterweights are required for all lateral files that are not ganged together or otherwise anchored.

### Specify

- 1. Model#
- 2. Case finish
- 3. Front finish
  Laminate not
  available on J pull

# ot B – Bar Pull J – J Pull

Pulls

	Lateral	# Drawers	W		Pull			
SLAT	Lateral	2	36	J	J Pull	CW	Counterweights	\$192
SWSLAT	Worksurface Supporting	3	:	В	Bar Pull	DL	Digital Lock	\$411
		4	:	:				
:		5	:					
:		•						
:		•						
:		•	:					
	•						1	
SLAT		3	36	J		CW		

Options

#### **Application Notes**

#### Included

• Leveling glides for 1 1 1 adjustment





BF				PAINT LAMINAT					RGE)
Н	W	D	MODEL#	P1	P2	P3	L1	L2	L3
22 5/8"	30"	18 1/4"	SLAT130(J/B)	\$1,158	\$1,274	\$1,390	+ \$403	+ \$559	+ \$714
22 %"	36"	18 1/4"	SLAT136(J/B)	\$1,273	\$1,400	\$1,528	+ \$403	+ \$570	+ \$737
22 %"	42"	18 1/4"	SLAT142(J/B)	\$1,388	\$1,527	\$1,666	+ \$403	+ \$582	+ \$760

Counterweights are required for all lateral files that are not ganged together or otherwise anchored.



#### **BF Shelf**

·	22 %"	30"	18 1/4"	SLATS130	\$928	\$1,021	\$1,114	N/A	N/A	N/A
	22 %"	36"	18 1/4"	SLATS136	\$1,043	\$1,147	\$1,252	N/A	N/A	N/A
	22 %"	42"	18 1/4"	SLATS142	\$1,158	\$1,274	\$1,390	N/A	N/A	N/A

 $Counterweights are \ required \ for \ all \ lateral \ files \ that \ are \ not \ ganged \ together \ or \ otherwise \ anchored.$ 



#### **Worksurface Supporting**

27 ¾"	30"	18 ¼"	SWSLAT230(J/B)	\$1,032	\$1,135	\$1,238	+ \$460	+ \$506	+ \$607
27 ¾"	36"	18 ¼"	SWSLAT236(J/B)	\$1,147	\$1,261	\$1,376	+ \$506	+ \$557	+ \$668
27 3/4"	42"	18 ¼"	SWSLAT242(J/B)	\$1,262	\$1,388	\$1,514	+ \$552	+ \$607	+ \$729

Counterweights are required for all lateral files that are not ganged together or otherwise anchored.



#### 2 Drawer/2 Open Shelves

•	51 ¾"	30"	18 1/4"	SLAT2S2F30(J/B)	\$2,538	\$2,792	\$3,046	+ \$2,300	+ \$2,200	+ \$2,760
	52 %"	36"	18 1/4"	SLAT2S2F36(J/B)	\$2,883	\$3,171	\$3,460	+ \$2,300	+ \$2,200	+ \$2,760
	53 %"	42"	18 1/4"	SLAT2S2F42(J/B)	\$3,401	\$3,741	\$4,081	+ \$2,300	+ \$2,200	+ \$2,760

Counterweights are required for all lateral files that are not ganged together or otherwise anchored.



#### 2 Drawer/3 Open Shelves

65 %"	30"	18 ¼"	SLAT3S2F30(J/B)	\$2,653	\$2,918	\$3,184	+ \$2,300	+ \$2,200	+ \$2,760
65 %"	36"	18 ¼"	SLAT3S2F36(J/B)	\$2,998	\$3,298	\$3,598	+ \$2,300	+ \$2,200	+ \$2,760
65 %"	42"	18 ¼"	SLAT3S2F42(J/B)	\$3,516	\$3,867	\$4,219	+ \$2,300	+ \$2,200	+ \$2,760

 $\label{lem:counterweights} \textbf{Counterweights are required for all lateral files that are not ganged together or otherwise anchored.}$ 

#### Lateral – Accessories

DESCRIPTION	MODEL#	BLACK ONLY
Lateral Ganging Kit	SLATGK	\$169

specity
1. Model#
2. Case finish
3. Front finish
Laminate not
available on J pull

				Options				
	Lateral	W	Pull					
SLAT1	BF Lateral w/Metal Top	36	<b>J J Pull</b> B Bar Pull	CW Counterweights DL Digital Lock	<b>\$192</b> \$411			
SLAT1		36	J	CW				



#### **6B Drawer** D MODEL# **P1** P2 Р3 39 %" 18 1/4" S6BLAT30(J/B) \$2,374 \$2,159 \$2,590 18 1/4" S6BLAT36(J/B) 39 %" 36" \$2,274 \$2,501 \$2,728 39 %" 42" 18 1/4" S6BLAT42(J/B) \$2,481 \$2,729 \$2,977

 $Counterweights\ are\ required\ for\ all\ lateral\ files\ that\ are\ not\ ganged\ together\ or\ otherwise\ anchored.$ 

6B Drawer, No Top

39 %"	30"	18 1⁄4"	S6BLAT30NT(J/B)	\$2,078	\$2,286	\$2,494
39 %"	36"	18 1/4"	S6BLAT36NT(J/B)	\$2,193	\$2,412	\$2,632
39 %"	42"	18 1/4"	S6BLAT42NT(J/B)	\$2,423	\$2,665	\$2,908

 $\label{lem:counterweights} \textbf{Counterweights are required for all lateral files that are not ganged together or otherwise anchored.}$ 



#### **BBF Drawer**


28 %"	30"	18 1/4"	S2BFLAT30(J/B)	\$1,388	\$1,527	\$1,666
28 ¾"	36"	18 1/4"	S2BFLAT36(J/B)	\$1,503	\$1,653	\$1,804
28 ¾"	42"	18 1/4"	S2BFLAT42(J/B)	\$1,618	\$1,780	\$1,942

 $Counterweights\ are\ required\ for\ all\ lateral\ files\ that\ are\ not\ ganged\ together\ or\ otherwise\ anchored.$ 

**BBF Drawer, No Top** 

28 ¾"	30"	18 ¼"	S2BFLAT30NT(J/B)	\$1,388	\$1,527	\$1,666
28 ¾"	36"	18 ¼"	S2BFLAT36NT(J/B)	\$1,503	\$1,653	\$1,804
28 %"	42"	18 1/4"	S2BFLAT42NT(J/B)	\$1,618	\$1,780	\$1,942

 $Counterweights are \ required \ for \ all \ lateral \ files \ that \ are \ not \ ganged \ together \ or \ otherwise \ anchored.$ 



#### **BBFF Drawer**

39 %"	30"	18 1/4"	S2B2FLAT30(J/B)	\$1,848	\$2,033	\$2,218
39 %"	36"	18 1/4"	S2B2FLAT36(J/B)	\$1,963	\$2,159	\$2,356
39 %"	42"	18 1/4"	S2B2FLAT42(J/B)	\$2,078	\$2,286	\$2,494

Counterweights are required for all lateral files that are not ganged together or otherwise anchored.


#### **BBFF Drawer, No Top**

39 %	30	18 1/4	S2B2FLAT30NT(J/B)	\$1,848	\$2,033	\$2,218
39 %	36	18 1/4	S2B2FLAT36NT(J/B)	\$1,963	\$2,159	\$2,356
39 %	42	18 1/4	S2B2FLAT42NT(J/B)	\$2,078	\$2,286	\$2,494

 $Counterweights are \ required \ for \ all \ lateral \ files \ that \ are \ not \ ganged \ together \ or \ otherwise \ anchored.$ 

Specify	
1. Model #	
2. Case finish	

					Options		
	Lateral	W	Pull				
S6BLAT	6B Drawer Lat	36	J J Pull	CW	Counterweights	\$192	
S2BFLAT	BBF Drawer Lat		B Bar Pull	DL	Digital Lock	\$411	
S2B2FLAT	BBFF Drawer Lat	:					
:							
•			:				
•	:	<u>;</u> ,	:		1		
S6BLA1	Γ.	36	J	CW	1		
<b>i</b>	<b>:</b>	<b>::</b>	<b>:</b>				




omn	non To	op – 18'	" Deep		LAMINATE	•••••
Н	W	D	MODEL#		L1 L2	L3
5/8"	30"	18 1/4"	<b>LT</b> 30	\$4	03 \$443	\$483
5/8"	36"	18 1/4"	<b>LT</b> 36	\$4	37 \$481	\$524
5/8"	42"	18 1/4"	LT42	\$4	49 \$493	\$538
5/8"	60"	18 1/4"	<b>LT</b> 60	\$4	72 \$519	\$566
5/8"	66"	18 1/4"	LT66	\$5	35 \$588	\$642
5/8"	72"	18 1/4"	<b>LT</b> 72	\$5	58 \$614	\$669
5/8"	84"	18 1/4"	<b>LT</b> 84	\$5	64 \$620	\$676
5/8"	90"	18 1/4"	<b>LT</b> 90	\$5	69 \$626	\$683
5/8"	108"	18 1/4"	<b>LT</b> 108	\$6	10 \$670	\$731
5/8"	126"	18 1/4"	<b>LT</b> 126	\$8	11 \$892	\$973

## Common Top – 36" Deep

#### Specify Lateral Common Top

- 1. Model # 2. Laminate 3. Edge band

		-	<u> </u>			
5/8"	30"	36 ½"	<b>LT</b> 3037	\$575	\$633	\$690
5/8"	36"	36 ½"	<b>LT</b> 3637	\$633	\$696	\$759
5/8"	42"	36 ½"	LT4237	\$719	\$791	\$863
5/8"	60"	36 ½"	<b>LT</b> 6037	\$834	\$917	\$1,001
5/8"	66"	36 ½"	<b>LT</b> 6637	\$920	\$1,012	\$1,104
5/8"	72"	36 ½"	<b>LT</b> 7237	\$978	\$1,075	\$1,173
5/8"	84"	36 ½"	<b>LT</b> 8437	\$1,035	\$1,139	\$1,242
5/8"	90"	36 ½"	<b>LT</b> 9037	\$1,093	\$1,202	\$1,311
5/8"	108"	36 ½"	<b>LT</b> 10837	\$1,323	\$1,455	\$1,587
5/8"	126"	36 ½"	<b>LT</b> 12637	\$1,438	\$1,581	\$1,725



Cushi	on – 1	18" Dee	p		•••••••••••••••••••••••••••••••••••••••	•	FAB	RIC	•••••••••••••••••••••••••••••••••••••••	•••••••••••••••••••••••••••••••••••••••	•••••
Н	W	D	MODEL#	A/1	B/2	C/3	D/4	E/5	F/6	G/7	H/8
1"	30"	18 1/4"	LC30	\$376	\$476	\$626	\$676	\$726	\$776	\$826	\$896
1"	36"	18 1/4"	<b>LC</b> 36	\$405	\$505	\$560	\$610	\$670	\$735	\$800	\$890
1"	42"	18 1/4"	LC42	\$434	\$534	\$594	\$644	\$714	\$794	\$874	\$984
1"	60"	18 1/4"	LC60	\$503	\$603	\$673	\$733	\$823	\$923	\$1,023	\$1,173
1"	66"	18 1/4"	LC66	\$531	\$631	\$706	\$766	\$871	\$981	\$1,096	\$1,256
1"	72"	18 1/4"	LC72	\$560	\$660	\$740	\$800	\$920	\$1,040	\$1,170	\$1,340
1"	84"	18 1/4"	LC84	\$606	\$706	\$796	\$866	\$1,006	\$1,146	\$1,316	\$1,466
1"	90"	18 1/4"	LC90	\$641	\$741	\$831	\$901	\$1,061	\$1,211	\$1,401	\$1,551
1"	108"	18 1/4"	LC108	\$710	\$810	\$910	\$990	\$1,170	\$1,345	\$1,540	\$1,720
1"	126"	18 1/4"	<b>LC</b> 126	\$779	\$879	\$989	\$1,079	\$1,279	\$1,479	\$1,679	\$1,889

## Cushion – 36" Deep

Cnacifu	I atoral	Cushion

- 1. Model#
- 2. Fabric

			F								
1"	30"	36 ½"	LC3037	\$549	\$609	\$669	\$769	\$869	\$969	\$1,069	\$1,169
1"	36"	36 ½"	LC3637	\$583	\$653	\$718	\$833	\$948	\$1,068	\$1,188	\$1,333
1"	42"	36 ½"	LC4237	\$618	\$698	\$768	\$898	\$1,028	\$1,168	\$1,308	\$1,498
1"	60"	36 ½"	LC6037	\$698	\$798	\$888	\$1,028	\$1,198	\$1,388	\$1,588	\$1,898
1"	66"	36 ½"	LC6637	\$733	\$833	\$933	\$1,083	\$1,273	\$1,478	\$1,703	\$2,043
1"	72"	36 ½"	<b>LC</b> 7237	\$767	\$867	\$977	\$1,137	\$1,347	\$1,567	\$1,817	\$2,187
1"	84"	36 ½"	LC8437	\$836	\$936	\$1,066	\$1,236	\$1,476	\$1,726	\$2,006	\$2,406
1"	90"	36 ½"	LC9037	\$871	\$971	\$1,111	\$1,291	\$1,551	\$1,831	\$2,131	\$2,551
1"	108"	36 ½"	LC10837	\$963	\$1,068	\$1,223	\$1,413	\$1,693	\$2,033	\$2,383	\$2,843
1"	126"	36 ½"	LC12637	\$1,055	\$1,165	\$1,335	\$1,535	\$1,835	\$2,235	\$2,635	\$3,135

#### Step 1 - Model #

	н	w	Drawers	Coat Door	Pull
STWR Tower	56	22	<b>FF</b> BBF	<b>L Left</b> R Right	J J Pull <b>B Bar Pull</b> R Radiused Pull
STWR	56	22	FF	L	В

Step 2 - Case Finish

I	
	Paint
301	Champagne
301	:
301	

Step 3 – Front Finish

Not Available w/J Pull				
Laminate				
PW-STK	Studio Teak			
PW-STK				

#### **FEATURES**

#### **LOCK**

- Lock core is removable.
- 24" Side access tower includes 2 locks. All others include 1 lock.
- Keyed alike available upon request.
- Master and change key available upon request. See (page 9).
- Individual locking drawers available upon request. Upcharge may apply.

#### **DRAWERS**

- Include full suspension steel ball-bearing slides.
- Drawer fronts include rubber bumpers for quiet operation.
- Slides include anti-rebound and quick disconnect features.
- File drawer dividers which allow sideto-side filing are sold separately.

#### **SHELVES**

 $\bullet$  Shelves are adjustable in 1 ½" increments.

#### **LEVELING GLIDES – TOWER**

 $\bullet$  Leveling glides allow for % " adjustment.

#### **LEVELING GLIDES – SIDE ACCESS TOWER**

• Leveling glides allow for 1 %" adjustment.

#### **DOORS**

• Cupboard and coat doors include concealed hinges that allow for 110° degree opening.

#### **CONSTRUCTION**

#### **OUTER SHELL & DRAWER CONSTRUCTION**

Welded steel frame construction & formed channels ensure strength in key areas.

Inner top channel	18 Gauge
Bottom channel	18 Gauge
Side channels	18 Gauge
Outer top	21 Gauge
Outer back	21 Gauge
Outer sides	21 Gauge
Outer center	21 Gauge
Drawer & door fronts	21 Gauge
Shelves	18 Gauge
Drawer bins	22 Gauge
Drawer fronts	20 Gauge

#### DRAWER LOAD CAPACITY

6" Box drawers	50 lbs
12" File drawers	70 lbs


#### SHELF LOAD CAPACITY

Shelf 61 lbs

#### DRAWER INNER DIMENSIONS

Height	
Box drawer	4 ½"
File drawer	9 ½"
Width	
All drawers	12 ½"
Depth	
All drawers	18 1/4"

#### **PULL STYLES**



#### **SURFACE MATERIALS**

#### **CASE**

Paint

#### **FRONTS**

w/Bar Pull (B)	Paint or Laminate
w/Radiused Pull (R)	Paint or Laminate
w/J Pull (J)	Paint

NOTE: Laminate is not available on 24" side access towers, 15" towers or 15" side access towers.


#### **DRAWER PULL**

Bar (B)	Satin nickel
Radiused (R)	Satin nickel
J <b>(J)</b>	Paint


#### LOCK

Satin nickel

## **TOWERS**







4011.1	1				•	•••••••••••		······································	• • • • • • • • • • • • • • • • • • • •	•••••
40" I	High.	— does	not inclu	ıde an adj. shelf		PAINT		LAMINA	TE FRONT (UPCH	ARGE)
COAT DOOR	Н	w	D	MODEL#	P1	P2	P3	L1	L2	L3
L	39 %"	23 ½"	23 ½"	STWR4024FFL(J/B/R)	\$2,239	\$2,463	\$2,687	+ \$1,035	+ \$1,139	+ \$1,242
R	39 %"	23 ½"	23 ½"	STWR4024FFR(J/B/R)	\$2,239	\$2,463	\$2,687	+ \$1,035	+ \$1,139	+ \$1,242
L	39 %"	23 ½"	23 ½"	STWR4024BBFL(J/B/R)	\$2,297	\$2,526	\$2,756	+ \$1,070	+ \$1,176	+ \$1,283
R	39 %"	23 ½"	23 ½"	STWR4024BBFR(J/B/R)	\$2,297	\$2,526	\$2,756	+ \$1,070	+ \$1,176	+ \$1,283
46" l	High.	— does	not inclu	ıde an adj. shelf						
L	46"	23 ½"	23 ½"	STWR4624FFL(J/B/R)	\$2,412	\$2,653	\$2,894	+ \$1,058	+ \$1,164	+ \$1,270
R	46"	23 ½"	23 ½"	STWR4624FFR(J/B/R)	\$2,412	\$2,653	\$2,894	+ \$1,058	+ \$1,164	+ \$1,270
L	46"	23 ½"	23 ½"	STWR4624BBFL(J/B/R)	\$2,469	\$2,716	\$2,963	+ \$1,093	+ \$1,202	+ \$1,311
R	46"	23 ½"	23 ½"	STWR4624BBFR(J/B/R)	\$2,469	\$2,716	\$2,963	+ \$1,093	+ \$1,202	+ \$1,311
			des 1 adj							
L	51 3/8"	23 ½"	23 ½"	STWR5124FFL(J/B/R)	\$2,469	\$2,716	\$2,963	+ \$1,093	+ \$1,202	+ \$1,311
R	51 3/8"	23 ½"	23 ½"	STWR5124FFR(J/B/R)	\$2,469	\$2,716	\$2,963	+ \$1,093	+ \$1,202	+ \$1,311
L	51 %"		23 ½"	STWR5124BBFL(J/B/R)	\$2,527	\$2,779	\$3,032	+ \$1,116	+ \$1,227	+ \$1,339
R	51 %"	23 1/2"	23 ½"	STWR5124BBFR(J/B/R)	\$2,527	\$2,779	\$3,032	+ \$1,116	+ \$1,227	+ \$1,339
56" I	High.	— inclu	des 1 adj	. shelf						
L	56"	23 ½"	23 ½"	STWR5624FFL(J/B/R)	\$2,527	\$2,779	\$3,032	+ \$1,116	+ \$1,227	+ \$1,339
R	56"	23 ½"	23 ½"	STWR5624FFR(J/B/R)	\$2,527	\$2,779	\$3,032	+ \$1,116	+ \$1,227	+ \$1,339
L	56"	23 ½"	23 ½"	STWR5624BBFL(J/B/R)	\$2,642	\$2,906	\$3,170	+ \$1,150	+ \$1,265	+ \$1,380
R	56"	23 ½"	23 ½"	STWR5624BBFR(J/B/R)	\$2,642	\$2,906	\$3,170	+ \$1,150	+ \$1,265	+ \$1,380
66" I	66" <b>High</b> — includes 2 adj. shelves									
L	65 %"	23 ½"	23 ½"	STWR6624FFL(J/B/R)	\$2,757	\$3,032	\$3,308	+ \$1,380	+ \$1,518	+ \$1,656
R	65 %"	23 ½"	23 ½"	STWR6624FFR(J/B/R)	\$2,757	\$3,032	\$3,308	+ \$1,380	+ \$1,518	+ \$1,656
L	65 %"	23 ½"	23 ½"	STWR6624BBFL(J/B/R)	\$2,814	\$3,095	\$3,377	+ \$1,495	+ \$1,645	+ \$1,794
R	65 %"	23 ½"	23 ½"	STWR6624BBFR(J/B/R)	\$2,814	\$3,095	\$3,377	+ \$1,495	+ \$1,645	+ \$1,794

							Options	
	Н	W	Drawers	<b>Coat Door</b>	Pull			
STWR Tower	56	22	FF	L Left	J J Pull	DL	Digital Lock	\$411
<u>:</u>			BBF	R Right	B Bar Pull			
:					R Radiused Pull			
STWR	56	22	FF	L	J	DL		

#### Specify

- 1. Model#
- 2. Case finish
- 3. Front finish
  Laminate not
  available on J pull

# Pulls B – Bar Pull J – J Pull

R – Radiused

#### **Application Notes**

- Single lock for all doors & drawers
- Coat closet includes side-to-side coat rod
- Leveling glides allow for %" adjustment





16" L	iah	4	nclude an adj. sh	-16			•••••
	iigii —	does not i	nclude an adj. sh	elf		PAINT	
COAT DOOR	н	W	D	MODEL#	P1	P2	Р3
L	46"	23 ½"	23 ½"	SSAT4624FFL(J/B/R)	\$2,389	\$2,627	\$2,866
R	46"	23 ½"	23 ½"	SSAT4624FFR(J/B/R)	\$2,389	\$2,627	\$2,866
L	46"	23 ½"	23 ½"	SSAT4624BBFL(J/B/R)	\$2,446	\$2,691	\$2,93
R	46"	23 ½"	23 ½"	SSAT4624BBFR(J/B/R)	\$2,446	\$2,691	\$2,935
51" H	igh_	includes 1	adj. shelf				
L	51 %"	23 ½"	23 ½"	SSAT5124FFL(J/B/R)	\$2,469	\$2,716	\$2,963
R	51 ¾"	23 ½"	23 ½"	SSAT5124FFR(J/B/R)	\$2,469	\$2,716	\$2,963
L	51 ¾"	23 ½"	23 ½"	SSAT5124BBFL(J/B/R)	\$2,527	\$2,779	\$3,032
R	51 ¾"	23 ½"	23 ½"	SSAT5124BBFR(J/B/R)	\$2,527	\$2,779	\$3,032
56" H	igh_	includes 1	adj. shelf				
L	56"	23 ½"	23 ½"	SSAT5624FFL(J/B/R)	\$2,561	\$2,817	\$3,07
R	56"	23 ½"	23 ½"	SSAT5624FFR(J/B/R)	\$2,561	\$2,817	\$3,073
L	56"	23 ½"	23 ½"	SSAT5624BBFL(J/B/R)	\$2,676	\$2,944	\$3,21
R	56"	23 ½"	23 ½"	SSAT5624BBFR(J/B/R)	\$2,676	\$2,944	\$3,21
66" H	igh_	includes 2	2 adj. shelves				
L	65 %"	23 ½"	23 ½"	SSAT6524FFL(J/B/R)	\$2,699	\$2,969	\$3,23
R	65 %"	23 ½"	23 ½"	SSAT6524FFR(J/B/R)	\$2,699	\$2,969	\$3,239
L	65 %"	23 ½"	23 ½"	SSAT6524BBFL(J/B/R)	\$2,757	\$3,032	\$3,308



#### Worksurface Supporting Bracket — factory installed

23 ½"

BLACK ONLY

Add at the end of tower model number

23 ½"

SWSSB

SSAT6524BBFR(J/B/R)

\$112


\$3,308

							Options	
		Н	W	Drawers	<b>Coat Door</b>	Pull		
SSAT	Side Access Tower	56	22	FF	L Left	J J Pull	SWSSB	\$112
				BBF	R Right	B Bar Pull R Radiused Pull	DL Digital Lock	\$411
SSAT		56	22	FF	L	J	SWSSB	

## 1. Model # 2. Case finish

R

65 %"



#### Application Notes

- Includes 2 locks, keyed alike
- Coat closet includes two-pronged coat hook

\$2,757

\$3,032

 Leveling glides allow for 1 %" adjustment

#### Worksurface Supporting Bracket

Must be ordered with a Side Access Tower. Factory installed.



65 %"

R 65 1/8" 15 1/4"

15 1/4"

23 ½"

23 ½"

STWR6615BBFL(J/B/R)

STWR6615BBFR(J/B/R)

16" H	igh_	does not i	nclude an a	dj. shelf		PAINT	
HINGE	Н	W	D	MODEL#	P1	P2	P3
L	46"	15 1/4"	23 ½"	STWR4615FFL(J/B/R)	\$1,549	\$1,704	\$1,859
R	46"	15 1/4"	23 ½"	STWR4615FFR(J/B/R)	\$1,549	\$1,704	\$1,859
L	46"	15 1/4"	23 ½"	STWR4615BBFL(J/B/R)	\$1,699	\$1,868	\$2,038
R	46"	15 1/4"	23 ½"	STWR4615BBFR(J/B/R)	\$1,699	\$1,868	\$2,038
51" H	igh_i	includes 1	adj. shelf				
L	51 ¾"	15 1/4"	23 ½"	STWR5115FFL(J/B/R)	\$1,699	\$1,868	\$2,038
R	51 %"	15 1/4"	23 ½"	STWR5115FFR(J/B/R)	\$1,699	\$1,868	\$2,038
L	51 %"	15 1/4"	23 ½"	STWR5115BBFL(J/B/R)	\$1,779	\$1,957	\$2,135
R	51 %"	15 1/4"	23 ½"	STWR5115BBFR(J/B/R)	\$1,779	\$1,957	\$2,135
56" H	igh_	includes 1	adj. shelf				
L	56"	15 1/4"	23 ½"	STWR5615FFL(J/B/R)	\$1,779	\$1,957	\$2,135
R	56"	15 ¼"	23 ½"	STWR5615FFR(J/B/R)	\$1,779	\$1,957	\$2,135
L	56"	15 1/4"	23 ½"	STWR5615BBFL(J/B/R)	\$1,837	\$2,020	\$2,204
R	56"	15 1/4"	23 ½"	STWR5615BBFR(J/B/R)	\$1,837	\$2,020	\$2,204
6" H	igh_i	includes 2	adj. shelve	5			
L	65 %"	15 1/4"	23 ½"	STWR6615FFL(J/B/R)	\$1,837	\$2,020	\$2,204
R	65 %"	15 1/4"	23 ½"	STWR6615FFR(J/B/R)	\$1,837	\$2,020	\$2,204

							Options	
	Н	w	Drawers	<b>Coat Door</b>	Pull			
STWR Tower	56	15	FF	L Left	J J Pull	DL	Digital Lock	\$411
	i		BBF	R Right	B Bar Pull			
					R Radiused Pull			
	:	:	:	_ :	1			
STWR	56	15	FF	L	J	DL		

\$1,952


\$1,952

\$2,147

\$2,147

\$2,342

\$2,342





tu II	ııyıı —	anes not i	nclude an adj. shel	П	:	PAINT	
OPEN	Н	W	D	MODEL#	P1	P2	P
L	46"	15 1/4"	23 ½"	SSAT4615FFL(J/B/R)	\$1,492	\$1,641	\$1,790
R	46"	15 1/4"	23 ½"	SSAT4615FFR(J/B/R)	\$1,492	\$1,641	\$1,79
L	46"	15 1/4"	23 ½"	SSAT4615BBFL(J/B/R)	\$1,607	\$1,767	\$1,92
R	46"	15 ¼"	23 ½"	SSAT4615BBFR(J/B/R)	\$1,607	\$1,767	\$1,92
51" H	ligh_	includes 1	adj. shelf				
L	51 ¾"	15 1/4"	23 ½"	SSAT5115FFL(J/B/R)	\$1,607	\$1,767	\$1,92
R	51 %"	15 1/4"	23 ½"	SSAT5115FFR(J/B/R)	\$1,607	\$1,767	\$1,92
L	E4 3/II		22.1/11				¢2.00
L	51 %"	15 ¼"	23 ½"	SSAT5115BBFL(J/B/R)	\$1,722	\$1,894	\$2,06
R	51 <sup>3</sup> / <sub>8</sub> "	15 ¼" 15 ¼"	23 ½"	SSAT5115BBFR(J/B/R) SSAT5115BBFR(J/B/R)	\$1,722 \$1,722	\$1,894 \$1,894	
R	51 ¾"	15 1/4"			-		\$2,06 \$2,06 \$2,06
R 6" H	51 ¾"	15 ¼" includes 1	23 ½" adj. shelf	SSAT5115BBFR(J/B/R)	\$1,722	\$1,894	\$2,06
R 66" H	51 ¾" ligh — 56"	15 ¼" includes 1 15 ¼"	23 ½"  adj. shelf  23 ½"	SSAT5115BBFR(J/B/R) SSAT5615FFL(J/B/R)	\$1,722 \$1,722	\$1,894	\$2,06 \$2,06 \$2,06
R 56" H	51 ¾"  ligh —  56"  56"	15 ¼" includes 1 15 ¼" 15 ¼"	23 ½" adj. shelf 23 ½" 23 ½"	SSAT5115BBFR(J/B/R)  SSAT5615FFL(J/B/R)  SSAT5615FFR(J/B/R)	\$1,722 \$1,722 \$1,722	\$1,894 \$1,894 \$1,894	\$2,06 \$2,06 \$2,06 \$2,20
R	51 %"    igh   56"   56"   56"   56"	15 ¼"  includes 1  15 ¼"  15 ¼"  15 ¼"  15 ¼"	23 ½"  adj. shelf  23 ½"  23 ½"  23 ½"	SSAT5115BBFR(J/B/R)  SSAT5615FFL(J/B/R)  SSAT5615FFR(J/B/R)  SSAT5615BBFL(J/B/R)	\$1,722 \$1,722 \$1,722 \$1,837	\$1,894 \$1,894 \$1,894 \$2,020	\$2,06 \$2,06
R	51 %"    igh   56"   56"   56"   56"	15 ¼"  includes 1  15 ¼"  15 ¼"  15 ¼"  15 ¼"	23 ½"  adj. shelf  23 ½"  23 ½"  23 ½"  23 ½"	SSAT5115BBFR(J/B/R)  SSAT5615FFL(J/B/R)  SSAT5615FFR(J/B/R)  SSAT5615BBFL(J/B/R)	\$1,722 \$1,722 \$1,722 \$1,837	\$1,894 \$1,894 \$1,894 \$2,020	\$2,06 \$2,06 \$2,06 \$2,20 \$2,20
R 66" H L R L R	51 %"  ligh —  56" 56" 56"	15 ¼"  includes 1  15 ¼"  15 ¼"  15 ¼"  15 ¼"  includes 2	23 ½"  adj. shelf  23 ½"  23 ½"  23 ½"  23 ½"  adj. shelves	SSAT5115BBFR(J/B/R)  SSAT5615FFL(J/B/R)  SSAT5615FFR(J/B/R)  SSAT5615BBFL(J/B/R)  SSAT5615BBFR(J/B/R)	\$1,722 \$1,722 \$1,722 \$1,837 \$1,837	\$1,894 \$1,894 \$1,894 \$2,020 \$2,020	\$2,06 \$2,06 \$2,06 \$2,20 \$2,20
R 66" H L R L R	51 %"    Solution   Solution	15 ¼"  includes 1  15 ¼"  15 ¼"  15 ¼"  15 ¼"  includes 2  15 ¼"	23 ½"  adj. shelf  23 ½"  23 ½"  23 ½"  23 ½"  33 ½"  adj. shelves  23 ½"	SSAT5115BBFR(J/B/R)  SSAT5615FFL(J/B/R)  SSAT5615FFR(J/B/R)  SSAT5615BBFR(J/B/R)  SSAT5615BBFR(J/B/R)	\$1,722 \$1,722 \$1,722 \$1,837 \$1,837	\$1,894 \$1,894 \$1,894 \$2,020 \$2,020	\$2,06 \$2,06 \$2,06 \$2,20



#### Worksurface Supporting Bracket—factory installed

BLACK ONLY

Add at the end of tower model number

SWSSB

\$112

#### **WORKSURFACES & 15" SIDE ACCESSS TOWERS**



When adding a 15" tower to the end of a worksurface you will need to add a "T" to the end of the model number in order to make the worksurface and tower completely flush. This will only be neccessary on 24" deep worksurfaces with a width from 48" - 84".

							Options	
		Н	W	Drawers	<b>Coat Door</b>	Pull		
SSAT	Side Access Tower	56	15	FF	L Left	J J Pull	SWSSB	\$112
				BBF	R Right	B Bar Pull R Radiused Pull	DL Digital Lock	\$411
SSAT		56	15	FF	L	J	SWSSB	

#### Specify Pulls 1. Model # 2. Case finish B – Bar Pull J – J Pull

R – Radiused

#### **Application Notes**

- Single lock for all drawers
- · Leveling glides allow for 1 %" adjustment

#### **Worksurface Supporting Bracket**

Must be ordered with a Side Access Tower. Factory installed.

#### Step 1 - Model #

	Drawer Width	n Shelf Width	Тор	Pull
SCR Credenza	30 D Dra	wer 20 S Shelf	MT Metal Top NT No Top	J JPull <b>B Bar Pull</b>
SCR	30 D	20 S	МТ	В

Step 2 – Case Finish

	Paint
301	Champagne
301	:

Step 3 – Front Finish

Not Ava	nilable w/J Pull				
Laminate					
PW-STK	Studio Teak				
PW-STK					

#### **FEATURES**

#### COUNTERWEIGHT

- Two drawer cabinets include factory installed counterweights
- Low storage cabinets that do not include shelves do not need counterweight

#### LOCK

- Available on credenza products which feature drawers
- · Lock core is removable
- Keyed alike available upon request
- Master and change key available upon request. See (page 9).

#### **DRAWERS**

- Include full suspension steel ball-bearing slides
- Drawer fronts include rubber bumpers for quiet operation

#### **SHELF**

• ¾" High adjustable shelf

#### **LEVELING GLIDES**

• 4 Leveling glides allow for ½" adjustment

#### **TOP**

• Available in metal, cushion and laminate

#### **CONSTRUCTION**

#### **OUTER SHELL & DRAWER CONSTRUCTION**

Welded steel frame construction & formed channels ensure strength in key areas.

Bottom channels	16 Gauge
Top channels	18 Gauge
Shelves	18 Gauge
Side channels	20 Gauge
Side panels	20 Gauge
Тор	20 Gauge
Fronts	20 Gauge
Drawer bins	22 Gauge

#### **DRAWER INNER DIMENSIONS**


Height

6" Drawer	4 ½"			
12" Drawer	10 %"			
Width				
30" Wide drawer	26 1/10"			
36" Wide drawer	32 1/10"			
42" Wide drawer	38 1/10"			
Depth				
All drawers	15 %"			

#### **SHELF INNER DIMENSIONS**

Height	
All shelves	16 %"
Width	
30" Wide drawer	28 ½"
36" Wide drawer	34 ½"
42" Wide drawer	40 ½"
Depth	
All drawers	19"

#### **PULL STYLES**







#### **SURFACE MATERIALS**

#### CASE

Paint

#### **FRONTS**

w/Bar pull **(B)** Paint or Laminate w/J pull **(J)** Paint

#### **DRAWER PULL**

Bar (B) Satin nickel J (J) Paint


#### **LOCK**

Satin nickel

#### **CUSHION TOP**

Upholstery

## **CREDENZAS**





Credenzas				PAINT		LAMINATE FRONT (UPCHARGE)				
DESCRIPTION	Н	W	D	MODEL#	P1	P2	P3	L1	L2	L3
30" Drawers, 30" open shelf	22 1/4"	60"	20"	SCR30D30S(J/B)	\$3,200	\$3,520	\$3,841	+ \$610	+ \$670	+ \$731
30" Drawers, 36" open shelf	22 1/4"	66"	20"	SCR30D36S(J/B)	\$3,298	\$3,628	\$3,958	+ \$610	+ \$670	+ \$731
36" Drawers, 36" open shelf	22 1/4"	72"	20"	SCR36D36S(J/B)	\$3,367	\$3,704	\$4,041	+ \$633	+ \$696	+ \$759



#### Credenza – Drawers

30" Drawers, metal top	22 1/4"	30"	20"	SCRD3020MT(J/B)	\$1,319	\$1,451	\$1,583	+ \$610	+ \$670	+ \$731
36" Drawers, metal top	22 1/4"	36"	20"	SCRD3620MT(J/B)	\$1,377	\$1,514	\$1,652	+ \$633	+ \$696	+ \$759
42" Drawers, metal top	22 1/4"	42"	20"	SCRD4220MT(J/B)	\$1,492	\$1,641	\$1,790	+ \$679	+ \$746	+ \$814



#### Credenza — Shelves — includes 1 adj. shelf

30" Shelf, metal top	22 1/4"	30"	20"	SCRS3020MT	\$1,055	\$1,160	\$1,265	N/A	N/A	N/A
36" Shelf, metal top	22 1/4"	36"	20"	SCRS3620MT	\$1,124	\$1,236	\$1,348	N/A	N/A	N/A
42" Shelf, metal top	22 1/4"	42"	20"	SCRS4220MT	\$1,216	\$1,337	\$1,459	N/A	N/A	N/A

#### Credenza – Accessories

Floating top supports, 2 legs	5 ½"	2 ½"	1 1/8"	SCRSL2	\$284	\$312	\$341	N/A	N/A	N/A
Credenza center leg support				SCRCLS	\$227	N/A	N/A	N/A	N/A	N/A
Credenza ganging kit				SCRGK	\$169	N/A	N/A	N/A	N/A	N/A


					Options
	<b>Drawer Width</b>	Shelf Width	Тор	Pull	
SCR Credenza	30 D Drawer	20 S Shelf	MT Metal Top	<b>J J Pull</b> B Bar Pull	DL Digital Lock \$411
SCR	30 D	20 S	МТ	J	DL

#### Specify

- 1. Model#
- 2. Case finish
- 3. Front finish
  Laminate not
  available on J pull

#### Credenza Includes

- 2 low storage cabinets
- 1 laminate top & ganging kit
- 1 credenza center support leg



#### **Application Notes**

- Credenzas must be assembled in the field
- When ganging 2 units together, order ganging kit
- Leveling glides allow for 1 5%" adjustment

#### • Drawer units include 1

– 6" drawer & 1 – 12" file drawer & counterweight

#### Center Leg

- Helps to gang 2 credenza pieces together side by side
- Eliminate the 4 legs in the center and replace with this single support leg

#### **Ganging Kit**

 Ganging kit for use when specifying laminate top separately, does not include center leg

#### Floating Top Supports

 Floating top supports may not be used on a metal top, includes top mounting bracket, screws & drill plate




Credenza – Common Tops	LAMINATE						
DESCRIPTION	Н	W	D	MODEL#	L1	L2	L3
Single 30" W credenza top	5/8"	30"	20"	<b>CT</b> 30	\$420	\$462	\$504
Single 36" W credenza top	5/8"	36"	20"	<b>CT</b> 36	\$449	\$493	\$538
Single 42" W credenza top	5/8"	42"	20"	CT42	\$483	\$531	\$580
Double 30" W credenza top	5/8"	60"	20"	<b>CT</b> 60	\$546	\$601	\$656
Double 30"/36" W credenza top	5/8"	66"	20"	CT66	\$575	\$633	\$690
Double 36" W credenza top OR 30"/42" W credenza top	5/8"	72"	20"	<b>CT</b> 72	\$587	\$645	\$704
Double 36"/42" W credenza top	5/8"	78"	20"	<b>CT</b> 78	\$610	\$670	\$731
Double 42" W credenza top	5/8"	84"	20"	CT84	\$644	\$708	\$773
Triple 30" W credenza top	5/8"	90"	20"	<b>CT</b> 90	\$679	\$746	\$814



Crede	enza C	ushion	Tops		FABRIC								
Н	W	D	MODEL#	A/1	B/2	C/3	D/4	E/5	F/6	G/7	H/8		
1"	12"	20"	SCRC2012	\$238	\$463	\$538	\$638	\$738	\$838	\$1,163	\$1,338		
1"	18"	20"	SCRC2018	\$284	\$509	\$584	\$684	\$784	\$884	\$1,209	\$1,384		
1"	30"	20"	SCRC2030	\$376	\$601	\$676	\$776	\$876	\$976	\$1,301	\$1,476		
1"	36"	20"	SCRC2036	\$457	\$682	\$757	\$857	\$957	\$1,057	\$1,382	\$1,557		
1"	42"	20"	SCRC2042	\$503	\$728	\$803	\$903	\$1,003	\$1,103	\$1,428	\$1,603		
1"	60"	20"	SCRC2060	\$606	\$831	\$906	\$1,006	\$1,106	\$1,206	\$1,531	\$1,706		
1"	66"	20"	SCRC2066	\$652	\$877	\$952	\$1,052	\$1,152	\$1,252	\$1,577	\$1,752		
1"	72"	20"	SCRC2072	\$687	\$912	\$987	\$1,087	\$1,187	\$1,287	\$1,612	\$1,787		

#### Specify

- 1. Model#
- 2. Case finish
- 3. Front finish
  Laminate not
  available on J pull



#### **Application Notes**

#### Center Leg

 Helps to gang 2 credenza pieces together side by side

#### **Ganging Kit**

 When ganging 2 units together, order ganging kit, does not include center leg

#### Floating Top Supports

 Floating top supports may not be used on a metal top, includes top mounting bracket, screws & drill plate

#### Step 1 – Model #

	Н	W	D		Pull
SCAB Cabinet	77	30	18	J	J Pull
				В	Bar Pull
SCAB	77	30	18	J	

#### Step 2 – Case Finish

	Paint
301	Champagne
301	
	. <b>:</b>

#### **FEATURES**

#### **LOCK**

- Lock core is removable.
- Keyed alike available upon request.
- Master and change key available upon request. See (page 9).

#### **DOORS**

 Concealed hinges allow for 110° degrees opening.

#### **LEVELING GLIDES**

• 4 Leveling glides allow for 1/4" adjustment.

#### **CONSTRUCTION**

#### **OUTER SHELL & DRAWER CONSTRUCTION**

Welded steel frame construction & formed channels ensure strength in key areas.

Back panel	20 – 22 Gauge
Side panels	20 – 22 Gauge
Inner channels	18 Gauge
Тор	18 Gauge
Doors	18 Gauge

#### **SHELF LOAD CAPACITY**

Shelf 140 lbs

#### **TOP LOAD CAPACITY**

30" Wide cabinets	140 lbs
36" Wide cabinets	169 lbs
42" Wide cabinets	197 lbs

#### **INNER DIMENSIONS**

Height	
2 High	23 ½"
3 High	35"
4 High	46 1/2"
5 High	61"
6 High	72 ½"
Width	
30" Wide cabinet	26 ¾"
36" Wide cabinet	32 ¾"
42" Wide cabinet	38 ¾"

# Depth 18" Deep 17 %" 24" Deep 22 %"

#### **PULL STYLES**





#### **SURFACE MATERIALS**

#### CASE

**Paint** 

#### **FRONTS**

w/Bar Pull **(B)** Paint w/J Pull **(J)** Paint


#### **DRAWER PULL**

Bar (B) Satin nickel J (J) Paint

#### LOCK

Satin nickel

## **CABINETS**





2 Higl	h				PAINT	
Н	W	D	MODEL#	P1	P2	P3
28 ¾"	30"	18 1/4"	SCAB293018(J/B)	\$1,147	\$1,261	\$1,376
28 ¾"	36"	18 1/4"	SCAB293618(J/B)	\$1,262	\$1,388	\$1,514
28 3/8"	42"	18 1/4"	SCAB294218(J/B)	\$1,377	\$1,514	\$1,652



## 3 High

39 %"	30"	18 ¼"	SCAB403018(J/B)	\$1,377	\$1,514	\$1,652
39 %"	36"	18 1/4"	SCAB403618(J/B)	\$1,492	\$1,641	\$1,790
39 %"	42"	18 1/4"	SCAB404218(J/B)	\$1,607	\$1,767	\$1,928



#### 4 High

9.	•					
51 3/8"	30"	18 1/4"	SCAB523018(J/B)	\$1,664	\$1,830	\$1,997
51 ¾"	36"	18 1/4"	SCAB523618(J/B)	\$1,779	\$1,957	\$2,135
51 ¾"	42"	18 1/4"	SCAB524218(J/B)	\$1,894	\$2,083	\$2,273

Cu a sife.	
Specify	
1. Model#	
2. Case finish	

Appl	ication	Notes	

• Leveling glides allow
for ¼" adjustment

					Options
	Н	w	D	Pull	
SCAB Cabinet	77	30	18	<b>J J Pull</b> B Bar Pull	DL Digital Lock \$411
SCAB	77	30	18	J	DL

## **Cabinets**



5 High	1				PAINT	
Н	W	D	MODEL#	P1	P2	P3
65 %"	30"	18 1/4"	SCAB663018(J/B)	\$1,894	\$2,083	\$2,273
65 %"	36"	18 1/4"	SCAB663618(J/B)	\$2,009	\$2,210	\$2,411
65 %"	36"	23 ½"	SCAB663624(J/B)	\$2,469	\$2,716	\$2,963
65 %"	42"	18 1/4"	SCAB664218(J/B)	\$2,124	\$2,336	\$2,549



#### 6 High

og.	•					
77 3/8"	30"	18 1/4"	SCAB773018(J/B)	\$2,182	\$2,400	\$2,618
77 3/8"	36"	18 1/4"	SCAB773618(J/B)	\$2,297	\$2,526	\$2,756
77 3/8"	36"	23 ½"	SCAB773624(J/B)	\$2,584	\$2,842	\$3,101
77 3/8"	42"	18 1/4"	SCAB774218(J/B)	\$2,412	\$2,653	\$2,894

Specify	
1. Model # 2. Case finish	

Application Notes							
• Leveling glides allow for ¼" adjustment							


tes		Н	W	D	Pull	
ides allow stment	SCAB Cabinet	77	30	18	<b>J J Pull</b> B Bar Pull	DL Digital Lock
	SCAB		30	18	J	DL

\$411

Options

# torage

#### Step 1 - Model #



Step 2 – Case Finish

	Paint
301	Champagne
301	

#### **FEATURES**

#### **LOCK**

- Lock core is removable.
- Keyed alike available upon request.
- Master and change key available upon request. See (page 9).
- Digital lock available upon request.
- Keyless available upon request.

#### **BODY**

 $\bullet$  Available in 2 depths: 18 ½" and 23 ½".

#### DOORS

- All lockers come standard with metal doors.
- Concealed hinges allow for 100 degree opening.

#### **SHELF**

- Includes one fixed shelf on top w/ 12" clear height above.
- Additional shelves may be ordered separately.

#### **COAT ROD**

• Includes side-to-side coat rod beneath shelf.

#### **LEVELING GLIDES**

- 4 leveling glides allow for \%" adjustment.
- Glides are accessible from the inside of the locker.

#### **CONSTRUCTION**

#### **OUTER SHELL & DRAWER CONSTRUCTION**

Welded steel frame construction & formed channels ensure strength in key areas.

Top panel	21 Gauge
Side panels	21 Gauge
Back panel	21 Gauge
Center panel	21 Gauge
Inner top channel	18 Gauge
Inner bottom channel	18 Gauge
Inner side channels	18 Gauge
Bottom panel	16 Gauge
Door fronts	20 – 22 Gauge
Shelves	18 Gauge

#### **DRAWER INNER DIMENSIONS**

Height

Above shelf	12"
Below coat rod – 51" High	31 1/10"
Below coat rod – 66" High	46 1/5"
Width	
All lockers	9 1/5"
Depth	
18 ½" Deep locker	17 %"
23 ½" Deep locker	22 ¾"

#### **PULL STYLES**





#### **SURFACE MATERIALS**

#### **LOCKER**

Paint


#### **DRAWER PULL**

Bar (B) Satin nickel J (J) Paint

#### LOCK

Satin nickel


## **LOCKERS**



Single -	– 51" High			PAINT				
TYPE	HINGE	Н	W	D	MODEL#	P1	P2	P3
1 Door	L	51 %"	12"	18"	SLKR5118L(J/B)	\$1,607	\$1,767	\$1,928
1 Door	R	51 %"	12"	18"	SLKR5118R(J/B)	\$1,607	\$1,767	\$1,928
1 Door	L	51 %"	12"	24"	SLKR5124L(J/B)	\$1,641	\$1,805	\$1,969
1 Door	R	51 %"	12"	24"	SLKR5124R(J/B)	\$1,641	\$1,805	\$1,969


#### Single — 66" High

1 Door	L	65 %"	12"	18"	SLKR6618L(J/B)	\$ 1,699	\$1,868	\$2,038
1 Door	R	65 %"	12"	18"	SLKR6618R(J/B)	\$ 1,699	\$1,868	\$2,038
1 Door	L	65 %"	12"	24"	SLKR6624L(J/B)	\$ 1,756	\$1,932	\$2,107
1 Door	R	65 %"	12"	24"	SLKR6624R(J/B)	\$ 1,756	\$1,932	\$2,107



#### **Double**

2 Door	L	65 %"	12"	18"	SLKR2D6612L(J/B)	\$1,848	\$2,033	\$2,218
2 Door	R	65 %"	12"	18"	SLKR2D6612R(J/B)	\$1,848	\$2,033	\$2,218
2 Door	L	65 %"	18"	18"	SLKR2D6618L(J/B)	\$1,963	\$2,159	\$2,356
2 Door	R	65 %"	18"	18"	SLKR2D6618R(J/B)	\$1,963	\$2,159	\$2,356



#### Quad

4 Door	L	65 %"	24"	18"	SLKR4D6624L(J/B)	\$3,113	\$3,424	\$3,736
4 Door	R	65 %"	24"	18"	SLKR4D6624R(J/B)	\$3,113	\$3,424	\$3,736



### Cubby

4 Door	L	34 ¾"	24"	18"	SLKR4D3524L(J/B)	\$2,193	\$2,412	\$2,632
4 Door	R	34 ¾"	24"	18"	SLKR4D3524R(J/B)	\$2,193	\$2,412	\$2,632
8 Door	L	65 %"	24"	18"	SLKR8D6624L(J/B)	\$3,803	\$4,183	\$4,564
8 Door	R	65 %"	24"	18"	SLKR8D6624R(J/B)	\$3,803	\$4,183	\$4,564

#### **Shelves**

Qty 2	12"	SLKRS122	\$296	\$325	\$355
Qty 2	18"	SLKRS182	\$342	\$376	\$410
Qty 4	24"	SLKRS244	\$411	\$452	\$493

Sn	ecif	v
Jb.		,

- 1. Model#
- 2. Case finish

#### Application Notes

- Includes 1 fixed shelf on top with 12" clear height above
- Leveling glides allow for 1/8" adjustment

#### 18" Deep


 Include (2) twopronged coat hooks

#### 24" Deep

Include (1) side-to-side coat rod

					Options
	Н	D	Hinge	Pull	
SLKR Locker	51	18	L	J J Pull	DL Digital Lock \$411
		:	R	B Bar Pull	
<u>;</u>					
SLKR	51	18	L	J	DL
<b></b>		<b>:</b>	······	<b>:</b>	

## Lockers



Locke	er Com	ımon To	p – 18" Deep		LAMINATE	•••••
Н	W	D	MODEL#	L1	L2	L3
5/8"	24"	18"	LKRT2418	\$368	\$405	\$442
5/8"	36"	18"	LKRT3618	\$437	\$481	\$524
5/8"	42"	18"	LKRT4218	\$449	\$494	\$539
5/8"	48"	18"	<b>LKRT</b> 4818	\$457	\$503	\$548
5/8"	54"	18"	LKRT5418	\$465	\$512	\$558
5/8"	60"	18"	LKRT6018	\$472	\$519	\$566
5/8"	72"	18"	<b>LKRT</b> 7218	\$558	\$614	\$670
5/8"	84"	18"	<b>LKRT</b> 8418	\$564	\$620	\$677
5/8"	90"	18"	LKRT9018	\$569	\$626	\$683
5/8"	96"	18"	LKRT9618	\$589	\$648	\$707
5/8"	108"	18"	LKRT10818	\$610	\$671	\$732

Specify					
1. Model #					
2. Laminate finish					

			W	D
SLKR	Locker Common Top		48	18
				:
:				
SLKRT			66	18
<b>:</b>	.:	:		<b>:</b>

Step 2 – Case Finish

		ı
	Paint	
301	Champagne	
301		

#### **FEATURES**

#### **SHELVES**

- 1" thick.
- Adjustable in 1/2" increments.
- 2-high bookcases will accommodate binder-height storage on both shelves.
- All other bookcases, binder-height storage is available on all but 1 shelf.

#### **LEVELING GLIDES**

• 4 Leveling glides allow for 1 %" adjustment.

#### **SAFETY:**

- To ensure stability, do not install a 4, 5 or 6 high bookcase in the center of a room.
- Bookcases should be installed backto back or against a wall.

#### NOTE

- 2 high bookcases are slightly shorter than 2-high lateral files and double door storage cabinets.
- 2 high bookcases are designed to fit under a worksurface.

#### **CONSTRUCTION**

#### OUTER SHELL & DRAWER CONSTRUCTION

Welded steel frame construction & formed channels ensure strength in key areas.

Side channels	22 Gauge
Side panels	22 Gauge
Bottom panel	18 Gauge
Shelves	18 Gauge

#### **SHELF LOAD CAPACITY**

All bookcases 140 lbs

#### **INNER DIMENSIONS**

Height	
2 High	25 1/5"
3 High	37 ¾o"
4 High	48 1/5"
5 High	63 ¾o"
6 High	74 1/5"
Width	
30" Wide bookcase	27 1/10"
36" Wide bookcase	33 1/10"
42" Wide bookcase	39 1/10"
Depth	
All cabinets	13 ½o"

#### **SURFACE MATERIALS**


#### CASE

Paint

#### TOP

Paint

## **BOOKCASES**





2	High					PAINT	
	Н	W	D	MODEL #	P1	P2	P3
	27 ¾"	30"	13 %"	SBC2830	\$951	\$1,046	\$1,141
	27 ¾"	36"	13 %"	SBC2836	\$1,009	\$1,109	\$1,210
	27 ¾"	42"	13 3/8"	SBC2842	\$1,124	\$1,236	\$1,348



#### 3 High 39 %" \$1,238 30" 13 %" **SBC**4030 \$1,032 \$1,135 SBC4036 \$1,348 39 %" 36" 13 %" \$1,124 \$1,236 39 %" 42" 13 %" **SBC**4042 \$1,239 \$1,362 \$1,486



4	4 High						
	51 ¾"	30"	13 %"	<b>SBC</b> 5230	\$1,147	\$1,261	\$1,376
	51 %"	36"	13 3/8"	SBC5236	\$1,239	\$1,362	\$1,486
	51 %"	42"	13 3/8"	SBC5242	\$1,354	\$1,489	\$1,624

Specify					

- 1. Model#
- 2. Case finish

#### **Application Notes**

- Steel frame construction
- Double wall construction on side panels
- Leveling glides allow for 5%" adjustment
- Shelves adjust in ½" increments
- Bookcases should be installed with back against a wall
- Shelf capacity 140 lbs
- 2 high bookcase is slightly shorter than 2 door cabinet as it is designed to fit under a worksurface

		Н	W
SBC	Bookcase	66	42
:			
			•
			•
606	:		
SBC		66	42
•	•••	***************************************	•

#### **Bookcases**



5 High			PAINT			
Н	W	D	MODEL#	P1	P2	P3
65 %"	30"	13 %"	SBC6630	\$1,262	\$1,388	\$1,514
65 %"	36"	13 %"	SBC6636	\$1,354	\$1,489	\$1,624
65 %"	42"	13 ¾"	SBC6642	\$1,469	\$1,615	\$1,762



#### 6 High

Ulligii						
77 3/8"	30"	13 %"	<b>SBC</b> 7730	\$1,377	\$1,514	\$1,652
77 %"	36"	13 %"	<b>SBC</b> 7736	\$1,469	\$1,615	\$1,762
77 3/8"	42"	13 %"	SBC7742	\$1,584	\$1,742	\$1,900

Spe	cify
	,

- 1. Model#
- 2. Case finish

#### Application Notes

- Steel frame construction
- Double wall construction on side panels
- Leveling glides allow for 5%" adjustment
- Shelves adjust in 1/2" increments
- Bookcases should be installed with back against a wall.
- Shelf capacity 140 lbs
- 2 high bookcase is slightly shorter than 2 door cabinet as it is designed to fit under a worksurface

	н	w
SBC Bookcase	66	42
SBC	66	42


#### **WORKPLACE ACCESSORIES**

Neutral Posture is proud to offer the complete package for commercial office furniture. Workplace accessories round out our offering and allow users to truly customize their space to be as comfortable and as ergonomic as possible.

#### **CUSTOMIZE YOUR SPACE WITH:**

Keyboard mechanisms
Keyboard trays
Monitor arms
Footrests
Tablet holders
CPU holders
Forearm supports
Patented ergonomic products

## **WORKPLACE ACCESSORIES**




## **Keyboard Trays & Arms**

#### **KEYBOARD ARMS**

	Leverless	Sit/Stand	Econo	<b>Dual Indicator</b> <i>HFES compliant</i>
Code	A	С	Е	U
Leverless Height	✓	✓	N/A	N/A
Height	-6" – 2.5"	-6" – 8"	-5.25" – 0"	-6.5" – 2.38"
Tilt	-15° – 0°	-15° – 0°	-15° – 15°	-20° – 10°
Spring Assist	✓	✓	✓	✓
360° Rear Swivel	✓	✓	✓	✓
Track Length	23"	21"	18"	19"
(OPTIONAL) Short Track	18"	18"	N/A	N/A
Glide Track	✓	✓	✓	✓
Quick Ship	QS	QS	QS	
List	\$231	\$253	\$176	\$270

#### **KEYBOARD TRAYS**






- Straights, corners & natural keyboards
- Anti-skid neoprene pads hold keyboard securely in place




List \$171



#### **52**

- Straight
- 20" "green" tray
- Height adjustable tilt & swivel mouse
- Gel filled palm rest

List \$358



- Straight
- 20" phenolic tray
- Height adjustable tilt & swivel mouse
- Gel filled palm rest


List \$358



#### 86 — ELEMENTAL®

- Straights, corners and natural keyboards
- Made from 100% recycled aluminum
- Polished surface

List \$325



#### 43 — SOFTOUCH™

• Straight

List

- Urethane over steel plate
- Includes mouse surface

\$253



#### **EASY COMBOS**

		Keyboard Arms				
		Leverless (A)	Sit/Stand (C)	Econo (E)	Dual Indicator (U)	
	0 0		· · · ·			
	11	Easy A11 \$402	Easy C11 \$424	<b>Easy E11</b> \$347	<b>Easy U11</b> \$440	
		• • •	· · · ·	° ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° °		
<u>~</u>	21	<b>Easy A21</b> \$589	<b>Easy C21</b> \$611	<b>Easy E21</b> \$534	<b>Easy U21</b> \$627	
Keyboard Trays	43 – SofTouch™	Easy <b>A43</b> \$484	Easy C43 \$506	<b>Easy E43</b> \$429	Easy U43 \$523	
SVE		Edsy A43 3404	Easy C43 \$300	Edsy E43 3429	Edsy 043 \$323	
	52	<b>Easy A52</b> \$589	<b>Easy C52</b> \$611	<b>Easy E52</b> \$534	<b>Easy U52</b> \$627	
	86 - elementAl®					
	oo - elemental	<b>Easy A86</b> \$556	<b>Easy C86</b> \$578	<b>Easy E86</b> \$501	<b>Easy U86</b> \$594	

General

S Short Track – 18" \$0
Only available on (A) or (C) arm

#### **Monitor Arms**



#### **MONITOR ARMS**

#### B00ST™

- Yields 13" of vertical movement & 24" of extension
- Supports monitors weighing up to 20 lbs
- Effortlessly position two monitors at the same height on a single post
- Easily attach two arms on a single post without additional brackets
- Install three or more arms with an optional cross bar
- Convenient keyhole slots to effortlessly install monitor onto mounting plate

## NOTE: For multi-screen solutions, contact customerservice@neutralposture.com


Model #	Description	List
Single Arm		
KCG-110B	Black	\$501
KCG-110S	Silver	\$501
Double Arm		
KCG-110DB	Black	\$989
KCG-110DS	Silver	\$989
Wall Mount		
KCG-WMB	Black	\$578
KCG-WMS	Silver	\$578



#### **FREEDOM**

- Includes vesa plate aluminum articulating arm & desk clamp base
- Tilt: Up 90°, Down 45°
- Pan: 180°
- Rotation: 360°
- Offers 14" of dynamic onetouch height adjustment
- Full extension range of 23.4"

Model #	Description	List
918001	Silver	\$545



#### SIT/STAND

- Sturdy aluminum construction with vesa compatibility
- Width & depth adjustable fasteners
- Convenient pull handle

Model #	Description	List
KCG-SSB	Black	\$633
KCG-SSS	Silver	\$633

# **Workplace Accessories**

#### **ACCESSORIES**



#### **FOREARM SUPPORTS**

- Alleviates shoulder, neck & body burden
- Promotes good posture & ergonomic sitting
- Reduces pressure on ulnar nerve
- Reduces upper body fatigue
- Lightweight & portable



Model 1	Model 2	
160241 \$264	160243 \$264	w/Hooks
160242 \$264	160244 \$264	w/Screws



#### **ANTI-FATIGUE FLOOR MATS**

- Premium comfort will not bottom out or lose bounce over time
- Commercial-grade heavy-duty polyurethane
- Matte texture provides optimum traction
- Beveled edge reduces tripping potential
- Available in black

Н	W	D	MODEL#	LIST
3/4"	32"	20"	EAM3220B	\$314
3/4"	48"	20"	EAM4820B	\$479
3/4"	72"	20"	EAM7220B	\$713
3/4"	36"	24"	EAM3624B	\$396
3/4"	60"	36"	EAM6036B	\$911



#### **TABLET HOLDER**

- Light weight & portable
- Dimensions: 6.76 x 5.5 x 2
- Holds tablets, phones or documents upright
- Easily adjusts for comfortable viewing angle
- Rests on desktop or flat surfaces
- Available in black only

Model #	List
TABHLDR	\$151

#### **CPU HOLDERS**

#### **CPU HOLDER**

- Mounts easily under worksurface storing CPU safely under desk & off the floor
- Adjusts to either a vertical or horizontal position
- Adjustable width of 5.5" 9.8"
  & height of 15.5" 20"

Model #	List
VCPUF	\$193



#### **CPU HOLDER**

- CPU retracts on a 17" track & swivels to allow full accessibility & easy storage
- Accommodates CPU weighing up to 75 lbs & measuring 64" in perimeter
- Installation is quick & easy
- Soft touch anti-slip pads prevent CPU from slipping

Model #	List
VCPU	\$215



#### **STANDUP®**

- · Retrofits between most existing keyboard trays & keyboard arms
- Mounts directly to worksurface without keyboard arm
- Additional 2" 11" of height adjustment
- Infinite range positioning
- \$50 discount when ordered with any Easy Combo

MODEL#	LIST
SUP04	\$462





#### STANDUP® A1


- The integral dual tray system offers a spacious keyboard & mouse platform as well as a secondary surface for other items
- Extends forward to allow the keyboard tray to rest below the desk surface supporting proper ergonomic positioning
- Over 22" of assisted positioning
- Accommodates users ranging from 5<sup>th</sup> percentile seated female to 95<sup>th</sup> percentile standing male
- Supports monitors weighing between 5–20 lbs
- Supports technology
- ranging from 5-25 lbs
- Grommet or clamp mount
- Single or dual monitor


1 MONITOR	MECH	LIST
SUPA1B	Black	\$1,097
SUPA1S	Silver	\$1,097

2 MONITORS	MECH	LIST
SUPA2B	Black	\$1,306
SUPA2S	Silver	\$1,306












#### STANDUP® X1

- · Easily convert any desk into a sit/stand workstation
- 13.8" of height range accommodates a variety of users
- Keyboard tray has 20° (-10° to 10°) of tilt
- Weighs only 40 lbs
- Primary worksurface accommodates two 24" monitors
- No assembly required



# 36" Wide — Supports up to 35 lbs

MODEL#	MECH	WORKSURFACE	LIST/L1	L2	L3
SUPX136B	Black	N/A	\$624	N/A	N/A
SUPX136BL	Black	Laminate	\$987	\$1,085	\$1,184
SUPX136W	White	N/A	\$624	N/A	N/A
SUPX136WL	White	Laminate	\$987	\$1,085	\$1,184

# 40" Wide — Supports up to 35 lbs

MODEL#	MECH	WORKSURFACE	LIST/L1	L2	L3
SUPX140BL	Black	Laminate	\$1,051	\$1,156	\$1,261
SUPX140WL	White	Laminate	\$1,073	\$1,180	\$1,287

# 42" Wide — Supports up to 45 lbs

MODEL#	MECH	WORKSURFACE	LIST/L1	L2	L3
SUPX142B	Black	N/A	\$1,073	N/A	N/A
SUPX142BL	Black	Laminate	\$1,095	\$1,204	\$1,313

# 48" Wide — Supports up to 45 lbs

MODEL#	MECH	WORKSURFACE	LIST/L1	L2	L3
SUPX148BL	Black	Laminate	\$1,293	\$1,422	\$1,551



#### STANDUP® X1 — CORNER

- · Easily convert any desk into a sit/stand workstation
- Designed to fit 90° corner desk configurations
- 13.8" of height range accommodates a variety of users
- $\bullet$  Keyboard tray has 20° (-10° to 10°) of tilt
- Weighs only 42 lbs
- Primary worksurface accommodates two 24" monitors
- · No assembly required




# 36" Wide — Supports up to 35 lbs

MODEL#	MECH	WORKSURFACE	LIST/L1	L2	L3
SUPX1CR36BL	Black	Laminate	\$1,502	\$1,652	\$1,802

# 42" Wide — Supports up to 35 lbs

MODEL#	MECH	WORKSURFACE	LIST/L1	L2	L3
SUPX1CR42B	Black	N/A	\$1,095	N/A	N/A
SUPX1CR42BL	. Black	Laminate	\$1,535	\$1,688	\$1,841



#### **LAMINATES FOR STANDUP X1**

Ebony Starlight – Surf(x) 3D-100 American Natural - Surf(x) 3D-300 Matte White – Surf(x) 3D-200 Baroque - 3D 3D-600 3D-500 Shaker Cherry -Surf(x)

All other laminates from Omnova are available at L3 pricing with a minimum order of 10 StandUp X1s.

https://www.omnova.com/ product-types/laminates

#### **GRADED-IN AND COM UPHOLSTERY**

Neutral Posture's furniture is manufactured to the highest standards. Our artisans are skilled in creating consistent finishes across all products and materials. However, the unique nature of upholstery and the other materials that are used in production means that no two pieces of furniture will be exactly alike. Fabrics will upholster differently based on composition and construction. Neutral Posture makes every effort to ensure that each item is produced to our exacting standards, but cannot be held responsible for slight variations in upholstery, color and general appearance.

Similarly, the images in our publications are as accurate as your monitor is calibrated. Customers are reminded that colors and finishes may vary according to the unique nature of each item of furniture.

Neutral Posture will not be responsible for variances in the acoustical performance of a panel due to the fact that certain fabrics perform differently from others. Additionally, Neutral Posture cannot guarantee that the graded-in fabrics will be Indoor Air Quality and/ or BIFMA Level compliant. Please see the fabric manufacturer's website for these details and cleaning instructions specific to selected fabric.

For specific color matching requirements please contact Customer Servicet.

Please note: The finish codes used by Neutral Posture are used as a guide to the appearance of the furniture and should not be used to determine the specific materials used in the construction of an item of furniture.

The Neutral Posture Upholstery Department is pleased to offer a Graded-in program and also accepts COM for most products. For certain items or in cases of unusual or difficult fabric patterns additional material may be required. Any unusual or special cutting requirements must be requested in writing and a full-width fabric repeat sent to the Customer Service in order for a quotation to be provided. The customer is responsible for shipping COM to Customer Service.

CARNEGIE		
Manufacturer	Pattern	Grade
Carnegie	Abacus Embroider	Н
Carnegie	Arrow X	G
Carnegie	Bardot	F
Carnegie	Buff	E
Carnegie	Cane Embroider X	Call
Carnegie	Channel	E
Carnegie	Chelsea	E
Carnegie	Cirque Couture	Call
Carnegie	Covet	D
Carnegie	Crossing	F
Carnegie	Dazzle	Н
Carnegie	Departure	E
Carnegie	Edge	F
Carnegie	Elite	C
Carnegie	Groove	E
Carnegie	Hashtag	E
Carnegie	Haze X	G
Carnegie	Hepburn	F
Carnegie	Hide	E
Carnegie	Impress	E
Carnegie	Index	D
Carnegie	Keystone	E
Carnegie	Kid	E
Carnegie	Merge	F
Carnegie	Monocle Embroider	I
Carnegie	0la	Call
Carnegie	Reverie	E
Carnegie	Rise	C
Carnegie	Roxy	E
Carnegie	Tangle	F
Carnegie	Theory	E
Carnegie	Touch	C
Carnegie	Trace X	G
Carnegie	Twine	F
Carnegie	Verse	D

C.F. STINSON		
Manufacturer		Grade
C. F. Stinson	Aerie	D
C. F. Stinson	Ally	C
C. F. Stinson	Aperture	C
C. F. Stinson	Array	D
C. F. Stinson	Axis Too!	C
C. F. Stinson	Backdrop	C
C. F. Stinson	Binary	E
C. F. Stinson	Code	C
C. F. Stinson	Dapple	D
C. F. Stinson	Del Mar	D
C. F. Stinson	Focus	C
C. F. Stinson	Galaxy	E
C. F. Stinson	Genesis	C
C. F. Stinson	Imprint	C
. F. Stinson	Intermix	C
C. F. Stinson	Linea	E
. F. Stinson	Lulu	C
C. F. Stinson	Luther II	D
C. F. Stinson	Mason	C
C. F. Stinson	Mira	C
C. F. Stinson	Nikko	D
C. F. Stinson	Prime	В
C. F. Stinson	Repetition	D
C. F. Stinson	Ringer	C
C. F. Stinson	Sight Line	D
C. F. Stinson	Spree	C
C. F. Stinson	Surf	C
C. F. Stinson	Tally	E
C. F. Stinson	Tussah	D
C. F. Stinson	Venture	C

DESIGNTEX		
Manufacturer	Pattern	Grade
Designtex	Appleseed	F
Designtex	Arne	E
Designtex	Birdseye	D
Designtex	Brushed Flannel	E
Designtex	Cloud Velvet	E
Designtex	Crossweave	E
Designtex	Ellipsis	D
Designtex	Everywhere Texture	E
Designtex	Gamut	D
Designtex	Gridley	E
Designtex	"Hem Stitch	"
Designtex	Melange	E
Designtex	Minnie	D
Designtex	Otto	F
Designtex	"Reppweave	"
Designtex	Rocket	E
Designtex	Singing In The Rain	E
Designtex	Ulster	C
Designtex	Wend	E
Designtex	Woolish	E

GUILFORD O		
Manufacturer		Grade
Guilford of Maine	Amaze	В
Guilford of Maine	Anchorage	В
Guilford of Maine	Auster	В
<b>Guilford of Maine</b>	Axiom	В
<b>Guilford of Maine</b>	Bailey	В
<b>Guilford of Maine</b>	Beacon (54" bolt)	В
<b>Guilford of Maine</b>	BeeHave (54" bolt)	В
Guilford of Maine	Birdseye	В
Guilford of Maine	Block Party	C
Guilford of Maine	Broadcast	В
Guilford of Maine	Cape Cod	В
Guilford of Maine	Chase	В
Guilford of Maine	Couture (54" bolt)	В
Guilford of Maine	Crossings	В
Guilford of Maine	Crosstown	В
<b>Guilford of Maine</b>	Dashing	В
Guilford of Maine	Drift	C
Guilford of Maine	Essence	В
Guilford of Maine	Felt (64" bolt)	C
Guilford of Maine	FR701°	C
Guilford of Maine	FR702®	C
Guilford of Maine	Framework	В
Guilford of Maine	Galaxy	C
Guilford of Maine	Groove	C
Guilford of Maine	Hatchet	В
Guilford of Maine	Highbeams (54" bolt)	В
Guilford of Maine	Intermix	В
Guilford of Maine	Intuition (54" bolt)	C
Guilford of Maine	Jane (54" bolt)	В
Guilford of Maine	Lido	В
Guilford of Maine	Meander	В
Guilford of Maine	Metallation	В
Guilford of Maine	Metro	В
Guilford of Maine	Mingle	В
Guilford of Maine	Network	C
Guilford of Maine	Open House (54" bolt)	Α
Guilford of Maine	Otto	В
Guilford of Maine	Palette (54" bolt)	C
Guilford of Maine	Paradise	В
Guilford of Maine	Parameter	В
Guilford of Maine	Phone Tag	C
Guilford of Maine	-	В
Guilford of Maine	Quadrille (54" bolt)	В
Guilford of Maine	Rattan	C
Guilford of Maine	Reeds	В
Guilford of Maine	Sand	C
Guilford of Maine	Spinel	В
Guilford of Maine	•	В
Guilford of Maine	Steadfast	В
Guilford of Maine	Strata	В
Guilford of Maine		C
Guilford of Maine		(
Guilford of Maine		В
Guilford of Maine	Tempest	С
Guilford of Maine	Theory	В
Guilford of Maine	Tweed	В
Guilford of Maine		B B
Guilford of Maine		C
Guilford of Maine		(
dulitora ot Maine	verticai surrace Solids	Ĺ

Manufacturer	Pattern	Grade
<b>Guilford of Maine</b>	Vortex	В
<b>Guilford of Maine</b>	Whisper	В

LUNA		
Manufacturer (	Pattern	Grade
Luna	Affinity	G
Luna	Aspect	G
Luna	Facet	G
Luna	ldyll	E
Luna	Incandescent	E
Luna	Intersect	E
Luna	Luminescente	E
Luna	Radar	E
Luna	Signal	E
Luna	Stitch	E
Luna	Transmission	E
Luna	Twiggy	Н
Luna	Twist	E

**Call** – Call for pricing 979.778.0502

MAHARAM		
Manufacturer	Pattern	Grade
Maharam	Crisp	E
Maharam	Field	E
Maharam	Flock	E
Maharam	Glance	E
Maharam	Glint	E
Maharam	Hum	E
Maharam	Morse	E
Maharam	Parallel	E
Maharam	Reply	E
Maharam	Sharkskin 2	F
Maharam	Sketch	E
Maharam	Spiral	E
Maharam	Unit	E

MAYER		
Manufacturer	Pattern	Grade
Mayer	Basic	A
Mayer	Blueprint	В
Mayer	Cipher	В
Mayer	Code	A
Mayer	Сора	В
Mayer	Cross Check (54" Bolt)	В
Mayer	Echo (54" Bolt)	4
Mayer	Equal	В
Mayer	Flair	C
Mayer	Forte (54" Bolt)	A
Mayer	Fresco	В
Mayer	Graph	В
Mayer	Grasscloth	В
Mayer	Gridline	C
Mayer	Interlude	В
Mayer	Luminary	В
Mayer	Melange	C
Mayer	Multi-Crepe	В
Mayer	Nexus	В
Mayer	Paragon	C
Mayer	Pebble Beach	В
Mayer	Quattro (54" Bolt)	В
Mayer	Reverb (54" Bolt)	В
Mayer	Space Odyssey	C
Mayer	Spectre	C
Mayer	Strata	В
Mayer	Whirlwind	В
Mayer	Zest	В

Manufacturer	Pattern	Grad
Momentum	Alpha	C
Momentum	Cameo	C
Momentum	Curtain Call	C
Momentum	Edict	C
Momentum	Encore	C
Momentum	Glint	В
Momentum	Infinity C-Zero	C
Momentum	Kinect	В
Momentum	Marathon C-Zero	C
Momentum	Meander	В
Momentum	Millennium C-Zero	C
Momentum	Odyssey C-Zero	C
Momentum	Pact	В
Momentum	Proverb	В
Momentum	Script	В
Momentum	Tenor	D
Momentum	Tradition C-Zero	C
Momentum	Universe	В
Momentum	Verse	D

**Call** – Call for pricing 979.778.0502

# **LEGACY TABLE OF CONTENTS**

LEGACY FINISHES Laminate Edge Band Paint Plexiglass Fabric	190 190 191
GEN 1 & 2 PANELS	192
Fabric Panels	
Fabric Panels	
Insert Panels	194
Insert Panels	195
Wall Starter & Wall Mount Chanel	196
POST ASSEMBLIES	197
Straight	
Corner (90°)	
End	197
3-way (T)	198
3-way (Y)	198
4-way (X)	198
Dual Height Posts	
Triple Height Posts	
Single Height Posts	201
Panel Connectors  Panel Extender Kit	202

GEN 3	204
Fabric Panels	204
Insert Panels	205
POST ASSEMBLIES	206
Straight	206
2-way (L)	206
2-way (120)	206
3-way (T)	
3-way (120)	
4-way (X)	206
Single Height	207
Dual Height	207
Triple Height	207
End Kits	208
Wall Starter/Wall Mounted Channel	209
PANEL ACCESSORIES	210
Vertical Wire Manager	210
Metal Ceiling Module	
Coat Hook	211
Carpet Gripper	211
COUNTER CAPS	212
Straights	
C	212

FREESTANDING Flat Brackets Column Base	214 214
Tackable Privacy	215
WALL MOUNTING Wall Mounting Suggestions	
KEY LOCK PROGRAM  General Information  How to Specify Key Alike  Key-alike ordered prior to 6/12/00	218 218

Legacy
finishes
are only
available
for existing
customers
to match
existing
installs

LAMINATES		EDGE BANDS		
L1				
Bright White	118	Bright White	118	
Caramel Maple	MC	Caramel Maple	MC	
Clear Maple	CM	Clear Maple	CM	
Deep Mahogany	MP58	Jet Black	111	
Jet Black	111	Medium Cherry	124	
Medium Cherry	124	Pumice (was LF)	119	
Pearwood	PA			
Pumice (was LF)	119			
Warm Cherry	WM			
White Essence	ES7			
Winter Grey Matrix	MR6			

NOTE: If your laminate is not listed please contact Customer Service at customerservice@neutralposture.com or 979.778.0502 ext. 301 to check availability.

NOTE: Laminates and other finishes may vary in color due to different dye lots. Slight variations are normal.

#### **PAINTS & PLASTICS P1** Jet Black 111 Brown 112 Dark Grey (was Y3) 113 Folkstone Grey (was LA) 114 Med. Grey (was Y2) 115 Sandstone 116 Soft Grey (was E) 117 Dark Neutral D R Taupe **P2** Beige Mist Metallic 611 Medium Metallic Grey 612 Beige Metallic Н Light Tan Metallic W **P3** Bright White 118 Silver 613

# Clear CL IC Smoked SM Translucent TR NOT AVAILABLE ON INSERT PANELS Frost LF

FABRICS		
E		
Annex	KnollTextiles	W1360
Circle Line	KnollTextiles	W1146
Criss Cross	KnollTextiles	W305
<b>Growth Spurt</b>	KnollTextiles	W692
Photon II	KnollTextiles	W1293
Reflect	KnollTextiles	W884
Symbolic Detail	KnollTextiles	W693
Versatility	KnollTextiles	W432
F		
<u> </u>	Ve allTaytilaa	W/1215
Amplify	KnollTextiles	W1215
Foil Rap	KnollTextiles	W535
Hard Rock	KnollTextiles	W1007
Heavy Metal	KnollTextiles	W539
Micro	KnollTextiles	W465
Relay	KnollTextiles	W1020


NOTE: All 72 privacy screens require that the textile is railroaded (turned 90 degrees) for application. This must be considered when applying a patterned textile.

# NOTE: EP1 and EP2 panels and components are not available in the following:

Bright White	118
Brown	112
Jet Black	111

# **Generation 1 Fabric Panel**

28" thru 48" High



								:	•••••••••••••••••••••••••••••••••••••••	•••••
28" H									PAIN	IT
W	MODEL#	А	В	C	D	E	F	G	P2	P3
12"	EP1FA1228R	\$752	\$812	\$830	\$850	\$865	\$880	\$902	N/A	+ \$60
18"	EP1FA1828R	\$783	\$845	\$861	\$882	\$896	\$917	\$937	N/A	+ \$60
24"	EP1FA2428R	\$811	\$877	\$892	\$918	\$933	\$949	\$976	N/A	+ \$60
30"	EP1FA3028R	\$835	\$897	\$918	\$942	\$960	\$978	\$1,003	N/A	+ \$60
36"	EP1FA3628R	\$873	\$941	\$959	\$983	\$1,004	\$1,019	\$1,047	N/A	+ \$60
42"	EP1FA4228R	\$911	\$981	\$1,003	\$1,028	\$1,049	\$1,064	\$1,089	N/A	+ \$60
48"	EP1FA4828R	\$943	\$1,020	\$1,036	\$1,066	\$1,086	\$1,105	\$1,134	N/A	+ \$60
60"	EP1FA6028R	\$1,005	\$1,082	\$1,104	\$1,136	\$1,155	\$1,172	\$1,204	N/A	+ \$60
40" H										
12"	EP1FA1240R	\$790	\$851	\$869	\$892	\$907	\$925	\$944	N/A	+ \$60
18"	EP1FA1840R	\$828	\$892	\$911	\$933	\$949	\$966	\$989	N/A	+ \$60
24"	EP1FA2440R	\$865	\$933	\$951	\$979	\$995	\$1,013	\$1,036	N/A	+ \$60
30"	EP1FA3040R	\$891	\$964	\$980	\$1,009	\$1,026	\$1,043	\$1,068	N/A	+ \$60
36"	EP1FA3640R	\$920	\$995	\$1,013	\$1,040	\$1,060	\$1,076	\$1,105	N/A	+ \$60
42"	EP1FA4240R	\$1,027	\$1,106	\$1,129	\$1,158	\$1,181	\$1,199	\$1,234	N/A	+ \$60
48"	EP1FA4840R	\$1,059	\$1,144	\$1,162	\$1,195	\$1,214	\$1,237	\$1,266	N/A	+ \$60
60"	EP1FA6040R	\$1,189	\$1,285	\$1,306	\$1,343	\$1,367	\$1,389	\$1,428	N/A	+ \$60
48" H										
12"	EP1FA1248R	\$812	\$879	\$894	\$919	\$934	\$951	\$978	N/A	+ \$60
18"	EP1FA1848R	\$852	\$921	\$937	\$965	\$981	\$1,003	\$1,026	N/A	+ \$60
24"	EP1FA2448R	\$934	\$1,011	\$1,029	\$1,049	\$1,075	\$1,096	\$1,119	N/A	+ \$60
30"	EP1FA3048R	\$961	\$1,036	\$1,059	\$1,086	\$1,105	\$1,125	\$1,155	N/A	+ \$60

Order Code			
e.g.	EP1FA3648R, W3513, 117		
EP1FA	Fabric panel		
36	Width		
48	Height		
R	Raceway		
W351-3	Foundation, Corn Silk		
117	Soft Grey trim		

36"

42"

48"

60"

EP1FA3648R

EP1FA4248R

EP1FA4848R

EP1FA6048R

#### Specification Information

\$975

\$1,082

\$1,155

\$1,312

\$1,052

\$1,168

\$1,245

\$1,420

\$1,070

\$1,193

\$1,266

\$1,444

\$1,099

\$1,222

\$1,303

\$1,481

\$1,116

\$1,245

\$1,327

\$1,509

\$1,137

\$1,266

\$1,349

\$1,535

Specify fabric and trim color. Post assemblies or connection elements must be ordered separately.

NOTE: Power duplexes cannot be installed on 12" W panels. Side mount receptacles available in 24" W panels and wider while using "E" series power. Electrical components must be ordered separately.

NOTE: P2 trim colors are not available on EP1 panels and panel components.

#### **Application Notes**

\$1,166

\$1,300

\$1,385

\$1,576

N/A

N/A

N/A

N/A

+\$60

+ \$60

+ \$60

\$60

Panel is fabric covered. If two different fabrics are used on one panel, price will reflect cost of the more expensive panel fabric.



								:	······································	
53" H									PAIN	T
W	MODEL#	A	В	С	D	E	F	G	P2	P3
12"	EP1FA1253R	\$833	\$895	\$915	\$936	\$953	\$971	\$998	N/A	+ \$60
18"	EP1FA1853R	\$874	\$942	\$960	\$984	\$1,005	\$1,020	\$1,049	N/A	+ \$60
24"	EP1FA2453R	\$921	\$998	\$1,017	\$1,043	\$1,061	\$1,078	\$1,106	N/A	+ \$60
30"	EP1FA3053R	\$944	\$1,022	\$1,040	\$1,070	\$1,088	\$1,106	\$1,136	N/A	+ \$60
36"	EP1FA3653R	\$1,088	\$1,174	\$1,198	\$1,234	\$1,251	\$1,275	\$1,306	N/A	+ \$60
42"	EP1FA4253R	\$1,137	\$1,229	\$1,251	\$1,286	\$1,306	\$1,332	\$1,365	N/A	+ \$60
48"	EP1FA4853R	\$1,202	\$1,298	\$1,323	\$1,359	\$1,382	\$1,405	\$1,442	N/A	+ \$60
60"	EP1FA6053R	\$1,365	\$1,474	\$1,501	\$1,541	\$1,570	\$1,597	\$1,638	N/A	+ \$60
60" H										
<u>о</u> п	FD1FA1260D	Ć051	¢020	¢026	¢064	¢000	Ć000	ć1 022 i	NI/A	. 660
	EP1FA1260R	\$851	\$920	\$936	\$964	\$980	\$998	\$1,022	N/A	+ \$60
18"	EP1FA1860R EP1FA2460R	\$902	\$976	\$992	\$1,019	\$1,034	\$1,056	\$1,082	N/A	+ \$60
24"		\$920	\$995	\$1,013	\$1,040	\$1,060	\$1,076	\$1,105	N/A	+ \$60
30"	EP1FA3060R	\$1,018	\$1,099	\$1,116	\$1,152	\$1,168	\$1,191	\$1,217	N/A	+ \$60
36" 42"	EP1FA3660R EP1FA4260R	\$1,111	\$1,199	\$1,220	\$1,255	\$1,280	\$1,300	\$1,334	N/A N/A	+ \$60
	EP1FA4260R EP1FA4860R	\$1,211	\$1,306	\$1,334	\$1,369	\$1,390	\$1,416	\$1,452		+ \$60
48" 60"	EP1FA6060R	\$1,308 \$1,503	\$1,415 \$1,625	\$1,439	\$1,478	\$1,504 \$1,728	\$1,530	\$1,573	N/A N/A	+ \$60
60	EPTFAOUOUR	\$1,505	\$1,025	\$1,654	\$1,699	\$1,720	\$1,758	\$1,804	N/A	+ \$60
65" H										
12"	EP1FA1265R	\$896	\$971	\$987	\$1,017	\$1,032	\$1,053	\$1,076	N/A	+ \$60
18"	EP1FA1865R	\$919	\$991	\$1,012	\$1,036	\$1,059	\$1,073	\$1,103	N/A	+ \$60
24"	EP1FA2465R	\$1,029	\$1,112	\$1,134	\$1,162	\$1,187	\$1,204	\$1,236	N/A	+ \$60
30"	EP1FA3065R	\$1,089	\$1,178	\$1,199	\$1,235	\$1,255	\$1,277	\$1,308	N/A	+ \$60
36"	EP1FA3665R	\$1,158	\$1,251	\$1,277	\$1,309	\$1,334	\$1,356	\$1,389	N/A	+ \$60
42"	EP1FA4265R	\$1,263	\$1,367	\$1,389	\$1,429	\$1,454	\$1,478	\$1,519	N/A	+ \$60
48"	EP1FA4865R	\$1,369	\$1,477	\$1,504	\$1,544	\$1,574	\$1,602	\$1,642	N/A	+ \$60
60"	EP1FA6065R	\$1,580	\$1,705	\$1,740	\$1,787	\$1,816	\$1,849	\$1,898	N/A	+ \$60
00   11										
80" H					*****					
12"	EP1FA1280R	\$914	\$983	\$1,004	\$1,029	\$1,050	\$1,066	\$1,096	N/A	+ \$60
18"	EP1FA1880R	\$971	\$1,050	\$1,068	\$1,098	\$1,114	\$1,136	\$1,164	N/A	+ \$60
24"	EP1FA2480R	\$1,034	\$1,117	\$1,141	\$1,171	\$1,193	\$1,212	\$1,242	N/A	+ \$60
30"	EP1FA3080R	\$1,162	\$1,255	\$1,282	\$1,314	\$1,337	\$1,360	\$1,394	N/A	+ \$60
36"	EP1FA3680R	\$1,297	\$1,397	\$1,426	\$1,467	\$1,492	\$1,517	\$1,555	N/A	+ \$60
42"	EP1FA4280R	\$1,428	\$1,541	\$1,570	\$1,611	\$1,642	\$1,670	\$1,711	N/A	+ \$60
48"	EP1FA4880R	\$1,555	\$1,679	\$1,709	\$1,757	\$1,788	\$1,818	\$1,864	N/A	+ \$60
60"	EP1FA6080R	\$1,814	\$1,956	\$1,994	\$2,049	\$2,086	\$2,121	\$2,177	N/A	+ \$60

Order Code			
e.g.	EP1FA2460R, W3513, 117		
EP1FA	Fabric panel		
24	Width		
60	Height		
W351-3	Foundation,Corn Silk		
117	Soft Grey trim		

#### **Specification Information**

Specify fabric and trim color. Post assemblies or connection elements must

be ordered separately. NOTE: Power duplexes cannot be installed on 12" W panels. Side mount receptacles available in 24" W panels and wider

while using "E" series power.

Electrical components must be ordered separately.

NOTE: P2 trim colors are not available on EP1 panels and panel components.

#### **Application Notes**

Panel is fabric covered. If two different fabrics are used on one panel, price will reflect cost of the more expensive panel fabric.

# **Generation 2 Insert Panel**

(compatible with generation 1 panel components only)



				PAINT	
W	MODEL#	OPEN FRAME (OF)	PLEXIGLASS (PG)*	P2	P:
12"	EP2()1228R	\$802	\$1,076	N/A	+ \$60
18"	EP2()1828R	\$818	\$1,155	N/A	+ \$60
24"	EP2( )2428R	\$834	\$1,217	N/A	+ \$60
30"	EP2( )3028R	\$851	\$1,289	N/A	+ \$60
36"	EP2( )3628R	\$873	\$1,350	N/A	+ \$60
42"	EP2( )4228R	\$895	\$1,459	N/A	+ \$60
48"	EP2( )4828R	\$917	\$1,487	N/A	+ \$60
60"	EP2()6028R	\$959	\$1,619	N/A	+ \$60
0" H					
12"	EP2()1240R	\$846	\$1,182	N/A	+ \$60
18"	EP2()1840R	\$864	\$1,254	N/A	+ \$60
24"	EP2( )2440R	\$877	\$1,327	N/A	+ \$60
30"	EP2()3040R	\$896	\$1,461	N/A	+ \$60
36"	EP2()3640R	\$917	\$1,645	N/A	+ \$60
12"	EP2( )4240R	\$941	\$1,679	N/A	+ \$60
18"	EP2( )4840R	\$961	\$1,703	N/A	+ \$60
50"	EP2()6040R	\$1,005	\$1,877	N/A	+ \$60
8" H			:		
12"	EP2()1248R	\$864	\$1,216		
				N/A	
18"	EP2()1848R	\$881	\$1,340	N/A	+ \$60
24"	EP2()2448R	\$881 \$894	\$1,435	N/A N/A	+ \$60 + \$60
24" 30"	EP2( )2448R EP2( )3048R	\$881 \$894 \$917	\$1,435 \$1,563	N/A N/A N/A	+ \$60 + \$60 + \$60
24" 30" 36"	EP2( )2448R EP2( )3048R EP2( )3648R	\$881 \$894 \$917 \$933	\$1,435 \$1,563 \$1,589	N/A N/A N/A N/A	+ \$60 + \$60 + \$60 + \$60
24" 30"	EP2( )2448R EP2( )3048R	\$881 \$894 \$917	\$1,435 \$1,563	N/A N/A N/A	+ \$60 + \$60 + \$60 + \$60
24" 30" 36" 42" 48"	EP2( )2448R EP2( )3048R EP2( )3648R EP2( )4248R EP2( )4848R	\$881 \$894 \$917 \$933 \$959 \$980	\$1,435 \$1,563 \$1,589 \$1,750 \$2,072	N/A N/A N/A N/A N/A	+ \$60 + \$60 + \$60 + \$60 + \$60 + \$60
24" 30" 36" 42"	EP2( )2448R EP2( )3048R EP2( )3648R EP2( )4248R	\$881 \$894 \$917 \$933 \$959	\$1,435 \$1,563 \$1,589 \$1,750	N/A N/A N/A N/A	+ \$60 + \$60 + \$60 + \$60 + \$60 + \$60
24" 30" 36" 42" 48" 60"	EP2( )2448R EP2( )3048R EP2( )3648R EP2( )4248R EP2( )4848R EP2( )6048R	\$881 \$894 \$917 \$933 \$959 \$980 \$1,020	\$1,435 \$1,563 \$1,589 \$1,750 \$2,072 \$2,094	N/A N/A N/A N/A N/A N/A	+ \$60 + \$60 + \$60 + \$60 + \$60 + \$60
24" 30" 36" 42" 48" 60"  3" H	EP2( )2448R EP2( )3048R EP2( )3648R EP2( )4248R EP2( )4848R EP2( )6048R	\$881 \$894 \$917 \$933 \$959 \$980 \$1,020	\$1,435 \$1,563 \$1,589 \$1,750 \$2,072 \$2,094	N/A N/A N/A N/A N/A N/A	+ \$60 + \$60 + \$60 + \$60 + \$60 + \$60 + \$60
24" 30" 36" 42" 48" 60"  3" H  12" 18"	EP2()2448R EP2()3048R EP2()3648R EP2()4248R EP2()4848R EP2()6048R  EP2()1253R EP2()1853R	\$881 \$894 \$917 \$933 \$959 \$980 \$1,020	\$1,435 \$1,563 \$1,589 \$1,750 \$2,072 \$2,094 \$1,255 \$1,377	N/A N/A N/A N/A N/A N/A	+ \$60 + \$60 + \$60 + \$60 + \$60 + \$60 + \$60 + \$60
24" 30" 36" 42" 48" 60"  3" H  12" 18" 24"	EP2( )2448R EP2( )3048R EP2( )3648R EP2( )4248R EP2( )4848R EP2( )6048R  EP2( )1253R EP2( )1853R EP2( )2453R	\$881 \$894 \$917 \$933 \$959 \$980 \$1,020 \$892 \$911 \$920	\$1,435 \$1,563 \$1,589 \$1,750 \$2,072 \$2,094 \$1,255 \$1,377 \$1,471	N/A N/A N/A N/A N/A N/A N/A N/A N/A	+ \$60 + \$60 + \$60 + \$60 + \$60 + \$60 + \$60 + \$60 + \$60 + \$60
24" 30" 36" 42" 48" 60"  3" H  12" 18" 24" 30"	EP2()2448R EP2()3048R EP2()3648R EP2()4248R EP2()4848R EP2()6048R  EP2()1253R EP2()1853R	\$881 \$894 \$917 \$933 \$959 \$980 \$1,020 \$892 \$911 \$920 \$943	\$1,435 \$1,563 \$1,589 \$1,750 \$2,072 \$2,094 \$1,255 \$1,377 \$1,471 \$1,602	N/A	+ \$60 + \$60 + \$60 + \$60 + \$60 + \$60 + \$60 + \$60 + \$60 + \$60
24" 30" 36" 42" 48" 60"  3" H  12" 18" 24"	EP2( )2448R EP2( )3048R EP2( )3648R EP2( )4248R EP2( )4848R EP2( )6048R  EP2( )1253R EP2( )1853R EP2( )2453R	\$881 \$894 \$917 \$933 \$959 \$980 \$1,020 \$892 \$911 \$920	\$1,435 \$1,563 \$1,589 \$1,750 \$2,072 \$2,094 \$1,255 \$1,377 \$1,471	N/A N/A N/A N/A N/A N/A N/A N/A N/A	+ \$60 + \$60
24" 30" 36" 42" 48" 60"  3" H  12" 18" 24" 30"	EP2()2448R EP2()3048R EP2()3648R EP2()4248R EP2()4848R EP2()6048R  EP2()1253R EP2()1853R EP2()1853R EP2()3053R	\$881 \$894 \$917 \$933 \$959 \$980 \$1,020 \$892 \$911 \$920 \$943	\$1,435 \$1,563 \$1,589 \$1,750 \$2,072 \$2,094 \$1,255 \$1,377 \$1,471 \$1,602	N/A	+ \$60 + \$60
24" 30" 36" 42" 48" 60"  3" H  12" 18" 24" 30" 36"	EP2()2448R EP2()3048R EP2()3648R EP2()4248R EP2()4848R EP2()6048R  EP2()1253R EP2()1853R EP2()1853R EP2()2453R EP2()3053R EP2()3053R	\$881 \$894 \$917 \$933 \$959 \$980 \$1,020 \$892 \$911 \$920 \$943 \$961	\$1,435 \$1,563 \$1,589 \$1,750 \$2,072 \$2,094 \$1,255 \$1,377 \$1,471 \$1,602 \$1,707	N/A	+ \$60 + \$60

<sup>\*</sup> All Colors

Order Code			
e.g.	EP2PG3648R, PC, 613		
EP2PG	Plexiglass Insert Panel		
36	Width		
48	Height		
R	Raceway		
PC	Clear		
613	Silver trim		

#### Specification Information

Specify insert type, insert color and trim color.

#### **Application Notes**

Top caps and base raceway covers are included with panels. Posts and panel connectors must be ordered separately.


NOTE: P2 trim colors are not available on EP2 panels or panel components.

Generation 2 insert panels incorporate the generation 3 mitered panel frame with generation 1 top caps and base raceway covers and will only work with generation 1 panels and panel components.

+ \$60

# **Generation 2 Insert Panel**

(compatible with generation 1 panel components only)



<sup>\*</sup> All Colors

60"

Order Code						
e.g.	EP2PG2460R, 613					
EP2PG	Plexiglass Insert Panel					
24	Width					
60	Height					
R	Raceway					
613	Silver trim					

#### **Specification Information**

EP2()6080R

Specify insert type, insert color and trim color.

Top caps and base raceway covers are included with panels. Posts and panel connectors must be ordered separately.

NOTE: P2 trim colors are not available on EP2 panels or panel components.

\$1,136

\$3,019

#### **Application Notes**

N/A

Generation 2 insert panels incorporate the generation 3 mitered panel frame with generation 1 top caps and base raceway covers and will only work with generation 1 panels and panel components.

#### **Panel Wall Starter**

W	D	H*	ACTUAL HEIGHT	MODEL#	P1	P2	Р3
1½"	1/2"	28"	23"	EP1PWS28	\$51	N/A	\$55
11/2"	1/2"	40"	35"	EP1PWS40	\$51	N/A	\$55
1½"	1/2"	48"	43"	EP1PWS48	\$55	N/A	\$60
1½"	1/2"	53"	48"	EP1PWS53	\$58	N/A	\$64
1½"	1/2"	60"	55"	EP1PWS60	\$58	N/A	\$64
11/2"	1/2"	65"	60"	EP1PWS65	\$60	N/A	\$68
1½"	1/2"	80"	75"	EP1PWS80	\$68	N/A	\$79

#### **Wall Mounted Channel**

		•						
_	21/8"	3/4"	28"	23"	EP1WMC28	\$129	N/A	\$140
	21/8"	3/4"	40"	35"	EP1WMC40	\$129	N/A	\$140
	21/8"	3/4"	48"	43"	EP1WMC48	\$131	N/A	\$143
	21/8"	3/4"	53"	48"	EP1WMC53	\$133	N/A	\$147
	21/8"	3/4"	60"	55"	EP1WMC60	\$150	N/A	\$167
	21/8"	3/4"	65"	60"	EP1WMC65	\$153	N/A	\$173
	21/8"	3/4"	80"	75"	EP1WMC80	\$186	N/A	\$205
	21/8"	3/4"	120"	120"	EP1WMC120	\$286	N/A	\$317

<sup>\* -</sup> actual height

Order Code						
e.g.	EP1PWS60, 117					
EP1PWS	Panel wall starter					
60	Height					
117	Soft Grey trim					

#### Specification Information

Specify trim color.

NOTE: Neutral Posture, Inc. assumes no responsibility for wall construction or performance of fasteners used.

#### **Application Notes**

#### Wall starter:

Used to start a run of panels by fastening to an existing wall and attaching a connector assembly to it. Creates 11/4" space from face of wall to centerline of post. Constructed of steel.

The wall starter includes panel top and bottom hooks and modified panel connector. Fasteners not included to attach to wall.

Post and shrouds must

be ordered separately.

#### Wall mount channel:

Allows hanging of all components and accessories on reinforced building walls.

Painted extruded aluminum with a plastic inset which snaps in place, covering mounting screws.



# **Straight**

W	D	Н	MODEL#	P1	P2	P3
-	-	28"	EP1P28S	\$170	N/A	\$189
-	-	40"	EP1P40S	\$173	N/A	\$190
-	-	48"	EP1P48S	\$175	N/A	\$191
-	-	53"	EP1P53S	\$177	N/A	\$193
-	-	60"	EP1P60S	\$179	N/A	\$196
-	-	65"	EP1P65S	\$181	N/A	\$198
-	-	80"	EP1P80S	\$185	N/A	\$204



# Corner (90°)

ľ	-	-	28"	EP1P28L	\$166	N/A	\$179
		-	40"	EP1P40L	\$167	N/A	\$181
		-	48"	EP1P48L	\$168	N/A	\$185
	-	-	53"	EP1P53L	\$170	N/A	\$189
	-	-	60"	EP1P60L	\$173	N/A	\$190
	-	-	65"	EP1P65L	\$175	N/A	\$191
	-	-	80"	EP1P80L	\$179	N/A	\$196



#### **End**

LIIM						
-	-	28"	EP1P28E	\$181	N/A	\$198
-	-	40"	EP1P40E	\$183	N/A	\$200
-	-	48"	EP1P48E	\$185	N/A	\$204
-	-	53"	EP1P53E	\$186	N/A	\$205
-	-	60"	EP1P60E	\$189	N/A	\$206
-	-	65"	EP1P65E	\$190	N/A	\$210
-	-	80"	EP1P80E	\$192	N/A	\$215

Order Code						
e.g.	EP1P48S, 117					
EP1P	Post					
48	Height					
s	Straight assembly					
117	Soft Grey trim					

Specification	

Specify trim color.

- 1	۱.,	I		٠:٠	n۱	ه ۱	-
	٩IJ	ы	Ka	LIO	пп	ЮL	ω,

Used to connect panels of the same height.

Kit includes single height post, panel connector and base raceway shroud(s) appropriate for the geometry specified. NOTE: EP1 & EP2 Panels and components are available in legacy colors only.

Bottom levelers on post allow for up to 1½" vertical adjustment.

# **Generation 1**

single height post assemblies three and four way



# 3-way (T)

W	D	Н	MODEL#	P1	P2	P3
-	-	28"	EP1P28T	\$166	N/A	\$179
-	-	40"	EP1P40T	\$167	N/A	\$181
-	-	48"	EP1P48T	\$168	N/A	\$185
-	-	53"	EP1P53T	\$170	N/A	\$189
-	-	60"	EP1P60T	\$173	N/A	\$190
-	-	65"	EP1P65T	\$175	N/A	\$191
-	-	80"	EP1P80T	\$179	N/A	\$196



#### 3-way (Y)

JWay	("/					
	_	28"	EP1P28Y	\$206	N/A	\$231
-	-	40"	EP1P40Y	\$210	N/A	\$232
-	-	48"	EP1P48Y	\$213	N/A	\$233
-	-	53"	EP1P53Y	\$214	N/A	\$236
-	-	60"	EP1P60Y	\$215	N/A	\$237
-	-	65"	EP1P65Y	\$219	N/A	\$239
-	-	80"	EP1P80Y	\$221	N/A	\$239



#### 4-wav (X)

,	1/					
	-	28"	EP1P28X	\$143	N/A	\$156
-	-	40"	EP1P40X	\$147	N/A	\$162
-	-	48"	EP1P48X	\$148	N/A	\$166
-	-	53"	EP1P53X	\$150	N/A	\$167
-	-	60"	EP1P60X	\$151	N/A	\$168
-	-	65"	EP1P65X	\$152	N/A	\$169
-	-	80"	EP1P80X	\$155	N/A	\$173

Order Code			
e.g.	EP1P80T, 117	-	
EP1P	Post		
80	Height		
T	"T" assembly		
117	Soft Grey trim		

	Information

Specify trim color

#### Application Notes

Used to connect panels of the same height.

Kit includes single height post, panel connector and base raceway shroud(s) appropriate for the geometry specified.

NOTE: EP1 & EP2 Panels and components are available in legacy colors only.

Bottom levelers on post allow for up to 1½" vertical adjustment.

# **Dual Height Post**

W	D	Н	MODEL#	P1	P2	P3
-	-	28"/40"	EP1DP2840	\$177	N/A	\$193
-	-	28"/48"	EP1DP2848	\$189	N/A	\$206
-	-	28"/53"	EP1DP2853	\$192	N/A	\$215
-	-	28"/60"	EP1DP2860	\$196	N/A	\$219
-	-	28"/65"	EP1DP2865	\$204	N/A	\$222
-	-	28"/80"	EP1DP2880	\$222	N/A	\$247
-	-	40"/48"	EP1DP4048	\$189	N/A	\$206
-	-	40"/53"	EP1DP4053	\$192	N/A	\$215
-	_	40"/60"	EP1DP4060	\$196	N/A	\$219
-	-	40"/65"	EP1DP4065	\$204	N/A	\$222
-	-	40"/80"	EP1DP4080	\$222	N/A	\$247
-	-	48"/53"	EP1DP4853	\$192	N/A	\$215
-	-	48"/60"	EP1DP4860	\$196	N/A	\$219
-	-	48"/65"	EP1DP4865	\$204	N/A	\$222
-	-	48"/80"	EP1DP4880	\$222	N/A	\$247
-	-	53"/60"	EP1DP5360	\$196	N/A	\$219
-	-	53"/65"	EP1DP5365	\$204	N/A	\$222
-	-	53"/80"	EP1DP5380	\$229	N/A	\$252
-	-	60"/65"	EP1DP6065	\$204	N/A	\$222
-		60"/80"	EP1DP6080	\$222	N/A	\$247
-	-	65"/80"	EP1DP6580	\$222	N/A	\$247

Order Code			
e.g.	EP1DP4860, 613		
EP1DP	Dual height post		
48	Height one		
60	Height two		
613	Silver		

#### Specification Information

Specify trim color.

#### **Application Notes**

Dual height posts are used where panels of two different heights intersect.

Bottom levelers on posts allow for up to 1½" vertical adjustment.

Due to the variety of combinations possible, connector caps, shrouds and post covers must all be ordered separately.

# ) J

# **Triple Height Post**

- w	D	н	MODEL#	P1	P2	P3
VV	- -	28"/40"/48"	EP1TP284048			
-				\$222	N/A	\$247
-	-	28"/40"/53"	EP1TP284053	\$222	N/A	\$247
-	-	28"/40"/60"	EP1TP284060	\$222	N/A	\$247
-	-	28"/40"/65"	EP1TP284065	\$237	N/A	\$263
-	_	28"/40"/80"	EP1TP284080	\$265	N/A	\$291
-	-	28"/48"/53"	EP1TP284853	\$222	N/A	\$247
-	-	28"/48"/60"	EP1TP284860	\$222	N/A	\$247
-	-	28"/48"/65"	EP1TP284865	\$237	N/A	\$263
-	-	28"/48"/80"	EP1TP284880	\$265	N/A	\$291
-	-	28"/53"/60"	EP1TP285360	\$222	N/A	\$247
-	-	28"/53"/65"	EP1TP285365	\$236	N/A	\$261
-	-	28"/53"/80"	EP1TP285380	\$263	N/A	\$286
-	-	28"/60"/65"	EP1TP286065	\$237	N/A	\$263
-	-	28"/60"/80"	EP1TP286080	\$265	N/A	\$291
-	-	28"/65"/80"	EP1TP286580	\$265	N/A	\$291
-	-	40"/48"/53"	EP1TP404853	\$222	N/A	\$247
-	-	40"/48"/60"	EP1TP404860	\$222	N/A	\$247
-	-	40"/48"/65"	EP1TP404865	\$237	N/A	\$263
-	-	40"/48"/80"	EP1TP404880	\$265	N/A	\$291
-	-	40"/53"/60"	EP1TP405360	\$222	N/A	\$247
-	-	40"/53"/65"	EP1TP405365	\$236	N/A	\$261
-	-	40"/53"/80"	EP1TP405380	\$263	N/A	\$286
-	-	40"/60"/65"	EP1TP406065	\$237	N/A	\$263
-	-	40"/60"/80"	EP1TP406080	\$265	N/A	\$291
-	-	40"/65"/80"	EP1TP406580	\$265	N/A	\$291
-	-	48"/53"/60"	EP1TP485360	\$222	N/A	\$247
-	-	48"/53"/65"	EP1TP485365	\$236	N/A	\$261
-	-	48"/53"/80"	EP1TP485380	\$239	N/A	\$266
-	-	48"/60"/65"	EP1TP486065	\$237	N/A	\$263
-	-	48"/60"/80"	EP1TP486080	\$265	N/A	\$291
_	_	48"/65"/80"	EP1TP486580	\$265	N/A	\$291
-	-	53"/60"/65"	EP1TP536065	\$236	N/A	\$261
_	_	53"/60"/80"	EP1TP536080	\$238	N/A	\$265
-	-	53"/65"/80"	EP1TP536580	\$265	N/A	\$291
-	-	60"/65"/80"	EP1TP606580	\$265	N/A	\$291

Order Code			
e.g.	EP1TP406080, 113		
EP1TP	Triple height post		
40	Height one		
60	Height two		
80	Height three		
113	Dark Grey trim		

#### Specification Information

Specify trim color.

#### **Application Notes**

Triple height posts are used where 3 or 4 panels of three different heights intersect.

Bottom levelers on posts allow for up to 1½" vertical adjustment.

Due to the variety of combinations possible, connector caps, shrouds and post covers must all be ordered separately.

# **Single Height Post**

W	D	Н	MODEL#	P1	P2	Р3
-	-	28"	EP1P28	\$83	N/A	\$90
-	-	40"	EP1P40	\$84	N/A	\$92
-	-	48"	EP1P48	\$85	N/A	\$95
-	-	53"	EP1P53	\$87	N/A	\$97
-	-	60"	EP1P60	\$89	N/A	\$99
-	-	65"	EP1P65	\$90	N/A	\$100
-	-	80"	EP1P80	\$95	N/A	\$102


Order Code			
e.g.	EP1P48, 177		
EP1P	Post		
48	Height		
117	Soft Grey trim		

Specification	Information

Specify trim color.
Panel connectors
and shrouds must be
order separately.


#### **Application Notes**

Bottom leveler on posts allow for up to 1½" of vertical adjustment.



#### **Panel Connectors**

ТҮРЕ	MODEL#	P1	P2	Р3
End	EP1PCEP	\$41	\$44	\$45
End (for post covers)	EP1PCEPK	\$41	\$44	\$45
Four-way "X"	EP1PCX	\$60	\$64	\$71
Multi-height filler	EP1PCMF	\$30	\$32	\$33
Post plug (pkg. of 25)	EP1PLUG	\$20	\$26	\$28
Straight	EP1PCS	\$36	\$38	\$40
Three-way "T"	EP1PCT	\$54	\$56	\$60
Three-way "Y" 120°	EP1PCY	\$54	\$56	\$60
Trim filler	EP1PCTF	\$30	\$32	\$33
Two-way "L"	EP1PCL	\$45	\$46	\$47
Two-way "L" (for post covers)	EP1PCLK	\$45	\$46	\$47
Two-way adjustable angle	EP1PCA	\$56	\$64	\$64



# **Raceway Shrouds**

End	EP1SEP	\$56	N/A	\$64
End (for post covers)	EP1SEPK	\$56	N/A	\$64
Inside 120	EP1SI120	\$20	N/A	\$28
Outside "L"	EP1SL	\$41	N/A	\$45
Outside "L" (for post covers)	EP1SLK	\$41	N/A	\$45
Outside 120	EP1SO120	\$32	N/A	\$36
Outside 135	EP1SO135	\$32	N/A	\$36
Straight	EP1SS	\$30	N/A	\$33

Order Code				
e.g.	EP1SEP			
EP1S	Post shroud			
EP	End with post			

#### Specification Information

Specify panel connector and shroud trim color.

Specify one multi-height filler (EP1PCMF) for each low panel in a multi-height connection.

NOTE: EP1 & EP2 Panels and components are available in legacy colors only.

EXCEPTION: EP1 posts connectors only are available in all colors as they may need to be specified when ordering stack-on panels with an EP3 profile.

#### **Application Notes**

Panel connectors stabilize panel to panel connections.

Panel connectors have painted finish and a quick mount design.

Mounting screws are included. Conical connector screw is included with post.

The EP1PCTF is a trim filler piece that is to be used when no other post part can be used in a given panel layout.

This piece butts against EP1PCS and EP1PCT, when installed as an addition.

Shrouds provide a finished raceway cover at posts. Two-way "L" connections do not require an inside shroud.



# Panel Extender Kit – 36" Wide

W	D	Н	MODEL#	P1	P2	ADD FOR P3
36"	-	40"	EP1PE3640R	\$405	N/A	+ \$60
36"	-	48"	EP1PE3648R	\$451	N/A	+ \$60
36"	-	53"	EP1PE3653R	\$486	N/A	+ \$60
36"	-	60"	EP1PE3660R	\$519	N/A	+ \$60
36"	-	65"	EP1PE3665R	\$549	N/A	+ \$60
36"	-	80"	EP1PE3680R	\$636	N/A	+ \$60

# Panel Extender Kit – 40" Wide

	-						
•	48"	_	40"	EP1PE4840R	\$421	N/A	+ \$60
	48"	-	48"	EP1PE4848R	\$469	N/A	+ \$60
	48"	-	53"	EP1PE4853R	\$500	N/A	+ \$60
	48"	-	60"	EP1PE4860R	\$539	N/A	+ \$60
	48"	-	65"	EP1PE4865R	\$562	N/A	+ \$60
	48"	-	80"	EP1PE4880R	\$654	N/A	+ \$60

# Panel Extender Kit - 60" Wide

60"	-	40"	EP1PE6040R	\$445	N/A	+ \$60
60"	-	48"	EP1PE6048R	\$486	N/A	+ \$60
60"	-	53"	EP1PE6053R	\$520	N/A	+ \$60
60"	-	60"	EP1PE6060R	\$558	N/A	+ \$60
60"	-	65"	EP1PE6065R	\$583	N/A	+ \$60
60"	-	80"	EP1PE6080R	\$669	N/A	+ \$60

# e.g. EP1PE6065R, 117 EP1PE Raceway panel extender kit 60 Width in inches 65 Height R Raceway 117 Soft Grey trim

#### Specification Information

Specify trim color.


Jumpers to carry power through panel are ordered separately. With panel extender kits, add 3" to jumper length for each panel extender kit used. A kit designed to be field mounted onto panels to extend the width of the panel by 3" ( 1½" on each side). This adaption of the panel(s) will allow clearance when positioning existing freestanding equipment, i.e., files and desks, between side panels.

#### **Application Notes**

Kit contains two aluminum side extrusions, an extended top cap, extended baseboard covers, and installation hardware and instructions.


#### Generation 3

**Fahric Pane** 



									· · · · · · · · · · · · · · · · · · ·	
<b>64</b> "	H								PAIN	т
W	MODEL#	A	В	C	D	E	F	G	P2	P3
12"	EP3FA1264(K/N)	\$759	\$817	\$886	\$978	\$1,116	\$1,265	\$1,438	+ \$30	+ \$60
18"	EP3FA1864(K/N)	\$817	\$874	\$943	\$1,035	\$1,173	\$1,323	\$1,495	+ \$30	+ \$60
24"	EP3FA2464(K/N)	\$874	\$932	\$1,001	\$1,093	\$1,231	\$1,380	\$1,553	+ \$30	+ \$60
30"	EP3FA3064(K/N)	\$932	\$989	\$1,058	\$1,150	\$1,288	\$1,438	\$1,610	+ \$30	+ \$60
36"	EP3FA3664(K/N)	\$1,024	\$1,150	\$1,300	\$1,484	\$1,771	\$2,093	\$2,461	+ \$30	+ \$60
42"	EP3FA4264(K/N)	\$1,081	\$1,208	\$1,357	\$1,541	\$1,829	\$2,151	\$2,519	+ \$30	+ \$60
48"	EP3FA4864(K/N)	\$1,139	\$1,265	\$1,415	\$1,599	\$1,886	\$2,208	\$2,576	+ \$30	+ \$60
60"	EP3FA6064(K/N)	\$1,242	\$1,369	\$1,518	\$1,702	\$1,990	\$2,312	\$2,680	+ \$30	+ \$60

	Тор Сар	Panel Type	W	Н	Raceway
EP Equity panel	3 Beveled FA	Fabric panel	36	29	K With knockouts N Without knockouts
EP	3 FA	:	:	29	К



64" H				PAINT	
W	MODEL#	OPEN FRAME (OF)	PLEXIGLASS (PG)*	P2	Р3
12"	EP3()1264(K/N)	\$917	\$1,319	+ \$30	+ \$60
18"	EP3()1864(K/N)	\$928	\$1,457	+ \$30	+ \$60
24"	EP3()2464(K/N)	\$940	\$1,607	+ \$30	+ \$60
30"	EP3()3064(K/N)	\$963	\$1,722	+ \$30	+ \$60
36"	EP3()3664(K/N)	\$986	\$1,837	+ \$30	+ \$60
42"	EP3()4264(K/N)	\$1,009	\$1,952	+ \$30	+ \$60
48"	EP3()4864(K/N)	\$1,032	\$2,067	+ \$30	+ \$60
60"	EP3()6064(K/N)	\$1,089	\$2,297	+ \$30	+ \$60

	Panel Type	w	Н	Raceway
EP3 Equity panel	OF Open frame PG Plexiglass insert	36	29	K With knockouts N Without knockouts
EP	PG	36	29	к

**Post Assemblies** 




Stra	ight			PAINT	
Н	MODEL#		P1	P2	P3
64"	EP3P64S	Ś	181	\$190	\$198



3-wa	ay T		PAINT	
Н	MODEL#	P1	P2	P3
64"	EP3P64T	\$ 175	\$183	\$191



2-wa	ay L		PAINT	
Н	MODEL#	P1	P2	P3
64"	ED2DC4I	Ċ17F	¢102	ċ101



:	3-wa	ay 120		PAINT	
1	Н	MODEL#	P1	P2	Р3
	64"	EP3P64Y	\$219	\$231	\$239



2	-Wa	ay 120		PAINT	
	Н	MODEL#	P1	P2	P3
	64"	EP3P64120	\$181	\$190	\$198



4-wa	ay X		PAINT	
Н	MODEL#	P.	1 P2	Р3
64"	FP3P64X	\$152	\$162	\$169

#### Specify

- 1. Model#
- 2. Paint trim color

#### **Application Notes**

Used to connect panels of the same height

Bottom glides on post allow for up to 1 ½" of vertical adjustment.

#### Assembly

#### Included

- Single height postPanel connector
- Appropriate metal shroud

#### Top Cap Style

3 – Beveled



Sir	igle Ho	eight		PAINT	
	Н	MODEL#	P1	P2	P3
	64"	EP3P64	\$90	\$95	\$100

# **Dual Height**

vuai neig	nt			
29"/64"	EP3DP2964	\$204	\$215	\$227
41"/64"	EP3DP4164	\$204	\$215	\$227
49"/64"	EP3DP4964	\$204	\$215	\$227
54"/64"	EP3DP5464	\$204	\$215	\$227
61"/64"	EP3DP6164	\$204	\$215	\$227
64"/81"	EP3DP6481	\$222	\$236	\$247

<b>Triple Heig</b>	ht		PAINT	
Н	MODEL#	P1	P2	P3
29"/41"/64"	EP3TP294164	\$239	\$253	\$267
29"/49"/64"	EP3TP294964	\$239	\$253	\$267
29"/54"/64"	EP3TP295464	\$239	\$253	\$267
29"/61"/64"	EP3TP296164	\$239	\$253	\$267
29"/64"/81"	EP3TP296481	\$265	\$275	\$288
41"/49"/64"	EP3TP414964	\$239	\$253	\$267
41"/54"/64"	EP3TP415464	\$239	\$253	\$267
41"/61"/64"	EP3TP416164	\$239	\$253	\$267
41"/64"/81"	EP3TP416481	\$265	\$275	\$288
49"/54"/64"	EP3TP495464	\$239	\$253	\$267
49"/61"/64"	EP3TP496164	\$239	\$253	\$267
49"/64"/81"	EP3TP496481	\$265	\$275	\$288
54"/61"/64"	EP3TP546164	\$239	\$253	\$267
54"/64"/81"	EP3TP546481	\$265	\$275	\$288
61"/64"/81"	EP3TP616481	\$265	\$275	\$288

		Н		Connection Type
EP3 Equity panel	P Post	64	120	2-way 120
<u>:</u>		:	Е	End w/post
			ETK	Postless end
		:	L	2-way L
			Т	3-way T
			S	Straight
			Χ	4-way
		:	Υ	3-way 120
	•	:		
EP3	P	64	ς	
; = ;	ii	: :		

**End Kits** 



End	w/Post		PAINT	
Н	MODEL#	P1	P2	Р3
64"	EP3P64E	\$214	\$222	\$230



Post	less End		PAINT	
Н	MODEL#	P1	P2	P3
29"	EP3ETK29	\$181	\$184	\$187
41"	EP3ETK41	\$183	\$186	\$190
49"	EP3ETK49	\$185	\$189	\$192
54"	EP3ETK54	\$187	\$191	\$194
61"	EP3ETK61	\$190	\$193	\$197
64"	EP3ETK64	\$192	\$196	\$199
66"	EP3ETK66	\$192	\$196	\$199
81"	EP3ETK81	\$202	\$206	\$209

# **End w/Post**

# Specify

- 1. Model#
- 2. Paint trim color

#### **Application Notes**

Used to finish a panel end that is not being connected to another panel.

# **Postless End**

# Specify

- 1. Model #
- 2. Paint trim color

#### **Application Notes**

Used to finish a panel end that is not being connected to another panel.

NOTE: Postless end kit should not be used on panels that are placed perpendicular to a worksurface of the same depth as the front of the worksurface will extend approximately 3/4" beyond the panel end.

#### Assembly

#### Included

- Single height post
- Panel connector
- Appropriate metal shroud

#### Top Cap Styles

3 – Beveled



#### Assembly

#### Included

- Panel connector
- Appropriate metal shroud

#### **Top Cap Styles**

3 – Beveled



<b>Panel</b>	Wall St	tarter		PAINT			
W	D	Н	<b>H</b> (Actual)	MODEL#	P1	P2	Р3
1 1/2"	1/2"	64"	60"	EP3PWS64	\$60	\$64	\$71

### **Wall Mounted Channel**

2 %"	3/4"	64"	60"	EP3WMC64	\$153	\$166	\$170
_ /0	/	٠.			4.55	Ψ.00	4.,0

# **Panel Wall Starter**

#### Specify

- 1. Model#
- 2. Paint trim color

#### Application Notes

Used to start a run of panels by fastening to an existing wall and attaching a connector assembly to it. Creates 1¼" space from face to wall to centerline of post. Constructed of steel.

**NOTE: Neutral Posture assumes** no responsibility for wall construction or performance of fasteners used.

**Top Cap Styles** 

3 - Beveled

#### Assembly

#### Included

- Panel top & bottom hook
- Panel connector

#### Not Included

• Fasteners to attach to wall

#### **Ordered Separately**

- Post
- Shrouds

# **Wall Mounted Channel**

#### Specify

- 1. Model#
- 2. Paint trim color

#### Application Notes

Allows hanging of all components and accessories on reinforced building walls.

Painted extruded aluminum with a plastic insert which snaps in place, covering mounting screws.

**NOTE: Neutral Posture assumes** no responsibility for wall construction or performance of fasteners used.

#### Included

- Extruded aluminum
- Insert which snaps

#### Assembly

- channel
- into place

# **Panel accessories**

**Cable and Wire Managers** 

#### **Vertical Wire Manager**

W	D	Н	MODEL#	P1	P2	Р3
1/2"	3/4"	80"	EC1VWM80	\$33	\$36	\$38



### **Metal Ceiling Module**

4"	11/2"	120"	EE1CM40M	\$719	N/A	\$792
4"	11/2"	120"	EE1CM48M	\$719	N/A	\$792
4"	11/2"	120"	EE1CM53M	\$719	N/A	\$792
4"	11/2"	120"	EE1CM60M	\$719	N/A	\$792
4"	11/2"	120"	EE1CM65M	\$719	N/A	\$792
4"	1½"	120"	EE1CM80M	\$719	N/A	\$792

# **Ceiling Infeeds – Generation 3**

4"	1 ½"	120"	EE3CM64M	\$719	\$754	\$792

Order Code		
e.g.	EC1VWM80, 177	
EC1VWM	Vertical Wire Manager	
80	Length	
117	Soft Grey trim	

#### **Specification Information**

Specify trim color.

#### Vertical Wire Manager:

A plastic strip designed to hide a cord running down the edge of the panel. Cut to desired length in field.

#### Ceiling Infeed Modules:

Electrical harnesses not included with modules. Modules are hollow to accommodate power and/ or data cables from source into systems furniture.

With electrical harness installed, infeed holds 35 CAT 5 cables.

Cables/conduit are laid into the lower metal body by removal of the front 1-½" wide access cover and into the upper plastic extrusion by separating the front edge of the pliable tube. Infeed module is attached to an available post location of the appropriate height. The module can not be used for panel support and there are no "hang on" capabilities. Includes escutcheon plate. Plate and plastic tube are white to integrate with standard ceiling color.

No "hang on" capabilities. Module cannot be used for panel support. Painted metal module is 120" long metal extrusion with attachment hooks at proper height to attach to appropriate height post.

To connect a metal ceiling infeed to a corner or a straight connection you must use an adjustable angle connector or adjustable angle connector with a multi-height panel connector.



#### **EP1 Coat Hook (6/carton)**

W	D	Н	MODEL#	P1	P2	P3
1/2"	3/4"	5"	EP1CH	\$138	N/A	N/A



# Coat Hanger

17"	3/8"	91/4"	EP1CHG	\$17	N/A	N/A



# **Carpet Gripper (12 pack)**

 	-			
	ED1CC12	Ċ A A	NI/A	NI/A



# **EP3 Coat Hook Straight (5 pack)**

1/6"	13/6"	23/6"	FP3MMCH (R/P)	\$162	N/A	N/A



#### **EP3 Coat Hook Postless End (5 pack)**

			(- p,			
13/8"	3/8"	23/8"	EP3MMCHPE (R/L)(B/P)	\$162	N/A	N/A

Order Code		
e.g.	EP1CH, 117	
EP1CH	Coat hook	
117	Soft Grey trim	

#### Specification Information

Specify trim color.

Coat Hook and Coat Hanger available only in Dark Neutral, Medium Grey, Soft Grey or Taupe.

NOTE: EP1 & EP2 Panels and components are available in legacy colors only.

#### Application Notes

#### **Coat Hanger**

A plastic coat hanger available to hang on coat hook. EP1 Coat hook: Molded plastic hook hangs over EP1 panels to hold coats and hangers.

Coat hook must hang over straight post location if being used w/EP3 panels.


Carpet gripper:12 per package.

#### EP3 Coat hook

Aluminum coat hook attaches to any exposed Equity vertical slot. There are two versions. The straight version will work on any Equity vertical slot except for those on an inside corner. The postless end version is handed and extends beyond the edge of a panel with a postless end. Hand is determined by which side of the panel the coat hook is installed on while facing the panel. Available in two colors; Black (B) or Matte Aluminum (P).

# Counter Caps, Straight Generation 1 and Generation 2 profiles

# **Straight**



NOMINAL W	ACTUAL W	D	Н	MODEL#	P1	P2	P3
12"	10.5"	15.25"	-	EW(1/2)1215	\$308	\$320	\$327
24"	22.5"	15.25"	-	EW(1/2)2415	\$342	\$348	\$358
30"	28.5"	15.25"	-	EW(1/2)3015	\$371	\$382	\$390
36"	34.5"	15.25"	-	EW(1/2)3615	\$371	\$382	\$390
42"	40.5"	15.25"	-	EW(1/2)4215	\$380	\$386	\$396
48"	46.5"	15.25"	-	EW(1/2)4815	\$383	\$392	\$400
60"	58.5"	15.25"	-	EW(1/2)6015	\$422	\$430	\$439
72"	70.5"	15.25"	-	EW(1/2)7215	\$445	\$451	\$462
84"	82.5"	15.25"	-	EW(1/2)8415	\$482	\$491	\$500
96"	94.5"	15.25"	-	EW(1/2)9615	\$500	\$511	\$519
108"	106.5"	15.25"	-	EW(1/2)10815	\$516	\$524	\$534
120"	118.5"	15.25"	-	EW(1/2)12015	\$575	\$582	\$590

# Straight – Extended One End



	12"	12"	15.25"	-	EW(1/2)1215E	\$321	\$329	\$340
	24"	24"	15.25"	-	EW(1/2)2415E	\$351	\$361	\$370
	30"	30"	15.25"	-	EW(1/2)3015E	\$378	\$384	\$393
•	36"	36"	15.25"	-	EW(1/2)3615E	\$378	\$384	\$393
	42"	42"	15.25"	-	EW(1/2)4215E	\$386	\$396	\$404
	48"	48"	15.25"	-	EW(1/2)4815E	\$399	\$406	\$415
	60"	60"	15.25"	-	EW(1/2)6015E	\$429	\$437	\$446
	72"	72"	15.25"	-	EW(1/2)7215E	\$466	\$472	\$481
	84"	84"	15.25"	-	EW(1/2)8415E	\$485	\$495	\$504
	96"	96"	15.25"	-	EW(1/2)9615E	\$507	\$515	\$523
	108"	108"	15.25"	-	EW(1/2)10815E	\$544	\$553	\$562

# Straight – Extended Both Ends



12"	13.5"	15.25"	-	EW(1/2)1215EE	\$329	\$340	\$347
24"	25.5"	15.25"	-	EW(1/2)2415EE	\$367	\$374	\$383
30"	31.5"	15.25"	-	EW(1/2)3015EE	\$384	\$393	\$403
36"	37.5"	15.25"	-	EW(1/2)3615EE	\$384	\$393	\$403
42"	43.5"	15.25"	-	EW(1/2)4215EE	\$399	\$406	\$415
48"	49.5"	15.25"	-	EW(1/2)4815EE	\$445	\$451	\$462
60"	61.5"	15.25"	-	EW(1/2)6015EE	\$440	\$449	\$457
72"	73.5"	15.25"	-	EW(1/2)7215EE	\$475	\$483	\$492
84"	85.5"	15.25"	-	EW(1/2)8415EE	\$501	\$512	\$520
96"	97.5"	15.25"	-	EW(1/2)9615EE	\$516	\$524	\$534
108"	109.5"	15.25"	-	EW(1/2)10815EE	\$560	\$568	\$577

Order (	Order Code				
e.g.	EW16015,117, 117,				
EW1	Worksurface				
60	Width				
15	Depth				
117	Soft Grey laminate				
117	Soft Grey edge				
117	Soft Grey cantilever trim				

•	: C	1 f 4!
		Information

Specify surface, trim and cantilever trim color.

EW1 Counter caps work with all existing counter caps and are for use on Generation 1 or Generation 2 panels only. Plastic cantilevers are supplied.

EW2 counter caps are for use with Generation 3 panels only. Steel brackets are provided.

Counter caps are designed for mounting on top of panels.


Straight counter caps overhang both sides of the panel equally.

Counter caps fit between posts, appropriate to fit between two taller panels and a dual/triple height connectors.

A counter cap extension (E) covers one post.

A counter cap extension (EE) covers 2 posts.

Steel mounted brackets are supplied.




#### Corner

W	D	Н	MODEL#	P1	P2	P3
24"	15.25"	-	EW(1/2)CC2415	\$435	\$451	\$470
30"	15.25"	-	EW(1/2)CC3015	\$467	\$482	\$500
36"	15.25"	-	EW(1/2)CC3615	\$475	\$492	\$512



#### Corner – Extended Left

24"	15.25"	-	EW(1/2)CC2415LHE	\$445	\$462	\$478
30"	15.25"	-	EW(1/2)CC3015LHE	\$475	\$492	\$512
36"	15.25"	_	EW(1/2)CC3615LHE	\$485	\$504	\$521



# Corner – Extended Right

24"	15.25"	_	EW(1/2)CC2415RHE	\$445	\$462	\$478
30"	15.25"	-	EW(1/2)CC3015RHE	\$475	\$492	\$512
36"	15.25"	_	EW(1/2)CC3615RHE	\$485	\$504	\$521



#### Corner – Extended Both Ends

24"	15.25"	-	EW(1/2)CC2415EE	\$462	\$478	\$497
30"	15.25"	-	EW(1/2)CC3015EE	\$501	\$520	\$536
36"	15.25"	-	EW(1/2)CC3615EE	\$512	\$530	\$545

Order (	Order Code			
e.g.	EW1CC3015, 117, 117, 117			
EW1	Worksurface			
cc	Curved corner			
30	Width			
15	Depth			
117	Soft Grey laminate			
117	Soft Grey edge			
117	Soft Grey cantilever trim			

## Specification Information

Specify surface, trim and cantilever trim color.

EW1 counter caps work with all existing counter caps and are for use with Generation 1 or Generation 2 panels. Plastic cantilevers are supplied.

EW2 counter caps are for use with Generation 3 panels only.

#### **Application Notes**

Counter caps are designed for mounting on top of panels.

Corner counter caps-(E) extended one end, mount on top of 24", 30" or 36" panels at 90° to each other. They are non-handed and screw holes for the mounting brackets must be field-drilled.

Steel mounting brackets are supplied.

A counter cap extension (E) covers one post.

A counter cap extension (EE) covers 2 posts.

# Freestanding support components



# Flat Brackets (black only)

1	W	D	Н	TOP SIZE	MODEL#.	P1	P2	P3
		15"			EB1F24	\$52	n/a	n/a
		21"			EB1F30	\$60	n/a	n/a

\$368

\$416

\$400



# Column Base 27¾" EB1FCOL

# **Tackable Privacy Screens**



# **Tackable Privacy**

W	D	Н	MODEL#.	A	В	C	D	E	F	G
36"	3/4"	21"	EF2PS36	\$451	\$490	\$496	\$509	\$519	\$527	\$543
42"	3/4"	21"	EF2PS42	\$473	\$509	\$520	\$537	\$544	\$555	\$569
48"	3/4"	21"	EF2PS48	\$492	\$530	\$543	\$558	\$565	\$574	\$590
60"	3/4"	21"	EF2PS60	\$528	\$572	\$583	\$597	\$608	\$616	\$636
72"	3/4"	21"	EF2PS72	\$565	\$611	\$622	\$639	\$650	\$660	\$681

Order Co	Order Code				
e.g.	EF2OS60, 117				
EF20S	Equity freestanding privacy screen				
60	Length in inches				
117	Soft Grey trim				

### Specification Information

Specify shelf and stanchion trim color where required.

NOTE: Fabric on 72" privacy screens and will be railroaded (turned 90°).

# **Wall Mounting**

#### **WALL MOUNTING SUGGESTIONS**

The following information is provided only as a guide, and represents minimum recommendations only. Neutral Posture does not accept responsibility for the attachment of any Neutral Posture product to a Customer's site wall. Wall specification/construction is the responsibility of the Customer and its structural engineer/architect. Failure to properly attach Neutral Posture products to adequate wall structures can lead to property damage and/or personal injury.

You should consult your own structural engineers and/or architects and must not rely on the information provided herein.

It is the responsibility of the Customer and its structural engineers/architects to verify that the permanent structural walls (studs, blocks, solid masonry, etc.) on which the Neutral Posture products are intended to be mounted are designed appropriately to support the product weight, PLUS 3 lbs. per linear inch for each usable shelf length.

NOTE: A cabinet's top is considered a "usable shelf" and MUST be included in the calculation of the total load for an overhead cabinet.

It is the responsibility of the Customer and its structural engineer/architects to specify the fasteners and method for attaching the Neutral Posture supplied wall mounting cleat, bracket, frame, etc. to the supporting wall and to confirm that the installers have adhered to these specifications. For all local building standards and codes, and additional requirements (including, but not limited to, seismic conditions) the Customer should always consult local code agencies.

# **New Construction**

# **Existing Construction**

		Cinder Block or Poured Concrete Masonry Wall	Wood Stud Wall, the studs being <b>FULL HEIGHT</b> to the roof/floor above	Wood Stud Wall, the studs being only ceiling height	Steel Stud Wall, the studs being <b>FULL HEIGHT</b> to the roof/floor above	Steel Stud Wall, the studs being only ceiling height
Stud Specification	Wood studs, grade #2 or better, 3 ½" minimum width, OR Metal studs, minimum 25 gage thickness, 3 %" minimum width	The wall must be a minimum of 6" thick, and must be full height to the roof/floor structure above	Wood studs must be Grade #2, or better, 3 ½" minimum width	Wood studs must be Grade #2, or better, 3 ½" minimum width	Metal studs must be minimum 25 gage thickness, 3 %" minimum width	Metal studs must be minimum 25 gage thickness, 3 %" minimum width
Stud Centers	Metal and wood studs must be spaced at 16" c/c maximum.	N/A	Wood studs must be spaced at 16" c/c maximum.	Wood studs must be spaced at 16" c/c maximum.	Metal studs must be spaced at 16" c/c maximum.	Metal studs must be spaced at 16" c/c maximum.
Stud Height	Metal and wood studs must extend upwards, and be securely attached to the roof/floor structure above.			Wood studs must be braced above the ceiling, and be securely attached to the roof/floor structure above Affix #2 grade 'cap' across the top of the studs, then place diagonal studs from the top cap up to underside of the roof/floor structure above.		Metal studs must be braced above the ceiling and be securely attached to the roof/floor structure above Affix metal bracing 'cap' across the top of the studs. Then place diagonal studs from the top cap up to underside of the roof / floor structure above.
Mounting the Neutral Posture Supplied Cleat, Bracket, Frame, etc	Insert a 2" x 6" wood block, #2 grade or better, for a locally approved flexible wood backing system] horizontally between each of the studs to accommodate the full width of the cabinet and beyond to the next stud.  Fasten the wood block to each stud using three screws at the ends of each block.  (Fasten the locally approved wood backing system as directed by the manufacturer.)  Fasten the Neutral Posture supplied wall mounting cleat, bracket, frame, etc directly to each wood block every 6".  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6" and fasten the lower horizontal element to each wall stud, using one fastener per stud.	Fasten the Neutral Posture supplied cabinet wall mounting cleat, bracket, frame, etc. directly to the masonry wall every 6".  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wall every 6" and fasten the lower horizontal element to the wall every 16".	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet and beyond to the next stud.  Insert a 2" x 6" wood block, #2 grade or better, horizontally between each of the exposed studs.  Fasten the wood block to each stud using three screws at the ends of each block.  Replace the drywall and repair as desired.  Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6".  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud.  Insert a 2" x 6" wood block, #2 grade or better, horizontally between each of the exposed studs.  Fasten the wood block to each stud using three screws at the ends of each block.  Replace the drywall and repair as desired.  Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6".  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet and beyond to the next stud.  Insert a 2" x 6" wood block, #2 grade or better, [or a locally approved flexible wood backing system] horizontally between each of the exposed studs.  Fasten the wood block to each stud using three screws at the ends of each block.  Replace the drywall and repair as desired.  Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6".  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet and beyond to the next stud.  Insert a 2" x 6" wood block, #2 grade or better, [or a locally approved flexible wood backing system] horizontally between each of the exposed studs.  Fasten the wood block to each stud using three screws at the ends of each block.  Replace the drywall and repair as desired.  Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6".  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6" and fasten the lower horizontal element to each wall stud, using one fastener per stud.
Fasten the Neutral Posture Supplied Wall Cleat With	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	%e" x 3 ½" masonry screws Screws or equiv. in every mounting hole provided with 1 ¼" embedment, screwed directly into the masonry wall	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking

# **Key Lock Program**

#### **GENERAL INFORMATION**

Following is the Neutral Posture key lock policy, applicable to all products.

Neutral Posture pedestals, overheads, and storage cabinets ship without lock cores installed. The locks are field installed. If your purchase order does not specify key-alike you will automatically receive random lock cores with your order.

Neutral Posture furniture can be keyed-alike or random keyed.

#### **KEY-ALIKE**

Furniture may be keyed alike at no charge. Write "key-alike" in the description of your purchase order for any storage piece you wish to have keyed alike.

Using the key-alike instructions, order cores and keys as line items on your purchase order. Neutral Posture will select key numbers from the standard range of 226 – 425. Key numbers will not be repeated unless over 199 sets are ordered.

There is no charge for key-alike orders if placed with the furniture order.

If product is ordered and shipped random-keyed, additional lock cores for key-alike are billable.

#### **KEYS**

A key is shipped with every lock core. 199 Key numbers are available. For numbers above 199, contact Sales Support. Additional keys and key blanks are available.

#### **MASTER KEYING**

Neutral Posture locks can be controlled by means of a master key. There is no additional per-lock charge for master keying. Master keys must be ordered separately.

#### **INSTALLING LOCK CORES**

Lock cores can be installed or removed in the field by using a change key. Cores must be in the unlocked position to be removed. See service parts for change key pattern number and pricing.

#### **SERVICE PARTS**

MODEL#	DESCRIPTION	LIST
NLCKE	Shrouded Key (Specify key number desired)	\$21
NAKC	Change Key	\$21
NKM	Master Key	\$21

NOTE: A letter of approval on company letterhead from the client must accompany all orders for master keys.


NOTE: Neutral Posture locks/keys are not compatible with Knoll Equity pedestals/double pedestals.

#### **HOW TO SPECIFY KEY-ALIKE**

Following is an example of how to specify keyalike for a cluster of 10 workstations.

#### STEP 1

Using the project floor plan, count the number of locks in each workstation.



#### STEP 2

Count the number of workstations with the same quantity of locks. Group together the workstations with a like number of locks.

5 workstations with 2 locks per station 3 workstations with 4 locks per station 2 workstations with 5 locks per station

#### STEP 3

For the first group (5 sets of 2 locks), enter the number of workstations in the quantity column.

QTY	MODEL#	DESCRIPTION	UNIT LIST	EXT LIST
5	NSPEC 2	Set of 2 cores/keys	N/C	N/C

#### STEP 4

Then enter the pattern number "NSPEC\_\_" and add a suffix for the number of locks for that group (i.e., for 2 locks per station, add the suffix "2"). Up to 30 lock cores are available in a set (i.e., NSPEC 30).

QTY	MODEL#	DESCRIPTION	UNIT LIST	EXT LIST
5	NSPEC 2	Set of 2 cores/keys	N/C	N/C

#### STEP 5

Repeat for other groups.

QTY	MODEL#	DESCRIPTION	UNIT LIST	EXT LIST
5	NSPEC 2	Set of 2 cores/keys	N/C	N/C
3	NSPEC 4	Set of 4 cores/keys	N/C	N/C
2	NSPEC 5	Set of 5 cores/keys	N/C	N/C

Your key instructions are complete.

Neutral Posture will select key numbers for each set from 199 available numbers.

For additions to existing installations, specify desired key numbers in the description.

#### **EQUITY**

In order to specify an Equity locking component with an "H" series core, apply an "A" suffix to the Equity Base pattern number.

All keyed locks in the Equity system are randomly\* keyed, as a standard offering. For those requiring all locks within a workstation (or group of workstations) to be keyed alike, Equity also offers a key-alike option.

#### **EQUITY LOCKING COMPONENTS**

Identify the cabinets to be keyed alike by adding the suffix "P" to the standard catalog number (i.e., EC20F36AP indicates a keyalike EC20F36A cabinet). The cabinet will be factory-prepared with the hardware mechanisms excluding the lock core and key. List price will be reduced by \$22.

#### **MULTIPLE KEY-ALIKE PACKAGES**

For multiple keys of the same number, specify ALCKE - (number of keys desired, from 2 to 8.) Price is: Number of Keys x \$22. (i.e.: ALCKE-5 Pkg. of five cores with keys = \$110.00)

#### **LOCK CORES**

Order the lock cores required separately (ALCKE series). Cores are numbered sequentially, with up to 250 different combinations available (ALCKEH6001- ALCKEH6250). Use one line item for each quantity of lock cores to be keyed alike. Series H6001-H6100 are standard lead-time.

#### **MASTER KEY**

A master key (AKM) is available that will unlock all cabinets and pedestals with the same prefix letter, for

example: H6001, H6002. A single key is supplied and priced, as shown below.

DESCRIPTION	CATALOG NUMBER	LIST
Equity Lock and Keys	ALCKE(H6)	\$26
Change Key	AKC	\$21
Master Key	AKM	\$21

#### **SHIPMENT**

Additional lead time of 2-4 weeks may apply when more than 100 lock sequences are specified for key-alike (contact Sales Support for current lead times).

The key-alike core and keys are shipped separately from the components for field installation in the appropriate workstation components.

<sup>\*</sup>Randomly keyed means that no attempt is made to assure that locks have the same number or that they are, in fact, different.



NeutralPosture.com 3904 N. Texas Ave. Bryan, TX 77803 **T** 979.778.0502

**F** 979.778.0408

# NeutralPosture

GSA SCS Indoor Advantage BIFMA e3/LEVEL ISO 9001:2008 Approved

W**≋**MEN<sup>™</sup> OWNED

