EQUITY
























TABLE OF CONTENTS

GENERAL INFORMATION 4 Panels 4 Power 4 Raceway 4 Environmental Impact 4 Storage 4 Legacy Customers 4 SUSTAINABLE DESIGN 5 Manufacturing Process 5
Shipping Initiatives
TERMS AND CONDITIONS 6 Ordering 6 Pricing 6 Taxes 6 Lead Time 6 Customer's Own Material 6 Storage Fee 6 Compliance with Law 6 Shipping 7 Accessorial Charges Freight Damage 7 Delay/Force Majeure 7 Returns 7 Warranty Claims 7 Warranty 8 Certifications & Standards 8 Key-Alike Program 9 GSA Contract Overview 10 GSA Contract Details 11 Wall Mounting Suggestions 12 Wall Mounting Details 13
FINISHES 14 Fabrics 14 Laminates 14 Edge Bands 14 Paints 15 Plexiglass 15 Glass 15 Designer Glass 15 Corian 15 Textured Corian 15 CUSTOM FINISHES PROGRAM 16
Customer's Own Fabric16Customer's Own Laminate16Custom RAL Paint Finishes16
LEGACY FINISHES17Legacy – Laminates17Legacy – Edge Bands17Legacy – Paint & Plastics17

PANELS	18
Features	18
Construction	18
Surface Materials	
Fabric Panels	
Insert Panels	
Perforated Aluminum Insert Panels	
Tequity Panels	
Sliding Doors	
Post Assemblies	
End Kits	
Posts (Multi-height)	
Connectors/Shrouds	
STACK-ON PANELS	
Components	
Stack-on Panel Connectors	
Specifying Stack-on Configurations	
Stack-on Diagram Stack-on Configurations	
Fabric with slots	
Fabric without slots	
Insert with slots	
Insert without slots	
Perforated Aluminum Insert w/slots	
Perforated Aluminum Insert w/o slots	
Stack-on Posts	
Panel Accessories	53
Frameless Glass	54
Frameless Glass Connectors	
Add-on Screens	
Slat Rail	
Slat Rail Accessories	
ELECTRICAL	
How to Order	
Infeeds	
Technical Data	
Ceiling Infeeds	
Base Infeeds	
Components	
Knock-out Replacement Cover	
Jumper	65
Dedicated Neutral System Components	
Dedicated Neutral Jumpers	67
Charge Spot (Wireless Charger)	
Desktop Data & Power	
Ashley Duo	
Ashley 202	
Ashley Trio	69
Ashley Quad	69

WORKSURFACES70
Features 70
Wiring & Cabling
Edge Detail
General Information 72
Support Information 73
Grain Direction 74
Straights 76
Corners 78
Split Corner
Blended Corners 79
Corner Peninsulas
Peninsulas 81
Half Round & Linking 82
Blended Double Corner
135° Curved Corner 83
Supports
Legs
Worksurface for Height Adjustable Supports 88 Electric Height Adjustable Base 89
120° Planning 90
120°
Transition Tops 94
CASCADE WORKSURFACES
Cascade Edge
Straights
Corners & Extended Corners 97 Corner Peninsulas 98
Waves 99
Rounds 100
Accessories 101
Personal Drawer 101
COUNTER CAPS 102
Straights 102
Corners 103
DANIEL CUIDDODTED CTODACE 104
PANEL SUPPORTED STORAGE 104 Open Shelves 104
Overheads 106
Shared Storage 108
Tackboards 110
Wall Mounted Channel 111
- The state of the
LIGHTING 112
TASK
REED Premier
Tazetta
Freestanding Lights

TABLES Features	
Construction	
Surface Materials	
OCCASIONAL	
Round	
Square	121
CONFERENCE	122
Oval	122
Rectangle	123
DESKS	124
C-Legs	
O-Legs	
T-Legs.	
3	
-	
SIT/STAND DESKS	126
SIT/STAND DESKS Electric Height Adjustable	
SIT/STAND DESKS Electric Height Adjustable Stand-biased	126
Electric Height Adjustable Stand-biased	126 127
Electric Height Adjustable Stand-biased SIT/STAND PACKAGES	126 127 128
Electric Height Adjustable Stand-biased SIT/STAND PACKAGES 1000 Series Sit/Stand Packages	126 127 128 128
Electric Height Adjustable Stand-biased SIT/STAND PACKAGES	126 127 128 128
Electric Height Adjustable Stand-biased SIT/STAND PACKAGES 1000 Series Sit/Stand Packages 8000 Series Sit/Stand Packages	126 127 128 128 129
Electric Height Adjustable Stand-biased SIT/STAND PACKAGES 1000 Series Sit/Stand Packages 8000 Series Sit/Stand Packages SCREENS	126 127 128 128 129
Electric Height Adjustable Stand-biased SIT/STAND PACKAGES 1000 Series Sit/Stand Packages 8000 Series Sit/Stand Packages SCREENS Privacy/Modesty Panels	126 127 128 129 130 130
Electric Height Adjustable Stand-biased SIT/STAND PACKAGES 1000 Series Sit/Stand Packages 8000 Series Sit/Stand Packages SCREENS	126 127 128 129 130 130 132

STORAGE Accessory Availability	. 136
Accessories	. 137
PEDESTALS Features Construction Surface Materials Pedestals	. 138 . 138 . 138
FILE CENTERS Features Construction Surface Materials File Centers	. 142 . 142 . 142
LATERALS Features Construction Surface Materials Laterals Lateral – BF Lateral – Worksurface Supporting Lateral – Lateral/Open Shelves Lateral – 6B, BBF & BBFF Lateral – Common Tops Lateral – Cushions	. 146 . 146 . 148 . 149 . 149 . 149 . 150
TOWERS. Features. Construction Surface Materials 24" Wide 24" Wide – Side Access. 15" Wide – Side Access.	. 152 . 152 . 154 . 155 . 156
CREDENZAS Features Construction Surface Materials Credenzas Credenza – Drawers Credenza – Shelves Accessories Credenza – Common Tops Credenza – Cushion Tops	. 158 . 158 . 158 . 160 . 160 . 160 . 161
CABINETS Features Construction Surface Materials Cabinets	. 162 . 162 . 162
LOCKERS Features Construction Surface Materials Lockers Lockers – Double Lockers – Quad Lockers – Cubby Lockers – Common Tops	. 166 . 166 . 168 . 168 . 168 . 168
BOOKCASES Features Construction Surface Materials Bookcases	. 170 . 170 . 170

WORKPLACE ACCESSORIES	174
Keyboard Trays	176
Keyboard Arms	
Easy Combos	177
Monitor Arms	178
CPU Holders	178
Forearm Supports	179
Anti-fatigue Floor Mats	179
Tablet Holder	179
StandUp	180
StandUp A1	181
GRADED IN FABRICS	103
UNAVEV IN FADRICS	102
Carnegie	
	182
Carnegie	182 182
Carnegie	182 182 183
Carnegie C.F. Stinson Designtex	182 182 183 183
Carnegie C.F. Stinson Designtex Guilford of Maine	182 182 183 183
Carnegie C.F. Stinson Designtex Guilford of Maine Luna	182 182 183 183 184
Carnegie C.F. Stinson Designtex Guilford of Maine Luna Luna Maharam	182 183 183 183 184
Carnegie C.F. Stinson Designtex Guilford of Maine Luna Luna	

General Information

PANELS

Width dimension of all panels is centerline to centerline of adjacent panel connectors.

Panel thickness is 1½". Panel thickness at the base covers is 2".

FABRIC PANELS

Fabric panels incorporate a mineral wool core construction. Fabric panels are acoustical and fully tackable. The base raceway is nominally 5" high.

INSERT PANELS

Insert panels are constructed with a tapered aluminum frame that is mitered in the corners. Insert panels may be ordered with plexiglass, laminate, perforated aluminum or as an open frame for complete accessibility through the panel.

STACK-ON PANELS

Stack-on panels connect on the top of any standard panel to provide additional privacy or new aesthetic options and can also be load bearing.

PANEL CONNECTORS

Panel connectors are 1½" diameter and required at every panel connection and panel end (except when postless end assembly is used). Posts are painted to match the selected trim finish and include an adjustable glide on the bottom for leveling.

POWER

Fabric and insert panels accept electrical components.

Equity panels distribute power through the office and directly to the individual workstation through field-installed modular, electrical wiring components in the base of the panels. The panel base is factory prepared to accept a terminal block in a centered location where two 20-amp receptacles can be installed; one on each side of a panel, arranged back-to-back. An auxiliary side mount duplex receptacle is also available and plugs directly into the side of the terminal block connector end when a second duplex receptacle is required.

RACEWAY

The panel base cover provides openings for receptacles and/ or communication outlets, which can be covered when not in use.

All panel bases provide a cable management segment to facilitate lay-in of workstation cables and cords.

CABLE CAPACITY

ELECTRICAL	WITH		WITH	IOUT
FILL	100%	40%	100%	40%
Cat 5	36	14	102	40
Cat 6	28	11	80	32

STORAGE

All storage components come standard locking.

Master key and key alike are available upon request.

LEGACY PRODUCTS

Neutral Posture offers Legacy products for existing Equity which was ordered before February of 2016.

For any code compliance testing data, please contact Customer Service at customerservice@neutralposture.com or 979.778.0502.

ENVIRONMENTAL IMPACT

Neutral Posture takes great pride in providing one of the most environmentally friendly furniture systems available on the market today.

Building an effective Green Program takes a company-wide effort, but we think it's worth the effort to ensure that our manufacturing process leaves the smallest possible footprint on the environment. Neutral Posture products are designed and manufactured to support a long and useful product life. Our products, if need be, can withstand repeated service, repairs and handling; and our products are made with standardized parts and components which make replacing worn out parts easy and as green as possible.

The steel and plastic materials used to construct Equity can be recycled after the product's life. The system is also designed to be cleaned with low environmental impact materials.

The clean technology used to manufacture the Equity system results in negligible off-gassing from the product.

We continually work with many 3rd party organizations to firmly establish a quality Sustainability Program.

- BIFMA level® Certification
- SCS Indoor Advantage Gold Certification
- LEED
- Underwriters Laboratories (UL)
- Canadian Standards Association (CSA)
- Occupational Safety and Health Administration (OSHA)
- · ISO 9001:2015

GREEN MANUFACTURING PROCESS

Neutral Posture is highly efficient in its manufacturing process. New roll forming machines can change between parts with zero scrap. Current manufacturing efforts recycle process water and refrain from using hazardous process chemicals.

PLASTIC

Neutral Posture uses plastic which contains up to 25% pre-consumer recycled plastics. The majority of the plastics used in Neutral Posture products are #3 and #7 plastics and can be recycled in many areas.

STEEL & ALUMINUM

Neutral Posture products contain steel and aluminum that is 100% recyclable. Additionally, up to 25% of this steel comes from preconsumer recycled product. Aluminum maintains a high scrap value and is known for having a very long working life.

FABRIC

Neutral Posture maintains an excellent supply of green fabrics. These fabrics are made from pre- and post-consumer recycled materials. Some fabrics contain 100% recycled materials and continues to divert recycled plastic from landfills, turning it into beautiful designs.

PANEL INNER

Neutral Posture uses mineral wool, spun from basalt and volcanic rocks to provide lightweight, sound resistant panels. These mineral wool inserts are considered rapidly renewable products.

WOOD

Wood worksurfaces and panels use 100% recycled/recovered wood fiber. All adhesives used in these products are virtually VOC-free and pass stringent emission standards.

GREEN SHIPPING INITIATIVES

Neutral Posture holds their freight carrier partners accountable to similar criteria as suppliers, however, due to the immense impact freight companies have on the environment, all carriers must also become a partner in the Environmental Protection Agency (EPA) SmartWay program within one year of service. All freight carriers are screened through a logistics company and become a partner associate with Neutral Posture based on annual evaluation reports.

PACKAGING OPTIONS

Our cardboard shipping boxes are produced from 45% recycled material and 100% of the materials come from renewable pulp sources. For large orders, customers can choose to use a box made from 100% recycled materials for an upcharge.

A LONG AND HEALTHY PRODUCT LIFE

Neutral Posture products are made to last, as is evidenced by our limited lifetime warranty. Neutral Posture has been around since the 1980s and it is not unusual to find original products from our first year of production in perfect working condition. Although we are continually improving our products, we allow for retrofitting of earlier generations. This allows the customer to upgrade individual components as desired without having to discard the product they already have or purchase a new one. This helps avoid filling landfills with used furniture and is another way in which Neutral Posture customers contribute to their immediate health and wellbeing as well as the continued wellness of our environment.

For more information about Neutral Posture's sustainability program, visit Neutral Posture.com/sustainability.

TERMS AND CONDITIONS

For all non-rated or new accounts, payment terms are Cash in Advance (C.I.A.) until credit has been approved or rated. Please send full credit information and references and allow time for Credit Department approval.

For all established accounts, payment is due within thirty (30) days from the invoice date. Neutral Posture (NP) reserves the right to change or cancel the terms of sale based on volume, credit rating and/or credit information. Prepayment, whole or in part, may be requested at any time at the discretion of the corporate office. For orders greater than \$100,000 net, a fifty percent (50%) deposit is due at the time of order placement, with the remainder due within thirty (30) days of the date of invoice.

Past due accounts are subject to a 1.5% late charge or maximum amount permitted under local law, for each thirty (30) days the outstanding balance remains open after the due date.

Withholding of payments based on carrier damages, shortages or other disputes is illegal and subject to charges.

Neutral Posture does not accept credit cards.

ORDERING

All orders must be in writing; faxed, emailed or mailed. The product model number(s) contained in the order acknowledgment shall be the final expression of the order. A purchase order is not binding on NP until customer has received NP's order confirmation or acknowledgment. Orders must have a contact name and phone number. Orders may not be canceled without written consent of Neutral Posture.

To expedite complete/correct entry of your order, be certain all model numbers, quantities, colors and area identifications are completely specified. Also, include complete purchase order number(s), bill-to and ship-to addresses, a contact name and specific factory shipping dates required.

Orders should be sent to: Neutral Posture, Inc. 3904 N Texas Avenue Bryan, TX 77803 979.778.0502 (Option 2) 800.446.3746 979.778.0408 FAX

 $\hbox{E-mail: orderentry} @ neutral posture.com$

When an order is received, it is assigned a scheduled ship date. That date is shown on the order acknowledgment.

Purchase orders may not be changed or canceled, in whole or in part, without prior written consent of NP. Changes may affect delivery dates. Expenses incurred because of changes shall be charged to customer. In the event of cancellation, customer will be liable for reasonable cancellation charges as established by NP. Orders for special product, orders including customer's own material (COM) and orders pursuant to expedited delivery programs, may not be canceled.

An Expedite Fee of a minimum of 3% of net will be charged for orders requiring less than standard lead time.

PRICES

Prices are subject to change without notice. List prices shall be those in effect on the date of receipt of purchase order unless shipment is requested more than ninety (90) days after order entry in which case prices in effect on the date of shipment apply. Prices in effect at time of shipment prevails in the event of a discrepancy.

TAXES

All sales, use, excise and other taxes applicable to the sale of the products shall be paid by customer. If customer claims an exemption from any tax, customer shall submit to NP the appropriate exemption certificates.

LEAD TIME

Please contact Customer Service for current lead time at customerservice@neutralposture.com or 979.778.0502.

CUSTOMER'S OWN MATERIAL (COM)

A customer who requests a fabric or other surface material not standard to NP's line of products, must submit samples of the requested material to NP prior to entry of a customer order. NP shall determine if the material is suitable to its manufacturing processes and meets any requirements of Underwriters Laboratories and/or Canadian Standards Association. If the COM is acceptable, NP will then establish a price for using the COM. For a description of the procedures for submitting samples and testing, contact Customer Service. NP shall have no responsibility for the appearance, condition, performance, durability, colorfastness or any other physical attribute of the COM. Customer shall indemnify and hold NP harmless for any damages, injuries or losses arising out of or related to use of the COM on the product.

STORAGE FEE

Any changes made by the customer to postpone the delivery date on orders which have already gone into production, will be charged a storage fee. This fee will be applied to both partially and fully built orders. NP will advise of fee prior to applying charge.

COMPLIANCE WITH LAW

Customer is solely responsible for compliance with all applicable federal, state and local laws, ordinances, regulations, rules and standards relating to the installation, maintenance, use and operation of the products.

TERMS AND CONDITIONS

SHIPPING

All standard discount orders are F.O.B origin prepaid and add, delivered by way of parcel or freight carrier dock to dock. NP will designate the shipping mode and carrier based on geographical location and best service as defined by our Logistics Department.

Any order requiring special delivery services other than normal dock-to-dock delivery will incur additional charges. These services include but are not limited to residential delivery, limited access delivery, palletization, lift gate service, inside delivery, call before delivery, re-routed deliveries, specific delivery date/time requests, or congestion fees. These charges will be quoted upon customer request.

Conditions beyond the control of NP, including weather, available facilities, and traffic conditions, may affect the exact delivery time. NP shall not be responsible for a specific carrier delivery date or time unless it has made a specific delivery commitment in writing.

Delivery date and time are at the discretion of the carrier within reasonable transit time unless special arrangements have been agreed to in writing between the customer and NP prior to shipment.

Accessorial Charges (including but not limited to)

Delivery Appointment Required Inside Delivery/Pick Up Items Over 96 Inches Lift Gate Required Limited Access Delivery Notification/CBD Residential Delivery Ship Fully Assembled Pre-delivery Notification Re-delivery/Return Trip Palletization Secure Locations

Limited-access Locations (including but not limited to)

Individual (mini) storage units Places of worship

Schools

Commercial establishments not open to walk-in public Construction sites

Fairs or carnivals

Prisons, jails, correctional facilities

Military base/installations

Mine sites

Sites requiring security inspections prior to pick up or delivery. Wind farm sites

Airports

Contact Customer Service at customerservice@neutralposture.com or 979.778.0502 Option 2 for pricing.

DELAY/FORCE MAJEURE

NP shall not be liable for failure to perform or for delay in performance due to fire, flood, strike or other labor difficulty, act of God, act of any governmental authority or of the customer, riot, embargo, fuel or energy shortage, wrecks or delay in transportation, inability to obtain necessary labor, materials or manufacturing facilities from usual sources or failure of suppliers to meet their contractual obligations, or due to any cause beyond its reasonable control. If any such

event occurs, NP may extend delivery dates by a period of time necessary to overcome the effect of such delay, allocate available product or cancel any purchase order.

FREIGHT DAMAGE

Upon receipt of shipment consignee is responsible for checking delivery for shortages or signs of damage. If a problem is discovered, bring it to the driver's attention immediately. If any of the goods called for on the Bill of Lading are shorted or damaged, consignees should not accept them until the carrier makes a notation on the freight bill of the shorted or damaged goods. The more precise the notation, the easier the claim can be resolved. NP's responsibility ceases when the consignee signs the freight delivery receipt as received in good condition. Shipping claims must be made within thirty (30) days of shipment delivery.

RETURNS

The return of product without written authorization by NP shall not be accepted. All merchandise returns must be pre-approved by the corporate office and sent freight prepaid. Contact the Warranty Department, warrantyrequest@neutralposture.com, to receive a Return Merchandise Authorization (RMA) number for any return. RMAs are valid for thirty (30) days and any returned merchandise without a RMA number will be refused.

No deductions from any NP invoices can be made for return merchandise until it is approved by the corporate office. No deductions will be honored until returned goods are processed through our Quality Control Audit.

All returns for canceled orders must be pre-approved by the corporate office and sent freight prepaid. No returns will be authorized unless our inventory allows it, the parts are in good reusable condition and it was sold within the last thirty (30) days. Authorized seating returns will be charged a thirty percent (30%) (twenty percent (20%) for GSA) restocking fee, by agreement, to cover handling, inspection, stocking and repackaging. Authorized systems returns are subject to a forty-five percent (45%) of list restocking charge. Products not currently offered for sale by NP (including COM) shall not be authorized for return. All returned products must be unused, in original condition and in the original NP packing cartons. No refund or credit will be given for damaged products.

WARRANTY CLAIMS

NP reserves the right to specify that items or parts claimed to be defective, be returned to the factory for our inspection. If the claim is justified, repair or replacement of defective parts under warranty will be made through NP at no cost to the customer. NP will, at its discretion, reimburse the furniture dealer for labor (actual costs only) on warranty parts. The furniture dealer must submit a quote to be approved prior to service. If approved, the furniture dealer must then submit an invoice to NP for reimbursement after the service is completed. Freight for products and parts covered under warranty will be covered for the fortyeight (48) contiguous states and the District of Columbia. with the method of shipping at NP's discretion. All claims must include the product serial number. NP will have no warranty obligation if the product was subjected to abuse, alteration, misuse, negligence or accident or if the user fails to perform the proper maintenance for the product.

warrantyrequest@neutralposture.com

Selling Policy

WARRANTY

Neutral Posture warrants to the original purchaser only that the products Neutral Posture manufactures and sells to purchaser are free of defects in workmanship and materials, during the applicable warranty period set forth below.

This comprehensive warranty applies to all products installed or reconfigured by an authorized installer.

Warranty period set forth below is for 24-hour, 7 days a week, multi-shift use. Should any failure occur to a product listed below during the applicable warranty period from the date of shipment, Neutral Posture shall, upon prompt written notice, repair or replace, at its discretion, the affected part or parts.

PRODUCT AND PERIOD OF WARRANTY

Lifetime

Panels and panel connector parts, high pressure laminate worksurfaces, table tops and common tops, storage

10 Years

Cascade worksurfaces, height adjustable worksurface supports (except for gas lift), laminate overhead doors, sliding doors, desktop and storage accessories (unless otherwise specified)

5 Years

Table bases, tapered table legs, anti-fatigue mats, operational parts, controls, electrical, lighting (except light ballasts, bulbs and power supply), special or custom product, height adjustable worksurface support gas lift, modesty/privacy screens, mobile screens, desktop screens

3 Years

Electric height adjustable bases (including motor), fabric

1 Year

Light ballasts, bulbs and power supply

This warranty does not apply to:

- Damage caused by a carrier.
- Normal wear and tear or acts or omissions of parties other than Neutral Posture (including user modification, improper use or installation of products).
- COM or other third party materials applied to products.
- Products not installed by or under the auspices of a Neutral Posture Dealer.
- Dramatic temperature variations or exposure to unusual conditions.
- Changes in surface finishes including colorfastness due to aging or exposure to light.

The express warranties contained herein are in lieu of all other warranties, express or implied, including any warranties of merchantability and fitness for particular purpose and all other warranties arising from course of dealing or usage of trade.

The remedies provided above are the customer's sole remedies for any failure of Neutral Posture to comply with its obligations regarding the workmanship of its products. Correction of any nonconformity in the manner and for the period of time provided shall constitute complete fulfillment of all liabilities of Neutral Posture, with respect to or arising out of the product furnished hereunder.

CERTIFICATIONS & STANDARDS

ANSI/BIFMA

Independent tests show that Equity components meet or exceed current ANSI/BIFMA X5.6 Panel System and ANSI/BIFMA X5.9 Storage Unit standards. Electrical components are UL listed. Panels have tested to NRC ratings of 0.75.

SCS INDOOR ADVANTAGE CERTIFICATION

The Equity product line is certified by SCS Global Services for indoor air quality.

DESIGN

NP reserves the right to make changes and improvements in design and materials and to discontinue parts and components at their discretion.

WOMEN'S BUSINESS ENTERPRISE (WBE)

This certification is administered by the Women's Business Enterprise National Council (WBENC) and is used by most large corporations to qualify potential vendors as credible diversity suppliers.

WOMAN OWNED SMALL BUSINESS (WOSB)

The U.S. Small Business Administration's WOSB Federal Contract Program provides greater access to federal contracting opportunities for WOSBs. The program allows contracting officers to set aside specific contracts for certified WOSBs and helps federal agencies achieve the existing statutory goal of five percent of federal contracting dollars being awarded to WOSBs. NP is certified as a WOSB.

HISTORICALLY UNDERUTILIZED BUSINESS (HUB)

The Texas Historically Underutilized Business (HUB) program encourages the use of HUBs in state procurement and provides information to minority and woman-owned businesses on the state's procurement process.

BUSINESS AND INSTITUTIONAL FURNITURE MANUFACTURER'S ASSOCIATION

NP is a member of the Business and Institutional Furniture Manufacturer's Association (BIFMA). Tests developed by BIFMA and approved by the American National Standards Institute (ANSI) determine the strength and durability of office furniture in its everyday use. Although this testing does not serve as a warranty or guarantee, NP standard products within this price list meet or exceed applicable ANSI/BIFMA X5.6 Panel Systems and ANSI/BIFMA X5.9 Storage Unit standards. Combinations of options added on to the standard products may not meet ANSI/BIFMA standards. Those combinations which do not meet ANSI/BIFMA standards are not available on GSA. Additionally, Equity is BIFMA level 2 certified. For more information, contact Customer Service at customerservice@neutralposture.com.

GENERAL INFORMATION

Neutral Posture pedestals, overheads and storage cabinets ship with lock cores. The locks are field installed. If your purchase order does not specify key-alike you will automatically receive random lock cores with your order.

Neutral Posture furniture can be keyed-alike or random keyed.

KEY-ALIKE

Furniture may be keyed alike at no charge if specified with a furniture order. Write "key-alike" in the description of your purchase order for any storage piece you wish to have keyed alike.

Using the key-alike instructions, order cores and keys as line items on your purchase order. Neutral Posture will select key numbers from the standard range of 226 – 425. Key numbers will not be repeated unless over 199 sets are ordered.

There is no charge for key-alike orders if placed with the furniture order.

If product is ordered and shipped random-keyed, additional lock cores for key-alike are billable.

KEYS

A key is shipped with every lock core. 199 key numbers are available. For numbers above 199, contact Customer Service. Additional keys and key blanks are available.

MASTER KEYING

Neutral Posture locks can be controlled by means of a master key. There is no additional per-lock charge for master keying. Master keys must be ordered separately. See service parts below for master key model # and pricing.

INSTALLING LOCK CORES

Lock cores can be installed or removed in the field by using a change key. Cores must be in the unlocked position to be removed. See service parts below for change key model number and pricing.

SERVICE PARTS

MODEL#	DESCRIPTION	LIST
NLCKE	Shrouded Key (Specify key number desired)	\$21
NAKC	Change Key	\$21
NKM	Master Key	\$21

NOTE: A letter of approval on company letterhead from the client must accompany all orders for change and master keys.


NOTE: Neutral Posture locks/keys are not compatible with Knoll Equity pedestals/double pedestals.

HOW TO SPECIFY KEY-ALIKE

Following is an example of how to specify keyalike for a cluster of 10 workstations.

STEP 1

Using the project floor plan, count the number of locks in each workstation.



STEP 2

Count the number of workstations with the same quantity of locks. Group together the workstations with a like number of locks.

3 workstations with 4 locks per station 2 overhead w/laminate fronts

2 workstations with 5 locks per station

5 workstations with 2 locks per station

STEP 3

For the first group (3 sets of 4 locks), enter the number of workstations in the quantity column.

QTY	MODEL#	DESCRIPTION	UNIT LIST	EXT LIST
3	NSPEC4	Set of 4 cores/kevs	N/C	N/C

STEP 4

Then enter the model number "NSPEC__" and add a suffix for the number of locks for that group (i.e., for 2 locks per station, add the suffix "2"). Up to 30 lock cores are available in a set (i.e., NSPEC 30).

QTY	MODEL#	DESCRIPTION	UNIT LIST	EXT LIST
3	NSPEC4	Set of 4 cores/keys	N/C	N/C

STEP 4b

If the station has overheads w/laminate fronts add a suffix for the number of locks needed for the overheads w/laminate fronts for that group (i.e., for 2 overhead laminate front locks per station, add the suffix "OL2").

QTY	MODEL#	DESCRIPTION	UNIT LIST	EXT LIST
3	NSPEC4OL2	Set of 4 cores/keys, 2 for overheads w/laminate fronts	N/C	N/C

STEP 5

Repeat for other groups.

QTY	MODEL#	DESCRIPTION	UNIT LIST	EXT LIST
3	NSPEC4OL2	Set of 3 cores/keys	N/C	N/C
2	NSPEC5	Set of 5 cores/keys	N/C	N/C
5	NSPEC2	Set of 2 cores/keys	N/C	N/C

Your key instructions are complete.

Neutral Posture will select key numbers for each set from 199 available numbers.

For additions to existing installations, specify desired key numbers in the description.

GSA Contract Overview

GSA CONTRACT

We have had a contract with GSA for over 25 years and they continue to be our most favored customer.

NP is dedicated to helping government agencies meet their facilities and acquisition needs. NP is registered with the System For Award Management (SAM) formerly Central Contractor Registry (CCR) with ORCA certifications, has an assigned cage code of OUTL8 and is eligible to receive federal contract awards. NP is also recognized as a Woman Owned Small Disadvantaged Business by the U.S. Small Business Administration (SBA).

WOMEN-OWNED SMALL BUSINESS (WOSB)/ ECONOMICALLY DISADVANTAGED WOMEN-OWNED SMALL BUSINESS (EDWOSB)

The U. S. Small Business Administration (SBA) issued the Final Rule to amend its regulations governing small business contracting procedures. The SBA has increased the emphasis and awareness of contracting mandates regarding the new 5% spend mandate for WOSB/EDWOSB's similar to those in place for 8a, SDV and HUB Zone businesses.

The SBA has also implemented a Sole Source vehicle for Economically Disadvantaged Women-Owned Small Businesses (EDWOSB). Neutral Posture, a small business manufacturer, received this certification in April of 2016.

Our Packaged Office contract includes many great manufacturing partners and we are willing to team with other manufacturers to support strong GSA Dealers and meet the needs of our customers.

For more information please visit NeutralPosture.com/WOSB

GSA OVERVIEW

GSA Contract# GS-27F-0014Y

Schedule MAS - Furniture

SIN 337121H Household, Dormitory & Quarters Furniture SIN 337127 Institutional Furniture

SIN 33721 Office Furniture

SIN 33721P Packaged Office Furniture
SIN OLM Order Level Materials

NAICS CODES

337127 Institutional Furniture Manufacturing 337211 Wood Office Furniture Manufacturing

337214 Office Furniture (except wood) Manufacturing

423210 Furniture Merchant Wholesalers

NP products may be found on GSA Advantage.

NOT AVAILABLE ON GSA

Products not available on GSA as of September 2023.

SEATING

Guardian Panels

DESKS/TABLES

Desks – C-legs

Desks – O-legs Desks – T-legs

Sit/Stand Desks

Sit/Stand Packages

GSA Contract Details

TERM DATE 6/26/2012 - 6/26/2027

1a. Special Item Numbers Awarded

Household, Dormitory & Quarters Furniture SIN 337121H

SIN 337127 Institutional Furniture SIN 33721 Office Furniture SIN 33721P Packaged Office Furniture

Order Level Materials SIN OLM

1b. Lowest Priced Item

SIN 337121H **Contact Corporate Office** SIN 337127 Contact Corporate Office

SIN 33721 SPTRY Pencil Tray \$5.95

SIN 33721P **Contact Corporate Office**

1c. Installation Rate — SIN 33721

\$51.50 per hour (non-union inclusive IFF) \$106.25 per hour (union inclusive of IFF)

Maximum Order

SIN 337121H	\$1,000,000
SIN 337127	\$250,000
SIN 33721	\$250,000
SIN 33721P	\$5,000,000
SIN OLM	\$0

Minimum Order

All SINs

Geographic Coverage

CONUS & OCONUS

Point of Production 5.

3904 N. Texas Avenue, Bryan, 77803, Brazos County, TX, USA

Discount from List Price 6.

Seating/Workplace Accessories

SIN 33721 — Discount 60%

Systems

SIN 33721 — Discount 70%

Quantity Discounts

No discount tiers have been negotiated.

Prompt Payment Terms 8.

Net 30 Days

Government Purchase Cards Accepted

Visa/Master Card

10. Foreign Item

None

11a. Time of Delivery

5 - 90 days after receipt of order

11b. Expedited Delivery

Expedited delivery available. Contact Customer Service.

11c. Overnight and 2-day Delivery

Available with an upcharge. Contact Customer Service.

12. F.O.B. Points

Destination/CONUS, within the 48 contiguous states and the District of Columbia. Port of embarkation for delivery to Alaska, Hawaii, Puerto Rico, the Virgin Islands and U.S. Government installations overseas.

13. Ordering Address

Neutral Posture, Inc. attn: Order Entry/ * or dealer 3904 N. Texas Avenue Bryan, TX 77803 979.778.0502 800.446.3746 fax 979.778.0408 orderentry@neutralposture.com

* Authorized Dealers should be cited on order

14. Payment Address

Neutral Posture, Inc. 3904 N. Texas Avenue Bryan, TX 77803

15. Warranty Provision

Neutral Posture's commercial warranty applies.

16. Export Packing Charges

Contact Customer Service for quote.

Terms and Conditions of Government Purchase Card

Government purchase cards will be accepted for purchases at prices shown in this authorized price list (no additional discount offered).

Terms and Conditions Of Rental, Maintenance, and Repair

Not applicable

Terms and Conditions of Installation

Installation and instruction are available from authorized dealers. Please contact your local NP Dealer for pricing.

20. Terms and Conditions of Repair Parts

Repair parts are offered at the agreed upon discount from the NP repair parts price list in effect at the time the repair parts are ordered.

20a. Terms and Conditions for Any Other Services

GSA has accepted all of our standard terms and conditions as noted on page 6-8.

21. List of Service and Distribution Points

Not applicable

22. List of Dealers

Please contact Customer Service, or visit NeutralPosture. com for the name of your nearest authorized Dealer.

23. Preventive Maintenance

Not offered or applicable

Environmental Attributes

Not applicable

25. Other Information

Tax Identification Number (TIN): 74-2983577 Unique Entity ID EYTGAM8GGLJ3 DUNS: 61-0339723 Cage Code: 0UTL8 NAICS: 337214

26. SAM

NP is registered in System For Award Management (SAM).

NOTE: It is mandatory that all Government purchase orders be made out to NP only. Local Dealers are not authorized to accept purchase orders, issue invoices or receive payment of Government funds for these items without serious violation of this Federal Supply Schedule Contract.

Wall Mounting

WALL MOUNTING SUGGESTIONS

The following information is provided only as a guide and represents minimum recommendations only. Neutral Posture does not accept responsibility for the attachment of any Neutral Posture product to a customer's site wall. Wall specification/construction is the responsibility of the customer and its structural engineer/architect. Failure to properly attach Neutral Posture products to adequate wall structures can lead to property damage and/or personal injury.

You should consult your own structural engineers and/or architects and must not rely on the information provided herein.

It is the responsibility of the customer and its structural engineers/architects to verify that the permanent structural walls (studs, blocks, solid masonry, etc.) on which the

Neutral Posture products are intended to be mounted are designed appropriately to support the product weight, PLUS 3 lbs. per linear inch for each usable shelf length.

NOTE: A cabinet's top is considered a "usable shelf" and MUST be included in the calculation of the total load for an overhead cabinet.

It is the responsibility of the customer and its structural engineer/architects to specify the fasteners and method for attaching the Neutral Posture supplied wall mounting cleat, bracket, frame, etc. to the supporting wall and to confirm that the installers have adhered to these specifications. For all local building standards and codes, and additional requirements (including, but not limited to, seismic conditions) the customer should always consult local code agencies.

New Construction

Existing Construction

'	'	Cinder Block or Poured Concrete Masonry Wall	Wood Stud Wall, the studs being FULL HEIGHT to the roof/floor above	Wood Stud Wall, the studs being only ceiling height	Steel Stud Wall, the studs being FULL HEIGHT to the roof/floor above	Steel Stud Wall, the studs being only ceiling height
Stud Specification	Wood studs, grade #2 or better, 3 ½" minimum width, OR Metal studs, minimum 25 gage thickness, 3 %" minimum width	The wall must be a minimum of 6" thick, and must be full height to the roof/floor structure above	Wood studs must be Grade #2, or better, 3 ½" minimum width	Wood studs must be Grade #2, or better, 3 ½" minimum width	Metal studs must be minimum 25 gage thickness, 3 %" minimum width	Metal studs must be minimum 25 gage thickness, 3 %" minimum width
Stud Centers	Metal and wood studs must be spaced at 16" c/c maximum.	N/A	Wood studs must be spaced at 16" c/c maximum.	Wood studs must be spaced at 16" c/c maximum.	Metal studs must be spaced at 16" c/c maximum.	Metal studs must be spaced at 16" c/c maximum.
Stud Height	Metal and wood studs must extend upwards, and be securely attached to the roof/floor structure above.			Wood studs must be braced above the ceiling, and be securely attached to the roof/floor structure above Affix #2 grade 'cap' across the top of the studs, then place diagonal studs from the top cap up to underside of the roof/floor structure above.		Metal studs must be braced above the ceiling and be securely attached to the roof/floor structure above Affix metal bracing 'cap' across the top of the studs. Then place diagonal studs from the top cap up to underside of the roof / floor structure above.
Mounting the Neutral Posture Supplied Cleat, Bracket, Frame, etc	Insert a 2" x 6" wood block, #2 grade or better, [or a locally approved flexible wood backing system] horizontally between each of the studs to accommodate the full width of the cabinet and beyond to the next stud. Fasten the wood block to each stud using three screws at the ends of each block. (Fasten the locally approved wood backing system as directed by the manufacturer.) Fasten the Neutral Posture supplied wall mounting cleat, bracket, frame, etc directly to each wood block every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6" and fasten the lower horizontal element to each wall stud, using one fastener per stud.	Fasten the Neutral Posture supplied cabinet wall mounting cleat, bracket, frame, etc. directly to the masonry wall every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wall every 6" and fasten the lower horizontal element to the wall every 16".	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet and beyond to the next stud. Insert a 2" x 6" wood block, #2 grade or better, horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" x 6" wood block, #2 grade or better, horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet and beyond to the next stud. Insert a 2" x 6" wood block, #2 grade or better, for a locally approved flexible wood backing system] horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud,	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet and beyond to the next stud. Insert a 2" x 6" wood block, #2 grade or better, [or a locally approved flexible wood backing system] horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6" and fasten the lower horizontal element to each wall stud,
Fasten the Neutral Posture Supplied Wall Cleat With	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	%" x 3 ½" masonry screws Screws or equiv. in every mounting hole provided with 1 ¼" embedment, screwed directly into the masonry wall	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	using one fastener per stud. #10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	using one fastener per stud. #10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking

Finishes

A		WIDTH
Blueprint	Mayer	66"
Cipher	Mayer	66"
Code	Mayer	66"
Forte	Mayer	54"
Graph	Mayer	66"
В		
Cross Check	Mayer	54"
Luminary	Mayer	66"
Quattro	Mayer	54"
Sprite	Guilford of Maine	66"
Strata	Mayer	66"
Tweed	Guilford of Maine	66"
C		
Cape Cod	Guilford of Maine	66"
Infinity C-Zero	Momentum	57"
Marathon C-Zero	Momentum	57"
Metallation	Guilford of Maine	66"
Metro	Guilford of Maine	66"
Millennium C-Zero	Momentum	56"
Odyssey C-Zero	Momentum	56"
Rattan	Guilford of Maine	66"
Reverb	Mayer	54"
Tradition C-Zero	Momentum	56"
D		
Fedora	Mayer	54"
E		
Echo	Mayer	54"
Pact	Momentum	66"

LAMINATES		EDGE BANDS	
L1			
Casual Linen	SS-CLN	Asian Sand	EB-ASD
Grey Mesh	SP-GRM	Astro Strandz	EB-AST
Linen	SS-LN	Beige	EB-BEI
Mangalore Mango	SW-MGM	Biltmore Cherry	EB-BCH
Mission Maple	SW-MNM	Casual Linen	EB-CLN
Nickle Ev	SS-NEV	Cosmic Strandz	EB-CST
Organic Cotton	SS-OC	Custom Laminate	EB-COL
Sterling Ash	SW-STA	Empire Mahogany	EB-EMH
		Fashion Grey	EB-FGR
L2		Fired Steel	EB-FIS
Asian Sand	PW-ASD	Forged Steel	EB-FOR
Astro Strandz	PP-AST	Grey	EB-GRY
Biltmore Cherry	PW-BCH	Grey Mesh	EB-GRM
Cosmic Strandz	PP-CST	Khaki Brown	EB-BRN
Empire Mahogany	PW-EMH	Linen	EB-LN
Fired Steel	PP-FIS	Mangalore Mango	EB-MGM
Forged Steel	PP-FOS	Mission Maple	EB-MNM
Shaker Cherry	PW-SCH	Nickle Ev	EB-NEV
Silver Alchemy	PW-SAL	Organic Cotton	EB-OC
Studio Teak	PW-STK	Pepperdust	EB-PPR
Vapor Strandz	PP-VST	Platinum	EB-PLT
		Sand	EB-SND
		Shadow	EB-SHD
		Shaker Cherry	EB-SCH
		Silver Alchemy	EB-SAL
		Slate Grey	EB-SGR
		Soft Gold Mesh	EB-SGM
		Sterling Ash	EB-STA
		Studio Teak	EB-STK
		Vapor Strandz	EB-VST
		Virtual Design Laminate	EB-VL

NOTE: Laminates and other finishes may vary in color due to different dye lots. Slight variations are normal.

PAINTS	
P1	
Cream	201T
Designer Beige	202T
Grey	203T
Jet Black	204T
Sky White	200T
P2	
Brass	303
Champagne	301
Platinum	302

CL
IC
LF
SM
TR

GLASS	
Clear	CL
Grey	GR
Smoked	SM
Translucent	TR

DESIGNER GLASS

Patterns from Skyline Design. Some exceptions apply.

There is a minimum \$500 set-up and crating fee for all designer glass orders. Please call Customer Service for a quote 979.778.0502 ext 301.

CORIAN		TEXTURED CORIAN	
Glacier White	CR001	Glacier White	CR001T
Pearl Grey	CR002	Pearl Grey	CR002T
Corian Clay	CR003	Corian Clay	CR003T
Silver Grey	CR004	Silver Grey	CR004T
Corian Grey	CR005	Corian Grey	CR005T

Custom Finishes Program

While Neutral Posture offers a large selection of unique finishes, we understand you might want to create a signature on your project or brand your project. We are offering an easy way for you to provide pricing to your client.

CUSTOMER'S OWN FABRIC

Neutral Posture can apply any UL fire rated fabric. This will add to the lead time as we will require three yards of fabric to test on a panel. Test yardage should be sent to the factory address in Bryan, TX with the project name clearly marked on the label noting test yardage.

Neutral Posture Test Fabric Attention: Systems Product Manager 3904 N. Texas Ave. Bryan, TX 77803

We can also grade-in any fabric from any supplier in the industry. Please contact Customer Service for grade-in pricing. Note that all grade-ins must be pre-approved for suitability before production begins.

CUSTOMER'S OWN LAMINATE

All of Neutral Posture's standard laminates are Wilsonart. For your project, you can select any Wilsonart laminate and use L1 for standard laminates, L2 for premium laminates and L3 for custom and virtual library programs. An upcharge may apply for matching edge banding. Please contact Customer Service for more information.

We can also grade-in any laminate from any other supplier. Please contact Customer Service for grade-in pricing. Note that all grade-ins must be pre-approved for suitability before production begins.

CUSTOM RAL PAINT FINISHES

Whether it is an 8 person or 1,000 person project, use any RAL powder coat color on your metal products. If you have any questions, please contact Customer Service for more information.

HOW TO PRICE

For Each Order

Legacy finishes are only available for existing customers to match existing installs

LEGACY – LAMINATES		<u>LEGACY – EDGE BANI</u>	OS
L1			
Bright White	118	Bright White	118
Caramel Maple	MC	Caramel Maple	MC
Clear Maple	CM	Clear Maple	CM
Deep Mahogany	MP58	Jet Black	111
Jet Black	111	Medium Cherry	124
Medium Cherry	124	Pumice (was LF)	119
Pearwood	PA		
Pumice (was LF)	119		
Warm Cherry	WM		
White Essence	ES7		
Winter Grey Matrix	MR6		

NOTE: If your laminate is not listed please contact Customer Service at customerservice@neutralposture.com or 979.778.0502 ext. 301 to check availability.

LEGACY – PAINTS & PLASTICS				
P1				
Jet Black	111			
Brown	112			
Dark Grey (was Y3)	113			
Folkstone Grey (was LA)	114			
Med. Grey (was Y2)	115			
Sandstone	116			
Soft Grey (was E)	117			
Dark Neutral	D			
Taupe	R			
P2				
Beige Mist Metallic	611			
Medium Metallic Grey	612			
Beige Metallic	Н			
Light Tan Metallic	W			
P3				
Bright White	118			
Silver	613			

NOTE: EP1 and EP2 panels and components are not available in the following:

Bright White	118
Brown	112
Jet Black	111
Jet black	111

Panels

General Info

Step 1 - Model

	Тор Сар	Panel Type	W	н	Raceway
EP Equity Panel	3 Beveled N Flat	FA Fabric Panel	36	29	K with knockouts N without knockouts
EP		:	36	29	К

Sten	2 -	Surface	Finish
Steb		Surface	LIIIIN

Step 3 - Trim Finish

Fabric	Paint
F298 Forte	301 Champagne
F298	301
F290	301

F	E	AT	U	R	ES
		n,	v	•	

HEIGHTS

29" H

36" H

41" H

49" H 54" H

61" H

66" H

81" H

WIDTHS

12" W

18" W 24" W

30" W

36" W

42" W

48" W

60" W

THICKNESS

1 ½"

TOP CAP





3 – Beveled

N – Flat

RACEWAY

(K) with knockouts (N) without knockouts

PANEL RATINGS

NRC	.75
STC	15

CONSTRUCTION

FABRIC PANEL FRAME

Galvaneal roll formed steel frame

FABRIC PANEL CORE

Mineral wool Fiberglass backer

INSERT PANEL FRAME

Extruded aluminum

INSERT PANEL CORE

1/4" Laminate

1/4" Perforated aluminum

1/4" Plexiglass

Open Frame

TOP CAP, SLOTTED STANDARD

Cold rolled, roll formed steel

TOP CAP CLIP

Spring steel

RACEWAY COVER, RACEWAY BASE & RACEWAY RETENTION CHANNEL

Cold rolled, roll formed steel

RACEWAY STANCHIONS

Pressed & folded steel

PANEL HOOKS

Steel

POSTS

Steel tube

POST CONNECTORS

Diecast aluminum

SHROUDS

Pressed & folded steel

SURFACE MATERIALS

ALL PANELS

Trim – paint

FABRIC PANELS (FA)

Fabric

INSERT PANELS

Plexiglass (PG)	1

Clear	CL
Ice	IC
Smoked	SM
Translucent	TR

Glass (GL)

Clear	CL
Grey	GR
Smoked	SM
Translucent	TR

Designer Glass (DG)

Patterns from Skyline Design. Some exceptions apply.

There is a minimum \$500 set-up and crating fee for all designer glass orders. Please call customer service for a quote 979.778.0502 ext 301.

Laminate (LM)

Laminate

Perforated Aluminum (PA)

Paint


Open Frame (OF)


Paint

POSTS, CONNECTORS & SHROUDS

Paint

PANELS





29" H		FABRIC									PAINT	
W	MODEL#	A	В	C	D	E	F	G	Н	P2	Р3	
12"	EP(3/N)FA1229(K/N)	\$519	\$549	\$589	\$639	\$699	\$769	\$849	\$939	+ \$30	+ \$60	
18"	EP(3/N)FA1829(K/N)	\$580	\$610	\$650	\$700	\$760	\$830	\$910	\$1,000	+ \$30	+ \$60	
24"	EP(3/N)FA2429(K/N)	\$639	\$669	\$709	\$759	\$819	\$889	\$969	\$1,059	+ \$30	+ \$60	
30"	EP(3/N)FA3029(K/N)	\$700	\$730	\$770	\$820	\$880	\$950	\$1,030	\$1,120	+ \$30	+ \$60	
36"	EP(3/N)FA3629(K/N)	\$784	\$844	\$924	\$1,024	\$1,144	\$1,284	\$1,444	\$1,624	+ \$30	+ \$60	
42"	EP(3/N)FA4229(K/N)	\$833	\$893	\$973	\$1,073	\$1,193	\$1,333	\$1,493	\$1,673	+ \$30	+ \$60	
48"	EP(3/N)FA4829(K/N)	\$881	\$941	\$1,021	\$1,121	\$1,241	\$1,381	\$1,541	\$1,721	+ \$30	+ \$60	
60"	EP(3/N)FA6029(K/N)	\$929	\$989	\$1,069	\$1,169	\$1,289	\$1,429	\$1,589	\$1,769	+ \$30	+ \$60	

41" H

12"	EP(3/N)FA1241(K/N)	\$580	\$620	\$670	\$730	\$810	\$900	\$1,010	\$1,140	+ \$30	+ \$60
18"	EP(3/N)FA1841(K/N)	\$639	\$679	\$729	\$789	\$869	\$959	\$1,069	\$1,199	+ \$30	+ \$60
24"	EP(3/N)FA2441(K/N)	\$700	\$740	\$790	\$850	\$930	\$1,020	\$1,130	\$1,260	+ \$30	+ \$60
30"	EP(3/N)FA3041(K/N)	\$760	\$800	\$850	\$910	\$990	\$1,080	\$1,190	\$1,320	+ \$30	+ \$60
36"	EP(3/N)FA3641(K/N)	\$845	\$925	\$1,025	\$1,145	\$1,305	\$1,495	\$1,735	\$2,025	+ \$30	+ \$60
42"	EP(3/N)FA4241(K/N)	\$905	\$985	\$1,085	\$1,205	\$1,365	\$1,555	\$1,795	\$2,085	+ \$30	+ \$60
48"	EP(3/N)FA4841(K/N)	\$966	\$1,046	\$1,146	\$1,266	\$1,426	\$1,616	\$1,856	\$2,146	+ \$30	+ \$60
60"	EP(3/N)FA6041(K/N)	\$1,026	\$1,106	\$1,206	\$1,326	\$1,486	\$1,676	\$1,916	\$2,206	+ \$30	+ \$60

49" H

12"	EP(3/N)FA1249(K/N)	\$652	\$692	\$742	\$802	\$882	\$982	\$1,102	\$1,252	+ \$30	+ \$60
18"	EP(3/N)FA1849(K/N)	\$712	\$752	\$802	\$862	\$942	\$1,042	\$1,162	\$1,312	+ \$30	+ \$60
24"	EP(3/N)FA2449(K/N)	\$773	\$813	\$863	\$923	\$1,003	\$1,103	\$1,223	\$1,373	+ \$30	+ \$60
30"	EP(3/N)FA3049(K/N)	\$833	\$873	\$923	\$983	\$1,063	\$1,163	\$1,283	\$1,433	+ \$30	+ \$60
36"	EP(3/N)FA3649(K/N)	\$918	\$998	\$1,098	\$1,218	\$1,388	\$1,598	\$1,868	\$2,188	+ \$30	+ \$60
42"	EP(3/N)FA4249(K/N)	\$978	\$1,058	\$1,158	\$1,278	\$1,448	\$1,658	\$1,928	\$2,248	+ \$30	+ \$60
48"	EP(3/N)FA4849(K/N)	\$1,038	\$1,118	\$1,218	\$1,338	\$1,508	\$1,718	\$1,988	\$2,308	+ \$30	+ \$60
60"	EP(3/N)FA6049(K/N)	\$1,122	\$1,202	\$1,302	\$1,422	\$1,592	\$1,802	\$2,072	\$2,392	+ \$30	+ \$60

54" H

12"	EP(3/N)FA1254(K/N)	\$712	\$752	\$802	\$872	\$972	\$1,082	\$1,212	\$1,372	+ \$30	+ \$60
18"	EP(3/N)FA1854(K/N)	\$773	\$813	\$863	\$933	\$1,033	\$1,143	\$1,273	\$1,433	+ \$30	+ \$60
24"	EP(3/N)FA2454(K/N)	\$833	\$873	\$923	\$993	\$1,093	\$1,203	\$1,333	\$1,493	+ \$30	+ \$60
30"	EP(3/N)FA3054(K/N)	\$894	\$934	\$984	\$1,054	\$1,154	\$1,264	\$1,394	\$1,554	+ \$30	+ \$60
36"	EP(3/N)FA3654(K/N)	\$990	\$1,080	\$1,180	\$1,320	\$1,530	\$1,760	\$2,030	\$2,360	+ \$30	+ \$60
42"	EP(3/N)FA4254(K/N)	\$1,050	\$1,140	\$1,240	\$1,380	\$1,590	\$1,820	\$2,090	\$2,420	+ \$30	+ \$60
48"	EP(3/N)FA4854(K/N)	\$1,111	\$1,201	\$1,301	\$1,441	\$1,651	\$1,881	\$2,151	\$2,481	+ \$30	+ \$60
60"	EP(3/N)FA6054(K/N)	\$1,195	\$1,285	\$1,385	\$1,525	\$1,735	\$1,965	\$2,235	\$2,565	+ \$30	+ \$60

Specify

- 1. Model #
- 2. Fabric
- 3. Paint

Application Notes

The panel is fabric covered. If two different fabrics are used on one panel, the price will reflect the cost of the most expensive panel fabric.

NOTE: Power duplexes cannot be installed on 12" W panels. Side mount receptacles available on 24" W panels and wider.

Assembly

Included

- Panel
- Top cap
- Metal raceway covers

Ordered Separately

- Posts
- Panel connectors
- Electrical components


Top Cap Styles

3 – Beveled

N – Flat







42"

48"

60"

EP(3/N)FA4266(K/N)

EP(3/N)FA4866(K/N)

EP(3/N)FA6066(K/N)

\$1,135

\$1,195

\$1,304

\$1,245

\$1,305

\$1,414

\$1,375

\$1,435

\$1,544

		•••••										
61" l	H	FABRIC									PAINT	
W	MODEL#	А	В	С	D	E	F	G	Н	P2	P3	
12"	EP(3/N)FA1261(K/N)	\$773	\$823	\$883	\$963	\$1,073	\$1,193	\$1,333	\$1,503	+ \$30	+ \$60	
18"	EP(3/N)FA1861(K/N)	\$833	\$883	\$943	\$1,023	\$1,133	\$1,253	\$1,393	\$1,563	+ \$30	+ \$60	
24"	EP(3/N)FA2461(K/N)	\$894	\$944	\$1,004	\$1,084	\$1,194	\$1,314	\$1,454	\$1,624	+ \$30	+ \$60	
30"	EP(3/N)FA3061(K/N)	\$953	\$1,003	\$1,063	\$1,143	\$1,253	\$1,373	\$1,513	\$1,683	+ \$30	+ \$60	
36"	EP(3/N)FA3661(K/N)	\$1,038	\$1,138	\$1,258	\$1,418	\$1,648	\$1,898	\$2,178	\$2,518	+ \$30	+ \$60	
42"	EP(3/N)FA4261(K/N)	\$1,098	\$1,198	\$1,318	\$1,478	\$1,708	\$1,958	\$2,238	\$2,578	+ \$30	+ \$60	
48"	EP(3/N)FA4861(K/N)	\$1,159	\$1,259	\$1,379	\$1,539	\$1,769	\$2,019	\$2,299	\$2,639	+ \$30	+ \$60	
60"	EP(3/N)FA6061(K/N)	\$1,267	\$1,367	\$1,487	\$1,647	\$1,877	\$2,127	\$2,407	\$2,747	+ \$30	+ \$60	
66" l	Н											
12"	EP(3/N)FA1266(K/N)	\$797	\$847	\$907	\$987	\$1,107	\$1,237	\$1,387	\$1,567	+ \$30	+ \$60	
18"	EP(3/N)FA1866(K/N)	\$857	\$907	\$967	\$1,047	\$1,167	\$1,297	\$1,447	\$1,627	+ \$30	+ \$60	
24"	EP(3/N)FA2466(K/N)	\$918	\$968	\$1,028	\$1,108	\$1,228	\$1,358	\$1,508	\$1,688	+ \$30	+ \$60	
30"	EP(3/N)FA3066(K/N)	\$978	\$1,028	\$1,088	\$1,168	\$1,288	\$1,418	\$1,568	\$1,748	+ \$30	+ \$60	
36"	EP(3/N)FA3666(K/N)	\$1,074	\$1,184	\$1,314	\$1,474	\$1,724	\$2,004	\$2,324	\$2,714	+ \$30	+ \$60	

81" I	Н										
12"	EP(3/N)FA1281(K/N)	\$857	\$917	\$977	\$1,067	\$1,217	\$1,387	\$1,577	\$1,797	+ \$30	+ \$60
18"	EP(3/N)FA1881(K/N)	\$918	\$978	\$1,038	\$1,128	\$1,278	\$1,448	\$1,638	\$1,858	+ \$30	+ \$60
24"	EP(3/N)FA2481(K/N)	\$978	\$1,038	\$1,098	\$1,188	\$1,338	\$1,508	\$1,698	\$1,918	+ \$30	+ \$60
30"	EP(3/N)FA3081(K/N)	\$1,038	\$1,098	\$1,158	\$1,248	\$1,398	\$1,568	\$1,758	\$1,978	+ \$30	+ \$60
36"	EP(3/N)FA3681(K/N)	\$1,256	\$1,376	\$1,496	\$1,686	\$2,016	\$2,386	\$2,796	\$3,256	+ \$30	+ \$60
42"	EP(3/N)FA4281(K/N)	\$1,401	\$1,521	\$1,641	\$1,831	\$2,161	\$2,531	\$2,941	\$3,401	+ \$30	+ \$60
48"	EP(3/N)FA4881(K/N)	\$1,509	\$1,629	\$1,749	\$1,939	\$2,269	\$2,639	\$3,049	\$3,509	+ \$30	+ \$60
60"	EP(3/N)FA6081(K/N)	\$1,618	\$1,738	\$1,858	\$2,048	\$2,378	\$2,748	\$3,158	\$3,618	+ \$30	+ \$60

\$1,535

\$1,595

\$1,704

\$1,785

\$1,845

\$1,954

\$2,065

\$2,125

\$2,234

\$2,385

\$2,445

\$2,554

\$2,775

\$2,835

\$2,944

+ \$30


+ \$60

+ \$60

+ \$60

					UPCHARGE	(NET)			
Guardian® Panel Option					HEIGH	IT			
BULLET RESISTANT PANEL			29"	41"	49"	54"	61"	66"	81"
NIJ Level IIIA compliant		30"	\$263	\$380	\$444	\$488	\$552	\$597	\$733
Protection against handguns	WIDTH	36"	\$315	\$456	\$532	\$586	\$663	\$717	\$880
up to .44 Magnum		42"	\$368	\$532	\$622	\$685	\$774	\$836	\$1,026
· Inconspicuous – looks like a regular panel		48"	\$420	\$608	\$710	\$782	\$883	\$956	\$1,173

NOTE: To specify a Guardian Panel add a "G" to the end of the panels model number.



29" H	29" H		GLASS INSERT			LAMINATE INSERT			PAINT	
W	MODEL#	OF	PG	GL	DG	L1	L2	L3	P2	Р3
12"	EP(3/N)()1229(K/N)	\$841	\$1,023	\$1,131	\$1,324	\$1,083	\$1,191	\$1,300	+ \$30	+ \$60
18"	EP(3/N)()1829(K/N)	\$854	\$1,047	\$1,168	\$1,445	\$1,143	\$1,257	\$1,372	+ \$30	+ \$60
24"	EP(3/N)()2429(K/N)	\$865	\$1,071	\$1,203	\$1,566	\$1,179	\$1,297	\$1,415	+ \$30	+ \$60
30"	EP(3/N)()3029(K/N)	\$889	\$1,107	\$1,252	\$1,686	\$1,216	\$1,338	\$1,459	+ \$30	+ \$60
36"	EP(3/N)()3629(K/N)	\$914	\$1,155	\$1,313	\$1,796	\$1,276	\$1,404	\$1,531	+ \$30	+ \$60
42"	EP(3/N)()4229(K/N)	\$938	\$1,216	\$1,372	\$1,916	\$1,337	\$1,471	\$1,604	+ \$30	+ \$60
48"	EP(3/N)()4829(K/N)	\$962	\$1,288	\$1,445	\$2,049	\$1,409	\$1,550	\$1,691	+ \$30	+ \$60
60"	EP(3/N)()6029(K/N)	\$1,010	\$1,372	\$1,530	\$2,254	\$1,493	\$1,642	\$1,792	+ \$30	+ \$60

41" H

12"	EP(3/N)()1241(K/N)	\$889	\$1,143	\$1,276	\$1,493	\$1,143	\$1,257	\$1,372	+ \$30	+ \$60
18"	EP(3/N)()1841(K/N)	\$902	\$1,168	\$1,300	\$1,602	\$1,264	\$1,390	\$1,517	+ \$30	+ \$60
24"	EP(3/N)()2441(K/N)	\$914	\$1,203	\$1,348	\$1,735	\$1,313	\$1,444	\$1,576	+ \$30	+ \$60
30"	EP(3/N)()3041(K/N)	\$938	\$1,252	\$1,409	\$1,892	\$1,372	\$1,509	\$1,646	+ \$30	+ \$60
36"	EP(3/N)()3641(K/N)	\$962	\$1,313	\$1,469	\$2,013	\$1,433	\$1,576	\$1,720	+ \$30	+ \$60
42"	EP(3/N)()4241(K/N)	\$986	\$1,385	\$1,541	\$2,145	\$1,506	\$1,657	\$1,807	+ \$30	+ \$60
48"	EP(3/N)()4841(K/N)	\$1,010	\$1,469	\$1,638	\$2,363	\$1,602	\$1,762	\$1,922	+ \$30	+ \$60
60"	EP(3/N)()6041(K/N)	\$1,058	\$1,566	\$1,747	\$2,713	\$1,710	\$1,881	\$2,052	+ \$30	+ \$60

49" H

12"	EP(3/N)()1249(K/N)	\$902	\$1,168	\$1,300	\$1,517	\$1,203	\$1,323	\$1,444	+ \$30	+ \$60
18"	EP(3/N)()1849(K/N)	\$914	\$1,203	\$1,337	\$1,638	\$1,300	\$1,430	\$1,560	+ \$30	+ \$60
24"	EP(3/N)()2449(K/N)	\$926	\$1,252	\$1,397	\$1,783	\$1,361	\$1,497	\$1,633	+ \$30	+ \$60
30"	EP(3/N)()3049(K/N)	\$950	\$1,313	\$1,469	\$1,976	\$1,433	\$1,576	\$1,720	+ \$30	+ \$60
36"	EP(3/N)()3649(K/N)	\$974	\$1,385	\$1,541	\$2,169	\$1,506	\$1,657	\$1,807	+ \$30	+ \$60
42"	EP(3/N)()4249(K/N)	\$999	\$1,469	\$1,626	\$2,375	\$1,590	\$1,749	\$1,908	+ \$30	+ \$60
48"	EP(3/N)()4849(K/N)	\$1,023	\$1,566	\$1,723	\$2,592	\$1,686	\$1,855	\$2,023	+ \$30	+ \$60
60"	EP(3/N)()6049(K/N)	\$1,071	\$1,699	\$1,880	\$2,870	\$1,844	\$2,028	\$2,213	+ \$30	+ \$60

54" H

12"	EP(3/N)()1254(K/N)	\$938	\$1,179	\$1,313	\$1,530	\$1,264	\$1,390	\$1,517	+ \$30	+ \$60
18"	EP(3/N)()1854(K/N)	\$950	\$1,227	\$1,361	\$1,662	\$1,324	\$1,456	\$1,589	+ \$30	+ \$60
24"	EP(3/N)()2454(K/N)	\$962	\$1,288	\$1,433	\$1,820	\$1,397	\$1,537	\$1,676	+ \$30	+ \$60
30"	EP(3/N)()3054(K/N)	\$986	\$1,361	\$1,517	\$2,024	\$1,482	\$1,630	\$1,778	+ \$30	+ \$60
36"	EP(3/N)()3654(K/N)	\$1,010	\$1,445	\$1,602	\$2,230	\$1,566	\$1,723	\$1,879	+ \$30	+ \$60
42"	EP(3/N)()4254(K/N)	\$1,034	\$1,541	\$1,699	\$2,448	\$1,662	\$1,828	\$1,994	+ \$30	+ \$60
48"	EP(3/N)()4854(K/N)	\$1,058	\$1,651	\$1,820	\$2,689	\$1,783	\$1,961	\$2,140	+ \$30	+ \$60
60"	EP(3/N)()6054(K/N)	\$1,107	\$1,783	\$1,965	\$2,955	\$1,928	\$2,121	\$2,314	+ \$30	+ \$60

Specify

- 1. Model#
- 2. Insert type
- 3. Insert color
- 4. Paint

NOTE: Power duplexes cannot be installed on 12" W panels. Side mount receptacles available on 24" W panels and wider.

Plexiglass Finishes

CL . . Clear

IC . . . lce

SM..Smoked

TR . . Translucent

Glass Finishes

CL . . Clear

GR . . Grey **SM** . . Smoked

TR . . Translucent

Application Notes

Insert Panels are constructed with a tapered aluminum frame that is mitered in the corners. Insert panels may be ordered with multiple insert options or as an open frame for complete accessibility through the panel.

Assembly

Included

- Panel
- Top cap
- Metal raceway covers

Ordered Separately

- Posts
- Panel connectors
- Electrical components


Top Cap Styles

3 – Beveled

N – Flat







48"

60"

EP(3/N)()4881(K/N)

EP(3/N)()6081(K/N)

61" H			(LASS INSER	Г	LA	MINATE INSE	RT	PAII	NT
W	MODEL#	OF	PG	GL	DG	L1	L2	L3	P2	P3
12"	EP(3/N)()1261(K/N)	\$950	\$1,192	\$1,337	\$1,578	\$1,288	\$1,417	\$1,546	+ \$30	+ \$60
18"	EP(3/N)()1861(K/N)	\$962	\$1,252	\$1,397	\$1,699	\$1,348	\$1,483	\$1,618	+ \$30	+ \$60
24"	EP(3/N)()2461(K/N)	\$974	\$1,324	\$1,482	\$1,880	\$1,433	\$1,576	\$1,720	+ \$30	+ \$60
30"	EP(3/N)()3061(K/N)	\$999	\$1,409	\$1,578	\$2,097	\$1,530	\$1,683	\$1,836	+ \$30	+ \$60
36"	EP(3/N)()3661(K/N)	\$1,023	\$1,506	\$1,675	\$2,314	\$1,626	\$1,789	\$1,951	+ \$30	+ \$60
42"	EP(3/N)()4261(K/N)	\$1,047	\$1,614	\$1,796	\$2,556	\$1,747	\$1,922	\$2,096	+ \$30	+ \$60
48"	EP(3/N)()4861(K/N)	\$1,071	\$1,735	\$1,928	\$2,810	\$1,880	\$2,068	\$2,256	+ \$30	+ \$60
60"	EP(3/N)()6061(K/N)	\$1,131	\$1,868	\$2,073	\$3,208	\$2,024	\$2,226	\$2,429	+ \$30	+ \$60
66" H										
12"	EP(3/N)()1266(K/N)	\$962	\$1,203	\$1,348	\$1,590	\$1,300	\$1,430	\$1,560	+ \$30	+ \$60
18"	EP(3/N)()1866(K/N)	\$974	\$1,276	\$1,421	\$1,747	\$1,372	\$1,509	\$1,646	+ \$30	+ \$60
24"	EP(3/N)()2466(K/N)	\$986	\$1,361	\$1,517	\$1,940	\$1,469	\$1,616	\$1,763	+ \$30	+ \$60
30"	EP(3/N)()3066(K/N)	\$1,010	\$1,457	\$1,626	\$2,169	\$1,578	\$1,736	\$1,894	+ \$30	+ \$60
36"	EP(3/N)()3666(K/N)	\$1,034	\$1,566	\$1,735	\$2,399	\$1,686	\$1,855	\$2,023	+ \$30	+ \$60
42"	EP(3/N)()4266(K/N)	\$1,058	\$1,686	\$1,868	\$2,652	\$1,820	\$2,002	\$2,184	+ \$30	+ \$60
48"	EP(3/N)()4866(K/N)	\$1,083	\$1,820	\$2,013	\$2,918	\$1,965	\$2,162	\$2,358	+ \$30	+ \$60
60"	EP(3/N)()6066(K/N)	\$1,143	\$1,965	\$2,158	\$3,304	\$2,109	\$2,320	\$2,531	+ \$30	+ \$60
81" H										
12"	EP(3/N)()1281(K/N)	\$1,034	\$1,433	\$1,602	\$1,868	\$1,554	\$1,709	\$1,865	+ \$30	+ \$60
18"	EP(3/N)()1881(K/N)	\$1,047	\$1,554	\$1,723	\$2,085	\$1,675	\$1,843	\$2,010	+ \$30	+ \$60
24"	EP(3/N)()2481(K/N)	\$1,058	\$1,675	\$1,844	\$2,327	\$1,796	\$1,976	\$2,155	+ \$30	+ \$60
30"	EP(3/N)()3081(K/N)	\$1,083	\$1,796	\$1,965	\$2,568	\$1,916	\$2,108	\$2,299	+ \$30	+ \$60
36"	EP(3/N)()3681(K/N)	\$1,107	\$1,916	\$2,085	\$2,810	\$2,037	\$2,241	\$2,444	+ \$30	+ \$60
42"	EP(3/N)()4281(K/N)	\$1,131	\$2,037	\$2,206	\$3,051	\$2,158	\$2,374	\$2,590	+ \$30	+ \$60

\$2,351

\$1,155

\$2,182

\$1,240 \$2,363 \$2,532

\$4,041 \$2,483

\$2,303

\$3,317

\$2,533

\$2,731

\$2,764

\$2,980

+ \$30

+ \$30


+ \$60

+ \$60

	Top Cap	Panel Type	w	Н	Raceway
EP Equity Panel	3 Beveled N Flat	OF Open frame DG Designer glass insert GL Glass insert PG Plexiglass insert LM Laminate insert	36	29	K With knockouts N Without knockouts
EP	N	PG	36	29	К

Insert Panels

Perforated Aluminum



29" H	29" H		I	NSERT PAINT		FRAME PAINT	
W	MODEL #	PA	P1	P2	P3	P2	Р3
12"	EP(3/N)PA1229(K/N)	\$962	\$1,012	\$1,022	\$1,032	+ \$30	+ \$60
18"	EP(3/N)PA1829(K/N)	\$974	\$1,034	\$1,054	\$1,074	+ \$30	+ \$60
24"	EP(3/N)PA2429(K/N)	\$999	\$1,059	\$1,089	\$1,119	+ \$30	+ \$60
30"	EP(3/N)PA3029(K/N)	\$1,034	\$1,094	\$1,124	\$1,164	+ \$30	+ \$60
36"	EP(3/N)PA3629(K/N)	\$1,083	\$1,143	\$1,173	\$1,213	+ \$30	+ \$60
42"	EP(3/N)PA4229(K/N)	\$1,131	\$1,201	\$1,241	\$1,281	+ \$30	+ \$60
48"	EP(3/N)PA4829(K/N)	\$1,203	\$1,273	\$1,323	\$1,373	+ \$30	+ \$60
60"	EP(3/N)PA6029(K/N)	\$1,288	\$1,358	\$1,418	\$1,478	+ \$30	+ \$60

41" H

12"	EP(3/N)PA1241(K/N)	\$1,058	\$1,128	\$1,148	\$1,168	+ \$30	+ \$60
12	LF(3/14)FA1241(R/14)	\$1,036	71,120	⊋1,1 1 0	\$1,100	+ 320	+ 300
18"	EP(3/N)PA1841(K/N)	\$1,083	\$1,153	\$1,173	\$1,203	+ \$30	+ \$60
24"	EP(3/N)PA2441(K/N)	\$1,119	\$1,189	\$1,219	\$1,259	+ \$30	+ \$60
30"	EP(3/N)PA3041(K/N)	\$1,168	\$1,238	\$1,278	\$1,328	+ \$30	+ \$60
36"	EP(3/N)PA3641(K/N)	\$1,227	\$1,297	\$1,347	\$1,407	+ \$30	+ \$60
42"	EP(3/N)PA4241(K/N)	\$1,288	\$1,368	\$1,428	\$1,498	+ \$30	+ \$60
48"	EP(3/N)PA4841(K/N)	\$1,372	\$1,452	\$1,532	\$1,602	+ \$30	+ \$60
60"	EP(3/N)PA6041(K/N)	\$1,469	\$1,549	\$1,649	\$1,739	+ \$30	+ \$60

49" H

12"	EP(3/N)PA1249(K/N)	\$1,083	\$1,153	\$1,173	\$1,193	+ \$30	+ \$60
18"	EP(3/N)PA1849(K/N)	\$1,119	\$1,189	\$1,219	\$1,249	+ \$30	+ \$60
24"	EP(3/N)PA2449(K/N)	\$1,168	\$1,238	\$1,288	\$1,328	+ \$30	+ \$60
30"	EP(3/N)PA3049(K/N)	\$1,227	\$1,297	\$1,357	\$1,407	+ \$30	+ \$60
36"	EP(3/N)PA3649(K/N)	\$1,288	\$1,368	\$1,438	\$1,508	+ \$30	+ \$60
42"	EP(3/N)PA4249(K/N)	\$1,372	\$1,452	\$1,532	\$1,622	+ \$30	+ \$60
48"	EP(3/N)PA4849(K/N)	\$1,469	\$1,549	\$1,649	\$1,749	+ \$30	+ \$60
60"	EP(3/N)PA6049(K/N)	\$1,602	\$1,682	\$1,802	\$1,912	+ \$30	+ \$60

54" H

12"	EP(3/N)PA1254(K/N)	\$1,095	\$1,165	\$1,185	\$1,205	+ \$30	+ \$60
18"	EP(3/N)PA1854(K/N)	\$1,143	\$1,213	\$1,243	\$1,273	+ \$30	+ \$60
24"	EP(3/N)PA2454(K/N)	\$1,203	\$1,273	\$1,323	\$1,373	+ \$30	+ \$60
30"	EP(3/N)PA3054(K/N)	\$1,264	\$1,344	\$1,404	\$1,464	+ \$30	+ \$60
36"	EP(3/N)PA3654(K/N)	\$1,348	\$1,428	\$1,508	\$1,588	+ \$30	+ \$60
42"	EP(3/N)PA4254(K/N)	\$1,445	\$1,525	\$1,615	\$1,705	+ \$30	+ \$60
48"	EP(3/N)PA4854(K/N)	\$1,554	\$1,634	\$1,734	\$1,834	+ \$30	+ \$60
60"	EP(3/N)PA6054(K/N)	\$1,686	\$1,766	\$1,896	\$2,026	+ \$30	+ \$60

Specify

- 1. Model#
- 2. Insert paint
- 3. Paint

NOTE: Power duplexes cannot be installed on 12" W panels. Side mount receptacles available on 24" W panels and wider.

Application Notes

Insert Panels are
constructed with a tapered
aluminum frame that is
mitered in the corners.
Insert panels may be
ordered multiple insert
options or as an open frame
for complete accessibility
through the panel.

Assembly

Included

- Panel
- Top cap
- Metal raceway covers

Ordered Separately

- Posts
- Panel connectors
- Electrical components


Top Cap Styles

3 – Beveled

N-Flat







60"

EP(3/N)PA6081(K/N)

		!				······································	
61" H			I	NSERT PAINT	•	FRAME	PAINT
W	MODEL#	PA	P1	P2	P3	P2	P3
12"	EP(3/N)PA1261(K/N)	\$1,107	\$1,177	\$1,197	\$1,227	+ \$30	+ \$60
18"	EP(3/N)PA1861(K/N)	\$1,168	\$1,238	\$1,278	\$1,318	+ \$30	+ \$60
24"	EP(3/N)PA2461(K/N)	\$1,227	\$1,307	\$1,357	\$1,407	+ \$30	+ \$60
30"	EP(3/N)PA3061(K/N)	\$1,313	\$1,393	\$1,453	\$1,523	+ \$30	+ \$60
36"	EP(3/N)PA3661(K/N)	\$1,409	\$1,489	\$1,569	\$1,649	+ \$30	+ \$6
42"	EP(3/N)PA4261(K/N)	\$1,517	\$1,597	\$1,687	\$1,787	+ \$30	+ \$60
48"	EP(3/N)PA4861(K/N)	\$1,638	\$1,718	\$1,818	\$1,938	+ \$30	+ \$60
60"	EP(3/N)PA6061(K/N)	\$2,037	\$2,097	\$2,217	\$2,357	+ \$30	+ \$6
6" H	EP(3/N)PA1266(K/N)	\$1,119	\$1,189	\$1,219	\$1,249	+ \$30	+ \$6
	ED(3/N)DA1266(K/N)	¢1 110	\$1.180	\$1.210	\$1.240	± ¢30	± \$60
18"	EP(3/N)PA1866(K/N)	\$1,192	\$1,262	\$1,302	\$1,352	+ \$30	+ \$6
24"	EP(3/N)PA2466(K/N)	\$1,264	\$1,344	\$1,394	\$1,454	+ \$30	+ \$6
30"	EP(3/N)PA3066(K/N)	\$1,361	\$1,441	\$1,511	\$1,581	+ \$30	+ \$6
36"	EP(3/N)PA3666(K/N)	\$1,469	\$1,549	\$1,639	\$1,729	+ \$30	+ \$6
42"	EP(3/N)PA4266(K/N)	\$1,578	\$1,668	\$1,768	\$1,868	+ \$30	+ \$6
48"	EP(3/N)PA4866(K/N)	\$1,686	\$1,796	\$1,916	\$2,036	+ \$30	+ \$60
60"	EP(3/N)PA6066(K/N)	\$2,061	\$2,231	\$2,361	\$2,511	+ \$30	+ \$6
31" H							
12"	EP(3/N)PA1281(K/N)	\$1,313	\$1,413	\$1,453	\$1,503	+ \$30	+ \$60
18"	EP(3/N)PA1881(K/N)	\$1,433	\$1,533	\$1,593	\$1,673	+ \$30	+ \$6
24"	EP(3/N)PA2481(K/N)	\$1,554	\$1,654	\$1,734	\$1,834	+ \$30	+ \$6
30"	EP(3/N)PA3081(K/N)	\$1,796	\$1,896	\$1,996	\$2,116	+ \$30	+ \$6
36"	EP(3/N)PA3681(K/N)	\$1,916	\$2,016	\$2,136	\$2,276	+ \$30	+ \$60
42"	EP(3/N)PA4281(K/N)	\$1,989	\$2,089	\$2,249	\$2,399	+ \$30	+ \$6
48"	EP(3/N)PA4881(K/N)	\$2,049	\$2,149	\$2,359	\$2,519	+ \$30	+ \$6

\$2,652 \$2,852

\$3,102


\$3,302

+ \$30

+ \$60

	Top Cap	Panel Type	w	Н	Raceway
EP Equity Panel	3 Beveled N Flat	PA Perforated Aluminum	36	29	K With knockouts N Without knockouts
EP	N	PA	36	29	К

Tequity™ Panels



AU !!			
9" H		PAINT	
W	MODEL#	P1 P2	P:
12"	EP(3/N)TQ1229	\$398 \$448	\$473
18"	EP(3/N)TQ1829	\$459 \$509	\$534
24"	EP(3/N)TQ2429	\$519 \$569	\$594
30"	EP(3/N)TQ3029	\$580 \$630	\$655
36"	EP(3/N)TQ3629	\$664 \$714	\$739
42"	EP(3/N)TQ4229	\$712 \$762	\$787
48"	EP(3/N)TQ4829	\$760 \$810	\$835
60"	EP(3/N)TQ6029	\$809 \$859	\$884
12" 18"	EP(3/N)TQ1241 EP(3/N)TQ1841	\$459 \$509 \$519 \$569	\$53 \$50
1" H		*	
18"	EP(3/N)TQ1841	\$519 \$569	\$594
24"	EP(3/N)TQ2441	\$580 \$630	\$65
30"	EP(3/N)TQ3041	\$639 \$689	\$714
36"	EP(3/N)TQ3641	\$725 \$775	\$800
42"	EP(3/N)TQ4241	\$784 \$834	\$859
48"	EP(3/N)TQ4841	\$845 \$895	\$920
60"	EP(3/N)TQ6041	\$905 \$955	\$980
9" H			
12"	EP(3/N)TQ1249	\$531 \$581	\$60
18"	EP(3/N)TQ1849	\$591 \$641	\$666
24"	EP(3/N)TQ2449	\$652 \$702	\$72
30"	EP(3/N)TQ3049	\$712 \$762	\$78
36"	EP(3/N)TQ3649	\$797 \$847	\$87
		:	

54"	Н
1.311	

42"

48"

60"

EP(3/N)TQ4249

EP(3/N)TQ4849

EP(3/N)TQ6049

12"	EP(3/N)TQ1254	\$591	\$641	\$666
18"	EP(3/N)TQ1854	\$652	\$702	\$727
24"	EP(3/N)TQ2454	\$712	\$762	\$787
30"	EP(3/N)TQ3054	\$773	\$823	\$848
36"	EP(3/N)TQ3654	\$869	\$919	\$944
42"	EP(3/N)TQ4254	\$929	\$979	\$1,004
48"	EP(3/N)TQ4854	\$990	\$1,040	\$1,065
60"	EP(3/N)TQ6054	\$1,074	\$1,124	\$1,149

S	-	_	_	٠.	c.	

- 1. Model #
- 2. Paint

Application Notes

Tequity panels are constructed with a 16 gauge welded steel frame.

Worksurface Support w/Tequity Panels

When specifying worksurfaces use panel to worksurface brackets to support each corner.

Assembly

Included • Panel

• Top cap

Ordered Separately

- Posts
- Panel connectors

Top Cap Styles

\$907

\$968

\$1,052

\$932

\$993

\$1,077

\$857

\$918


\$1,002

3 – Beveled





Tequity™ Panels



48"

60"

EP(3/N)TQ4881

EP(3/N)TQ6081

		,	•••••	
61" H			PAINT	
w	MODEL#	P1	P2	P3
12"	EP(3/N)TQ1261	\$652	\$702	\$727
18"	EP(3/N)TQ1861	\$712	\$762	\$787
24"	EP(3/N)TQ2461	\$773	\$823	\$848
30"	EP(3/N)TQ3061	\$833	\$883	\$908
36"	EP(3/N)TQ3661	\$918	\$968	\$993
42"	EP(3/N)TQ4261	\$978	\$1,028	\$1,053
48"	EP(3/N)TQ4861	\$1,038	\$1,088	\$1,113
60"	EP(3/N)TQ6061	\$1,147	\$1,197	\$1,222
66" H				
12"	EP(3/N)TQ1266	\$676	\$726	\$751
18"	EP(3/N)TQ1866	\$736	\$786	\$811
24"	EP(3/N)TQ2466	\$797	\$847	\$872
30"	EP(3/N)TQ3066	\$857	\$907	\$932
36"	EP(3/N)TQ3666	\$953	\$1,003	\$1,028
42"	EP(3/N)TQ4266	\$1,014	\$1,064	\$1,089
48"	EP(3/N)TQ4866	\$1,074	\$1,124	\$1,149
60"	EP(3/N)TQ6066	\$1,183	\$1,233	\$1,258
81" H				
12"	EP(3/N)TQ1281	\$676	\$726	\$751
18"	EP(3/N)TQ1881	\$736	\$786	\$811
24"	EP(3/N)TQ2481	\$797	\$847	\$872
30"	EP(3/N)TQ3081	\$857	\$907	\$932
36"	EP(3/N)TQ3681	\$953	\$1,003	\$1,028
42"	EP(3/N)TQ4281	\$1,014	\$1,064	\$1,089
		,		

\$1,074

\$1,183

\$1,124

\$1,233

\$1,149

\$1,258

	Тор Сар	Panel Type	W	Н
EP Equity Panel	3 Beveled N Flat	TQ Tequity	36	29
EP	N	TQ	36	29


Sliding Doors



49" H			INSER'			MINATE INSE		PAII	
OPENING	ACTUAL OPENING	MODEL#	PG	CR	LM 1	LM 2	LM 3	P2	P3
^{36"} 54" H	34.5"	EDR()3649(L/R)B	\$1,904	\$2,665	\$1,820	\$2,002	\$2,184	+\$30	+ \$60
36"	34.5"	EDR()3654(L/R)B	\$2,000	\$2,906	\$2,024	\$2,226	\$2,429	+ \$30	+ \$60

Specify	Application Notes	Insert Type	Plexiglass Finishes	Corian Finishes
1. Model # 2. Insert type 3. Insert color 4. Paint	Sliding doors can mount on an end or corner post and require a straight, unobstructed panel run of at least 42" for their open position. Left/Right refers to opening direction.	CR Corian PG Plexiglass LM Laminate	CLClear ICIce SMSmoked TRTranslucent LFFrost	Glacier White CR001 Pearl Grey CR002 Corian Clay CR003 Silver Grey CR004 Corian Grey CR001
	NOTE: Sliding doors are only compatible with N (flat) top caps.			Assembly Included Door Hardware

Sliding Doors



34.5"

EDR()3666(L/R)B

61" H			INSER	Г ТҮРЕ	LAI	MINATE INSE	RT	PAII	NT
OPENING	ACTUAL OPENING	MODEL#	PG	CR	LM 1	LM 2	LM 3	P2	P3
36"	34.5"	EDR()3661(L/R)B	\$2,085	\$3,269	\$2,266	\$2,493	\$2,719	+ \$30	+ \$60
66" H									

						For 81" Wide Only
	Insert Type	W	Н	Door Open	Door Handle	Anchor Panel Width
EDR Equity Door	CR Corian	36	61	L Left	B Bar	42
	PG Plexiglass	:	:	R Right		48
	LM Laminate			•	•	60
•			:	•	•	
:				•	•	
EDR	LM	36	61	1	В	42

Post Assemblies



		·········	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	
Stra	ight		PAINT		
Н	MODEL#	P1	P2	P3	
29"	EP(3/N)P29S	\$179	\$187	\$195	
41"	EP(3/N)P41S	\$181	\$189	\$197	
49"	EP(3/N)P49S	\$183	\$191	\$199	
54"	EP(3/N)P54S	\$186	\$194	\$202	
61"	EP(3/N)P61S	\$188	\$196	\$204	
66"	EP(3/N)P66S	\$190	\$198	\$206	
81"	EP(3/N)P81S	\$211	\$219	\$227	



			: · · · · · · · · · · · · · · · · · · ·			
2-wa	ay L		PAINT			
Н	MODEL#	P1	P2	P3		
29"	EP(3/N)P29L	\$179	\$187	\$195		
41"	EP(3/N)P41L	\$181	\$189	\$197		
49"	EP(3/N)P49L	\$184	\$192	\$200		
54"	EP(3/N)P54L	\$189	\$197	\$205		
61"	EP(3/N)P61L	\$198	\$206	\$214		
66"	EP(3/N)P66L	\$207	\$215	\$223		
81"	EP(3/N)P81L	\$223	\$231	\$239		



2-way 120

_ '''	1) 120			
29"	EP3P29120	\$191	\$199	\$207
41"	EP3P41120	\$202	\$210	\$218
49"	EP3P49120	\$206	\$214	\$222
54"	EP3P54120	\$211	\$219	\$227
61"	EP3P61120	\$221	\$229	\$237
66"	EP3P66120	\$229	\$237	\$245
81"	EP3P81120	\$244	\$252	\$260

Specify

- 1. Model #
- 2. Paint

Application Notes

Used to connect panels of the same height.

Bottom glides on post allow for up to 1 ½" of vertical adjustment.

Add "NS" to the end to of the model number to specify without shroud for use with Tequity panels.

Assembly

Included

- Single height postPanel connector
- Appropriate metal shroud

Top Cap Styles

3 – Beveled

N – Flat







		,			
3-way T				PAINT	
Н	MODEL#		P1	P2	P3
29"	EP(3/N)P29T		\$179	\$187	\$195
41"	EP(3/N)P41T		\$181	\$189	\$197
49"	EP(3/N)P49T		\$183	\$191	\$199
54"	EP(3/N)P54T		\$186	\$194	\$202
61"	EP(3/N)P61T		\$189	\$197	\$205
66"	EP(3/N)P66T		\$197	\$205	\$213
81"	EP(3/N)P81T		\$212	\$220	\$228



		· · · · · · · · · · · · · · · · · · ·	••••••••••	• • • • • • • • • • • • • • • • • • • •
4-way X			PAINT	
Н	MODEL#	P1	P2	P3
29"	EP(3/N)P29X	\$179	\$187	\$195
41"	EP(3/N)P41X	\$181	\$189	\$197
49"	EP(3/N)P49X	\$183	\$191	\$199
54"	EP(3/N)P54X	\$186	\$194	\$202
61"	EP(3/N)P61X	\$188	\$196	\$204
66"	EP(3/N)P66X	\$190	\$198	\$206
81"	EP(3/N)P81X	\$206	\$214	\$222



3-way 120

	-,			
29"	EP(3/N)P29Y	\$215	\$225	\$235
41"	EP(3/N)P41Y	\$218	\$228	\$238
49"	EP(3/N)P49Y	\$221	\$231	\$241
54"	EP(3/N)P54Y	\$223	\$233	\$243
61"	EP(3/N)P61Y	\$226	\$236	\$246
66"	EP(3/N)P66Y	\$232	\$242	\$252
81"	EP(3/N)P81Y	\$248	\$258	\$268



Carpet Gripper

DESCRIPTION	MODEL#	BLACK ONLY
12 Pack	FP1CG12	\$45

	Тор Сар	Н	Connection Type	Options Shroud
EP Equity Panel	3 Beveled P N Flat	Post 29	120 2-way 120 E End w/post L 2-way L T 3-way T S Straight X 4-way Y 3-way 120	NS No Shroud (Tequity Only)
EP	N P	29	S	



		······	••••••	
End w/Post			PAINT	
Н	MODEL#	P1	P2	P3
29"	EP(3/N)P29E	\$191	\$199	\$207
41"	EP(3/N)P41E	\$197	\$205	\$213
49"	EP(3/N)P49E	\$203	\$211	\$219
54"	EP(3/N)P54E	\$206	\$214	\$222
61"	EP(3/N)P61E	\$217	\$225	\$233
66"	EP(3/N)P66E	\$224	\$232	\$240
81"	EP(3/N)P81E	\$239	\$247	\$255

End w/Post

Specify

- 1. Model#
- 2. Paint

Application Notes

Used to finish a panel end that is not being connected to another panel.

Add "NS" to the end to of the model number to specify without shroud for use with Tequity panels.

Assembly

Included

- Single height post
- Panel connector
- Appropriate metal shroud

Top Cap Styles

3 – Beveled







Wall Starter/Wall Mounted Channel

					•••••		
Panel \	Wall St	arter		PAINT			
W	D	Н	H (Actual)	MODEL#	P1	P2	Р3
1 1/2"	1/2"	29"	23"	EP(3/N)PWS29	\$53	\$54	\$57
1 1/2"	1/2"	41"	35"	EP(3/N)PWS41	\$53	\$54	\$57
1 1/2"	1/2"	49"	43"	EP(3/N)PWS49	\$58	\$60	\$65
1 ½"	1/2"	54"	49"	EP(3/N)PWS54	\$60	\$65	\$70
1 1/2"	1/2"	61"	55"	EP(3/N)PWS61	\$60	\$65	\$70
1 1/2"	1/2"	66"	60"	EP(3/N)PWS66	\$62	\$67	\$74
1 1/2"	1/2"	81"	75"	EP(3/N)PWS81	\$70	\$75	\$82

Wall Mounted Channel

Ī	2 %"	3/4"	29"	23"	EP3WMC29	\$134	\$139	\$146
	2 %"	3/4"	41"	35"	EP3WMC41	\$134	\$139	\$146
	2 %"	3/4"	49"	43"	EP3WMC49	\$138	\$145	\$153
	2 1/8"	3/4"	54"	49"	EP3WMC54	\$140	\$147	\$155
	2 %"	3/4"	61"	55"	EP3WMC61	\$156	\$162	\$173
	2 %"	3/4"	66"	60"	EP3WMC66	\$160	\$173	\$178
	2 %"	3/4"	81"	75"	EP3WMC81	\$195	\$202	\$213
	2 %"	3/4"	120"	120"	EP3WMC120	\$300	\$315	\$331

Panel Wall Starter

Specify

- 1. Model #
- 2. Paint

Application Notes

Used to start a run of panels by fastening to an existing wall and attaching a connector assembly to it. Creates 1¼" space from face of wall to centerline of post. Constructed of steel.

NOTE: Neutral Posture assumes no responsibility for wall construction or performance of fasteners used.

Wall Mounted Channel

Specify

- 1. Model #
- 2. Paint

Application Notes

Allows hanging of all components and accessories on reinforced building walls.

NOTE: Neutral Posture assumes no responsibility for wall construction or performance of fasteners used.

Assembly

Included

- Panel top & bottom hook
- Panel connector

Not Included

• Fasteners to attach to wall

Ordered Separately

- Post
- Shrouds

Top Cap Styles

3 – Beveled



N – Flat

Assembly

Included

• Extruded aluminum channel

Posts Multi-height

Single He	eight		PAINT			
Н	MODEL#	P1	P2	Р3		
29"	EP3P29	\$111	\$114	\$117		
41"	EP3P41	\$113	\$116	\$119		
49"	EP3P49	\$116	\$119	\$122		
54"	EP3P54	\$119	\$122	\$125		
61"	EP3P61	\$126	\$129	\$132		
66"	EP3P66	\$129	\$132	\$135		
81"	EP3P81	\$141	\$144	\$147		

Dual	Height

Dual Heig				
29"/41"	EP3DP2941	\$187	\$198	\$209
29"/49"	EP3DP2949	\$198	\$209	\$220
29"/54"	EP3DP2954	\$198	\$209	\$220
29"/61"	EP3DP2961	\$211	\$222	\$233
29"/66"	EP3DP2966	\$211	\$222	\$233
29"/81"	EP3DP2981	\$235	\$246	\$257
41"/49"	EP3DP4149	\$198	\$209	\$220
41"/54"	EP3DP4154	\$198	\$209	\$220
41"/61"	EP3DP4161	\$211	\$222	\$233
41"/66"	EP3DP4166	\$211	\$222	\$233
41"/81"	EP3DP4181	\$235	\$246	\$257
49"/54"	EP3DP4954	\$198	\$209	\$220
49"/61"	EP3DP4961	\$211	\$222	\$233
49"/66"	EP3DP4966	\$211	\$222	\$233
49"/81"	EP3DP4981	\$235	\$246	\$257
54"/61"	EP3DP5461	\$211	\$222	\$233
54"/66"	EP3DP5466	\$211	\$222	\$233
54"/81"	EP3DP5481	\$235	\$246	\$257
61"/66"	EP3DP6166	\$211	\$222	\$233
61"/81"	EP3DP6181	\$235	\$246	\$257
66"/81"	EP3DP6681	\$235	\$246	\$257

		············		
Triple Height		PAINT		
Н	MODEL#	P1	P2	P3
29"/41"/49"	EP3TP294149	\$235	\$246	\$257
29"/41"/54"	EP3TP294154	\$235	\$246	\$257
29"/41"/61"	EP3TP294161	\$242	\$253	\$264
29"/41"/66"	EP3TP294166	\$242	\$253	\$264
29"/41"/81"	EP3TP294181	\$277	\$288	\$299
29"/49"/54"	EP3TP294954	\$235	\$246	\$257
29"/49"/61"	EP3TP294961	\$242	\$253	\$264
29"/49"/66"	EP3TP294966	\$242	\$253	\$264
29"/49"/81"	EP3TP294981	\$277	\$288	\$299
29"/54"/61"	EP3TP295461	\$242	\$253	\$264
29"/54"/66"	EP3TP295466	\$242	\$253	\$264
29"/54"/81"	EP3TP295481	\$277	\$288	\$299
29"/61"/66"	EP3TP296166	\$242	\$253	\$264
29"/61"/81"	EP3TP296181	\$277	\$288	\$299
41"/49"/54"	EP3TP414954	\$235	\$246	\$257
41"/49"/61"	EP3TP414961	\$242	\$253	\$264
41"/49"/66"	EP3TP414966	\$242	\$253	\$264
41"/49"/81"	EP3TP414981	\$277	\$288	\$299
41"/54"/61"	EP3TP415461	\$242	\$253	\$264
41"/54"/66"	EP3TP415466	\$242	\$253	\$264
41"/54"/81"	EP3TP415481	\$277	\$288	\$299
41"/61"/66"	EP3TP416166	\$242	\$253	\$264
41"/61"/81"	EP3TP416181	\$277	\$288	\$299
49"/54"/61"	EP3TP495461	\$242	\$253	\$264
49"/54"/66"	EP3TP495466	\$242	\$253	\$264
49"/54"/81"	EP3TP495481	\$277	\$288	\$299
49"/61"/66"	EP3TP496166	\$242	\$253	\$264
49"/61"/81"	EP3TP496181	\$277	\$288	\$299
54"/61"/66"	EP3TP546166	\$242	\$253	\$264
54"/61"/81"	EP3TP546181	\$277	\$288	\$299

Specify

- 1. Model#
- 2. Paint

Application Notes

Bottom glides on post allow for up to 1 ½" of vertical adjustment.

Specify one multi-height panel connector (EP3PCMF) for each low panel when using either a dual or triple height post in a multi-height connection.

Dual Height Posts

Used where 2 monolithic panels of 2 different heights intersect.

Triple Height PostsUsed where 3 monolithic panels of 3 different heights intersect.

Assembly

Included

• Muti-height post

Ordered Separately

- Panel connectors
- Metal shrouds

Connectors/Shrouds

		· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	
Connectors			PAINT	
DESCRIPTION	MODEL#	P1	P2	Р3
Straight	EP(3/N)PCS	\$44	\$47	\$50
2-way L	EP(3/N)PCL	\$44	\$47	\$50
2-way 120	EP(3/N)PC120	\$44	\$47	\$50
2-way adjustable angle	EPNPCA	\$57	\$60	\$63
3-way T	EP(3/N)PCT	\$57	\$60	\$63
3-way Y 120	EP(3/N)PCY	\$57	\$60	\$63
4-way X	EP(3/N)PCX	\$57	\$60	\$63
End	EP(3/N)PCEP	\$44	\$47	\$50
Multi-height filler	EP(3/N)PCMF	\$44	\$47	\$50
Trim filler	EPNPCT	\$44	\$47	\$50



Straight 2-way



2-way Adjustable angle



3-way T





4-way X

3-way Y 120





Multi-height filler

Trim filler

Metal Shrouds							
DESCRIPTION	MODEL#	P1	P2	Р3			
Straight	EP3SS	\$33	\$36	\$40			
L outside	EP3SL	\$44	\$47	\$51			
120 outside	EP3SO120	\$44	\$47	\$51			
120 inside	EP3SI120	\$44	\$47	\$51			
End	EP3SEP	\$57	\$60	\$64			







Straight

L outside


120 outside





Specify

- 1. Model#
- 2. Paint



COMPONENTS

Equity stack-on panels provide the flexibility to increase the overall height of any standard Equity panel.

The stack-on panel is available in all standard Equity widths and a variety of heights in both slotted and slotless versions.

STACK-ON PANELS W/ SLOTS

Stack-on panels with slots provide the capability to hang standard Equity components such as shelves and overheads as long as the weight load does not exceed 3lbs. per linear inch.

STACK-ON PANELS W/O SLOTS

Stack-on panels without slots do not allow for hanging components, but do provide a cleaner aesthetic when specifying window applications.

Up to two (2) load bearing stackon panels may be stacked on top of a standard Equity panel as long as the total height above the base panels is no taller than 40" and neither individual stackon panel is taller than 20".

Stack-on panel width must match the width of the panel it is stacking on.

Stack-on panel connectors must be used between adjacent stack-on panels.


STACK-ON PANEL CONNECTORS

STANDARD STACK-ON POST

Standard stack-on post bottom uses a conical shaped bolt that connects it to the full height post directly beneath it. Panel connectors for the top of the stack-on post must be ordered separately to match the geometry of the stack-on panels.


EXTENDED STACK-ON POST

Extended stack-on post bottom uses a double-threaded round connector to attach to the full-height post directly beneath it. Multi-height panel connectors (EPNPCMF) must be used on either side of this connector to provide a smooth transition for full-height post covers. Standard panel connectors are used along the top of the stack-on panels.




SPECIFYING STACK-ON CONFIGURATIONS

All connectors between the base panel and stack-on panel MUST have flat (N) profile.



Stack-On Configurations Using Standard Stack-on Posts










BEVELED TOP CAP





























Stack-On Configurations Using Standard Stack-on Posts








BEVELED TOP CAP


FLAT TOP CAP















Fabric with Slots



12"	H				FABR	c				PAINT	
W	MODEL#	A	В	C	D	E	F	G	Н	P2	Р3
12"	EP1SF1212	\$483	\$503	\$533	\$573	\$613	\$658	\$708	\$763	+ \$25	+ \$49
18"	EP1SF1812	\$507	\$527	\$557	\$597	\$637	\$682	\$732	\$787	+ \$25	+ \$49
24"	EP1SF2412	\$531	\$551	\$581	\$621	\$661	\$706	\$756	\$811	+ \$25	+ \$49
30"	EP1SF3012	\$555	\$575	\$605	\$645	\$685	\$730	\$780	\$835	+ \$25	+ \$49
36"	EP1SF3612	\$580	\$610	\$650	\$700	\$770	\$850	\$940	\$1,050	+ \$25	+ \$49
42"	EP1SF4212	\$604	\$634	\$674	\$724	\$794	\$874	\$964	\$1,074	+ \$25	+ \$49
48"	EP1SF4812	\$628	\$658	\$698	\$748	\$818	\$898	\$988	\$1,098	+ \$25	+ \$49
60"	EP1SF6012	\$652	\$682	\$722	\$772	\$842	\$922	\$1,012	\$1,122	+ \$25	+ \$49

13"	Н										
12"	EP1SF1213	\$507	\$527	\$557	\$597	\$637	\$682	\$732	\$787	+ \$25	+ \$49
18"	EP1SF1813	\$531	\$551	\$581	\$621	\$661	\$706	\$756	\$811	+ \$25	+ \$49
24"	EP1SF2413	\$555	\$575	\$605	\$645	\$685	\$730	\$780	\$835	+ \$25	+ \$49
30"	EP1SF3013	\$580	\$620	\$670	\$730	\$800	\$890	\$990	\$1,110	+ \$25	+ \$49
36"	EP1SF3613	\$604	\$644	\$694	\$754	\$824	\$914	\$1,014	\$1,134	+ \$25	+ \$49
42"	EP1SF4213	\$628	\$668	\$718	\$778	\$848	\$938	\$1,038	\$1,158	+ \$25	+ \$49
48"	EP1SF4813	\$652	\$692	\$742	\$802	\$872	\$962	\$1,062	\$1,182	+ \$25	+ \$49
60"	EP1SF6013	\$676	\$716	\$766	\$826	\$896	\$986	\$1,086	\$1,206	+ \$25	+ \$49

15 "	Н										
12"	EP1SF1215	\$531	\$551	\$581	\$621	\$666	\$716	\$771	\$831	+ \$25	+ \$49
18"	EP1SF1815	\$555	\$575	\$605	\$645	\$690	\$740	\$795	\$855	+ \$25	+ \$49
24"	EP1SF2415	\$580	\$600	\$630	\$670	\$715	\$765	\$820	\$880	+ \$25	+ \$49
30"	EP1SF3015	\$604	\$644	\$694	\$754	\$824	\$924	\$1,034	\$1,154	+ \$25	+ \$49
36"	EP1SF3615	\$628	\$668	\$718	\$778	\$848	\$948	\$1,058	\$1,178	+ \$25	+ \$49
42"	EP1SF4215	\$652	\$692	\$742	\$802	\$872	\$972	\$1,082	\$1,202	+ \$25	+ \$49
48"	EP1SF4815	\$676	\$716	\$766	\$826	\$896	\$996	\$1,106	\$1,226	+ \$25	+ \$49
60"	EP1SF6015	\$700	\$740	\$790	\$850	\$920	\$1,020	\$1,130	\$1,250	+ \$25	+ \$49

Specify	Assembly

1. Model

2. Fabric

3. Paint

Included
• Stack-on panel

 Flat (N) top cap attached to the bottom of stack-on panel

Not Included

• Top cap (use top cap from base panel)

Ordered Separately

Stack-on posts


Panel connectors



Top Cap Styles

N – Flat






		,	• • • • • • • • • • • • • • • • • • •								
17"	H				FABR	ıc				PAIN	т
W	MODEL#	А	В	C	D	E	F	G	Н	P2	Р3
12"	EP1SF1217	\$555	\$585	\$625	\$670	\$720	\$775	\$835	\$900	+ \$25	+ \$49
18"	EP1SF1817	\$580	\$610	\$650	\$695	\$745	\$800	\$860	\$925	+ \$25	+ \$49
24"	EP1SF2417	\$604	\$634	\$674	\$719	\$769	\$824	\$884	\$949	+ \$25	+ \$49
30"	EP1SF3017	\$628	\$678	\$738	\$808	\$898	\$1,008	\$1,128	\$1,258	+ \$25	+ \$49
36"	EP1SF3617	\$652	\$702	\$762	\$832	\$922	\$1,032	\$1,152	\$1,282	+ \$25	+ \$49
42"	EP1SF4217	\$676	\$726	\$786	\$856	\$946	\$1,056	\$1,176	\$1,306	+ \$25	+ \$49
48"	EP1SF4817	\$700	\$750	\$810	\$880	\$970	\$1,080	\$1,200	\$1,330	+ \$25	+ \$49
60"	EP1SF6017	\$725	\$775	\$835	\$905	\$995	\$1,105	\$1,225	\$1,355	+ \$25	+ \$49

20" H

12"	EP1SF1220	\$580	\$610	\$650	\$695	\$745	\$800	\$860	\$930	+ \$25	+ \$49
18"	EP1SF1820	\$604	\$634	\$674	\$719	\$769	\$824	\$884	\$954	+ \$25	+ \$49
24"	EP1SF2420	\$628	\$658	\$698	\$743	\$793	\$848	\$908	\$978	+ \$25	+ \$49
30"	EP1SF3020	\$652	\$702	\$762	\$832	\$932	\$1,062	\$1,202	\$1,352	+ \$25	+ \$49
36"	EP1SF3620	\$676	\$726	\$786	\$856	\$956	\$1,086	\$1,226	\$1,376	+ \$25	+ \$49
42"	EP1SF4220	\$700	\$750	\$810	\$880	\$980	\$1,110	\$1,250	\$1,400	+ \$25	+ \$49
48"	EP1SF4820	\$736	\$786	\$846	\$916	\$1,016	\$1,146	\$1,286	\$1,436	+ \$25	+ \$49
60"	EP1SF6020	\$760	\$810	\$870	\$940	\$1,040	\$1,170	\$1,310	\$1,460	+ \$25	+ \$49

	Insert Type	W	Н
EP1S Stack-on Panel	F Fabric	36	20
EP1S	•	36	20

Fabric without Slots



		,	••••••••••	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·		······································	············	,		
12"	H				FABR	IC				PAIN	IT
W	MODEL#	А	В	C	D	E	F	G	Н	P2	P3
12"	EP1SF1212N	\$483	\$503	\$533	\$573	\$613	\$658	\$708	\$763	+ \$25	+ \$49
18"	EP1SF1812N	\$507	\$527	\$557	\$597	\$637	\$682	\$732	\$787	+ \$25	+ \$49
24"	EP1SF2412N	\$531	\$551	\$581	\$621	\$661	\$706	\$756	\$811	+ \$25	+ \$49
30"	EP1SF3012N	\$555	\$575	\$605	\$645	\$685	\$730	\$780	\$835	+ \$25	+ \$49
36"	EP1SF3612N	\$580	\$610	\$650	\$700	\$770	\$850	\$940	\$1,050	+ \$25	+ \$49
42"	EP1SF4212N	\$604	\$634	\$674	\$724	\$794	\$874	\$964	\$1,074	+ \$25	+ \$49
48"	EP1SF4812N	\$628	\$658	\$698	\$748	\$818	\$898	\$988	\$1,098	+ \$25	+ \$49
60"	EP1SF6012N	\$652	\$682	\$722	\$772	\$842	\$922	\$1,012	\$1,122	+ \$25	+ \$49
13"	Н										
12"	EP1SF1213N	\$507	\$527	\$557	\$597	\$637	\$682	\$732	\$787	+ \$25	+ \$49
18"	EP1SF1813N	\$531	\$551	\$581	\$621	\$661	\$706	\$756	\$811	+ \$25	+ \$49
24"	EP1SF2413N	\$555	\$575	\$605	\$645	\$685	\$730	\$780	\$835	+ \$25	+ \$49
30"	EP1SF3013N	\$580	\$620	\$670	\$730	\$800	\$890	\$990	\$1,110	+ \$25	+ \$49
36"	EP1SF3613N	\$604	\$644	\$694	\$754	\$824	\$914	\$1,014	\$1,134	+ \$25	+ \$49
42"	EP1SF4213N	\$628	\$668	\$718	\$778	\$848	\$938	\$1,038	\$1,158	+ \$25	+ \$49
48"	EP1SF4813N	\$652	\$692	\$742	\$802	\$872	\$962	\$1,062	\$1,182	+ \$25	+ \$49
60"	EP1SF6013N	\$676	\$716	\$766	\$826	\$896	\$986	\$1,086	\$1,206	+ \$25	+ \$49
15"	Н										
12"	EP1SF1215N	\$531	\$551	\$581	\$621	\$666	\$716	\$771	\$831	+ \$25	+ \$49
18"	EP1SF1815N	\$555	\$575	\$605	\$645	\$690	\$740	\$795	\$855	+ \$25	+ \$49
24"	EP1SF2415N	\$580	\$600	\$630	\$670	\$715	\$765	\$820	\$880	+ \$25	+ \$49
30"	EP1SF3015N	\$604	\$644	\$694	\$754	\$824	\$924	\$1,034	\$1,154	+ \$25	+ \$49
36"	EP1SF3615N	\$628	\$668	\$718	\$778	\$848	\$948	\$1,058	\$1,178	+ \$25	+ \$49
42"	EP1SF4215N	\$652	\$692	\$742	\$802	\$872	\$972	\$1,082	\$1,202	+ \$25	+ \$49
48"	EP1SF4815N	\$676	\$716	\$766	\$826	\$896	\$996	\$1,106	\$1,226	+ \$25	+ \$49
60"	EP1SF6015N	\$700	\$740	\$790	\$850	\$920	\$1,020	\$1,130	\$1,250	+ \$25	+ \$49
17"	Н										
12"	EP1SF1217N	\$555	\$585	\$625	\$670	\$720	\$775	\$835	\$900	+ \$25	+ \$49
18"	EP1SF1817N	\$580	\$610	\$650	\$695	\$745	\$800	\$860	\$925	+ \$25	+ \$49
24"	EP1SF2417N	\$604	\$634	\$674	\$719	\$769	\$824	\$884	\$949	+ \$25	+ \$49
30"	EP1SF3017N	\$628	\$678	\$738	\$808	\$898	\$1,008	\$1,128	\$1,258	+ \$25	+ \$49
36"	EP1SF3617N	\$652	\$702	\$762	\$832	\$922	\$1,032	\$1,152	\$1,282	+ \$25	+ \$49
42"	EP1SF4217N	\$676	\$726	\$786	\$856	\$946	\$1,056	\$1,176	\$1,306	+ \$25	+ \$49
48"	EP1SF4817N	\$700	\$750	\$810	\$880	\$970	\$1,080	\$1,200	\$1,330	+ \$25	+ \$49

•	_	_		٠	c
٥	D	е	c	1	ľ

60"

EP1SF6017N

- 1. Model #
- 2. Fabric
- 3. Paint

Assembly

\$725

Included

• Stack-on panel

\$775

\$835

 Flat (N) top cap attached to the bottom of stack-on panel

Not Included

• Top cap (use top cap from base panel)

Ordered Separately

Stack-on posts

\$995

\$1,105

\$1,225

\$905

Panel connectors

Top Cap Styles

\$1,355

3 – Beveled


N – Flat

+ \$25






+ \$49



20"	ш	:	••••••••••	······································		······································	······································	······································			_
					FABI					PAIN	
W	MODEL#	A	В	C	D	E	F	G	Н	P2	P3
12"	EP1SF1220N	\$580	\$610	\$650	\$695	\$745	\$800	\$860	\$930	+ \$25	+ \$49
18"	EP1SF1820N	\$604	\$634	\$674	\$719	\$769	\$824	\$884	\$954	+ \$25	+ \$49
24"	EP1SF2420N	\$628	\$658	\$698	\$743	\$793	\$848	\$908	\$978	+ \$25	+ \$49
30"	EP1SF3020N	\$652	\$702	\$762	\$832	\$932	\$1,062	\$1,202	\$1,352	+ \$25	+ \$49
36"	EP1SF3620N	\$676	\$726	\$786	\$856	\$956	\$1,086	\$1,226	\$1,376	+ \$25	+ \$49
42"	EP1SF4220N	\$700	\$750	\$810	\$880	\$980	\$1,110	\$1,250	\$1,400	+ \$25	+ \$49
48"	EP1SF4820N	\$736	\$786	\$846	\$916	\$1,016	\$1,146	\$1,286	\$1,436	+ \$25	+ \$49
60"	EP1SF6020N	\$760	\$810	\$870	\$940	\$1,040	\$1,170	\$1,310	\$1,460	+ \$25	+ \$49
25"	Н										
12"	EP1SF1225N	\$604	\$634	\$674	\$719	\$779	\$849	\$929	\$1,019	+ \$25	+ \$49
18"	EP1SF1825N	\$628	\$658	\$698	\$743	\$803	\$873	\$953	\$1,043	+ \$25	+ \$49
24"	EP1SF2425N	\$652	\$682	\$722	\$767	\$827	\$897	\$977	\$1,067	+ \$25	+ \$49
30"	EP1SF3025N	\$676	\$726	\$786	\$866	\$996	\$1,146	\$1,306	\$1,476	+ \$25	+ \$49
36"	EP1SF3625N	\$700	\$750	\$810	\$890	\$1,020	\$1,170	\$1,330	\$1,500	+ \$25	+ \$49
42"	EP1SF4225N	\$725	\$775	\$835	\$915	\$1,045	\$1,195	\$1,355	\$1,525	+ \$25	+ \$49
48"	EP1SF4825N	\$760	\$810	\$870	\$950	\$1,080	\$1,230	\$1,390	\$1,560	+ \$25	+ \$49
60"	EP1SF6025N	\$809	\$859	\$919	\$999	\$1,129	\$1,279	\$1,439	\$1,609	+ \$25	+ \$49
32"	Н										
12"	EP1SF1232N	\$628	\$658	\$698	\$743	\$803	\$893	\$993	\$1,103	+ \$25	+ \$49
18"	EP1SF1832N	\$652	\$682	\$722	\$767	\$827	\$917	\$1,017	\$1,127	+ \$25	+ \$49
24"	EP1SF2432N	\$676	\$706	\$746	\$791	\$851	\$941	\$1,041	\$1,151	+ \$25	+ \$49
30"	EP1SF3032N	\$700	\$750	\$810	\$900	\$1,050	\$1,220	\$1,410	\$1,630	+ \$25	+ \$49
36"	EP1SF3632N	\$725	\$775	\$835	\$925	\$1,075	\$1,245	\$1,435	\$1,655	+ \$25	+ \$49
42"	EP1SF4232N	\$749	\$799	\$859	\$949	\$1,099	\$1,269	\$1,459	\$1,679	+ \$25	+ \$49
48"	EP1SF4832N	\$784	\$834	\$894	\$984	\$1,134	\$1,304	\$1,494	\$1,714	+ \$25	+ \$49
60"	EP1SF6032N	\$821	\$871	\$931	\$1,021	\$1,171	\$1,341	\$1,531	\$1,751	+ \$25	+ \$49
37"	Н										
12"	EP1SF1237N	\$652	\$692	\$742	\$802	\$882	\$972	\$1,072	\$1,182	+ \$25	+ \$49
18"	EP1SF1837N	\$676	\$716	\$766	\$826	\$906	\$996	\$1,096	\$1,206	+ \$25	+ \$49
24"	EP1SF2437N	\$700	\$740	\$790	\$850	\$930	\$1,020	\$1,120	\$1,230	+ \$25	+ \$49
30"	EP1SF3037N	\$725	\$795	\$875	\$965	\$1,125	\$1,295	\$1,495	\$1,745	+ \$25	+ \$49
36"	EP1SF3637N	\$749	\$819	\$899	\$989	\$1,149	\$1,319	\$1,519	\$1,769	+ \$25	+ \$49
42"	EP1SF4237N	\$773	\$843	\$923	\$1,013	\$1,173	\$1,343	\$1,543	\$1,793	+ \$25	+ \$49
48"	EP1SF4837N	\$809	\$879	\$959	\$1,049	\$1,209	\$1,379	\$1,579	\$1,829	+ \$25	+ \$49
60"	EP1SF6037N	\$845	\$915	\$995	\$1,085	\$1,245	\$1,415	\$1,615	\$1,865	+ \$25	+ \$49

	Insert Type	W	Н	Slots
EP1S Stack-on panel	F Fabric	36	37	N Without slots
EP1S	F	36		N

Insert with Slots



12" H	12" H		GLASS INSERT			MINATE INSE	PAINT		
W	MODEL#	PG	GL	DG	L1	L2	L3	P2	Р3
12"	EP2S()1212	\$781	\$854	\$1,119	\$817	\$899	\$980	+ \$25	+ \$49
18"	EP2S()1812	\$805	\$889	\$1,155	\$841	\$925	\$1,009	+ \$25	+ \$49
24"	EP2S()2412	\$841	\$944	\$1,210	\$883	\$971	\$1,060	+ \$25	+ \$49
30"	EP2S()3012	\$865	\$980	\$1,269	\$907	\$998	\$1,088	+ \$25	+ \$49
36"	EP2S()3612	\$889	\$1,023	\$1,337	\$938	\$1,032	\$1,126	+ \$25	+ \$49
42"	EP2S()4212	\$914	\$1,058	\$1,397	\$962	\$1,058	\$1,154	+ \$25	+ \$49
48"	EP2S()4812	\$938	\$1,107	\$1,445	\$999	\$1,099	\$1,199	+ \$25	+ \$49
60"	EP2S()6012	\$962	\$1,179	\$1,602	\$1,058	\$1,164	\$1,270	+ \$25	+ \$49

13" H									
12"	EP2S()1213	\$830	\$902	\$1,168	\$865	\$952	\$1,038	+ \$25	+ \$49
18"	EP2S()1813	\$854	\$938	\$1,203	\$889	\$978	\$1,067	+ \$25	+ \$49
24"	EP2S()2413	\$878	\$980	\$1,269	\$920	\$1,012	\$1,104	+ \$25	+ \$49
30"	EP2S()3013	\$902	\$1,016	\$1,330	\$944	\$1,038	\$1,133	+ \$25	+ \$49
36"	EP2S()3613	\$926	\$1,058	\$1,397	\$974	\$1,071	\$1,169	+ \$25	+ \$49
42"	EP2S()4213	\$950	\$1,095	\$1,457	\$999	\$1,099	\$1,199	+ \$25	+ \$49
48"	EP2S()4813	\$974	\$1,143	\$1,554	\$1,034	\$1,137	\$1,241	+ \$25	+ \$49
60"	EP2S()6013	\$986	\$1,203	\$1,686	\$1,083	\$1,191	\$1,300	+ \$25	+ \$49
15"									

15"									
12"	EP2S()1215	\$854	\$926	\$1,192	\$889	\$978	\$1,067	+ \$25	+ \$49
18"	EP2S()1815	\$878	\$962	\$1,227	\$914	\$1,005	\$1,097	+ \$25	+ \$49
24"	EP2S()2415	\$902	\$1,004	\$1,294	\$944	\$1,038	\$1,133	+ \$25	+ \$49
30"	EP2S()3015	\$926	\$1,041	\$1,355	\$968	\$1,065	\$1,162	+ \$25	+ \$49
36"	EP2S()3615	\$950	\$1,083	\$1,421	\$999	\$1,099	\$1,199	+ \$25	+ \$49
42"	EP2S()4215	\$974	\$1,119	\$1,482	\$1,023	\$1,125	\$1,228	+ \$25	+ \$49
48"	EP2S()4815	\$986	\$1,155	\$1,566	\$1,047	\$1,152	\$1,256	+ \$25	+ \$49
60"	EP2S()6015	\$1,010	\$1,227	\$1,710	\$1,107	\$1,218	\$1,328	+ \$25	+ \$49

Spe	cify

- 1. Model#
- 2. Insert type
- 3. Insert color 4. Paint

Plexiglass Finishes

CL ...Clear $\textbf{IC} \dots \mathsf{lce}$

 $\pmb{\mathsf{SM}}..\mathsf{Smoked}$

TR . . Translucent

Glass Finishes

CL ...Clear $\textbf{GR} \dots \mathsf{Grey}$

 $\textbf{SM}..\mathsf{Smoked}$ $\textbf{TR} \, \dots \text{Translucent}$

Assembly

Included • Stack-on panel


• Flat (N) top cap attached to the bottom of stack-on panel

Not Included

• Top cap (use top cap from base panel)

Ordered Separately

- Stack-on posts
- Panel connectors




17" H		G	GLASS INSERT			AINATE INSE	PAINT		
W	MODEL#	PG	GL	DG	L1	L2	L3	P2	Р3
12"	EP2S()1217	\$878	\$950	\$1,216	\$902	\$992	\$1,082	+ \$25	+ \$49
18"	EP2S()1817	\$902	\$986	\$1,276	\$938	\$1,032	\$1,126	+ \$25	+ \$49
24"	EP2S()2417	\$926	\$1,028	\$1,342	\$968	\$1,065	\$1,162	+ \$25	+ \$49
30"	EP2S()3017	\$950	\$1,065	\$1,403	\$992	\$1,091	\$1,189	+ \$25	+ \$49
36"	EP2S()3617	\$974	\$1,107	\$1,469	\$1,023	\$1,125	\$1,228	+ \$25	+ \$49
42"	EP2S()4217	\$986	\$1,131	\$1,541	\$1,034	\$1,137	\$1,241	+ \$25	+ \$49
48"	EP2S()4817	\$1,010	\$1,179	\$1,638	\$1,071	\$1,178	\$1,285	+ \$25	+ \$49
60"	EP2S()6017	\$1,034	\$1,252	\$1,783	\$1,131	\$1,244	\$1,357	+ \$25	+ \$49

20" H									
12"	EP2S()1220	\$902	\$974	\$1,288	\$938	\$1,032	\$1,126	+ \$25	+ \$49
18"	EP2S()1820	\$926	\$1,010	\$1,324	\$962	\$1,058	\$1,154	+ \$25	+ \$49
24"	EP2S()2420	\$950	\$1,052	\$1,390	\$992	\$1,091	\$1,190	+ \$25	+ \$49
30"	EP2S()3020	\$974	\$1,089	\$1,427	\$1,016	\$1,118	\$1,219	+ \$25	+ \$49
36"	EP2S()3620	\$986	\$1,119	\$1,530	\$1,034	\$1,137	\$1,241	+ \$25	+ \$49
42"	EP2S()4220	\$1,010	\$1,155	\$1,614	\$1,058	\$1,164	\$1,270	+ \$25	+ \$49
48"	EP2S()4820	\$1,034	\$1,203	\$1,710	\$1,095	\$1,205	\$1,314	+ \$25	+ \$49
60"	EP2S()6020	\$1.058	\$1,276	\$1,855	\$1,155	\$1,271	\$1,386	+ \$25	+ \$49

	Insert Type	W	Н
EP2S Stack-on panel	DG Designer glass insert GL Glass insert PG Plexiglass insert LM Laminate insert	36 1	5
EP2S	PG	36 1	5

Insert without Slots



12" H	12" H		GLASS INSERT			MINATE INSE	PAINT		
W	MODEL#	PG	GL	DG	L1	L2	L3	P2	Р3
12"	EP2S()1212N	\$781	\$854	\$1,119	\$817	\$899	\$980	+ \$25	+ \$49
18"	EP2S()1812N	\$805	\$889	\$1,155	\$841	\$925	\$1,009	+ \$25	+ \$49
24"	EP2S()2412N	\$841	\$944	\$1,210	\$883	\$971	\$1,060	+ \$25	+ \$49
30"	EP2S()3012N	\$865	\$980	\$1,269	\$907	\$998	\$1,088	+ \$25	+ \$49
36"	EP2S()3612N	\$889	\$1,023	\$1,337	\$938	\$1,032	\$1,126	+ \$25	+ \$49
42"	EP2S()4212N	\$914	\$1,058	\$1,397	\$962	\$1,058	\$1,154	+ \$25	+ \$49
48"	EP2S()4812N	\$938	\$1,107	\$1,445	\$999	\$1,099	\$1,199	+ \$25	+ \$49
60"	EP2S()6012N	\$962	\$1,179	\$1,602	\$1,058	\$1,164	\$1,270	+ \$25	+ \$49

13" H

12"	EP2S()1213N	\$830	\$902	\$1,168	\$865	\$952	\$1,038	+ \$25	+ \$49
18"	EP2S()1813N	\$854	\$938	\$1,203	\$889	\$978	\$1,067	+ \$25	+ \$49
24"	EP2S()2413N	\$878	\$980	\$1,269	\$920	\$1,012	\$1,104	+ \$25	+ \$49
30"	EP2S()3013N	\$902	\$1,016	\$1,330	\$944	\$1,038	\$1,133	+ \$25	+ \$49
36"	EP2S()3613N	\$926	\$1,058	\$1,397	\$974	\$1,071	\$1,169	+ \$25	+ \$49
42"	EP2S()4213N	\$950	\$1,095	\$1,457	\$999	\$1,099	\$1,199	+ \$25	+ \$49
48"	EP2S()4813N	\$974	\$1,143	\$1,554	\$1,034	\$1,137	\$1,241	+ \$25	+ \$49
60"	EP2S()6013N	\$986	\$1,203	\$1,686	\$1,083	\$1,191	\$1,300	+ \$25	+ \$49

15" H

12"	EP2S()1215N	\$854	\$926	\$1,192	\$889	\$978	\$1,067	+ \$25	+ \$49
18"	EP2S()1815N	\$878	\$962	\$1,227	\$914	\$1,005	\$1,097	+ \$25	+ \$49
24"	EP2S()2415N	\$902	\$1,004	\$1,294	\$944	\$1,038	\$1,133	+ \$25	+ \$49
30"	EP2S()3015N	\$926	\$1,041	\$1,355	\$968	\$1,065	\$1,162	+ \$25	+ \$49
36"	EP2S()3615N	\$950	\$1,083	\$1,421	\$999	\$1,099	\$1,199	+ \$25	+ \$49
42"	EP2S()4215N	\$974	\$1,119	\$1,482	\$1,023	\$1,125	\$1,228	+ \$25	+ \$49
48"	EP2S()4815N	\$986	\$1,155	\$1,566	\$1,047	\$1,152	\$1,256	+ \$25	+ \$49
60"	EP2S()6015N	\$1,010	\$1,227	\$1,710	\$1,107	\$1,218	\$1,328	+ \$25	+ \$49

17" H

12"	EP2S()1217N	\$878	\$950	\$1,216	\$902	\$992	\$1,082	+ \$25	+ \$49
18"	EP2S()1817N	\$902	\$986	\$1,276	\$938	\$1,032	\$1,126	+ \$25	+ \$49
24"	EP2S()2417N	\$926	\$1,028	\$1,342	\$968	\$1,065	\$1,162	+ \$25	+ \$49
30"	EP2S()3017N	\$950	\$1,065	\$1,403	\$992	\$1,091	\$1,190	+ \$25	+ \$49
36"	EP2S()3617N	\$974	\$1,107	\$1,469	\$1,023	\$1,125	\$1,228	+ \$25	+ \$49
42"	EP2S()4217N	\$986	\$1,131	\$1,541	\$1,034	\$1,137	\$1,241	+ \$25	+ \$49
48"	EP2S()4817N	\$1,010	\$1,179	\$1,638	\$1,071	\$1,178	\$1,285	+ \$25	+ \$49
60"	EP2S()6017N	\$1,034	\$1,252	\$1,783	\$1,131	\$1,244	\$1,357	+ \$25	+ \$49

Specify

- 1. Model#
- 2. Insert Type
- 3. Insert color
- 4. Paint

Plexiglass Finishes

CL ...Clear $\textbf{IC} \dots \mathsf{lce}$

 $\pmb{\mathsf{SM}}..\mathsf{Smoked}$

TR . . Translucent

Glass Finishes

CL ...Clear $\textbf{GR} \dots \mathsf{Grey}$ $\textbf{SM}..\mathsf{Smoked}$ **TR** . . Translucent

Not Included • Top cap (use top cap from base panel)


Assembly

Included

• Stack-on panel • Flat (N) top cap attached to the bottom of stack-on panel

Ordered Separately Stack-on posts


- Panel connectors



		;·····	;·····			······				
20" H			GLASS INSERT		LAMINATE INSERT			PAINT		
W	MODEL#	PG	GL	DG	L1	L2	L3	P2	P3	
12"	EP2S()1220N	\$902	\$974	\$1,288	\$938	\$1,032	\$1,126	+ \$25	+ \$49	
18"	EP2S()1820N	\$926	\$1,010	\$1,324	\$962	\$1,058	\$1,154	+ \$25	+ \$49	
24"	EP2S()2420N	\$950	\$1,052	\$1,390	\$992	\$1,091	\$1,190	+ \$25	+ \$49	
30"	EP2S()3020N	\$974	\$1,089	\$1,427	\$1,016	\$1,118	\$1,219	+ \$25	+ \$49	
36"	EP2S()3620N	\$986	\$1,119	\$1,530	\$1,034	\$1,137	\$1,241	+ \$25	+ \$49	
42"	EP2S()4220N	\$1,010	\$1,155	\$1,614	\$1,058	\$1,164	\$1,270	+ \$25	+ \$49	
48"	EP2S()4820N	\$1,034	\$1,203	\$1,710	\$1,095	\$1,205	\$1,314	+ \$25	+ \$49	
60"	EP2S()6020N	\$1,058	\$1,276	\$1,855	\$1,155	\$1,271	\$1,386	+ \$25	+ \$49	
25" H										
12"	EP2S()1225N	\$938	\$1,010	\$1,324	\$974	\$1,071	\$1,169	+ \$25	+ \$49	
18"	EP2S()1825N	\$962	\$1,047	\$1,361	\$999	\$1,099	\$1,199	+ \$25	+ \$49	
24"	EP2S()2425N	\$986	\$1,089	\$1,427	\$1,028	\$1,131	\$1,234	+ \$25	+ \$49	
30"	EP2S()3025N	\$1,010	\$1,125	\$1,487	\$1,052	\$1,157	\$1,262	+ \$25	+ \$49	
36"	EP2S()3625N	\$1,034	\$1,168	\$1,578	\$1,083	\$1,191	\$1,300	+ \$25	+ \$49	
42"	EP2S()4225N	\$1,058	\$1,203	\$1,662	\$1,107	\$1,218	\$1,328	+ \$25	+ \$49	
48"	EP2S()4825N	\$1,095	\$1,252	\$1,759	\$1,143	\$1,257	\$1,372	+ \$25	+ \$49	
60"	EP2S()6025N	\$1,131	\$1,324	\$1,952	\$1,203	\$1,323	\$1,444	+ \$25	+ \$49	
32" H										
12"	EP2S()1232N	\$962	\$1,034	\$1,348	\$999	\$1,099	\$1,199	+ \$25	+ \$49	
18"	EP2S()1832N	\$986	\$1,071	\$1,409	\$1,023	\$1,125	\$1,228	+ \$25	+ \$49	
24"	EP2S()2432N	\$1,010	\$1,113	\$1,475	\$1,052	\$1,157	\$1,262	+ \$25	+ \$49	
30"	EP2S()3032N	\$1,034	\$1,149	\$1,583	\$1,076	\$1,184	\$1,291	+ \$25	+ \$49	
36"	EP2S()3632N	\$1,058	\$1,192	\$1,699	\$1,107	\$1,218	\$1,328	+ \$25	+ \$49	
42"	EP2S()4232N	\$1,083	\$1,227	\$1,807	\$1,131	\$1,244	\$1,357	+ \$25	+ \$49	
48"	EP2S()4832N	\$1,119	\$1,288	\$1,916	\$1,179	\$1,297	\$1,415	+ \$25	+ \$49	
60"	EP2S()6032N	\$1,179	\$1,397	\$2,121	\$1,276	\$1,404	\$1,531	+ \$25	+ \$49	
37" H										
12"	EP2S()1237N	\$986	\$1,058	\$1,397	\$1,023	\$1,125	\$1,228	+ \$25	+ \$49	
18"	EP2S()1837N	\$1,010	\$1,107	\$1,469	\$1,058	\$1,164	\$1,270	+ \$25	+ \$49	
24"	EP2S()2437N	\$1,034	\$1,155	\$1,590	\$1,095	\$1,205	\$1,314	+ \$25	+ \$49	
30"	EP2S()3037N	\$1,058	\$1,203	\$1,710	\$1,131	\$1,244	\$1,357	+ \$25	+ \$49	
36"	EP2S()3637N	\$1,083	\$1,252	\$1,831	\$1,168	\$1,285	\$1,402	+ \$25	+ \$49	
42"	EP2S()4237N	\$1,107	\$1,300	\$1,928	\$1,203	\$1,323	\$1,444	+ \$25	+ \$49	
48"	EP2S()4837N	\$1,143	\$1,361	\$2,037	\$1,252	\$1,377	\$1,502	+ \$25	+ \$49	
60"	EP2S()6037N	\$1,203	\$1,445	\$2,290	\$1,324	\$1,456	\$1,589	+ \$25	+ \$49	
00	21 25()005, 14	: 71,203	7 I)TTJ	72,200	71,527	71,750	71,505	1 725	1.7	

	Insert Type	w	н	Slots
EP2S Stack-on panel	DG Designer glass insert GL Glass insert PG Plexiglass insert LM Laminate insert	36	15	N Without Slots
EP2S	PG	36	15	N

Perforated Aluminum Insert with Slots



12" H			I	NSERT PAINT		PAII	NT
W	MODEL#	PA	P1	P2	P3	P2	Р3
12"	EP2SPA1212	\$781	\$831	\$851	\$871	+ \$25	+ \$49
18"	EP2SPA1812	\$805	\$855	\$875	\$895	+ \$25	+ \$49
24"	EP2SPA2412	\$841	\$891	\$911	\$931	+ \$25	+ \$49
30"	EP2SPA3012	\$865	\$925	\$945	\$965	+ \$25	+ \$49
36"	EP2SPA3612	\$889	\$949	\$969	\$989	+ \$25	+ \$49
42"	EP2SPA4212	\$914	\$974	\$994	\$1,014	+ \$25	+ \$49
48"	EP2SPA4812	\$938	\$998	\$1,018	\$1,038	+ \$25	+ \$49
60"	EP2SPA6012	\$962	\$1,042	\$1,072	\$1,102	+ \$25	+ \$49

13" H							
12"	EP2SPA1213	\$83	\$880	\$900	\$920	+ \$25	+ \$49
18"	EP2SPA1813	\$85	\$904	\$924	\$944	+ \$25	+ \$49
24"	EP2SPA2413	\$87	\$938	\$958	\$978	+ \$25	+ \$49
30"	EP2SPA3013	\$90.	\$962	\$982	\$1,002	+ \$25	+ \$49
36"	EP2SPA3613	\$92	\$986	\$1,006	\$1,026	+ \$25	+ \$49
42"	EP2SPA4213	\$95	\$1,010	\$1,030	\$1,050	+ \$25	+ \$49
48"	EP2SPA4813	\$97	\$1,034	\$1,054	\$1,084	+ \$25	+ \$49
60"	EP2SPA6013	\$98	\$1,076	\$1,106	\$1,146	+ \$25	+ \$49

15"							
12"	EP2SPA1215	\$854	\$904	\$924	\$944	+ \$25	+ \$49
18"	EP2SPA1815	\$878	\$928	\$948	\$968	+ \$25	+ \$49
24"	EP2SPA2415	\$902	\$952	\$982	\$1,002	+ \$25	+ \$49
30"	EP2SPA3015	\$926	\$976	\$1,016	\$1,036	+ \$25	+ \$49
36"	EP2SPA3615	\$950	\$1,010	\$1,050	\$1,070	+ \$25	+ \$49
42"	EP2SPA4215	\$974	\$1,034	\$1,084	\$1,104	+ \$25	+ \$49
48"	EP2SPA4815	\$986	\$1,056	\$1,116	\$1,136	+ \$25	+ \$49
60"	EP2SPA6015	\$1,010	\$1,110	\$1,170	\$1,200	+ \$25	+ \$49

_						
	m	•	•	•	h	

- 1. Model#
- 2. Insert color 3. Paint

Assembly

Included

- Stack-on panel
- Flat (N) top cap attached to the bottom of stack-on panel


Not Included

• Top cap (use top cap from base panel)

Ordered Separately

- Stack-on posts
- Panel connectors

Perforated Aluminum Insert with Slots




17" H	17" H		INSERT PAINT			PAINT	
W	MODEL#	PA	P1	P2	P3	P2	P3
12"	EP2SPA1217	\$878	\$928	\$948	\$968	+ \$25	+ \$49
18"	EP2SPA1817	\$902	\$952	\$972	\$992	+ \$25	+ \$49
24"	EP2SPA2417	\$926	\$986	\$1,006	\$1,026	+ \$25	+ \$49
30"	EP2SPA3017	\$950	\$1,010	\$1,040	\$1,060	+ \$25	+ \$49
36"	EP2SPA3617	\$974	\$1,044	\$1,074	\$1,094	+ \$25	+ \$49
42"	EP2SPA4217	\$986	\$1,066	\$1,106	\$1,126	+ \$25	+ \$49
48"	EP2SPA4817	\$1,010	\$1,100	\$1,150	\$1,170	+ \$25	+ \$49
60"	EP2SPA6017	\$1,034	\$1,154	\$1,204	\$1,234	+ \$25	+ \$49

20" H							
12"	EP2SPA1220	\$902	\$952	\$972	\$992	+ \$25	+ \$49
18"	EP2SPA1820	\$926	\$976	\$996	\$1,016	+ \$25	+ \$49
24"	EP2SPA2420	\$950	\$1,000	\$1,030	\$1,050	+ \$25	+ \$49
30"	EP2SPA3020	\$974	\$1,034	\$1,064	\$1,084	+ \$25	+ \$49
36"	EP2SPA3620	\$986	\$1,066	\$1,106	\$1,126	+ \$25	+ \$49
42"	EP2SPA4220	\$1,010	\$1,090	\$1,150	\$1,170	+ \$25	+ \$49
48"	EP2SPA4820	\$1,034	\$1,124	\$1,194	\$1,224	+ \$25	+ \$49
60"	EP2SPA6020	\$1,058	\$1,198	\$1,248	\$1,298	+ \$25	+ \$49

	Insert Type	W	н
EP2S Stack-on panel	PA Perforated Aluminum	36	15
:			
<u>:</u>			
EP2S	PA	36	15

Perforated Aluminum Insert without Slots



12" H			I	NSERT PAINT		PAII	١T
W	MODEL#	PA	P1	P2	P3	P2	Р3
12"	EP2SPA1212N	\$781	\$831	\$851	\$871	+ \$25	+ \$49
18"	EP2SPA1812N	\$805	\$855	\$875	\$895	+ \$25	+ \$49
24"	EP2SPA2412N	\$841	\$891	\$911	\$931	+ \$25	+ \$49
30"	EP2SPA3012N	\$865	\$925	\$945	\$965	+ \$25	+ \$49
36"	EP2SPA3612N	\$889	\$949	\$969	\$989	+ \$25	+ \$49
42"	EP2SPA4212N	\$914	\$974	\$994	\$1,014	+ \$25	+ \$49
48"	EP2SPA4812N	\$938	\$998	\$1,018	\$1,038	+ \$25	+ \$49
60"	EP2SPA6012N	\$962	\$1,042	\$1,072	\$1,102	+ \$25	+ \$49

13" H

12"	EP2SPA1213N	\$830	\$880	\$900	\$920	+ \$25	+ \$49
18"	EP2SPA1813N	\$854	\$904	\$924	\$944	+ \$25	+ \$49
24"	EP2SPA2413N	\$878	\$938	\$958	\$978	+ \$25	+ \$49
30"	EP2SPA3013N	\$902	\$962	\$982	\$1,002	+ \$25	+ \$49
36"	EP2SPA3613N	\$926	\$986	\$1,006	\$1,026	+ \$25	+ \$49
42"	EP2SPA4213N	\$950	\$1,010	\$1,030	\$1,050	+ \$25	+ \$49
48"	EP2SPA4813N	\$974	\$1,034	\$1,054	\$1,084	+ \$25	+ \$49
60"	EP2SPA6013N	\$986	\$1,076	\$1,106	\$1,146	+ \$25	+ \$49

15" H

12"	EP2SPA1215N	\$854	\$904	\$924	\$944	+ \$25	+ \$49
18"	EP2SPA1815N	\$878	\$928	\$948	\$968	+ \$25	+ \$49
24"	EP2SPA2415N	\$902	\$952	\$982	\$1,002	+ \$25	+ \$49
30"	EP2SPA3015N	\$926	\$976	\$1,016	\$1,036	+ \$25	+ \$49
36"	EP2SPA3615N	\$950	\$1,010	\$1,050	\$1,070	+ \$25	+ \$49
42"	EP2SPA4215N	\$974	\$1,034	\$1,084	\$1,104	+ \$25	+ \$49
48"	EP2SPA4815N	\$986	\$1,056	\$1,116	\$1,136	+ \$25	+ \$49
60"	EP2SPA6015N	\$1,010	\$1,110	\$1,170	\$1,200	+ \$25	+ \$49

17" H

12"	EP2SPA1217N	\$878	\$928	\$948	\$968	+ \$25	+ \$49
18"	EP2SPA1817N	\$902	\$952	\$972	\$992	+ \$25	+ \$49
24"	EP2SPA2417N	\$926	\$986	\$1,006	\$1,026	+ \$25	+ \$49
30"	EP2SPA3017N	\$950	\$1,010	\$1,040	\$1,060	+ \$25	+ \$49
36"	EP2SPA3617N	\$974	\$1,044	\$1,074	\$1,094	+ \$25	+ \$49
42"	EP2SPA4217N	\$986	\$1,066	\$1,106	\$1,126	+ \$25	+ \$49
48"	EP2SPA4817N	\$1,010	\$1,100	\$1,150	\$1,170	+ \$25	+ \$49
60"	EP2SPA6017N	\$1,034	\$1,154	\$1,204	\$1,234	+ \$25	+ \$49

Specify

- 1. Model#
- 2. Insert color
- 3. Paint

Assembly

Included

- Stack-on panel
- Flat (N) top cap attached to the bottom of stack-on panel


Not Included

• Top cap (use top cap from base panel)

Ordered Separately

- Stack-on posts
- Panel connectors

Perforated Aluminum Insert without Slots



20" H							
				NSERT PAINT		PAII	4T
W	MODEL#	PA	P1	P2	P3	P2	P3
12"	EP2SPA1220N	\$902	\$952	\$972	\$992	+ \$25	+ \$49
18"	EP2SPA1820N	\$926	\$976	\$996	\$1,016	+ \$25	+ \$49
24"	EP2SPA2420N	\$950	\$1,000	\$1,030	\$1,050	+ \$25	+ \$49
30"	EP2SPA3020N	\$974	\$1,034	\$1,064	\$1,084	+ \$25	+ \$49
36"	EP2SPA3620N	\$986	\$1,066	\$1,106	\$1,126	+ \$25	+ \$49
42"	EP2SPA4220N	\$1,010	\$1,090	\$1,150	\$1,170	+ \$25	+ \$49
48"	EP2SPA4820N	\$1,034	\$1,124	\$1,194	\$1,224	+ \$25	+ \$49
60"	EP2SPA6020N	\$1,058	\$1,198	\$1,248	\$1,298	+ \$25	+ \$49
25" H							
12"	EP2SPA1225N	\$938	\$988	\$1,008	\$1,028	+ \$25	+ \$49
18"	EP2SPA1825N	\$962	\$1,012	\$1,042	\$1,062	+ \$25	+ \$49
24"	EP2SPA2425N	\$986	\$1,046	\$1,076	\$1,096	+ \$25	+ \$49
30"	EP2SPA3025N	\$1,010	\$1,070	\$1,120	\$1,140	+ \$25	+ \$49
36"	EP2SPA3625N	\$1,034	\$1,104	\$1,164	\$1,184	+ \$25	+ \$49
42"	EP2SPA4225N	\$1,058	\$1,138	\$1,208	\$1,228	+ \$25	+ \$49
48"	EP2SPA4825N	\$1,095	\$1,185	\$1,255	\$1,285	+ \$25	+ \$49
60"	EP2SPA6025N	\$1,131	\$1,271	\$1,311	\$1,351	+ \$25	+ \$49
32" H							
12"	EP2SPA1232N	\$962	\$1,012	\$1,032	\$1,052	+ \$25	+ \$49
18"	EP2SPA1832N	\$986	\$1,036	\$1,066	\$1,086	+ \$25	+ \$49
24"	EP2SPA2432N	\$1,010	\$1,070	\$1,100	\$1,120	+ \$25	+ \$49
30"	EP2SPA3032N	\$1,034	\$1,124	\$1,154	\$1,174	+ \$25	+ \$49
36"	EP2SPA3632N	\$1,058	\$1,168	\$1,208	\$1,228	+ \$25	+ \$49
42"	EP2SPA4232N	\$1,083	\$1,203	\$1,263	\$1,283	+ \$25	+ \$49
48"	EP2SPA4832N	\$1,119	\$1,239	\$1,319	\$1,339	+ \$25	+ \$49
60"	EP2SPA6032N	\$1,179	\$1,339	\$1,419	\$1,449	+ \$25	+ \$49
37" H							
12"	EP2SPA1237N	\$986	\$1,036	\$1,056	\$1,076	+ \$25	+ \$49
18"	EP2SPA1837N	\$1,010	\$1,060	\$1,090	\$1,110	+ \$25	+ \$49
24"	EP2SPA2437N	\$1,034	\$1,094	\$1,124	\$1,154	+ \$25	+ \$49
30"	EP2SPA3037N	\$1,058	\$1,158	\$1,188	\$1,218	+ \$25	+ \$49
36"	EP2SPA3637N	\$1,083	\$1,213	\$1,243	\$1,283	+ \$25	+ \$49
42"	EP2SPA4237N	\$1,107	\$1,247	\$1,213	\$1,347	+ \$25	+ \$49
48"	EP2SPA4837N	\$1,143	\$1,293	\$1,353	\$1,413	+ \$25	+ \$49

	Insert Type	W	Н	Slots
EP2S Stack-on panel	PA Perforated Aluminum	36	15	N Without Slots
EP2S	PA	36	15	N

\$1,203 \$1,403

\$1,523

\$1,463

60"

EP2SPA6037N



Standar	d		•••••••••	PAINT	•••••	
Н	MODEL#		P1	P2	P3	
12"	EP1SPC12		\$150	\$155	\$160	
13"	EP1SPC13		\$163	\$168	\$173	
15"	EP1SPC15		\$174	\$179	\$184	
17"	EP1SPC17		\$187	\$192	\$197	
20"	EP1SPC20		\$211	\$221	\$231	
25"	EP1SPC25		\$229	\$239	\$249	
32"	EP1SPC32		\$242	\$252	\$262	
37"	EP1SPC37		\$253	\$263	\$273	
Panel connectors must be ordered separately.						



Extended

12"	EP1SPC12E	\$150	\$155	\$160			
13"	EP1SPC13E	\$163	\$168	\$173			
15"	EP1SPC15E	\$174	\$179	\$184			
17"	EP1SPC17E	\$187	\$192	\$197			
20"	EP1SPC20E	\$211	\$221	\$231			
25"	EP1SPC25E	\$229	\$239	\$249			
32"	EP1SPC32E	\$242	\$252	\$262			
37"	EP1SPC37E	\$253	\$263	\$273			
Panel connectors must be ordered separately.							

Specify

- 1. Model#
- 2. Paint

Application Notes

Stack-on post must be used between adjacent stack-on panels.

Standard Stack-on

Standard stack-on post bottom uses a conical shaped bolt that connects it to the connector directly beneath it. Panel connectors for the top of the stack-on post must be ordered separately to match the geometry of the stack-on panels.

Extended Stack-on

Extended stack-on post bottom uses a double-threaded round connector to attach to the full-height post directly beneath it. Multi-height panel connectors (EPNPCMF) must be used on either side of the bottom of this connector to provide a smooth transition. Standard panel connectors are used along the top of the stack-on panels.



Coat Hook Straight

DESCRIPTION	W	D	Н	MODEL#	BLACK OR MATTE ALUM
5 Pack	1/8"	1 3/8"	2 %"	EP3MMCH (B/P)	\$170



Coat Hook Postless End

5 Pack 1 3%" 3%" 2 3%" EP3MMCHPE (R/L)(B/P)	\$170
--	-------

Specify

1. Model#


2. Paint

Coat Hook

Aluminum coat hook attaches to any exposed Equity vertical slot. There are two versions. The straight version will work on any Equity vertical slot except for those on an inside corner. The postless end version is handed and extends beyond the edge of a panel with a postless end. Hand is determined by which side of the panel the coat hook is installed on while facing the panel.


Available in two colors

Black (B) Matte Aluminum (P)




8" H

W	Н	MODEL#	LIST
12"	8"	EPFLGL1208	\$169
18"	8"	EPFLGL1808	\$229
24"	8"	EPFLGL2408	\$290
30"	8"	EPFLGL3008	\$350
36"	8"	EPFLGL3608	\$411
42"	8"	EPFLGL4208	\$470
48"	8"	EPFLGL4808	\$531
60"	8"	EPFLGL6008	\$591
66"	8"	EPFLGL6608	\$652
72"	8"	EPFLGL7208	\$712



12" H

	•		
W	Н	MODEL#	LIST
12"	12"	EPFLGL1212	\$229
18"	12"	EPFLGL1812	\$301
24"	12"	EPFLGL2412	\$374
30"	12"	EPFLGL3012	\$435
36"	12"	EPFLGL3612	\$495
42"	12"	EPFLGL4212	\$555
48"	12"	EPFLGL4812	\$615
60"	12"	EPFLGL6012	\$676
66"	12"	EPFLGL6612	\$736
72"	12"	EPFLGL7212	\$797



14" H

w	Н	MODEL#	LIST
12"	14"	EPFLGL1214	\$266
18"	14"	EPFLGL1814	\$362
24"	14"	EPFLGL2414	\$459
30"	14"	EPFLGL3014	\$555
36"	14"	EPFLGL3614	\$652
42"	14"	EPFLGL4214	\$749
48"	14"	EPFLGL4814	\$845
60"	14"	EPFLGL6014	\$942
66"	14"	EPFLGL6614	\$1,038
72"	14"	EPFLGL7214	\$1.135

Sp	ecify	,		
_			_	

1. Model #

2. Glass finish

Glass Finishes

CL .. Clear GR .. Grey SM .. Smoked TR .. Translucent

Application Notes

Glass is a single-pane, %" tempered safety glass. Frameless glass can span multiple panels with one piece of glass.

Assembly

Not Included

• Attachment connectors

			Top Cap	Туре	W	Н
:	EP	Equity Panel	FL Frameless	GL Glass	48	12
:			•			
:			•	•		
:			•	•		
:			•	•		
:		:	:	6 1	40	40
:	EP		FL	GL	48	12
•	• • • • • • • • • • • • • • • • • • • •	• •		i	·····	

Frameless Glass

Frameless Connectors			PAINT	
DESCRIPTION	MODEL#	P1	P2	Р3
Straight	EPFLCS	\$72	\$78	\$85
2-way L	EPFLCL	\$78	\$85	\$92
3-way T	EPFLCT	\$78	\$85	\$92
3-way Y 120	EPFLCY	\$78	\$85	\$92
4-way X	EPFLCX	\$78	\$85	\$92
End	EPFLCE	\$72	\$78	\$85







2-way L **EPFLCL**



3-way T **EPFLCT**



3-way Y 120 **EPFLCY**



4-way X **EPFLCX**



End **EPFLCE**

_	
۱n	ecity
7	,

Model #
 Paint

Application Notes

Frameless glass mounts to panels on either end thru connectors that screw into the top of the panel's posts.

Assembly

Included

• Attachment hardware

	тор Сар	iype	VV
EP Equity Panel	FL Frameless	C Connector	S Straight
			L 2-way L
			T 3-way T
			Y 3-way Y
			X 4-way X
			E End
EP	FI	c	ς



Add-d	n Screens			PAINT	
W	Н	MODEL#	P1	P2	P3
12"	15"	EP3AOPG1215	\$727	\$752	\$769
18"	15"	EP3AOPG1815	\$824	\$849	\$866
24"	15"	EP3AOPG2415	\$856	\$881	\$898
30"	15"	EP3AOPG3015	\$904	\$929	\$946
36"	15"	EP3AOPG3615	\$963	\$988	\$1,005
42"	15"	EP3AOPG4215	\$1,068	\$1,093	\$1,110
48"	15"	EP3AOPG4815	\$1,166	\$1,191	\$1,208
60"	15"	EP3AOPG6015	\$1,193	\$1,218	\$1,235

Specify	Plexiglass Finishes	Application Notes				
1. Model # 2. Plexiglass finish 3. Paint	CL Clear IC Ice SM Smoked TR Translucent LF Frost	Add-on screens mount on the slotted standard with two (2) die cast stanchion brackets that are included.	the slotted standard with compatible with flat (N) two (2) die cast stanchion and beveled (3) top caps.			
	LFFIOST	Two add-on screens may not be mounted next to each other on the inside corner of a 90° connection.	Assembly Included • Attachment hardware			



lat R	ail — p	anel mounted			PAINT	
W	Н	MODEL#	MATTE ALUM	P1	P2	P3
12"	6"	SR612	\$145	\$175	\$193	\$210
18"	6"	SR618	\$156	\$186	\$205	\$223
24"	6"	SR624	\$181	\$211	\$232	\$253
30"	6"	SR630	\$193	\$223	\$245	\$268
36"	6"	SR636	\$205	\$235	\$259	\$282
42"	6"	SR642	\$217	\$257	\$283	\$308
48"	6"	SR648	\$242	\$282	\$310	\$338
60"	6"	SR660	\$253	\$303	\$333	\$364

Slat R	ail Ac	cessorie	S				PAINT	
W	Н	D	MODEL#	DESCRIPTION	MATTE ALUM	P1	P2	Р3
12 1/4"	4"	2 ¾"	SRAFLH	File hanger	\$84	\$118	\$130	\$142
13 1/4"	7/8"	9 %"	SRAPAT	Paper tray	\$97	\$131	\$144	\$157
3 1/4"	3 ½"	1 ½"	SRAUPT	Upright tray	\$72	\$106	\$117	\$127
2 ¾"	7/8"	3 %"	SRASMT	Small tray	\$60	\$94	\$103	\$113
7 ¾"	7/8"	3 3/8"	SRAPNH	Pencil holder	\$60	\$94	\$103	\$113



File Hanger **SRAFLH**



Paper Tray **SRAPAT**



Pencil Holder **SRAPNH**



Small Tray SRASMT




Upright Tray **SRAUPT**

Specify

- 1. Model#
- 2. Paint

Electrical

"E" Series electrical systems consist of a 4-circuit and a 6-circuit system. Each circuit in the systems provides a maximum of 20 amps. The four circuit system has eight wires; the six-circuit system has ten wires. Both 8- and 10-wire systems contain two 10-gauge "super" neutrals and two ground wires so that sensitive electronic equipment may be easily protected from unwanted electrical interference. "E" Series electrical can be connected to either single phase or threephase building power supplies.




SPECIFICATION CHECKLIST

The following is a general checklist to ensure your order has been specified properly and to expedite entry of your order. It should be reviewed by a licensed electrician to ensure compliance with any local code requirements.

- Base or ceiling infeed modules.
 One for each point of connection to the building power supply.
 Select model desired. Electrical connection to the building power supply must be made by a licensed electrician to ensure proper installation.
- Select panels. Conduit jumpers are used to pass power to electrified panels. These panels do not have factory-installed power wiring, but modular power components are field-installed.
- Shrouds must be used for each panel to panel point to complete the raceway connection.
 Shrouds are included when post assemblies are ordered.
 Shrouds can also be ordered separately when building a multiple height connection.
- 4. Duplex receptacles. Specify the circuit which receptacles are to access: #1, #2, #3 and #4D for 2+2 info eight-wire applications and additionally #5D and #6D for ten wire applications. If connecting to single-phase supply, do not order #2 and #5D receptacles.
- 5. Select and order appropriate conduit jumpers to pass power between panels.
- Conduit Jumpers are for regular panel to panel connections or used to pass power through panels from terminal block to terminal block, which can be located up to 12 feet apart.

Calculate Correct Jumper Length

- Add widths of both panels containing terminal blocks.
- 2) Divide by 2.
- Add width of any nonelectrified panels inbetween. The result is the correct jumper length.



7. Modular wiring components. Internal panel wiring is fully modular and is field-installed into the raceway of panels. When wiring is field-installed the following components must be specified:

A. Terminal blocks

To branch circuits, splice jumpers or locate receptacles. Blocks snap-lock into place and are always located in the center of a panel. Panels have one block location only. Base infeed and ceiling infeed modules are each designed to plug into a terminal block, which must be ordered separately from the infeed.

B. Duplex ReceptaclesAlways specified separately according to circuit access.

C. Side Mount Receptacles

Available for panels 24" and wider. All standard receptacles fit into side mount position on right side of terminal block connector end. Therefore, no circuit number restriction.


SPECIAL CONSIDERATIONS

In addition to the checklist the following points should be remembered when planning a layout utilizing this electrical distribution system.

- "E" Series electrical consists of four or six 20-amp circuits, any of which can be accessed as desired by plugging in a specially numbered receptacle at terminal block locations in panels.
- Electrified panels can be interspersed between nonelectrified panels with the use of extra-length jumpers which pass circuitry to the next electrified panel.
- For isolation, the 2nd ground must be properly and separately grounded to the building by the installing licensed electrician.
- 4. Certain cities or localities carry special codes limiting the use of certain items within this system. Equity products are available which comply with these code requirements. Neutral Posture recommends contacting your local sales representative for clarification and possible restrictions.

Because of our continuous product improvements, these specifications are subject to change without notice. Please consult your sales representative for the latest information prior to ordering.

ELECTRICAL





BASE INFEED MODULE

Modular base-mounted infeed conduits in eight-wire and tenwire versions are provided for connection to building power supplies housed in underfloor outlet boxes, floor mounted (monuments) or wall outlet boxes. Available "unhanded" for ease in introducing power from left or right of infeed location. The cover plates provided by others, for floor monuments, recessed floor boxes or wall boxes are to be punched to receive a half-inch (trade size) knockout hole for installation of the box fitting, which is included on the infeed circuit. The wiring connection is to be made within the box inside the monument or behind the floor or wall flush plate. The 4' 6" conduit can be shortened to meet field conditions by cutting the infeed (loose) end. Base Infeed Module plugs into terminal block at the receptacle location. For New York and San Francisco base infeed, see page 63.

Connecting to the building power source must be performed by a licensed electrician.

CEILING INFEED MODULE

The straight tubular infeed may be shortened (on its bottom end) if it will not fit field conditions. ceiling infeed module is filled with 8- or 10- wire conduit and plugs into terminal block in adjacent panel. Harness length is 19'. Upper tube of module is 6' 7" in length.

RACEWAY PANELS WITH FIELD-INSTALLED COMPONENTRY:

- An independent cableway with capacity for up to ten %" dia. communications cables.
- A terminal block at the center of the panel allows for jumpers to connect panel to panel electrical connections and placement of duplex receptacles.
- Terminal block allows for receptacles in two locations, one on each side of the center of the panel (back to back), into which duplex 15-amp receptacles can be placed. The raceway covers are provided with removable knockouts.
- 4. For increased electric demands a second duplex receptacle per panel side can be added to panels 24" and wider. This receptacle plugs directly into the right side terminal block connector ends. Any standard "E" Series receptacle may be used.
- The faceplates on both sides of the panel are removable without removing receptacles.

The system and all standard components are UL-listed. Because of our continuous product improvements, these specifications are subject to change without notice. Please consult a Neutral Posture sales representative for the latest information prior to ordering.

CABLE CAPACITY

FILL	100%	40%
Cat 5	35	14
Cat 6	28	11

8-WIRE SYSTEM

2 + 2

The 2+2 electrical system consists of four 20 amp, 120 volt, 60-Hertz circuits. These circuits will accommodate 120 volt single phase, 120/240 volt split phase and 120/208 volt three phase power. The system components have a 20 amp capacity. The (NEC) only allows steady loads to 80% of capacity which is equivalent to 16 amps. Each circuit can generally power 8 - 10 duplex convenience outlets that are performing a normal load. However, in heavy load situations, such as computer systems each circuit will power 3 – 5 duplex outlets.


3 + 1


The 3+1 electrical system consists of four 20 amp, 120 volt, 60-Hertz circuits. These circuits will power a 120 volt single phase, a 120/240 volt split and a 120/208 volt three phase power. Each system components have the capacity to power 20 amp. The National Electric Code (NEC) only allows steady loads to 80% of capacity which is equivalent to 16 amps. Each circuit can generally power 8-10 duplex convenience outlets that are performing a normal load. However, in heavy load situations, such as computer systems each circuit will power 3 – 5 duplex outlets. If each work station has two convenience duplex outlets and one protected duplex, the 8-wire (4-circuit) system can supply a cluster of 6 - 10 workstations from each infeed.

10-WIRE SYSTEM

3 + 3

The 3+3 electrical system consists of six 20 amp, 120 volt, 60-Hertz circuits. The circuits will accommodate 120 volt single phase, 120/240 volt split phase and 120/208 volt three phase power. Each system components have the capacity to power 20 amp. The National Electric Code (NEC) only allows steady loads to 80% of capacity which is equivalent to 16 amps. Each circuit can generally power 8 - 10 duplex convenience outlets that are performing a normal load. However, in heavy load situations, such as computer systems each circuit will power 3 - 5 duplex outlets. If each workstation has two convenience duplex outlets and one protected duplex, the 10-wire (6-circuit) system can supply a cluster of 9 – 15 workstations from each infeed.





1 Black HOT 2 Red HOT 4D 3 Blue Pink HOT HOT Ν Ν White/Black White/Red SHARED ISOLATED G G Green/Yellow

COMPATIBILITY

Equity power systems use similar components in all electrical systems. However, all parts are

not functionally interchangeable and should be used based on instructions given.

ElectricalCeiling Infeeds



eili	ng In	feed	S		PAINT	
W	D	Н	MODEL#	P1	P2	P3
4"	1 ½"	120"	EE3CM41M	\$718	\$754	\$792
4"	1 ½"	120"	EE3CM49M	\$718	\$754	\$792
4"	1 ½"	120"	EE3CM54M	\$718	\$754	\$792
4"	1 ½"	120"	EE3CM61M	\$718	\$754	\$792
4"	1 ½"	120"	EE3CM66M	\$718	\$754	\$792
4"	1 ½"	120"	EE3CM81M	\$718	\$754	\$792

Ceiling Infeed Harness

DESCRIPTION	MODEL#	LIST
E-Series 10-wire	EE1CH-10	\$658
E-Series 8-wire	EE1CH-8	\$540

Specify

- 1. Model #
- 2. Paint

Fabric cover modules are not available.

Configurations

8-wire

2 + 2

3 + 1

10-wire

3 + 3

Application Notes

To connect a metal ceiling infeed to a corner or straight connection use an adjustable angle connector or an adjustable angle connector with multiheight connector for a three-way connection.

Ceiling Infeeds

Electrical harnesses not included with modules. Modules are hollow to accommodate power and/ or data cables from source into systems furniture.

With electrical harness installed, infeed holds 28 Cat 6 cables.

No "hang on" capabilities. Module cannot be used for panel support. Powder coated module is 120" long metal extrusion with attachment hooks at proper height to attach to appropriate height post.


Cables/conduit are laid into module by removal of two-piece front 1½" wide vertical access cover which runs the length of the extrusion.

Includes escutcheon plate which is white to integrate with ceiling. Tube is trim colored to match system trim.



Base Infeeds

DESCRIPTION	W	MODEL #	LIST
8-wire (right handed)	54"	EE1BI-8	\$280
8-wire (right handed)	72"	EE1BI72-8	\$346
10-wire (right handed)	54"	EE1BI-10	\$339
10-wire (right handed)	72"	EE1BI72-10	\$411
8-wire (left handed)	54"	EE1BI-8-L	\$280
8-wire (left handed)	72"	EE1BI72-8-L	\$346
10-wire (left handed)	54"	EE1BI-10-L	\$339
10-wire (left handed)	72"	EE1BI72-10-L	\$411




Base Infeeds – New York

10-wire	EE1BI-10N	\$426
8-wire	EE1BI-8N	\$349



Base Infeeds – San Francisco

8-wire (non-handed)	54"	EE1BI-8SF	\$280
8-wire (non-handed)	72"	EE1BI72-8SF	\$346
10-wire (non-handed)	54"	EE1BI-10SF	\$339
10-wire (non-handed)	72"	EE1BI72-10SF	\$411



Jumper End Base Infeeds

10-wire (w/ground)	72"	EE1BIJ-10G	\$472
8-wire (w/ground)	72"	EE1BIJ-8G	\$391
8-wire	72"	EE1BIJ-8	\$359
10-wire	72"	EE1BIJ-10	\$443

Configuration	ıs
8-wire	
2 + 2	
3 + 1	
10-wire	

3 + 3

Base Infeeds

An infeed conduit connects to the wall or floor outlet box of a building's power supply and plugs into a terminal block in panel raceway. Power entry can be from either left or right side of panel. Metal cover conceals the baseboard connection and is reversible for either left or right entry. Can be field-cut to proper lengths. Color is black. A terminal block must be ordered separately.

Jumper End Base Infeeds

Connects by hardwiring to a building's electrical supply in floor or wall box by a licensed electrician. Plugs into one set of terminal connections at end of terminal block. Terminal block must be located in panel adjacent to source. Terminal block is ordered separately.

Base infeed can be field cut by a licensed electrician to necessary length. Conduit is encased in black plastic sealer.

Electrical Components



Terminal Block			/IRE	10-WIRE	
DESCRIPTION	MODEL#	(3+1)	(2+2)	(3+3)	LIST
8-wire	EE1TB8	•	•		\$64
10-wire	EE1TB10			•	\$82



					_
Duplex Receptacle		8-W	/IRE	10-WIRE	
DESCRIPTION	MODEL#	(3+1)	(2+2)	(3+3)	LIST
Circuit #1	EE1R1		•		\$57
Circuit #2	EE1R2		•		\$57
Circuit #3 dedicated for 2+2	EE1R3D		•		\$57
Circuit #3 for 3+1	EE1R3			•	\$57
Circuit #4 dedicated circuit for 3+1, 2+2 or 3+3	EE1R4D				\$57
Circuit #5 dedicated circuit for 3+3	EE1R5D				\$57
Circuit #6 dedicated circuit for 3+3	EE1R6D				\$57



Duplex Receptacle (10 Pack)		8-W	/IRE	10-WIRE	
DESCRIPTION	MODEL#	(3+1)	(2+2)	(3+3)	LIST
Circuit #1	EE1R1 P10		•		\$472
Circuit #2	EE1R2 P10			•	\$472
Circuit #3 dedicated for 2+2	EE1R3D P10				\$472
Circuit #3 for 3+1	EE1R3 P10			•	\$472
Circuit #4 dedicated circuit for 3+1, 2+2 or 3+3	EE1R4D P10			•	\$472
Circuit #5 dedicated circuit for 3+3	EE1R5D P10			•	\$472
Circuit #6 dedicated circuit for 3+3	EE1R6D P10				\$472



Receptacle – Side Mount		8-W	/IRE	10-WIRE	
DESCRIPTION	MODEL#	(3+1)	(2+2)	(3+3)	LIST
10 Pack	FE1SMRB10				\$287

Data Shield			VIRE	10-WIRE	
DESCRIPTION	MODEL#	(3+1)	(2+2)	(3+3)	LIST
Terminal block shield	EE15BR				\$88



Knock-out Replacement Cover

DESCRIPTION	MODEL#	LIST
10 Pack	EE1KC10	\$78

Application Notes

Receptacles are black only.


Terminal Block

A modular eight or ten wire block that snaps into the base location in center of the panel. Used to branch circuits, splice jumpers or locate duplex receptacles back to back.

Side Mount Receptacles

Plugs directly into the right side of terminal block to provide a second duplex receptacle where required.

Any "E" Series receptacle can be used in panels 24" wide and wider. Side mount receptacle bracket (EE1SMRB10) is needed when using a side mount receptacle.



			,	
Jumper			8-WIRE	10-WIRE
LENGTH (NOMINAL)	LENGTH (ACTUAL)	MODEL#		
18"	11 ½"	EE1C18-(8/10)	\$125	\$148
21"	14 ½"	EE1C21-(8/10)	\$129	\$151
24"	17 ½"	EE1C24-(8/10)	\$133	\$155
27"	20 ½"	EE1C27-(8/10)	\$134	\$165
30"	23 ½"	EE1C30-(8/10)	\$138	\$167
33"	26 ½"	EE1C33-(8/10)	\$141	\$174
36"	29 ½"	EE1C36-(8/10)	\$142	\$177
39"	32 ½"	EE1C39-(8/10)	\$149	\$185
42"	35 ½"	EE1C42-(8/10)	\$152	\$190
45"	38 ½"	EE1C45-(8/10)	\$156	\$193
48"	41 ½"	EE1C48-(8/10)	\$162	\$195
51"	44 1/2"	EE1C51-(8/10)	\$167	\$204
54"	47 ½"	EE1C54-(8/10)	\$167	\$204
57"	50 ½"	EE1C57-(8/10)	\$177	\$212
60"	53 ½"	EE1C60-(8/10)	\$180	\$218
63"	56 ½"	EE1C63-(8/10)	\$186	\$221
66"	59 ½"	EE1C66-(8/10)	\$189	\$231
69"	62 ½"	EE1C69-(8/10)	\$189	\$231
72"	65 ½"	EE1C72-(8/10)	\$195	\$238
75"	68 ½"	EE1C75-(8/10)	\$197	\$241
78"	71 ½"	EE1C78-(8/10)	\$200	\$248
81"	74 ½"	EE1C81-(8/10)	\$203	\$249
84"	77 ½"	EE1C84-(8/10)	\$204	\$251
87"	80 ½"	EE1C87-(8/10)	\$213	\$263
90"	83 ½"	EE1C90-(8/10)	\$218	\$266
93"	86 ½"	EE1C93-(8/10)	\$220	\$270
96"	89 ½"	EE1C96-(8/10)	\$228	\$277
99"	92 ½"	EE1C99-(8/10)	\$232	\$280
102"	95 ½"	EE1C102-(8/10)	\$235	\$286
105"	98 ½"	EE1C105-(8/10)	\$238	\$290
108"	101 ½"	EE1C108-(8/10)	\$239	\$292
111"	104 ½"	EE1C111-(8/10)	\$248	\$297
114"	107 ½"	EE1C114-(8/10)	\$253	\$305
120"	113 ½"	EE1C120-(8/10)	\$264	\$319
126"	119 ½"	EE1C126-(8/10)	\$269	\$325
132"	125 ½"	EE1C132-(8/10)	\$273	\$335
144"	137 ½"	EE1C144-(8/10)	\$290	\$353

Configurations

8-wire 2 + 2

2+2 3+1

10-wire

3 + 3


Application Notes

Jumpers transmit power circuits from one panel mounted terminal block to another. Can carry power through panels where no terminal blocks are installed. The length of the jumper corresponds to the distance between the terminal blocks.

Calculate the Correct Length

- Add widths of both panels containing terminal blocks.
- 2. Divide by two.
- 3. Add width of any non-electrified panels in-between.

The result is the correct jumper length.





Terminal Block





Duplex Receptacles

- api	in neceptation	
•	EE1RIIIN	\$66
	EE1RIIN	\$66
	EE1RIN	\$66
	EE1RIVN	\$66



Duplex Receptacles (10 pack)

EE1RIIIN P10	\$502
EE1RIIN P10	\$502
EE1RIN P10	\$502
EE1RIVN P10	\$502



Base Infeeds

NOMINAL LENGTH	MODEL#	LIST
54"	EE1BI-(N3/N4)	\$358
72"	EE1BI72-(N3/N4)	\$379



Base Infeeds – San Francisco

54"	EE1BI-(N3/N4)SF	\$358
72"	EE1BI72-(N3/N4)SF	\$379

Ceiling Infeed Harness

DESCRIPTION	MODEL#	LIST
E-Series 8-wire	EE1CH-N3	\$785
E-Series 10-wire	EE1CH-N4	\$939

Specification Information

8-wire N3

8-wire N3 = 2+1 system (2 hots and 2 neutrals sharing one ground, 1 isolated hot and 1 isolated neutral on an isolated ground)

10-wire N4

10-wire N4 = 2+2 system (2 hots and 2 neutrals sharing one ground, 2 hots and 2 neutrals sharing another ground)

Application Notes


Jumpers

Transmit power circuits from one panel mounted terminal block to another. Can carry power through panels where no terminal blocks are installed. The length of the jumper corresponds to the distance between the terminal blocks.


Calculate the Correct Length

- Add widths of both panels containing terminal blocks.
- 2. Divide by two.
- 3. Add width of any non-electrified panels in-between.

The result is the correct jumper length.



Jumper



NOMINAL LENGTH	MODEL#	LIST
18"	EE1C18-(N3/N4)	\$152
21"	EE1C21-(N3/N4)	\$162
24"	EE1C24-(N3/N4)	\$166
27"	EE1C27-(N3/N4)	\$174
30"	EE1C30-(N3/N4)	\$180
33"	EE1C33-(N3/N4)	\$185
36"	EE1C36-(N3/N4)	\$186
39"	EE1C39-(N3/N4)	\$192
42"	EE1C42-(N3/N4)	\$200
45"	EE1C45-(N3/N4)	\$204
48"	EE1C48-(N3/N4)	\$205
51"	EE1C51-(N3/N4)	\$215
54"	EE1C54-(N3/N4)	\$215
57"	EE1C57-(N3/N4)	\$221
60"	EE1C60-(N3/N4)	\$232
63"	EE1C63-(N3/N4)	\$236
66"	EE1C66-(N3/N4)	\$239
69"	EE1C69-(N3/N4)	\$239
72"	EE1C72-(N3/N4)	\$251
75"	EE1C75-(N3/N4)	\$256
78"	EE1C78-(N3/N4)	\$261
81"	EE1C81-(N3/N4)	\$264
84"	EE1C84-(N3/N4)	\$266
87"	EE1C87-(N3/N4)	\$277
90"	EE1C90-(N3/N4)	\$280
93"	EE1C93-(N3/N4)	\$284
96"	EE1C96-(N3/N4)	\$290
99"	EE1C99-(N3/N4)	\$293
102"	EE1C102-(N3/N4)	\$297
105"	EE1C105-(N3/N4)	\$305
108"	EE1C108-(N3/N4)	\$307
111"	EE1C111-(N3/N4)	\$318
114"	EE1C114-(N3/N4)	\$322
120"	EE1C120-(N3/N4)	\$336
126"	EE1C126-(N3/N4)	\$342
132"	EE1C132-(N3/N4)	\$350
144"	EE1C144-(N3/N4)	\$370

Specification Information

8-wire N3

8-wire N3 = 2+1 system (2 hots and 2 neutrals sharing one ground, 1 isolated hot and 1 isolated neutral on an isolated ground)

10-wire N4

10-wire N4 = 2+2 system (2 hots and 2 neutrals sharing one ground, 2 hots and 2 neutrals sharing another ground)

Application Notes


Jumpers

Transmit power circuits from one panel mounted terminal block to another. Can carry power through panels where no terminal blocks are installed. The length of the jumper corresponds to the distance between the terminal blocks.

Calculate the Correct Length

- 1. Add widths of both panels containing terminal blocks.
- 2. Divide by two.
- 3. Add width of any non-electrified panels in-between.

The result is the correct jumper length.





Charge Spot

DESCRIPTION	MODEL#	LIST
Wireless device charger	AWDC1	\$516
Wireless device charger (4 Pack) w/multi unit power supply	AWDC4	\$1,747



Charge Spot Dongles

Apple Lightning dongle	AWDCSA	\$92
mUSB dongle	AWDCSU	\$92

Charge Spot Replacement Power

Single unit power supply	AWDCRPS1	\$68
Multi unit power supply	AWDCRPS4	\$310



Ashley Duo

DESCRIPTION	W	D	Н	MODEL#	LIST
72" Cord length	5 ½"	3 1/8"	2"	EE4WSAD72	\$437
120" Cord length	5 ½"	3 1/8"	2"	EE4WSAD120	\$448



Ashley Duo Air

In-surface pop-up power	7"	5"	EPUPM72	\$571
In-surface pop-up power	7"	5"	EPUPM120	\$583

Ashley 202







Clamp					
72" cord length	5 ½"	3 1/8"	2"	EE4WSA202CM72	\$410
120" cord length	5 ½"	3 1/8"	2"	EE4WSA202CM120	\$422
Under Worksurface					
72" cord length	5 ½"	3 1/8"	2"	EE4WSA202UW72	\$353
120" cord length	5 ½"	3 1/8"	2"	EE4WSA202UW120	\$364
In Surface					
72" cord length	5 ½"	3 1/8"	2"	EE4WSA202IS72	\$410
120" cord length	5 ½"	3 1/8"	2"	EE4WSA202IS120	\$422

Specify

1. Model#

Specify Ashley Duo

- 2. Model #
- 3. Metal trim finish
- 4. Plastic finish
- 5. For Hardwired add **HW** to end of model number and add **\$85** to list price

Ashley Duo

Specifications

- 2 15A, 120V AC Power Outlets
- 2 2.1A/10.5W USB Charging Ports
- 6' or 10' Cord and Hardwire Options
- Meets USB.org Battery Charging 1.2 Specifications
- Accommodates surfaces
 1" to 1 ¾" thick.

Data Wiring

Data wiring and keystones provided by customer's cabling contractor.

\$882

\$160

Ashley Trio



Clamp					
72" cord length	8"	3 %"	2"	EE4WSATRIOCM72	\$873
120" cord length	8"	3 %"	2"	EE4WSATRIOCM120	\$903



Under Worksurface					
72" cord length	8"	3 %"	2"	EE4WSATRIOUW72	\$783
120" cord length	8"	3 1/8"	2"	EE4WSATRIOUW120	\$813



In Surface					
72" cord length	8 %"	3 %"	2"	EE4WSATRIOIS72	\$837
120" cord length	8 1/8"	3 %"	2"	EE4WSATRIOIS120	\$867

Ashley Quad







Panel Supported					
4 AC outlets, 2 USB, 2 Data	10 %"	3 %"	1 3/4"	EE4PSAQ2D72	\$836
4 AC outlets, 2 USB, 2 Data	10 %"	3 %"	1 3/4"	EE4PSAQ2D120	\$859

EE4ISAQ2D120



Desktop Power

4 AC outlets, 2 USB, 2 Data

108" Cord length	3 ¾"	4 ½"	EE4WSME108	\$189
72" Cord length	3 ¾"	4 1/2"	EE4WSME72	\$213



Desktop Data

2 1/2"

1 3/4"

10 %"

3 %"



Desktop Power & Data

108" Cord length	EE4WSMED108	\$419
72" Cord length	EE4WSMED72	\$457

Specify Ashley

- 1. Model#
- 2. Metal trim finish
- 3. Plastic finish
- 4. For Hardwired add HW to end of model number and add \$85 to list price.

Ashley 202

Specifications

- 2 15A, 120V AC **Power Outlets**
- 2 Data Inserts for HDMI, RJ45, RJ11, VGA or Blank Insert
- 6' or 10' Cord or Hardwire Option
- Accommodates surfaces 1" to 1 3/4" thick.

Ashley Trio

Specifications

- 3- 15A, 120V AC **Power Outlets**
- 2- 2.1A/10.5W USB **Charging Ports**
- 6' or 10' Cord or
- Hardwire Option • 1 Data Insert for HDMI, RJ45 or VGA ports
- 1 Data Port Adapter Kit Comes Standard

Ashley Quad

EE4WSMC

Specifications

- 4 15A, 120V AC **Power Outlets**
- 2- 2.1A/10.5W USB **Charging Ports**
- 2 Data Inserts for HDMI, RJ45, RJ11, VGA or Blank Insert
- 6' or 10' Cord or Hardwire Option

Metal Trim Finishes

MBLK Black **MWHT**.....White MSIL Silver

Plastic Finishes

PBLK......Black **PWHT**......White PSILSilver

Worksurfaces

General Info

Step 1 - Model #

			Options					
Worksurface Type	W	D		Wiring			Extended En	ds
EW1 Rectangle	48	24	G G2	Grommets Scallop	\$25 \$50	E EE	One End Both Ends	\$21 \$42
EW1	48	24	G			Е		

Step 2 - Surface Finish

Step 3 – Edge Finish Laminate **Edge Band** PW-STK Studio Teak EB-STK Studio Teak **PW-STK EB-STK**

FEATURES

DEPTHS 20" 24"

30" 36"

WIDTHS

24" 30" 36" 42" 48" 54" 60" 66" 72" 78" 84" 90" 96" 102" 108" 114" 120"

THICKNESS

1 1/8"

WIRING & CABLING

GROMMET



When a standard grommet is specified it is in a rear, centered location and is available in black only. Corner worksurfaces provide two edge grommets.

SCALLOP



Scalloped grommets feature additional half grommets on either end to provide a full grommet when two tops meet. The half grommet also allows for cord management by itself when it is wrapped by panels and not adjacent to other worksurfaces.

CABLE DROP

3/8" Cable management gap

EDGE DETAIL

STANDARD

3mm ABS

WOODGRAIN

2mm PVC

SURFACE MATERIALS

STANDARD WORKSURFACE

High pressure laminate

CASCADE WORKSURFACE

Thermafoil (available on Cascade edge only)


EDGEBAND

Available matching or contrasting. Upcharge may be applicable.

SUPPORTS

Under worksurface — black powdercoat Countercap supports — paint

WORKSURFACES



Worksurface

General Information

Top surface available in standard laminates. For a complete list of color offering consult the Finishes page (page 14) at the beginning of the price list.

Underside of all 24" deep and deeper rectangular worksurfaces are predrilled for mounting of support bracketry.

The front edge of 30" deep cantilevered surfaces should not be loaded in excess of 180 pounds.

Worksurfaces are designed to provide a 3%" cable management gap between the back edge of the worksurface and wall panel.

D&PTOPS

Equity "D" and "P" tops are actual depth plus 1½" to cover two posts and may not be panel wrapped. This allows an adjustable bar support to support the flat end without being visually obtrusive. Adjacent worksurfaces should be specified so as not to cover a post where a "D" or "P" top may be used.

WORKSURFACE DIMENSIONS

Equity is measured from the center of the posts on each end of the panel. A standard worksurface is dimensioned to fit in a fully panel wrapped configuration. It is therefore 1 ½" narrower than the nominal panel dimension. If you would like the worksurface to extend to cover one post you will need to add an "E" to the worksurface item number. This will add 1½" to the width of the surface. If you would like the worksurface to extend to cover both posts then you will need to add "EE", extending the surface by 3" from the standard. Adjustable height work surfaces, page 88, are 2" narrower than a standard surface to meet anti-pinch point requirements around their perimeter.

E.... Covers 1 post **EE**... Covers 2 posts


24" DEEP STRAIGHTS & 15" TOWERS



When adding a 15" tower to the end of a worksurface you will need to add a "T" to the end of the model number in order to make the worksurface and tower completely flush. This will only be necessary on 24" deep worksurfaces with a width from 48" – 84".


(T) - Available on

W	Н	W (actual)	
48"	24"	43 1/4"	EW14824T
54"	24"	49 1/4"	EW15424T
60"	24"	55 1/4"	EW16024T
66"	24"	61 1/4"	EW16624T
72"	24"	67 1/4"	EW17224T
78"	24"	73 ¼"	EW17824T
84"	24"	79 1/4"	EW18424T



MOUNTING CORNER WORKSURFACES

USING ALL CANTILEVERS



USING 2 CANTILEVERS AND 1 PANEL TO WORKSURFACE BRACKET



Worksurface Support Information


Worksur	face Sizes	Cantilever-C		Adjustable Bar S	upport-S	Supporting Pedestal	Supporting Pedestal
W	D	EB1C20(I	L/R)	EB1SR(S/	L)	24" Deep	30" Deep
24"	20"	200 lbs	2C	200 lbs	25	N/A	N/A
24"	24"	200 lbs	2C	200 lbs	2S	+1 Support	N/A
30"	20"	200 lbs	2C	200 lbs	25	N/A	N/A
30"	24"	200 lbs	2C	200 lbs	2S	+1 Support	N/A
30"	30"	200 lbs	2C	200 lbs	25	_	+1 Support
36"	20"	200 lbs	2C	200 lbs	25	N/A	N/A
36"	24"	200 lbs	2C	200 lbs	25	+1 Support	N/A
36"	30"	200 lbs	2C	200 lbs	25	_	+1 Support
42"	20"	200 lbs	2C	200 lbs	25	N/A	N/A
42"	24"	200 lbs	2C	200 lbs	25	+1 Support	N/A
42"	30"	200 lbs	2C	200 lbs	25	_	+1 Support
48"	20"	216 lbs	2C	216 lbs	2S	N/A	N/A
48"	24"	216 lbs	2C	216 lbs	25	+1 Support	N/A
48"	30"	216 lbs	2C	216 lbs	25	_	+1 Support
54"	20"	243 lbs	3C	243 lbs	2S/1C	N/A	N/A
54"	24"	243 lbs	3C	243 lbs	2S/1C	+2 Support	N/A
54"	30"	243 lbs	3C	243 lbs	2S/1C	_	+2 Support
60"	20"	270 lbs	3C	270 lbs	2S/1C	N/A	N/A
60"	24"	270 lbs	3C	270 lbs	2S/1C	+2 Support	N/A
60"	30"	270 lbs	3C	270 lbs	2S/1C	_	+2 Support
66"	20"	297 lbs	3C	297 lbs	2S/1C	N/A	N/A
66"	24"	297 lbs	3C	297 lbs	2S/1C	+2 Support	N/A
66"	30"	297 lbs	3C	297 lbs	2S/1C		+2 Support
72"	20"	324 lbs	3C	324 lbs	2S/1C	N/A	N/A
72"	24"	324 lbs	3C	324 lbs	2S/1C	+2 Support	N/A
72"	30"	324 lbs	3C	324 lbs	2S/1C	_	+2 Support
78"	20"	351 lbs	3C	351 lbs	2S/1C	N/A	N/A
78"	24"	351 lbs	3C	351 lbs	2S/1C	+2 Support	N/A
84"	20"	378 lbs	3C	378 lbs	2S/1C	N/A	N/A
84"	24"	378 lbs	3C	378 lbs	2S/1C	+2 Support	N/A
84"	30"			378 lbs	2S/1C	_	+2 Support
90"	20"	405 lbs	3C	405 lbs	2S/1C	N/A	N/A
90"	24"	405 lbs	3C	405 lbs	2S/1C	+2 Support	N/A
96"	20"	432 lbs	3C	432 lbs	2S/1C	N/A	N/A
96"	24"	432 lbs	3C	432 lbs	2S/1C	+2 Support	N/A
96"	30"	_		432 lbs	2S/2C	_	+2 Support
108"	20"	486 lbs	4C	486 lbs	2S/2C	N/A	N/A
108"	24"	486 lbs	4C	486 lbs	2S/2C	+3 Support	N/A
108"	30"			486 lbs	2S/2C		+3 Support
120"	20"	540 lbs	4C	540 lbs	2S/2C	N/A	N/A
120"	24"	540 lbs	4C	540 lbs	2S/2C	+3 Support	N/A
120"	30"	_		540 lbs	2S/2C	_	+3 Support

- Support must be installed for every four feet of width. As indicated, 5' worksurfaces require three supports; two panels are required to install the center support.
- The applications shown in the table emphasize the fundamentals of worksurface loading and support.
 As long as these criteria are met, supports can be interchanged.
- Supporting drawer pedestals can replace only one support.
- Depth of stretchered worksurfaces must be equal to or less than side panel widths.
- Stretchered worksurfaces should be used where heavy loading is anticipated.
- Cantilevers cannot be used as primary support for 36" deep surfaces or 30" deep surfaces wider than 72".
- The front edge of 30" deep surfaces should not be loaded in excess of 180 pounds.


Weights listed are the Business Institutional Furniture Manufacturers Association (BIFMA) functional load requirements for panel hung worksurface loading. If loads larger than these listed are anticipated, approval from Neutral Posture is required.

INSTALLATIONS WHICH VIOLATE THESE REQUIREMENTS WILL NOT BE COVERED BY THE NEUTRAL POSTURE WARRANTY.


Worksurface



W3	W6	W13
	W7	T3
3		
W4	W11	T4
W5	W12	T5



				:	:				
20"[Deep				LAMINATE				
W	D	HA AVAILABLE	MODEL#	L1	L2	L3			
24"	20"		EW12420	\$391	\$430	\$469			
30"	20"		EW13020	\$423	\$465	\$507			
36"	20"		EW13620	\$460	\$506	\$552			
42"	20"		EW14220	\$492	\$541	\$590			
48"	20"		EW14820	\$530	\$583	\$636			
54"	20"		EW15420	\$561	\$617	\$673			
60"	20"		EW16020	\$600	\$660	\$720			
66"	20"		EW16620	\$631	\$694	\$757			
72"	20"		EW17220	\$644	\$708	\$772			
78"	20"		EW17820	\$669	\$735	\$802			
84"	20"		EW18420	\$707	\$777	\$848			
90"	20"		EW19020	\$738	\$811	\$885			
96"	20"		EW19620	\$776	\$853	\$931			
102"	20"		EW110220	\$808	\$888	\$969			
108"	20"		EW110820	\$846	\$930	\$1,015			
114"	20"		EW111420	\$878	\$965	\$1,053			
120"	20"		EW112020	\$915	\$1,006	\$1,098			



24" Deep


W	D	HA AVAILABLE	MODEL#	L1	L2	L3
24"	24"		EW12424	\$429	\$471	\$514
30"	24"		EW13024	\$454	\$499	\$544
36"	24"		EW13624	\$480	\$528	\$576
42"	24"	•	EW14224	\$505	\$555	\$606
48"	24"	•	EW14824	\$530	\$583	\$636
54"	24"	•	EW15424	\$568	\$624	\$681
60"	24"	•	EW16024	\$637	\$700	\$764
66"	24"	•	EW16624	\$701	\$771	\$841
72"	24"	•	EW17224	\$713	\$784	\$855
78"	24"		EW17824	\$733	\$806	\$879
84"	24"		EW18424	\$745	\$819	\$894
90"	24"		EW19024	\$758	\$833	\$909
96"	24"		EW19624	\$802	\$882	\$962
102"	24"		EW110224	\$846	\$930	\$1,015
108"	24"		EW110824	\$878	\$965	\$1,053
114"	24"		EW111424	\$915	\$1,006	\$1,098
120"	24"		EW112024	\$947	\$1,041	\$1,136

24" DEEP STRAIGHTS **& 15" TOWERS**




When adding a 15" tower to the end of a worksurface you will need to add a "T" to the end of the model number in order to make the worksurface and tower completely flush. This will only be necessary on 24" deep worksurfaces with a width from 48" – 84".

					Options							
		W	D		Wiring			Extended En	ds		Height Adjustable	
EW1	Rectangle	48	24	G G2	Grommet Scallop	\$30 \$62	E EE	One End Both Ends	\$26 \$52	HA	4 HAT Supports	\$0
EW1		48	24	G			Е			НА		



				· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·				
30"[Deep				LAMINATE				
W	D	HA AVAILABLE	MODEL#	L1	L2	L3			
24"	30"		EW12430	\$492	\$541	\$590			
30"	30"		EW13030	\$530	\$583	\$636			
36"	30"		EW13630	\$561	\$617	\$673			
42"	30"	•	EW14230	\$600	\$660	\$720			
48"	30"	•	EW14830	\$618	\$679	\$741			
54"	30"	•	EW15430	\$719	\$790	\$862			
60"	30"	•	EW16030	\$776	\$853	\$931			
66"	30"	•	EW16630	\$827	\$909	\$992			
72"	30"	•	EW17230	\$871	\$958	\$1,045			
78"	30"		EW17830	\$896	\$985	\$1,075			
84"	30"		EW18430	\$947	\$1,041	\$1,136			
90"	30"		EW19030	\$997	\$1,096	\$1,196			
96"	30"		EW19630	\$1,029	\$1,131	\$1,234			
102"	30"		EW110230	\$1,137	\$1,250	\$1,364			
108"	30"		EW110830	\$1,193	\$1,312	\$1,431			
114"	30"		EW111430	\$1,238	\$1,361	\$1,485			
120"	30"		EW112030	\$1,289	\$1,417	\$1,546			



36" Deep

-	Deck					
W	D	HA AVAILABLE	MODEL#	L1	L2	L3
48"	36"		EW14836	\$859	\$944	\$1,030
54"	36"		EW15436	\$890	\$979	\$1,068
60"	36"		EW16036	\$928	\$1,020	\$1,113
66"	36"		EW16636	\$979	\$1,076	\$1,174
72"	36"		EW17236	\$1,048	\$1,152	\$1,257
78"	36"		EW17836	\$1,105	\$1,215	\$1,326
84"	36"		EW18436	\$1,137	\$1,250	\$1,364
90"	36"		EW19036	\$1,193	\$1,312	\$1,431
96"	36"		EW19636	\$1,263	\$1,389	\$1,515
102"	36"		EW110236	\$1,333	\$1,466	\$1,599
108"	36"		EW110836	\$1,408	\$1,548	\$1,689
114"	36"		EW111436	\$1,484	\$1,632	\$1,780
120"	36"		EW112036	\$1,547	\$1,701	\$1,856

Specify

- 1. Model#
- Options
 Laminate
- 4. Edge band

Grain Direction

Wiring & Cabling G **G2**

Grommet \$30


Scallop \$62

Support Information


All supports must be ordered separately. See page 84 – 85.

Worksurface Loading & Support See page 73.

A center support must be used with a 54" wide or wider worksurface.



Strai	ght	Front		LAMINATE			
A	L	R	MODEL #	L1	L2	L3	
36"	20"	20"	EW1C3620	\$713	\$784	\$855	
36"	24"	24"	EW1C3624	\$713	\$784	\$855	
36"	30"	30"	EW1C3630	\$802	\$882	\$962	
42"	20"	20"	EW1C4220	\$903	\$993	\$1,083	
42"	24"	24"	EW1C4224	\$903	\$993	\$1,083	
42"	30"	30"	EW1C4230	\$979	\$1,076	\$1,174	
48"	20"	20"	EW1C4820	\$1,080	\$1,188	\$1,296	
48"	24"	24"	EW1C4824	\$1,080	\$1,188	\$1,296	
48"	30"	30"	EW1C4830	\$1,099	\$1,208	\$1,318	




Curved Front

	36"	24"	24"	EW1CC3624	\$783	\$861	\$939	
>	42"	24"	24"	EW1CC4224	\$997	\$1,096	\$1,196	
	48"	24"	24"	EW1CC4824	\$1,188	\$1,306	\$1,425	
	60"	24"	24"	EW1CC6024	\$1,326	\$1,458	\$1,591	




Corner with Cutout

48"	24"	24"	EW1C4824K	:	\$1,073	\$1,180	\$1,287



Different Returns

36"	24"	30"	EW1C362430	\$960	\$1,056	\$1,152	
36"	30"	24"	EW1C363024	\$960	\$1,056	\$1,152	
42"	24"	30"	EW1C422430	\$1,080	\$1,188	\$1,296	
42"	30"	24"	EW1C423024	\$1,080	\$1,188	\$1,296	
48"	24"	30"	EW1C482430	\$1,193	\$1,312	\$1,431	
48"	30"	24"	EW1C483024	\$1,193	\$1,312	\$1,431	



Split Corner—all hardware included				LAMINATE		PAINT (CANTILEVERS ONLY)		
A	L	R	MODEL#	L1	L2	L3	P2	P3
36"	24"	24"	EW1SC3624	\$2,381	\$2,619	\$2,857	+ \$18	+ \$37
42"	24"	24"	EW1SC4224	\$2,445	\$2,689	\$2,934	+ \$18	+ \$37
42"	30"	30"	EW1SC4230	\$2,482	\$2,730	\$2,978	+ \$18	+ \$37
48"	24"	24"	EW1SC4824	\$2,583	\$2,841	\$3,099	+ \$18	+ \$37
48"	30"	30"	EW1SC4830	\$2,755	\$3,030	\$3,306	+ \$18	+ \$37

Paint option is for cantilevers only. All other hardware is only available in black.

Specify

- 1. Model#
- 2. Options
- 3. Laminate
- 4. Edge band
- 5. Grain direction

Grain Direction

Insert the desired direction after the laminate finish code.

R – Right

NOTE: Add \$30 to list price for diagonal grain (D).

Wiring & Cabling





Grommet \$30 Scallop

Application Notes


A return panel may not be used next to corner worksurfaces, as they cover both posts for a smooth transition with adjacent rectangular worksurfaces.

Support Information


All supports must be ordered separately. See page 84 – 85.

Worksurface Loading & Support See page 73.

A center support must be used with a 54" wide or wider worksurface.



						:	· · · · · · · · · · · · · · · · · · ·	:
Righ	t Ha	nd					LAMINATE	
L	Α	В	R	HA AVAILABLE	MODEL#	L1	L2	L3
24"	36"	60"	24"		EW1BS3660S(X/L/R/B)	\$1,067	\$1,173	\$1,280
24"	48"	60"	24"	•	EW1BS4860S(X/L/R/B)	\$1,092	\$1,201	\$1,310
24"	48"	66"	24"	•	EW1BS4866S(X/L/R/B)	\$1,124	\$1,236	\$1,348
24"	36"	72"	24"	•	EW1BS3672S(X/L/R/B)	\$1,124	\$1,236	\$1,348
24"	48"	72"	24"	•	EW1BS4872S(X/L/R/B)	\$1,174	\$1,291	\$1,408
24"	48"	60"	30"		EW1BS4860D(X/L/R/B)	\$1,124	\$1,236	\$1,348
24"	48"	66"	30"		EW1BS4866D(X/L/R/B)	\$1,149	\$1,263	\$1,378
24"	48"	72"	30"		EW1BS4872D(X/L/R/B)	\$1,218	\$1,339	\$1,461
30"	48"	60"	24"		EW1BD4860S(X/L/R/B)	\$1,124	\$1,236	\$1,348
30"	48"	66"	24"		EW1BD4866S(X/L/R/B)	\$1,130	\$1,243	\$1,356
30"	48"	72"	24"		EW1BD4872S(X/L/R/B)	\$1,188	\$1,306	\$1,425



Left Hand

24"	60"	36"	24"		EW1BS6036S(X/L/R/B)	\$1,067	\$1,173	\$1,280
24"	60"	48"	24"	•	EW1BS6048S(X/L/R/B)	\$1,099	\$1,208	\$1,318
24"	66"	48"	24"	•	EW1BS6648S(X/L/R/B)	\$1,124	\$1,236	\$1,348
24"	72"	36"	24"	•	EW1BS7236S(X/L/R/B)	\$1,130	\$1,243	\$1,356
24"	72"	48"	24"	•	EW1BS7248S(X/L/R/B)	\$1,174	\$1,291	\$1,408
24"	60"	48"	30"		EW1BS6048D(X/L/R/B)	\$1,099	\$1,208	\$1,318
24"	66"	48"	30"		EW1BS6648D(X/L/R/B)	\$1,124	\$1,236	\$1,348
24"	72"	48"	30"		EW1BS7248D(X/L/R/B)	\$1,188	\$1,306	\$1,425
30"	60"	48"	24"		EW1BD6048S(X/L/R/B)	\$1,099	\$1,208	\$1,318
30"	66"	48"	24"		EW1BD6648S(X/L/R/B)	\$1,149	\$1,263	\$1,378
30"	72"	48"	24"		EW1BD7248S(X/L/R/B)	\$1,218	\$1,339	\$1,461

											Optio	ns
	L	Α	В		R		Posts Covered		Wiring			Height Adj.
EW1B Blended Worksurface	S 24	36	72	S	24	Х	No posts covered	G	Grommet	\$30	HA	4 HAT Supports
	D 30			D	30	L R B	Left side post covered Right side post covered Both side posts covered	G2	Scallop	\$62		
EW1B	S		72	S		X		G			НА	

Specify

- 1. Model#
- 2. Options
- 3. Laminate
- 4. Edge band

Grain Direction

Wiring & Cabling G G2

Scallop

Grommet \$30

Application Notes


Blended worksurfaces are designed to take the place of two adjacent worksurfaces by blending them into one top. The front of the worksurface is curved to provide a smooth transition to the next attached worksurface.

Support Information


All supports must be ordered separately. See page 84.

Worksurface Loading & Support See page 73.

A center support must be used with a 54" wide or wider worksurface.



Righ	t Ha	nd			LAMINATE	
Α	В	C	MODEL#	L1	L2	L3
60"	48"	24"	EW1BP6048SR	\$1,231	\$1,354	\$1,477
72"	48"	24"	EW1BP7248SR	\$1,257	\$1,382	\$1,508
72"	48"	30"	EW1BP7248DR	\$1,289	\$1,417	\$1,546
78"	48"	24"	EW1BP7848SR	\$1,314	\$1,445	\$1,576
78"	48"	30"	EW1BP7848DR	\$1,314	\$1,445	\$1,576
84"	48"	24"	EW1BP8448SR	\$1,547	\$1,701	\$1,856
84"	48"	30"	EW1BP8448DR	\$1,579	\$1,736	\$1,894



Left Hand

LCIC	· Hull	ч				
60"	48"	24"	EW1BP6048SL	\$1,231	\$1,354	\$1,477
72"	48"	24"	EW1BP7248SL	\$1,257	\$1,382	\$1,508
72"	48"	30"	EW1BP7248DL	\$1,289	\$1,417	\$1,546
78"	48"	24"	EW1BP7848SL	\$1,314	\$1,445	\$1,576
78"	48"	30"	EW1BP7848DL	\$1,314	\$1,445	\$1,576
84"	48"	24"	EW1BP8448SL	\$1,547	\$1,701	\$1,856
84"	48"	30"	EW1BP8448DL	\$1,579	\$1,736	\$1,894

72	S 24" Deep	L Left side post covered
	D 30" Deep	R Right side post covered
		<u> </u>
73	S	L
	72	72 S

Specify

- 1. Model#
- 2. Options
- 3. Laminate

4. Edge band



Grommet


Blended peninsulas do not come with a grommet. Due to this, if the worksurface adjacent to the "C" side is ordered with scallops there will be a one-half scallop where the return meets the peninsula.

Support Information


All supports must be ordered separately. See page 84 – 85.

Worksurface Loading & Support See page 73.

Center support must be used for all surfaces which exceed 48" in length.



D Pe	ninsı	ıla	LAMINATE			
W	D	MODEL#	L1	L2	L3	
60"	30"	EW1D6030	\$694	\$763	\$832	
72"	30"	EW1D7230	\$1,206	\$1,326	\$1,447	
72"	36"	EW1D7236	\$1,408	\$1,548	\$1,689	
84"	30"	EW1D8430	\$1,579	\$1,736	\$1,894	
84"	36"	EW1D8436	\$1,756	\$1,931	\$2,107	



9 & P Peninsula

72"	30"	EW1(9/P)7230	\$1,206	\$1,326	\$1,447
72"	36"	EW1(9/P)7236	\$1,408	\$1,548	\$1,689
84"	30"	EW1(9/P)8430	\$1,579	\$1,736	\$1,894
84"	36"	EW1(9/P)8436	\$1,756	\$1,931	\$2,107

		W	D
EW1D	D Peninsula	72	30
EW19	9 Peninsula	:	
EW1P	P Peninsula		:
	:	į ,	;
EW1BP	'	72	30

Specify

- 1. Model#
- 2. Options
- 3. Laminate4. Edge band

←

Grain Direction

Application Notes

Designed for use as primary worksurfaces and for conferencing in small groups.

NOTE: P and D worksurfaces cannot be panel wrapped.

Support Information

Column bases and adjustable bar supports must be ordered separately. See page 84 – 85.

Worksurface Loading & Support See page 73.

84" wide D, P and 9 worksurfaces include a V support bar mounted on the underside for additional stability.



Half	Roui	nd without Notch		LAMINATE	
W	D	MODEL#	L1	L2	L3
48"	30"	EW1HR4830	\$940	\$1,034	\$1,128
60"	36"	EW1HR6036	\$1,180	\$1,298	\$1,416



Half Round with Notch

ĺ	W	D	MODEL#	L1	L2	L3
	48"	30"	EW1HR4830N	\$940	\$1,034	\$1,128
	60"	36"	EW1HR6036N	\$1,180	\$1,298	\$1,416



Quarter Round

D	MODEL#	L1	L2	L3
24"	EW1CR24	\$423	\$465	\$507
30"	EW1CR30	\$460	\$506	\$552

			Options
	W	D	Notch
EW1HR Half Round	36	72	N Round Notch
EW1HR	36	72	N

Specify

- 1. Model#
- 2. Options
- 3. Laminate
- 4. Edge band



Half Round Without Notches

Half rounds without notches attach to panels by means of an adjustable bar support and are supported by column bases, available in standard trim colors. Column is fixed height.

Half Round With Notches

Included


Splice plates

Not Included nor Required


• Bar support

Support Information

All supports must be ordered separately. See page 84 – 85.




Blended Double Corner			LAMINATE			
Α	В	C	MODEL#	L1	L2	L3
96"	48"	24"	EW1BC9648	\$1,579	\$1,736	\$1,894



135° Curved Cluster

A	В	MODEL#	L1	L2	L3
36"	24"	EW11353624	\$1,158	\$1,273	\$1,389
42"	24"	EW11354224	\$1,446	\$1,590	\$1,735
48"	24"	EW11354824	\$1,663	\$1,829	\$1,995



135° Cluster Core

A	MODEL#	L1	L2	L3
36"	EW1135C36	\$739	\$812	\$886
42"	EW1135C42	\$817	\$898	\$980
48"	EW1135C48	\$897	\$986	\$1,076

Specify

- 1. Model#
- 2. Options
- 3. Laminate
- 4. Edge band

Wiring & Cabling G G Grommet \$30 Scallop \$62

Double Corner

Double corner worksurface is designed to take the place of two adjacent corners by combining them into one top.

48" deep sides are designed to cover a post and cannot be panel wrapped.

135° Curved Cluster

Used in 135° planning configurations.

Support Information

All supports must be ordered separately. See page 84 – 85.



Cantilever				•	PAINT	
DESCRIPTION	D	MODEL#	BLACK	P1	P2	P3
Left hand	20"	EB1C20L	\$108	\$181	\$199	\$217
Left hand (10 pack)	20"	EB1C20L10	\$845	\$1,208	\$1,329	\$1,450
Right hand	20"	EB1C20R	\$108	\$181	\$199	\$217
Right hand (10 pack)	20"	EB1C20R10	\$845	\$1,208	\$1,329	\$1,450



120 Cantilever

Left hand 60°	18"	EB3C18L60	\$110	\$183	\$201	\$220
Left hand 90°	18"	EB3C18L90	\$110	\$183	\$201	\$220
Right hand 60°	18"	EB3C18R60	\$110	\$183	\$201	\$220
Right hand 90°	18"	EB3C18R90	\$110	\$183	\$201	\$220




Splice Plate

20" Flat bracket (20" & 24" tops)	EB1F24	\$54	N/A	N/A	N/A
26" Flat bracket (30" & 36" tops)	EB1F30	\$62	N/A	N/A	N/A
Alignment plate	EB1APW	\$17	N/A	N/A	N/A



Bracket

Panel to worksurface bracket	EB1PWS(L/R)	\$18	\$60	\$66	\$72
Panel to worksurface bracket (Pair – L/R)	EB1PWSP	\$35	\$108	\$119	\$130



V Channel Support

54"	VS54	\$150	N/A	N/A	N/A
100"	VS100	\$290	N/A	N/A	N/A

Worksurface Support Rail

ACTUAL WIDTH	MAX WORKSURFACE WIDTH					
46"	60"	WSR46	\$97	N/A	N/A	N/A
57"	72"	WSR57	\$114	N/A	N/A	N/A

Cantilevers

Worksurface cantilevers lock into panel slotted standards at 1" increments. Cantilevers are handed.

Panel to Worksurface Bracket

Can be specified in lieu of cantilever when worksurface is same depth as adjacent panel.

A single bracket can be specified behind a pedestal to secure adjacent panel to worksurface.



Adjustable Bar Support				PAINT	
DESCRIPTION	MODEL#	BLACK	P1	P2	P3
24", 30" and 36"	EB1SRS	\$242	\$301	\$331	\$361
24", 30" and 36" (10 pack)	EB1SRS10	\$2,294	\$2,898	\$3,188	\$3,478
42", 48" and 60"	EB1SRL	\$271	\$332	\$365	\$398
42", 48" and 60" (10 pack)	EB1SRL10	\$2,415	\$3,140	\$3,454	\$3,768



Desk Er	nd Panels		LAMINATE		
Н	W	MODEL#	L1	L2	L3
29"	20"	EB1DEP20	\$739	\$813	\$887
29"	24"	EB1DEP24	\$754	\$829	\$905
29"	30"	EB1DEP30	\$798	\$878	\$957

Specify

- 1. Model#
- 2. Paint

Adjustable Bar Support

Adjustable bar supports position in the slotted standards at 1"increments. Two sizes of adjustable bar supports are available. Small adjustable bar support fits 24" through 36" wide panels; the larger adjustable bar support fits 42" through 60" wide panels. All have keyhole slots to mount worksurfaces and are non-handed.



Column Bases		PAINT			
DESCRIPTION	Н	MODEL#	P1	P2	P3
Fixed height support column	27 ¾"	EB1FCOL	\$386	\$420	\$436



Tapered Legs

- mp					
Single leg	27 ¾"	TBTL	\$422	\$462	\$502
Single leg w/caster	27 ¾"	TBTLC	\$453	\$493	\$533
Set of 2	27 ¾"	TBTL2	\$725	\$794	\$863
Set of 2 w/casters	27 ¾"	TBTL2C	\$784	\$853	\$922
Set of 4	27 ¾"	TBTL4	\$1,388	\$1,520	\$1,652
Set of 4 w/casters	27 ¾"	TBTL4C	\$1,509	\$1,641	\$1,773
Bar height single leg	40 ½"	TBTLBH	\$953	\$1,068	\$1,183
Bar height set of 2	40 ½"	TBTLBH2	\$1,811	\$2,156	\$2,242
Bar height set of 4	40 1/2"	TBTLBH4	\$3,260	\$3,605	\$4,065





Single leg	27 ¾"	TBRL	\$235.00	\$275	\$315
Single leg w/caster	27 ¾"	TBRLC	\$265.00	\$305	\$345
Set of 2	27 ¾"	TBRL2	\$403.00	\$443	\$483
Set of 2 w/casters	27 ¾"	TBRL2C	\$463.00	\$503	\$543
Set of 4	27 ¾"	TBRL4	\$776.00	\$816	\$856
Set of 4 w/casters	27 3/4"	TBRL4C	\$896.00	\$936	\$976



Round Legs — (Bar Height)

Single leg	40 ¾"	TBRLBH	\$422	\$462	\$502
Single leg w/caster	40 ¾"	TBRLBHC	\$453	\$493	\$533
Set of 2	40 ¾"	TBRLBH2	\$725	\$794	\$863
Set of 2 w/casters	40 ¾"	TBRLBH2C	\$784	\$853	\$922
Set of 4	40 ¾"	TBRLBH4	\$1,388	\$1,520	\$1,652
Set of 4 w/casters	40 ¾"	TBRLBH4C	\$1,509	\$1,641	\$1,773

Specify

- 1. Model # 2. Paint



O Legs		PAINT			
DESCRIPTION	Н	MODEL#	P1	P2	P3
24" Deep	27 ¾"	TBOLL24	\$720	\$792	\$864
30" Deep	27 ¾"	TBOLL30	\$733	\$806	\$880
24" Deep (set of 2)	27 ¾"	TBOLL242	\$1,421	\$1,563	\$1,705
30" Deep (set of 2)	27 ¾"	TBOLL302	\$1,445	\$1,590	\$1,734



T Legs

9-					
20" Deep	27 ¾"	TBTLL20	\$406	\$447	\$487
26" Deep	27 ¾"	TBTLL26	\$419	\$461	\$503
36" Deep	27 ¾"	TBTLL36	\$443	\$487	\$532
42" Deep	27 ¾"	TBTLL42	\$540	\$594	\$648
48" Deep	27 ¾"	TBTLL48	\$636	\$700	\$763
20" Deep (set of 2)	27 ¾"	TBTLL202	\$793	\$872	\$952
26" Deep (set of 2)	27 ¾"	TBTLL262	\$817	\$899	\$980
36" Deep (set of 2)	27 ¾"	TBTLL362	\$865	\$952	\$1,038
42" Deep (set of 2)	27 ¾"	TBTLL422	\$1,058	\$1,164	\$1,270
48" Deep (set of 2)	27 ¾"	TBTLL482	\$1,240	\$1,364	\$1,488



C Legs

20" Deep	27 ¾"	TBCLL20	\$406	\$447	\$487
26" Deep	27 ¾"	TBCLL26	\$419	\$461	\$503
32" Deep	27 ¾"	TBCLL32	\$443	\$487	\$532
20" Deep (set of 2)	27 ¾"	TBCLL202	\$793	\$872	\$952
26" Deep (set of 2)	27 ¾"	TBCLL262	\$817	\$899	\$980
32" Deep (set of 2)	27 ¾"	TBCLL322	\$878	\$966	\$1,054

Specify

- 1. Model#
- 2. Paint


Levelers

Adjustable height levelers are included at no additional cost on all models.

Shank Length


C & T-Legs — 3%-16 x 3/4" O-Legs — 3%-16 x 2" Leveler extensions can be ordered separately. Please contact Customer Service for information on ordering leveler extensions. Casters can be ordered in place of levelers for an upcharge on most standard height tables.

Height Adjustable Worksurfaces Worksurface for Height Adjustable Supports



Worksurface Only 24" For Height Adjustable Supports LAMINATE WOOD VENEER D MODEL# L1 L2 L3 W1 W2 W3 42" 24" EAW14224WS \$555 \$606 \$505 \$1,011 \$1,112 \$1,213 48" 24" EAW14824WS \$530 \$583 \$636 \$1,061 \$1,167 \$1,273 54" 24" EAW15424WS \$581 \$639 \$697 \$1,162 \$1,278 \$1,394 60" EAW16024WS \$700 \$1,275 \$1,530 24" \$637 \$764 \$1,402 24" EAW17224WS \$713 \$784 \$855 \$1,427 \$1,569 \$1,712

Worksurfaces are sized to fit with the Equity system. For stand-alone height adjustable desks see page 126.



Worksurface Only 30"

For Height Adjustable Supports

42"	30"	EAW14230WS	\$600	\$660	\$720	\$1,200	\$1,320	\$1,440
48"	30"	EAW14830WS	\$618	\$679	\$741	\$1,238	\$1,361	\$1,485
54"	30"	EAW15430WS	\$694	\$763	\$832	\$1,390	\$1,529	\$1,668
60"	30"	EAW16030WS	\$776	\$853	\$931	\$1,553	\$1,708	\$1,863
72"	30"	EAW17230WS	\$871	\$958	\$1,045	\$1,744	\$1,918	\$2,092

Worksurfaces are sized to fit with the Equity system. For stand-alone height adjustable desks see page 126.

Specify


- 1. Model#
- 2. Laminate
- 3. Edge band
- 4. Support color Black or Silver

Application Notes

Provides 18" of vertical movement.

Grain Direction





Specification Guidelines

Order an adjustable height worksurface to match the panel(s) width the worksurface will be attached to. The worksurface cannot be configured to cover a partial panel.

There will be a 1" space around the perimeter of the adjustable height worksurface in order to prevent pinch points.

When used as a solitary worksurface perpendicular panels of 18" minimum width must be specified on both sides for stability.

When used in conjunction with a stationary worksurface there should be a perpendicular panel at the free end of the adjustable worksurface. The free end of the fixed worksurface should be supported with a cantilever or pedestal.

NOTE: Adjustable worksurface meets BIFMA loading requirements for safety. Mechanism is designed to have up to 100 lbs. of load and function smoothly.









DESCRIPTION	FOOT DEPTH	MODEL#	BLACK OR SILVER
2 legs	23 %"	TBAHL224	\$2,410
3 legs	23 3/5"	TBAHL324	\$3,376







Specify

- 1. Model#
- 2. Trim color

Application Notes

Electric Height Adjustable Base Adjustable height bases can be used with 24" and 30" deep worksurfaces. Worksurfaces must be between 48" - 84" wide.

Adjustable height bases have a capacity of 264 lbs evenly distributed.

Comes with four position memory controller.

Anti-collision stops and reverses the travel of the table when the table collides with a fixed object during operation.

3-stage legs offer a large height adjustment range of 24" - 50".

Worksurfaces

120° Planning

These worksurfaces are designed specifically for Equity 120° applications. The (L/R) suffix at the end of a model number indicates a defined pedestal location. If the worksurface has no defined pedestal location, the (L/R) represents the curved side of the top. All tops and tables are available with 2mm edge band or a cascading edge.

Worksurface: W3

This worksurface, combined with the T3 transition top, works best with the "apartment" layout. This application allows for stations on both sides of the spine, and is ideal for high density layouts. Available in extended versions for placement directly next to another worksurface.

Worksurface: W6 (L/R)


In the "big house," "full house" or "open house", this worksurface allows for a pedestal on one side (determined by the L/R).

Applications for this top include a call center with the "open house," technical applications with the "full house," and managerial layouts with the "big house."



Worksurface: W4

This top works well in the "open house," "full house," and "big house" layouts for call center, professional and managerial applications.








Worksurface: W7 (L/R)


Used in conjunction with a T4 transition top, the W7 worksurface provides a great teaming space when the "townhouse" layout is used. The "open house" layout incorporates the T2 transition top for professional or technical stations with shared space for conferencing. Available in extended versions for placement directly next to another worksurface.












Worksurface: W5 (L/R)


With transition top T5 and this worksurface, teaming is made easy using the "townhouse" or "open house" layout. The shared space allows for call center, professional or technical applications.


Worksurface: W11 / W1118 (L/R)

This top is a spacious option for a technical station in the "open house" layout. Adding a T2 transition top provides additional teaming space. The W11 surface also fits nicely in a private managerial office or a "full house" professional application.











Worksurface: W12 / W1218 (L/R)

This top, with the T5/T518 transition top provides a technical office with shared conferencing space in the "open house" layout. The 18 return allows ample space in the supervisory application of the "full house."





Worksurface: W13 / W1318 (L/R)

This surface provides a teaming space with the T2/T218 transition in the "open house" layout. The W13/W1318 creates generous worksurface space in the "full house" as well as the management layout of the "big house."









Transition Tops

Transition tops require columns (not included — (page 85)) for support. Flat brackets (not included — (page 84)) are required to attach transition tops to adjacent worksurfaces.



Transition top



Transition top



Transition top



Transition top

Peninsula Tops

Peninsula tops provide additional workspace in a "big house" layout.

Peninsula tops are freestanding and supported by table legs, columns or a combination of both (not included — (page 85)).




Peninsula top



Peninsula top: P2 right hand



Peninsula top: P2 left hand




W3					LAMINATE	
W	L	R	MODEL#	L1	L2	L3
48"	24"	24"	EW1W34824	\$1,289	\$1,417	\$1,546

Woodgrain Direction










48"	24"	24"	EW1W44824	\$1,301	\$1,431	\$1,561
_						

Woodgrain Direction






W5

48"	24"	24"	EW1W54824L	\$1,231	\$1,354	\$1,477
48"	24"	24"	EW1W54824R	\$1,231	\$1,354	\$1,477

Woodgrain Direction







48"	24"	24"	EW1W64824L	\$1,377	\$1,514	\$1,652
48"	24"	24"	EW1W64824R	\$1,377	\$1,514	\$1,652

Woodgrain Direction



Specify

- 1. Model#
- 2. Laminate
- 3. Edge band

Support Information

All supports must be ordered separately. See page 84 – 85.

Worksurface Loading & Support See page 73.

Application Notes

Refer to the worksurface planning page 90 for worksurface drawings and applications.

W3

W3 top may be extended on either the left or right hand side by adding an "EL" or "ER" to the end of the model number and adding \$21 (list).

W3 top may be extended on both ends by adding an "EB" to the end of the model number and adding \$42 (list).





N7				LAMINATE		
	RET	URNS				
W	L	R	MODEL #	ព	L2	L3
48"	24"	24"	EW1W74824L	\$1,370	\$1,507	\$1,644
48"	24"	24"	EW1W74824R	\$1,370	\$1,507	\$1,644







W11

		RETU	URNS				
,	W	L	R	MODEL#	L1	L2	L3
•	48"	24"	18"	EW1W11482418	\$1,617	\$1,778	\$1,940
	48"	18"	24"	EW1W11481824	\$1,617	\$1,778	\$1,940

Woodgrain Direction





EW1W12481824 E

EW1W12482418 EW1W124824R

W12

RETURNS						
W	L	R	MODEL #	L1	L2	L3
48"	24"	18"	EW1W12482418	\$1,718	\$1,889	\$2,061
48"	18"	24"	EW1W12481824	\$1,718	\$1,889	\$2,061
48"	24"	24"	EW1W124824L	\$1,718	\$1,889	\$2,061
48"	24"	24"	EW1W124824R	\$1,718	\$1,889	\$2,061

Woodgrain Direction





EW1W13481824 EW1W13482418 EW1W134824L EW1W134824R

W13

	RETURNS						
	W	L	R	MODEL #	L1	L2	L3
-	48"	24"	18"	EW1W13482418	\$1,655	\$1,820	\$1,986
4	48"	18"	24"	EW1W13481824	\$1,655	\$1,820	\$1,986
4	48"	24"	24"	EW1W134824L	\$1,655	\$1,820	\$1,986
4	48"	24"	24"	EW1W134824R	\$1,655	\$1,820	\$1,986
Woo	dgrain	Direction	1				

Specify

- 1. Model #
- 2. Laminate
- 3. Edge band

Support Information

All supports must be ordered separately. See page 84 – 85.

Worksurface Loading & Support See page 73.

Application Notes

Refer to the worksurface planning page 90 for worksurface drawings and applications.

Straig

Straight ends are available extended by adding an "E" to the end of the model number and adding \$21 (list).

Worksurfaces

Transition Tops



T2				LAMINATE	
W	RETURN	MODEL#	Ľ	L2	L3
50"	24"	EW1T224	\$827	\$909	\$992
37 ½"	18"	EW1T218	\$776	\$853	\$931



T3

26" 24" EW1T324 \$789 \$867 \$946



T426" 24" **EW1T424** \$814 \$895 \$976



 T5

 37 ½"
 18"
 EW1T518
 \$852
 \$937
 \$1,022

 50"
 24"
 EW1T524
 \$834
 \$917
 \$1,000




Peninsula Tops

35"	52"	EW1P15235 (L/R)	\$915	\$1,006	\$1,098
36"	38"	EW1P23836(L/R)	\$884	\$972	\$1,060

Specify

- 1. Model #
- 2. Laminate
- 3. Edge band



T2 Transition Top

T2 transition top comes cut to fit against a postless end. If placing against an end with a post, add an "N" to the end of the model number so it is notched for the post.

Support Information

Transition and peninsula tops require a column base for support.

All supports must be ordered separately. See page 84 – 85.

CASCADE EDGE

Cascade

Cascade edge worksurfaces are wrapped with a thermafoil sheet that is heated and pressed around a substrate. This substrate can be FSC certified upon request. Thermafoil is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat cascade edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Cascade edge worksurfaces in solid colors utilize a non-PVC construction and are also free of any plasticizers, pthalates and lead content.

AVAILABLE LAMINATES

Solid

114 Folkstone Grey 117 Soft Grey

118 Bright White

119 Pumice

Woodgrain


124 Medium Cherry

125 Natural Maple


126 Natural Cherry

127 Walnut

Cascade Worksurfaces Straights



24" I	Deep		LAMINA	LAMINATE		
W	D	MODEL#	SOLID	WOODGRAIN		
24"	24"	ECE1R2424N	\$280	\$322		
30"	24"	ECE1R3024N	\$322	\$369		
36"	24"	ECE1R3624N	\$354	\$408		
42"	24"	ECE1R4224N	\$408	\$470		
48"	24"	ECE1R4824N	\$459	\$528		
54"	24"	ECE1R5424N	\$493	\$567		
60"	24"	ECE1R6024N	\$535	\$616		
66"	24"	ECE1R6624N	\$579	\$663		
72"	24"	ECE1R7224N	\$604	\$695		
78"	24"	ECE1R7824N	\$650	\$746		
84"	24"	ECE1R8424N	\$686	\$789		
90"	24"	ECE1R9024N	\$775	\$889		
96"	24"	ECE1R9624N	\$846	\$972		



30" Deep

24"	30"	ECE1R2430N	\$356	\$411
30"	30"	ECE1R3030N	\$400	\$459
36"	30"	ECE1R3630N	\$445	\$512
42"	30"	ECE1R4230N	\$483	\$553
48"	30"	ECE1R4830N	\$535	\$616
54"	30"	ECE1R5430N	\$606	\$696
60"	30"	ECE1R6030N	\$667	\$764
66"	30"	ECE1R6630N	\$744	\$855
72"	30"	ECE1R7230N	\$775	\$889
78"	30"	ECE1R7830N	\$826	\$949
84"	30"	ECE1R8430N	\$879	\$1,011
90"	30"	ECE1R9030N	\$945	\$1,086
96"	30"	ECE1R9630N	\$1,011	\$1,160

Sample

ECE1R1212G2 \$172 \$200

Specify


- 1. Model#
- 2. Options
- 3. Laminate

Extended Ends

E....Covers 1 post **EE** ... Covers 2 posts

\$26 \$52

Grain Direction





Wiring & Cabling



Solid

114 Folkstone Grey 117 Soft Grey

Available Laminates

118 Bright White

119 Pumice

Woodgrain

124 Medium Cherry

125 Natural Maple 126 Natural Cherry

127 Walnut

Support Information


All supports must be ordered separately. See page 84 – 85.

Worksurface Loading & Support See page 73.

A center support must be used with a 54" wide or larger worksurface.




Corne	er – Cu	irved Fron	LAMINA	TE	
Α	В	C	MODEL#	SOLID	WOODGRAIN
36"	24"	24"	ECE1L3636SSN	\$700	\$806
42"	24"	24"	ECE1L4242SSN	\$846	\$972
42"	24"	30"	ECE1L4242SDN	\$1,005	\$1,152
42"	30"	24"	ECE1L4242DSN	\$1,005	\$1,152
48"	24"	24"	ECE1L4848SSN	\$949	\$1,092
48"	24"	30"	ECE1L4848SDN	\$1,138	\$1,308
48"	30"	24"	ECE1L4848DSN	\$1,138	\$1,308
48"	30"	30"	ECE1L4848DDN	\$1,020	\$1,174



Right Hand

42"	60"	24"	24"	ECE1L4260SS()N	\$1,160	\$1,336
42"	66"	24"	24"	ECE1L4266SS()N	\$1,191	\$1,371
42"	72"	24"	24"	ECE1L4272SS()N	\$1,236	\$1,424
42"	78"	24"	24"	ECE1L4278SS()N	\$1,251	\$1,437
48"	60"	24"	24"	ECE1L4860SS()N	\$1,177	\$1,351
48"	60"	24"	30"	ECE1L4860SD()N	\$1,152	\$1,328
48"	60"	30"	24"	ECE1L4860DS()N	\$1,152	\$1,328
48"	66"	24"	24"	ECE1L4866SS()N	\$1,218	\$1,401
48"	66"	24"	30"	ECE1L4866SD()N	\$1,214	\$1,396
48"	66"	30"	24"	ECE1L4866DS()N	\$1,214	\$1,396
48"	72"	24"	24"	ECE1L4872SS()N	\$1,263	\$1,452
48"	72"	24"	30"	ECE1L4872SD()N	\$1,270	\$1,462
48"	72"	30"	24"	ECE1L4872DS()N	\$1,270	\$1,462
48"	78"	24"	24"	ECE1L4878SS()N	\$1,392	\$1,602
48"	84"	24"	24"	ECE1L4884SS()N	\$1,564	\$1,801



Left Hand

60"	42"	24"	24"	ECE1L6042SS()N	\$1,160	\$1,336
60"	48"	24"	24"	ECE1L6048SS()N	\$1,177	\$1,351
60"	48"	24"	30"	ECE1L6048SD()N	\$1,152	\$1,328
60"	48"	30"	24"	ECE1L6048DS()N	\$1,152	\$1,328
66"	42"	24"	24"	ECE1L6642SS()N	\$1,191	\$1,371
66"	48"	24"	24"	ECE1L6648SS()N	\$1,218	\$1,401
66"	48"	24"	30"	ECE1L6648SD()N	\$1,214	\$1,396
66"	48"	30"	24"	ECE1L6648DS()N	\$1,214	\$1,396
72"	42"	24"	24"	ECE1L7242SS()N	\$1,236	\$1,424
72"	48"	24"	24"	ECE1L7248SS()N	\$1,263	\$1,452
72"	48"	24"	30"	ECE1L7248SD()N	\$1,270	\$1,462
72"	48"	30"	24"	ECE1L7248DS()N	\$1,270	\$1,462
78"	42"	24"	24"	ECE1L7842SS()N	\$1,251	\$1,437
78"	48"	24"	24"	ECE1L7848SS()N	\$1,392	\$1,602
84"	48"	24"	24"	ECE1L8448SS()N	\$1,564	\$1,801

Application Notes

Center-Located Edge Grommet

To specify, replace the "N" suffix from the model number with "G". Add \$52.

Equity "L" worksurfaces are handed and may or may not cover a post on either or both sides. Hand is determined from the seated position. Option suffixes for Equity blended corners are as follows:

 \mathbf{X} No posts covered


 $\mathbf{L}\dots$ Left post covered

R....Right post covered

B.... Both posts covered



Righ	t Ha	nd		LAMINA	TE
Α	C	D	MODEL#	SOLID	WOODGRAIN
24"	66"	48"	ECE1BD6648SR	\$1,134	\$1,303
30"	66"	48"	ECE1BD6648DR	\$1,191	\$1,371
24"	72"	48"	ECE1BD7248SR	\$1,158	\$1,335
30"	72"	48"	ECE1BD7248DR	\$1,235	\$1,421
24"	78"	48"	ECE1BD7848SR	\$1,339	\$1,539
30"	78"	48"	ECE1BD7848DR	\$1,384	\$1,590
24"	84"	48"	ECE1BD8448SR	\$1,375	\$1,581
30"	84"	48"	ECE1BD8448DR	\$1,462	\$1,680




Left Hand

L	Leit Halla								
2	24"	48"	66"	ECE1BD6648SL	\$1,134	\$1,303			
3	30"	48"	66"	ECE1BD6648DL	\$1,191	\$1,371			
2	24"	48"	72"	ECE1BD7248SL	\$1,158	\$1,335			
3	30"	48"	72"	ECE1BD7248DL	\$1,235	\$1,421			
2	24"	48"	78"	ECE1BD7848SL	\$1,339	\$1,539			
3	30"	48"	78"	ECE1BD7848DL	\$1,384	\$1,590			
2	24"	48"	84"	ECE1BD8448SL	\$1,375	\$1,581			
3	30"	48"	84"	ECE1BD8448DL	\$1,462	\$1,680			



2. Options3. Laminate







Wiring & Cabling



Scallop \$62

Available Laminates

Solid

114 Folkstone Grey

117 Soft Grey

118 Bright White

119 Pumice

Woodgrain

124 Medium Cherry


125 Natural Maple

126 Natural Cherry


127 Walnut

Support Information

All supports must be ordered separately. See page 84 – 85.




Right	Hand		LAMINATE	<u>:</u>			
W	L	R	A	В	MODEL#	SOLID	WOODGRAIN
36"	24"	30"	3"	15"	ECE1W362430N	\$752	\$864
42"	24"	30"	9"	15"	ECE1W422430N	\$790	\$911
48"	24"	30"	15"	15"	ECE1W482430N	\$847	\$974
72"	24"	30"	30 ½"	23 ½"	ECE1W722430N	\$1,079	\$1,238



Left Hand

36"	30"	24"	15"	1 ½"	ECE1W363024N	\$752	\$864
42"	30"	24"	15"	7 ½"	ECE1W423024N	\$790	\$911
48"	30"	24"	15"	15"	ECE1W483024N	\$847	\$974
72"	30"	24"	23 ½"	30 ½"	ECE1W723024N	\$1,079	\$1,238
						:	•



120° Worksurface

_							
	48"	48"	24"	24"	ECE1W34824G	\$1,236	\$1,424

Specify

- 1. Model#
- 2. Options
- 3. Laminate





Wiring & Cabling



Scallop \$62

Available Laminates

Solid

- 114 Folkstone Grey
- 117 Soft Grey
- 118 Bright White
- 119 Pumice

Woodgrain

- 124 Medium Cherry
- 125 Natural Maple
- 126 Natural Cherry
- 127 Walnut

Support Information

All supports must be ordered separately. See page 84 – 85.

Cascade Worksurfaces



Half	Round	LAMIN		
W	D	MODEL#	SOLID	WOODGRAIN
18"	48"	ECE1H4818P	\$604	\$695
48"	18"	ECE1H4818PC	\$604	\$695
48"	18"	ECE1H4818PE	\$604	\$695
60"	24"	ECE1H6024P	\$831	\$960
60"	24"	ECE1H6024PC	\$831	\$960
60"	24"	ECE1H6024PE	\$831	\$960



Corner Round

24" 24" ECE1CR24L/R		\$322	\$369
----------------------------	--	-------	-------



Corner Round w/Notch

24" 24" ECE1CR24N		\$322	\$369
--------------------------	--	-------	-------

Specify

- 1. Model#
- 2. Options
- 3. Laminate

Half Round

- P Notched for post
- **PE** Notched for postless end
- **PC** Notched for post with cover

Grain Direction





Edge Profile



Available Laminates

Solid

- 114 Folkstone Grey
- 117 Soft Grey
- 118 Bright White
- 119 Pumice

Woodgrain

- 124 Medium Cherry
- 125 Natural Maple
- 126 Natural Cherry
- 127 Walnut

Support Information

All supports must be ordered separately. See page 84 – 85.



Cable Sleeve w/Cover

Н	D	MODEL#	BLACK ONLY
1 3/8"	3 1/4"	EW1CS	\$34



Edge Grommet

1	Н	W	D	MODEL#	BLACK ONLY
	13/8"	2 1/4"	13/8"	EW1WSG	\$34



Personal Drawer

DESCRIPTION	MODEL#	BLACK ONLY
Personal Drawer	SPD18	\$422



orks/	urface		•••••••••••	PAINT	••••••		
Н	W	D	MODEL#	BLACK	P1	P2	P3
2"	20"	4"	EW1CB20	\$66	\$121	\$133	\$145
2"	32"	4"	EW1CB32	\$91	\$150	\$165	\$180
2"	42"	4"	FW1CR42	\$99	\$181	\$199	\$217

Cable Sleeve with Cover

Used to pass cables through a worksurface. Fits 3" diameter hole, field cut, in worksurface. Smooth plastic prevents abrasion of cords and cables.

Cover snaps into sleeve. Cover has slots that allow passage of one or two cables, yet gives appearance of surface continuity.

Available in black only.

Edge Grommet

Designed to accommodate various styles and quantities of cords/plugs between rear of worksurface and panel for improved cord/plug management. Designed to work with Equity EW1 tops shipped after 2005.

Available in black only.


Worksurface Cable Basket

Attaches to the underside of worksurface for excess cable management. Slides forward from its position adjacent to the panel face to allow passage of plugs. Constructed of steel wire.





Straight				ا	LAMINATE		PAINT	
W (NOMINAL)	W (ACTUAL)	D	MODEL#	L1	L2	L3	P2	Р3
12"	10 ½"	15 ¼"	EW(3/N)1215	\$404	\$444	\$484	+ \$30	+ \$60
24"	22 ½"	15 1/4"	EW(3/N)2415	\$429	\$471	\$514	+ \$30	+ \$60
30"	28 ½"	15 1/4"	EW(3/N)3015	\$435	\$478	\$522	+ \$30	+ \$60
36"	34 ½"	15 1/4"	EW(3/N)3615	\$441	\$485	\$529	+ \$30	+ \$60
42"	40 1/2"	15 1/4"	EW(3/N)4215	\$460	\$506	\$552	+ \$30	+ \$60
48"	46 ½"	15 1/4"	EW(3/N)4815	\$492	\$541	\$590	+ \$30	+ \$60
60"	58 ½"	15 1/4"	EW(3/N)6015	\$536	\$589	\$643	+ \$30	+ \$60
72"	70 ½"	15 1/4"	EW(3/N)7215	\$606	\$666	\$727	+ \$30	+ \$60
84"	82 ½"	15 1/4"	EW(3/N)8415	\$669	\$735	\$802	+ \$30	+ \$60
96"	94 ½"	15 1/4"	EW(3/N)9615	\$719	\$790	\$862	+ \$30	+ \$60
108"	106 ½"	15 1/4"	EW(3/N)10815	\$783	\$861	\$939	+ \$30	+ \$60
120"	118 ½"	15 1/4"	EW(3/N)12015	\$852	\$937	\$1,022	+ \$30	+ \$60



Extended One End

xtenue	u viie Li	IU						
12"	12"	15 ¼"	EW(3/N)1215E	\$416	\$457	\$499	+ \$30	+ \$60
24"	24"	15 1/4"	EW(3/N)2415E	\$441	\$485	\$529	+ \$30	+ \$60
30"	30"	15 1/4"	EW(3/N)3015E	\$448	\$492	\$537	+ \$30	+ \$60
36"	36"	15 1/4"	EW(3/N)3615E	\$454	\$499	\$544	+ \$30	+ \$60
42"	42"	15 1/4"	EW(3/N)4215E	\$473	\$520	\$567	+ \$30	+ \$60
48"	48"	15 1/4"	EW(3/N)4815E	\$505	\$555	\$606	+ \$30	+ \$60
60"	60"	15 1/4"	EW(3/N)6015E	\$549	\$603	\$658	+ \$30	+ \$60
72"	72"	15 1/4"	EW(3/N)7215E	\$618	\$679	\$741	+ \$30	+ \$60
84"	84"	15 1/4"	EW(3/N)8415E	\$682	\$750	\$818	+ \$30	+ \$60
96"	96"	15 1/4"	EW(3/N)9615E	\$733	\$806	\$879	+ \$30	+ \$60
108"	108"	15 1/4"	EW(3/N)10815E	\$795	\$874	\$954	+ \$30	+ \$60



Extended Both End

LACCIIUC	.u Dotti L	IIU						
12"	13 ½"	15 ¼"	EW(3/N)1215EE	\$429	\$471	\$514	+ \$30	+ \$60
24"	25 ½"	15 1/4"	EW(3/N)2415EE	\$454	\$499	\$544	+ \$30	+ \$60
30"	31 ½"	15 1/4"	EW(3/N)3015EE	\$460	\$506	\$552	+ \$30	+ \$60
36"	37 ½"	15 1/4"	EW(3/N)3615EE	\$467	\$513	\$560	+ \$30	+ \$60
42"	43 ½"	15 1/4"	EW(3/N)4215EE	\$485	\$533	\$582	+ \$30	+ \$60
48"	49 ½"	15 1/4"	EW(3/N)4815EE	\$517	\$568	\$620	+ \$30	+ \$60
60"	61 ½"	15 1/4"	EW(3/N)6015EE	\$561	\$617	\$673	+ \$30	+ \$60
72"	73 ½"	15 1/4"	EW(3/N)7215EE	\$631	\$694	\$757	+ \$30	+ \$60
84"	85 ½"	15 1/4"	EW(3/N)8415EE	\$694	\$763	\$832	+ \$30	+ \$60
96"	97 ½"	15 1/4"	EW(3/N)9615EE	\$745	\$819	\$894	+ \$30	+ \$60
108"	109 ½"	15 1/4"	EW(3/N)10815EE	\$808	\$888	\$969	+ \$30	+ \$60

Specify

- 1. Model#
- 2. Laminate
- 3. Edge band
- 4. Cantilever color

Extended Ends

E....Covers 1 post

EE . . Covers 2 posts

Application Notes

Counter caps are designed for mounting on top of panels.

Counter caps fit between posts, appropriate to fit between two taller panels and a dual/triple height connectors.

Support Information

Steel cantilevers are supplied.


Top Cap Compatibility

3 - Beveled

N – Flat









Corner				LAMINATE		PAIN	т
W	D	MODEL#	រេ	L2	L3	P2	Р3
24"	15 1/4"	EW(3/N)CC2415	\$530	\$583	\$636	+ \$30	+ \$60
30"	15 1/4"	EW(3/N)CC3015	\$549	\$603	\$658	+ \$30	+ \$60
36"	15 ¼"	EW(3/N)CC3615	\$568	\$624	\$681	+ \$30	+ \$60



	Extend	ed Left						
_	24"	15 1/4"	EW(3/N)CC2415LHE	\$542	\$596	\$650	+ \$30	+ \$60
	30"	15 1/4"	EW(3/N)CC3015LHE	\$561	\$617	\$673	+ \$30	+ \$60
	36"	15 1/4"	EW(3/N)CC3615LHE	\$581	\$639	\$697	+ \$30	+ \$60



Extende	ed Right						
24"	15 1/4"	EW(3/N)CC2415RHE	\$542	\$596	\$650	+ \$30	+ \$60
30"	15 1/4"	EW(3/N)CC3015RHE	\$561	\$617	\$673	+ \$30	+ \$60
36"	15 ¼"	EW(3/N)CC3615RHE	\$581	\$639	\$697	+ \$30	+ \$60



Extended Both 24" 15 1/4" EW(3/N)CC2415EE \$556 \$611 \$667 + \$30 + \$60 30" 15 1/4" EW(3/N)CC3015EE \$574 \$631 \$688 + \$30 + \$60 36" EW(3/N)CC3615EE \$711 15 1/4" \$593 \$652 + \$30 + \$60

c.,		٠.
Þ	ec	лу

- 1. Model#
- 2. Laminate
- 3. Edge band
- 4. Cantilever color

Extended Ends

E....Covers 1 post

EE . . Covers 2 posts

Application Notes

Counter caps are designed for mounting on top of panels.

Counter caps fit between posts, appropriate to fit between two taller panels and a dual/triple height connectors.

Support Information

Steel cantilevers are supplied.

Top Cap Compatibility


3 - Beveled

N – Flat






Open Shelves



Full He	ight		PAINT			
W	D	Н	MODEL#	P1	P2	Р3
24"	12 ¾"	10 1/4"	ES2OS24	\$279	\$294	\$304
30"	12 ¾"	10 1/4"	ES2OS30	\$307	\$322	\$332
36"	12 ¾"	10 1/4"	ES2OS36	\$307	\$322	\$332
42"	12 ¾"	10 1/4"	ES2OS42	\$320	\$335	\$345
48"	12 ¾"	10 1/4"	ES2OS48	\$335	\$350	\$360
60"	12 ¾"	10 1/4"	ES2OS60	\$359	\$374	\$384
72"	12 ¾"	10 1/4"	ES2OS72	\$389	\$404	\$414



Half Height

24"	12 ¾"	7 1/4"	ES3OS24	\$338	\$353	\$363
30"	12 ¾"	7 1/4"	ES3OS30	\$374	\$389	\$399
36"	12 ¾"	7 1/4"	ES3OS36	\$374	\$389	\$399
42"	12 3/8"	7 1/4"	ES3OS42	\$389	\$404	\$414
48"	12 ¾"	7 1/4"	ES3OS48	\$408	\$423	\$433
60"	12 ¾"	7 1/4"	ES3OS60	\$439	\$454	\$464
72"	12 3/8"	7 1/4"	ES3OS72	\$473	\$488	\$498



Shelf Back

24"	EC2SB24	\$230	\$240	\$250
30"	EC2SB30	\$253	\$263	\$273
36"	EC2SB36	\$253	\$263	\$273
42"	EC2SB42	\$266	\$276	\$286
48"	EC2SB48	\$277	\$287	\$297
60"	EC2SB60	\$312	\$322	\$332
72"	EC2SB72	\$356	\$366	\$376



Shelf Divider

Sileii D	iviuei			BLACK ONLY				
2"	9"	6"	EC2SD	\$160 N/A	N/A			

Specify		

1. Model # 2. Paint Application Notes

Open shelf consists of two steel end panels and one steel shelf.

NOTE: Cannot be converted to an enclosed cabinet.


ES2OS	Open Shelf	36
ES3OS	Open Shelf – Half Height	
:		
ES2OS		36
	.	i

w

Shelf Type

Shelf Divider


Available in black only.




Full La	minate				LAMINATE		١	WOOD VENEER	
W	D	Н	MODEL#	P1	P2	P3	W1	W2	W3
24"	12 %"	10 1/4"	ES2OSL24	\$428	\$471	\$514	\$856	\$942	\$1,028
30"	12 %"	10 1/4"	ES2OSL30	\$437	\$481	\$524	\$874	\$962	\$1,048
36"	12 %"	10 1/4"	ES2OSL36	\$445	\$490	\$534	\$890	\$980	\$1,068
42"	12 %"	10 1/4"	ES2OSL42	\$459	\$505	\$551	\$918	\$1,010	\$1,102
48"	12 %"	10 1/4"	ES2OSL48	\$471	\$518	\$565	\$942	\$1,036	\$1,130
60"	12 %"	10 1/4"	ES2OSL60	\$667	\$734	\$800	\$1,334	\$1,468	\$1,600
72"	12 %"	10 1/4"	ES2OSL72	\$859	\$945	\$1,031	\$1,718	\$1,890	\$2,062

ecify	Application Notes
Model # Laminate/Veneer	Can not be converted into an enclosed cabinet.


	Shelf Type	W
ES2OSL	Open Shelf Full Laminate	36
•		
	:	
ES2OSL		36
•••••	•••	***************************************



Laminate Front — Side Hinge Door				LAMINATE		PAINT			
W	D	Н	# DOORS	MODEL#	L1	L2	L3	P2	Р3
24"	12 ½"	14 1/4"	2	EC2OL24	\$817	\$899	\$980	+ \$30	+ \$60
30"	12 ½"	14 1/4"	2	EC2OL30	\$878	\$966	\$1,054	+ \$30	+ \$60
36"	12 ½"	14 1/4"	2	EC2OL36	\$938	\$1,032	\$1,126	+ \$30	+ \$60
42"	12 ½"	14 1/4"	2	EC2OL42	\$999	\$1,099	\$1,199	+ \$30	+ \$60
48"	12 ½"	14 1/4"	2	EC2OL48	\$1,058	\$1,164	\$1,270	+ \$30	+ \$60
60"	12 ½"	14 1/4"	4	EC2OL60	\$1,482	\$1,630	\$1,778	+ \$30	+ \$60
72"	12 ½"	14 1/4"	4	EC2OL72	\$1,602	\$1,762	\$1,922	+ \$30	+ \$60



Painte	d Steel –	— Flipper Doo	or			PAINT	
W	D	Н	# DOORS	MODEL#	P1	P2	P3
24"	12 ½"	14 1/4"	1	EC2OP24	\$727	\$752	\$777
30"	12 ½"	14 1/4"	1	EC2OP30	\$822	\$847	\$872
36"	12 ½"	14 1/4"	1	EC2OP36	\$822	\$847	\$872
42"	12 ½"	14 1/4"	1	EC2OP42	\$916	\$941	\$966
48"	12 ½"	14 1/4"	1	EC2OP48	\$967	\$992	\$1,017
60"	12 ½"	14 1/4"	1	EC2OP60	\$1,101	\$1,126	\$1,151
72"	12 ½"	14 1/4"	1	EC2OP72	\$1,212	\$1,237	\$1,262
72"	12 ½"	14 1/4"	2	EC2OP272	\$1,471	\$1,496	\$1,521



Open 12 ½" 14 1/4" EC20024 \$551 \$606 \$661 30" 12 ½" 14 1/4" EC20030 \$672 \$739 \$806 36" 12 ½" 14 1/4" EC20036 \$696 \$766 \$835 14 1/4" EC20042 \$806 \$880 42" 12 ½" \$733 EC20048 \$939 \$1,025 48" 12 ½" 14 1/4" \$854 60" 12 ½" 14 1/4" EC20060 \$974 \$1,071 \$1,169 72" 12 ½" 14 1/4" EC20072 \$1,095 \$1,205 \$1,314



Overhead Back

24"	5/8"	14"	EC2CB24	\$ 230 \$2	40 \$250
30"	5/8"	14"	EC2CB30	\$ 253 \$2	63 \$273
36"	5/8"	14"	EC2CB36	\$ 253 \$2	63 \$273
42"	5/8"	14"	EC2CB42	\$ 266 \$2	76 \$286
48"	5/8"	14"	EC2CB48	\$ 277 \$2	87 \$297
60"	5/8"	14"	EC2CB60	\$ 312 \$3	22 \$332
72"	5/8"	14"	EC2CB72	\$ 356 \$3	66 \$376

Sp	есіту	

- 1. Model #
- 2. Paint
- 3. Optional Laminate


Overhead – Side Hinge

Includes matching ABS edge band.


Overhead – Flipper Door

Door uses heavy-duty ball bearing hinges to allow door to flip forward and up and over top of cabinet. Can be opened at an angle. Door rolls on glides for smooth, friction-free operation.

	Overhead Type	W
EC2OL	Side Hinge	36
EC2OP	Flipper Door	
EC200	Open	
ES2OL		36



Full Laminate — Side Hinge Door						LAMINATE		V	OOD VENEER	
w	D	Н	# DOORS	MODEL#	L1	L2	L3	W1	W2	W3
24"	12 ½"	14 1/4"	2	EC2OCL24D	\$1,676	\$1,844	\$2,011	\$3,352	\$3,688	\$4,022
30"	12 ½"	14 1/4"	2	EC2OCL30D	\$1,704	\$1,874	\$2,045	\$3,408	\$3,748	\$4,090
36"	12 ½"	14 1/4"	2	EC2OCL36D	\$1,734	\$1,907	\$2,081	\$3,468	\$3,814	\$4,162
42"	12 ½"	14 1/4"	2	EC2OCL42D	\$1,777	\$1,955	\$2,132	\$3,554	\$3,910	\$4,264
48"	12 ½"	14 1/4"	2	EC2OCL48D	\$1,821	\$2,003	\$2,185	\$3,642	\$4,006	\$4,370
60"	12 ½"	14 1/4"	4	EC2OCL60D	\$2,473	\$2,720	\$2,968	\$4,946	\$5,440	\$5,936
72"	12 ½"	14 1/4"	4	EC2OCL72D	\$3,125	\$3,438	\$3,750	\$6,250	\$6,876	\$7,500



ABS edge band.

Full Laminate Open

24"	12 ½"	14 1/4"	EC2OCL24	\$1,429	\$1,572	\$1,715	\$2,858	\$3,144	\$3,430
30"	12 ½"	14 1/4"	EC2OCL30	\$1,458	\$1,604	\$1,750	\$2,916	\$3,208	\$3,500
36"	12 ½"	14 1/4"	EC2OCL36	\$1,487	\$1,636	\$1,784	\$2,974	\$3,272	\$3,568
42"	12 ½"	14 1/4"	EC2OCL42	\$1,531	\$1,684	\$1,837	\$3,062	\$3,368	\$3,674
48"	12 ½"	14 1/4"	EC2OCL48	\$1,574	\$1,731	\$1,889	\$3,148	\$3,462	\$3,778
60"	12 ½"	14 1/4"	EC2OCL60	\$2,226	\$2,449	\$2,671	\$4,452	\$4,898	\$5,342
72"	12 ½"	14 1/4"	EC2OCL72	\$2,863	\$3,149	\$3,436	\$5,726	\$6,298	\$6,872

SHARED STORAGE DIMENSIONS

Equity is measured from the center of the posts on each end of the panel. A standard full laminate overhead is dimensioned to fit in a fully panel wrapped configuration. It is therefore 1-½" narrower than the nominal panel dimension. If you would like the full laminate overhead to extend to cover the center of one post you will need to add an "E" to the full laminate overhead item number. This will add ¾" to the width of the shared storage. If you would like the full laminate overhead to extend to cover the center of both posts then you will need to add "EE", extending the full laminate overhead by 1 ½" from the standard.

E....Covers center of 1 post

EE . . Covers center of 2 posts









						Options
Specify			w	D	Door	Extended Ends
1. Model #	ES20 Equity Overhead	CL Full Laminate Overhea	d: 36	14	No Door	E One End \$25
2. Laminate/Veneer					D Door	EE Both Ends \$50
Overhead Includes matching	ES2O	CL	36	14	D	Е

Shared Storage



				:	· · · · · · · · · · · · · · · · · · ·	• • • • • • • • • • • • • • • • • • • •
12" H					LAMINATE	
W	D	Н	MODEL#	L1	L2	L3
24"	14"	12"	EC2OY2412	\$1,179	\$1,297	\$1,415
30"	14"	12"	EC2OY3012	\$1,203	\$1,323	\$1,444
36"	14"	12"	EC2OY3612	\$1,227	\$1,350	\$1,472
42"	14"	12"	EC20Y4212	\$1,264	\$1,390	\$1,517
48"	14"	12"	EC2OY4812	\$1,300	\$1,430	\$1,560
60"	14"	12"	EC2OY6012	\$1,807	\$1,988	\$2,168
72"	14"	12"	EC2OY7212	\$2,338	\$2,572	\$2,806
84"	14"	12"	EC2OY8412	\$2,846	\$3,131	\$3,415




14" H						
24"	14"	14 1/4"	EC2OY2414	\$1,192	\$1,311	\$1,430
30"	14"	14 1/4"	EC2OY3014	\$1,216	\$1,338	\$1,459
36"	14"	14 1/4"	EC2OY3614	\$1,240	\$1,364	\$1,488
42"	14"	14 1/4"	EC2OY4214	\$1,276	\$1,404	\$1,531
48"	14"	14 1/4"	EC2OY4814	\$1,313	\$1,444	\$1,576
60"	14"	14 1/4"	EC2OY6014	\$1,855	\$2,041	\$2,226
72"	14"	14 1/4"	EC2OY7214	\$2,387	\$2,626	\$2,864
84"	14"	14 1/4"	EC2OY8414	\$2,906	\$3,197	\$3,487


SHARED STORAGE DIMENSIONS

Equity is measured from the center of the posts on each end of the panel. A standard shared storage is dimensioned to fit in a fully panel wrapped configuration. It is therefore 1-½" narrower than the nominal panel dimension. If you would like the shared storage to extend to cover the center of one post you will need to add an "E" to the shared storage item number. This will add ¾" to the width of the shared storage. If you would like the shared storage to extend to cover the center of both posts then you will need to add "EE", extending the shared storage by 1 ½" from the standard.


E....Covers center of 1 post **EE**...Covers center of 2 posts



						Optio	ns	
		W	D		Door		Extended Ends	
ES20 Equity Overhead	Y Shared Storage	36	14	D MD	No Door Door Markerboard Door	E EE	One End Both Ends	\$25 \$51
ES2O	Υ	36	14	D		Е		



				•	· · · · · · · · · · · · · · · · · · ·	••••••
12" H	w/Door	S — Includes	2 locks		LAMINATE	
W	D	Н	MODEL#	L1	L2	L3
24"	14"	12"	EC2OY2412(D/MD)	\$1,348	\$1,483	\$1,618
30"	14"	12"	EC2OY3012(D/MD)	\$1,385	\$1,524	\$1,662
36"	14"	12"	EC2OY3612(D/MD)	\$1,421	\$1,563	\$1,705
42"	14"	12"	EC2OY4212(D/MD)	\$1,457	\$1,603	\$1,748
48"	14"	12"	EC2OY4812(D/MD)	\$1,493	\$1,642	\$1,792
60"	14"	12"	EC2OY6012(D/MD)	\$2,037	\$2,241	\$2,444
72"	14"	12"	EC2OY7212(D/MD)	\$2,568	\$2,825	\$3,082
84"	14"	12"	EC2OY8412(D/MD)	\$3,027	\$3,330	\$3,632



14" H w/Doors — Includes 2 locks


24"	14"	14 1/4"	EC2OY2414(D/MD)	\$1,397	\$1,537	\$1,676
30"	14"	14 1/4"	EC2OY3014(D/MD)	\$1,421	\$1,563	\$1,705
36"	14"	14 1/4"	EC2OY3614(D/MD)	\$1,445	\$1,590	\$1,734
42"	14"	14 1/4"	EC2OY4214(D/MD)	\$1,482	\$1,630	\$1,778
48"	14"	14 1/4"	EC2OY4814(D/MD)	\$1,517	\$1,669	\$1,820
60"	14"	14 1/4"	EC2OY6014(D/MD)	\$2,061	\$2,267	\$2,473
72"	14"	14 1/4"	EC2OY7214(D/MD)	\$2,604	\$2,864	\$3,125
84"	14"	14 1/4"	EC2OY8414(D/MD)	\$3,172	\$3,489	\$3,806

Specify

- 1. Model#
- Options
 Laminate

Shared Storage

Includes matching ABS edge band.




12" H		•	•	•	FABR	IC	•	•	
W	MODEL#	А	В	C	D	E	F	G	Н
24"	EP1TB2412	\$242	\$267	\$292	\$342	\$442	\$542	\$642	\$742
30"	EP1TB3012	\$301	\$326	\$351	\$401	\$501	\$601	\$701	\$801
36"	EP1TB3612	\$362	\$387	\$412	\$462	\$562	\$662	\$762	\$862
42"	EP1TB4212	\$392	\$417	\$442	\$492	\$592	\$692	\$792	\$892
48"	EP1TB4812	\$422	\$447	\$472	\$522	\$622	\$722	\$822	\$922
60"	EP1TB6012	\$483	\$508	\$533	\$583	\$683	\$783	\$883	\$983

20" H

60"

24"	EP1TB2420	\$362	\$387	\$412	\$462	\$562	\$662	\$762	\$862
30"	EP1TB3020	\$392	\$417	\$442	\$492	\$592	\$692	\$792	\$892
36"	EP1TB3620	\$422	\$447	\$472	\$522	\$622	\$722	\$822	\$922
42"	EP1TB4220	\$453	\$478	\$503	\$553	\$653	\$753	\$853	\$953
48"	EP1TB4820	\$483	\$508	\$533	\$583	\$683	\$783	\$883	\$983
60"	EP1TB6020	\$543	\$568	\$593	\$643	\$743	\$843	\$943	\$1,043



25" H 24" EP1TB2425 \$422 \$447 \$472 \$522 \$622 \$722 \$822 \$922 30" EP1TB3025 \$453 \$478 \$503 \$553 \$653 \$753 \$853 \$953 36" EP1TB3625 \$483 \$508 \$533 \$583 \$683 \$783 \$883 \$983 42" EP1TB4225 \$512 \$537 \$562 \$912 \$1,012 \$612 \$712 \$812 48" EP1TB4825 \$593 \$1,043 \$543 \$568 \$643 \$743 \$843 \$943

\$629

\$654

\$704

\$804

\$904

\$1,004

\$1,104

\$604

36" H

EP1TB6025

JU 11									
24"	EP1TB2436	\$4	83 \$508	\$533	\$583	\$683	\$783	\$883	\$983
30"	EP1TB3036	\$5	\$568	\$593	\$643	\$743	\$843	\$943	\$1,043
36"	EP1TB3636	\$5	73 \$598	\$623	\$673	\$773	\$873	\$973	\$1,073
42"	EP1TB4236	\$6	604 \$629	\$654	\$704	\$804	\$904	\$1,004	\$1,104
48"	EP1TB4836	\$6	33 \$658	\$683	\$733	\$833	\$933	\$1,033	\$1,133
60"	EP1TB6036	\$6	94 \$719	\$744	\$794	\$894	\$994	\$1,094	\$1,194

Specify	
1. Model #	

Application Notes Specify in areas where heavy tacking application is required.

Solid core construction will easily accept T-pins, push pins and thumbtacks.

Clips attach unit to slotted standards.

				Options	
	W	Н	Ex	tended Ends	
EW1 Tackboard	48	20	Е	One End	\$24
			EE	Both Ends	\$48
EP1TB	36	20	Е		

2. Fabric

Wall Mounted Channel

Vall Mo	unted	Channe	el			PAINT	•••••
w	D	Н	H (Actual)	MODEL#	P1	P2	P3
2 %"	3/4"	29"	23"	EP3WMC29	\$134	\$139	\$146
2 1/8"	3/4"	41"	35"	EP3WMC41	\$134	\$139	\$146
2 %"	3/4"	49"	43"	EP3WMC49	\$138	\$145	\$153
2 1/8"	3/4"	54"	49"	EP3WMC54	\$140	\$147	\$155
2 1/8"	3/4"	61"	55"	EP3WMC61	\$156	\$162	\$173
2 1/8"	3/4"	64"	58"	EP3WMC64	\$160	\$173	\$178
2 %"	3/4"	66"	60"	EP3WMC66	\$160	\$173	\$178
2 1/8"	3/4"	81"	75"	EP3WMC81	\$195	\$202	\$213
2 %"	3/4"	120"	120"	EP3WMC120	\$300	\$315	\$331

Specify – Wall Mounted Channel

- 1. Model #
- 2. Paint

Wall Mounted Channel Application Notes

Allows hanging of all components and accessories on reinforced building walls.

Painted extruded aluminum with a plastic insert which snaps in place, covering mounting screws.

NOTE: Neutral Posture, Inc. assumes no responsibility for wall construction or performance of fasteners used.

Assembly – Wall Mounted Channel

Included


- Extruded aluminum channel
- Insert which snaps into place


LIGHTING

Just as the design of a work environment is important, a company's investment in workplace lighting is equally such. Light empowers a person's work, influences their mood and helps them focus. Workers need well-lit spaces to be productive

and feel their best. Developing a work environment that supports worker well being and performance through the use of lighting will reduce employee stress, absenteeism and accidents while increasing work performance.


LIGHTING






REED Premier — Stand alone w/18-watt power supply

DESCRIPTION	Н	W	D	WATTAGE	MODEL#	LIST
Suggested shelf size 24" – 36"	1/2"	16 ½"	2"	8.0	LRPSO-17-SA	\$479
Suggested shelf size 30" – 42"	1/2"	23 1/4"	2"	12.4	LRPSO-24-SA	\$624



REED Premier = Stand alone or starter w/60-watt power supply

Suggested shelf size 24" – 36"	1/2"	16 ½"	2"	8.0	LRPSO-17-ST	\$575
Suggested shelf size 30" – 42"	1/2"	23 1/4"	2"	12.4	LRPSO-24-ST	\$720
Suggested shelf size 42" – 48"	1/2"	30"	2"	16.4	LRPSO-31-ST	\$757
Suggested shelf size 54" – 60"	1/2"	43 ¾"	2"	24.2	LRPSO-44-ST	\$938
Suggested shelf size >=72"	1/2"	57 ½"	2"	31.2	LRPSO-58-ST	\$1,155



REED Premier — Extension

Suggested shelf size 24" – 36"	1/2"	16 ½"	2"	8.0	LRPSO-17-EX	\$431
Suggested shelf size 30" – 42"	1/2"	23 1/4"	2"	12.4	LRPSO-24-EX	\$600
Suggested shelf size 42" – 48"	1/2"	30"	2"	16.4	LRPSO-31-EX	\$636
Suggested shelf size 54" – 60"	1/2"	43 ¾"	2"	24.2	LRPSO-44-EX	\$841



REED Premier — Accessories

Occupancy sensor kit	3/4"	2"	2"	LRP-OS	\$322
----------------------	------	----	----	--------	-------

Specify

1. Model#

REED Premier

Properly diffused light provides a softly blended light pattern that reduces eye strain.

A single-touch on/ off and touch and hold continuous dimming pad with last state memory.

The automatic turn off feature comes standard and will turn the fixture off after 10 hours of continuous use (±15 mins).

Specify Notes

60-watt power supply is required when interlinking.

Total interlinked system wattage cannot exceed 54 watts. See the interlinking combination chart for reference.

Extension fixtures come standard with 8" and 30" interlinking cords.

One occupancy sensor needed per string of interlinked fixtures.

Interlinking Combination Chart

4711	2.411	2411	4.411	FOII	4711	2411	2411	4.411	FOU
17"	24"	31"	44"	58"	17"	24"	31"	44"	58"
6	0	0	0	0	1	3	0	0	0
5	1	0	0	0	1	2	1	0	0
5	0	0	0	0	1	1	2	0	0
4	1	0	0	0	1	0	2	0	0
4	0	1	0	0	1	0	1	1	0
4	0	0	0	0	1	0	0	1	0
3	2	0	0	0	1	0	0	0	1
3	1	1	0	0	0	4	0	0	0
3	0	1	0	0	0	3	1	0	0
3	0	0	1	0	0	2	1	0	0
3	0	0	0	0	0	1	1	1	0
2	3	0	0	0	0	1	0	0	1
2	2	0	0	0	0	0	3	0	0
2	0	2	0	0	0	0	2	0	0
2	0	1	0	0	0	0	1	1	0
2	0	0	1	0	0	0	1	0	1
2	0	0	0	1	0	0	0	2	0
2	0	0	0	0					



Tazetta — Black

DESCRIPTION	Н	W	D	MODEL#	LIST
Use with 24" wide overhead	1.3"	13"	4.38"	LTAZ13BLK	\$365
Use with 30" – 36" wide overhead	1.3"	23.3"	4.38"	LTAZ24BLK	\$411
Use with 42" – 48" wide overhead	1.3"	35.1"	4.38"	LTAZ36BLK	\$462
Use with 54" – 60" wide overhead	1.3"	46.9"	4.38"	LTAZ48BLK	\$495
Use with 70" or wider overhead	1.3"	58.7"	4.38"	LTAZ <mark>60</mark> BLK	\$621



Tazetta — White

DESCRIPTION	Н	W	D	MODEL#	LIST
Use with 24" wide overhead	1.3"	13"	4.38"	LTAZ13WHT	\$376
Use with 30" – 36" wide overhead	1.3"	23.3"	4.38"	LTAZ24WHT	\$423
Use with 42" – 48" wide overhead	1.3"	35.1"	4.38"	LTAZ36WHT	\$476
Use with 54" – 60" wide overhead	1.3"	46.9"	4.38"	LTAZ48WHT	\$509
Use with 70" or wider overhead	1.3"	58.7"	4.38"	LTAZ60WHT	\$639



Tazetta = Gray

DESCRIPTION	Н	W	D	MODEL#	LIST
Use with 24" wide overhead	1.3"	13"	4.38"	LTAZ13GRY	\$376
Use with 30" – 36" wide overhead	1.3"	23.3"	4.38"	LTAZ24GRY	\$423
Use with 42" – 48" wide overhead	1.3"	35.1"	4.38"	LTAZ36GRY	\$476
Use with 54" – 60" wide overhead	1.3"	46.9"	4.38"	LTAZ48GRY	\$509
Use with 70" or wider overhead	1.3"	58.7"	4.38"	LTAZ60GRY	\$639

1. Model#

Application Notes

Lamp T5 fluorescent

Color Temperature 3500K

Certifications

ETL listed: compliant to UL 153 & CSA C22.2 No. 250.4; UL 1598; TAA

Power Consumption

8W 14W 21W 28W 35W

LightingFreestanding



Voyage — Single arm

DESCRIPTION	MODEL#	LIST
Freestanding	LVOY-S-FS-(B,W,S)	\$962
Freestanding w/occupancy sensor	LVOY-S-FS-(B,W,S)-OS	\$1,179
Freestanding USB	LVOY-S-FSUSB-(B,W,S)	\$1,034
Freestanding USB w/occupancy sensor	LVOY-S-FSUSB-(B,W,S)-OS	\$1,276
Surface mount	LVOY-S-SM-(B,W,S)	\$962
Surface mount w/occupancy sensor	LVOY-S-SM-(B,W,S)-OS	\$1,179
Clamp mount	LVOY-S-CM-(B,W,S)	\$962
Clamp mount w/occupancy sensor	LVOY-S-CM-(B,W,S)-OS	\$1,179



Voyage — Double arm

DESCRIPTION	MODEL#	LIST
DESCRIPTION	MUDEL#	LIST
Freestanding	LVOY-D-FS-(B,W,S)	\$1,058
Freestanding w/occupancy sensor	LVOY-D-FS-(B,W,S)-OS	\$1,276
Freestanding USB	LVOY-D-FSUSB-(B,W,S)	\$1,179
Freestanding USB w/occupancy sensor	LVOY-D-FSUSB-(B,W,S)-OS	\$1,361
Surface mount	LVOY-D-SM-(B,W,S)	\$1,058
Surface mount w/occupancy sensor	LVOY-D-SM-(B,W,S)-OS	\$1,276
Clamp mount	LVOY-D-CM-(B,W,S)	\$1,179
Clamp mount w/occupancy sensor	LVOY-D-CM-(B,W,S)-OS	\$1,276

Specify	Voyage				
1. Model #	Properly diffused light provides a softly blended light pattern that reduces eye strain.	The automatic turn off feature comes standard and will turn the fixture off after 10 hours of continuous use.	Color Options B – Black W – White S – Silver		
	A single-touch on/ off and touch and hold continuous dimming pad with last state memory.	The optional occupancy sensor will turn the fixture off after 30 minutes of inactivity and back on as the user re-enters the workspace. If occupant is present, the light will remain on.			

Lighting Freestanding



${\color{red}Revo} \, \underline{\hspace{1cm}} \, \text{Single arm}$

DESCRIPTION	MODEL#	LIST
Freestanding	LREV-S-FS-(B,W,S)	\$962
Freestanding w/occupancy sensor	LREV-S-FS-(B,W,S)-OS	\$1,179
Freestanding USB	LREV-S-FSUSB-(B,W,S)	\$1,058
Freestanding USB w/occupancy sensor	LREV-S-FSUSB-(B,W,S)-OS	\$1,216
Surface mount	LREV-S-SM-(B,W,S)	\$962
Surface mount w/occupancy sensor	LREV-S-SM-(B,W,S)-OS	\$1,179
Clamp mount	LREV-S-CM-(B,W,S)	\$962
Clamp mount w/occupancy sensor	LREV-S-CM-(B,W,S)-OS	\$1,179



Revo — Double Arm

DESCRIPTION	MODEL#	LIST
Freestanding	LREV-D-FS-(B,W,S)	\$1,058
Freestanding w/occupancy sensor	LREV-D-FS-(B,W,S)-OS	\$1,276
Freestanding USB	LREV-D-FSUSB-(B,W,S)	\$1,179
Freestanding USB w/occupancy sensor	LREV-D-FSUSB-(B,W,S)-OS	\$1,361
Surface mount	LREV-D-SM-(B,W,S)	\$1,058
Surface mount w/occupancy sensor	LREV-D-SM-(B,W,S)-OS	\$1,179
Clamp mount	LREV-D-CM-(B,W,S)	\$1,058
Clamp mount w/occupancy sensor	LREV-D-CM-(B,W,S)-OS	\$1,179

Specify	Application Notes							
1. Model #	Properly diffused light source under the round head provides a softly blended light pattern that reduces eye strain. Single-touch on/off and touch and hold continuous dimming pad with last state memory.	The automatic turn off feature comes standard and will turn the fixture off after 10 hours of continuous use. The optional occupancy sensor will turn the fixture off after 30 minutes of inactivity and back on as the user re-enters the workspace. If occupant is present, the light will remain on.	Color Options B – Black W – White S – Silver					

Tables

Step 1 - Model

			Shape	D	w
ТВ	Table	R	Round	34	69
		S	Square	•	:
		RCT	Rectangle	•	:
		OT	Oval		
TB		RCT		34	69
	:		.:	ii	ii

Step 2 – Surface Finish

Lam	Laminate						
PW-STK	Studio Teak						
PW-STK							
PW-31K							

Step 3 – Edge Finish

Edge Band						
EB-STK	Studio Teak					
	:					

Step 4 – Trim Finish

	Paints
301	Champagne
•	
	:
301	

FEATURES

BASE TYPES

- X Base
- Y Base w/ or w/o adjustable bar support
- Tapered Leg

BASE OPTIONS

- Bar height
- Flip top
- Casters

NOTE: Not all options are available on all bases.

WORKSURFACE TYPES

- Round
- Square
- Rectangular
- Oval

LEVELERS

Adjustable height levelers are included at no additional cost on all models.

Shank Length

X & Y bases — 3%-16 x 34"
Tapered legs — 3%-16 x 1 34"

Leveler extensions can be ordered separately. Please contact Customer Service for information on ordering leveler extensions. Casters can be ordered in place of levelers for an upcharge on most standard height tables.

SAFETY

For safety and stability purposes, the caster and flip top options cannot be added to bar height tables or the following table models: TBR60, TBS48, TBS60, TBOT54120, TBOT60144.

CUSTOM TABLES

Custom size tables and custom height bases are available upon request, pending Engineering approval. Customization charges may apply. Contact Customer Service for additional information and pricing.

CONSTRUCTION

X BASE

X bases are made from cast aluminum with $2\frac{1}{4}$ " tubing OD x 13 gauge.

Y BASE

Y base is made from cast aluminum with 2 ¼" steel tube.

X BASE MOUNTING PLATES

X base mounting plates are made of steel 4 gauge x 12" x 12" or 8" x 8".

Y BASE MOUNTING PLATES

Y base mounting plates are made from 0.187" x 6" x 8" fabricated steel.

WORKSURFACES

All worksurfaces are made with a core, high pressure laminate and edge band. All non-woodgrain edge bands are made of ABS material. All woodgrain edge bands are made of PVC material. The overall thickness is 1 1/8".

WORKSURFACE HEIGHTS

Standard	27 ¾"
Bar Height	40 ¾"

SURFACE MATERIALS

WORKSURFACE

- Laminate
- Edge band

X BASES

Paint

Y BASE

Paint

TAPERED LEGS

Paint

HEIGHT ADJUSTABLE BASE

Black or silver

TABLES



Round — w/X base					LAMINATE	PAINT			
DESCRIPTION	Н	W	D	MODEL#	L1	L2	L3	P2	P3
X base	29"	23 ¾"	23 ¾"	TBR24X	\$1,357	\$1,493	\$1,628	+ \$126	+ \$253
X base	29"	29 ¾"	29 ¾"	TBR30X	\$1,421	\$1,563	\$1,705	+ \$126	+ \$253
X base	29"	35 ¾"	35 ¾"	TBR36X	\$1,453	\$1,598	\$1,744	+ \$126	+ \$253
X base	29"	41 ¾"	41 ¾"	TBR42X	\$1,547	\$1,702	\$1,856	+ \$126	+ \$253
X base	29"	47 ¾"	47 ¾"	TBR48X	\$1,908	\$2,099	\$2,290	+ \$126	+ \$253
X base	29"	53 ¾"	53 ¾"	TBR54X	\$3,096	\$3,406	\$3,715	+ \$126	+ \$253



Round = w/Tapered legs

DESCRIPTION	Н	W	D	MODEL#	L1	L2	L3	P2	P3
4 Tapered legs	29"	29 ¾"	29 ¾"	TBR30T	\$2,022	\$2,224	\$2,426	+ \$126	+ \$253
4 Tapered legs	29"	35 ¾"	35 ¾"	TBR36T	\$2,053	\$2,258	\$2,464	+ \$126	+ \$253
4 Tapered legs	29"	41 ¾"	41 ¾"	TBR42T	\$2,085	\$2,294	\$2,502	+ \$126	+ \$253
4 Tapered legs	29"	47 ¾"	47 ¾"	TBR48T	\$2,117	\$2,329	\$2,540	+ \$126	+ \$253



Round — w/Disc base

DESCRIPTION	Н	W	D	MODEL#	L1	L2	L3	P2	Р3
Disc base	29"	29 ¾"	29 ¾"	TBR30D	\$2,688	\$2,957	\$3,226	+ \$126	+ \$253
Disc base	29"	35 ¾"	35 ¾"	TBR36D	\$2,815	\$3,097	\$3,378	+ \$126	+ \$253



Round — w/TT base

DESCRIPTION	Н	W	D	MODEL#	L1	L2	L3	P2	Р3
TT base	29"	59 ¾"	59 ¾"	TBR60TT	\$3,222	\$3,544	\$3,866	+ \$126	+ \$253
TT base	29"	65 ¾"	65 ¾"	TBR66TT	\$3,286	\$3,615	\$3,943	+ \$126	+ \$253
TT base	29"	71 ¾"	71 ¾"	TBR72TT	\$3,349	\$3,684	\$4,019	+ \$126	+ \$253

Options for Round Tables

DESCRIPTION	OPTION CODE	X BASE	TAPERED LEGS	DISC BASE	TT BASE	UPCHARGE
Bar height	ВН	•		•		+ \$126
Casters (set of 4)	c	•	•		•	+ \$126
Flip top	FT	•		•		+ \$253

Specify	Grain Direction			Shape	D		Base
1. Model #		TB Tab	le R	Round	30	Х	X base
2. Options			S	Square		Т	Tapered legs
3. Laminate			RCT	Rectangle		D	Disc base
4. Edge band		•	OT	Oval		TT	TT base
5. Base paint				_			_
q		ТВ	R		30	X	



Square — w/X	quare — w/X base						LAMINATE	PAINT		
DESCRIPTION	Н	W	D	MODEL#		L1	L2	L3	P2	Р3
X base	29"	23 ¾"	23 ¾"	TBS24X		\$1,358	\$1,494	\$1,630	+ \$126	+ \$253
X base	29"	29 ¾"	29 ¾"	TBS30X		\$1,421	\$1,563	\$1,705	+ \$126	+ \$253
X base	29"	35 ¾"	35 ¾"	TBS36X		\$1,517	\$1,669	\$1,820	+ \$126	+ \$253
X base	29"	41 ¾"	41 ¾"	TBS42X		\$1,579	\$1,737	\$1,895	+ \$126	+ \$253
X base	29"	53 ¾"	53 ¾"	TBS54X		\$3,096	\$3,406	\$3,715	+ \$126	+ \$253



Square __w/Tapered legs

DESCRIPTION	Н	W	D	MODEL#	L1	L2	L3	P2	P3
4 Tapered Legs	29"	29 ¾"	29 ¾"	TBS30T	\$2,022	\$2,224	\$2,426	+ \$126	+ \$253
4 Tapered Legs	29"	35 ¾"	35 ¾"	TBS36T	\$2,053	\$2,258	\$2,464	+ \$126	+ \$253
4 Tapered Legs	29"	41 ¾"	41 ¾"	TBS42T	\$2,066	\$2,273	\$2,479	+ \$126	+ \$253
4 Tapered Legs	29"	47 ¾"	47 ¾"	TBS48T	\$2,085	\$2,294	\$2,502	+ \$126	+ \$253



Square — w/TT base

≥	DESCRIPTION	Н	W	D	MODEL#	L1	L2	L3	P2	Р3
	TT base	29"	59 ¾"	59 ¾"	TBS60TT	\$3,222	\$3,544	\$3,866	+ \$126	+ \$253
	TT base	29"	65 ¾"	65 ¾"	TBS66TT	\$3,286	\$3,615	\$3,943	+ \$126	+ \$253
	TT base	29"	71 ¾"	71 ¾"	TBS72TT	\$3,349	\$3,684	\$4,019	+ \$126	+ \$253

Options for Square Tables

DESCRIPTION	OPTION CODE	X BASE	TAPERED LEGS	TT BASE	UPCHARGE
Bar height	ВН	•			+ \$126
Casters (set of 4)	c	•	•	•	+ \$126
Flip top	FT	•			+ \$253

Specify	Grain Direction		Shape	D	Base
1. Model #		TB Table	R Round	30 X	X base
2. Options			S Square	Т	Tapered legs
3. Laminate			RCT Rectangle	TT	TT Base
4. Edge band			OT Oval		
5. Base paint					
•		TB	S	30 X	
		ii	ii	ii i	.:



$\mathbf{0val} - \mathbf{w/Y} \mathbf{base}$					LAMINATE			PAIN	г
DESCRIPTION	Н	W	D	MODEL#	L1	L2	L3	P2	Р3
w/stretcher	29"	71 ¾"	35 ¾"	TBOT3672Y	\$4,031	\$4,434	\$4,837	+ \$253	+ \$379
w/stretcher	29"	95 ¾"	47"	TBOT4896Y	\$6,603	\$7,263	\$7,924	+ \$253	+ \$379
w/stretcher	29"	119 ¾"	47"	TBOT48120Y	\$8,082	\$8,890	\$9,698	+ \$253	+ \$379



0val = w/Tapered legs

DESCRIPTION	Н	W	D	MODEL#	L1	L2	L3	P2	P3
6 Tapered legs	29"	71 ¾"	35 ¾"	TBOT3672T	\$4,044	\$4,448	\$4,853	+ \$315	+ \$442
6 Tapered legs	29"	95 ¾"	47"	TBOT4896T	\$4,423	\$4,865	\$5,308	+ \$315	+ \$442
6 Tapered legs*	29"	119 ¾"	47"	TBOT48120T	\$4,865	\$5,352	\$5,838	+ \$315	+ \$442
6 Tapered legs*	29"	119 ¾"	53 ¾"	TBOT54120T	\$8,721	\$9,593	\$10,465	+ \$315	+ \$442
6 Tapered legs*	29"	143 ¾"	59 ¾"	TBOT60144T	\$9,479	\$10,427	\$11,375	+ \$315	+ \$442
* Includes a support ra	il								

Options for Oval Tables

DESCRIPTION	OPTION CODE	Y BASE	TAPERED LEGS	UPCHARGE
Bar height	вн	•		+ \$379
Casters (set of 4)	C	•	•	+ \$126
Flip top	FT	•		+ \$379

Specify	Grain Direction				Shape	D	w	Base	
 Model # Options Laminate Edge band 	\leftarrow	ТВ	Table	R S RCT OT	Round Square Rectangle Oval	34	69	Y T	Y base Tapered legs
5. Base paint		ТВ		ОТ		34	69	Υ	



Rectangle -	— w/Y base					LAMINATE		PAINT	
DESCRIPTION	Н	W	D	MODEL#	L1	L2	L3	P2	P3
w/o stretcher	29"	47 ¾"	29 ¾"	TBRCT3048Y	\$1,788	\$1,967	\$2,146	+ \$253	+ \$379
w/stretcher	29"	53 ¾"	23 ¾"	TBRCT2454Y	\$1,738	\$1,912	\$2,086	+ \$253	+ \$379
w/stretcher	29"	59 ¾"	23 ¾"	TBRCT2460Y	\$2,117	\$2,329	\$2,540	+ \$253	+ \$379
w/stretcher	29"	58 ½"	35 ½"	TBRCT3660Y	\$2,572	\$2,829	\$3,086	+ \$253	+ \$379
w/stretcher	29"	59 ¾"	29 ¾"	TBRCT3060Y	\$2,179	\$2,397	\$2,615	+ \$253	+ \$379
w/stretcher	29"	65 ¾"	23 ¾"	TBRCT2466Y	\$2,401	\$2,641	\$2,881	+ \$253	+ \$379
w/stretcher*	29"	69 1/4"	34"	TBRCT3469Y	\$3,873	\$4,260	\$4,648	+ \$253	+ \$379
w/stretcher*	29"	71 ¾"	23 ¾"	TBRCT2472Y	\$2,464	\$2,710	\$2,957	+ \$253	+ \$379
w/stretcher*	29"	71 ¾"	29 ¾"	TBRCT3072Y	\$2,572	\$2,829	\$3,086	+ \$253	+ \$379
w/stretcher*	29"	71 ¾"	35 ¾"	TBRCT3672Y	\$3,052	\$3,357	\$3,662	+ \$253	+ \$379
w/stretcher*	29"	79 1/4"	34"	TBRCT3479Y	\$3,873	\$4,260	\$4,648	+ \$253	+ \$379
w/stretcher*	29"	83 ¾"	41 ¾"	TBRCT4284Y	\$4,139	\$4,553	\$4,967	+ \$253	+ \$379
w/stretcher*	29"	95 ¾"	47 ¾"	TBRCT4896Y	\$5,263	\$5,789	\$6,316	+ \$253	+ \$379
* Includes a support ra	il						·		



Rectangle — w/Tapered legs

Н	W	D	MODEL#	L1	L2	L3	P2	P3
29"	47 ¾"	29 ¾"	TBRCT3048T	\$2,401	\$2,641	\$2,881	+ \$315	+ \$442
29"	58 ½"	35 ½"	TBRCT3660T	\$2,780	\$3,058	\$3,336	+ \$315	+ \$442
29"	59 ¾"	29 ¾"	TBRCT3060T	\$2,654	\$2,919	\$3,185	+ \$315	+ \$442
29"	69 1/4"	34"	TBRCT3469T	\$2,907	\$3,198	\$3,488	+ \$315	+ \$442
29"	71 ¾"	29 ¾"	TBRCT3072T	\$2,654	\$2,919	\$3,185	+ \$315	+ \$442
29"	71 ¾"	35 ¾"	TBRCT3672T	\$2,907	\$3,198	\$3,488	+ \$315	+ \$442
29"	79 1/4"	34"	TBRCT3479T	\$3,160	\$3,476	\$3,792	+ \$315	+ \$442
29"	83 ¾"	41 ¾"	TBRCT4284T	\$3,475	\$3,823	\$4,170	+ \$315	+ \$442
29"	95 ¾"	47 ¾"	TBRCT4896T	\$3,601	\$3,961	\$4,321	+ \$315	+ \$442
	29" 29" 29" 29" 29" 29" 29" 29"	29" 47 ¾" 29" 58 ½" 29" 59 ¾" 29" 69 ¼" 29" 71 ¾" 29" 79 ¼" 29" 79 ¼"	29" 47 ¾" 29 ¾" 29" 58 ½" 35 ½" 29" 59 ¾" 29 ¾" 29" 69 ¼" 34" 29" 71 ¾" 29 ¾" 29" 71 ¾" 35 ¾" 29" 79 ¼" 34" 29" 83 ¾" 41 ¾"	29" 47 ¾" 29 ¾" TBRCT3048T 29" 58 ½" 35 ½" TBRCT3660T 29" 59 ¾" 29 ¾" TBRCT3060T 29" 69 ¼" 34" TBRCT3469T 29" 71 ¾" 29 ¾" TBRCT3072T 29" 71 ¾" 35 ¾" TBRCT3672T 29" 79 ¼" 34" TBRCT3479T 29" 83 ¾" 41 ¾" TBRCT4284T	29" 47 ¾" 29 ¾" TBRCT3048T \$2,401 29" 58 ½" 35 ½" TBRCT3660T \$2,780 29" 59 ¾" 29 ¾" TBRCT3060T \$2,654 29" 69 ¼" 34" TBRCT3469T \$2,907 29" 71 ¾" 29 ¾" TBRCT3072T \$2,654 29" 71 ¾" 35 ¾" TBRCT3672T \$2,907 29" 79 ¼" 34" TBRCT3479T \$3,160 29" 83 ¾" 41 ¾" TBRCT4284T \$3,475	29" 47 ¾" 29 ¾" TBRCT3048T \$2,401 \$2,641 29" 58 ½" 35 ½" TBRCT3660T \$2,780 \$3,058 29" 59 ¾" 29 ¾" TBRCT3060T \$2,654 \$2,919 29" 69 ¼" 34" TBRCT3469T \$2,907 \$3,198 29" 71 ¾" 29 ¾" TBRCT3072T \$2,654 \$2,919 29" 71 ¾" 35 ¾" TBRCT3672T \$2,907 \$3,198 29" 79 ¼" 34" TBRCT3479T \$3,160 \$3,476 29" 83 ¾" 41 ¾" TBRCT4284T \$3,475 \$3,823	29" 47 ¾" 29 ¾" TBRCT3048T \$2,401 \$2,641 \$2,881 29" 58 ½" 35 ½" TBRCT3660T \$2,780 \$3,058 \$3,336 29" 59 ¾" 29 ¾" TBRCT3060T \$2,654 \$2,919 \$3,185 29" 69 ¼" 34" TBRCT3469T \$2,907 \$3,198 \$3,488 29" 71 ¾" 29 ¾" TBRCT3072T \$2,654 \$2,919 \$3,185 29" 71 ¾" 35 ¾" TBRCT3672T \$2,907 \$3,198 \$3,488 29" 79 ¼" 34" TBRCT3479T \$3,160 \$3,476 \$3,792 29" 83 ¾" 41 ¾" TBRCT4284T \$3,475 \$3,823 \$4,170	29" 47 ¾" 29 ¾" TBRCT3048T \$2,401 \$2,641 \$2,881 + \$315 29" 58 ½" 35 ½" TBRCT3660T \$2,780 \$3,058 \$3,336 + \$315 29" 59 ¾" 29 ¾" TBRCT3060T \$2,654 \$2,919 \$3,185 + \$315 29" 69 ¼" 34" TBRCT3469T \$2,907 \$3,198 \$3,488 + \$315 29" 71 ¾" 29 ¾" TBRCT3072T \$2,654 \$2,919 \$3,185 + \$315 29" 71 ¾" 35 ¾" TBRCT3672T \$2,907 \$3,198 \$3,488 + \$315 29" 79 ¼" 34" TBRCT3479T \$3,160 \$3,476 \$3,792 + \$315 29" 83 ¾" 41 ¾" TBRCT4284T \$3,475 \$3,823 \$4,170 + \$315

Options for Rectangle Tables

DESCRIPTION	OPTION CODE	Y BASE	TAPERED LEGS	UPCHARGE
Bar height	ВН	•		+ \$379
Casters (set of 4)	С	•	•	+ \$126
Flip top	FT	•		+ \$379

Specify	Grain Direction				Shape	D	w	Base	
1. Model #		ТВ	Table	R	Round	34	69	Υ	Y base
2. Options	← →			S	Square	:	:	Т	Tapered legs
3. Laminate		:		RCT	Rectangle	:			
4. Edge band				OT	Oval				
5. Base paint		<u>;</u>							•
·		ТВ		RCT		34	69	Υ	



C-Legs -	– 24" D				LAMINATE		PAINT		
Н	W	D	MODEL#	SUPPORT RAIL	L1	L2	L3	P2	Р3
29"	42"	24"	TBRCT2442C		\$1,348	\$1,398	\$1,449	+ \$88	+ \$170
29"	48"	24"	TBRCT2448C		\$1,347	\$1,426	\$1,479	+ \$88	+ \$170
29"	54"	24"	TBRCT2454C	•	\$1,500	\$1,582	\$1,639	+ \$88	+ \$170
29"	60"	24"	TBRCT2460C	•	\$1,569	\$1,658	\$1,722	+ \$88	+ \$170
29"	66"	24"	TBRCT2466C	•	\$1,633	\$1,729	\$1,799	+ \$88	+ \$170
29"	72"	24"	TBRCT2472C	•	\$1,645	\$1,742	\$1,813	+ \$88	+ \$170



C-Legs -	C-Legs — 30" D							PAINT	
Н	W	D	MODEL#	SUPPORT RAIL	L1	L2	L3	P2	Р3
29"	42"	30"	TBRCT3042C		\$1,504	\$1,564	\$1,624	+ \$93	+ \$187
29"	48"	30"	TBRCT3048C		\$1,522	\$1,583	\$1,645	+ \$93	+ \$187
29"	54"	30"	TBRCT3054C	•	\$1,738	\$1,809	\$1,881	+ \$93	+ \$187
29"	60"	30"	TBRCT3060C	•	\$1,795	\$1,872	\$1,950	+ \$93	+ \$187
29"	66"	30"	TBRCT3066C	•	\$1,846	\$1,928	\$2,011	+ \$93	+ \$187
29"	72"	30"	TBRCT3072C	•	\$1,890	\$1,977	\$2,064	+ \$93	+ \$187



0	0-Legs — 24" D						LAMINATE			IT
	Н	W	D	MODEL#	SUPPORT RAIL	L1	L2	L3	P2	Р3
	29"	42"	24"	TBRCT24420		\$1,952	\$2,002	\$2,053	+ \$148	+ \$297
	29"	48"	24"	TBRCT2448O		\$1,977	\$2,030	\$2,083	+ \$148	+ \$297
	29"	54"	24"	TBRCT24540	•	\$2,130	\$2,186	\$2,243	+ \$148	+ \$297
	29"	60"	24"	TBRCT2460O	•	\$2,199	\$2,262	\$2,326	+ \$148	+ \$297
	29"	66"	24"	TBRCT2466O	•	\$2,263	\$2,333	\$2,403	+ \$148	+ \$297
	29"	72"	24"	TBRCT24720	•	\$2,275	\$2,346	\$2,417	+ \$148	+ \$297



0-Le	gs – 30" D		LAMINATE			PAINT			
Н	W	D	MODEL#	SUPPORT RAIL	L1	L2	L3	P2	Р3
29"	42"	30"	TBRCT3042O		\$2,071	\$2,131	\$2,191	+ \$154	+ \$302
29"	48"	30"	TBRCT3048O		\$2,063	\$2,150	\$2,212	+ \$154	+ \$302
29"	54"	30"	TBRCT3054O	•	\$2,279	\$2,376	\$2,448	+ \$154	+ \$302
29"	60"	30"	TBRCT3060O	•	\$2,336	\$2,439	\$2,517	+ \$154	+ \$302
29"	66"	30"	TBRCT3066O	•	\$2,387	\$2,495	\$2,578	+ \$154	+ \$302
29"	72"	30"	TBRCT30720	•	\$2,431	\$2,544	\$2,631	+ \$154	+ \$302

Specify	Grain Direction			Shape	D	W	Base
1. Model #		TI	3 Table	RCT Rectangle	24	60	C C-Leg
2. Options	← →						O O-Leg
3. Laminate		i			:		
4. Edge band		į					
5. Base paint		į			,	į ,	
		TI	- :	RCT	24	60	С



T-Leg	T-Legs — 24" D							PAINT	
Н	W	D	MODEL#	SUPPORT RAIL	L1	L2	L3	P2	P3
29"	42"	24"	TBRCT2442TL		\$1,348	\$1,398	\$1,449	+ \$88	+ \$170
29"	48"	24"	TBRCT2448TL		\$1,373	\$1,426	\$1,479	+ \$88	+ \$170
29"	54"	24"	TBRCT2454TL	•	\$1,526	\$1,582	\$1,639	+ \$88	+ \$170
29"	60"	24"	TBRCT2460TL	•	\$1,595	\$1,658	\$1,722	+ \$88	+ \$170
29"	66"	24"	TBRCT2466TL	•	\$1,659	\$1,729	\$1,799	+ \$88	+ \$170
29"	72"	24"	TBRCT2472TL	•	\$1,671	\$1,742	\$1,813	+ \$88	+ \$170



T-Legs -	T-Legs — 30" D							PAINT		
Н	W	D	MODEL#	SUPPORT RAIL	L1	L2	L3	P2	P3	
29"	42"	30"	TBRCT3042TL		\$1,491	\$1,551	\$1,611	+ \$93	+ \$181	
29"	48"	30"	TBRCT3048TL		\$1,509	\$1,570	\$1,632	+ \$93	+ \$181	
29"	54"	30"	TBRCT3054TL	•	\$1,725	\$1,796	\$1,868	+ \$93	+ \$181	
29"	60"	30"	TBRCT3060TL	•	\$1,782	\$1,859	\$1,937	+ \$93	+ \$181	
29"	66"	30"	TBRCT3066TL	•	\$1,833	\$1,915	\$1,998	+ \$93	+ \$181	
29"	72"	30"	TBRCT3072TL	•	\$1,877	\$1,964	\$2,051	+ \$93	+ \$181	

Options for Desks

<u> </u>					
DESCRIPTION	OPTION CODE	C-LEGS	O-LEGS	T-LEGS	UPCHARGE
Bar height	вн	•		•	+ \$379
Casters; Carpet (set of 4)	CO	•		•	+ \$126
Casters; Hardfloor (set of 4)	C1	•		•	+ \$126
Flip top	FT	•		•	+ \$379

Ganging Kit for Desks

DESCRIPTION	OPTION CODE	C-LEGS	O-LEGS	T-LEGS	UPCHARGE
Ganging Kit - connects 2 desks together	DSKGK	•		•	\$70

Grain Direction					_		_
- Grain Direction				Shape	D	W	Base
	ТВ	Table	RCT	Rectangle	24	60	TL T-Leg
←	:				:		:
	į		:		<u>:</u>	:	
						:	
			:				
	TB		RCT		24	60	TL
	Grain Direction	→ TB	TB Table	TB Table RCT	TB Table RCT Rectangle	TB Table RCT Rectangle 24	TB Table RCT Rectangle 24 60

Sit/Stand Desks

Electric Height Adjustable



24" D					LAMINATE		١	WOOD VENEER	
Н	W	D	MODEL#	L1	L2	L3	W1	W2	W3
24" - 50"	48"	24"	TBRCT2448H	\$2,751	\$3,026	\$3,301	\$3,283	\$3,611	\$3,939
24" - 50"	54"	24"	TBRCT2454H	\$2,815	\$3,097	\$3,378	\$3,384	\$3,723	\$4,061
24" - 50"	60"	24"	TBRCT2460H	\$2,877	\$3,165	\$3,452	\$3,515	\$3,867	\$4,218
24" - 50"	66"	24"	TBRCT2466H	\$2,941	\$3,235	\$3,529	\$3,643	\$4,007	\$4,371
24" - 50"	72"	24"	TBRCT2472H	\$3,004	\$3,304	\$3,605	\$3,718	\$4,089	\$4,462
24" - 50"	78"	24"	TBRCT2478H	\$3,067	\$3,374	\$3,680	\$3,801	\$4,181	\$4,561
24" – 50"	84"	24"	TBRCT2484H	\$3,130	\$3,443	\$3,756	\$3,876	\$4,264	\$4,651



30" D					LAMINATE		V	VOOD VENEER	
Н	W	D	MODEL#	L1	L2	L3	W1	W2	W3
24" – 50"	48"	30"	TBRCT3048H	\$2,815	\$3,097	\$3,378	\$3,435	\$3,779	\$4,122
24" – 50"	54"	30"	TBRCT3054H	\$2,877	\$3,165	\$3,452	\$3,598	\$3,958	\$4,317
24" - 50"	60"	30"	TBRCT3060H	\$2,941	\$3,235	\$3,529	\$3,719	\$4,091	\$4,463
24" – 50"	66"	30"	TBRCT3066H	\$3,004	\$3,304	\$3,605	\$3,833	\$4,216	\$4,600
24" - 50"	72"	30"	TBRCT3072H	\$3,067	\$3,374	\$3,680	\$3,940	\$4,334	\$4,728
24" - 50"	78"	30"	TBRCT3078H	\$3,130	\$3,443	\$3,756	\$4,028	\$4,431	\$4,834
24" - 50"	84"	30"	TBRCT3084H	\$3,194	\$3,513	\$3,833	\$4,143	\$4,557	\$4,972

Specify	Grain Direction
1. Model #	
2. Laminate	\longleftrightarrow
3. Edge band	
4. Support color	

Black or Silver

App	pli	ca	itio	n	N	ot	es
	-						

Electric Height Adjustable Base

Adjustable height bases can be used with 24" & 30" deep worksurfaces. Worksurfaces must be between 48" – 84" wide.

Adjustable height bases have a capacity of 264 lbs evenly distributed.

Comes with four position memory controller.

Anti-collision stops and reverses the travel of the table when the table collides with a fixed object during operation.

3-stage legs offer a large height adjustment range of 24" – 50".



24" D						LAMINATE		PAIN	IT
Н	W	D	MODEL#	SUPPORT RAIL	L1	L2	L3	P2	Р3
37"	42"	24"	TBRCT2428SB		\$1,919	\$1,969	\$2,020	+ \$148	+ \$297
37"	48"	24"	TBRCT2448SB		\$1,944	\$1,997	\$2,050	+ \$148	+ \$297
37"	54"	24"	TBRCT2454SB	•	\$2,097	\$2,153	\$2,210	+ \$148	+ \$297
37"	60"	24"	TBRCT2460SB	•	\$2,166	\$2,229	\$2,293	+ \$148	+ \$297
37"	66"	24"	TBRCT2466SB	•	\$2,230	\$2,300	\$2,370	+ \$148	+ \$297
37"	72"	24"	TBRCT2472BS	•	\$2,242	\$2,313	\$2,384	+ \$148	+ \$297



30" D	30" D					LAMINATE		PAINT		
Н	W	D	MODEL#	SUPPORT RAIL	L1	L2	L3	P2	P3	
37"	42"	30"	TBRCT3042SB		\$2,014	\$2,074	\$2,134	+ \$148	+ \$297	
37"	48"	30"	TBRCT3048SB		\$2,032	\$2,093	\$2,155	+ \$148	+ \$297	
37"	54"	30"	TBRCT3054SB	•	\$2,248	\$2,319	\$2,391	+ \$148	+ \$297	
37"	60"	30"	TBRCT3060SB	•	\$2,305	\$2,382	\$2,460	+ \$148	+ \$297	
37"	66"	30"	TBRCT3066SB	•	\$2,356	\$2,438	\$2,521	+ \$148	+ \$297	
37"	72"	30"	TBRCT3072SB	•	\$2,400	\$2,487	\$2,574	+ \$148	+ \$297	

Specify	Grain Direction				Shape	D	W	Base	
1. Model #		ТВ	Table	RCT	Rectangle	24	60	SB	Stand-biased
2. Options	← →						:		
3. Laminate		į				<u>:</u>			
4. Edge band				:			:		
5. Base paint		į	:		:	;			:
		ТВ		RCT		24	:	SB	



Height Adjustable	FINI	FINISHES			
MODEL#	CHAIR	DESK	LIST		
SSWSP1500-MTL-HAT-MPL	Cloud 9 – Metal	Maple w/silver legs	\$5,879		
SSWSP1500-INK-HAT-MPL	Cloud 9 – Ink	Maple w/silver legs	\$5,879		
SSWSP1500-EBY-HAT-MPL	Cloud 9 – Ebony	Maple w/silver legs	\$5,879		
SSWSP1500-MTL-HAT-CHR	Cloud 9 – Metal	Cherry w/black legs	\$6,173		
SSWSP1500-INK-HAT-CHR	Cloud 9 – Ink	Cherry w/black legs	\$6,173		
SSWSP1500-EBY-HAT-CHR	Cloud 9 – Ebony	Cherry w/black legs	\$6,173		



Height Adjustable w/Screens	FINI		
MODEL#	CHAIR	DESK	LIST
SSWSP1500-MTL-HATWS-MPL	Cloud 9 – Metal	Maple w/silver legs	\$7,863
SSWSP1500-INK-HATWS-MPL	Cloud 9 – Ink	Maple w/silver legs	\$7,863
SSWSP1500-EBY-HATWS-MPL	Cloud 9 – Ebony	Maple w/silver legs	\$7,863
SSWSP1500-MTL-HATWS-CHR	Cloud 9 – Metal	Cherry w/black legs	\$8,067
SSWSP1500-INK-HATWS-CHR	Cloud 9 – Ink	Cherry w/black legs	\$8,067
SSWSP1500-EBY-HATWS-CHR	Cloud 9 – Ebony	Cherry w/black legs	\$8,067



Stand-biased Finishes			
MODEL#	CHAIR	DESK	LIST
SSWSP1500-MTL-STB-MPL	Cloud 9 – Metal	Maple w/silver legs	\$6,101
SSWSP1500-INK-STB-MPL	Cloud 9 – Ink	Maple w/silver legs	\$6,101
SSWSP1500-EBY-STB-MPL	Cloud 9 – Ebony	Maple w/silver legs	\$6,101
SSWSP1500-MTL-STB-CHR	Cloud 9 – Metal	Cherry w/black legs	\$6,030
SSWSP1500-INK-STB-CHR	Cloud 9 – Ink	Cherry w/black legs	\$6,030
SSWSP1500-EBY-STB-CHR	Cloud 9 – Ebony	Cherry w/black legs	\$6,030

Freight is not included for sit/stand packages. For sit/stand package discount information contact your Customer Service Representative at customerservice@neutralposture.com or 979.778.0502 ext. 301

Specify	Height Adjustable	Stand-biased	Application Notes	
1. Model #	Induded • 1000 Series Chair • 60 x 30 Desk • Dual Monitor Arms • Keyboard Arm & Tray	Included • 1000 Series Chair • 60 x 30 Desk • Dual Monitor Arms • Keyboard Arm & Tray • N-Position	Electric Height Adjustable Base Adjustable height bases have a capacity of 264 lbs evenly distributed.	Anti-collision stops and reverses the travel of the table when the table collides with a fixed object during operation.
			Comes with four position memory controller.	3-stage legs offer a large height adjustment range of 24" – 50"



Height Adjustable	F	FINISHES		
MODEL#	CHAIR	DESK	LIST	
SSWSP8500-MTL-HAT-MPL	Cloud 9 – Metal	Maple w/silver legs	\$6,012	
SSWSP8500-INK-HAT-MPL	Cloud 9 – Ink	Maple w/silver legs	\$6,012	
SSWSP8500-EBY-HAT-MPL	Cloud 9 – Ebony	Maple w/silver legs	\$6,012	
SSWSP8500-MTL-HAT-CHR	Cloud 9 – Metal	Cherry w/black legs	\$6,306	
SSWSP8500-INK-HAT-CHR	Cloud 9 – Ink	Cherry w/black legs	\$6,306	
SSWSP8500-EBY-HAT-CHR	Cloud 9 – Ebony	Cherry w/black legs	\$6,306	




Height Adjustable w/Screens	FIN		
MODEL#	CHAIR	DESK	LIST
SSWSP8500-MTL-HATWS-MPL	Cloud 9 – Metal	Maple w/silver legs	\$7,996
SSWSP8500-INK-HATWS-MPL	Cloud 9 – Ink	Maple w/silver legs	\$7,996
SSWSP8500-EBY-HATWS-MPL	Cloud 9 – Ebony	Maple w/silver legs	\$7,996
SSWSP8500-MTL-HATWS-CHR	Cloud 9 – Metal	Cherry w/black legs	\$8,200
SSWSP8500-INK-HATWS-CHR	Cloud 9 – Ink	Cherry w/black legs	\$8,200
SSWSP8500-EBY-HATWS-CHR	Cloud 9 – Ebony	Cherry w/black legs	\$8,200




Stand-biased	F	FINISHES		
MODEL#	CHAIR	DESK	LIST	
SSWSP8500-MTL-STB-MPL	Cloud 9 – Metal	Maple w/silver legs	\$6,234	
SSWSP8500-INK-STB-MPL	Cloud 9 – Ink	Maple w/silver legs	\$6,234	
SSWSP8500-EBY-STB-MPL	Cloud 9 – Ebony	Maple w/silver legs	\$6,234	
SSWSP8500-MTL-STB-CHR	Cloud 9 – Metal	Cherry w/black legs	\$6,163	
SSWSP8500-INK-STB-CHR	Cloud 9 – Ink	Cherry w/black legs	\$6,163	
SSWSP8500-EBY-STB-CHR	Cloud 9 – Ebony	Cherry w/black legs	\$6,163	

Freight is not included for sit/stand packages. For sit/stand package discount information contact your Customer Service Representative at customers ervice@neutralposture.com or 979.778.0502 ext. 301

Specify	Height Adjustable	Stand-biased	Application Notes	
1. Model #	Included • 8000 Series Chair • 60 x 30 Desk • Dual Monitor Arms • Keyboard Arm & Tray	Included • 8000 Series Chair • 60 x 30 Desk • Dual Monitor Arms • Keyboard Arm & Tray • N·Position	Electric Height Adjustable Base Adjustable height bases have a capacity of 264 lbs evenly distributed.	Anti-collision stops and reverses the travel of the table when the table collides with a fixed object during operation.
			Comes with four position memory controller.	3-stage legs offer a large height adjustment range of 24" – 50".




Priv	acy	& Mod	lesty Panels		SCREEN TYPE	
W	Н	BRACKETS	MODEL#	PG	CR	TC
12"	12"	2	PRVMOD(CR/PG/TC)12	\$355	\$403	\$861
18"	12"	2	PRVMOD(CR/PG/TC)18	\$403	\$500	\$1,176
24"	12"	2	PRVMOD(CR/PG/TC)24	\$475	\$596	\$1,489
30"	12"	2	PRVMOD(CR/PG/TC)30	\$548	\$693	\$1,804
36"	12"	2	PRVMOD(CR/PG/TC)36	\$620	\$790	\$2,142
42"	12"	2	PRVMOD(CR/PG/TC)42	\$693	\$886	\$2,455
48"	12"	2	PRVMOD(CR/PG/TC)48	\$764	\$983	\$2,770
60"	12"	3	PRVMOD(CR/PG/TC)60	\$909	\$1,224	\$3,421



Privacy Panels

12"	12"	2	PRV(CR/PG/TC)12	\$177	\$202	\$431
18"	12"	2	PRV(CR/PG/TC)18	\$202	\$250	\$588
24"	12"	2	PRV(CR/PG/TC)24	\$237	\$298	\$744
30"	12"	2	PRV(CR/PG/TC)30	\$274	\$347	\$902
36"	12"	2	PRV(CR/PG/TC)36	\$310	\$395	\$1,071
42"	12"	2	PRV(CR/PG/TC)42	\$347	\$443	\$1,227
48"	12"	2	PRV(CR/PG/TC)48	\$382	\$491	\$1,385
60"	12"	3	PRV(CR/PG/TC)60	\$455	\$612	\$1,710



Modesty Panels

12"	12"	2	MOD(CR/PG/TC)12	\$177	\$202	\$431
18"	12"	2	MOD(CR/PG/TC)18	\$202	\$250	\$588
24"	12"	2	MOD(CR/PG/TC)24	\$237	\$298	\$744
30"	12"	2	MOD(CR/PG/TC)30	\$274	\$347	\$902
36"	12"	2	MOD(CR/PG/TC)36	\$310	\$395	\$1,071
42"	12"	2	MOD(CR/PG/TC)42	\$347	\$443	\$1,227
48"	12"	2	MOD(CR/PG/TC)48	\$382	\$491	\$1,385
60"	12"	3	MOD(CR/PG/TC)60	\$455	\$612	\$1,710

Specify	
 Model # Insert type Insert color 	
Trim - Brushed nickel only	

Screen Type
CR Corian
PG Plexiglass
TC Textured Corian

Corian Finishes	
Glacier White	CR001
Pearl Grey	CR002
Corian Clay	CR003
Silver Grey	
Corian Grey	CR005


Textured Corian Finishes				
Glacier White.	. CR001T			
Pearl Grey	. CR002T			
Corian Clay	. CR003T			
Silver Grey	. CR004T			
Corian Grey	. CR005T			

Plexiglass Finishes
IC lce
SMSmoked
TR Translucent
LF Frost

Application Notes

Screens are $\frac{1}{4}$ " thick.

Widths are 1" less than nominal to allow for ½" set-back on each side.



Priv	acy	& Mod	lesty Panels — fabric				FAE	BRIC			
W	Н	BRACKETS	MODEL#	А	В	C	D	E	F	G	Н
24"	27"	2	PRVMODFA24	\$431	\$481	\$511	\$531	\$641	\$761	\$871	\$971
30"	27"	2	PRVMODFA30	\$455	\$525	\$555	\$575	\$685	\$805	\$905	\$1,015
36"	27"	2	PRVMODFA36	\$479	\$569	\$599	\$619	\$729	\$849	\$949	\$1,059
42"	27"	2	PRVMODFA42	\$503	\$603	\$643	\$663	\$773	\$883	\$993	\$1,103
48"	27"	2	PRVMODFA48	\$588	\$708	\$748	\$758	\$878	\$998	\$1,088	\$1,208
60"	27"	3	PRVMODFA60	\$744	\$874	\$924	\$934	\$1,034	\$1,164	\$1,264	\$1,374

Specify				
 Model # Insert type Insert color 				
Trim - Brushed nickel only				

Screen Type			
CR .	. Corian		
PG.	. Plexiglass		
TC .	. Textured Corian		

Corian Finishes	
Glacier White	. CR001
Pearl Grey	CR002
Corian Clay	CR003
Silver Grey	CR004
Corian Grey	CR005

Textured Corian F	inishes
Glacier White.	. CR001T
Pearl Grey	. CR002T
Corian Clay	. CR003T
Silver Grey	. CR004T
Corian Grey	. CR005T

Plexiglass Finishes	
IC lce	
SMSmoked	
TR Translucent	
LF Frost	
Application Notes	

Application Notes

Screens are ¼" thick.

Widths are 1" less than nominal to allow for ½" set-back on each side.



18" H		INSERT	PAI	NT
W	MODEL #	PG	P2	P3
12"	EDTS()1218()	\$431	+ \$30	+ \$60
18"	EDTS()1818()	\$455	+ \$30	+ \$60
24"	EDTS()2418()	\$479	+ \$30	+ \$60
30"	EDTS()3018()	\$503	+ \$30	+ \$60
36"	EDTS()3618()	\$527	+ \$30	+ \$60
42"	EDTS()4218()	\$551	+ \$30	+ \$60
48"	EDTS()4818()	\$575	+ \$30	+ \$60



24" H				
12"	EDTS()1224()	\$455	+ \$30	+ \$60
18"	EDTS()1824()	\$479	+ \$30	+ \$60
24"	EDTS()2424()	\$503	+ \$30	+ \$60
30"	EDTS()3024()	\$527	+ \$30	+ \$60
36"	EDTS()3624()	\$551	+ \$30	+ \$60
42"	EDTS()4224()	\$575	+ \$30	+ \$60
48"	EDTS()4824()	\$600	+ \$30	+ \$60
60"	EDTS()6024()	\$660	+ \$30	± \$60



30" H				
12"	EDTS()1230()	\$527	+ \$30	+ \$60
18"	EDTS()1830()	\$551	+ \$30	+ \$60
24"	EDTS()2430()	\$575	+ \$30	+ \$60
30"	EDTS()3030()	\$600	+ \$30	+ \$60
36"	EDTS()3630()	\$624	+ \$30	+ \$60
42"	EDTS()4230()	\$648	+ \$30	+ \$60
48"	EDTS()4830()	\$672	+\$30	+ \$60



36" H				
12"	EDTS()1236()	\$624	+ \$30	+ \$60
18"	EDTS()1836()	\$648	+ \$30	+ \$60
24"	EDTS()2436()	\$672	+ \$30	+ \$60
30"	EDTS()3036()	\$696	+ \$30	+ \$60
36"	EDTS()3636()	\$720	+ \$30	+ \$60
42"	EDTS()4236()	\$744	+ \$30	+ \$60
48"	EDTS()4836()	\$769	+ \$30	+ \$60

Sp	ecify	1				
_			_			ī

1. Model # 2. Insert type 3. Insert color 4. Paint

		w	Н	Mounting
EDTS Equity Desktop Screen	PG Plexiglass Insert	36	18	C Clamp \$60
		:		F Freestanding \$0
	<u>:</u>		:	S Screw down \$0
	<u>:</u>		:	
			:	
EDTS	PG	36	18	F
	11	ii		ii



61" H		INSERT	PAII	
W	MODEL #	PG	P2	P3
24"	EMS()2461	\$2,061	+ \$30	+ \$60
30"	EMS()3061	\$2,363	+ \$30	+ \$60
36"	EMS()3661	\$2,725	+ \$30	+ \$60
42"	EMS()4261	\$3,087	+ \$30	+ \$60
48"	EMS()4861	\$3,329	+ \$30	+ \$60



64" H

24"	EMS()2464	\$2,182	+ \$30	+ \$60
30"	EMS()3064	\$2,544	+ \$30	+ \$60
36"	EMS()3664	\$2,906	+ \$30	+ \$60
42"	EMS()4264	\$3,269	+ \$30	+ \$60
48"	EMS()4864	\$3,570	+\$30	+ \$60



81" H

24"	EMS()2481	\$2,786	+ \$30	+ \$60
30"	EMS()3081	\$3,389	+ \$30	+ \$60
36"	EMS()3681	\$3,872	+ \$30	+ \$60
42"	EMS()4281	\$4,355	+ \$30	+ \$60
48"	EMS()4881	\$4,718	+ \$30	+ \$60

Specify	

- 1. Model # 2. Insert type 3. Insert color 4. Paint

				Options	
		w	Н		
EMS Equity Mobile Screen	PG Plexiglass Insert	36	81	C Casters	\$120
EMS	PG	36	81		

STORAGE

Neutral Posture is not only dedicated to good posture, we are also dedicated to making offices more efficient and more enjoyable to work in. Neutral Posture knows that to increase efficiency in the office things must be organized well and be easily accessible. Neutral Posture offers the most space efficient and easily accessible products on the market.


Neutral Posture offers many diverse storage units making sure you can always find the exact unit of storage for your office's needs. From small pedestals that can double as seating to large towers with wardrobe capability, Neutral Posture can fit your needs in any situation. Along with our wide range of storage options, Neutral Posture also lets you truly personalize your office equipment, making your office a welcoming place for not only your customers, but, your employees as well.


Neutral Posture provides storage units that work together—meaning that they will work better for you and your workspace. Neutral Posture allows customization by offering several different color options, fabric patterns and even several different pulls and lock options to make sure your office space looks exactly how you want. Storage units that are cohesive have numerous benefits, such as taking up less space, being easier to access and making your office look more unified.

TRUE DIMENSIONS

Disclaimer: While Equity panels and worksurfaces are based on centerline to centerline dimensions, all storage dimensions are true dimensions.

STORAGE















	MODEL#	LIST
Pencil tray	SPTRY	\$20
6" Drawer divider	SBDD	\$20
12" Drawer divider	SFDD	\$46
Magnetic label	SMLB	\$84
Ped drawer front filler	SPFF	\$82
Magnetic drawer dividers	SMDDB	\$121
Magnetic shelf divider	SMSD	\$96
 Lateral file conversion bar	SLFCB	\$96



PED ACCESSORY PACKAGE - FF

2 – 12" Drawer dividers	SFFA	\$84



PED ACCESSORY PACKAGE - BBF

2 – 6" Drawer dividers	SBBFA	\$96
1 – 12" Drawer dividers		
1 – Pencil tray		



PED ACCESSORY PACKAGE – BF

1 – 6" Drawer divider	SBFA	\$84

1 – 12" Drawer divider 1 – Pencil tray

Step 1 - Model #

	Pedestal		Drawers	D		Pull
SPED	Freestanding Pedestal	FF	File File	19	J	J Pull
SMPED	Mobile Pedestal	BBF	Box Box File	:	В	Bar Pull
SCMPED	Mobile Pedestal w/Cushion	BF	Box File	:	R	Radiused Pull
SSPED	Suspended Pedestal			:		
SWSPED	Worksurface Supporting Pedestal			:		
SWSLKR	Worksurface Supporting Locker			:		
SFC	File Center			:	:	
		:		:	:	
SPED		BBF		19	В	
i	••	:	. .		:	:

Step 2 – Case Finish

Step 3 – Front Finish

Not Available w/J Pull								
Laminate								
PW-STK	Studio Teak							
PW-STK								

FEATURES

COUNTER WEIGHTS

- Freestanding, mobile and cushion pedestals include factory installed counterweights.
- Counterweights are not necessary for worksurface supporting or suspended pedestals.

LOCK

- Lock core is removable.
- Keyed alike available upon request.
- Master and change key available upon request. See (page 9).
- Individual locking drawers available upon request. Upcharge may apply.

DRAWERS

- Include full suspension steel ball-bearing slides.
- Drawer fronts include rubber bumpers for quiet operation.

LEVELING GLIDES

• 4 Leveling glides allow for 1 % " adjustment.

CASTERS - MOBILE PEDS

• 4 Black casters, 2 of which are locking.

CONSTRUCTION

OUTER SHELL & DRAWER CONSTRUCTION

Welded steel frame construction & formed channels ensure strength in key areas.

Top channels	18 – 21 Gauge
Side channels	18 – 21 Gauge
Outer panels	22 Gauge
Drawer fronts	20 Gauge
Drawer bins	22 Gauge

DRAWER LOAD CAPACITY

6" Box drawers	50 lbs
12" File drawers	70 lbs

DRAWER INNER DIMENSIONS


Height

Box drawer

30" Deep pedestal

File drawer	9 ½"
Width	
All drawers	12 1/8"
Depth	
18" Deep pedestal	15 1/5"
22" Deep pedestal	18 ¼"

PULL STYLES







B – Bar Pull R – Radiused

SURFACE MATERIALS

PEDESTAL

Paint

FRONTS

4 ½"

24 1/4"

w/Bar pull (B) Paint or Laminate w/Radiused pull (R) Paint or Laminate w/J pull (J) Paint

DRAWER PULL

Bar (B)	Satin nickel
Radiused (R)	Satin nickel
J (J)	Paint

MOBILE PED HANDLE

Satin nickel


LOCK

Satin nickel

CUSHION TOP

Upholstery

PEDESTALS







Freestanding					PAINT			E FRONT (UPCHAI	
Н	W	D	MODEL #	P1	P2	P3	L1	L2	L3
27 ¾"	15 1/4"	21 %"	SPEDFF22(J/B/R)	\$753	\$828	\$903	+ \$328	+ \$360	+ \$393
27 ¾"	15 1/4"	21 %"	SPEDBBF22(J/B/R)	\$804	\$884	\$964	+ \$353	+ \$388	+ \$423
27 ¾"	15 1/4"	27 %"	SPEDFF30(J/B/R)	\$855	\$940	\$1,026	+ \$341	+ \$460	+ \$579
27 ¾"	15 1/4"	27 %"	SPEDBBF30(J/B/R)	\$880	\$968	\$1,056	+ \$351	+ \$473	+ \$596



Mobile

26 %"	15 1/4"	18 %"	SMPEDFF19(J/B/R)	\$753	\$828	\$903	+ \$328	+ \$360	+ \$394
26 %"	15 ¼"	18 %"	SMPEDBBF19(J/B/R)	\$817	\$898	\$980	+ \$359	+ \$394	+ \$431
21 1/8"	15 1/4"	18 %"	SMPEDBF19(J/B/R)	\$728	\$800	\$873	+ \$315	+ \$346	+ \$378
26 %"	15 1/4"	21 %"	SMPEDFF22(J/B/R)	\$804	\$884	\$964	+ \$353	+ \$388	+ \$424
26 %"	15 1/4"	21 %"	SMPEDBBF22(J/B/R)	\$855	\$940	\$1,026	+ \$379	+ \$416	+ \$455
21 1/8"	15 1/4"	21 %"	SMPEDBF22(J/B/R)	\$741	\$815	\$889	+ \$315	+ \$346	+ \$378
26 %"	15 1/4"	27 %"	SMPEDFF30(J/B/R)	\$829	\$911	\$994	+ \$331	+ \$446	+ \$562
26 %"	15 1/4"	27 %"	SMPEDBBF30(J/B/R)	\$868	\$954	\$1,041	+ \$347	+ \$468	+ \$589
21 1/8"	15 1/4"	27 %"	SMPEDBF30(J/B/R)	\$767	\$843	\$920	+ \$306	+ \$413	+ \$520




Mobile Cushion					•••••••••••	••••••••••••	•••••••••••	FABR		••••••••••••	•		
	Н	W	D	MODEL#		1	2	3	4	5	6	7	8
	1"	15 1/4"	18 %"	PC19		\$227	\$257	\$287	\$317	\$387	\$447	\$507	\$597
	1"	15 1/4"	21 %"	PC22		\$227	\$257	\$287	\$317	\$387	\$447	\$507	\$597
	1"	15 1/4"	27 %"	PC30		\$227	\$257	\$287	\$317	\$387	\$447	\$507	\$597

Security Pedestal Upgrade

File/File (FF)	SP	+ \$530
Box/File (BF)	SP	+ \$660
Box/Box/File (BBF)	SP	+ \$790

Specify

- 1. Model#
- 2. Case finish
- 3. Front finish Laminate not available on J pull



R – Radiused

Ordered Separately

• Pencil tray

Freestanding Peds

- Counterweight for stability
- Leveling glides allow for 1 %" adjustment

Mobile Peds

Included

- Counterweight for stability
- Black 37mm plastic casters (2 locking & 2 non-locking)

Pedestals



Suspe	nded				PAINT		LAMINAT	E FRONT (UPCHAI	
Н	w	D	MODEL#	P1	P2	P3	L1	L2	L3
25"	15 1/4"	21 %"	SSPEDFF22(J/B/R)	\$753	\$828	\$903	+ \$328	+ \$360	+ \$394
25"	15 1/4"	21 %"	SSPEDBBF22(J/B/R)	\$804	\$884	\$964	+ \$353	+ \$388	+ \$424
19 %"	15 1/4"	21 %"	SSPEDBF22(J/B/R)	\$627	\$689	\$752	+ \$271	+ \$298	+ \$325



Worksurface Supporting

27 ¾"	15 1/4"	17 %"	SWSPEDFF18(J/B/R)	\$728	\$800	\$873	+ \$322	+ \$354	+ \$386
27 ¾"	15 1/4"	17 %"	SWSPEDBBF18(J/B/R)	\$779	\$856	\$934	+ \$340	+ \$374	+ \$408
27 ¾"	15 1/4"	21 %"	SWSPEDFF22(J/B/R)	\$728	\$800	\$873	+ \$322	+ \$354	+ \$386
27 ¾"	15 1/4"	21 %"	SWSPEDBBF22(J/B/R)	\$779	\$856	\$934	+ \$340	+ \$374	+ \$408
27 ¾"	15 1/4"	27 %"	SWSPEDFF30(J/B/R)	\$753	\$828	\$903	+ \$301	+ \$406	+ \$511
27 ¾"	15 1/4"	27 %"	SWSPEDBBF30(J/B/R)	\$829	\$911	\$994	+ \$331	+ \$446	+ \$562



Mobile Slim						PAINT		LAMINAT	E FRONT (UPCHAI	RGE)
DRAWER ACCESS	Н	W	D	MODEL#	P1	P2	P3	L1	L2	L3
L	20"	12"	18 %"	SMPEDSLM19L(J/B/R)	\$1,385	\$1,523	\$1,662	+ \$353	+ \$388	+ \$424
R	20"	12"	18 %"	SMPEDSLM19R(J/B/R)	\$1,385	\$1,523	\$1,662	+ \$353	+ \$388	+ \$424
Both	20"	12"	18 %"	SMPEDSLM19B(J/B/R)	\$1,449	\$1,593	\$1,738	+ \$353	+ \$388	+ \$424



Mobile Slim Cushion				FABRIC								
Н	W	D	MODEL#		1	2	3	4	5	6	7	8
1"	12"	1.9.76"	DCS10		\$227	\$257	\$287	\$317	\$397	\$447	\$507	\$507

Specify							
1.	Model #						
2.	Case finish						
3.	Front finish						
	Laminate not						

available on J Pull

					Options
	Lateral		W	Pull	
SPED	Freestanding Pedestal	FF File File	19	J J Pull	DL Digital Lock \$450
SMPED	Mobile Pedestal	BBF Box Box File		B Bar Pull	
SCMPED	Mobile Pedestal w/Cushion	BF Box File	:	R Radiused Pull	
SSPED	Suspended Pedestal		:	:	
SWSPED	Worksurface Supporting Pedestal			:	
SWSLKR	Worksurface Supporting Locker		:	:	
SFC	File Center	:		• • •	
SPED		BBF	19	В	DL

	File Center	Drawers	D	Pull
SFC SCMFC	File Center Mobile File Center w/Cushion	FF File File BBF Box Box File BF Box File	19	J J Pull B Bar Pull R Radiused Pull
SFC		BBF	19	В

Step 2 – Case Finish

		Paints	
	301	Champagne	
	301		
:		. i	

Step 3 – Front Finish

Not A	Not Available w/J Pull					
	Laminate					
PW-STK	Studio Teak					
PW-STK						

FEATURES

COUNTER WEIGHTS

- Freestanding file centers include factory installed counterweights.
- Counterweights are not necessary for worksurface supporting file centers.

LOCK

- Lock core is removable.
- Keyed alike available upon request.
- Master and change key available upon request. See (page 9).
- Individual locking drawers available upon request. Upcharge may apply.

DRAWERS

- Include full suspension steel ball-bearing slides.
- Drawer fronts include rubber bumpers for quiet operation.

LEVELING GLIDES

• 4 Leveling glides allow for 1 %" adjustment.

CASTERS - MOBILE PEDS

• 4 Black casters, 2 of which are locking

CONSTRUCTION

OUTER SHELL & DRAWER CONSTRUCTION

Welded steel frame construction & formed channels ensure strength in key areas.

Top channels	18 – 21 Gauge
Side channels	18 – 21 Gauge
Outer panels	22 Gauge
Drawer fronts	20 Gauge
Drawer bins	22 Gauge

DRAWER LOAD CAPACITY

6" Box drawers	50 lbs
12" File drawers	70 lbs


DRAWER INNER DIMENSIONS

Height

Box drawer	4 ½"
File drawer	9 ½"
Width	
All drawers	12 1/8"
Depth	
18" Deep pedestal	15 1/5"
30" Deep pedestal	26 1/4"

PULL STYLES

Available with Laminate Front







PEDESTAL

SURFACE MATERIALS

Paint

FRONTS

w/Bar pull (B) Paint or Laminate w/Radiused pull (R) Paint or Laminate w/J pull (J) Paint

DRAWER PULL

Bar (B)	Satin nickel
Radiused (R)	Satin nickel
J (J)	Paint


LOCK

Satin nickel

CUSHION TOP

Upholstery

FILE CENTERS





Worksurface Supporting File Center				PAINT		LAMINATE FRONT (UPCHARGE)			
Н	w	D	MODEL#	P1	P2	Р3	L1	L2	L3
27 ¾"	30 ½"	18 ¼"	SFCFFLAT(J/B/R)	\$1,486	\$1,634	\$1,783	+ \$657	+ \$722	+ \$788
27 ¾"	30 ½"	18 1/4"	SFCBBFLAT(J/B/R)	\$1,500	\$1,650	\$1,800	+ \$682	+ \$750	+ \$818
27 ¾"	30 ½"	18 1/4"	SFCFBBLAT(J/B/R)	\$1,500	\$1,650	\$1,800	+ \$682	+ \$750	+ \$818



Mobile File Center w/Cushion


24 1/8"	30 ½"	18 ¾"	SCMFCBBLAT(J/B/R)		\$2,536	\$2,789	\$3,043	+ \$884	+ \$1,226	+ \$1,567
				:	. ,	. ,	,		. ,	. ,

Mobile Cushion Fabric Upcharges

mobile cusinon rubile openarges						
SEATING GRADES	UPCHARGE					
1	+ \$225					
2	+ \$300					
3	+ \$400					
4	+ \$500					
5	+ \$600					
6	+ \$700					
7	+ \$800					
8	+ \$900					

Specify

- 1. Model#
- 2. Case finish
- 3. Front finish
 Laminate not
 available on J pull



R – Radiused

Ordered Separately

• Pencil tray

Freestanding File Center

Included

- Counterweight for stability
- Leveling glides allow for 1 %" adjustment

Mobile File Center

Included

- Counterweight for stability
- Black 37mm plastic casters (2 locking & 2 non-locking)
- 1" cushion in black Other fabrics available for an upcharge.

File Centers



Mobile File Center w/Cupboard Door			PAINT			LAMINATE FRONT (UPCHARGE)				
HINGE	Н	W	D	MODEL#	P1	P2	P3	L1	L2	L3
L	22 ¾"	30 ½"	18 ¼"	SMFCFBCUBL(J/B/R)	\$1,575	\$1,701	\$1,827	+ \$682	+ \$750	+ \$818
R	22 ¾"	30 ½"	18 1/4"	SMFCFBCUBR(J/B/R)	\$1,575	\$1,701	\$1,827	+ \$682	+ \$750	+ \$818



Mobile File Center w/Open Shelf

L	22 ¾"	30 ½"	18 1/4"	SMFCFBSHFL(J/B/R)	\$1,449	\$1,701	\$1,827	+ \$669	+ \$735	+ \$802
R	22 ¾"	30 ½"	18 1/4"	SMFCFBSHFR(J/B/R)	\$1,449	\$1,701	\$1,827	+ \$669	+ \$735	+ \$802



Mobile File Center Cushion				FABRIC								
1	Н	W	D	MODEL#	A/1	B/2	C/3	D/4	E/5	F/6	G/7	H/8
	1"	30 ½"	18 1/4"	MFCC30	\$413	\$513	\$563	\$613	\$663	\$713	\$763	\$833

Specify	
1. Model#	
2. Case finish	
3. Front finish	

Laminate not available on J Pull

					Options
	Lateral		W	Pull	
SFC	File Center	FF File File	19	J J Pull	DL Digital Lock \$450
SCMFC	Mobile File Center w/Cushion	BBF Box Box File		B Bar Pull	
		BF Box File		R Radiused Pull	
:			:		
		•			
<u>:</u>					
SFC		BBF	19	В	DL
i	.	; ;	ii.	<u>.</u>	

Step 1 - Model

	Lateral	# of Drawers	W	Pull
SLAT SWSLAT	Lateral Worksurface Supporting	3	36	J J Pull B Bar Pull
SLAT		3	36	В

Step 2 - Case Finish

	Paint
301	Champagne
301 301	:
301	. i

Step 3 - Front Finish

	Not Available w/J Pull
	Laminate
PW-STK	Studio Teak
PW-STK	

FEATURES

COUNTER WEIGHTS

- Counterweights are not included with laterals.
- Counterweights are not necessary for worksurface supporting laterals.

LOCK

- Lock core is removable.
- Keyed alike available upon request.
- Master and change key available upon request. See (page 9).
- Individual locking drawers available upon request. Upcharge may apply.

DRAWERS

- All drawers include full extension steel ball-bearing slides with anti-rebound features to ensure smooth operation.
- Drawer fronts include rubber bumpers for quiet operation.
- The top opening of 5-high laterals features an over-the-top flipper door with 13 ¼" inside clear height for binder storage.
- Drawer includes full-height side panels.
- 2 file bars are included in each drawer, for side-to-side filing.
- Conversion bars for front to back filing are sold separately.
- All lateral drawer bins will accommodate A4, letter and legal size filing.

LEVELING GLIDES

4 leveling glides allow for 1 1/4" adjustment.

COUNTERWEIGHTS

 Counterweights are required for all lateral files that are not ganged together or otherwise anchored.

CONSTRUCTION

OUTER SHELL & DRAWER CONSTRUCTION

Welded steel frame construction & formed channels ensure strength in key areas. Standard depth is 18 ¼".

Inner frame	20 Gauge
Outer panels	22 Gauge
Drawer fronts	20 Gauge
Drawer bins	20 Gauge

DRAWER LOAD CAPACITY

30" Wide lateral	140 lbs
36" Wide lateral	168 lbs
42" Wide lateral	192 lbs

DRAWER INNER DIMENSIONS

Height	
Top flipper door	13 1⁄4"
Drawer immediately below lock strip	9 1/5"
All other drawers	10 3/4"
Width	
30" Wide lateral	26 1/10"
36" Wide lateral	32 1/10"
42" Wide lateral	38 7/10"
Depth	
18 ¼" Deep lateral	16"

PULL STYLES



B - Bar Pull



SURFACE MATERIALS

LATERAL

Paint

FRONTS

w/Bar pull (B) Paint or Laminate w/J pull (J) Paint

DRAWER PULL

Bar (B) Satin nickel J (J) Paint


LOCK

Satin nickel

TOP

Paint or Laminate

LATERALS







2 Draw	er				PAINT		LAMINATE FRONT (UPCHARGE)			
Н	W	D	MODEL#	P1	P2	P3	L1	L2	L3	
28 3/8"	30"	18 1/4"	SLAT230(J/B)	\$1,133	\$1,246	\$1,359	+ \$505	+ \$555	+ \$666	
28 3/8"	36"	18 1/4"	SLAT236(J/B)	\$1,385	\$1,523	\$1,662	+ \$556	+ \$611	+ \$733	
28 %"	42"	18 1/4"	SLAT242(J/B)	\$1,449	\$1,593	\$1,738	+ \$606	+ \$666	+ \$799	

 $Counterweights \ are \ required \ for \ all \ lateral \ files \ that \ are \ not \ ganged \ together \ or \ otherwise \ anchored.$



3 Drawer

39 %"	30"	18 ¼"	SLAT330(J/B)	\$1,575	\$1,732	\$1,890	+ \$694	+ \$763	+ \$916
39 %"	36"	18 1/4"	SLAT336(J/B)	\$1,764	\$1,940	\$2,116	+ \$745	+ \$819	+ \$983
39 %"	42"	18 1/4"	SLAT342(J/B)	\$1,891	\$2,080	\$2,269	+ \$795	+ \$874	+ \$1,049


Counterweights are required for all lateral files that are not ganged together or otherwise anchored.



4 Drawer

51 %"	30"	18 1/4"	SLAT430(J/B)	\$1,955	\$2,150	\$2,346	+ \$846	+ \$930	+ \$1,116
51 %"	36"	18 1/4"	SLAT436(J/B)	\$2,144	\$2,358	\$2,572	+ \$884	+ \$972	+ \$1,166
51 %"	42"	18 1/4"	SLAT442(J/B)	\$2,270	\$2,497	\$2,724	+ \$922	+ \$1,014	+ \$1,217

Counterweights are required for all lateral files that are not ganged together or otherwise anchored.



4 Drawer — w/fixed top shelf

65 %"	30"	18 1/4"	SLAT530(J/B)	\$2,334	\$2,567	\$2,800	+ \$935	+ \$1,028	+ \$1,234
65 %"	36"	18 1/4"	SLAT536(J/B)	\$2,523	\$2,775	\$3,027	+ \$960	+ \$1,056	+ \$1,267
65 %"	42"	18 1/4"	SLAT542(J/B)	\$2,776	\$3,053	\$3,331	+ \$985	+ \$1,083	+ \$1,300

 $\label{lem:counterweights} \textbf{Counterweights are required for all lateral files that are not ganged together or otherwise anchored.}$



4 Drawer — w/roll-out shelf

65 %"	30"	18 1/4"	SLAT5R30(J/B)	\$3,509	\$3,859	\$4,210	+ \$2,527	+ \$2,779	+ \$3,032
65 1/8"	36"	18 1/4"	SLAT5R36(J/B)	\$4,014	\$4,415	\$4,816	+ \$2,527	+ \$2,779	+ \$3,032
65 %"	42"	18 1/4"	SLAT5R42(J/B)	\$4,267	\$4,693	\$5,120	+ \$2,527	+ \$2,779	+ \$3,032

 $\label{lem:counterweights} \textbf{Counterweights are required for all lateral files that are not ganged together or otherwise anchored.}$

Specify

- 1. Model#
- 2. Case finish
- 3. Front finish
 Laminate not
 available on J pull

Pulls B – Bar Pull J – J Pull

			-	
# Drawers	W	Pull		
2	36	J J Pull	CW Counterweight	s \$211
3		B Bar Pull	DL Digital Lock	\$450
4	:			
5				
	,			
3	36	J	CW	
	2 3 4 5	2 36 3 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	2 36 J J Pull B Bar Pull 5	2 36 J J Pull CW Counterweight 3 B Bar Pull DL Digital Lock 5

Options

Application Notes

Included

• Leveling glides for 1 1 1 adjustment





BF					PAINT		LAMINATE FRONT (UPCHARGE)		
Н	W	D	MODEL#	P1	P2	P3	L1	L2	L3
22 5/8"	30"	18 1/4"	SLAT130(J/B)	\$1,272	\$1,399	\$1,526	+ \$441	+ \$612	+ \$782
22 %"	36"	18 1/4"	SLAT136(J/B)	\$1,399	\$1,538	\$1,678	+ \$441	+ \$624	+ \$807
22 %"	42"	18 1/4"	SLAT142(J/B)	\$1,525	\$1,677	\$1,830	+ \$441	+ \$637	+ \$832

Counterweights are required for all lateral files that are not ganged together or otherwise anchored.



BF Shelf

22 %"	30"	18 1/4"	SLATS130	\$1,019	\$1,120	\$1,222	N/A	N/A	N/A
22 %"	36"	18 1/4"	SLATS136	\$1,146	\$1,260	\$1,375	N/A	N/A	N/A
22 %"	42"	18 1/4"	SLATS142	\$1,272	\$1,399	\$1,526	N/A	N/A	N/A

Counterweights are required for all lateral files that are not ganged together or otherwise anchored.



Worksurface Supporting

27 ¾"	30"	18 1/4"	SWSLAT230(J/B)	\$1,133	\$1,246	\$1,359	+ \$505	+ \$555	+ \$666
27 ¾"	36"	18 1/4"	SWSLAT236(J/B)	\$1,259	\$1,384	\$1,510	+ \$556	+ \$611	+ \$733
27 ¾"	42"	18 1/4"	SWSLAT242(J/B)	\$1,385	\$1,523	\$1,662	+ \$606	+ \$666	+ \$799

Counterweights are required for all lateral files that are not ganged together or otherwise anchored.



2 Drawer/2 Open Shelves

51 %"	30"	18 1/4"	SLAT2S2F30(J/B)	\$2,789	\$3,067	\$3,346	+ \$2,527	+ \$2,779	+ \$3,032
52 %"	36"	18 1/4"	SLAT2S2F36(J/B)	\$3,168	\$3,484	\$3,801	+ \$2,527	+ \$2,779	+ \$3,032
53 3/8"	42"	18 1/4"	SLAT2S2F42(J/B)	\$3,736	\$4.109	\$4.483	+ \$2.527	+ \$2.779	+ \$3.032

Counterweights are included.



2 Drawer/3 Open Shelves

65 %"	30"	18 1/4"	SLAT3S2F30(J/B)	\$2,915	\$3,206	\$3,498	+ \$2,527	+ \$2,779	+ \$3,032
65 %"	36"	18 1/4"	SLAT3S2F36(J/B)	\$3,294	\$3,623	\$3,952	+ \$2,527	+ \$2,779	+ \$3,032
65 %"	42"	18 1/4"	SLAT3S2F42(J/B)	\$3,862	\$4,248	\$4,634	+ \$2,527	+ \$2,779	+ \$3,032

Counterweights are included.

Lateral – Accessories

DESCRIPTION	MODEL#	BLACK ONLY
Lateral Ganging Kit	SLATGK	\$185

Specify							
1. Model #							
2. Case finish							
3. Front finish							
Laminate not							
available on J pull							

						Options	
	Lateral	W		Pull			
SLAT1	BF Lateral w/Metal Top	36	:	J Pull Bar Pull	CW DL	3	211 450
SLAT		36	J		CW		



6B Drawer D MODEL# **P1** P2 Р3 39 %" 18 1/4" S6BLAT30(J/B) \$2,371 \$2,608 \$2,845 18 1/4" S6BLAT36(J/B) \$2,997 39 %" 36" \$2,498 \$2,747 39 %" 42" 18 1/4" S6BLAT42(J/B) \$2,725 \$2,997 \$3,270

 $Counterweights \ are \ required \ for \ all \ lateral \ files \ that \ are \ not \ ganged \ together \ or \ otherwise \ anchored.$

6B Drawer, No Top

39 %"	30"	18 ¼"	S6BLAT30NT(J/B)	\$2,283	\$2,511	\$2,739
39 %"	36"	18 ¼"	S6BLAT36NT(J/B)	\$2,410	\$2,651	\$2,892
39 %"	42"	18 1/4"	S6BLAT42NT(J/B)	\$2,662	\$2,928	\$3,194

 $\label{lem:counterweights} \textbf{Counterweights are required for all lateral files that are not ganged together or otherwise anchored.}$



BBF Drawer


28 %"	30"	18 1/4"	S2BFLAT30(J/B)	\$1,525	\$1,677	\$1,830
28 %"	36"	18 1/4"	S2BFLAT36(J/B)	\$1,651	\$1,816	\$1,981
28 %"	42"	18 1/4"	S2BFLAT42(J/B)	\$1,778	\$1,955	\$2,133

 $Counterweights\ are\ required\ for\ all\ lateral\ files\ that\ are\ not\ ganged\ together\ or\ otherwise\ anchored.$

BBF Drawer, No Top

28 ¾"	30"	18 1⁄4"	S2BFLAT30NT(J/B)	\$1,525	\$1,677	\$1,830
28 ¾"	36"	18 1/4"	S2BFLAT36NT(J/B)	\$1,651	\$1,816	\$1,981
28 %"	42"	18 1/4"	S2BFLAT42NT(J/B)	\$1,778	\$1,955	\$2,133

 $Counterweights are \ required \ for \ all \ lateral \ files \ that \ are \ not \ ganged \ together \ or \ otherwise \ anchored.$



BBFF Drawer

39 %"	30"	18 ¼"	S2B2FLAT30(J/B)	\$2,030	\$2,233	\$2,436
39 %"	36"	18 1/4"	S2B2FLAT36(J/B)	\$2,157	\$2,372	\$2,588
39 %"	42"	18 1/4"	S2B2FLAT42(J/B)	\$2,283	\$2,511	\$2,739

 $Counterweights\ are\ required\ for\ all\ lateral\ files\ that\ are\ not\ ganged\ together\ or\ otherwise\ anchored.$

BBFF Drawer, No Top

39 %	30	18 1/4	S2B2FLAT30NT(J/B)	\$2,030	\$2,233	\$2,436
39 %	36	18 1/4	S2B2FLAT36NT(J/B)	\$2,157	\$2,372	\$2,588
39 %	42	18 1/4	S2B2FLAT42NT(J/B)	\$2,283	\$2,511	\$2,739

 $Counterweights are \ required \ for \ all \ lateral \ files \ that \ are \ not \ ganged \ together \ or \ otherwise \ anchored.$

Specify	
1. Model #	
Case finish	

					Options	
	Lateral	W	Pull			
S6BLAT	6B Drawer Lat	36	J J Pull	CW	Counterweights	\$211
S2BFLAT	BBF Drawer Lat		B Bar Pull	DL	Digital Lock	\$450
S2B2FLAT	BBFF Drawer Lat	:				
<u>:</u>						
•						
į	•		<u>:</u> .		1	
S6BLAT	г	36	J	CW	'	
i	•	ii	ii		_	



Comn	non To	op – 18'	" Deep		LAMINATE	
Н	W	D	MODEL#	L	l L2	L3
5/8"	30"	18 1/4"	LT30	\$441	\$485	\$529
5/8"	36"	18 1/4"	LT36	\$480	\$528	\$576
5/8"	42"	18 1/4"	LT42	\$492	\$541	\$590
5/8"	60"	18 1/4"	LT60	\$517	\$568	\$620
5/8"	66"	18 1/4"	LT66	\$586	\$644	\$703
5/8"	72"	18 1/4"	LT72	\$612	\$673	\$734
5/8"	84"	18 1/4"	LT84	\$618	\$679	\$741
5/8"	90"	18 1/4"	LT90	\$625	\$687	\$750
5/8"	108"	18 1/4"	LT108	\$669	\$735	\$802
5/8"	126"	18 1/4"	LT126	\$890	\$979	\$1,068

Common Top – 36" Deep

Specify Lateral Common Top

- 1. Model # 2. Laminate
- 3. Edge band

5/8"	30"	36 ½"	LT3037	\$631	\$694	\$757
5/8"	36"	36 ½"	LT3637	\$694	\$763	\$832
5/8"	42"	36 ½"	LT4237	\$789	\$867	\$946
5/8"	60"	36 ½"	LT6037	\$915	\$1,006	\$1,098
5/8"	66"	36 ½"	LT6637	\$1,011	\$1,112	\$1,213
5/8"	72"	36 ½"	LT7237	\$1,073	\$1,180	\$1,287
5/8"	84"	36 ½"	LT8437	\$1,137	\$1,250	\$1,364
5/8"	90"	36 ½"	LT9037	\$1,200	\$1,320	\$1,440
5/8"	108"	36 ½"	LT10837	\$1,452	\$1,597	\$1,742
5/8"	126"	36 ½"	LT12637	\$1,579	\$1,736	\$1,894



Cushi	ion – 1	18" Dee	p	FABRIC							
Н	W	D	MODEL#	A/1	B/2	C/3	D/4	E/5	F/6	G/7	H/8
1"	30"	18 1/4"	LC30	\$413	\$513	\$563	\$613	\$663	\$713	\$763	\$833
1"	36"	18 1/4"	LC36	\$443	\$543	\$598	\$648	\$708	\$773	\$838	\$928
1"	42"	18 1/4"	LC42	\$475	\$575	\$635	\$685	\$755	\$835	\$915	\$1,025
1"	60"	18 1/4"	LC60	\$551	\$651	\$721	\$781	\$871	\$971	\$1,071	\$1,221
1"	66"	18 1/4"	LC66	\$583	\$683	\$758	\$818	\$923	\$1,033	\$1,148	\$1,308
1"	72"	18 1/4"	LC72	\$615	\$715	\$795	\$855	\$975	\$1,095	\$1,225	\$1,395
1"	84"	18 1/4"	LC84	\$665	\$765	\$855	\$925	\$1,065	\$1,205	\$1,375	\$1,525
1"	90"	18 1/4"	LC90	\$703	\$803	\$893	\$963	\$1,123	\$1,273	\$1,463	\$1,613
1"	108"	18 1/4"	LC108	\$779	\$879	\$979	\$1,059	\$1,239	\$1,414	\$1,609	\$1,789
1"	126"	18 1/4"	LC126	\$855	\$955	\$1,065	\$1,155	\$1,355	\$1,555	\$1,755	\$1,965

Cushion – 36" Deep

Specify Lateral Cushion

- 1. Model#
- 2. Fabric

	• • • •	p									
1"	30"	36 ½"	LC3037	\$602	\$662	\$722	\$822	\$922	\$1,022	\$1,122	\$1,222
1"	36"	36 ½"	LC3637	\$640	\$710	\$775	\$890	\$1,005	\$1,125	\$1,245	\$1,390
1"	42"	36 ½"	LC4237	\$678	\$758	\$828	\$958	\$1,088	\$1,228	\$1,368	\$1,558
1"	60"	36 ½"	LC6037	\$767	\$867	\$957	\$1,097	\$1,267	\$1,457	\$1,657	\$1,967
1"	66"	36 ½"	LC6637	\$804	\$904	\$1,004	\$1,154	\$1,344	\$1,549	\$1,774	\$2,114
1"	72"	36 ½"	LC7237	\$842	\$942	\$1,052	\$1,212	\$1,422	\$1,642	\$1,892	\$2,262
1"	84"	36 ½"	LC8437	\$918	\$1,018	\$1,148	\$1,318	\$1,558	\$1,808	\$2,088	\$2,488
1"	90"	36 ½"	LC9037	\$956	\$1,056	\$1,196	\$1,376	\$1,636	\$1,916	\$2,216	\$2,636
1"	108"	36 ½"	LC10837	\$1,057	\$1,162	\$1,317	\$1,507	\$1,787	\$2,127	\$2,477	\$2,937
1"	126"	36 ½"	LC12637	\$1,158	\$1,268	\$1,438	\$1,638	\$1,938	\$2,338	\$2,738	\$3,238

Step 1 - Model

	н	w	Drawers	Coat Door	Pull
STWR Tower	56	22	FF BBF	L Left R Right	J J Pull B Bar Pull R Radiused Pull
STWR	56	22	FF	L	В

Step 2 - Case Finish

	Paint
301	Champagne
301	:
301	

Step 3 – Front Finish

Not Available w/J Pull						
Laminate						
PW-STK	Studio Teak					
PW-STK						

FEATURES

LOCK

- Lock core is removable.
- 24" Side access tower includes 2 locks. All others include 1 lock.
- Keyed alike available upon request.
- Master and change key available upon request. See (page 9).
- Individual locking drawers available upon request. Upcharge may apply.

DRAWERS

- Include full suspension steel ball-bearing slides.
- Drawer fronts include rubber bumpers for quiet operation.
- Slides include anti-rebound and quick disconnect features.
- File drawer dividers which allow sideto-side filing are sold separately.

SHELVES

 \bullet Shelves are adjustable in 1 ½" increments.

LEVELING GLIDES – TOWER

 \bullet Leveling glides allow for % " adjustment.

LEVELING GLIDES – SIDE ACCESS TOWER

• Leveling glides allow for 1 %" adjustment.

DOORS

• Cupboard and coat doors include concealed hinges that allow for 110° degree opening.

CONSTRUCTION

OUTER SHELL & DRAWER CONSTRUCTION

Welded steel frame construction & formed channels ensure strength in key areas.

Inner top channel	18 Gauge
Bottom channel	18 Gauge
Side channels	18 Gauge
Outer top	21 Gauge
Outer back	21 Gauge
Outer sides	21 Gauge
Outer center	21 Gauge
Drawer & door fronts	21 Gauge
Shelves	18 Gauge
Drawer bins	22 Gauge
Drawer fronts	20 Gauge

DRAWER LOAD CAPACITY

6" Box drawers	50 lbs
12" File drawers	70 lbs


SHELF LOAD CAPACITY

Shelf 61 lbs

DRAWER INNER DIMENSIONS

Height	
Box drawer	4 ½"
File drawer	9 ½"
Width	
All drawers	12 ½"
Depth	
All drawers	18 1/4"

PULL STYLES



SURFACE MATERIALS

CASE

Paint

FRONTS

w/Bar Pull (B)	Paint or Laminate
w/Radiused Pull (R)	Paint or Laminate
w/J Pull (J)	Paint

NOTE: Laminate is not available on 24" side access towers, 15" towers or 15" side access towers.

DRAWER PULL

Bar (B)	Satin nickel
Radiused (R)	Satin nickel
J (J)	Paint

LOCK

Satin nickel

TOWERS







40" I	High.	— does	not inclu	ıde an adj. shelf		PAINT		LAMINA	TE FRONT (UPCH	ARGE)
COAT										
DOOR	Н	W	D	MODEL#	P1	P2	P3	L1	L2	L3
L	39 %"	23 ½"	23 ½"	STWR4024FFL(J/B/R)	\$2,460	\$2,706	\$2,952	+ \$1,137	+ \$1,250	+ \$1,364
R	39 %"	23 ½"	23 ½"	STWR4024FFR(J/B/R)	\$2,460	\$2,706	\$2,952	+ \$1,137	+ \$1,250	+ \$1,364
L	39 %"	23 ½"	23 ½"	STWR4024BBFL(J/B/R)	\$2,523	\$2,775	\$3,027	+ \$1,174	+ \$1,291	+ \$1,408
R	39 %"	23 ½"	23 ½"	STWR4024BBFR(J/B/R)	\$2,523	\$2,775	\$3,027	+ \$1,174	+ \$1,291	+ \$1,408
46" I	High	— does	not inclu	ıde an adj. shelf						
L	46"	23 ½"	23 ½"	STWR4624FFL(J/B/R)	\$2,649	\$2,913	\$3,178	+ \$1,162	+ \$1,278	+ \$1,394
R	46"	23 ½"	23 ½"	STWR4624FFR(J/B/R)	\$2,649	\$2,913	\$3,178	+ \$1,162	+ \$1,278	+ \$1,394
L	46"	23 ½"	23 ½"	STWR4624BBFL(J/B/R)	\$2,713	\$2,984	\$3,255	+ \$1,200	+ \$1,320	+ \$1,440
R	46"	23 ½"	23 ½"	STWR4624BBFR(J/B/R)	\$2,713	\$2,984	\$3,255	+ \$1,200	+ \$1,320	+ \$1,440
51" I	High	— inclu	des 1 adj	. shelf						
L	51 %"	23 ½"	23 ½"	STWR5124FFL(J/B/R)	\$2,713	\$2,984	\$3,255	+ \$1,200	+ \$1,320	+ \$1,440
R	51 %"	23 ½"	23 ½"	STWR5124FFR(J/B/R)	\$2,713	\$2,984	\$3,255	+ \$1,200	+ \$1,320	+ \$1,440
L	51 ¾"	23 ½"	23 ½"	STWR5124BBFL(J/B/R)	\$2,776	\$3,053	\$3,331	+ \$1,225	+ \$1,347	+ \$1,470
R	51 %"	23 ½"	23 ½"	STWR5124BBFR(J/B/R)	\$2,776	\$3,053	\$3,331	+ \$1,225	+ \$1,347	+ \$1,470
56" I	High.	— inclu	des 1 adj	. shelf						
L	56"	23 ½"	23 ½"	STWR5624FFL(J/B/R)	\$2,776	\$3,053	\$3,331	+ \$1,225	+ \$1,347	+ \$1,470
R	56"	23 ½"	23 ½"	STWR5624FFR(J/B/R)	\$2,776	\$3,053	\$3,331	+ \$1,225	+ \$1,347	+ \$1,470
L	56"	23 ½"	23 ½"	STWR5624BBFL(J/B/R)	\$2,902	\$3,192	\$3,482	+ \$1,263	+ \$1,389	+ \$1,515
R	56"	23 ½"	23 ½"	STWR5624BBFR(J/B/R)	\$2,902	\$3,192	\$3,482	+ \$1,263	+ \$1,389	+ \$1,515
66" I	High.	— inclu	des 2 adj	. shelves						
L	65 %"	23 ½"	23 ½"	STWR6624FFL(J/B/R)	\$3,028	\$3,330	\$3,633	+ \$1,516	+ \$1,667	+ \$1,819
R	65 %"	23 ½"	23 ½"	STWR6624FFR(J/B/R)	\$3,028	\$3,330	\$3,633	+ \$1,516	+ \$1,667	+ \$1,819
L	65 %"	23 ½"	23 ½"	STWR6624BBFL(J/B/R)	\$3,092	\$3,401	\$3,710	+ \$1,643	+ \$1,807	+ \$1,971
R	65 %"	23 ½"	23 ½"	STWR6624BBFR(J/B/R)	\$3,092	\$3,401	\$3,710	+ \$1,643	+ \$1,807	+ \$1,971

							Options	
	Н	W	Drawers	Coat Door	Pull			
STWR Tower	56	22	FF	L Left	J J Pull	DL	Digital Lock	\$450
<u>:</u>			BBF	R Right	B Bar Pull			
:					R Radiused Pull			
STWR	56	22	FF	L	J	DL		

Specify

- 1. Model #
- 2. Case finish
- 3. Front finish
 Laminate not
 available on J pull

Pulls B – Bar Pull J – J Pull

R – Radiused

Application Notes

- Single lock for all doors & drawers
- Coat closet includes side-to-side coat rod
- Leveling glides allow for %" adjustment





SSAT<mark>5624</mark>BBFRB



46" ł	ligh	— does	not inclu	ıde an adj. shelf		PAINT		LAMINA	TE FRONT (UPCH	ARGE)
COAT DOOR	н	w	D	MODEL#	P1	P2	P3	L1	L2	L3
L	46"	23 ½"	23 ½"	SSAT4624FFL(J/B/R)	\$2,624	\$2,886	\$3,148	+ \$1,137	+ \$1,250	+ \$1,364
R	46"	23 ½"	23 ½"	SSAT4624FFR(J/B/R)	\$2,624	\$2,886	\$3,148	+ \$1,137	+ \$1,250	+ \$1,364
L	46"	23 ½"	23 ½"	SSAT4624BBFL(J/B/R)	\$2,688	\$2,956	\$3,225	+ \$1,174	+ \$1,291	+ \$1,408
R	46"	23 ½"	23 ½"	SSAT4624BBFR(J/B/R)	\$2,688	\$2,956	\$3,225	+ \$1,174	+ \$1,291	+ \$1,408

51" High — includes 1 adj. shelf

L	51 3/8" 23 1/2" 2	23 ½"	SSAT5124FFL(J/B/R)	\$2,713	\$2,984	\$3,255	+ \$1,200	+ \$1,320	+ \$1,440
R	51 3/8" 23 1/2" 2	23 ½"	SSAT5124FFR(J/B/R)	\$2,713	\$2,984	\$3,255	+ \$1,200	+ \$1,320	+ \$1,440
L	51 3/8" 23 1/2" 2	23 ½"	SSAT5124BBFL(J/B/R)	\$2,776	\$3,053	\$3,331	+ \$1,225	+ \$1,347	+ \$1,470
R	51 3/8" 23 1/2" 2	23 ½"	SSAT5124BBFR(J/B/R)	\$2,776	\$3,053	\$3,331	+ \$1,225	+ \$1,347	+ \$1,470

56" High __includes 1 adj. shelf

L	56"	23 ½" 23 ½"	SSAT5624FFL(J/B/R)	\$2,814	\$3,095	\$3,376	+ \$1,225	+ \$1,347	+ \$1,470
R	56"	23 ½" 23 ½"	SSAT5624FFR(J/B/R)	\$2,814	\$3,095	\$3,376	+ \$1,225	+ \$1,347	+ \$1,470
L	56"	23 ½" 23 ½"	SSAT5624BBFL(J/B/R)	\$2,940	\$3,234	\$3,528	+ \$1,263	+ \$1,389	+ \$1,515
R	56"	23 ½" 23 ½"	SSAT5624BBFR(J/B/R)	\$2,940	\$3,234	\$3,528	+ \$1,263	+ \$1,389	+ \$1,515

66" High — includes 2 adj. shelves

L	65 %"	23 ½"	23 ½"	SSAT6524FFL(J/B/R)	\$2,966	\$3,262	\$3,559	+ \$1,516	+ \$1,667	+ \$1,819
R	65 %"	23 ½"	23 ½"	SSAT6524FFR(J/B/R)	\$2,966	\$3,262	\$3,559	+ \$1,516	+ \$1,667	+ \$1,819
L	65 %"	23 ½"	23 ½"	SSAT6524BBFL(J/B/R)	\$3,028	\$3,330	\$3,633	+ \$1,643	+ \$1,807	+ \$1,971
R	65 %"	23 ½"	23 ½"	SSAT6524BBFR(J/B/R)	\$3,028	\$3,330	\$3,633	+ \$1,643	+ \$1,807	+ \$1,971



Worksurface Supporting Bracket — factory installed

BLACK ONLY


Add at the end of tower model number

SWSSB

\$121

							Options	
		Н	W	Drawers	Coat Door	Pull		
SSAT	Side Access Tower	56	22	FF	L Left	J J Pull	SWSSB	\$121
				BBF	R Right	B Bar Pull R Radiused Pull	DL Digital Lock	\$450
SSAT	•	56	22	FF	L	J	SWSSB	

1. Model # 2. Case finish



R – Radiused

Application Notes

- Includes 2 locks, keyed alike
- Coat closet includes two-pronged coat hook
- Leveling glides allow for 1 %" adjustment

Worksurface Supporting Bracket

Must be ordered with a Side Access Tower. Factory installed.




					······		
46" H	ligh_	does not i	nclude an a	adj. shelf		PAINT	
HINGE	Н	W	D	MODEL#	P1	P2	P3
L	46"	15 1/4"	23 ½"	STWR4615FFL(J/B/R)	\$1,702	\$1,872	\$2,042
R	46"	15 1/4"	23 ½"	STWR4615FFR(J/B/R)	\$1,702	\$1,872	\$2,042
L	46"	15 1/4"	23 ½"	STWR4615BBFL(J/B/R)	\$1,866	\$2,052	\$2,239
R	46"	15 1/4"	23 ½"	STWR4615BBFR(J/B/R)	\$1,866	\$2,052	\$2,239
51" H	ligh_	includes 1	adj. shelf				
L	51 %"	15 1/4"	23 ½"	STWR5115FFL(J/B/R)	\$1,866	\$2,052	\$2,239
R	51 %"	15 1/4"	23 ½"	STWR5115FFR(J/B/R)	\$1,866	\$2,052	\$2,239
L	51 %"	15 1/4"	23 ½"	STWR5115BBFL(J/B/R)	\$1,955	\$2,150	\$2,346
R	51 %"	15 1/4"	23 ½"	STWR5115BBFR(J/B/R)	\$1,955	\$2,150	\$2,346
56" H	ligh	includes 1	adj. shelf				
L	56"	15 1/4"	23 ½"	STWR <mark>5615</mark> FFL(J/B/R)	\$1,955	\$2,150	\$2,346
R	56"	15 1/4"	23 ½"	STWR5615FFR(J/B/R)	\$1,955	\$2,150	\$2,346
L	56"	15 1/4"	23 ½"	STWR5615BBFL(J/B/R)	\$2,017	\$2,218	\$2,420
R	56"	15 1/4"	23 ½"	STWR5615BBFR(J/B/R)	\$2,017	\$2,218	\$2,420
66" H	ligh	includes 2	adj. shelve	es			
L	65 %"	15 1/4"	23 ½"	STWR <mark>6615</mark> FFL(J/B/R)	\$2,017	\$2,218	\$2,420
R	65 %"	15 1/4"	23 ½"	STWR6615FFR(J/B/R)	\$2,017	\$2,218	\$2,420
L	65 %"	15 1/4"	23 ½"	STWR6615BBFL(J/B/R)	\$2,144	\$2,358	\$2,572

							Options	
	н	W	Drawers	Coat Door	Pull			
STWR Tower	56	15	FF BBF	L Left R Right	J J Pull B Bar Pull	DL	Digital Lock	\$450
;	;	!	;	_	R Radiused Pull		I	
STWR	56		FF	L	J	DL		

\$2,144

\$2,358

\$2,572



STWR6615BBFR(J/B/R)

R 65 %" 15 ¼" 23 ½"



					:	·····	•••••
ŀ6" Н	igh_	does not i	nclude an adj. sl	helf		PAINT	
OPEN	Н	W	D	MODEL #	P1	P2	P3
L	46"	15 1/4"	23 ½"	SSAT4615FFL(J/B/R)	\$1,638	\$1,801	\$1,965
R	46"	15 1/4"	23 ½"	SSAT4615FFR(J/B/R)	\$1,638	\$1,801	\$1,965
L	46"	15 1/4"	23 ½"	SSAT4615BBFL(J/B/R)	\$1,764	\$1,940	\$2,116
R	46"	15 1/4"	23 ½"	SSAT4615BBFR(J/B/R)	\$1,764	\$1,940	\$2,116
51" H	ligh	includes 1	adj. shelf				
L	51 ¾"	15 1/4"	23 ½"	SSAT5115FFL(J/B/R)	\$1,764	\$1,940	\$2,116
R	51 3/8"	15 1/4"	23 ½"	SSAT <mark>5115</mark> FFR(J/B/R)	\$1,764	\$1,940	\$2,116
L	51 3/8"	15 1/4"	23 ½"	SSAT5115BBFL(J/B/R)	\$1,891	\$2,080	\$2,269
R	51 3/8"	15 1/4"	23 ½"	SSAT5115BBFR(J/B/R)	\$1,891	\$2,080	\$2,269
6" H	igh_	includes 1	adj. shelf				
L	56"	15 1/4"	23 ½"	SSAT5615FFL(J/B/R)	\$1,891	\$2,080	\$2,269
R	56"	15 1/4"	23 ½"	SSAT <mark>5615</mark> FFR(J/B/R)	\$1,891	\$2,080	\$2,269
L	56"	15 1/4"	23 ½"	SSAT <mark>5615</mark> BBFL(J/B/R)	\$2,017	\$2,218	\$2,420
R	56"	15 1/4"	23 ½"	SSAT <mark>5615</mark> BBFR(J/B/R)	\$2,017	\$2,218	\$2,420
66" H	ligh	includes 2	adj. shelves				
L	65 78"	15 1/4"	23 ½"	SSAT6515FFL(J/B/R)	\$1,955	\$2,150	\$2,346
R	65 %"	15 1/4"	23 ½"	SSAT6515FFR(J/B/R)	\$1,955	\$2,150	\$2,346
L	65 %"	15 1/4"	23 ½"	SSAT6515BBFL(J/B/R)	\$2,081	\$2,289	\$2,497
					•		



Worksurface Supporting Bracket—factory installed

BLACK ONLY

\$2,497

Add at the end of tower model number

R 65 1/8" 15 1/4" 23 1/2"

SWSSB

SSAT6515BBFR(J/B/R)

\$121

WORKSURFACES & 15" SIDE ACCESSS TOWERS



When adding a 15" tower to the end of a worksurface you will need to add a "T" to the end of the model number in order to make the worksurface and tower completely flush. This will only be neccessary on 24" deep worksurfaces with a width from 48" - 84".

							Options	
		Н	W	Drawers	Coat Door	Pull		
SSAT	Side Access Tower	56	15	FF	L Left	J J Pull	SWSSB	\$121
				BBF	R Right	B Bar Pull	DL Digital Lock	\$450
			:			R Radiused Pull		
į								
SSAT		56	15	FF	L	J	SWSSB	
:	:	::	::	:: :	::			

Specify Pulls 1. Model # 2. Case finish B – Bar Pull J – J Pull

R – Radiused

Application Notes

• Single lock for all drawers

\$2,081

\$2,289

· Leveling glides allow for 1 %" adjustment

Worksurface Supporting Bracket

Must be ordered with a Side Access Tower. Factory installed.

Step 1 - Model

	Drawer Width	Shelf Width	Тор	Pull
SCR Credenza	30 D Drawe	er 20 S Shelf	MT Metal Top NT No Top	J J Pull B Bar Pull
SCR	30 D	20 S	МТ	В

Step 2 – Case Finish

Paint
Champagne
•

Step 3 – Front Finish

Not Available w/J Pull									
Laminate									
PW-STK	Studio Teak								
PW-STK									

FEATURES

COUNTERWEIGHT

- Two drawer cabinets include factory installed counterweights
- Low storage cabinets that do not include shelves do not need counterweight

LOCK

- Available on credenza products which feature drawers
- · Lock core is removable
- Keyed alike available upon request
- Master and change key available upon request. See (page 9).

DRAWERS

- Include full suspension steel ball-bearing slides
- Drawer fronts include rubber bumpers for quiet operation

SHELF

• ¾" High adjustable shelf

LEVELING GLIDES

• 4 Leveling glides allow for ½" adjustment

TOP

• Available in metal, cushion and laminate

CONSTRUCTION

OUTER SHELL & DRAWER CONSTRUCTION

Welded steel frame construction & formed channels ensure strength in key areas.

Bottom channels	16 Gauge
Top channels	18 Gauge
Shelves	18 Gauge
Side channels	20 Gauge
Side panels	20 Gauge
Тор	20 Gauge
Fronts	20 Gauge
Drawer bins	22 Gauge

DRAWER INNER DIMENSIONS


Height

6" Drawer	4 ½"
12" Drawer	10 %"
Width	
30" Wide drawer	26 1/10"
36" Wide drawer	32 1/10"
42" Wide drawer	38 1/10"
Depth	
All drawers	15 %₀"

SHELF INNER DIMENSIONS

Height	
All shelves	16 %"
Width	
30" Wide drawer	28 ½"
36" Wide drawer	34 ½"
42" Wide drawer	40 ½"
Depth	
All drawers	19"

PULL STYLES







SURFACE MATERIALS

CASE

Paint

FRONTS

w/Bar pull **(B)** Paint or Laminate w/J pull **(J)** Paint

DRAWER PULL

Bar (B) Satin nickel J (J) Paint


LOCK

Satin nickel

CUSHION TOP

Upholstery

CREDENZAS





Credenzas						PAINT		LAMINATE FRONT (UPCHARGE)			
DESCRIPTION	Н	W	D	MODEL#	P1	P2	P3	L1	L2	L3	
30" Drawers, 30" open shelf	22 1/4"	60"	20"	SCR30D30S(J/B)	\$3,516	\$3,867	\$4,219	+ \$669	+ \$735	+ \$802	
30" Drawers, 36" open shelf	22 1/4"	66"	20"	SCR30D36S(J/B)	\$3,624	\$3,986	\$4,348	+ \$669	+ \$735	+ \$802	
36" Drawers, 36" open shelf	22 1/4"	72"	20"	SCR36D36S(J/B)	\$3,700	\$4,070	\$4,440	+ \$694	+ \$763	+ \$832	



Credenza – Drawers

30" Drawers, metal top	22 1/4"	30"	20"	SCRD3020MT(J/B)	\$1,449	\$1,593	\$1,738	+ \$669	+ \$735	+ \$802
36" Drawers, metal top	22 1/4"	36"	20"	SCRD3620MT(J/B)	\$1,512	\$1,663	\$1,814	+ \$694	+ \$763	+ \$832
42" Drawers, metal top	22 1/4"	42"	20"	SCRD4220MT(J/B)	\$1,638	\$1,801	\$1,965	+ \$745	+ \$819	+ \$894



Credenza — Shelves — includes 1 adj. shelf

30" Shelf, metal top	22 1/4"	30"	20"	SCRS3020MT	\$1,158	\$1,273	\$1,389	N/A	N/A	N/A
36" Shelf, metal top	22 1/4"	36"	20"	SCRS3620MT	\$1,234	\$1,357	\$1,480	N/A	N/A	N/A
42" Shelf, metal top	22 1/4"	42"	20"	SCRS4220MT	\$1,335	\$1,468	\$1,602	N/A	N/A	N/A

Credenza – Accessories

Floating top supports, 2 legs	5 ½"	2 ½"	1 1/8"	SCRSL2	\$312	\$343	\$374	N/A	N/A	N/A
Credenza center leg support				SCRCLS	\$248	N/A	N/A	N/A	N/A	N/A
Credenza ganging kit				SCRGK	\$185	N/A	N/A	N/A	N/A	N/A


					Options
	Drawer Width	Shelf Width	Тор	Pull	
SCR Credenza	30 D Drawer	20 S Shelf	MT Metal Top	J J Pull B Bar Pull	DL Digital Lock \$450
SCR	30 D	20 S	MT	J	DL

Specify

- 1. Model#
- 2. Case finish
- 3. Front finish
 Laminate not
 available on J pull

Credenza Includes

- 2 low storage cabinets
- 1 laminate top & ganging kit
- 1 credenza center support leg



Application Notes

- Credenzas must be assembled in the field
- When ganging 2 units together, order ganging kit
- Leveling glides allow for 1 5%" adjustment
- Drawer units include 1

 6" drawer & 1 12" file
 drawer & counterweight

Center Leg

- Helps to gang 2 credenza pieces together side by side
- Eliminate the 4 legs in the center and replace with this single support leg

Ganging Kit

 Ganging kit for use when specifying laminate top separately, does not include center leg

Floating Top Supports

 Floating top supports may not be used on a metal top, includes top mounting bracket, screws & drill plate




					:	•••••••••••	
Credenza – Common Tops						LAMINATE	
DESCRIPTION	Н	W	D	MODEL#	L1	L2	L3
Single 30" W credenza top	5/8"	30"	20"	CT30	\$460	\$506	\$552
Single 36" W credenza top	5/8"	36"	20"	CT36	\$492	\$541	\$590
Single 42" W credenza top	5/8"	42"	20"	CT42	\$530	\$583	\$636
Double 30" W credenza top	5/8"	60"	20"	CT60	\$600	\$660	\$720
Double 30"/36" W credenza top	5/8"	66"	20"	CT66	\$631	\$694	\$757
Double 36" W credenza top OR 30"/42" W credenza top	5/8"	72"	20"	CT72	\$644	\$708	\$772
Double 36"/42" W credenza top	5/8"	78"	20"	CT78	\$669	\$735	\$802
Double 42" W credenza top	5/8"	84"	20"	CT84	\$707	\$777	\$848
Triple 30" W credenza top	5/8"	90"	20"	CT90	\$745	\$819	\$894



Crede	redenza Cushion Tops				FABRIC								
Н	W	D	MODEL#	A/1	B/2	C/3	D/4	E/5	F/6	G/7	H/8		
1"	12"	20"	SCRC2012	\$261	\$486	\$561	\$661	\$761	\$861	\$1,186	\$1,361		
1"	18"	20"	SCRC2018	\$312	\$537	\$612	\$712	\$812	\$912	\$1,237	\$1,412		
1"	30"	20"	SCRC2030	\$413	\$638	\$713	\$813	\$913	\$1,013	\$1,338	\$1,513		
1"	36"	20"	SCRC2036	\$501	\$726	\$801	\$901	\$1,001	\$1,101	\$1,426	\$1,601		
1"	42"	20"	SCRC2042	\$551	\$776	\$851	\$951	\$1,051	\$1,151	\$1,476	\$1,651		
1"	60"	20"	SCRC2060	\$665	\$890	\$965	\$1,065	\$1,165	\$1,265	\$1,590	\$1,765		
1"	66"	20"	SCRC2066	\$716	\$941	\$1,016	\$1,116	\$1,216	\$1,316	\$1,641	\$1,816		
1"	72"	20"	SCRC2072	\$753	\$978	\$1,053	\$1,153	\$1,253	\$1,353	\$1,678	\$1,853		

Specify

- 1. Model#
- 2. Case finish
- 3. Front finish
 Laminate not
 available on J pull



Application Notes

Center Leg

 Helps to gang 2 credenza pieces together side by side

Ganging Kit

 When ganging 2 units together, order ganging kit, does not include center leg

Floating Top Supports

 Floating top supports may not be used on a metal top, includes top mounting bracket, screws & drill plate

Step 1 – Model

	Н	W	D		Pull
SCAB Cabinet	77	30	18	J	J Pull
				В	Bar Pull
SCAB	77	30	18	J	

Step 2 – Case Finish

	Paint
301	Champagne
301	
	. :

FEATURES

LOCK

- Lock core is removable.
- Keyed alike available upon request.
- Master and change key available upon request. See (page 9).

DOORS

 Concealed hinges allow for 110° degrees opening.

LEVELING GLIDES

• 4 Leveling glides allow for 1/4" adjustment.

CONSTRUCTION

OUTER SHELL & DRAWER CONSTRUCTION

Welded steel frame construction & formed channels ensure strength in key areas.

Back panel	20 – 22 Gauge
Side panels	20 – 22 Gauge
Inner channels	18 Gauge
Тор	18 Gauge
Doors	18 Gauge

SHELF LOAD CAPACITY

Shelf 140 lbs

TOP LOAD CAPACITY

30" Wide cabinets	140 lbs
36" Wide cabinets	169 lbs
42" Wide cabinets	197 lbs

INNER DIMENSIONS

Height	
2 High	23 ½"
3 High	35"
4 High	46 1/2"
5 High	61"
6 High	72 ½"
Width	
30" Wide cabinet	26 ¾"
36" Wide cabinet	32 ¾"
42" Wide cabinet	38 ¾"

Depth 18" Deep 17 %" 24" Deep 22 %"

PULL STYLES





SURFACE MATERIALS

CASE

Paint

FRONTS

w/Bar Pull **(B)** Paint w/J Pull **(J)** Paint


DRAWER PULL

Bar (B) Satin nickel J (J) Paint

LOCK

Satin nickel

CABINETS





2 High	1				PAINT	
Н	W	D	MODEL#	P1	P2	P3
28 3/8"	30"	18 1/4"	SCAB293018(J/B)	\$1,259	\$1,384	\$1,510
28 3/8"	36"	18 1/4"	SCAB293618(J/B)	\$1,385	\$1,523	\$1,662
28 %"	42"	18 1/4"	SCAB294218(J/B)	\$1,512	\$1,663	\$1,814



3 High

39 %"	30"	18 1/4"	SCAB403018(J/B)	\$1,512	\$1,663	\$1,814
39 %"	36"	18 1/4"	SCAB403618(J/B)	\$1,638	\$1,801	\$1,965
39 %"	42"	18 1/4"	SCAB <mark>404218</mark> (J/B)	\$1,764	\$1,940	\$2,116



4 High

9						
51 %"	30"	18 1/4"	SCAB523018(J/B)	\$1,828	\$2,010	\$2,193
51 %"	36"	18 1/4"	SCAB <mark>523618</mark> (J/B)	\$1,955	\$2,150	\$2,346
51 ¾"	42"	18 1/4"	SCAB <mark>524218</mark> (J/B)	\$2,081	\$2,289	\$2,497

Specify	
1. Model #	
Case finish	

• Leveling glides allow for ¼" adjustment

					Options
	н	W	D	Pull	
SCAB Cabinet	77	30	18	J J Pull B Bar Pull	DL Digital Lock \$450
SCAB	77	30		J	DL

Cabinets



5 High	1				PAINT	
Н	W	D	MODEL#	P1	P2	P3
65 %"	30"	18 1/4"	SCAB663018(J/B)	\$2,081	\$2,289	\$2,497
65 %"	36"	18 1/4"	SCAB663618(J/B)	\$2,207	\$2,427	\$2,648
65 %"	36"	23 ½"	SCAB663624(J/B)	\$2,713	\$2,984	\$3,255
65 %"	42"	18 1/4"	SCAB <mark>664218</mark> (J/B)	\$2,334	\$2,567	\$2,800



6 High

o iligi	•						
77 %"	30"	18 1/4"	SCAB773018(J/B)	\$2	2,396	\$2,635	\$2,875
77 3/8"	36"	18 1/4"	SCAB773618(J/B)	\$2	2,523	\$2,775	\$3,027
77 3/8"	36"	23 ½"	SCAB773624(J/B)	\$2	2,839	\$3,122	\$3,406
77 3/8"	42"	18 1/4"	SCAB774218(J/B)	\$2	2,649	\$2,913	\$3,178


Specify	
1. Model # 2. Case finish	

Application Notes
Leveling glides allow
for ¼" adjustment

					Options
	Н	W	D	Pull	
SCAB Cabinet	77	30	18	J J Pull	DL Digital Lock \$450
		:		B Bar Pull	
		:			
		:			
SCAB	77	30	12	1	DI
JCAD			10	•	

torage

Step 1 - Model



Step 2 – Case Finish

	Paint
301	Champagne
301	

FEATURES

LOCK

- Lock core is removable.
- Keyed alike available upon request.
- Master and change key available upon request. See (page 9).
- Digital lock available upon request.
- Keyless available upon request.

BODY

 \bullet Available in 2 depths: 18 ½" and 23 ½".

DOORS

- All lockers come standard with metal doors.
- Concealed hinges allow for 100 degree opening.

SHELF

- Includes one fixed shelf on top w/ 12" clear height above.
- Additional shelves may be ordered separately.

COAT ROD

• Includes side-to-side coat rod beneath shelf.

LEVELING GLIDES

- 4 leveling glides allow for \%" adjustment.
- Glides are accessible from the inside of the locker.

CONSTRUCTION

OUTER SHELL & DRAWER CONSTRUCTION

Welded steel frame construction & formed channels ensure strength in key areas.

Top panel	21 Gauge
Side panels	21 Gauge
Back panel	21 Gauge
Center panel	21 Gauge
Inner top channel	18 Gauge
Inner bottom channel	18 Gauge
Inner side channels	18 Gauge
Bottom panel	16 Gauge
Door fronts	20 – 22 Gauge
Shelves	18 Gauge

DRAWER INNER DIMENSIONS

Height

Above shelf	12"
Below coat rod – 51" High	31 1/10"
Below coat rod – 66" High	46 1/5"
Width	
All lockers	9 1/5"
Depth	
18 ½" Deep locker	17 %"
23 ½" Deep locker	22 ¾"

PULL STYLES





SURFACE MATERIALS

LOCKER

Paint


DRAWER PULL

Bar (B) Satin nickel J (J) Paint

LOCK

Satin nickel

LOCKERS





Single -	– 51" High				PAINT			
TYPE	HINGE	Н	W	D	MODEL#	P1	P2	P3
1 Door	L	51 %"	12"	18"	SLKR5118L(J/B)	\$1,764	\$1,940	\$2,116
1 Door	R	51 %"	12"	18"	SLKR5118R(J/B)	\$1,764	\$1,940	\$2,116
1 Door	L	51 %"	12"	24"	SLKR5124L(J/B)	\$1,803	\$1,983	\$2,163
1 Door	R	51 %"	12"	24"	SLKR5124R(J/B)	\$1,803	\$1,983	\$2,163


Single — 66" High

1 Door	L	65 %"	12"	18"	SLKR6618L(J/B)	\$1,866	\$2,053	\$2,239
1 Door	R	65 %"	12"	18"	SLKR6618R(J/B)	\$1,866	\$2,053	\$2,239
1 Door	L	65 %"	12"	24"	SLKR6624L(J/B)	\$1,930	\$2,123	\$2,316
1 Door	R	65 %"	12"	24"	SLKR6624R(J/B)	\$1,930	\$2,123	\$2,316



Double

2 Door	L	65 %"	12"	18"	SLKR2D6612L(J/B)	\$2,030	\$2,233	\$2,436
2 Door	R	65 %"	12"	18"	SLKR2D6612R(J/B)	\$2,030	\$2,233	\$2,436
2 Door	L	65 %"	18"	18"	SLKR2D6618L(J/B)	\$2,157	\$2,372	\$2,588
2 Door	R	65 %"	18"	18"	SLKR2D6618R(J/B)	\$2,157	\$2,372	\$2,588



Quad

4 Door	L	65 %"	24"	18"	SLKR4D6624L(J/B)	\$3,421	\$3,763	\$4,105
4 Door	R	65 %"	24"	18"	SLKR4D6624R(J/B)	\$3,421	\$3,763	\$4,105



Cubby

4 Door	L	34 ¾"	24"	18"	SLKR4D3524L(J/B)	\$2,410	\$2,651	\$2,892
4 Door	R	34 ¾"	24"	18"	SLKR4D3524R(J/B)	\$2,410	\$2,651	\$2,892
8 Door	L	65 %"	24"	18"	SLKR8D6624L(J/B)	\$4,179	\$4,596	\$5,014
8 Door	R	65 %"	24"	18"	SLKR8D6624R(J/B)	\$4,179	\$4,596	\$5,014

Shelves

Qty 2	12"	SLKRS122	\$324	\$356	\$388
Qty 2	18"	SLKRS182	\$374	\$411	\$448
Qty 4	24"	SLKRS244	\$450	\$495	\$540

Specify

- 1. Model#
- 2. Case finish

Application Notes

- Includes 1 fixed shelf on top with 12" clear height above
- Leveling glides allow for %" adjustment

18" Deep


 Include (2) twopronged coat hooks

24" Deep

Include (1) side-to-side coat rod

					Options
	Н	D	Hinge	Pull	
SLKR Locker	51	18	L	J J Pull	DL Digital Lock \$450
			R	B Bar Pull	
SLKR	51	18	L	J	DL

Lockers



				,	· · · · · · · · · · · · · · · · · · ·			
Lock	Locker Common Top – 18" Deep			ا	LAMINATE			
Н	W	D	MODEL #	L1	L2	L3		
5/8"	24"	18"	LKRT2418	\$404	\$444	\$484		
5/8"	36"	18"	LKRT3618	\$480	\$528	\$576		
5/8"	42"	18"	LKRT4218	\$493	\$542	\$591		
5/8"	48"	18"	LKRT4818	\$502	\$552	\$602		
5/8"	54"	18"	LKRT5418	\$511	\$562	\$613		
5/8"	60"	18"	LKRT6018	\$518	\$569	\$621		
5/8"	72"	18"	LKRT7218	\$613	\$674	\$735		
5/8"	84"	18"	LKRT8418	\$619	\$680	\$742		
5/8"	90"	18"	LKRT9018	\$625	\$687	\$750		
5/8"	96"	18"	LKRT9618	\$647	\$711	\$776		
5/8"	108"	18"	LKRT10818	\$670	\$737	\$804		

Specify					
1. Model #					
2. Laminate finish					

		W	D
SLKR	Locker Common Top	48	18
	•		
SLKRT	•	66	18

Step 2 – Case Finish

		ı
	Paint	
301	Champagne	
301		

FEATURES

SHELVES

- 1" thick.
- Adjustable in 1/2" increments.
- 2-high bookcases will accommodate binder-height storage on both shelves.
- All other bookcases, binder-height storage is available on all but 1 shelf.

LEVELING GLIDES

• 4 Leveling glides allow for 1 %" adjustment.

SAFETY:

- To ensure stability, do not install a 4, 5 or 6 high bookcase in the center of a room.
- Bookcases should be installed backto back or against a wall.

NOTE

- 2 high bookcases are slightly shorter than 2-high lateral files and double door storage cabinets.
- 2 high bookcases are designed to fit under a worksurface.

CONSTRUCTION

OUTER SHELL & DRAWER CONSTRUCTION

Welded steel frame construction & formed channels ensure strength in key areas.

Side channels	22 Gauge
Side panels	22 Gauge
Bottom panel	18 Gauge
Shelves	18 Gauge

SHELF LOAD CAPACITY

All bookcases 140 lbs

INNER DIMENSIONS

25 1/5"
37 1/10"
48 1/5"
63 3/10"
74 %"
27 1/10"
33 1/10"
39 1/10"
13 ½o"

SURFACE MATERIALS


CASE

Paint

TOP

Paint

BOOKCASES





2 High				PAINT			
	Н	W	D	MODEL#	P1	P2	P3
	27 ¾"	30"	13 %"	SBC2830	\$1,045	\$1,149	\$1,254
	27 ¾"	36"	13 3/8"	SBC2836	\$1,107	\$1,217	\$1,328
	27 ¾"	42"	13 %"	SBC2842	\$1,234	\$1,357	\$1,480



3 High

_	9						
_	39 %"	30"	13 3/8"	SBC4030	\$1,133	\$1,246	\$1,359
	39 %"	36"	13 %"	SBC4036	\$1,234	\$1,357	\$1,480
	39 %"	42"	13 3/8"	SBC4042	\$1,360	\$1,496	\$1,632



4 High

\$1,510
\$1,632
\$1,783

Cn	ocifu	
Эþ	ecify	

- 1. Model#
- 2. Case finish

Application Notes

- Steel frame construction
- Double wall construction on side panels
- Leveling glides allow for 5%" adjustment
- Shelves adjust in ½" increments
- Bookcases should be installed with back against a wall
- Shelf capacity 140 lbs
- 2 high bookcase is slightly shorter than 2 door cabinet as it is designed to fit under a worksurface

		Н	W
SBC	Bookcase	66	42
SBC		66	42

Bookcases



5 High					PAINT	
Н	W	D	MODEL#	P1	P2	Р3
65 %"	30"	13 %"	SBC6630	\$1,385	\$1,523	\$1,662
65 %"	36"	13 ¾"	SBC6636	\$1,486	\$1,634	\$1,783
65 %"	42"	13 %"	SBC6642	\$1,613	\$1,774	\$1,935



6 High

Ulligii						
77 3/8"	30"	13 %"	SBC7730	\$1,512	\$1,663	\$1,814
77 %"	36"	13 %"	SBC7736	\$1,613	\$1,774	\$1,935
77 3/8"	42"	13 ¾"	SBC7742	\$1,739	\$1,912	\$2,086

Spe	cify

- 1. Model#
- 2. Case finish

Application Notes

- Steel frame construction
- Double wall construction on side panels
- Leveling glides allow for 5%" adjustment
- Shelves adjust in 1/2" increments
- Bookcases should be installed with back against a wall.
- Shelf capacity 140 lbs
- 2 high bookcase is slightly shorter than 2 door cabinet as it is designed to fit under a worksurface

		н	W
SBC	Bookcase	66	42
SBC		66	42

Workplace Accessories


WORKPLACE ACCESSORIES

Neutral Posture is proud to offer the complete package for commercial office furniture. Workplace accessories round out our offering and allow users to truly customize their space to be as comfortable and as ergonomic as possible.

CUSTOMIZE YOUR SPACE WITH:

Keyboard mechanisms
Keyboard trays
Monitor arms
Footrests
Tablet holders
CPU holders
Forearm supports
Patented ergonomic products


WORKPLACE ACCESSORIES



Keyboard Trays & Arms

	KEYBOARD ARMS		
	Leverless	Sit/Stand	
Code	A	С	
Leverless Height	✓	✓	
Height	-6" – 2.5"	-6" – 8"	
Tilt	-15° – 0°	-15° – 0°	
Spring Assist	✓	✓	
360° Rear Swivel	✓	✓	
Track Length	23"	21"	
(OPTIONAL) Short Track	18"	18"	
Glide Track	✓	✓	
Quick Ship	©S	QS	
List	\$231	\$253	

KEYBOARD TRAYS




11



 Anti-skid neoprene pads hold keyboard securely in place


List \$170



86 — ELEMENTAL®

- Straights, corners and natural keyboards
- Made from 100% recycled aluminum
- Polished surface

List \$324




43 — SOFTOUCH™

- Straight
- Urethane over steel plate
- Includes mouse surface

List \$253




EASY COMBOS



General

S Short Track – 18" \$0
Only available on (A) or (C) arm

Monitor Arms



MONITOR ARMS

B00ST™

- Yields 13" of vertical movement & 24" of extension
- Supports monitors weighing up to 20 lbs
- Effortlessly position two monitors at the same height on a single post
- Easily attach two arms on a single post without additional brackets
- Install three or more arms with an optional cross bar
- Convenient keyhole slots to effortlessly install monitor onto mounting plate

NOTE: For multi-screen solutions, contact customerservice@neutralposture.com


Model #	Description	List
Single Arm KCG-110B KCG-110S	Black Silver	\$500 \$500
Double Arm KCG-110DB KCG-110DS	Black Silver	\$988 \$988



FREEDOM

- Includes vesa plate aluminum articulating arm & desk clamp base
- Tilt: Up 90°, Down 45°
- Pan: 180°
- Rotation: 360°
- Offers 14" of dynamic onetouch height adjustment
- Full extension range of 23.4"

Model #	Description	List
918001	Silver	\$544



SIT/STAND

- Sturdy aluminum construction with vesa compatibility
- · Width & depth adjustable fasteners
- Convenient pull handle

Model #	Description	List	
KCG-SSB	Black	\$632	
KCG-SSS	Silver	\$632	

Workplace Accessories

ACCESSORIES



FOREARM SUPPORTS

- Alleviates shoulder, neck & body burden
- Promotes good posture & ergonomic sitting
- Reduces pressure on ulnar nerve
- Reduces upper body fatigue
- Lightweight & portable



Model 1	Model 2	
160241 \$264	160243 \$264	w/Hooks
160242 \$264	160244 \$264	w/Screws



ANTI-FATIGUE FLOOR MATS

- Premium comfort will not bottom out or lose bounce over time
- Commercial-grade heavy-duty polyurethane
- Matte texture provides optimum traction
- Beveled edge reduces tripping potential
- Available in black

Н	W	D	MODEL#	LIST
3/4"	32"	20"	EAM3220B	\$313
3/4"	48"	20"	EAM4820B	\$478
3/4"	72"	20"	EAM7220B	\$712
3/4"	36"	24"	EAM3624B	\$396
3/4"	60"	36"	EAM6036B	\$910



TABLET HOLDER

- Light weight & portable
- Dimensions: 6.76 x 5.5 x 2
- · Holds tablets, phones or documents upright
- Easily adjusts for comfortable viewing angle
- Rests on desktop or flat surfaces
- Available in black only

Model #	List
TABHLDR	\$150

CPU HOLDERS

CPU HOLDER

- Mounts easily under worksurface storing CPU safely under desk & off the floor
- Adjusts to either a vertical or horizontal position
- Adjustable width of 5.5" 9.8" & height of 15.5" - 20"

Model #	List
VCPUF	\$192



CPU HOLDER

- CPU retracts on a 17" track & swivels to allow full accessibility & easy storage
- Accommodates CPU weighing up to 75 lbs & measuring 64" in perimeter
- Installation is quick & easy
- Soft touch anti-slip pads prevent CPU from slipping

Model #	List
VCPU	\$214

Sit/Stand



STANDUP®

- Retrofits between most existing keyboard trays & keyboard arms
- Mounts directly to worksurface without keyboard arm
- Additional 2" 11" of height adjustment
- Infinite range positioning
- \$50 discount when ordered with any Easy Combo

MODEL#	LIST
SUP04	\$462





STANDUP® A1


- The integral dual tray system offers a spacious keyboard & mouse platform as well as a secondary surface for other items
- Extends forward to allow the keyboard tray to rest below the desk surface supporting proper ergonomic positioning
- Over 22" of assisted positioning
- Accommodates users ranging from 5th percentile seated female to 95th percentile standing male
- Supports monitors weighing between 5–20 lbs
- Supports technology ranging from 5–25 lbs
- Grommet or clamp mount
- Single or dual monitor


1 MONITOR	MECH	LIST
SUPA1B	Black	\$1,096
SUPA1S	Silver	\$1,096

2 MONITORS	MECH	LIST
SUPA2B	Black	\$1,305
SUPA2S	Silver	\$1,305












GROMMET MOUNT

CLAMP MOUNT







GRADED-IN AND COM UPHOLSTERY

Neutral Posture's furniture is manufactured to the highest standards. Our artisans are skilled in creating consistent finishes across all products and materials. However, the unique nature of upholstery and the other materials that are used in production means that no two pieces of furniture will be exactly alike. Fabrics will upholster differently based on composition and construction. Neutral Posture makes every effort to ensure that each item is produced to our exacting standards, but cannot be held responsible for slight variations in upholstery, color and general appearance.

Similarly, the images in our publications are as accurate as your monitor is calibrated. Customers are reminded that colors and finishes may vary according to the unique nature of each item of furniture.

Neutral Posture will not be responsible for variances in the acoustical performance of a panel due to the fact that certain fabrics perform differently from others. Additionally, Neutral Posture cannot guarantee that the graded-in fabrics will be Indoor Air Quality and/ or BIFMA Level compliant. Please see the fabric manufacturer's website for these details and cleaning instructions specific to selected fabric.

For specific color matching requirements please contact Customer Servicet.

Please note: The finish codes used by Neutral Posture are used as a guide to the appearance of the furniture and should not be used to determine the specific materials used in the construction of an item of furniture.

The Neutral Posture Upholstery Department is pleased to offer a Graded-in program and also accepts COM for most products. For certain items or in cases of unusual or difficult fabric patterns additional material may be required. Any unusual or special cutting requirements must be requested in writing and a full-width fabric repeat sent to the Customer Service in order for a quotation to be provided. The customer is responsible for shipping COM to Customer Service.

CARNEGIE		
Manufacturer	Pattern	Grade
Carnegie	Abacus Embroider	Н
Carnegie	Arrow X	G
Carnegie	Bardot	F
Carnegie	Buff	E
Carnegie	Cane Embroider X	Call
Carnegie	Channel	E
Carnegie	Chelsea	E
Carnegie	Cirque Couture	Call
Carnegie	Covet	D
Carnegie	Crossing	F
Carnegie	Dazzle	Н
Carnegie	Departure	E
Carnegie	Edge	F
Carnegie	Elite	C
Carnegie	Groove	E
Carnegie	Hashtag	E
Carnegie	Haze X	G
Carnegie	Hepburn	F
Carnegie	Hide	E
Carnegie	Impress	E
Carnegie	Index	D
Carnegie	Keystone	E
Carnegie	Kid	E
Carnegie	Merge	F
Carnegie	Monocle Embroider	1
Carnegie	Ola	Call
Carnegie	Reverie	E
Carnegie	Rise	C
Carnegie	Roxy	E
Carnegie	Tangle	F
Carnegie	Theory	E
Carnegie	Touch	C
Carnegie	Trace X	G
Carnegie	Twine	F
Carnegie	Verse	D

C.F. STINSON		
Manufacturer		Grade
C. F. Stinson	Aerie	D
C. F. Stinson	Ally	C
C. F. Stinson	Aperture	C
C. F. Stinson	Array	D
C. F. Stinson	Axis Too!	C
C. F. Stinson	Backdrop	C
C. F. Stinson	Binary	E
C. F. Stinson	Code	C
C. F. Stinson	Dapple	D
C. F. Stinson	Del Mar	D
C. F. Stinson	Focus	C
C. F. Stinson	Galaxy	E
C. F. Stinson	Genesis	C
C. F. Stinson	Imprint	C
C. F. Stinson	Intermix	C
C. F. Stinson	Linea	E
C. F. Stinson	Lulu	C
C. F. Stinson	Luther II	D
C. F. Stinson	Mason	C
C. F. Stinson	Mira	C
C. F. Stinson	Nikko	D
C. F. Stinson	Prime	В
C. F. Stinson	Repetition	D
C. F. Stinson	Ringer	C
C. F. Stinson	Sight Line	D
C. F. Stinson	Spree	C
C. F. Stinson	Surf	C
C. F. Stinson	Tally	E
C. F. Stinson	Tussah	D
C. F. Stinson	Venture	c

DESIGNTEX		
Manufacturer	Pattern	Grade
Designtex	Appleseed	F
Designtex	Arne	E
Designtex	Birdseye	D
Designtex	Brushed Flannel	E
Designtex	Cloud Velvet	E
Designtex	Crossweave	E
Designtex	Ellipsis	D
Designtex	Everywhere Texture	E
Designtex	Gamut	D
Designtex	Gridley	E
Designtex	"Hem Stitch	"
Designtex	Melange	E
Designtex	Minnie	D
Designtex	Otto	F
Designtex	"Reppweave	"
Designtex	Rocket	E
Designtex	Singing In The Rain	E
Designtex	Ulster	C
Designtex	Wend	E
Designtex	Woolish	E

GUILFORD O		
Manufacturer		Grade
Guilford of Maine	Amaze	В
Guilford of Maine	Anchorage	В
Guilford of Maine	Auster	В
Guilford of Maine	Axiom	В
Guilford of Maine	Bailey	В
Guilford of Maine	Beacon (54" bolt)	В
Guilford of Maine	BeeHave (54" bolt)	В
Guilford of Maine	Birdseye	В
Guilford of Maine	Block Party	C
Guilford of Maine	Broadcast	В
Guilford of Maine	Cape Cod	В
Guilford of Maine	Chase	В
Guilford of Maine	Couture (54" bolt)	В
Guilford of Maine	Crossings	В
Guilford of Maine	Crosstown	В
Guilford of Maine	Dashing	В
Guilford of Maine	Drift	C
Guilford of Maine	Essence	В
Guilford of Maine	Felt (64" bolt)	C
Guilford of Maine	FR701°	C
Guilford of Maine	FR702°	C
Guilford of Maine	Framework	В
Guilford of Maine	Galaxy	C
Guilford of Maine	Groove	C
Guilford of Maine	Hatchet	В
Guilford of Maine	Highbeams (54" bolt)	В
Guilford of Maine	Intermix	В
Guilford of Maine	Intuition (54" bolt)	C
Guilford of Maine	Jane (54" bolt)	В
Guilford of Maine	Lido	В
Guilford of Maine	Meander	В
Guilford of Maine	Metallation	В
Guilford of Maine	Metro	В
Guilford of Maine	Mingle	В
Guilford of Maine	Network	C
Guilford of Maine	Open House (54" bolt)	Α
Guilford of Maine	Otto	В
Guilford of Maine	Palette (54" bolt)	C
Guilford of Maine		В
Guilford of Maine	Parameter	В
Guilford of Maine	Phone Tag	C
Guilford of Maine	-	В
Guilford of Maine		В
Guilford of Maine	Rattan	C
Guilford of Maine	Reeds	В
Guilford of Maine	Sand	В (
Guilford of Maine		В
Guilford of Maine	- Pe.	B
Guilford of Maine	Steadfast	В
Guilford of Maine	Strata	В В
		-
Guilford of Maine		(
Guilford of Maine		(
Guilford of Maine	-,,	В
Guilford of Maine	Tempest	(
Guilford of Maine	Theory	В
Guilford of Maine	Tweed	В
Guilford of Maine		В
Guilford of Maine		(
Guilford of Maine	Vertical Surface Solids	C

Manufacturer	Pattern	Grade
Guilford of Maine	Vortex	В
Guilford of Maine	Whisper	В

LUNA		
Manufacturer (Pattern	Grade
Luna	Affinity	G
Luna	Aspect	G
Luna	Facet	G
Luna	ldyll	E
Luna	Incandescent	E
Luna	Intersect	E
Luna	Luminescente	E
Luna	Radar	E
Luna	Signal	E
Luna	Stitch	E
Luna	Transmission	E
Luna	Twiggy	Н
Luna	Twist	E

Call – Call for pricing 979.778.0502

MAHARAM		
Manufacturer	Pattern	Grade
Maharam	Crisp	E
Maharam	Field	E
Maharam	Flock	E
Maharam	Glance	E
Maharam	Glint	E
Maharam	Hum	E
Maharam	Morse	E
Maharam	Parallel	E
Maharam	Reply	E
Maharam	Sharkskin 2	F
Maharam	Sketch	E
Maharam	Spiral	E
Maharam	Unit	E

MAYER		
Manufacturer	Pattern	Grade
Mayer	Basic	В
Mayer	Blueprint	Α
Mayer	Cipher	Α
Mayer	Code	Α
Mayer	Continuum 10	В
Mayer	Сора	C
Mayer	Cross Check	В
Mayer	Echo	E
Mayer	Equal	В
Mayer	Flair	3
Mayer	Forte	Α
Mayer	Foundation 10	В
Mayer	Fresco	В
Mayer	Graph	Α
Mayer	Gridline	C
Mayer	Interlude	C
Mayer	Luminary	В
Mayer	Melange	C
Mayer	Multi Crepe	C
Mayer	Nexus	C
Mayer	Optic	В
Mayer	Paragon	C
Mayer	Pebble Beach	C
Mayer	Prism	В
Mayer	Quattro	В
Mayer	Reverb	C
Mayer	Spectre	C
Mayer	Strata	В
Mayer	Terrain	C
Mayer	Whirlwind	C
Mayer	Zest	В

MOMENTOM		
Manufacturer	Pattern	Grade
Momentum	Acrobat	F
Momentum	Almanac	1
Momentum	Aloft	F
Momentum	Ascend	F
Momentum	Aurora PC	Н
Momentum	Barcode	Н
Momentum	Bevy	F
Momentum	Branches	G
Momentum	Cameo	E
Momentum	Caravan	E
Momentum	Central	F
Momentum	Channel	F
Momentum	Classic PC	Н
Momentum	Cover Cloth	F
Momentum	Crosswise	F
Momentum	Curtain Call	E
Momentum	Daybreak	H
Momentum	Docket	ï
Momentum	Dogwood Leaves	F
Momentum	Domain	F
Momentum	Elon	r E
		=
Momentum	Encore	D F
Momentum	Essence PC	-
Momentum	Etude	I
Momentum	Faux Felt	F
Momentum	Faux MO	F
Momentum	Flock	F
Momentum	Freehand	E
Momentum	Glint	E
Momentum	Gradual	E
Momentum	Haiku	E
Momentum	Hobnob	F
Momentum	Infinity C-Zero	C
Momentum	Infusion	G
Momentum	Kayak	1
Momentum	Keynote	F
Momentum	Kinect	E
Momentum	Kit	F
Momentum	Line Dance	Н
Momentum	Marathon C-Zero	C
Momentum	Meander	E
Momentum	Midlands	E
Momentum	Millennium C-Zero	C
Momentum	Mood	F
Momentum	Oath	F
Momentum	Odyssey C-Zero	C
Momentum	Overpass	G
Momentum	Pact	E
Momentum	Platos	G
Momentum	Proverb	E
Momentum	Respite	E
Momentum	Rosetta	E
Momentum	Roster	1
Momentum	Score	F
Momentum		F E
	Script Secondinity II	E F
Momentum	Serendipity II	-
Momentum	Shuttle	F
Momentum	Smart Soft	E
Momentum	Solaris	E

MOMENTUM

Manufacturer	Pattern	Grade
Momentum	Solitaire	F
Momentum	Sport	F
Momentum	Streamers	E
Momentum	Synergy	F
Momentum	Tag	Н
Momentum	Tenor	E
Momentum	Tradition C-Zero	C
Momentum	Trefoil	G
Momentum	Trilogy	F
Momentum	Universe	E
Momentum	Vinea	E
Momentum	Waver	F
Momentum	Waypoint	E
Momentum	Zento	F
Momentum		Α

Call – Call for pricing 979.778.0502

LEGACY TABLE OF CONTENTS

LEGACY FINISHES	188
Laminate	
Edge Band	. 188
Paint	. 189
Plexiglass	
Fabric	. 189
GEN 1 & 2 PANELS	190
Fabric Panels	. 190
Fabric Panels	. 191
Insert Panels	. 192
Insert Panels	. 193
Wall Starter & Wall Mount Chanel	194
Trail Starter & Trail Trouble Charles	. 177
POST ASSEMBLIES	. 195
POST ASSEMBLIES. Straight	. 195
POST ASSEMBLIES Straight Corner (90°)	. 195 . 195 . 195
POST ASSEMBLIES Straight Corner (90°) End	. 195 . 195 . 195 . 195
POST ASSEMBLIES Straight Corner (90°) End 3-way (T)	. 195 . 195 . 195 . 195 . 196
POST ASSEMBLIES Straight Corner (90°) End 3-way (T) 3-way (Y)	. 195 . 195 . 195 . 195 . 196 . 196
POST ASSEMBLIES Straight Corner (90°) End 3-way (T) 3-way (Y) 4-way (X)	. 195 . 195 . 195 . 195 . 196 . 196 . 196
POST ASSEMBLIES Straight Corner (90°) End 3-way (T) 3-way (Y) 4-way (X) Dual Height Posts	. 195 . 195 . 195 . 196 . 196 . 196 . 197
POST ASSEMBLIES Straight Corner (90°) End 3-way (T) 3-way (Y) 4-way (X) Dual Height Posts Triple Height Posts	. 195 . 195 . 195 . 196 . 196 . 196 . 197 . 198
POST ASSEMBLIES Straight Corner (90°) End 3-way (T) 3-way (Y) 4-way (X) Dual Height Posts Triple Height Posts Single Height Posts	. 195 . 195 . 195 . 196 . 196 . 196 . 197 . 198 . 199
POST ASSEMBLIES Straight Corner (90°) End 3-way (T) 3-way (Y) 4-way (X) Dual Height Posts Triple Height Posts	. 195 . 195 . 195 . 196 . 196 . 196 . 197 . 198 . 199 . 200

GEN 3	202
Fabric Panels	
Insert Panels	203
POST ASSEMBLIES	204
Straight	204
2-way (L)	
2-way (120)	
3-way (T)	204
3-way (120)	204
4-way (X)	
Single Height	
Dual Height	205
Triple Height	205
End Kits	206
Wall Starter/Wall Mounted Channel	207
PANEL ACCESSORIES	208
Vertical Wire Manager	
Metal Ceiling Module	
Coat Hook.	
Carpet Gripper	
COUNTER CAPS	210
Straights	

FREESTANDING Flat Brackets Column Base Tackable Privacy	212 212
WALL MOUNTING Wall Mounting Suggestions	
KEY LOCK PROGRAM General Information How to Specify Key Alike. Key-alike ordered prior to 6/12/00.	216 216

Legacy
finishes
are only
available
for existing
customers
to match
existing
installs

LAMINATES		EDGE BANDS	
L1			
Bright White	118	Bright White	118
Caramel Maple	MC	Caramel Maple	MC
Clear Maple	CM	Clear Maple	CM
Deep Mahogany	MP58	Jet Black	111
Jet Black	111	Medium Cherry	124
Medium Cherry	124	Pumice (was LF)	119
Pearwood	PA		
Pumice (was LF)	119		
Warm Cherry	WM		
White Essence	ES7		
Winter Grey Matrix	MR6		

NOTE: If your laminate is not listed please contact Customer Service at customerservice@neutralposture.com or 979.778.0502 ext. 301 to check availability.

NOTE: Laminates and other finishes may vary in color due to different dye lots. Slight variations are normal.

PAINTS & PLASTICS	
P1	
Jet Black	111
Brown	112
Dark Grey (was Y3)	113
Folkstone Grey (was LA)	114
Med. Grey (was Y2)	115
Sandstone	116
Soft Grey (was E)	117
Dark Neutral	D
Taupe	R
P2	
Beige Mist Metallic	611
Medium Metallic Grey	612
Beige Metallic	Н
Light Tan Metallic	W
Р3	
Bright White	118
Silver	613

PLEXIGLASS	
Clear	CL
ce	IC
Smoked	SM
ranslucent	TR

FABRICS		
E		
Annex	KnollTextiles	W1360
Circle Line	KnollTextiles	W1146
Criss Cross	KnollTextiles	W305
Growth Spurt	KnollTextiles	W692
Photon II	KnollTextiles	W1293
Reflect	KnollTextiles	W884
Symbolic Detail	KnollTextiles	W693
Versatility	KnollTextiles	W432
F		
Amplify	KnollTextiles	W1215
Foil Rap	KnollTextiles	W535
Hard Rock	KnollTextiles	W1007
Heavy Metal	KnollTextiles	W539
Micro	KnollTextiles	W465
Relay	KnollTextiles	W1020

NOTE: All 72 privacy screens require that the textile is railroaded (turned 90 degrees) for application. This must be considered when applying a patterned textile.

NOTE: EP1 and EP2 panels and components are not available in the following:

Bright White	118
Brown	112
Jet Black	111

Generation 1 Fabric Panel

28" thru 48" High



								•		
28" H									PAIN	ΙΤ
W	MODEL#	А	В	C	D	E	F	G	P2	P3
12"	EP1FA1228R	\$790	\$852	\$872	\$891	\$907	\$923	\$946	N/A	+ \$60
18"	EP1FA1828R	\$822	\$887	\$904	\$926	\$940	\$962	\$984	N/A	+ \$60
24"	EP1FA2428R	\$851	\$921	\$937	\$963	\$979	\$995	\$1,025	N/A	+ \$60
30"	EP1FA3028R	\$876	\$942	\$963	\$988	\$1,008	\$1,026	\$1,052	N/A	+ \$60
36"	EP1FA3628R	\$916	\$987	\$1,007	\$1,032	\$1,053	\$1,069	\$1,098	N/A	+ \$60
42"	EP1FA4228R	\$956	\$1,029	\$1,052	\$1,079	\$1,100	\$1,116	\$1,143	N/A	+ \$60
48"	EP1FA4828R	\$990	\$1,071	\$1,088	\$1,119	\$1,139	\$1,160	\$1,190	N/A	+ \$60
60"	EP1FA6028R	\$1,055	\$1,136	\$1,159	\$1,193	\$1,212	\$1,230	\$1,264	N/A	+ \$60
40" H										
12"	EP1FA1240R	\$830	\$894	\$912	\$937	\$952	\$970	\$991	N/A	+ \$60
18"	EP1FA1840R	\$869	\$937	\$956	\$979	\$995	\$1,014	\$1,038	N/A	+ \$60
24"	EP1FA2440R	\$907	\$979	\$999	\$1,027	\$1,044	\$1,064	\$1,088	N/A	+ \$60
30"	EP1FA3040R	\$936	\$1,011	\$1,028	\$1,058	\$1,076	\$1,095	\$1,121	N/A	+ \$60
36"	EP1FA3640R	\$966	\$1,044	\$1,064	\$1,091	\$1,113	\$1,130	\$1,160	N/A	+ \$60
42"	EP1FA4240R	\$1,077	\$1,161	\$1,185	\$1,216	\$1,240	\$1,259	\$1,295	N/A	+ \$60
48"	EP1FA4840R	\$1,112	\$1,201	\$1,219	\$1,254	\$1,275	\$1,299	\$1,329	N/A	+ \$60
60"	EP1FA6040R	\$1,248	\$1,348	\$1,371	\$1,410	\$1,435	\$1,458	\$1,499	N/A	+ \$60
								•		
48" H										
12"	EP1FA1248R	\$852	\$922	\$938	\$964	\$980	\$999	\$1,026	N/A	+ \$60
18"	EP1FA1848R	\$895	\$967	\$984	\$1,012	\$1,029	\$1,052	\$1,076	N/A	+ \$60
24"	EP1FA2448R	\$980	\$1,061	\$1,080	\$1,100	\$1,129	\$1,150	\$1,174	N/A	+ \$60
30"	EP1FA3048R	\$1,009	\$1,088	\$1,112	\$1,139	\$1,160	\$1,180	\$1,212	N/A	+ \$60
36"	EP1FA3648R	\$1,024	\$1,105	\$1,122	\$1,154	\$1,171	\$1,194	\$1,224	N/A	+ \$60
42"	EP1FA4248R	\$1,136	\$1,226	\$1,252	\$1,283	\$1,307	\$1,329	\$1,364	N/A	+ \$60
48"	EP1FA4848R	\$1,212	\$1,307	\$1,329	\$1,367	\$1,393	\$1,415	\$1,453	N/A	+ \$60

\$1,516

\$1,555

\$1,583

\$1,612

\$1,654

Order Code					
e.g.	EP1FA3648R, W3513, 117				
EP1FA	Fabric panel				
36	Width				
48	Height				
R	Raceway				
W351-3	Foundation, Corn Silk				
117	Soft Grey trim				

60"

EP1FA6048R

Specification Information

\$1,378

\$1,491

Specify fabric and trim color. Post assemblies or connection elements must be ordered separately.

NOTE: Power duplexes cannot be installed on 12" W panels. Side mount receptacles available in 24" W panels and wider while using "E" series power.

Electrical components must be ordered separately.

NOTE: P2 trim colors are not available on EP1 panels and panel components.

Application Notes

Panel is fabric covered. If two different fabrics are used on one panel, price will reflect cost of the more expensive panel fabric.

N/A

\$60



3" H									PAIN	т
W	MODEL#	A	В	C	D	E	F	G	P2	P3
12"	EP1FA1253R	\$874	\$939	\$961	\$983	\$1,001	\$1,019	\$1,048	N/A	+ \$60
18"	EP1FA1853R	\$918	\$988	\$1,008	\$1,033	\$1,055	\$1,071	\$1,100	N/A	+ \$60
24"	EP1FA2453R	\$967	\$1,048	\$1,067	\$1,095	\$1,114	\$1,131	\$1,161	N/A	+ \$60
30"	EP1FA3053R	\$991	\$1,073	\$1,091	\$1,122	\$1,141	\$1,161	\$1,193	N/A	+ \$60
36"	EP1FA3653R	\$1,141	\$1,233	\$1,258	\$1,295	\$1,314	\$1,339	\$1,371	N/A	+ \$60
42"	EP1FA4253R	\$1,194	\$1,290	\$1,314	\$1,349	\$1,371	\$1,398	\$1,433	N/A	+ \$60
48"	EP1FA4853R	\$1,261	\$1,363	\$1,388	\$1,427	\$1,451	\$1,475	\$1,514	N/A	+ \$60
60"	EP1FA6053R	\$1,433	\$1,548	\$1,575	\$1,618	\$1,647	\$1,677	\$1,719	N/A	+ \$60
)" H										
12"	EP1FA1260R	\$894	\$966	\$983	\$1,011	\$1,028	\$1,048	\$1,073	N/A	+ \$60
18"	EP1FA1860R	\$946	\$1,025	\$1,042	\$1,069	\$1,085	\$1,108	\$1,136	N/A	+ \$60
24"	EP1FA2460R	\$966	\$1,044	\$1,064	\$1,091	\$1,113	\$1,130	\$1,160	N/A	+ \$60
30"	EP1FA3060R	\$1,068	\$1,154	\$1,171	\$1,210	\$1,226	\$1,251	\$1,277	N/A	+ \$60
36"	EP1FA3660R	\$1,166	\$1,259	\$1,281	\$1,317	\$1,343	\$1,364	\$1,401	N/A	+ \$60
42"	EP1FA4260R	\$1,271	\$1,371	\$1,401	\$1,436	\$1,460	\$1,486	\$1,525	N/A	+ \$60
48"	EP1FA4860R	\$1,372	\$1,485	\$1,510	\$1,551	\$1,579	\$1,605	\$1,652	N/A	+ \$60
60"	EP1FA6060R	\$1,578	\$1,705	\$1,736	\$1,783	\$1,814	\$1,846	\$1,894	N/A	+ \$60
5" H										
12"	EP1FA1265R	\$940	\$1,019	\$1,035	\$1,067	\$1,083	\$1,106	\$1,130	N/A	+ \$60
18"	EP1FA1865R	\$964	\$1,041	\$1,063	\$1,088	\$1,112	\$1,126	\$1,157	N/A	+ \$60
24"	EP1FA2465R	\$1,080	\$1,168	\$1,190	\$1,219	\$1,245	\$1,264	\$1,298	N/A	+ \$60
30"	EP1FA3065R	\$1,143	\$1,236	\$1,259	\$1,297	\$1,317	\$1,340	\$1,372	N/A	+ \$60
36"	EP1FA3665R	\$1,216	\$1,314	\$1,340	\$1,373	\$1,401	\$1,423	\$1,458	N/A	+ \$60
42"	EP1FA4265R	\$1,325	\$1,435	\$1,458	\$1,500	\$1,526	\$1,551	\$1,595	N/A	+ \$60
48"	EP1FA4865R	\$1,436	\$1,550	\$1,579	\$1,621	\$1,653	\$1,681	\$1,724	N/A	+ \$60
60"	EP1FA6065R	\$1,659	\$1,790	\$1,826	\$1,876	\$1,906	\$1,941	\$1,992	N/A	+ \$60
)" H										
2"	EP1FA1280R	\$960	\$1,032	\$1,053	\$1,080	\$1,101	\$1,119	\$1,150	N/A	+ \$60
3"	EP1FA1880R	\$1,019	\$1,101	\$1,121	\$1,153	\$1,170	\$1,193	\$1,221	N/A	+ \$60
1"	EP1FA2480R	\$1,085	\$1,172	\$1,197	\$1,229	\$1,252	\$1,273	\$1,304	N/A	+ \$60
)"	EP1FA3080R	\$1,219	\$1,317	\$1,346	\$1,380	\$1,404	\$1,428	\$1,463	N/A	+ \$60
5"	EP1FA3680R	\$1,362	\$1,467	\$1,497	\$1,540	\$1,566	\$1,592	\$1,632	N/A	+ \$60
2"	EP1FA4280R	\$1,499	\$1,618	\$1,647	\$1,692	\$1,724	\$1,752	\$1,797	N/A	+ \$60
3"	EP1FA4880R	\$1,632	\$1,763	\$1,793	\$1,845	\$1,877	\$1,909	\$1,957	N/A	+ \$60
)"	EP1FA6080R	\$1,904	\$2,054	\$2,094	\$2,151	\$2,190	\$2,226	\$2,285	N/A	+ \$60

Order Code				
e.g.	EP1FA2460R, W3513, 117			
EP1FA	Fabric panel			
24	Width			
60	Height			
W351-3	Foundation,Corn Silk			
117	Soft Grey trim			

Specification Information

Specify fabric and trim color.

Post assemblies or connection elements must be ordered separately.

NOTE: Power duplexes cannot be installed on 12" W panels. Side mount receptacles available in 24" W panels and wider while using "E" series power.

Electrical components must be ordered separately.

NOTE: P2 trim colors are not available on EP1 panels and panel components.

Application Notes

Panel is fabric covered. If two different fabrics are used on one panel, price will reflect cost of the more expensive panel fabric.

Generation 2 Insert Panel

(compatible with generation 1 panel components only)



PAINT P2 N/A N/A N/A N/A N/A N/A N/A N/	+ \$60 + \$60 + \$60 + \$60 + \$60 + \$60 + \$60 + \$60
N/A N/A N/A N/A N/A N/A N/A	+ \$60 + \$60 + \$60 + \$60 + \$60 + \$60
N/A N/A N/A N/A N/A N/A	+ \$60 + \$60 + \$60 + \$60 + \$60 + \$60
N/A N/A N/A N/A N/A	+\$60 +\$60 +\$60 +\$60 +\$60
N/A N/A N/A N/A N/A	+ \$60 + \$60 + \$60 + \$60
N/A N/A N/A N/A	+ \$60 + \$60 + \$60
N/A N/A N/A	+ \$60 + \$60
N/A N/A	+ \$60
N/A	
N/A	+ \$60
N/A	+ \$60
	+ \$60
N/A	+ \$60
N1/A	***
N/A	+ \$60
	+ \$60
	+ \$60
	+ \$60
	+ \$60
	+ \$60
	+ \$60
N/A	+ \$60
N/A	+ \$60
1 1/ /~\	+ \$60
	N/A N/A N/A N/A

^{*} All Colors

Order Code					
e.g.	EP2PG3648R, PC, 613				
EP2PG	Plexiglass Insert Panel				
36	Width				
48	Height				
R	Raceway				
PC	Clear				
613	Silver trim				

Specification Information

Specify insert type, insert color and trim color.

Application Notes


Top caps and base raceway covers are included with panels. Posts and panel connectors must be ordered separately.

NOTE: P2 trim colors are not available on EP2 panels or panel components.

Generation 2 insert panels incorporate the generation 3 mitered panel frame with generation 1 top caps and base raceway covers and will only work with generation 1 panels and panel components.

Generation 2 Insert Panel

(compatible with generation 1 panel components only)



^{*} All Colors

Order Code					
e.g.	EP2PG2460R, 613				
EP2PG	Plexiglass Insert Panel				
24	Width				
60	Height				
R	Raceway				
613	Silver trim				

Specification Information

Specify insert type, insert color and trim color.

Top caps and base raceway covers are included with panels. Posts and panel connectors must be ordered separately.

NOTE: P2 trim colors are not available on EP2 panels or panel components.

Application Notes

Generation 2 insert panels incorporate the generation 3 mitered panel frame with generation 1 top caps and base raceway covers and will only work with generation 1 panels and panel components.

Panel Wall Starter

W	D	H*	ACTUAL HEIGHT	MODEL#	P1	P2	Р3
1½"	1/2"	28"	23"	EP1PWS28	\$53	N/A	\$58
1½"	1/2"	40"	35"	EP1PWS40	\$53	N/A	\$58
1½"	1/2"	48"	43"	EP1PWS48	\$58	N/A	\$62
11/2"	1/2"	53"	48"	EP1PWS53	\$60	N/A	\$67
11/2"	1/2"	60"	55"	EP1PWS60	\$60	N/A	\$67
11/2"	1/2"	65"	60"	EP1PWS65	\$62	N/A	\$70
11/2"	1/2"	80"	75"	EP1PWS80	\$70	N/A	\$83

Wall Mounted Channel

		•						
_	21/8"	3/4"	28"	23"	EP1WMC28	\$134	N/A	\$147
	21/8"	3/4"	40"	35"	EP1WMC40	\$134	N/A	\$147
	21/8"	3/4"	48"	43"	EP1WMC48	\$138	N/A	\$149
	21/8"	3/4"	53"	48"	EP1WMC53	\$140	N/A	\$154
	21/8"	3/4"	60"	55"	EP1WMC60	\$156	N/A	\$174
	21/8"	3/4"	65"	60"	EP1WMC65	\$160	N/A	\$181
	21/8"	3/4"	80"	75"	EP1WMC80	\$195	N/A	\$214
	21/8"	3/4"	120"	120"	EP1WMC120	\$300	N/A	\$333

^{* -} actual height

Order Code					
e.g.	EP1PWS60, 117				
EP1PWS	Panel wall starter				
60	Height				
117	Soft Grey trim				

Specification Information

Specify trim color.

NOTE: Neutral Posture, Inc. assumes no responsibility for wall construction or performance of fasteners used.

Application Notes

Wall starter:

Used to start a run of panels by fastening to an existing wall and attaching a connector assembly to it. Creates 11/4" space from face of wall to centerline of post. Constructed of steel.

The wall starter includes panel top and bottom hooks and modified panel connector. Fasteners not included to attach to wall.

Post and shrouds must

be ordered separately.

Wall mount channel:

Allows hanging of all components and accessories on reinforced building walls.

Painted extruded aluminum with a plastic inset which snaps in place, covering mounting screws.



Straight

W	D	Н	MODEL#	P1	P2	P3
-	-	28"	EP1P28S	\$179	N/A	\$197
-	-	40"	EP1P40S	\$181	N/A	\$198
-	-	48"	EP1P48S	\$183	N/A	\$200
-	-	53"	EP1P53S	\$186	N/A	\$203
-	-	60"	EP1P60S	\$188	N/A	\$205
-	-	65"	EP1P65S	\$189	N/A	\$207
_	_	80"	EP1P80S	\$194	N/A	\$213



2-way L

_	-	28"	EP1P28L	\$173	N/A	\$188
-	-	40"	EP1P40L	\$174	N/A	\$189
-	-	48"	EP1P48L	\$175	N/A	\$194
	-	53"	EP1P53L	\$179	N/A	\$197
	-	60"	EP1P60L	\$181	N/A	\$198
-	-	65"	EP1P65L	\$183	N/A	\$200
-	-	80"	EP1P80L	\$188	N/A	\$205



End

LIIU						
-	-	28"	EP1P28E	\$189	N/A	\$207
-	-	40"	EP1P40E	\$191	N/A	\$210
-	-	48"	EP1P48E	\$194	N/A	\$213
-	-	53"	EP1P53E	\$195	N/A	\$214
-	-	60"	EP1P60E	\$197	N/A	\$215
-	-	65"	EP1P65E	\$198	N/A	\$221
-	-	80"	EP1P80E	\$202	N/A	\$226

Order C	Order Code		
e.g.	EP1P48S, 117		
EP1P	Post		
48	Height		
S	Straight assembly		
117	Soft Grey trim		

Specification	Information
Specification	Intormation

Specify trim color.

_		
App	licatio	n Notes

Used to connect panels of the same height.

Kit includes single height post, panel connector and base raceway shroud(s) appropriate for the geometry specified. NOTE: EP1 & EP2 Panels and components are available in legacy colors only.

Bottom levelers on post allow for up to 1½" vertical adjustment.

Generation 1

single height post assemblies three and four way



3-way (T)

W	D	Н	MODEL#	P1	P2	Р3
-	-	28"	EP1P28T	\$173	N/A	\$188
-	-	40"	EP1P40T	\$174	N/A	\$189
-	-	48"	EP1P48T	\$175	N/A	\$194
-	-	53"	EP1P53T	\$179	N/A	\$197
-	-	60"	EP1P60T	\$181	N/A	\$198
-	-	65"	EP1P65T	\$183	N/A	\$200
_	_	80"	EP1P80T	\$188	N/A	\$205



3-wav (Y)

,	(- /					
-	-	28"	EP1P28Y	\$215	N/A	\$243
-	-	40"	EP1P40Y	\$221	N/A	\$244
-	-	48"	EP1P48Y	\$223	N/A	\$245
-	-	53"	EP1P53Y	\$224	N/A	\$247
-	-	60"	EP1P60Y	\$226	N/A	\$248
-	-	65"	EP1P65Y	\$229	N/A	\$251
_	-	80"	EP1P80Y	\$231	N/A	\$251



4-wav (X)

	-	28"	EP1P28X	\$149	N/A	\$164
-	-	40"	EP1P40X	\$154	N/A	\$170
-	-	48"	EP1P48X	\$155	N/A	\$173
-	-	53"	EP1P53X	\$156	N/A	\$174
-	-	60"	EP1P60X	\$158	N/A	\$175
-	-	65"	EP1P65X	\$159	N/A	\$177
-	-	80"	EP1P80X	\$163	N/A	\$181

Order C	Order Code			
e.g.	EP1P80T, 117			
EP1P	Post			
80	Height			
T	"T" assembly			
117	Soft Grey trim			

Specification Information

Specify trim color

Application Notes

Used to connect panels of the same height.

Kit includes single height post, panel connector and base raceway shroud(s) appropriate for the geometry specified.

NOTE: EP1 & EP2 Panels and components are available in legacy colors only.

Bottom levelers on post allow for up to 1½" vertical adjustment.



Dual Height Post

1	W	D	Н	MODEL#	P1	P2	Р3
	-	-	28"/40"	EP1DP2840	\$186	N/A	\$203
	-	-	28"/48"	EP1DP2848	\$197	N/A	\$215
	-	-	28"/53"	EP1DP2853	\$202	N/A	\$226
	-	-	28"/60"	EP1DP2860	\$205	N/A	\$229
	-	-	28"/65"	EP1DP2865	\$213	N/A	\$232
	-	-	28"/80"	EP1DP2880	\$232	N/A	\$259
	-	-	40"/48"	EP1DP4048	\$197	N/A	\$215
	-	-	40"/53"	EP1DP4053	\$202	N/A	\$226
	-	-	40"/60"	EP1DP4060	\$205	N/A	\$229
	-	-	40"/65"	EP1DP4065	\$213	N/A	\$232
	-	-	40"/80"	EP1DP4080	\$232	N/A	\$259
	-	-	48"/53"	EP1DP4853	\$202	N/A	\$226
	-	-	48"/60"	EP1DP4860	\$205	N/A	\$229
	-	-	48"/65"	EP1DP4865	\$213	N/A	\$232
	-	-	48"/80"	EP1DP4880	\$232	N/A	\$259
	-	-	53"/60"	EP1DP5360	\$205	N/A	\$229
	-	-	53"/65"	EP1DP5365	\$213	N/A	\$232
	-	-	53"/80"	EP1DP5380	\$239	N/A	\$264
	-	-	60"/65"	EP1DP6065	\$213	N/A	\$232
	-	-	60"/80"	EP1DP6080	\$232	N/A	\$259
	-	-	65"/80"	EP1DP6580	\$232	N/A	\$259

Order Co	Order Code			
e.g.	EP1DP4860, 613			
EP1DP	Dual height post			
48	Height one			
60	Height two			
613	Silver			

Specification Information

Specify trim color.

Application Notes

Dual height posts are used where panels of two different heights intersect.

Bottom levelers on posts allow for up to 1½" vertical adjustment.

Due to the variety of combinations possible, connector caps, shrouds and post covers must all be ordered separately.

) July 1

Triple Height Post

w	D	Н	MODEL#	P1	P2	P3
_	_	28"/40"/48"	EP1TP284048	\$232	N/A	\$259
_	_	28"/40"/53"	EP1TP284053	\$232	N/A	\$259
_	_	28"/40"/60"	EP1TP284060	\$232	N/A	\$259
	_	28"/40"/65"	EP1TP284065	\$248	N/A	\$276
_	_	28"/40"/80"	EP1TP284080	\$277	N/A	\$305
	_	28"/48"/53"	EP1TP284853	\$232	N/A	\$259
_	_	28"/48"/60"	EP1TP284860	\$232	N/A	\$259
	_	28"/48"/65"	EP1TP284865	\$248	N/A	\$276
_	_	28"/48"/80"	EP1TP284880	\$277	N/A	\$305
		28"/53"/60"	EP1TP285360	\$232	N/A	\$259
_	_	28"/53"/65"	EP1TP285365	\$247	N/A	\$274
_	_	28"/53"/80"	EP1TP285380	\$276	N/A	\$300
_	_	28"/60"/65"	EP1TP286065	\$248	N/A	\$276
		28"/60"/80"	EP1TP286080	\$277	N/A	\$305
_	_	28"/65"/80"	EP1TP286580	\$277	N/A	\$305
	_	40"/48"/53"	EP1TP404853	\$232	N/A	\$259
_	_	40"/48"/60"	EP1TP404860	\$232	N/A	\$259
	_	40"/48"/65"	EP1TP404865	\$248	N/A	\$276
_	_	40"/48"/80"	EP1TP404880	\$277	N/A	\$305
_	_	40"/53"/60"	EP1TP405360	\$232	N/A	\$259
_	_	40"/53"/65"	EP1TP405365	\$247	N/A	\$274
_	_	40"/53"/80"	EP1TP405380	\$276	N/A	\$300
_	_	40"/60"/65"	EP1TP406065	\$248	N/A	\$276
_	_	40"/60"/80"	EP1TP406080	\$277	N/A	\$305
_	_	40"/65"/80"	EP1TP406580	\$277	N/A	\$305
_	_	48"/53"/60"	EP1TP485360	\$232	N/A	\$259
_	_	48"/53"/65"	EP1TP485365	\$247	N/A	\$274
_	_	48"/53"/80"	EP1TP485380	\$251	N/A	\$278
_	_	48"/60"/65"	EP1TP486065	\$248	N/A	\$276
_	_	48"/60"/80"	EP1TP486080	\$277	N/A	\$305
_	_	48"/65"/80"	EP1TP486580	\$277	N/A	\$305
_	-	53"/60"/65"	EP1TP536065	\$247	N/A	\$274
-	_	53"/60"/80"	EP1TP536080	\$250	N/A	\$277
-	-	53"/65"/80"	EP1TP536580	\$277	N/A	\$305
-	-	60"/65"/80"	EP1TP606580	\$277	N/A	\$305

Order Code						
e.g.	EP1TP406080, 113					
EP1TP	Triple height post					
40	Height one					
60	Height two					
80	Height three					
113	Dark Grey trim					

Specification Information

Specify trim color.

Application Notes

Triple height posts are used where 3 or 4 panels of three different heights intersect.

Bottom levelers on posts allow for up to 1½" vertical adjustment.

Due to the variety of combinations possible, connector caps, shrouds and post covers must all be ordered separately.

Single Height Post

W	D	Н	MODEL#	P1	P2	P3
-	-	28"	EP1P28	\$86	N/A	\$93
-	-	40"	EP1P40	\$87	N/A	\$97
-	-	48"	EP1P48	\$89	N/A	\$100
-	-	53"	EP1P53	\$91	N/A	\$101
-	-	60"	EP1P60	\$92	N/A	\$103
-	-	65"	EP1P65	\$93	N/A	\$105
-	-	80"	EP1P80	\$100	N/A	\$107

Order Code					
e.g.	EP1P48, 177				
EP1P	Post				
48	Height				
117	Soft Grey trim				

	Information	


Specify trim color.
Panel connectors
and shrouds must be
order separately.

Application Notes

Bottom leveler on posts allow for up to 1½" of vertical adjustment.

Generation 1

Panel connectors and shrouds



Panel Connectors

ТҮРЕ	MODEL#	P1	P2	P3
Straight	EP1PCS	\$37	\$39	\$42
2-way L	EP1PCL	\$46	\$48	\$49
2-way L (for post covers)	EP1PCLK	\$46	\$48	\$49
2-way Adjustable	EP1PCA	\$59	\$67	\$67
3-way T	EP1PCT	\$57	\$59	\$62
3-way Y 120	EP1PCY	\$57	\$59	\$62
4-way X	EP1PCX	\$62	\$67	\$75
End	EP1PCEP	\$43	\$45	\$46
End (for post covers)	EP1PCEPK	\$43	\$45	\$46
Multi-height filler	EP1PCMF	\$30	\$34	\$35
Trim filler	EP1PCTF	\$30	\$34	\$35
Post plug (pkg. of 25)	EP1PLUG	\$20	\$27	\$28

e.g. EP1PCEP EP1PC Post connector EP End with post

Specification Information

Specify panel connector and shroud trim color.

Specify one multi-height filler (EP1PCMF) for each low panel in a multi-height connection.

NOTE: EP1 & EP2 Panels and components are available in legacy colors only.

EXCEPTION: EP1 posts connectors only are available in all colors as they may need to be specified when ordering stack-on panels with an EP3 profile.

Application Notes

Panel connectors stabilize panel to panel connections.


Panel connectors have painted finish and a quick mount design.

Mounting screws are included. Conical connector screw is included with post.

The EP1PCTF is a trim filler piece that is to be used when no other post part can be used in a given panel layout.

This piece butts against EP1PCS and EP1PCT, when installed as an addition.

Shrouds provide a finished raceway cover at posts. Two-way "L" connections do not require an inside shroud.



Raceway Shrouds		P1	P2	P3
Straight	EP1SS	\$30	N/A	\$35
L outside	EP1SL	\$43	N/A	\$46
L outside (for post covers)	EP1SLK	\$43	N/A	\$46
120 outside	EP1SO120	\$34	N/A	\$37
120 inside	EP1SI120	\$20	N/A	\$28
135 outside	EP1SO135	\$34	N/A	\$37
End	EP1SEP	\$59	N/A	\$67
End (for post covers)	EP1SEPK	\$59	N/A	\$67

Order Code					
e.g. EP1SEP					
EP1S	Post shroud				
EP	End with post				

	Information

Specify panel connector and shroud trim color.

Specify one multi-height filler (EP1PCMF) for each low panel in a multi-height connection.

NOTE: EP1 & EP2 Panels and components are available in legacy colors only.

EXCEPTION: EP1 posts connectors only are available in all colors as they may need to be specified when ordering stack-on panels with an EP3 profile.

Application Notes

Panel connectors stabilize panel to panel connections.

Panel connectors have painted finish and a quick mount design.

Mounting screws are included. Conical connector screw is included with post.


The EP1PCTF is a trim filler piece that is to be used when no other post part can be used in a given panel layout.

This piece butts against EP1PCS and EP1PCT, when installed as an addition.

Shrouds provide a finished raceway cover at posts. Two-way "L" connections do not require an inside shroud.


Generation 3

Fahric Pane



								:	· · · · · · · · · · · · · · · · · · ·	•••••••
64 "	Н								PAIN	IT
W	MODEL#	A	В	C	D	E	F	G	P2	Р3
12"	EP3FA1264(K/N)	\$797	\$847	\$907	\$987	\$1,107	\$1,237	\$1,387	+ \$30	+ \$60
18"	EP3FA1864(K/N)	\$857	\$907	\$967	\$1,047	\$1,167	\$1,297	\$1,447	+ \$30	+ \$60
24"	EP3FA2464(K/N)	\$918	\$968	\$1,028	\$1,108	\$1,228	\$1,358	\$1,508	+ \$30	+ \$60
30"	EP3FA3064(K/N)	\$978	\$1,028	\$1,088	\$1,168	\$1,288	\$1,418	\$1,568	+ \$30	+ \$60
36"	EP3FA3664(K/N)	\$1,074	\$1,184	\$1,314	\$1,474	\$1,724	\$2,004	\$2,324	+ \$30	+ \$60
42"	EP3FA4264(K/N)	\$1,135	\$1,245	\$1,375	\$1,535	\$1,785	\$2,065	\$2,385	+ \$30	+ \$60
48"	EP3FA4864(K/N)	\$1,195	\$1,305	\$1,435	\$1,595	\$1,845	\$2,125	\$2,445	+ \$30	+ \$60
60"	EP3FA6064(K/N)	\$1,304	\$1,414	\$1,544	\$1,704	\$1,954	\$2,234	\$2,554	+ \$30	+ \$60

	Тор Сар	Panel Type	w	Н	Raceway
EP Equity panel	3 Beveled	FA Fabric panel	36	29	K With knockouts N Without knockouts
EP	3	FA	36	: :	; ;



4" H			G	LASS INSERT		LA	MINATE INSE	RT	PAII	NT
W	MODEL#	OF	PG	GL	DG	L1	L2	L3	P2	P3
12"	EP3()1264(K/N)	\$962	\$1,203	\$1,348	\$1,590	\$1,300	\$1,430	\$1,560	+ \$30	+ \$60
18"	EP3()1864(K/N)	\$974	\$1,276	\$1,421	\$1,747	\$1,372	\$1,509	\$1,646	+ \$30	+ \$60
24"	EP3()2464(K/N)	\$986	\$1,361	\$1,517	\$1,940	\$1,469	\$1,616	\$1,763	+ \$30	+ \$60
30"	EP3()3064(K/N)	\$1,010	\$1,457	\$1,626	\$2,169	\$1,578	\$1,736	\$1,894	+ \$30	+ \$60
36"	EP3()3646(K/N)	\$1,034	\$1,566	\$1,735	\$2,399	\$1,686	\$1,855	\$2,023	+ \$30	+ \$60
42"	EP3()4264(K/N)	\$1,058	\$1,686	\$1,868	\$2,652	\$1,820	\$2,002	\$2,184	+ \$30	+ \$60
48"	EP3()4864(K/N)	\$1,083	\$1,820	\$2,013	\$2,918	\$1,965	\$2,162	\$2,358	+ \$30	+ \$60
60"	EP3()6064(K/N)	\$1,143	\$1,965	\$2,158	\$3,304	\$2,109	\$2,320	\$2,531	+ \$30	+ \$60

	Panel Type	w	Н	Raceway
EP3 Equity panel	OF Open frame PG Plexiglass insert	36	29	K With knockouts N Without knockouts
EP	PG	36	29	к


Post Assemblies




Straight		PAINT			
Н	MODEL#	P1	P2	Р3	
64"	FP3P64S	\$189	\$197	\$205	



3-wa	ay T		PAINT		
Н	MODEL#	P1	P2	P3	
64"	EP3P64T	\$183	\$191	\$199	



2-wa	ay L	•••••••••••	PAINT	••••••
Н	MODEL#	P1	P2	P3
64"	EP3P64L	\$183	\$191	\$199



3-way 120			PAINT			
Н	MODEL#	P1	P2	P3		
64"	EP3P64Y	\$229	\$239	\$249		



2-way 120			PAINT			
Н	MODEL#	P1	P2	P3		
64"	EP3P64120	\$189	\$197	\$205		



4-way X			PAINT		
Н	MODEL#	P1	P2	P3	
64"	FP3P64X	\$159	\$167	\$175	

Specify

- 1. Model #
- 2. Paint trim color

Application Notes

Used to connect panels of the same height

Bottom glides on post allow for up to 1 ½" of vertical adjustment.

Assembly

Included

- Single height postPanel connector
- Appropriate metal shroud

Top Cap Style

3 – Beveled



Si	ngle He	eight		PAINT	
	Н	MODEL#	P1	P2	P3
	64"	EP3P64	\$128	\$131	\$134

Dual Height

vuai neig	nt			
29"/64"	EP3DP2964	\$213	\$224	\$235
41"/64"	EP3DP4164	\$213	\$224	\$235
49"/64"	EP3DP4964	\$213	\$224	\$235
54"/64"	EP3DP5464	\$213	\$224	\$235
61"/64"	EP3DP6164	\$213	\$224	\$235
64"/81"	EP3DP6481	\$232	\$243	\$254

		:	•••••••••••••••••••••••••••••••••••••••	•••••
Triple Heig	jht		PAINT	
Н	MODEL#	P1	P2	P3
29"/41"/64"	EP3TP294164	\$251	\$262	\$273
29"/49"/64"	EP3TP294964	\$251	\$262	\$273
29"/54"/64"	EP3TP295464	\$251	\$262	\$273
29"/61"/64"	EP3TP296164	\$251	\$262	\$273
29"/64"/81"	EP3TP296481	\$277	\$288	\$299
41"/49"/64"	EP3TP414964	\$251	\$262	\$273
41"/54"/64"	EP3TP415464	\$251	\$262	\$273
41"/61"/64"	EP3TP416164	\$251	\$262	\$273
41"/64"/81"	EP3TP416481	\$277	\$288	\$299
49"/54"/64"	EP3TP495464	\$251	\$262	\$273
49"/61"/64"	EP3TP496164	\$264	\$275	\$286
49"/64"/81"	EP3TP496481	\$277	\$288	\$299
54"/61"/64"	EP3TP546164	\$251	\$262	\$273
54"/64"/81"	EP3TP546481	\$277	\$288	\$299
61"/64"/81"	EP3TP616481	\$277	\$288	\$299

		Н		Connection Type
EP3 Equity panel	P Post	64	120	2-way 120
			Ε	End w/post
			ETK	Postless end
	:		L	2-way L
	:		Т	3-way T
	:		S	Straight
	•		Χ	4-way
			Υ	3-way 120
EP3	Р	64	S	
ii	ii			•

End Kits



End	w/Post	PAINT		
Н	MODEL#	P1	P2	Р3
64"	EP3P64E	\$224	\$232	\$240



Post	less End		PAINT	
Н	MODEL#	P1	P2	P3
29"	EP3ETK29	\$189	\$193	\$196
41"	EP3ETK41	\$191	\$195	\$198
49"	EP3ETK49	\$194	\$197	\$202
54"	EP3ETK54	\$196	\$200	\$204
61"	EP3ETK61	\$198	\$203	\$206
64"	EP3ETK64	\$202	\$205	\$208
66"	EP3ETK66	\$202	\$205	\$208
81"	EP3ETK81	\$212	\$215	\$219

End w/Post

Specify

- 1. Model#
- 2. Paint trim color

Application Notes

Used to finish a panel end that is not being connected to another panel.

Postless End

Specify

- 1. Model #
- 2. Paint trim color

Application Notes

Used to finish a panel end that is not being connected to another panel.

NOTE: Postless end kit should not be used on panels that are placed perpendicular to a worksurface of the same depth as the front of the worksurface will extend approximately %" beyond the panel end.

Assembly

Included

- Single height post
- Panel connector
- Appropriate metal shroud

Top Cap Styles

3 – Beveled



Assembly

Included

- Panel connectorAppropriate metal shroud
- Top Cap Styles
 3 Beveled



Panel '	I Wall Starter D H H (Actual) MODEL#					PAINT	
W	D	Н	H (Actual)	MODEL#	P1	P2	Р3
1 ½"	1/2"	64"	60"	EP3PWS64	\$62	\$67	\$74

Wall Mounted Channel

2 7/6"	3/4"	64"	60"	EP3WMC64	\$160	\$173	\$178
Z 78	74	04	00	EP 3 VV IVICO4	\$160	21/3	21/0

Panel Wall Starter

Specify

- 1. Model#
- 2. Paint trim color

Application Notes

Used to start a run of panels by fastening to an existing wall and attaching a connector assembly to it. Creates 1¼" space from face to wall to centerline of post. Constructed of steel.

NOTE: Neutral Posture assumes no responsibility for wall construction or performance of fasteners used.

Top Cap Styles

3 - Beveled

Assembly

Included

- Panel top & bottom hook
- Panel connector

Not Included

• Fasteners to attach to wall

Ordered Separately

- Post
- Shrouds

Wall Mounted Channel

Specify

- 1. Model#
- 2. Paint trim color

Application Notes

Allows hanging of all components and accessories on reinforced building walls.

Painted extruded aluminum with a plastic insert which snaps in place, covering mounting screws.

NOTE: Neutral Posture assumes no responsibility for wall construction or performance of fasteners used.

Assembly

- Extruded aluminum
- Insert which snaps

- channel
- into place

Panel accessories

Cable and Wire Managers

Vertical Wire Manager

W	D	Н	MODEL#	P1	P2	P3
1/2"	3/4"	80"	EC1VWM80	\$35	\$37	\$39



Metal Ceiling Module

4"	1½"	120"	EE1CM40M	\$754	N/A	\$832
4"	1½"	120"	EE1CM48M	\$754	N/A	\$832
4"	1½"	120"	EE1CM53M	\$754	N/A	\$832
4"	11/2"	120"	EE1CM60M	\$754	N/A	\$832
4"	1½"	120"	EE1CM65M	\$754	N/A	\$832
4"	11/2"	120"	EE1CM80M	\$754	N/A	\$832

Ceiling Infeeds – Generation 3

4"	1 ½"	120"	EE3CM64M	\$754	\$792	\$832

Order Cod	er Code		
e.g.	EC1VWM80, 177		
EC1VWM	Vertical Wire Manager		
80	Length		
117	Soft Grey trim		

Specification Information

Specify trim color.

Vertical Wire Manager:

A plastic strip designed to hide a cord running down the edge of the panel. Cut to desired length in field.

Ceiling Infeed Modules:

Electrical harnesses not included with modules. Modules are hollow to accommodate power and/ or data cables from source into systems furniture.

With electrical harness installed, infeed holds 35 CAT 5 cables.

Cables/conduit are laid into the lower metal body by removal of the front 1-½" wide access cover and into the upper plastic extrusion by separating the front edge of the pliable tube. Infeed module is attached to an available post location of the appropriate height. The module can not be used for panel support and there are no "hang on" capabilities. Includes escutcheon plate. Plate and plastic tube are white to integrate with standard ceiling color.

No "hang on" capabilities. Module cannot be used for panel support. Painted metal module is 120" long metal extrusion with attachment hooks at proper height to attach to appropriate height post.

To connect a metal ceiling infeed to a corner or a straight connection you must use an adjustable angle connector or adjustable angle connector with a multi-height panel connector.



EP1 Coat Hook (6/carton)

W	D	Н	MODEL#	P1	P2	Р3
1/2"	3/4"	5"	EP1CH	\$145	N/A	N/A



Coat Hanger

	9					
17"	3/8"	91/4"	EP1CHG	\$18	N/A	N/A



Carpet Gripper (12 pack)

	EP1CG12	\$45	N/A	N/A



EP3 Coat Hook Straight (5 pack)

				1		
1/4"	13/4"	73/4"	ED2MMCH (R/D)	C170	NI/A	NI/A



EP3 Coat Hook Postless End (5 pack)

13/8"	3/8"	23/8"	EP3MMCHPE (R/L)(B/P)	\$170	N/A	N/A

Order Co	ode
e.g.	EP1CH, 117
EP1CH	Coat hook
117	Soft Grey trim

0...1.........................

Specification Information

Specify trim color.

Coat Hook and Coat Hanger available only in Dark Neutral, Medium Grey, Soft Grey or Taupe.

NOTE: EP1 & EP2 Panels and components are available in legacy colors only.

Application Notes

Coat Hanger

A plastic coat hanger available to hang on coat hook. EP1 Coat hook: Molded plastic hook hangs over EP1 panels to hold coats and hangers.

Coat hook must hang over straight post location if being used w/EP3 panels.


Carpet gripper:12 per package.

EP3 Coat hook

Aluminum coat hook attaches to any exposed Equity vertical slot. There are two versions. The straight version will work on any Equity vertical slot except for those on an inside corner. The postless end version is handed and extends beyond the edge of a panel with a postless end. Hand is determined by which side of the panel the coat hook is installed on while facing the panel. Available in two colors; Black (B) or Matte Aluminum (P).

Counter Caps, Straight Generation 1 and Generation 2 profiles

Straight



_							
NOMINAL W	ACTUAL W	D	Н	MODEL#	P1	P2	P3
12"	10.5"	15.25"	-	EW(1/2)1215	\$323	\$335	\$342
24"	22.5"	15.25"	-	EW(1/2)2415	\$358	\$365	\$375
30"	28.5"	15.25"	-	EW(1/2)3015	\$390	\$400	\$408
36"	34.5"	15.25"	-	EW(1/2)3615	\$390	\$400	\$408
42"	40.5"	15.25"	-	EW(1/2)4215	\$398	\$405	\$415
48"	46.5"	15.25"	-	EW(1/2)4815	\$401	\$412	\$420
60"	58.5"	15.25"	-	EW(1/2)6015	\$443	\$452	\$461
72"	70.5"	15.25"	-	EW(1/2)7215	\$467	\$473	\$485
84"	82.5"	15.25"	-	EW(1/2)8415	\$505	\$516	\$525
96"	94.5"	15.25"	-	EW(1/2)9615	\$525	\$536	\$544
108"	106.5"	15.25"	-	EW(1/2)10815	\$542	\$550	\$560
120"	118.5"	15.25"	-	EW(1/2)12015	\$604	\$610	\$618

Straight – Extended One End



12"	12"	15.25"	-	EW(1/2)1215E	\$336	\$344	\$357
24"	24"	15.25"	-	EW(1/2)2415E	\$368	\$379	\$389
30"	30"	15.25"	-	EW(1/2)3015E	\$397	\$403	\$413
36"	36"	15.25"	-	EW(1/2)3615E	\$397	\$403	\$413
42"	42"	15.25"	-	EW(1/2)4215E	\$405	\$415	\$423
48"	48"	15.25"	-	EW(1/2)4815E	\$419	\$425	\$436
60"	60"	15.25"	-	EW(1/2)6015E	\$449	\$459	\$468
72"	72"	15.25"	-	EW(1/2)7215E	\$488	\$495	\$504
84"	84"	15.25"	-	EW(1/2)8415E	\$509	\$519	\$528
96"	96"	15.25"	-	EW(1/2)9615E	\$532	\$541	\$549
108"	108"	15.25"	-	EW(1/2)10815E	\$570	\$581	\$590
	12" 24" 30" 36" 42" 48" 60" 72" 84"	12" 12" 24" 24" 30" 30" 36" 36" 42" 42" 48" 48" 60" 60" 72" 72" 84" 84" 96" 96"	12" 12" 15.25" 24" 24" 15.25" 30" 30" 15.25" 36" 36" 15.25" 42" 42" 15.25" 48" 48" 15.25" 60" 60" 15.25" 72" 72" 15.25" 84" 84" 15.25" 96" 96" 15.25"	12" 12" 15.25" - 24" 24" 15.25" - 30" 30" 15.25" - 36" 36" 15.25" - 42" 42" 15.25" - 48" 48" 15.25" - 60" 60" 15.25" - 72" 72" 15.25" - 84" 84" 15.25" - 96" 96" 15.25" -	12" 12" 15.25" - EW(1/2)1215E 24" 24" 15.25" - EW(1/2)2415E 30" 30" 15.25" - EW(1/2)3015E 36" 36" 15.25" - EW(1/2)3615E 42" 42" 15.25" - EW(1/2)4215E 48" 48" 15.25" - EW(1/2)4815E 60" 60" 15.25" - EW(1/2)6015E 72" 72" 15.25" - EW(1/2)7215E 84" 84" 15.25" - EW(1/2)8415E 96" 96" 15.25" - EW(1/2)9615E	12" 12" 15.25" - EW(1/2)1215E \$336 24" 24" 15.25" - EW(1/2)2415E \$368 30" 30" 15.25" - EW(1/2)3015E \$397 36" 36" 15.25" - EW(1/2)3615E \$397 42" 42" 15.25" - EW(1/2)4215E \$405 48" 48" 15.25" - EW(1/2)4815E \$419 60" 60" 15.25" - EW(1/2)6015E \$449 72" 72" 15.25" - EW(1/2)7215E \$488 84" 84" 15.25" - EW(1/2)8415E \$509 96" 96" 15.25" - EW(1/2)9615E \$532	12" 12" 15.25" - EW(1/2)1215E \$336 \$344 24" 24" 15.25" - EW(1/2)2415E \$368 \$379 30" 30" 15.25" - EW(1/2)3015E \$397 \$403 36" 36" 15.25" - EW(1/2)3615E \$397 \$403 42" 42" 15.25" - EW(1/2)4215E \$405 \$415 48" 48" 15.25" - EW(1/2)4815E \$419 \$425 60" 60" 15.25" - EW(1/2)6015E \$449 \$459 72" 72" 15.25" - EW(1/2)7215E \$488 \$495 84" 84" 15.25" - EW(1/2)8415E \$509 \$519 96" 96" 15.25" - EW(1/2)9615E \$532 \$541

Straight – Extended Both Ends



12"	13.5"	15.25"	-	EW(1/2)1215EE	\$344	\$357	\$364
24"	25.5"	15.25"	-	EW(1/2)2415EE	\$384	\$392	\$401
30"	31.5"	15.25"	-	EW(1/2)3015EE	\$403	\$413	\$422
36"	37.5"	15.25"	-	EW(1/2)3615EE	\$403	\$413	\$422
42"	43.5"	15.25"	-	EW(1/2)4215EE	\$419	\$425	\$436
48"	49.5"	15.25"	-	EW(1/2)4815EE	\$467	\$473	\$485
60"	61.5"	15.25"	-	EW(1/2)6015EE	\$462	\$470	\$479
72"	73.5"	15.25"	-	EW(1/2)7215EE	\$498	\$507	\$517
84"	85.5"	15.25"	-	EW(1/2)8415EE	\$526	\$537	\$545
96"	97.5"	15.25"	-	EW(1/2)9615EE	\$542	\$550	\$560
108"	109.5"	15.25"	-	EW(1/2)10815EE	\$588	\$596	\$606

Order	Code

e.g.	EW16015,117, 117, 117
EW1	Worksurface
60	Width
15	Depth
117	Soft Grey laminate
117	Soft Grey edge
117	Soft Grey cantilever trim

Specification Information

Specify surface, trim and cantilever trim color.

EW1 Counter caps work with all existing counter caps and are for use on Generation 1 or Generation 2 panels only. Plastic cantilevers are supplied.

EW2 counter caps are for use with Generation 3 panels only. Steel brackets are provided.

Counter caps are designed for mounting on top of panels.

Straight counter caps overhang both sides of the panel equally.

Counter caps fit between posts, appropriate to fit between two taller panels and a dual/triple height connectors.

A counter cap extension (E) covers one post.

A counter cap extension (EE) covers 2 posts.

Steel mounted brackets are supplied.



Corner

W	D	Н	MODEL#	P1	P2	Р3
24"	15.25"	-	EW(1/2)CC2415	\$456	\$473	\$494
30"	15.25"	-	EW(1/2)CC3015	\$489	\$505	\$525
36"	15.25"	-	EW(1/2)CC3615	\$498	\$517	\$537




Corner – Extended Left

24"	15.25"	-	EW(1/2)CC2415LHE	\$467	\$485	\$502
30"	15.25"	-	EW(1/2)CC3015LHE	\$498	\$517	\$537
36"	15.25"	_	EW(1/2)CC3615LHE	\$509	\$528	\$546



Corner – Extended Right

24"	15.25"	-	EW(1/2)CC2415RHE	\$467	\$485	\$502
30"	15.25"	-	EW(1/2)CC3015RHE	\$498	\$517	\$537
36"	15 25"	_	FW(1/2)CC3615RHF	\$509	\$528	\$546



Corner – Extended Both Ends

24"	15.25"	-	EW(1/2)CC2415EE	\$485	\$502	\$521
30"	15.25"	-	EW(1/2)CC3015EE	\$526	\$545	\$562
36"	15.25"	-	EW(1/2)CC3615EE	\$537	\$557	\$572

Order C	Order Code					
e.g.	EW1CC3015, 117, 117, 117					
EW1	Worksurface					
cc	Curved corner					
30	Width					
15	Depth					
117	Soft Grey laminate					
117	Soft Grey edge					
117	Soft Grey cantilever trim					

Specification Information

Specify surface, trim and cantilever trim color.

EW1 counter caps work with all existing counter caps and are for use with Generation 1 or Generation 2 panels. Plastic cantilevers are supplied.

EW2 counter caps are for use with Generation 3 panels only.

Application Notes

Counter caps are designed for mounting on top of panels.

Corner counter caps-(E) extended one end, mount on top of 24", 30" or 36" panels at 90° to each other. They are non-handed and screw holes for the mounting brackets must be field-drilled.

Steel mounting brackets are supplied.

A counter cap extension (E) covers one post.

A counter cap extension (EE) covers 2 posts.

Freestanding support components



Flat Brackets (black only)

W	D	Н	TOP SIZE	MODEL#.	P1	P2	P3
	15"			EB1F24	\$54	N/A	N/A
	21"			EB1F30	\$62	N/A	N/A



Column Base

27/4 EDIT COL \$300 \$420 \$437		27¾"	EB1FCOL	\$386	\$420	\$437
--	--	------	---------	-------	-------	-------

Tackable Privacy Screens



Tackable Privacy

W	D	Н	MODEL#.	A	В	C	D	E	F	G
36"	3/4"	21"	EF2PS36	\$473	\$513	\$520	\$534	\$544	\$552	\$569
42"	3/4"	21"	EF2PS42	\$496	\$534	\$545	\$564	\$570	\$583	\$597
48"	3/4"	21"	EF2PS48	\$517	\$557	\$569	\$585	\$592	\$602	\$618
60"	3/4"	21"	EF2PS60	\$553	\$600	\$612	\$626	\$638	\$647	\$667
72"	3/4"	21"	EF2PS72	\$592	\$641	\$653	\$671	\$681	\$693	\$714

Order Code					
e.g.	EF2OS60, 117				
EF20S	Equity freestanding privacy screen				
60	Length in inches				
117	Soft Grey trim				

Specification Information

Specify shelf and stanchion trim color where required.

NOTE: Fabric on 72" privacy screens and will be railroaded (turned 90°).

Wall Mounting

WALL MOUNTING SUGGESTIONS

The following information is provided only as a guide, and represents minimum recommendations only. Neutral Posture does not accept responsibility for the attachment of any Neutral Posture product to a Customer's site wall. Wall specification/construction is the responsibility of the Customer and its structural engineer/architect. Failure to properly attach Neutral Posture products to adequate wall structures can lead to property damage and/or personal injury.

You should consult your own structural engineers and/or architects and must not rely on the information provided herein.

It is the responsibility of the Customer and its structural engineers/architects to verify that the permanent structural walls (studs, blocks, solid masonry, etc.) on which the Neutral Posture products are intended to be mounted are designed appropriately to support the product weight, PLUS 3 lbs. per linear inch for each usable shelf length.

NOTE: A cabinet's top is considered a "usable shelf" and MUST be included in the calculation of the total load for an overhead cabinet.

It is the responsibility of the Customer and its structural engineer/architects to specify the fasteners and method for attaching the Neutral Posture supplied wall mounting cleat, bracket, frame, etc. to the supporting wall and to confirm that the installers have adhered to these specifications. For all local building standards and codes, and additional requirements (including, but not limited to, seismic conditions) the Customer should always consult local code agencies.

New Construction

Existing Construction

		Cinder Block or Poured Concrete Masonry Wall	Wood Stud Wall, the studs being FULL HEIGHT to the roof/floor above	Wood Stud Wall, the studs being only ceiling height	Steel Stud Wall, the studs being FULL HEIGHT to the roof/floor above	Steel Stud Wall, the studs being only ceiling height
Stud Specification	Wood studs, grade #2 or better, 3 ½" minimum width, OR Metal studs, minimum 25 gage thickness, 3 %" minimum width	The wall must be a minimum of 6" thick, and must be full height to the roof/floor structure above	Wood studs must be Grade #2, or better, 3 ½" minimum width	Wood studs must be Grade #2, or better, 3 ½" minimum width	Metal studs must be minimum 25 gage thickness, 3 %" minimum width	Metal studs must be minimum 25 gage thickness, 3 %" minimum width
Stud Centers	Metal and wood studs must be spaced at 16" c/c maximum.	N/A	Wood studs must be spaced at 16" c/c maximum.	Wood studs must be spaced at 16" c/c maximum.	Metal studs must be spaced at 16" c/c maximum.	Metal studs must be spaced at 16" c/c maximum.
Stud Height	Metal and wood studs must extend upwards, and be securely attached to the roof/floor structure above.			Wood studs must be braced above the ceiling, and be securely attached to the roof/floor structure above Affix #2 grade 'cap' across the top of the studs, then place diagonal studs from the top cap up to underside of the roof/floor structure above.		Metal studs must be braced above the ceiling and be securely attached to the roof/floor structure above Affix metal bracing 'cap' across the top of the studs. Then place diagonal studs from the top cap up to underside of the roof / floor structure above.
Mounting the Neutral Posture Supplied Cleat, Bracket, Frame, etc	Insert a 2" x 6" wood block, #2 grade or better, [or a locally approved flexible wood backing system] horizontally between each of the studs to accommodate the full width of the cabinet and beyond to the next stud. Fasten the wood block to each stud using three screws at the ends of each block. (Fasten the locally approved wood backing system as directed by the manufacturer.) Fasten the Neutral Posture supplied wall mounting cleat, bracket, frame, etc directly to each wood block every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6" and fasten the lower horizontal element to each wall stud, using one fastener per stud.	Fasten the Neutral Posture supplied cabinet wall mounting cleat, bracket, frame, etc. directly to the masonry wall every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wall every 6" and fasten the lower horizontal element to the wall every 16".	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet and beyond to the next stud. Insert a 2" x 6" wood block, #2 grade or better, horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" x 6" wood block, #2 grade or better, horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet and beyond to the next stud. Insert a 2" x 6" wood block, #2 grade or better, [or a locally approved flexible wood backing system] horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet and beyond to the next stud. Insert a 2" x 6" wood block, #2 grade or better, [or a locally approved flexible wood backing system] horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6" and fasten the lower horizontal element to each wall stud, using one fastener per stud.
Fasten the Neutral Posture Supplied Wall Cleat With	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	%e" x 3 ½" masonry screws Screws or equiv. in every mounting hole provided with 1 ½" embedment, screwed directly into the masonry wall	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking

Key Lock Program

GENERAL INFORMATION

Following is the Neutral Posture key lock policy, applicable to all products.

Neutral Posture pedestals, overheads, and storage cabinets ship without lock cores installed. The locks are field installed. If your purchase order does not specify key-alike you will automatically receive random lock cores with your order.

Neutral Posture furniture can be keyed-alike or random keyed.

KEY-ALIKE

Furniture may be keyed alike at no charge. Write "key-alike" in the description of your purchase order for any storage piece you wish to have keyed alike.

Using the key-alike instructions, order cores and keys as line items on your purchase order. Neutral Posture will select key numbers from the standard range of 226 – 425. Key numbers will not be repeated unless over 199 sets are ordered.

There is no charge for key-alike orders if placed with the furniture order.

If product is ordered and shipped random-keyed, additional lock cores for key-alike are billable.

KEYS

A key is shipped with every lock core. 199 Key numbers are available. For numbers above 199, contact Sales Support. Additional keys and key blanks are available.

MASTER KEYING

Neutral Posture locks can be controlled by means of a master key. There is no additional per-lock charge for master keying. Master keys must be ordered separately.

INSTALLING LOCK CORES

Lock cores can be installed or removed in the field by using a change key. Cores must be in the unlocked position to be removed. See service parts for change key pattern number and pricing.

SERVICE PARTS

MODEL#	DESCRIPTION	LIST
NLCKE	Shrouded Key (Specify key number desired)	\$21
NAKC	Change Key	\$21
NKM	Master Key	\$21

NOTE: A letter of approval on company letterhead from the client must accompany all orders for master keys.


NOTE: Neutral Posture locks/keys are not compatible with Knoll Equity pedestals/double pedestals.

HOW TO SPECIFY KEY-ALIKE

Following is an example of how to specify keyalike for a cluster of 10 workstations.

STEP 1

Using the project floor plan, count the number of locks in each workstation.



STEP 2

Count the number of workstations with the same quantity of locks. Group together the workstations with a like number of locks.

5 workstations with 2 locks per station 3 workstations with 4 locks per station 2 workstations with 5 locks per station

STEP 3

For the first group (5 sets of 2 locks), enter the number of workstations in the quantity column.

QTY	MODEL#	DESCRIPTION	UNIT LIST	EXT LIST
5	NSPEC 2	Set of 2 cores/keys	N/C	N/C

STEP 4

Then enter the pattern number "NSPEC__" and add a suffix for the number of locks for that group (i.e., for 2 locks per station, add the suffix "2"). Up to 30 lock cores are available in a set (i.e., NSPEC 30).

QTY	MODEL#	DESCRIPTION	UNIT LIST	EXT LIST
5	NSPEC 2	Set of 2 cores/keys	N/C	N/C

STEP 5

Repeat for other groups.

QTY	MODEL#	DESCRIPTION	UNIT LIST	EXT LIST
5	NSPEC 2	Set of 2 cores/keys	N/C	N/C
3	NSPEC 4	Set of 4 cores/keys	N/C	N/C
2	NSPEC 5	Set of 5 cores/keys	N/C	N/C

Your key instructions are complete.

Neutral Posture will select key numbers for each set from 199 available numbers.

For additions to existing installations, specify desired key numbers in the description.

EQUITY

In order to specify an Equity locking component with an "H" series core, apply an "A" suffix to the Equity Base pattern number.

All keyed locks in the Equity system are randomly* keyed, as a standard offering. For those requiring all locks within a workstation (or group of workstations) to be keyed alike, Equity also offers a key-alike option.

EQUITY LOCKING COMPONENTS

Identify the cabinets to be keyed alike by adding the suffix "P" to the standard catalog number (i.e., EC20F36AP indicates a keyalike EC20F36A cabinet). The cabinet will be factory-prepared with the hardware mechanisms excluding the lock core and key. List price will be reduced by \$22.

MULTIPLE KEY-ALIKE PACKAGES

For multiple keys of the same number, specify ALCKE - (number of keys desired, from 2 to 8.) Price is: Number of Keys x \$22. (i.e.: ALCKE-5 Pkg. of five cores with keys = \$110.00)

LOCK CORES

Order the lock cores required separately (ALCKE series). Cores are numbered sequentially, with up to 250 different combinations available (ALCKEH6001- ALCKEH6250). Use one line item for each quantity of lock cores to be keyed alike. Series H6001-H6100 are standard lead-time.

MASTER KEY

A master key (AKM) is available that will unlock all cabinets and pedestals with the same prefix letter, for

example: H6001, H6002. A single key is supplied and priced, as shown below.

DESCRIPTION	CATALOG NUMBER	LIST
Equity Lock and Keys	ALCKE(H6)	\$26
Change Key	AKC	\$21
Master Key	AKM	\$21

SHIPMENT

Additional lead time of 2-4 weeks may apply when more than 100 lock sequences are specified for key-alike (contact Sales Support for current lead times).

The key-alike core and keys are shipped separately from the components for field installation in the appropriate workstation components.

^{*}Randomly keyed means that no attempt is made to assure that locks have the same number or that they are, in fact, different.

NEUTRALPOSTURE P

NeutralPosture.com 3904 N. Texas Ave. Bryan, TX 77803

T 979.778.0502

F 979.778.0408

GSA SCS Indoor Advantage BIFMA e3/LEVEL ISO 9001:2008 Approved



