



NEUTRALPOSTURE









2025November




TABLE OF CONTENTS

GENERAL INFORMATION4
Panels 4 Power 4
Raceway
Environmental Impact
Storage
3 ,
SUSTAINABLE DESIGN 5 Manufacturing Process 5
Shipping Initiatives
TERMS AND CONDITIONS 6
Ordering6
Pricing6
Taxes 6 Lead Time 6
Customer's Own Material 6
Storage Fee6
Compliance with Law
Accessorial Charges Freight Damage
Delay/Force Majeure
Returns
Warranty Claims
Certifications & Standards 8
Key-Alike Program
GSA Contract Overview 10 GSA Contract Details 11
Wall Mounting Suggestions 12
Wall Mounting Details
FINISHES 14
Fabrics
Laminates 14
Edge Bands 14 Paints 15
Plexiglass 15
Glass
Designer Glass
CUSTOM FINISHES PROGRAM 16
Customer's Own Fabric
Customer's Own Laminate 16 Custom RAL Paint Finishes 16
LEGACY FINISHES. 17 Legacy – Laminates 17
Legacy – Edge Bands
Legacy – Paint & Plastics

PANELS	. 18
Features	
Construction	
Surface Materials	
Fabric Panels	
Insert Panels Perforated Aluminum Insert Panels	
Tequity Panels	
Doors	
Post Assemblies	
End Kits	
Wall Starter/Wall Mounted Channel	
Posts (Multi-height)	. 34
Connectors/Shrouds	. 35
STACK-ON PANELS	. 36
Components	
Stack-on Panel Connectors	. 36
Specifying Stack-on Configurations	. 36
Stack-on Diagram	. 37
Stack-on Configurations	
Fabric with slots	
Fabric without slots	
Insert with slots	
Insert without slots	
Perforated Aluminum Insert w/slots Perforated Aluminum Insert w/o slots	
Stack-on Posts	
Panel Accessories	
Frameless Glass	
Frameless Glass Connectors	
Add-on Screens	
Slat Rail	
Slat Rail Accessories	. 57
ELECTRICAL	
How to Order	
Infeeds	
Technical Data	
Ceiling Infeeds	
Components	
Knock-out Replacement Cover	
Jumper	
Dedicated Neutral System Components	66
Dedicated Neutral Jumpers	
Charge Spot (Wireless Charger)	
Desktop Data & Power	
Ashley Duo	
Ashley 202	
Ashley Trio	. 69
Ashley Quad	. 69

WORKSURFACES	
Features	. 70
Wiring & Cabling	
Surface Materials	
General Information	
Support Information	
Grain Direction	. 74
Straights	
Corners	
Split Corner	
Blended Corners	
Peninsulas	
Half Round & Linking	
Blended Double Corner	
135° Curved Corner	. 83
Supports	
Legs	
Worksurface for Height Adjustable Supports Electric Height Adjustable Base	
120° Planning	
120°	
Transition Tops	
CASCADE WORKSURFACES	95
Cascade Edge	
Straights	. 96
Corners & Extended Corners	
Corners & Extended Corners Corner Peninsulas	. 97 . 98
Corners & Extended Corners Corner Peninsulas Waves	. 97 . 98 . 99
Corners & Extended Corners Corner Peninsulas Waves Rounds	. 97 . 98 . 99 100
Corners & Extended Corners Corner Peninsulas Waves Rounds Accessories	. 97 . 98 . 99 100 101
Corners & Extended Corners Corner Peninsulas Waves Rounds Accessories Personal Drawer	. 97 . 98 . 99 100 101 101
Corners & Extended Corners Corner Peninsulas Waves Rounds Accessories Personal Drawer Cable Management	97 98 99 100 101 101 101
Corners & Extended Corners Corner Peninsulas Waves Rounds Accessories Personal Drawer Cable Management COUNTER CAPS	. 97 . 98 . 99 100 101 101 101
Corners & Extended Corners Corner Peninsulas Waves Rounds Accessories Personal Drawer Cable Management COUNTER CAPS Straights	. 97 . 98 . 99 100 101 101 101 102 102
Corners & Extended Corners Corner Peninsulas Waves Rounds Accessories Personal Drawer Cable Management COUNTER CAPS	. 97 . 98 . 99 100 101 101 101 102 102
Corners & Extended Corners Corner Peninsulas Waves Rounds. Accessories. Personal Drawer Cable Management. COUNTER CAPS Straights Corners	. 97 . 98 . 99 100 101 101 101 102 102 103
Corners & Extended Corners Corner Peninsulas Waves Rounds. Accessories. Personal Drawer Cable Management. COUNTER CAPS Straights Corners PANEL SUPPORTED STORAGE	. 97 . 98 . 99 100 101 101 101 102 102 103
Corners & Extended Corners Corner Peninsulas Waves Rounds. Accessories. Personal Drawer Cable Management. COUNTER CAPS Straights Corners	. 97 . 98 . 99 100 101 101 101 102 102 103 104
Corners & Extended Corners Corner Peninsulas Waves Rounds Accessories Personal Drawer Cable Management COUNTER CAPS Straights Corners PANEL SUPPORTED STORAGE Open Shelves	. 97 . 98 . 99 100 101 101 101 102 102 103 104 104 106
Corners & Extended Corners Corner Peninsulas Waves Rounds Accessories Personal Drawer Cable Management COUNTER CAPS Straights Corners PANEL SUPPORTED STORAGE Open Shelves Overheads Shared Storage Tackboards	. 97 . 98 . 99 100 101 101 102 102 103 104 104 106 108 110
Corners & Extended Corners Corner Peninsulas Waves Rounds Accessories Personal Drawer Cable Management COUNTER CAPS Straights Corners PANEL SUPPORTED STORAGE Open Shelves Overheads Shared Storage Tackboards Wall Mounted Channel	. 97 . 98 . 99 100 101 101 102 102 103 104 104 106 108 110
Corners & Extended Corners Corner Peninsulas Waves Rounds Accessories Personal Drawer Cable Management COUNTER CAPS Straights Corners PANEL SUPPORTED STORAGE Open Shelves Overheads Shared Storage Tackboards	. 97 . 98 . 99 100 101 101 102 103 104 104 106 108 110 111
Corners & Extended Corners Corner Peninsulas Waves Rounds Accessories Personal Drawer Cable Management COUNTER CAPS Straights Corners PANEL SUPPORTED STORAGE Open Shelves Overheads Shared Storage Tackboards Wall Mounted Channel LIGHTING	104 104 106 108 110 101 101 102 103 104 104 110 111
Corners & Extended Corners Corner Peninsulas Waves Rounds Accessories Personal Drawer Cable Management COUNTER CAPS Straights Corners PANEL SUPPORTED STORAGE Open Shelves Overheads Shared Storage Tackboards Wall Mounted Channel LIGHTING TASK	97 98 99 100 101 101 102 103 104 104 106 108 110 111 112
Corners & Extended Corners Corner Peninsulas Waves Rounds Accessories Personal Drawer Cable Management COUNTER CAPS Straights Corners PANEL SUPPORTED STORAGE Open Shelves Overheads Shared Storage Tackboards Wall Mounted Channel LIGHTING	. 97 . 98 . 99 100 101 101 102 103 104 106 108 110 111 112 114 115

TABLES Features Construction Surface Materials	. 118 . 118
OCCASIONAL Round Square	. 120
CONFERENCE Oval Rectangle	. 122
DESKS C-Legs O-Legs T-Legs	. 124 . 124
SIT/STAND DESKS Electric Height Adjustable Stand-biased	. 126
Electric Height Adjustable	. 126 . 127 . 128 . 128

STORAGE	
Accessory Availability	
PEDESTALS Features	. 138
PedestalsFILE CENTERS	
Features Features File Centers	. 142
LINEA DOCK & AERIES CADDY	
Features Linea Dock	. 148
Aeris Caddy LATERALS	
Features	. 150
Laterals Lateral – BF	. 153
Lateral – Worksurface Supporting Lateral – Lateral/Open Shelves	. 153
Lateral Combos. Lateral – 6B, BBF & BBFF.	
Lateral – Common Tops Lateral – Cushions	. 157 . 157
TOWERS	
Features24" Wide	. 160
24" Wide – Side Access 15" Wide	. 162
15" Wide – Side Access	
Features	. 164
Credenzas Credenza – Drawers	. 166
Credenza – Shelves Accessories	
Credenza – Common Tops Credenza – Cushion Tops	. 167 . 167
CABINETS	
Features Cabinets	
LOCKERS Features	
Lockers	. 174
Lockers – Double Lockers – Quad	. 174
Lockers – Cubby Lockers – Common Tops	
BOOKCASES	
FeaturesBookcases	. 176

WORKPLACE ACCESSORIES Keyboard Trays	
Keyboard Arms	
Easy Combos	. 183
Monitor Arms	. 184
CPU Holders	
Forearm Supports	
Anti-fatigue Floor Mats	
Tablet Holder	
GRADED IN FABRICS	
Carnegie	
Designtex	
Guilford of Maine	
Luna	
Luna	
Maharam	
Mayer	
Momentum	. 188
LEGACY	
LEGACY FINISHES.	197
Laminate	
Edge Band	
Paint	
Plexiglass	
Fabric	
GEN 1 & 2	. 194
Panels	
Wall Starter & Wall Mount Chanel	. 198
Post Assemblies	. 199
Panel Connectors	
Shrouds	
GEN 3	. 206
Panels	
Post Assemblies	. 208
Wall Starter/Wall Mounted Channel	
Vertical Wire Manager	
Metal Ceiling Module	
Coat Hook	
Carpet Gripper	
Flat Brackets	
Column Base	
Tackable Privacy	
WALL MOUNTING	. 218
Wall Mounting Suggestions	
KEY LOCK PROGRAM	. 220
General Information	
How to Specify Key Alike	
Key-alike ordered prior to 6/12/00.	

General Information

PANELS

Width dimension of all panels is centerline to centerline of adjacent panel connectors.

Panel thickness is 1½". Panel thickness at the base covers is 2".

FABRIC PANELS

Fabric panels incorporate a mineral wool core construction. Fabric panels are acoustical and fully tackable. The base raceway is nominally 5" high.

INSERT PANELS

Insert panels are constructed with a tapered aluminum frame that is mitered in the corners. Insert panels may be ordered with plexiglass, laminate, perforated aluminum or as an open frame for complete accessibility through the panel.

STACK-ON PANELS

Stack-on panels connect on the top of any standard panel to provide additional privacy or new aesthetic options and can also be load bearing.

PANEL CONNECTORS

Panel connectors are 1½" diameter and required at every panel connection and panel end (except when postless end assembly is used). Posts are painted to match the selected trim finish and include an adjustable glide on the bottom for leveling.

POWER

Fabric and insert panels accept electrical components.

Equity panels distribute power through the office and directly to the individual workstation through field-installed modular, electrical wiring components in the base of the panels. The panel base is factory prepared to accept a terminal block in a centered location where two 20-amp receptacles can be installed; one on each side of a panel, arranged back-to-back. An auxiliary side mount duplex receptacle is also available and plugs directly into the side of the terminal block connector end when a second duplex receptacle is required.

RACEWAY

The panel base cover provides openings for receptacles and/ or communication outlets, which can be covered when not in use.

All panel bases provide a cable management segment to facilitate lay-in of workstation cables and cords.

CABLE CAPACITY

ELECTRICAL	WITH		WITH	lout
FILL	100%	40%	100%	40%
Cat 5	36	14	102	40
Cat 6	28	11	80	32

STORAGE

All storage components come standard locking.

Master key and key alike are available upon request.

LEGACY PRODUCTS

Neutral Posture offers Legacy products for existing Equity which was ordered before February of 2016.

For any code compliance testing data, please contact Customer Service at customerservice@neutralposture.com or 979.778.0502.

ENVIRONMENTAL IMPACT

Neutral Posture takes great pride in providing one of the most environmentally friendly furniture systems available on the market today.

Building an effective Green Program takes a company-wide effort, but we think it's worth the effort to ensure that our manufacturing process leaves the smallest possible footprint on the environment. Neutral Posture products are designed and manufactured to support a long and useful product life. Our products, if need be, can withstand repeated service, repairs and handling; and our products are made with standardized parts and components which make replacing worn out parts easy and as green as possible.

The steel and plastic materials used to construct Equity can be recycled after the product's life. The system is also designed to be cleaned with low environmental impact materials.

The clean technology used to manufacture the Equity system results in negligible off-gassing from the product.

We continually work with many 3rd party organizations to firmly establish a quality Sustainability Program.

- BIFMA level® Certification
- SCS Indoor Advantage Gold Certification
- LEED
- Underwriters Laboratories (UL)
- Canadian Standards Association (CSA)
- Occupational Safety and Health Administration (OSHA)
- · ISO 9001:2015

GREEN MANUFACTURING PROCESS

Neutral Posture is highly efficient in its manufacturing process. New roll forming machines can change between parts with zero scrap. Current manufacturing efforts recycle process water and refrain from using hazardous process chemicals.

PLASTIC

Neutral Posture uses plastic which contains up to 25% pre-consumer recycled plastics. The majority of the plastics used in Neutral Posture products are #3 and #7 plastics and can be recycled in many areas.

STEEL & ALUMINUM

Neutral Posture products contain steel and aluminum that is 100% recyclable. Additionally, up to 25% of this steel comes from preconsumer recycled product. Aluminum maintains a high scrap value and is known for having a very long working life.

FABRIC

Neutral Posture maintains an excellent supply of green fabrics. These fabrics are made from pre- and post-consumer recycled materials. Some fabrics contain 100% recycled materials and continues to divert recycled plastic from landfills, turning it into beautiful designs.

PANEL INNER

Neutral Posture uses mineral wool, spun from basalt and volcanic rocks to provide lightweight, sound resistant panels. These mineral wool inserts are considered rapidly renewable products.

WOOD

Wood worksurfaces and panels use 100% recycled/recovered wood fiber. All adhesives used in these products are virtually VOC-free and pass stringent emission standards.

GREEN SHIPPING INITIATIVES

Neutral Posture holds their freight carrier partners accountable to similar criteria as suppliers, however, due to the immense impact freight companies have on the environment, all carriers must also become a partner in the Environmental Protection Agency (EPA) SmartWay program within one year of service. All freight carriers are screened through a logistics company and become a partner associate with Neutral Posture based on annual evaluation reports.

PACKAGING OPTIONS

Our cardboard shipping boxes are produced from 45% recycled material and 100% of the materials come from renewable pulp sources. For large orders, customers can choose to use a box made from 100% recycled materials for an upcharge.

A LONG AND HEALTHY PRODUCT LIFE

Neutral Posture products are made to last, as is evidenced by our limited lifetime warranty. Neutral Posture has been around since the 1980s and it is not unusual to find original products from our first year of production in perfect working condition. Although we are continually improving our products, we allow for retrofitting of earlier generations. This allows the customer to upgrade individual components as desired without having to discard the product they already have or purchase a new one. This helps avoid filling landfills with used furniture and is another way in which Neutral Posture customers contribute to their immediate health and wellbeing as well as the continued wellness of our environment.

For more information about Neutral Posture's sustainability program, visit Neutral Posture.com/sustainability.

TERMS AND CONDITIONS

For all non-rated or new accounts, payment terms are Cash in Advance (C.I.A.) until credit has been approved or rated. Please send full credit information and references and allow time for Credit Department approval.

For all established accounts, payment is due within thirty (30) days from the invoice date. Neutral Posture (NP) reserves the right to change or cancel the terms of sale based on volume, credit rating and/or credit information. Prepayment, whole or in part, may be requested at any time at the discretion of the corporate office. For orders greater than \$100,000 net, a fifty percent (50%) deposit is due at the time of order placement, with the remainder due within thirty (30) days of the date of invoice.

Past due accounts are subject to a 1.5% late charge or maximum amount permitted under local law, for each thirty (30) days the outstanding balance remains open after the due date.

Withholding of payments based on carrier damages, shortages or other disputes is illegal and subject to charges.

Neutral Posture does not accept credit cards.

ORDERING

All orders must be in writing; faxed, emailed or mailed. The product model number(s) contained in the order acknowledgment shall be the final expression of the order. A purchase order is not binding on NP until customer has received NP's order confirmation or acknowledgment. Orders must have a contact name and phone number. Orders may not be canceled without written consent of Neutral Posture.

To expedite complete/correct entry of your order, be certain all model numbers, quantities, colors and area identifications are completely specified. Also, include complete purchase order number(s), bill-to and ship-to addresses, a contact name and specific factory shipping dates required.

Orders should be sent to:
Neutral Posture, Inc.
3904 N Texas Avenue Bryan, TX 77803
979.778.0502 (Option 2)
800.446.3746
979.778.0408 FAX
E-mail: orderentry@neutralposture.com

L-mail. Orderentry@nedtralposture.com

When an order is received, it is assigned a scheduled ship date. That date is shown on the order acknowledgment.

Purchase orders may not be changed or canceled, in whole or in part, without prior written consent of NP. Changes may affect delivery dates. Expenses incurred because of changes shall be charged to customer. In the event of cancellation, customer will be liable for reasonable cancellation charges as established by NP. Orders for special product, orders including customer's own material (COM) and orders pursuant to expedited delivery programs, may not be canceled.

An Expedite Fee of a minimum of 3% of net will be charged for orders requiring less than standard lead time.

PRICES

Prices are subject to change without notice. List prices shall be those in effect on the date of receipt of purchase order unless shipment is requested more than ninety (90) days after order entry in which case prices in effect on the date of shipment apply. Prices in effect at time of shipment prevails in the event of a discrepancy.

INSTALLATION RATE

Not to exceed \$175 LIST per hour (non-union) Not to exceed \$355 LIST per hour (union)

PROJECT MANAGEMENT FEE

Senior Project Manager; not to exceed \$250 LIST per hour Project Manager; not to exceed \$190 LIST per hour Project Coordinator; not to exceed \$170 LIST per hour

DESIGN/LAYOUT FEE

Not to exceed \$285 LIST per hour

TAXES

All sales, use, excise and other taxes applicable to the sale of the products shall be paid by customer. If customer claims an exemption from any tax, customer shall submit to NP the appropriate exemption certificates.

LEAD TIME

Please contact Customer Service for current lead time at customerservice@neutralposture.com or 979.778.0502.

CUSTOMER'S OWN MATERIAL (COM)

A customer who requests a fabric or other surface material not standard to NP's line of products, must submit samples of the requested material to NP prior to entry of a customer order. NP shall determine if the material is suitable to its manufacturing processes and meets any requirements of Underwriters Laboratories and/or Canadian Standards Association. If the COM is acceptable, NP will then establish a price for using the COM. For a description of the procedures for submitting samples and testing, contact Customer Service. NP shall have no responsibility for the appearance, condition, performance, durability, colorfastness or any other physical attribute of the COM. Customer shall indemnify and hold NP harmless for any damages, injuries or losses arising out of or related to use of the COM on the product.

STORAGE FEE

Any changes made by the customer to postpone the delivery date on orders which have already gone into production, will be charged a storage fee. This fee will be applied to both partially and fully built orders. NP will advise of fee prior to applying charge.

COMPLIANCE WITH LAW

Customer is solely responsible for compliance with all applicable federal, state and local laws, ordinances, regulations, rules and standards relating to the installation, maintenance, use and operation of the products.

TERMS AND CONDITIONS

SHIPPING

All standard discount orders are F.O.B origin prepaid and add, delivered by way of parcel or freight carrier dock to dock. NP will designate the shipping mode and carrier based on geographical location and best service as defined by our Logistics Department.

Any order requiring special delivery services other than normal dock-to-dock delivery will incur additional charges. These services include but are not limited to residential delivery, limited access delivery, palletization, lift gate service, inside delivery, call before delivery, re-routed deliveries, specific delivery date/time requests, or congestion fees. These charges will be quoted upon customer request.

Conditions beyond the control of NP, including weather, available facilities, and traffic conditions, may affect the exact delivery time. NP shall not be responsible for a specific carrier delivery date or time unless it has made a specific delivery commitment in writing.

Delivery date and time are at the discretion of the carrier within reasonable transit time unless special arrangements have been agreed to in writing between the customer and NP prior to shipment.

Accessorial Charges (including but not limited to)

Delivery Appointment Required Inside Delivery/Pick Up Items Over 96 Inches Lift Gate Required Limited Access Delivery Notification/CBD Residential Delivery Ship Fully Assembled Pre-delivery Notification Re-delivery/Return Trip Palletization Secure Locations

Limited-access Locations (including but not limited to)

Individual (mini) storage units

Places of worship

Schools

Commercial establishments not open to walk-in public

Construction sites

Fairs or carnivals

Prisons, jails, correctional facilities

Military base/installations

Mine sites

Sites requiring security inspections prior to pick up or delivery. Wind farm sites

Airports

Contact Customer Service at customerservice@neutralposture.com or 979.778.0502 Option 2 for pricing.

DELAY/FORCE MAJEURE

NP shall not be liable for failure to perform or for delay in performance due to fire, flood, strike or other labor difficulty, act of God, act of any governmental authority or of the customer, riot, embargo, fuel or energy shortage, wrecks or delay in transportation, inability to obtain necessary labor, materials or manufacturing facilities from usual sources or failure of suppliers to meet their contractual obligations, or due to any cause beyond its reasonable control. If any such

event occurs, NP may extend delivery dates by a period of time necessary to overcome the effect of such delay, allocate available product or cancel any purchase order.

FREIGHT DAMAGE

Upon receipt of shipment consignee is responsible for checking delivery for shortages or signs of damage. If a problem is discovered, bring it to the driver's attention immediately. If any of the goods called for on the Bill of Lading are shorted or damaged, consignees should not accept them until the carrier makes a notation on the freight bill of the shorted or damaged goods. The more precise the notation, the easier the claim can be resolved. NP's responsibility ceases when the consignee signs the freight delivery receipt as received in good condition. Shipping claims must be made within thirty (30) days of shipment delivery.

RETURNS

The return of product without written authorization by NP shall not be accepted. All merchandise returns must be pre-approved by the corporate office and sent freight prepaid. Contact the Warranty Department, warrantyrequest@neutralposture.com, to receive a Return Merchandise Authorization (RMA) number for any return. RMAs are valid for thirty (30) days and any returned merchandise without a RMA number will be refused.

No deductions from any NP invoices can be made for return merchandise until it is approved by the corporate office. No deductions will be honored until returned goods are processed through our Quality Control Audit.

All returns for canceled orders must be pre-approved by the corporate office and sent freight prepaid. No returns will be authorized unless our inventory allows it, the parts are in good reusable condition and it was sold within the last thirty (30) days. Authorized seating returns will be charged a thirty percent (30%) (twenty percent (20%) for GSA) restocking fee, by agreement, to cover handling, inspection, stocking and repackaging. Authorized systems returns are subject to a forty-five percent (45%) of list restocking charge. Products not currently offered for sale by NP (including COM) shall not be authorized for return. All returned products must be unused, in original condition and in the original NP packing cartons. No refund or credit will be given for damaged products.

WARRANTY CLAIMS

NP reserves the right to specify that items or parts claimed to be defective, be returned to the factory for our inspection. If the claim is justified, repair or replacement of defective parts under warranty will be made through NP at no cost to the customer. NP will, at its discretion, reimburse the furniture dealer for labor (actual costs only) on warranty parts. The furniture dealer must submit a quote to be approved prior to service. If approved, the furniture dealer must then submit an invoice to NP for reimbursement after the service is completed. Freight for products and parts covered under warranty will be covered for the fortyeight (48) contiguous states and the District of Columbia. with the method of shipping at NP's discretion. All claims must include the product serial number. NP will have no warranty obligation if the product was subjected to abuse, alteration, misuse, negligence or accident or if the user fails to perform the proper maintenance for the product.

warrantyrequest@neutralposture.com

Selling Policy

WARRANTY

Neutral Posture warrants to the original purchaser only that the products Neutral Posture manufactures and sells to purchaser are free of defects in workmanship and materials, during the applicable warranty period set forth below.

This comprehensive warranty applies to all products installed or reconfigured by an authorized installer.

Warranty period set forth below is for 24-hour, 7 days a week, multi-shift use. Should any failure occur to a product listed below during the applicable warranty period from the date of shipment, Neutral Posture shall, upon prompt written notice, repair or replace, at its discretion, the affected part or parts.

PRODUCT AND PERIOD OF WARRANTY

Lifetime

Panels and panel connector parts, high pressure laminate worksurfaces, table tops and common tops, storage

10 Years

Cascade worksurfaces, height adjustable worksurface supports (except for gas lift), Electric height adjustable bases (including motor), laminate overhead doors, sliding doors, desktop and storage accessories (unless otherwise specified)

5 Years

Table bases, tapered table legs, anti-fatigue mats, operational parts, controls, electrical, lighting (except light ballasts, bulbs and power supply), special or custom product, height adjustable worksurface support gas lift, modesty/privacy screens, mobile screens, desktop screens

3 Years

Fabric

1 Year

Light ballasts, bulbs and power supply

This warranty does not apply to:

- Damage caused by a carrier.
- Normal wear and tear or acts or omissions of parties other than Neutral Posture (including user modification, improper use or installation of products).
- COM or other third party materials applied to products.
- Products not installed by or under the auspices of a Neutral Posture Dealer.
- Dramatic temperature variations or exposure to unusual conditions.
- Changes in surface finishes including colorfastness due to aging or exposure to light.

The express warranties contained herein are in lieu of all other warranties, express or implied, including any warranties of merchantability and fitness for particular purpose and all other warranties arising from course of dealing or usage of trade.

The remedies provided above are the customer's sole remedies for any failure of Neutral Posture to comply with its obligations regarding the workmanship of its products. Correction of any nonconformity in the manner and for the period of time provided shall constitute complete fulfillment of all liabilities of Neutral Posture, with respect to or arising out of the product furnished hereunder.

CERTIFICATIONS & STANDARDS

ANSI/BIFMA

Independent tests show that Equity components meet or exceed current ANSI/BIFMA X5.6 Panel System and ANSI/BIFMA X5.9 Storage Unit standards. Electrical components are UL listed. Panels have tested to NRC ratings of 0.75.

SCS INDOOR ADVANTAGE CERTIFICATION

The Equity product line is certified by SCS Global Services for indoor air quality.

DESIGN

NP reserves the right to make changes and improvements in design and materials and to discontinue parts and components at their discretion.

WOMEN'S BUSINESS ENTERPRISE (WBE)

This certification is administered by the Women's Business Enterprise National Council (WBENC) and is used by most large corporations to qualify potential vendors as credible diversity suppliers.

WOMAN OWNED SMALL BUSINESS (WOSB)

The U.S. Small Business Administration's WOSB Federal Contract Program provides greater access to federal contracting opportunities for WOSBs. The program allows contracting officers to set aside specific contracts for certified WOSBs and helps federal agencies achieve the existing statutory goal of five percent of federal contracting dollars being awarded to WOSBs. NP is certified as a WOSB.

HISTORICALLY UNDERUTILIZED BUSINESS (HUB)

The Texas Historically Underutilized Business (HUB) program encourages the use of HUBs in state procurement and provides information to minority and woman-owned businesses on the state's procurement process.

BUSINESS AND INSTITUTIONAL FURNITURE MANUFACTURER'S ASSOCIATION

NP is a member of the Business and Institutional Furniture Manufacturer's Association (BIFMA). Tests developed by BIFMA and approved by the American National Standards Institute (ANSI) determine the strength and durability of office furniture in its everyday use. Although this testing does not serve as a warranty or guarantee, NP standard products within this price list meet or exceed applicable ANSI/BIFMA X5.6 Panel Systems and ANSI/BIFMA X5.9 Storage Unit standards. Combinations of options added on to the standard products may not meet ANSI/BIFMA standards. Those combinations which do not meet ANSI/BIFMA standards are not available on GSA. Additionally, Equity is BIFMA level 2 certified. For more information, contact Customer Service at customerservice@neutralposture.com.

GENERAL INFORMATION

Neutral Posture pedestals, overheads and storage cabinets ship with lock cores. The locks are field installed. If your purchase order does not specify key-alike you will automatically receive random lock cores with your order.

Neutral Posture furniture can be keyed-alike or random keyed.

KEY-ALIKE

Furniture may be keyed alike at no charge if specified with a furniture order. Write "key-alike" in the description of your purchase order for any storage piece you wish to have keyed alike.

Using the key-alike instructions, order cores and keys as line items on your purchase order. Neutral Posture will select key numbers from the standard range of 226 – 425. Key numbers will not be repeated unless over 199 sets are ordered.

There is no charge for key-alike orders if placed with the furniture order.

If product is ordered and shipped random-keyed, additional lock cores for key-alike are billable.

KEYS

A key is shipped with every lock core. 199 key numbers are available. For numbers above 199, contact Customer Service. Additional keys and key blanks are available.

MASTER KEYING

Neutral Posture locks can be controlled by means of a master key. There is no additional per-lock charge for master keying. Master keys must be ordered separately. See service parts below for master key model # and pricing.

INSTALLING LOCK CORES

Lock cores can be installed or removed in the field by using a change key. Cores must be in the unlocked position to be removed. See service parts below for change key model number and pricing.

SERVICE PARTS

MODEL#	DESCRIPTION	LIST
NLCKE	Shrouded Key (Specify key number desired)	\$23
NAKC	Change Key	\$23
NKM	Master Key	\$23

NOTE: A letter of approval on company letterhead from the client must accompany all orders for change and master keys.


NOTE: Neutral Posture locks/keys are not compatible with Knoll Equity pedestals/double pedestals.

HOW TO SPECIFY KEY-ALIKE

Following is an example of how to specify keyalike for a cluster of 10 workstations.

STFP 1

Using the project floor plan, count the number of locks in each workstation.



STEP 2

Count the number of workstations with the same quantity of locks. Group together the workstations with a like number of locks.

3 workstations with 4 locks per station 2 overhead w/laminate fronts

2 workstations with 5 locks per station

5 workstations with 2 locks per station

STEP 3

For the first group (3 sets of 4 locks), enter the number of workstations in the quantity column.

QTY	MODEL#	DESCRIPTION	UNIT LIST	EXT LIST
3	NSPEC4	Set of 4 cores/kevs	N/C	N/C

STEP 4

Then enter the model number "NSPEC__" and add a suffix for the number of locks for that group (i.e., for 4 locks per station, add the suffix "4"). Up to 30 lock cores are available in a set (i.e., NSPEC 30).

QTY	MODEL#	DESCRIPTION	UNIT LIST	EXT LIST
3	NSPEC4	Set of 4 cores/keys	N/C	N/C

STEP 4b

If the station has overheads w/laminate fronts add a suffix for the number of locks needed for the overheads w/laminate fronts for that group (i.e., for 2 overhead laminate front locks per station, add the suffix "OL2").

QTY	MODEL#	DESCRIPTION	UNIT LIST	EXT LIST
3	NSPEC4OL2	Set of 4 cores/keys, 2 for overheads w/laminate fronts	N/C	N/C

STEP 5

Repeat for other groups.

QTY	MODEL#	DESCRIPTION	UNIT LIST	EXT LIST
3	NSPEC4OL2	Set of 3 cores/keys	N/C	N/C
2	NSPEC5	Set of 5 cores/keys	N/C	N/C
5	NSPEC2	Set of 2 cores/keys	N/C	N/C

Your key instructions are complete.

Neutral Posture will select key numbers for each set from 199 available numbers.

For additions to existing installations, specify desired key numbers in the description.

GSA Contract Overview

GSA CONTRACT

We have had a contract with GSA for over 25 years and they continue to be our most favored customer.

NP is dedicated to helping government agencies meet their facilities and acquisition needs. NP is registered with the System For Award Management (SAM) formerly Central Contractor Registry (CCR) with ORCA certifications, has an assigned cage code of OUTL8 and is eligible to receive federal contract awards. NP is also recognized as a Woman Owned Small Disadvantaged Business by the U.S. Small Business Administration (SBA).

WOMEN-OWNED SMALL BUSINESS (WOSB)/ ECONOMICALLY DISADVANTAGED WOMEN-OWNED SMALL BUSINESS (EDWOSB)

The U. S. Small Business Administration (SBA) issued the Final Rule to amend its regulations governing small business contracting procedures. The SBA has increased the emphasis and awareness of contracting mandates regarding the new 5% spend mandate for WOSB/EDWOSB's similar to those in place for 8a, SDV and HUB Zone businesses.

The SBA has also implemented a Sole Source vehicle for Economically Disadvantaged Women-Owned Small Businesses (EDWOSB). Neutral Posture, a small business manufacturer, received this certification in April of 2016.

Our Packaged Office contract includes many great manufacturing partners and we are willing to team with other manufacturers to support strong GSA Dealers and meet the needs of our customers.

For more information please visit NeutralPosture.com/WOSB

GSA OVERVIEW

GSA Contract# GS-27F-0014Y

Schedule MAS - Furniture

SIN 337121H	Household, Dormitory & Quarters Furniture
SIN 337127	Institutional Furniture
SIN 33721	Office Furniture
SIN 33721P	Packaged Office Furniture
SIN OLM	Order Level Materials

NAICS CODES

337127	Institutional Furniture Manufacturing
337211	Wood Office Furniture Manufacturing
337214	Office Furniture (except wood) Manufacturing
423210	Furniture Merchant Wholesalers
541410	Interior Design Services

NP products may be found on GSA Advantage.

NOT AVAILABLE ON GSA

Products not available on GSA as of November 2025.

SEATING

Guardian Panels

DESKS/TABLES

Desks – C-legs Desks – O-legs Desks – T-legs Sit/Stand Desks Sit/Stand Packages

GSA Contract Details

GS-27F-0014Y

TERM DATE 6/26/2012 - 6/26/2027

1a. Special Item Numbers Awarded

SIN 337121H Household, Dormitory & Quarters Furniture

SIN 337127 Institutional Furniture
SIN 33721 Office Furniture
SIN 33721P Packaged Office Furniture

SIN OLM Order Level Materials

1b. Lowest Priced Item

SIN 337121H Contact Corporate Office SIN 337127 Contact Corporate Office

SIN 33721 SPTRY Pencil Tray \$5.95

SIN 33721P Contact Corporate Office

1c. Installation Rate — SIN 33721

\$52.90 per hour (non-union inclusive IFF) \$107.30 per hour (union inclusive of IFF)

2. Maximum Order

SIN 337121H
SIN 337127\$250,000
SIN 33721\$250,000
SIN 33721P\$5,000,000
SIN OLM \$0

3. Minimum Order

All SINs\$5

4. Geographic Coverage

CONUS & OCONUS

5. Point of Production

3904 N. Texas Avenue, Bryan, 77803, Brazos County, TX, USA

6. Discount from List Price

Seating/Workplace Accessories

SIN 33721 — Discount 60%

Systems

SIN 33721 — Discount 70%

7. Quantity Discounts

No discount tiers have been negotiated.

8. Prompt Payment Terms

Net 30 Days

9. Government Purchase Cards Accepted

Visa/Master Card

10. Foreign Item

None

11a. Time of Delivery

5 – 90 days after receipt of order

11b. Expedited Delivery

Expedited delivery available. Contact Customer Service.

11c. Overnight and 2-day Delivery

Available with an upcharge. Contact Customer Service.

12. F.O.B. Origin

Freight Prepaid.

13. Ordering Address

Neutral Posture, Inc.

attn: Order Entry/ * or dealer 3904 N. Texas Avenue Bryan, TX 77803 979.778.0502

800.446.3746

fax 979.778.0408

order entry @ neutral posture.com

* Authorized Dealers should be cited on order

14. Payment Address

Neutral Posture, Inc. 3904 N. Texas Avenue Bryan, TX 77803

15. Warranty Provision

Neutral Posture's commercial warranty applies.

16. Export Packing Charges

Contact Customer Service for quote.

17. Terms and Conditions of Government Purchase Card

Government purchase cards will be accepted for purchases at prices shown in this authorized price list (no additional discount offered).

18. Terms and Conditions Of Rental, Maintenance, and Repair

Not applicable

19. Terms and Conditions of Installation

Installation and instruction are available from authorized dealers. Please contact your local NP Dealer for pricing.

20. Terms and Conditions of Repair Parts

Repair parts are offered at the agreed upon discount from the NP repair parts price list in effect at the time the repair parts are ordered.

20a. Terms and Conditions for Any Other Services

GSA has accepted all of our standard terms and conditions as noted on page 6–8.

21. List of Service and Distribution Points

Not applicable

22. List of Dealers

Please contact Customer Service, or visit NeutralPosture. com for the name of your nearest authorized Dealer.

23. Preventive Maintenance

Not offered or applicable

24. Environmental Attributes

Not applicable

25. Other Information

Tax Identification Number (TIN):74-2983577Unique Entity IDEYTGAM8GGLJ3DUNS:61-0339723Cage Code:0UTL8NAICS:337214

26. SAM

NP is registered in System For Award Management (SAM).

NOTE: It is mandatory that all Government purchase orders be made out to NP only. Local Dealers are not authorized to accept purchase orders, issue invoices or receive payment of Government funds for these items without serious violation of this Federal Supply Schedule Contract.

Wall Mounting

WALL MOUNTING SUGGESTIONS

The following information is provided only as a guide and represents minimum recommendations only. Neutral Posture does not accept responsibility for the attachment of any Neutral Posture product to a customer's site wall. Wall specification/construction is the responsibility of the customer and its structural engineer/architect. Failure to properly attach Neutral Posture products to adequate wall structures can lead to property damage and/or personal injury.

You should consult your own structural engineers and/or architects and must not rely on the information provided herein.

It is the responsibility of the customer and its structural engineers/architects to verify that the permanent structural walls (studs, blocks, solid masonry, etc.) on which the

Neutral Posture products are intended to be mounted are designed appropriately to support the product weight, PLUS 3 lbs. per linear inch for each usable shelf length.

NOTE: A cabinet's top is considered a "usable shelf" and MUST be included in the calculation of the total load for an overhead cabinet.

It is the responsibility of the customer and its structural engineer/architects to specify the fasteners and method for attaching the Neutral Posture supplied wall mounting cleat, bracket, frame, etc. to the supporting wall and to confirm that the installers have adhered to these specifications. For all local building standards and codes, and additional requirements (including, but not limited to, seismic conditions) the customer should always consult local code agencies.

New Construction

Existing Construction

'		Cinder Block or Poured Concrete Masonry Wall	Wood Stud Wall, the studs being FULL HEIGHT to the roof/floor above	Wood Stud Wall, the studs being only ceiling height	Steel Stud Wall, the studs being FULL HEIGHT to the roof/floor above	Steel Stud Wall, the studs being only ceiling height
Stud Specification	Wood studs, grade #2 or better, 3 ½" minimum width, OR Metal studs, minimum 25 gage thickness, 3 %" minimum width	The wall must be a minimum of 6" thick, and must be full height to the roof/floor structure above	Wood studs must be Grade #2, or better, 3 ½" minimum width	Wood studs must be Grade #2, or better, 3 ½" minimum width	Metal studs must be minimum 25 gage thickness, 3 %" minimum width	Metal studs must be minimum 25 gage thickness, 3 %" minimum width
Stud Centers	Metal and wood studs must be spaced at 16" c/c maximum.	N/A	Wood studs must be spaced at 16" c/c maximum.	Wood studs must be spaced at 16" c/c maximum.	Metal studs must be spaced at 16" c/c maximum.	Metal studs must be spaced at 16" c/c maximum.
Stud Height	Metal and wood studs must extend upwards, and be securely attached to the roof/floor structure above.			Wood studs must be braced above the ceiling, and be securely attached to the roof/floor structure above Affix #2 grade 'cap' across the top of the studs, then place diagonal studs from the top cap up to underside of the roof/floor structure above.		Metal studs must be braced above the ceiling and be securely attached to the roof/floor structure above Affix metal bracing 'cap' across the top of the studs. Then place diagonal studs from the top cap up to underside of the roof / floor structure above.
Mounting the Neutral Posture Supplied Cleat, Bracket, Frame, etc	Insert a 2" x 6" wood block, #2 grade or better, [or a locally approved flexible wood backing system] horizontally between each of the studs to accommodate the full width of the cabinet and beyond to the next stud. Fasten the wood block to each stud using three screws at the ends of each block. (Fasten the locally approved wood backing system as directed by the manufacturer.) Fasten the Neutral Posture supplied wall mounting cleat, bracket, frame, etc directly to each wood block every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6" and fasten the lower horizontal element to each wall stud, using one fastener per stud.	Fasten the Neutral Posture supplied cabinet wall mounting cleat, bracket, frame, etc. directly to the masonry wall every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wall every 6" and fasten the lower horizontal element to the wall every 16".	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet and beyond to the next stud. Insert a 2" x 6" wood block, #2 grade or better, horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" x 6" wood block, #2 grade or better, horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet and beyond to the next stud. Insert a 2" x 6" wood block, #2 grade or better, for a locally approved flexible wood backing system] horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet and beyond to the next stud. Insert a 2" x 6" wood block, #2 grade or better, [or a locally approved flexible wood backing system] horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6" and fasten the lower horizontal element to each wall stud,
Fasten the Neutral Posture Supplied Wall Cleat With	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	%" x 3 ½" masonry screws Screws or equiv. in every mounting hole provided with 1 ¼" embedment, screwed directly into the masonry wall	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	using one fastener per stud. #10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	using one fastener per stud. #10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking

Finishes

FABRICS		
Α		WIDTH
Blueprint	Mayer	66"
Cipher	Mayer	66"
Code	Mayer	66"
Forte	Mayer	54"
В		
Sprite	Guilford of Maine	66"
Strata	Mayer	66"
Tweed	Guilford of Maine	66"
C		
Cape Cod	Guilford of Maine	66"
Cross Check	Mayer	54"
Infinity C-Zero	Momentum	57"
Marathon C-Zero	Momentum	57"
Metallation	Guilford of Maine	66"
Metro	Guilford of Maine	66"
Millennium C-Zero	Momentum	56"
Odyssey C-Zero	Momentum	56"
Quattro	Mayer	54"
Rattan	Guilford of Maine	66"
Tradition C-Zero	Momentum	56"
D		
Fedora	Mayer	54"
E		
Echo	Mayer	54"
Pact	Momentum	66"

LAMINATES		EDGE BANDS	
L1			
Casual Linen	SS-CLN	Asian Sand	EB-ASD
Grey Mesh	SP-GRM	Astro Strandz	EB-AST
Linen	SS-LN	Beige	EB-BEI
Mangalore Mango	SW-MGM	Biltmore Cherry	EB-BCH
Mission Maple	SW-MNM	Casual Linen	EB-CLN
Organic Cotton	SS-OC	Cosmic Strandz	EB-CST
Sterling Ash	SW-STA	Custom Laminate	EB-COL
10		Empire Mahogany	EB-EMH
L2	,	Fashion Grey	EB-FGR
Asian Sand	PW-ASD	Fired Steel	EB-FIS
Astro Strandz	PP-AST	Forged Steel	EB-FOR
Biltmore Cherry	PW-BCH	Grey	EB-GRY
Cosmic Strandz	PP-CST	Grey Mesh	EB-GRM
Empire Mahogany	PW-EMH	Khaki Brown	EB-BRN
Fired Steel	PP-FIS	Linen	EB-LN
Forged Steel	PP-FOS	Mangalore Mango	EB-MGM
Shaker Cherry	PW-SCH	Mission Maple	EB-MNN
Silver Alchemy	PW-SAL	Organic Cotton	EB-OC
Studio Teak	PW-STK	Pepperdust	EB-PPR
Vapor Strandz	PP-VST	Platinum	EB-PLT
		Sand	EB-SND
		Shadow	EB-SHD
		Shaker Cherry	EB-SCH
		Silver Alchemy	EB-SAL
		Slate Grey	EB-SGR
		Soft Gold Mesh	EB-SGM
		Sterling Ash	EB-STA
		Studio Teak	EB-STK
		Vapor Strandz	EB-VST

NOTE: Laminates and other finishes may vary in color due to different dye lots. Slight variations are normal.

Virtual Design Laminate

EB-VL

PAINTS	
P1	
Cream	201T
Designer Beige	202T
Grey	203T
Jet Black	204T
Sky White	200T
P2	
Brass	303
Champagne	301
Platinum	302

PLEXIGLASS	
Clear	CL
Ice	IC
Frost (Not Available on Insert Panels)	LF
Smoked	SM
Translucent	TR

GLASS	
Clear	CL
Grey	GR
Smoked	SM
Translucent	TR

DESIGNER GLASS

Patterns from Skyline Design. Some exceptions apply.

There is a minimum \$500 set-up and crating fee for all designer glass orders. Please call Customer Service for a quote 979.778.0502 ext 301.

Custom Finishes Program

While Neutral Posture offers a large selection of unique finishes, we understand you might want to create a signature on your project or brand your project. We are offering an easy way for you to provide pricing to your client.

CUSTOMER'S OWN FABRIC

Neutral Posture can apply any UL fire rated fabric. This will add to the lead time as we will require three yards of fabric to test on a panel. Test yardage should be sent to the factory address in Bryan, TX with the project name clearly marked on the label noting test yardage.

Neutral Posture Test Fabric Attention: Systems Product Manager 3904 N. Texas Ave. Bryan, TX 77803

We can also grade-in any fabric from any supplier in the industry. Please contact Customer Service for grade-in pricing. Note that all grade-ins must be pre-approved for suitability before production begins.

CUSTOMER'S OWN LAMINATE

All of Neutral Posture's standard laminates are Wilsonart. For your project, you can select any Wilsonart laminate and use L1 for standard laminates, L2 for premium laminates and L3 for custom and virtual library programs. An upcharge may apply for matching edge banding. Please contact Customer Service for more information.

We can also grade-in any laminate from any other supplier. Please contact Customer Service for grade-in pricing. Note that all grade-ins must be pre-approved for suitability before production begins.

CUSTOM RAL PAINT FINISHES

Whether it is an 8 person or 1,000 person project, use any RAL powder coat color on your metal products. If you have any questions, please contact Customer Service for more information.

HOW TO PRICE

For Each Order

Legacy finishes are only available for existing customers to match existing installs

LEGACY – LAMINATES		LEGACY – EDGE BANI	OS
L1			
Bright White	118	Bright White	118
Caramel Maple	MC	Caramel Maple	MC
Clear Maple	CM	Clear Maple	CM
Deep Mahogany	MP58	Jet Black	111
Jet Black	111	Medium Cherry	124
Medium Cherry	124	Pumice (was LF)	119
Pearwood	PA		
Pumice (was LF)	119		
Warm Cherry	WM		
White Essence	ES7		
Winter Grey Matrix	MR6		

NOTE: If your laminate is not listed please contact Customer Service at customerservice@neutralposture.com or 979.778.0502 ext. 301 to check availability.

LEGACY - PAINTS & PLASTI	CS
P1	
Jet Black	111
Brown	112
Dark Grey (was Y3)	113
Folkstone Grey (was LA)	114
Med. Grey (was Y2)	115
Sandstone	116
Soft Grey (was E)	117
Dark Neutral	D
Taupe	R
P2	
Beige Mist Metallic	611
Medium Metallic Grey	612
Beige Metallic	Н
Light Tan Metallic	W
P3	
Bright White	118
Silver	613

NOTE: EP1 and EP2 panels and components are not available in the following:

Bright White	118
Brown	112
Jet Black	111

Panels General Info

Step 1 - Model

	Тор Сар	Panel Type	W	Н	Raceway
EP Equity Panel	3 Beveled N Flat	FA Fabric Panel	36	29	K with knockouts N without knockouts
EP	:	FA	36	29	К

Ston	2	Surface	Einich
Steb	Z –	Surrace	LIIIIZI

Step 3 - Trim Finish

I	
Fabric	Paint
F298 Forte	301 Champagne
F200	204
F298	301

F	E	ΑT	U	R	ES
		~:	v		

HEIGHTS

29" H

36" H

41" H 49" H

54" H

61" H

66" H

81" H

WIDTHS

12" W

18" W 24" W

30" W

36" W

42" W

48" W

60" W

THICKNESS

1 ½"

TOP CAP





3 – Beveled

N – Flat

RACEWAY

(K) with knockouts (N) without knockouts

PANEL RATINGS

NRC	.75
STC	15

CONSTRUCTION

FABRIC PANEL FRAME

Galvaneal roll formed steel frame

FABRIC PANEL CORE

Mineral wool

Fiberglass backer

INSERT PANEL FRAME

Extruded aluminum

INSERT PANEL CORE

1/4" Laminate

1/4" Perforated aluminum

1/4" Plexiglass

Open Frame

TOP CAP, SLOTTED STANDARD

Cold rolled, roll formed steel

TOP CAP CLIP

Spring steel

RACEWAY COVER, RACEWAY BASE & RACEWAY RETENTION CHANNEL

Cold rolled, roll formed steel

RACEWAY STANCHIONS

Pressed & folded steel

PANEL HOOKS

Steel

POSTS

Steel tube

POST CONNECTORS

Diecast aluminum

SHROUDS

Pressed & folded steel

SURFACE MATERIALS

ALL PANELS

Trim – paint

FABRIC PANELS (FA)

Fabric

INSERT PANELS

ы	evi	glas	s (PG)
	P1/11	dian	2 (:		

Clear	CL
Ice	IC
Smoked	SM
Translucent	TR

Glass (GL)

Clear	CL
Grey	GR
Smoked	SM
Translucent	TR

Designer Glass (DG)

Patterns from Skyline Design. Some exceptions apply.

There is a minimum \$500 set-up and crating fee for all designer glass orders. Please call customer service for a quote 979.778.0502 ext 301.

Laminate (LM)

Laminate

Perforated Aluminum (PA)

Paint


Open Frame (OF)


Paint

POSTS, CONNECTORS & SHROUDS

Paint

PANELS





29" H		FABRIC								PAINT	
W	MODEL#	A	В	C	D	E	F	G	Н	P2	Р3
12"	EP(3/N)FA1229(K/N)	\$570	\$600	\$640	\$690	\$750	\$820	\$900	\$990	+ \$33	+ \$66
18"	EP(3/N)FA1829(K/N)	\$638	\$668	\$708	\$758	\$818	\$888	\$968	\$1,058	+ \$33	+ \$66
24"	EP(3/N)FA2429(K/N)	\$702	\$732	\$772	\$822	\$882	\$952	\$1,032	\$1,122	+ \$33	+ \$66
30"	EP(3/N)FA3029(K/N)	\$770	\$800	\$840	\$890	\$950	\$1,020	\$1,100	\$1,190	+ \$33	+ \$66
36"	EP(3/N)FA3629(K/N)	\$862	\$922	\$1,002	\$1,102	\$1,222	\$1,362	\$1,522	\$1,702	+ \$33	+ \$66
42"	EP(3/N)FA4229(K/N)	\$916	\$976	\$1,056	\$1,156	\$1,276	\$1,416	\$1,576	\$1,756	+ \$33	+ \$66
48"	EP(3/N)FA4829(K/N)	\$969	\$1,029	\$1,109	\$1,209	\$1,329	\$1,469	\$1,629	\$1,809	+ \$33	+ \$66
60"	EP(3/N)FA6029(K/N)	\$1,021	\$1,081	\$1,161	\$1,261	\$1,381	\$1,521	\$1,681	\$1,861	+ \$33	+ \$66

41" H

12"	EP(3/N)FA1241(K/N)	\$638	\$678	\$728	\$788	\$868	\$958	\$1,068	\$1,198	+ \$33	+ \$66
18"	EP(3/N)FA1841(K/N)	\$702	\$742	\$792	\$852	\$932	\$1,022	\$1,132	\$1,262	+ \$33	+ \$66
24"	EP(3/N)FA2441(K/N)	\$770	\$810	\$860	\$920	\$1,000	\$1,090	\$1,200	\$1,330	+ \$33	+ \$66
30"	EP(3/N)FA3041(K/N)	\$836	\$876	\$926	\$986	\$1,066	\$1,156	\$1,266	\$1,396	+ \$33	+ \$66
36"	EP(3/N)FA3641(K/N)	\$929	\$1,009	\$1,109	\$1,229	\$1,389	\$1,579	\$1,819	\$2,109	+ \$33	+ \$66
42"	EP(3/N)FA4241(K/N)	\$995	\$1,075	\$1,175	\$1,295	\$1,455	\$1,645	\$1,885	\$2,175	+ \$33	+ \$66
48"	EP(3/N)FA4841(K/N)	\$1,062	\$1,142	\$1,242	\$1,362	\$1,522	\$1,712	\$1,952	\$2,242	+ \$33	+ \$66
60"	EP(3/N)FA6041(K/N)	\$1,128	\$1,208	\$1,308	\$1,428	\$1,588	\$1,778	\$2,018	\$2,308	+ \$33	+ \$66

49" H

12"	EP(3/N)FA1249(K/N)	\$717	\$757	\$807	\$867	\$947	\$1,047	\$1,167	\$1,317	+ \$33	+ \$66
18"	EP(3/N)FA1849(K/N)	\$783	\$823	\$873	\$933	\$1,013	\$1,113	\$1,233	\$1,383	+ \$33	+ \$66
24"	EP(3/N)FA2449(K/N)	\$850	\$890	\$940	\$1,000	\$1,080	\$1,180	\$1,300	\$1,450	+ \$33	+ \$66
30"	EP(3/N)FA3049(K/N)	\$916	\$956	\$1,006	\$1,066	\$1,146	\$1,246	\$1,366	\$1,516	+ \$33	+ \$66
36"	EP(3/N)FA3649(K/N)	\$1,009	\$1,089	\$1,189	\$1,309	\$1,479	\$1,689	\$1,959	\$2,279	+ \$33	+ \$66
42"	EP(3/N)FA4249(K/N)	\$1,075	\$1,155	\$1,255	\$1,375	\$1,545	\$1,755	\$2,025	\$2,345	+ \$33	+ \$66
48"	EP(3/N)FA4849(K/N)	\$1,141	\$1,221	\$1,321	\$1,441	\$1,611	\$1,821	\$2,091	\$2,411	+ \$33	+ \$66
60"	EP(3/N)FA6049(K/N)	\$1,234	\$1,314	\$1,414	\$1,534	\$1,704	\$1,914	\$2,184	\$2,504	+ \$33	+ \$66

54" H

_		•										
_	12"	EP(3/N)FA1254(K/N)	\$783	\$823	\$873	\$943	\$1,043	\$1,153	\$1,283	\$1,443	+ \$33	+ \$66
	18"	EP(3/N)FA1854(K/N)	\$850	\$890	\$940	\$1,010	\$1,110	\$1,220	\$1,350	\$1,510	+ \$33	+ \$66
	24"	EP(3/N)FA2454(K/N)	\$916	\$956	\$1,006	\$1,076	\$1,176	\$1,286	\$1,416	\$1,576	+ \$33	+ \$66
:	30"	EP(3/N)FA3054(K/N)	\$983	\$1,023	\$1,073	\$1,143	\$1,243	\$1,353	\$1,483	\$1,643	+ \$33	+ \$66
	36"	EP(3/N)FA3654(K/N)	\$1,089	\$1,179	\$1,279	\$1,419	\$1,629	\$1,859	\$2,129	\$2,459	+ \$33	+ \$66
4	42"	EP(3/N)FA4254(K/N)	\$1,155	\$1,245	\$1,345	\$1,485	\$1,695	\$1,925	\$2,195	\$2,525	+ \$33	+ \$66
4	48"	EP(3/N)FA4854(K/N)	\$1,222	\$1,312	\$1,412	\$1,552	\$1,762	\$1,992	\$2,262	\$2,592	+ \$33	+ \$66
(60"	EP(3/N)FA6054(K/N)	\$1,314	\$1,404	\$1,504	\$1,644	\$1,854	\$2,084	\$2,354	\$2,684	+ \$33	+ \$66

Specify

- 1. Model #
- 2. Fabric
- 3. Paint

Application Notes

The panel is fabric covered. If two different fabrics are used on one panel, the price will reflect the cost of the most expensive panel fabric.

NOTE: Power duplexes cannot be installed on 12" W panels. Side mount receptacles available on 24" W panels and wider.

Assembly

Included

- Panel
- Top cap
- Metal raceway covers

Ordered Separately

- Posts
- Panel connectors
- Electrical components


Top Cap Styles

3 – Beveled

N – Flat







51" H		FABRIC									PAINT	
W	MODEL#	А	В	С	D	E	F	G	Н	P2	P3	
12"	EP(3/N)FA1261(K/N)	\$850	\$900	\$960	\$1,040	\$1,150	\$1,270	\$1,410	\$1,580	+ \$33	+ \$66	
18"	EP(3/N)FA1861(K/N)	\$916	\$966	\$1,026	\$1,106	\$1,216	\$1,336	\$1,476	\$1,646	+ \$33	+ \$66	
24"	EP(3/N)FA2461(K/N)	\$983	\$1,033	\$1,093	\$1,173	\$1,283	\$1,403	\$1,543	\$1,713	+ \$33	+\$66	
30"	EP(3/N)FA3061(K/N)	\$1,048	\$1,098	\$1,158	\$1,238	\$1,348	\$1,468	\$1,608	\$1,778	+ \$33	+ \$66	
36"	EP(3/N)FA3661(K/N)	\$1,141	\$1,241	\$1,361	\$1,521	\$1,751	\$2,001	\$2,281	\$2,621	+ \$33	+\$66	
42"	EP(3/N)FA4261(K/N)	\$1,207	\$1,307	\$1,427	\$1,587	\$1,817	\$2,067	\$2,347	\$2,687	+ \$33	+ \$66	
48"	EP(3/N)FA4861(K/N)	\$1,274	\$1,374	\$1,494	\$1,654	\$1,884	\$2,134	\$2,414	\$2,754	+ \$33	+\$66	
60"	EP(3/N)FA6061(K/N)	\$1,393	\$1,493	\$1,613	\$1,773	\$2,003	\$2,253	\$2,533	\$2,873	+ \$33	+ \$66	

66	ľ	1
121	_	

12"	EP(3/N)FA1266(K/N)	\$876	\$926	\$986	\$1,066	\$1,186	\$1,316	\$1,466	\$1,646	+ \$33	+ \$66
18"	EP(3/N)FA1866(K/N)	\$942	\$992	\$1,052	\$1,132	\$1,252	\$1,382	\$1,532	\$1,712	+ \$33	+ \$66
24"	EP(3/N)FA2466(K/N)	\$1,009	\$1,059	\$1,119	\$1,199	\$1,319	\$1,449	\$1,599	\$1,779	+ \$33	+ \$66
30"	EP(3/N)FA3066(K/N)	\$1,075	\$1,125	\$1,185	\$1,265	\$1,385	\$1,515	\$1,665	\$1,845	+ \$33	+ \$66
36"	EP(3/N)FA3666(K/N)	\$1,181	\$1,291	\$1,421	\$1,581	\$1,831	\$2,111	\$2,431	\$2,821	+ \$33	+ \$66
42"	EP(3/N)FA4266(K/N)	\$1,248	\$1,358	\$1,488	\$1,648	\$1,898	\$2,178	\$2,498	\$2,888	+ \$33	+ \$66
48"	EP(3/N)FA4866(K/N)	\$1,314	\$1,424	\$1,554	\$1,714	\$1,964	\$2,244	\$2,564	\$2,954	+ \$33	+ \$66
60"	EP(3/N)FA6066(K/N)	\$1,434	\$1,544	\$1,674	\$1,834	\$2,084	\$2,364	\$2,684	\$3,074	+ \$33	+ \$66

81" H

12"	EP(3/N)FA1281(K/N)	\$942	\$1,002	\$1,062	\$1,152	\$1,302	\$1,472	\$1,662	\$1,882	+ \$33	+ \$66
18"	EP(3/N)FA1881(K/N)	\$1,009	\$1,069	\$1,129	\$1,219	\$1,369	\$1,539	\$1,729	\$1,949	+ \$33	+ \$66
24"	EP(3/N)FA2481(K/N)	\$1,075	\$1,135	\$1,195	\$1,285	\$1,435	\$1,605	\$1,795	\$2,015	+ \$33	+ \$66
30"	EP(3/N)FA3081(K/N)	\$1,141	\$1,201	\$1,261	\$1,351	\$1,501	\$1,671	\$1,861	\$2,081	+ \$33	+ \$66
36"	EP(3/N)FA3681(K/N)	\$1,381	\$1,501	\$1,621	\$1,811	\$2,141	\$2,511	\$2,921	\$3,381	+ \$33	+ \$66
42"	EP(3/N)FA4281(K/N)	\$1,541	\$1,661	\$1,781	\$1,971	\$2,301	\$2,671	\$3,081	\$3,541	+ \$33	+ \$66
48"	EP(3/N)FA4881(K/N)	\$1,659	\$1,779	\$1,899	\$2,089	\$2,419	\$2,789	\$3,199	\$3,659	+ \$33	+ \$66
60"	EP(3/N)FA6081(K/N)	\$1,779	\$1,899	\$2,019	\$2,209	\$2,539	\$2,909	\$3,319	\$3,779	+ \$33	+ \$66


Guardian® Panel Option BULLET RESISTANT PANEL

- NIJ Level IIIA compliant
- Protection against handguns up to .44 Magnum
- Inconspicuous looks like a regular panel

	HEIGHT											
		29"	41"	49"	54"	61"	66"	81"				
1	30"	\$289	\$418	\$488	\$536	\$607	\$656	\$806				
	36"	\$346	\$501	\$585	\$644	\$729	\$788	\$968				
	42"	\$404	\$585	\$684	\$753	\$851	\$919	\$1,128				
	48"	\$462	\$668	\$781	\$860	\$971	\$1,051	\$1,290				

UPCHARGE (NET)

NOTE: To specify a Guardian Panel add a "G" to the end of the panels model number.



29" H			G	LASS INSERT		LAI	MINATE INSE	RT	PAIN	ΙΤ
W	MODEL#	0F	PG	GL	DG	L1	L2	L3	P2	Р3
12"	EP(3/N)()1229(K/N)	\$925	\$1,125	\$1,244	\$1,456	\$1,191	\$1,310	\$1,429	+ \$33	+ \$66
18"	EP(3/N)()1829(K/N)	\$939	\$1,151	\$1,284	\$1,589	\$1,257	\$1,382	\$1,508	+ \$33	+ \$66
24"	EP(3/N)()2429(K/N)	\$951	\$1,178	\$1,323	\$1,722	\$1,296	\$1,425	\$1,555	+ \$33	+ \$66
30"	EP(3/N)()3029(K/N)	\$977	\$1,217	\$1,377	\$1,854	\$1,337	\$1,470	\$1,604	+ \$33	+ \$66
36"	EP(3/N)()3629(K/N)	\$1,005	\$1,270	\$1,444	\$1,975	\$1,403	\$1,543	\$1,683	+ \$33	+ \$66
42"	EP(3/N)()4229(K/N)	\$1,031	\$1,337	\$1,509	\$2,107	\$1,470	\$1,617	\$1,764	+ \$33	+ \$66
48"	EP(3/N)()4829(K/N)	\$1,058	\$1,416	\$1,589	\$2,253	\$1,549	\$1,703	\$1,858	+ \$33	+ \$66
60"	EP(3/N)()6029(K/N)	\$1,111	\$1,509	\$1,683	\$2,479	\$1,642	\$1,806	\$1,970	+ \$33	+ \$66

41" H

12"	EP(3/N)()1241(K/N)	\$977	\$1,257	\$1,403	\$1,642	\$1,257	\$1,382	\$1,508	+ \$33	+ \$66
18"	EP(3/N)()1841(K/N)	\$992	\$1,284	\$1,430	\$1,762	\$1,390	\$1,529	\$1,668	+ \$33	+ \$66
24"	EP(3/N)()2441(K/N)	\$1,005	\$1,323	\$1,482	\$1,908	\$1,444	\$1,588	\$1,732	+ \$33	+ \$66
30"	EP(3/N)()3041(K/N)	\$1,031	\$1,377	\$1,549	\$2,081	\$1,509	\$1,659	\$1,810	+ \$33	+ \$66
36"	EP(3/N)()3641(K/N)	\$1,058	\$1,444	\$1,615	\$2,214	\$1,576	\$1,733	\$1,891	+ \$33	+ \$66
42"	EP(3/N)()4241(K/N)	\$1,084	\$1,523	\$1,695	\$2,359	\$1,656	\$1,821	\$1,987	+ \$33	+ \$66
48"	EP(3/N)()4841(K/N)	\$1,111	\$1,615	\$1,801	\$2,599	\$1,762	\$1,938	\$2,114	+ \$33	+ \$66
60"	EP(3/N)()6041(K/N)	\$1,163	\$1,722	\$1,921	\$2,984	\$1,881	\$2,069	\$2,257	+ \$33	+ \$66

49" H

12"	EP(3/N)()1249(K/N)	\$992	\$1,284	\$1,430	\$1,668	\$1,323	\$1,455	\$1,587	+ \$33	+ \$66
18"	EP(3/N)()1849(K/N)	\$1,005	\$1,323	\$1,470	\$1,801	\$1,430	\$1,573	\$1,716	+ \$33	+ \$66
24"	EP(3/N)()2449(K/N)	\$1,018	\$1,377	\$1,536	\$1,961	\$1,497	\$1,646	\$1,796	+ \$33	+ \$66
30"	EP(3/N)()3049(K/N)	\$1,045	\$1,444	\$1,615	\$2,173	\$1,576	\$1,733	\$1,891	+ \$33	+ \$66
36"	EP(3/N)()3649(K/N)	\$1,071	\$1,523	\$1,695	\$2,385	\$1,656	\$1,821	\$1,987	+ \$33	+ \$66
42"	EP(3/N)()4249(K/N)	\$1,098	\$1,615	\$1,788	\$2,612	\$1,749	\$1,923	\$2,098	+ \$33	+ \$66
48"	EP(3/N)()4849(K/N)	\$1,125	\$1,722	\$1,895	\$2,851	\$1,854	\$2,039	\$2,224	+ \$33	+ \$66
60"	EP(3/N)()6049(K/N)	\$1,178	\$1,868	\$2,068	\$3,157	\$2,028	\$2,230	\$2,433	+ \$33	+ \$66

54" H

12"	EP(3/N)()1254(K/N)	\$1,031	\$1,296	\$1,444	\$1,683	\$1,390	\$1,529	\$1,668	+ \$33	+ \$66
18"	EP(3/N)()1854(K/N)	\$1,045	\$1,349	\$1,497	\$1,828	\$1,456	\$1,601	\$1,747	+ \$33	+ \$66
24"	EP(3/N)()2454(K/N)	\$1,058	\$1,416	\$1,576	\$2,002	\$1,536	\$1,689	\$1,843	+ \$33	+ \$66
30"	EP(3/N)()3054(K/N)	\$1,084	\$1,497	\$1,668	\$2,226	\$1,630	\$1,793	\$1,956	+ \$33	+ \$66
36"	EP(3/N)()3654(K/N)	\$1,111	\$1,589	\$1,762	\$2,453	\$1,722	\$1,894	\$2,066	+ \$33	+ \$66
42"	EP(3/N)()4254(K/N)	\$1,137	\$1,695	\$1,868	\$2,692	\$1,828	\$2,010	\$2,193	+ \$33	+ \$66
48"	EP(3/N)()4854(K/N)	\$1,163	\$1,816	\$2,002	\$2,957	\$1,961	\$2,157	\$2,353	+ \$33	+ \$66
60"	EP(3/N)()6054(K/N)	\$1,217	\$1,961	\$2,161	\$3,250	\$2,120	\$2,332	\$2,544	+ \$33	+ \$66

Specify

- 1. Model#
- 2. Insert type
- 3. Insert color
- 4. Paint

NOTE: Power duplexes cannot be installed on 12" W panels. Side mount receptacles available on 24" W panels and wider.

Plexiglass Finishes

CL . . Clear

IC . . . lce

SM..Smoked

 ${\bf TR}$. . Translucent

Glass Finishes

CL . . Clear

GR . . Grey **SM** . . Smoked

TR . . Translucent

Application Notes

Insert Panels are constructed with a tapered aluminum frame that is mitered in the corners. Insert panels may be ordered with multiple insert options or as an open frame for complete accessibility through the panel.

Assembly

Included

- Panel
- Top cap
- Metal raceway covers

Ordered Separately

- Posts
- Panel connectors
- Electrical components

Top Cap Styles

3 – Beveled

N – Flat






\$3,277

+ \$33

\$3,004

+ \$66



61" H			G	LASS INSERT	ſ	LA	MINATE INSE	RT	PAI	NT
w	MODEL#	OF	PG	GL	DG	L1	L2	L3	P2	P3
12"	EP(3/N)()1261(K/N)	\$1,045	\$1,311	\$1,470	\$1,735	\$1,416	\$1,557	\$1,699	+ \$33	+ \$66
18"	EP(3/N)()1861(K/N)	\$1,058	\$1,377	\$1,536	\$1,868	\$1,482	\$1,630	\$1,778	+ \$33	+ \$66
24"	EP(3/N)()2461(K/N)	\$1,071	\$1,456	\$1,630	\$2,068	\$1,576	\$1,733	\$1,891	+ \$33	+ \$66
30"	EP(3/N)()3061(K/N)	\$1,098	\$1,549	\$1,735	\$2,306	\$1,683	\$1,851	\$2,019	+ \$33	+ \$66
36"	EP(3/N)()3661(K/N)	\$1,125	\$1,656	\$1,842	\$2,545	\$1,788	\$1,966	\$2,145	+ \$33	+ \$66
42"	EP(3/N)()4261(K/N)	\$1,151	\$1,775	\$1,975	\$2,811	\$1,921	\$2,113	\$2,305	+ \$33	+ \$66
48"	EP(3/N)()4861(K/N)	\$1,178	\$1,908	\$2,120	\$3,091	\$2,068	\$2,274	\$2,481	+ \$33	+ \$66
60"	EP(3/N)()6061(K/N)	\$1,244	\$2,054	\$2,280	\$3,528	\$2,226	\$2,448	\$2,671	+ \$33	+ \$66
66" H										
12"	EP(3/N)()1266(K/N)	\$1,058	\$1,323	\$1,482	\$1,749	\$1,430	\$1,573	\$1,716	+ \$33	+ \$66
18"	EP(3/N)()1866(K/N)	\$1,071	\$1,403	\$1,563	\$1,921	\$1,509	\$1,659	\$1,810	+ \$33	+ \$66
24"	EP(3/N)()2466(K/N)	\$1,084	\$1,497	\$1,668	\$2,134	\$1,615	\$1,776	\$1,938	+ \$33	+ \$66
30"	EP(3/N)()3066(K/N)	\$1,111	\$1,602	\$1,788	\$2,385	\$1,735	\$1,908	\$2,082	+ \$33	+ \$66
36"	EP(3/N)()3666(K/N)	\$1,137	\$1,722	\$1,908	\$2,638	\$1,854	\$2,039	\$2,224	+ \$33	+ \$66
42"	EP(3/N)()4266(K/N)	\$1,163	\$1,854	\$2,054	\$2,917	\$2,002	\$2,202	\$2,402	+ \$33	+ \$66
48"	EP(3/N)()4866(K/N)	\$1,191	\$2,002	\$2,214	\$3,209	\$2,161	\$2,377	\$2,593	+ \$33	+ \$66
60"	EP(3/N)()6066(K/N)	\$1,257	\$2,161	\$2,373	\$3,634	\$2,319	\$2,550	\$2,782	+ \$33	+ \$66
81" H										
12"	EP(3/N)()1281(K/N)	\$1,137	\$1,576	\$1,762	\$2,054	\$1,709	\$1,879	\$2,050	+ \$33	+ \$66
18"	EP(3/N)()1881(K/N)	\$1,151	\$1,709	\$1,895	\$2,293	\$1,842	\$2,026	\$2,210	+ \$33	+ \$66
24"	EP(3/N)()2481(K/N)	\$1,163	\$1,842	\$2,028	\$2,559	\$1,975	\$2,172	\$2,370	+ \$33	+ \$66
30"	EP(3/N)()3081(K/N)	\$1,191	\$1,975	\$2,161	\$2,824	\$2,107	\$2,317	\$2,528	+ \$33	+ \$66
36"	EP(3/N)()3681(K/N)	\$1,217	\$2,107	\$2,293	\$3,091	\$2,240	\$2,464	\$2,688	+ \$33	+\$66
42"	EP(3/N)()4281(K/N)	\$1,244	\$2,240	\$2,426	\$3,356	\$2,373	\$2,610	\$2,847	+ \$33	+ \$66
48"	EP(3/N)()4881(K/N)	\$1,270	\$2,400	\$2,586	\$3,648	\$2,533	\$2,786	\$3,039	+ \$33	+ \$66


\$1,364 \$2,599 \$2,785 \$4,445 \$2,731

	Тор Сар	Panel Type	w	н	Raceway
EP Equity Panel	3 Beveled N Flat	OF Open frame DG Designer glass insert GL Glass insert PG Plexiglass insert LM Laminate insert	36	29	K With knockouts N Without knockouts
EP	N	PG	36	29	K

EP(3/N)()6081(K/N)

60"

Insert Panels Perforated Aluminum



29" H			I	NSERT PAINT		FRAME	PAINT
W	MODEL#	PA	P1	P2	P3	P2	Р3
12"	EP(3/N)PA1229(K/N)	\$1,058	\$1,108	\$1,118	\$1,128	+ \$33	+ \$66
18"	EP(3/N)PA1829(K/N)	\$1,071	\$1,131	\$1,151	\$1,171	+ \$33	+ \$66
24"	EP(3/N)PA2429(K/N)	\$1,098	\$1,158	\$1,188	\$1,218	+ \$33	+ \$66
30"	EP(3/N)PA3029(K/N)	\$1,137	\$1,197	\$1,227	\$1,267	+ \$33	+ \$66
36"	EP(3/N)PA3629(K/N)	\$1,191	\$1,251	\$1,281	\$1,321	+ \$33	+ \$66
42"	EP(3/N)PA4229(K/N)	\$1,244	\$1,314	\$1,354	\$1,394	+ \$33	+ \$66
48"	EP(3/N)PA4829(K/N)	\$1,323	\$1,393	\$1,443	\$1,493	+ \$33	+ \$66
60"	EP(3/N)PA6029(K/N)	\$1,416	\$1,486	\$1,546	\$1,606	+ \$33	+ \$66

11	п	ш
41		п

12"	EP(3/N)PA1241(K/N)	\$1,163	\$1,233	\$1,253	\$1,273	+ \$33	+ \$66
18"	EP(3/N)PA1841(K/N)	\$1,191	\$1,261	\$1,281	\$1,311	+ \$33	+ \$66
24"	EP(3/N)PA2441(K/N)	\$1,230	\$1,300	\$1,330	\$1,370	+ \$33	+ \$66
30"	EP(3/N)PA3041(K/N)	\$1,284	\$1,354	\$1,394	\$1,444	+ \$33	+ \$66
36"	EP(3/N)PA3641(K/N)	\$1,349	\$1,419	\$1,469	\$1,529	+ \$33	+ \$66
42"	EP(3/N)PA4241(K/N)	\$1,416	\$1,496	\$1,556	\$1,626	+ \$33	+ \$66
48"	EP(3/N)PA4841(K/N)	\$1,509	\$1,589	\$1,669	\$1,739	+ \$33	+ \$66
60"	EP(3/N)PA6041(K/N)	\$1,615	\$1,695	\$1,795	\$1,885	+ \$33	+ \$66

49" H

12"	EP(3/N)PA1249(K/N)	\$1,191	\$1,261	\$1,281	\$1,301	+ \$33	+ \$66
18"	EP(3/N)PA1849(K/N)	\$1,230	\$1,300	\$1,330	\$1,360	+ \$33	+ \$66
24"	EP(3/N)PA2449(K/N)	\$1,284	\$1,354	\$1,404	\$1,444	+ \$33	+ \$66
30"	EP(3/N)PA3049(K/N)	\$1,349	\$1,419	\$1,479	\$1,529	+ \$33	+ \$66
36"	EP(3/N)PA3649(K/N)	\$1,416	\$1,496	\$1,566	\$1,636	+ \$33	+ \$66
42"	EP(3/N)PA4249(K/N)	\$1,509	\$1,589	\$1,669	\$1,759	+ \$33	+ \$66
48"	EP(3/N)PA4849(K/N)	\$1,615	\$1,695	\$1,795	\$1,895	+ \$33	+ \$66
60"	EP(3/N)PA6049(K/N)	\$1,762	\$1,842	\$1,962	\$2,072	+ \$33	+ \$66

54" H

12"	EP(3/N)PA1254(K/N)	\$1,204	\$1,274	\$1,294	\$1,314	+ \$33	+ \$66	+ \$60
18"	EP(3/N)PA1854(K/N)	\$1,257	\$1,327	\$1,357	\$1,387	+ \$33	+ \$66	+ \$60
24"	EP(3/N)PA2454(K/N)	\$1,323	\$1,393	\$1,443	\$1,493	+ \$33	+ \$66	+ \$60
30"	EP(3/N)PA3054(K/N)	\$1,390	\$1,470	\$1,530	\$1,590	+ \$33	+ \$66	+ \$60
36"	EP(3/N)PA3654(K/N)	\$1,482	\$1,562	\$1,642	\$1,722	+ \$33	+ \$66	+ \$60
42"	EP(3/N)PA4254(K/N)	\$1,589	\$1,669	\$1,759	\$1,849	+ \$33	+ \$66	+ \$60
48"	EP(3/N)PA4854(K/N)	\$1,709	\$1,789	\$1,889	\$1,989	+ \$33	+ \$66	+ \$60
60"	EP(3/N)PA6054(K/N)	\$1,854	\$1,934	\$2,064	\$2,194	+ \$33	+ \$66	+ \$60

Specify

- 1. Model#
- 2. Insert paint
- 3. Paint

NOTE: Power duplexes cannot be installed on 12" W panels. Side mount receptacles available on 24" W panels and wider.

Application Notes

Insert Panels are constructed with a tapered aluminum frame that is mitered in the corners. Insert panels may be ordered multiple insert options or as an open frame for complete accessibility through the panel.

Assembly

Included

- Panel
- Top cap
- Metal raceway covers

Ordered Separately

- Posts
- Panel connectors
- Electrical components

Top Cap Styles


3 - Beveled

N – Flat





Insert Panels Perforated Aluminum



		,	,		,		
61" H			I	NSERT PAINT		FRAME	PAINT
W	MODEL#	PA	P1	P2	Р3	P2	P3
12"	EP(3/N)PA1261(K/N)	\$1,217	\$1,287	\$1,307	\$1,337	+ \$33	+ \$66
18"	EP(3/N)PA1861(K/N)	\$1,284	\$1,354	\$1,394	\$1,434	+ \$33	+ \$66
24"	EP(3/N)PA2461(K/N)	\$1,349	\$1,429	\$1,479	\$1,529	+ \$33	+ \$66
30"	EP(3/N)PA3061(K/N)	\$1,444	\$1,524	\$1,584	\$1,654	+ \$33	+ \$66
36"	EP(3/N)PA3661(K/N)	\$1,549	\$1,629	\$1,709	\$1,789	+ \$33	+ \$66
42"	EP(3/N)PA4261(K/N)	\$1,668	\$1,748	\$1,838	\$1,938	+ \$33	+ \$66
48"	EP(3/N)PA4861(K/N)	\$1,801	\$1,881	\$1,981	\$2,101	+ \$33	+ \$66
60"	EP(3/N)PA6061(K/N)	\$2,240	\$2,300	\$2,420	\$2,560	+ \$33	+ \$66
6" H							
12"	EP(3/N)PA1266(K/N)	\$1,230	\$1,300	\$1,330	\$1,360	+ \$33	+ \$66
18"	EP(3/N)PA1866(K/N)	\$1,311	\$1,381	\$1,421	\$1,471	+ \$33	+ \$66
24"	EP(3/N)PA2466(K/N)	\$1,390	\$1,470	\$1,520	\$1,580	+ \$33	+ \$66
30"	EP(3/N)PA3066(K/N)	\$1,497	\$1,577	\$1,647	\$1,717	+ \$33	+ \$66
36"	EP(3/N)PA3666(K/N)	\$1,615	\$1,695	\$1,785	\$1,875	+ \$33	+ \$66
42"	EP(3/N)PA4266(K/N)	\$1,735	\$1,825	\$1,925	\$2,025	+ \$33	+ \$66
48"	EP(3/N)PA4866(K/N)	\$1,854	\$1,964	\$2,084	\$2,204	+ \$33	+ \$66
60"	EP(3/N)PA6066(K/N)	\$2,267	\$2,437	\$2,567	\$2,717	+ \$33	+ \$66
31" H							
12"	EP(3/N)PA1281(K/N)	\$1,444	\$1,544	\$1,584	\$1,634	+ \$33	+ \$66
18"	EP(3/N)PA1881(K/N)	\$1,576	\$1,676	\$1,736	\$1,816	+ \$33	+ \$66
24"	EP(3/N)PA2481(K/N)	\$1,709	\$1,809	\$1,889	\$1,989	+ \$33	+ \$66
30"	EP(3/N)PA3081(K/N)	\$1,975	\$2,075	\$2,175	\$2,295	+ \$33	+ \$66
36"	EP(3/N)PA3681(K/N)	\$2,107	\$2,207	\$2,327	\$2,467	+ \$33	+ \$66
42"	EP(3/N)PA4281(K/N)	\$2,187	\$2,287	\$2,447	\$2,597	+ \$33	+ \$66
48"	EP(3/N)PA4881(K/N)	\$2,253	\$2,353	\$2,563	\$2,723	+ \$33	+ \$66

\$2,917 \$3,117 \$3,367

\$3,567

+ \$33


	Тор Сар	Panel Type	w	н	Raceway
EP Equity Panel	3 Beveled N Flat	PA Perforated Aluminum	36	29	K With knockouts N Without knockouts
EP	N	PA	36	29	К

EP(3/N)PA6081(K/N)

60"

+ \$66

Tequity™ Panels



9" H			PAINT	
W	MODEL#	P1	P2	P:
12"	EP(3/N)TQ1229	\$437	\$487	\$512
18"	EP(3/N)TQ1829	\$504	\$554	\$579
24"	EP(3/N)TQ2429	\$570	\$620	\$64
30"	EP(3/N)TQ3029	\$638	\$688	\$71
36"	EP(3/N)TQ3629	\$730	\$780	\$80
42"	EP(3/N)TQ4229	\$783	\$833	\$85
48"	EP(3/N)TQ4829	\$836	\$886	\$91
60"	EP(3/N)TQ6029	\$889	\$939	\$96
1" H				
12"	EP(3/N)TQ1241	\$504	\$554	\$57
18"	EP(3/N)TQ1841	\$570	\$620	\$64
24"	EP(3/N)TQ2441	\$638	\$688	\$71
30"	EP(3/N)TQ3041	\$702	\$752	\$77
36"	EP(3/N)TQ3641	\$797	\$847	\$87
42"	EP(3/N)TQ4241	\$862	\$912	\$93
48"	EP(3/N)TQ4841	\$929	\$979	\$1,00
60"	EP(3/N)TQ6041	\$995	\$1,045	\$1,07
9" H				
12"	EP(3/N)TQ1249	\$584	\$634	\$65
18"	EP(3/N)TQ1849	\$650	\$700	\$72
24"	EP(3/N)TQ2449	\$717	\$767	\$79
30"	EP(3/N)TQ3049	\$783	\$833	\$85
36"	EP(3/N)TQ3649	\$876	\$926	\$95
42"	EP(3/N)TQ4249	\$942	\$992	\$1,01
48"	EP(3/N)TQ4849	\$1,009	\$1,059	\$1,08
60"	EP(3/N)TQ6049	\$1,102	\$1,152	\$1,17
4" H				
12"	EP(3/N)TQ1254	\$650	\$700	\$72
18"	EP(3/N)TQ1854	\$717	\$767	\$79
	EP(3/N)TQ2454	\$783	\$833	\$85
24"	EF(3/N)1Q2434	: 7/03	2022	202

_			_
C	no	v i	fu
2	hε	·	ıу

36"

42"

48"

60"

EP(3/N)TQ3654

EP(3/N)TQ4254

EP(3/N)TQ4854

EP(3/N)TQ6054

- 1. Model#
- 2. Paint

Application Notes

Tequity panels are constructed with a 16 gauge welded steel frame.

Worksurface Support w/Tequity Panels

When specifying worksurfaces use panel to worksurface brackets to support each corner.

Assembly

Included Panel

• Top cap

Ordered Separately

- Posts
- Panel connectors

Top Cap Styles

\$955

\$1,021

\$1,089

\$1,181

3 - Beveled

\$1,005

\$1,071

\$1,139

\$1,231

N – Flat






\$1,030

\$1,096

\$1,164

\$1,256

Tequity™ Panels



		,			
61" H	I			PAINT	
W	MODEL#		P1	P2	P3
12"	EP(3/N)TQ1261		\$717	\$767	\$792
18"	EP(3/N)TQ1861		\$783	\$833	\$858
24"	EP(3/N)TQ2461		\$850	\$900	\$925
30"	EP(3/N)TQ3061		\$916	\$966	\$991
36"	EP(3/N)TQ3661		\$1,009	\$1,059	\$1,084
42"	EP(3/N)TQ4261		\$1,075	\$1,125	\$1,150
48"	EP(3/N)TQ4861		\$1,141	\$1,191	\$1,216
60"	EP(3/N)TQ6061		\$1,261	\$1,311	\$1,336
66" H	I				
12"	EP(3/N)TQ1266		\$743	\$793	\$818
18"	EP(3/N)TQ1866		\$809	\$859	\$884
24"	EP(3/N)TQ2466		\$876	\$926	\$951
30"	EP(3/N)TQ3066		\$942	\$992	\$1,017
36"	EP(3/N)TQ3666		\$1,048	\$1,098	\$1,123
42"	EP(3/N)TQ4266		\$1,115	\$1,165	\$1,190
48"	EP(3/N)TQ4866		\$1,181	\$1,231	\$1,256
60"	EP(3/N)TQ6066		\$1,301	\$1,351	\$1,376
81" H	I				
12"	EP(3/N)TQ1281		\$743	\$793	\$818
18"	EP(3/N)TQ1881		\$809	\$859	\$884
24"	EP(3/N)TQ2481		\$876	\$926	\$951
30"	EP(3/N)TQ3081		\$942	\$992	\$1,017
36"	EP(3/N)TQ3681		\$1,048	\$1,098	\$1,123
42"	EP(3/N)TQ4281		\$1,115	\$1,165	\$1,190

\$1,181

\$1,301

\$1,231

\$1,351

\$1,256

\$1,376

	Тор Сар	Panel Type	w	н
EP Equity Panel	3 Beveled N Flat	TQ Tequity	36	29
EP	N	TQ	36	29

EP(3/N)TQ4881

EP(3/N)TQ6081

48" 60"


Sliding Doors





49" H			INSERT TYPE	LA	MINATE INSE	RT	PAII	NT
OPENING	ACTUAL OPENING	MODEL#	PG	L1	L2	L3	P2	P3
36"	34.5"	EDR()3649(L/R)B	\$2,094	\$2,002	\$2,202	\$2,402	+ \$33	+ \$66
54" H								
36"	34.5"	EDR()3654(L/R)B	\$2,200	\$2,226	\$2,448	\$2,671	+ \$33	+ \$66
61" H			INCEPT TYPE				DALL	
36"	34.5"	EDR()3661(L/R)B	INSERT TYPE \$2,293	\$2,492	\$2,741	\$2,990	+ \$33	+ \$66
66" H								
36"	34.5"	EDR()3666(L/R)B	\$2,426	\$2,492	\$2,741	\$2,990	+ \$33	+ \$66

	Insert Type	w	н	Door Open	Door Handle
EDR Equity Door	PG Plexiglass	36	61	L Left	B Bar
	LM Laminate			R Right	
					•
:					
				_ :	_ :
EDR	LM	36	61	L	В


Application Notes Plexiglass Finishes Specify Insert Type Assembly 1. Model# Sliding doors can mount PG . . Plexiglass CL ...Clear Included $\textbf{IC} \dots \mathsf{lce}$ LM..Laminate 2. Insert type on an end or corner post • Door 3. Insert color and require a straight, SM..Smoked Hardware 4. Paint unobstructed panel run of ${\bf TR}$. . Translucent at least 42" for their open **LF**...Frost position. Left/Right refers to opening direction. **NOTE: Sliding doors are only** compatible with N (flat) top caps.







Metal Shrouds — for Doors			PAINT	••••••
DESCRIPTION	MODEL#	P1	P2	P3
Door – Straight Pair	EP3DSP	\$72	\$78	\$86
Door – L Outside Right	EP3DLR	\$48	\$51	\$55
Door – L Outside Left	EP3DLL	\$48	\$51	\$55



Sp	ecify	
1	Model #	

- 1. Model #
- 2. Laminate
- 3. Paint
- 4. Door Hardware Finish

Hardware Finishes (Hinged Doors)				
HDHAB Aged Bronze				
HDHBC Bright Chrome				
HDHMB . Matte Black				
HDHSC Satin Chrome				
HDHSN Satin Nickel				
HDHSSS . Satin Stainless				
Steel				

	Тор Сар	W H	Door
EDR Equity Door	3 Beveled	36 81	L Left
	N Flat		R Right
	:		
EHDR	N	36 81	L
	ii	1	i i

Post Assemblies



Stra	ight		PAINT	
Н	MODEL#	P1	P2	Р3
29"	EP(3/N)P29S	\$196	\$204	\$212
41"	EP(3/N)P41S	\$199	\$207	\$215
49"	EP(3/N)P49S	\$201	\$209	\$217
54"	EP(3/N)P54S	\$204	\$212	\$220
61"	EP(3/N)P61S	\$206	\$214	\$222
66"	EP(3/N)P66S	\$209	\$217	\$225
81"	EP(3/N)P81S	\$232	\$240	\$248



		·······	•••••	
2-wa	ay L		PAINT	
Н	MODEL#	P1	P2	P3
29"	EP(3/N)P29L	\$196	\$204	\$212
41"	EP(3/N)P41L	\$199	\$207	\$215
49"	EP(3/N)P49L	\$202	\$210	\$218
54"	EP(3/N)P54L	\$207	\$215	\$223
61"	EP(3/N)P61L	\$217	\$225	\$233
66"	EP(3/N)P66L	\$227	\$235	\$243
81"	EP(3/N)P81L	\$245	\$253	\$261



2-way 120

_ '''	1, 120			
29"	EP3P29120	\$210	\$218	\$226
41"	EP3P41120	\$222	\$230	\$238
49"	EP3P49120	\$226	\$234	\$242
54"	EP3P54120	\$232	\$240	\$248
61"	EP3P61120	\$243	\$251	\$259
66"	EP3P66120	\$251	\$259	\$267
81"	EP3P81120	\$268	\$276	\$284

_				
•	n	ec	п	ľV
_	r	٠.	•	٠,

- 1. Model#
- 2. Paint

Application Notes

Used to connect panels of the same height.

Bottom glides on post allow for up to 1 ½" of vertical adjustment.

Add "NS" to the end to of the model number to specify without shroud for use with Tequity panels.

Assembly

Included

- Single height postPanel connector
- Appropriate metal shroud

Top Cap Styles

3 – Beveled

N – Flat







		,			
3-wa	ау Т			PAINT	
Н	MODEL#		P1	P2	P3
29"	EP(3/N)P29T		\$196	\$204	\$212
41"	EP(3/N)P41T		\$199	\$207	\$215
49"	EP(3/N)P49T		\$201	\$209	\$217
54"	EP(3/N)P54T		\$204	\$212	\$220
61"	EP(3/N)P61T		\$207	\$215	\$223
66"	EP(3/N)P66T		\$216	\$224	\$232
81"	EP(3/N)P81T		\$233	\$241	\$249



		*************	••••••••••••••••••••••••••••••••••••••	• • • • • • • • • • • • • • • • • • • •
1-wa	ay X		PAINT	
Н	MODEL#	P1	P2	P3
29"	EP(3/N)P29X	\$196	\$204	\$212
41"	EP(3/N)P41X	\$199	\$207	\$215
49"	EP(3/N)P49X	\$201	\$209	\$217
54"	EP(3/N)P54X	\$204	\$212	\$220
61"	EP(3/N)P61X	\$206	\$214	\$222
66"	EP(3/N)P66X	\$209	\$217	\$225
81"	EP(3/N)P81X	\$226	\$234	\$242



3-way 120

J W	1y 120			
29"	EP(3/N)P29Y	\$236	\$246	\$256
41"	EP(3/N)P41Y	\$239	\$249	\$259
49"	EP(3/N)P49Y	\$243	\$253	\$263
54"	EP(3/N)P54Y	\$245	\$255	\$265
61"	EP(3/N)P61Y	\$248	\$258	\$268
66"	EP(3/N)P66Y	\$255	\$265	\$275
81"	EP(3/N)P81Y	\$272	\$282	\$292



Carpet Gripper

DESCRIPTION	MODEL#	BLACK ONLY
12 Pack	FP1CG12	\$49

	Тор Сар		н		Connection Type		Options Shroud
EP Equity Panel	3 Beveled N Flat	P Post	29	E L T S	2-way 120 End w/post 2-way L 3-way T Straight 4-way 3-way 120	NS	No Shroud (Tequity Only)
EP	N	Р	29	S			



End w/Post PAINT				
Н	MODEL#	P1	P2	P3
29"	EP(3/N)P29E	\$210	\$218	\$226
41"	EP(3/N)P41E	\$216	\$224	\$232
49"	EP(3/N)P49E	\$223	\$231	\$239
54"	EP(3/N)P54E	\$226	\$234	\$242
61"	EP(3/N)P61E	\$238	\$246	\$254
66"	EP(3/N)P66E	\$246	\$254	\$262
81"	EP(3/N)P81E	\$262	\$270	\$278

End w/Post

Specify

- 1. Model#
- 2. Paint

Application Notes

Used to finish a panel end that is not being connected to another panel.

Add "NS" to the end to of the model number to specify without shroud for use with Tequity panels.

Assembly

Included

- Single height post
- Panel connector
- Appropriate metal shroud

Top Cap Styles

3 – Beveled







Wall Starter/Wall Mounted Channel

						,		,
Panel Wall Starter								
	W	D	Н	H (Actual)	MODEL#	P1	P2	Р3
	1 ½"	1/2"	29"	23"	EP(3/N)PWS29	\$58	\$59	\$62
	1 1/2"	1/2"	41"	35"	EP(3/N)PWS41	\$58	\$59	\$62
	1 1/2"	1/2"	49"	43"	EP(3/N)PWS49	\$63	\$65	\$70
	1 ½"	1/2"	54"	49"	EP(3/N)PWS54	\$66	\$71	\$76
	1 1/2"	1/2"	61"	55"	EP(3/N)PWS61	\$66	\$71	\$76
	1 ½"	1/2"	66"	60"	EP(3/N)PWS66	\$68	\$73	\$80
	1 1/2"	1/2"	81"	75"	EP(3/N)PWS81	\$77	\$82	\$89

Wall Mounted Channel

2 %"	3/4"	29"	23"	EP3WMC29	\$147	\$152	\$159
2 %"	3/4"	41"	35"	EP3WMC41	\$147	\$152	\$159
2 %"	3/4"	49"	43"	EP3WMC49	\$151	\$158	\$166
2 %"	3/4"	54"	49"	EP3WMC54	\$154	\$161	\$169
2 %"	3/4"	61"	55"	EP3WMC61	\$171	\$177	\$188
2 %"	3/4"	66"	60"	EP3WMC66	\$176	\$189	\$194
2 %"	3/4"	81"	75"	EP3WMC81	\$214	\$221	\$232
2 %"	3/4"	120"	120"	EP3WMC120	\$330	\$345	\$361

Panel Wall Starter

Specify

- 1. Model #
- 2. Paint

Application Notes

Used to start a run of panels by fastening to an existing wall and attaching a connector assembly to it. Creates 1¼" space from face of wall to centerline of post. Constructed of steel.

NOTE: Neutral Posture assumes no responsibility for wall construction or performance of fasteners used.

Wall Mounted Channel

Specify

- 1. Model #
- 2. Paint

Application Notes

Allows hanging of all components and accessories on reinforced building walls.

NOTE: Neutral Posture assumes no responsibility for wall construction or performance of fasteners used.

Assembly

Included

- Panel top & bottom hook
- Panel connector

Not Included

• Fasteners to attach to wall

Ordered Separately

- Post
- Shrouds

Top Cap Styles
3 – Beveled





Assembly

Included

• Extruded aluminum channel

Single He	eight		PAINT			
Н	MODEL#	P1	P2	P3		
29"	EP3P29	\$122	\$125	\$128		
41"	EP3P41	\$124	\$127	\$130		
49"	EP3P49	\$127	\$130	\$133		
54"	EP3P54	\$130	\$133	\$136		
61"	EP3P61	\$138	\$141	\$144		
66"	EP3P66	\$141	\$144	\$147		
81"	EP3P81	\$155	\$158	\$161		

Dua	He	eia	ht

Dual licig				
29"/41"	EP3DP2941	\$205	\$216	\$227
29"/49"	EP3DP2949	\$217	\$228	\$239
29"/54"	EP3DP2954	\$217	\$228	\$239
29"/61"	EP3DP2961	\$232	\$243	\$254
29"/66"	EP3DP2966	\$232	\$243	\$254
29"/81"	EP3DP2981	\$258	\$269	\$280
41"/49"	EP3DP4149	\$217	\$228	\$239
41"/54"	EP3DP4154	\$217	\$228	\$239
41"/61"	EP3DP4161	\$232	\$243	\$254
41"/66"	EP3DP4166	\$232	\$243	\$254
41"/81"	EP3DP4181	\$258	\$269	\$280
49"/54"	EP3DP4954	\$217	\$228	\$239
49"/61"	EP3DP4961	\$232	\$243	\$254
49"/66"	EP3DP4966	\$232	\$243	\$254
49"/81"	EP3DP4981	\$258	\$269	\$280
54"/61"	EP3DP5461	\$232	\$243	\$254
54"/66"	EP3DP5466	\$232	\$243	\$254
54"/81"	EP3DP5481	\$258	\$269	\$280
61"/66"	EP3DP6166	\$232	\$243	\$254
61"/81"	EP3DP6181	\$258	\$269	\$280
66"/81"	EP3DP6681	\$258	\$269	\$280

		······	•••••••••••	• • • • • • • • • • • • • • • • • • • •
Triple Height			PAINT	
Н	MODEL#	P1	P2	P3
29"/41"/49"	EP3TP294149	\$258	\$269	\$280
29"/41"/54"	EP3TP294154	\$258	\$269	\$280
29"/41"/61"	EP3TP294161	\$266	\$277	\$288
29"/41"/66"	EP3TP294166	\$266	\$277	\$288
29"/41"/81"	EP3TP294181	\$304	\$315	\$326
29"/49"/54"	EP3TP294954	\$258	\$269	\$280
29"/49"/61"	EP3TP294961	\$266	\$277	\$288
29"/49"/66"	EP3TP294966	\$266	\$277	\$288
29"/49"/81"	EP3TP294981	\$304	\$315	\$326
29"/54"/61"	EP3TP295461	\$266	\$277	\$288
29"/54"/66"	EP3TP295466	\$266	\$277	\$288
29"/54"/81"	EP3TP295481	\$304	\$315	\$326
29"/61"/66"	EP3TP296166	\$266	\$277	\$288
29"/61"/81"	EP3TP296181	\$304	\$315	\$326
41"/49"/54"	EP3TP414954	\$258	\$269	\$280
41"/49"/61"	EP3TP414961	\$266	\$277	\$288
41"/49"/66"	EP3TP414966	\$266	\$277	\$288
41"/49"/81"	EP3TP414981	\$304	\$315	\$326
41"/54"/61"	EP3TP415461	\$266	\$277	\$288
41"/54"/66"	EP3TP415466	\$266	\$277	\$288
41"/54"/81"	EP3TP415481	\$304	\$315	\$326
41"/61"/66"	EP3TP416166	\$266	\$277	\$288
41"/61"/81"	EP3TP416181	\$304	\$315	\$326
49"/54"/61"	EP3TP495461	\$266	\$277	\$288
49"/54"/66"	EP3TP495466	\$266	\$277	\$288
49"/54"/81"	EP3TP495481	\$304	\$315	\$326
49"/61"/66"	EP3TP496166	\$266	\$277	\$288
49"/61"/81"	EP3TP496181	\$304	\$315	\$326
54"/61"/66"	EP3TP546166	\$266	\$277	\$288
54"/61"/81"	EP3TP546181	\$304	\$315	\$326

Specify

- 1. Model#
- 2. Paint

Application Notes

Bottom glides on post allow for up to 1 $\frac{1}{2}$ " of vertical adjustment.

Specify one multi-height panel connector (EP3PCMF) for each low panel when using either a dual or triple height post in a multi-height connection.

Dual Height Posts

Used where 2 monolithic panels of 2 different heights intersect.

Triple Height Posts Used where 3 monolithic panels of 3 different heights intersect.

Assembly

Included • Muti-height post

Ordered Separately

- Panel connectors
- Metal shrouds

Connectors/Shrouds

		· · · · · · · · · · · · · · · · · · ·		
Connectors			PAINT	
DESCRIPTION	MODEL#	P1	P2	P3
Straight	EP(3/N)PCS	\$48	\$51	\$54
2-way L	EP(3/N)PCL	\$48	\$51	\$54
2-way 120	EP(3/N)PC120	\$48	\$51	\$54
2-way adjustable angle	EPNPCA	\$62	\$65	\$68
3-way T	EP(3/N)PCT	\$62	\$65	\$68
3-way Y 120	EP(3/N)PCY	\$62	\$65	\$68
4-way X	EP(3/N)PCX	\$62	\$65	\$68
End	EP(3/N)PCEP	\$48	\$51	\$54
Multi-height filler	EP(3/N)PCMF	\$48	\$51	\$54
Trim filler	EPNPCT	\$48	\$51	\$54





Straight

2-way L

2-way Adjustable angle







3-way T

3-way Y 120

4-way X







Trim filler

Metal Shrouds								
DESCRIPTION	MODEL#	P1	P2	Р3				
Straight	EP3SS	\$36	\$39	\$43				
L outside	EP3SL	\$48	\$51	\$55				
120 outside	EP3SO120	\$48	\$51	\$55				
120 inside	EP3SI120	\$48	\$51	\$55				
End	EP3SEP	\$62	\$65	\$69				







Straight

L outside

120 outside



120 inside



Specify

- 1. Model#
- 2. Paint







COMPONENTS

Equity stack-on panels provide the flexibility to increase the overall height of any standard Equity panel.

The stack-on panel is available in all standard Equity widths and a variety of heights in both slotted and slotless versions.

STACK-ON PANELS W/ SLOTS

Stack-on panels with slots provide the capability to hang standard Equity components such as shelves and overheads as long as the weight load does not exceed 3lbs. per linear inch.

STACK-ON PANELS W/O SLOTS

Stack-on panels without slots do not allow for hanging components, but do provide a cleaner aesthetic when specifying window applications.

Up to two (2) load bearing stackon panels may be stacked on top of a standard Equity panel as long as the total height above the base panels is no taller than 40" and neither individual stackon panel is taller than 20".

Stack-on panel width must match the width of the panel it is stacking on.

Stack-on panel connectors must be used between adjacent stack-on panels.


STACK-ON PANEL CONNECTORS

STANDARD STACK-ON POST

Standard stack-on post bottom uses a conical shaped bolt that connects it to the full height post directly beneath it. Panel connectors for the top of the stack-on post must be ordered separately to match the geometry of the stack-on panels.


EXTENDED STACK-ON POST

Extended stack-on post bottom uses a double-threaded round connector to attach to the full-height post directly beneath it. Multi-height panel connectors (EPNPCMF) must be used on either side of this connector to provide a smooth transition for full-height post covers. Standard panel connectors are used along the top of the stack-on panels.





SPECIFYING STACK-ON CONFIGURATIONS

All connectors between the base panel and stack-on panel MUST have flat (N) profile.




Stack-On Configurations Using Standard Stack-on Posts









FLAT TOP CAP BEVELED TOP CAP


























Stack-On Configurations Using Standard Stack-on Posts








BEVELED TOP CAP


FLAT TOP CAP






















Fabric with Slots



12"	2" H FABRIC								PAINT		
W	MODEL#	А	В	C	D	E	F	G	Н	P2	Р3
12"	EP1SF1212	\$531	\$551	\$581	\$621	\$661	\$706	\$756	\$811	+ \$27	+ \$53
18"	EP1SF1812	\$557	\$577	\$607	\$647	\$687	\$732	\$782	\$837	+ \$27	+ \$53
24"	EP1SF2412	\$584	\$604	\$634	\$674	\$714	\$759	\$809	\$864	+ \$27	+ \$53
30"	EP1SF3012	\$610	\$630	\$660	\$700	\$740	\$785	\$835	\$890	+ \$27	+ \$53
36"	EP1SF3612	\$638	\$668	\$708	\$758	\$828	\$908	\$998	\$1,108	+ \$27	+ \$53
42"	EP1SF4212	\$664	\$694	\$734	\$784	\$854	\$934	\$1,024	\$1,134	+ \$27	+ \$53
48"	EP1SF4812	\$690	\$720	\$760	\$810	\$880	\$960	\$1,050	\$1,160	+ \$27	+ \$53
60"	EP1SF6012	\$717	\$747	\$787	\$837	\$907	\$987	\$1,077	\$1,187	+ \$27	+ \$53

1	3"	ŀ	֡
	12"		

12"	EP1SF1213	\$557	\$577	\$607	\$647	\$687	\$732	\$782	\$837	+ \$27	+ \$53
18"	EP1SF1813	\$584	\$604	\$634	\$674	\$714	\$759	\$809	\$864	+ \$27	+ \$53
24"	EP1SF2413	\$610	\$630	\$660	\$700	\$740	\$785	\$835	\$890	+ \$27	+ \$53
30"	EP1SF3013	\$638	\$678	\$728	\$788	\$858	\$948	\$1,048	\$1,168	+ \$27	+ \$53
36"	EP1SF3613	\$664	\$704	\$754	\$814	\$884	\$974	\$1,074	\$1,194	+ \$27	+ \$53
42"	EP1SF4213	\$690	\$730	\$780	\$840	\$910	\$1,000	\$1,100	\$1,220	+ \$27	+ \$53
48"	EP1SF4813	\$717	\$757	\$807	\$867	\$937	\$1,027	\$1,127	\$1,247	+ \$27	+ \$53
60"	EP1SF6013	\$743	\$783	\$833	\$893	\$963	\$1,053	\$1,153	\$1,273	+ \$27	+ \$53

15" H

12"	EP1SF1215	\$584	\$604	\$634	\$674	\$719	\$769	\$824	\$884	+ \$28	+ \$54
18"	EP1SF1815	\$610	\$630	\$660	\$700	\$745	\$795	\$850	\$910	+ \$28	+ \$54
24"	EP1SF2415	\$638	\$658	\$688	\$728	\$773	\$823	\$878	\$938	+ \$28	+ \$54
30"	EP1SF3015	\$664	\$704	\$754	\$814	\$884	\$984	\$1,094	\$1,214	+ \$28	+ \$54
36"	EP1SF3615	\$690	\$730	\$780	\$840	\$910	\$1,010	\$1,120	\$1,240	+ \$28	+ \$54
42"	EP1SF4215	\$717	\$757	\$807	\$867	\$937	\$1,037	\$1,147	\$1,267	+ \$28	+ \$54
48"	EP1SF4815	\$743	\$783	\$833	\$893	\$963	\$1,063	\$1,173	\$1,293	+ \$28	+ \$54
60"	EP1SF6015	\$770	\$810	\$860	\$920	\$990	\$1,090	\$1,200	\$1,320	+ \$28	+ \$54

Specify

- 1. Model#
- 2. Fabric
- 3. Paint

Assembly

- Included • Stack-on panel
- Flat (N) top cap attached to the bottom of stack-on panel

Not Included

• Top cap (use top cap from base panel)

Ordered Separately


- Stack-on posts
- Panel connectors

Top Cap Styles 3 – Beveled










		,									
17" H FABRIC									PAIN	т	
W	MODEL#	A	В	C	D	E	F	G	Н	P2	Р3
12"	EP1SF1217	\$610	\$640	\$680	\$725	\$775	\$830	\$890	\$955	+ \$27	+ \$53
18"	EP1SF1817	\$638	\$668	\$708	\$753	\$803	\$858	\$918	\$983	+ \$27	+ \$53
24"	EP1SF2417	\$664	\$694	\$734	\$779	\$829	\$884	\$944	\$1,009	+ \$27	+ \$53
30"	EP1SF3017	\$690	\$740	\$800	\$870	\$960	\$1,070	\$1,190	\$1,320	+ \$27	+ \$53
36"	EP1SF3617	\$717	\$767	\$827	\$897	\$987	\$1,097	\$1,217	\$1,347	+ \$27	+ \$53
42"	EP1SF4217	\$743	\$793	\$853	\$923	\$1,013	\$1,123	\$1,243	\$1,373	+ \$27	+ \$53
48"	EP1SF4817	\$770	\$820	\$880	\$950	\$1,040	\$1,150	\$1,270	\$1,400	+ \$27	+ \$53
60"	EP1SF6017	\$797	\$847	\$907	\$977	\$1,067	\$1,177	\$1,297	\$1,427	+ \$27	+ \$53

20" H

12"	EP1SF1220	\$638	\$668	\$708	\$753	\$803	\$858	\$918	\$988	+ \$27	+ \$53
18"	EP1SF1820	\$664	\$694	\$734	\$779	\$829	\$884	\$944	\$1,014	+ \$27	+ \$53
24"	EP1SF2420	\$690	\$720	\$760	\$805	\$855	\$910	\$970	\$1,040	+ \$27	+ \$53
30"	EP1SF3020	\$717	\$767	\$827	\$897	\$997	\$1,127	\$1,267	\$1,417	+ \$27	+ \$53
36"	EP1SF3620	\$743	\$793	\$853	\$923	\$1,023	\$1,153	\$1,293	\$1,443	+ \$27	+ \$53
42"	EP1SF4220	\$770	\$820	\$880	\$950	\$1,050	\$1,180	\$1,320	\$1,470	+ \$27	+ \$53
48"	EP1SF4820	\$809	\$859	\$919	\$989	\$1,089	\$1,219	\$1,359	\$1,509	+ \$27	+ \$53
60"	EP1SF6020	\$836	\$886	\$946	\$1,016	\$1,116	\$1,246	\$1,386	\$1,536	+ \$27	+ \$53

	Insert Type	W H
EP1S Stack-on Panel	F Fabric	36 20
EP1S	F	36 20

Fabric without Slots



		,		· · · · · · · · · · · · · · · · · · ·			· · · · · · · · · · · · · · · · · · ·	············	,	· · · · · · · · · · · · · · · · · · ·	
12"	H				FABI	RIC				PAIN	Т
W	MODEL#	A	В	C	D	E	F	G	Н	P2	P3
12"	EP1SF1212N	\$531	\$551	\$581	\$621	\$661	\$706	\$756	\$811	+ \$27	+ \$53
18"	EP1SF1812N	\$557	\$577	\$607	\$647	\$687	\$732	\$782	\$837	+ \$27	+ \$53
24"	EP1SF2412N	\$584	\$604	\$634	\$674	\$714	\$759	\$809	\$864	+ \$27	+ \$53
30"	EP1SF3012N	\$610	\$630	\$660	\$700	\$740	\$785	\$835	\$890	+ \$27	+ \$53
36"	EP1SF3612N	\$638	\$668	\$708	\$758	\$828	\$908	\$998	\$1,108	+ \$27	+ \$53
42"	EP1SF4212N	\$664	\$694	\$734	\$784	\$854	\$934	\$1,024	\$1,134	+ \$27	+ \$53
48"	EP1SF4812N	\$690	\$720	\$760	\$810	\$880	\$960	\$1,050	\$1,160	+ \$27	+ \$53
60"	EP1SF6012N	\$717	\$747	\$787	\$837	\$907	\$987	\$1,077	\$1,187	+ \$27	+ \$53
13"	Н										
12"	EP1SF1213N	\$557	\$577	\$607	\$647	\$687	\$732	\$782	\$837	+ \$27	+ \$53
18"	EP1SF1813N	\$584	\$604	\$634	\$674	\$714	\$759	\$809	\$864	+ \$27	+ \$53
24"	EP1SF2413N	\$610	\$630	\$660	\$700	\$740	\$785	\$835	\$890	+ \$27	+ \$53
30"	EP1SF3013N	\$638	\$678	\$728	\$788	\$858	\$948	\$1,048	\$1,168	+ \$27	+ \$53
36"	EP1SF3613N	\$664	\$704	\$754	\$814	\$884	\$974	\$1,074	\$1,194	+ \$27	+ \$53
42"	EP1SF4213N	\$690	\$730	\$780	\$840	\$910	\$1,000	\$1,100	\$1,220	+ \$27	+ \$53
48"	EP1SF4813N	\$717	\$757	\$807	\$867	\$937	\$1,027	\$1,127	\$1,247	+ \$27	+ \$53
60"	EP1SF6013N	\$743	\$783	\$833	\$893	\$963	\$1,053	\$1,153	\$1,273	+ \$27	+ \$53
15"	Н										
12"	EP1SF1215N	\$584	\$604	\$634	\$674	\$719	\$769	\$824	\$884	+ \$27	+ \$53
18"	EP1SF1815N	\$610	\$630	\$660	\$700	\$745	\$795	\$850	\$910	+ \$27	+ \$53
24"	EP1SF2415N	\$638	\$658	\$688	\$728	\$773	\$823	\$878	\$938	+ \$27	+ \$53
30"	EP1SF3015N	\$664	\$704	\$754	\$814	\$884	\$984	\$1,094	\$1,214	+ \$27	+ \$53
36"	EP1SF3615N	\$690	\$730	\$780	\$840	\$910	\$1,010	\$1,120	\$1,240	+ \$27	+ \$53
42"	EP1SF4215N	\$717	\$757	\$807	\$867	\$937	\$1,037	\$1,147	\$1,267	+ \$27	+ \$53
48"	EP1SF4815N	\$743	\$783	\$833	\$893	\$963	\$1,063	\$1,173	\$1,293	+ \$27	+ \$53
60"	EP1SF6015N	\$770	\$810	\$860	\$920	\$990	\$1,090	\$1,200	\$1,320	+ \$27	+ \$53
17"	Н										
12"	EP1SF1217N	\$610	\$640	\$680	\$725	\$775	\$830	\$890	\$955	+ \$27	+ \$53
18"	EP1SF1817N	\$638	\$668	\$708	\$753	\$803	\$858	\$918	\$983	+ \$27	+ \$53
24"	EP1SF2417N	\$664	\$694	\$734	\$779	\$829	\$884	\$944	\$1,009	+ \$27	+ \$53
30"	EP1SF3017N	\$690	\$740	\$800	\$870	\$960	\$1,070	\$1,190	\$1,320	+ \$27	+ \$53
36"	EP1SF3617N	\$717	\$767	\$827	\$897	\$987	\$1,097	\$1,217	\$1,347	+ \$27	+ \$53
42"	EP1SF4217N	\$743	\$793	\$853	\$923	\$1,013	\$1,123	\$1,243	\$1,373	+ \$27	+ \$53
48"	EP1SF4817N	\$770	\$820	\$880	\$950	\$1,040	\$1,150	\$1,270	\$1,400	+ \$27	+ \$53

-					•
2	D	е	c	1	T
_	•	-	п	-	٦,

1. Model #

EP1SF6017N

- 2. Fabric
- 3. Paint

Assembly

\$797

Included

• Stack-on panel

\$847

\$907

 Flat (N) top cap attached to the bottom of stack-on panel

Not Included

• Top cap (use top cap from base panel)

Ordered Separately

\$1,177

\$1,297

Stack-on posts

\$1,067

\$977

Panel connectors




Top Cap Styles

\$1,427

+ \$27








20"	u		······································	······································	•••••••••••••••••••••••••••••••••••••••	•••••••••••••••••••••••••••••••••••••••	•••••••••••••••••••••••••••••••••••••••	•••••••••••••••••••••••••••••••••••••••		•••••••••••••••••••••••••••••••••••••••	
	п				FABI	RIC				PAIN	<u>T</u>
W	MODEL#	A	В	C	D	E	F	G	Н	P2	P3
12"	EP1SF1220N	\$638	\$668	\$708	\$753	\$803	\$858	\$918	\$988	+ \$27	+ \$53
18"	EP1SF1820N	\$664	\$694	\$734	\$779	\$829	\$884	\$944	\$1,014	+ \$27	+ \$53
24"	EP1SF2420N	\$690	\$720	\$760	\$805	\$855	\$910	\$970	\$1,040	+ \$27	+ \$53
30"	EP1SF3020N	\$717	\$767	\$827	\$897	\$997	\$1,127	\$1,267	\$1,417	+ \$27	+ \$53
36"	EP1SF3620N	\$743	\$793	\$853	\$923	\$1,023	\$1,153	\$1,293	\$1,443	+ \$27	+ \$53
42"	EP1SF4220N	\$770	\$820	\$880	\$950	\$1,050	\$1,180	\$1,320	\$1,470	+ \$27	+ \$53
48"	EP1SF4820N	\$809	\$859	\$919	\$989	\$1,089	\$1,219	\$1,359	\$1,509	+ \$27	+ \$53
60"	EP1SF6020N	\$836	\$886	\$946	\$1,016	\$1,116	\$1,246	\$1,386	\$1,536	+ \$27	+ \$53
25"	Н										
12"	EP1SF1225N	\$664	\$694	\$734	\$779	\$839	\$909	\$989	\$1,079	+ \$27	+ \$53
18"	EP1SF1825N	\$690	\$720	\$760	\$805	\$865	\$935	\$1,015	\$1,105	+ \$27	+ \$53
24"	EP1SF2425N	\$717	\$747	\$787	\$832	\$892	\$962	\$1,042	\$1,132	+ \$27	+ \$53
30"	EP1SF3025N	\$743	\$793	\$853	\$933	\$1,063	\$1,213	\$1,373	\$1,543	+ \$27	+ \$53
36"	EP1SF3625N	\$770	\$820	\$880	\$960	\$1,090	\$1,240	\$1,400	\$1,570	+ \$27	+ \$53
42"	EP1SF4225N	\$797	\$847	\$907	\$987	\$1,117	\$1,267	\$1,427	\$1,597	+ \$27	+ \$53
48"	EP1SF4825N	\$836	\$886	\$946	\$1,026	\$1,156	\$1,306	\$1,466	\$1,636	+ \$27	+ \$53
60"	EP1SF6025N	\$889	\$939	\$999	\$1,079	\$1,209	\$1,359	\$1,519	\$1,689	+ \$27	+ \$53
32"	Н										
12"	EP1SF1232N	\$690	\$720	\$760	\$805	\$865	\$955	\$1,055	\$1,165	+ \$27	+ \$53
18"	EP1SF1832N	\$717	\$747	\$787	\$832	\$892	\$982	\$1,082	\$1,192	+ \$27	+ \$53
24"	EP1SF2432N	\$743	\$773	\$813	\$858	\$918	\$1,008	\$1,108	\$1,218	+ \$27	+ \$53
30"	EP1SF3032N	\$770	\$820	\$880	\$970	\$1,120	\$1,290	\$1,480	\$1,700	+ \$27	+ \$53
36"	EP1SF3632N	\$797	\$847	\$907	\$997	\$1,147	\$1,317	\$1,507	\$1,727	+ \$27	+ \$53
42"	EP1SF4232N	\$823	\$873	\$933	\$1,023	\$1,173	\$1,343	\$1,533	\$1,753	+ \$27	+ \$53
48"	EP1SF4832N	\$862	\$912	\$972	\$1,062	\$1,212	\$1,382	\$1,572	\$1,792	+ \$27	+ \$53
60"	EP1SF6032N	\$903	\$953	\$1,013	\$1,103	\$1,253	\$1,423	\$1,613	\$1,833	+ \$27	+ \$53
37"	Н										
12"	EP1SF1237N	\$717	\$757	\$807	\$867	\$947	\$1,037	\$1,137	\$1,247	+ \$27	+ \$53
18"	EP1SF1837N	\$743	\$783	\$833	\$893	\$973	\$1,063	\$1,163	\$1,273	+ \$27	+ \$53
24"	EP1SF2437N	\$770	\$810	\$860	\$920	\$1,000	\$1,090	\$1,190	\$1,300	+ \$27	+ \$53
30"	EP1SF3037N	\$797	\$867	\$947	\$1,037	\$1,197	\$1,367	\$1,567	\$1,817	+ \$27	+ \$53
36"	EP1SF3637N	\$823	\$893	\$973	\$1,063	\$1,223	\$1,393	\$1,593	\$1,843	+ \$27	+ \$53
42"	EP1SF4237N	\$850	\$920	\$1,000	\$1,090	\$1,250	\$1,420	\$1,620	\$1,870	+ \$27	+ \$53
48"	EP1SF4837N	\$889	\$959	\$1,039	\$1,129	\$1,289	\$1,459	\$1,659	\$1,909	+ \$27	+ \$53
60"	EP1SF6037N	\$929	\$999	\$1,079	\$1,169	\$1,329	\$1,499	\$1,699	\$1,949	+ \$27	+ \$53

	Insert Type	w	Н	Slots
EP1S Stack-on panel	F Fabric	36	37	N Without slots
,	;	,		;
EP1S		36		N

Insert with Slots



12" H			GLASS INSER	Г	LA	MINATE INSE	PAINT		
W	MODEL#	PG	GL	DG	L1	L2	L3	P2	Р3
12"	EP2S()1212	\$859	\$939	\$1,230	\$898	\$987	\$1,077	+ \$27	+ \$53
18"	EP2S()1812	\$885	\$977	\$1,270	\$925	\$1,017	\$1,110	+ \$27	+ \$53
24"	EP2S()2412	\$925	\$1,038	\$1,331	\$971	\$1,068	\$1,165	+ \$27	+ \$53
30"	EP2S()3012	\$951	\$1,078	\$1,395	\$997	\$1,096	\$1,196	+ \$27	+ \$53
36"	EP2S()3612	\$977	\$1,125	\$1,470	\$1,031	\$1,134	\$1,237	+ \$27	+ \$53
42"	EP2S()4212	\$1,005	\$1,163	\$1,536	\$1,058	\$1,163	\$1,269	+ \$27	+ \$53
48"	EP2S()4812	\$1,031	\$1,217	\$1,589	\$1,098	\$1,207	\$1,317	+ \$27	+ \$53
60"	EP2S()6012	\$1,058	\$1,296	\$1,762	\$1,163	\$1,279	\$1,395	+ \$27	+ \$53

1	3"	H
	12"	

12"	EP2S()1213	\$913	\$992	\$1,284	\$951	\$1,046	\$1,141	+ \$27	+ \$53
18"	EP2S()1813	\$939	\$1,031	\$1,323	\$977	\$1,074	\$1,172	+ \$27	+ \$53
24"	EP2S()2413	\$965	\$1,078	\$1,395	\$1,012	\$1,113	\$1,214	+ \$27	+ \$53
30"	EP2S()3013	\$992	\$1,117	\$1,463	\$1,038	\$1,141	\$1,245	+ \$27	+ \$53
36"	EP2S()3613	\$1,018	\$1,163	\$1,536	\$1,071	\$1,178	\$1,285	+ \$27	+ \$53
42"	EP2S()4213	\$1,045	\$1,204	\$1,602	\$1,098	\$1,207	\$1,317	+ \$27	+ \$53
48"	EP2S()4813	\$1,071	\$1,257	\$1,709	\$1,137	\$1,250	\$1,364	+ \$27	+ \$53
60"	EP2S()6013	\$1,084	\$1,323	\$1,854	\$1,191	\$1,310	\$1,429	+ \$27	+ \$53

15"

12"	EP2S()1215	\$939	\$1,018	\$1,311	\$977	\$1,074	\$1,172	+ \$27	+ \$53
18"	EP2S()1815	\$965	\$1,058	\$1,349	\$1,005	\$1,105	\$1,206	+ \$27	+ \$53
24"	EP2S()2415	\$992	\$1,104	\$1,423	\$1,038	\$1,141	\$1,245	+ \$27	+ \$53
30"	EP2S()3015	\$1,018	\$1,145	\$1,490	\$1,064	\$1,170	\$1,276	+ \$27	+ \$53
36"	EP2S()3615	\$1,045	\$1,191	\$1,563	\$1,098	\$1,207	\$1,317	+ \$27	+ \$53
42"	EP2S()4215	\$1,071	\$1,230	\$1,630	\$1,125	\$1,237	\$1,350	+ \$27	+ \$53
48"	EP2S()4815	\$1,084	\$1,270	\$1,722	\$1,151	\$1,266	\$1,381	+ \$27	+ \$53
60"	EP2S()6015	\$1,111	\$1,349	\$1,881	\$1,217	\$1,338	\$1,460	+ \$27	+ \$53

Specify

- 1. Model #
- 2. Insert type
- 3. Insert color4. Paint

Plexiglass Finishes

CL . . Clear **IC** . . . lce

SM..Smoked **TR**..Translucent

Glass Finishes

CL . . Clear GR . . Grey SM . . Smoked

TR . . Translucent

Assembly

Included • Stack-on panel


 Flat (N) top cap attached to the bottom of stack-on panel

Not Included

• Top cap (use top cap from base panel)

Ordered Separately

- Stack-on posts
- Panel connectors




		g			,			,	,
17" H		G	GLASS INSERT			MINATE INSE	PAINT		
W	MODEL#	PG	GL	DG	L1	L2	L3	P2	Р3
12"	EP2S()1217	\$965	\$1,045	\$1,337	\$992	\$1,091	\$1,190	+ \$27	+ \$53
18"	EP2S()1817	\$992	\$1,084	\$1,403	\$1,031	\$1,134	\$1,237	+ \$27	+ \$53
24"	EP2S()2417	\$1,018	\$1,130	\$1,476	\$1,064	\$1,170	\$1,276	+ \$27	+ \$53
30"	EP2S()3017	\$1,045	\$1,171	\$1,543	\$1,091	\$1,200	\$1,309	+ \$27	+ \$53
36"	EP2S()3617	\$1,071	\$1,217	\$1,615	\$1,125	\$1,237	\$1,350	+ \$27	+ \$53
42"	EP2S()4217	\$1,084	\$1,244	\$1,695	\$1,137	\$1,250	\$1,364	+ \$27	+ \$53
48"	EP2S()4817	\$1,111	\$1,296	\$1,801	\$1,178	\$1,295	\$1,413	+ \$27	+ \$53
60"	EP2S()6017	\$1,137	\$1,377	\$1,961	\$1,244	\$1,368	\$1,492	+ \$27	+ \$53

20" H									
12"	EP2S()1220	\$992	\$1,071	\$1,416	\$1,031	\$1,134	\$1,237	+ \$27	+ \$53
18"	EP2S()1820	\$1,018	\$1,111	\$1,456	\$1,058	\$1,163	\$1,269	+ \$27	+ \$53
24"	EP2S()2420	\$1,045	\$1,157	\$1,529	\$1,091	\$1,200	\$1,309	+ \$27	+ \$53
30"	EP2S()3020	\$1,071	\$1,197	\$1,569	\$1,117	\$1,228	\$1,340	+ \$27	+ \$53
36"	EP2S()3620	\$1,084	\$1,230	\$1,683	\$1,137	\$1,250	\$1,364	+ \$27	+ \$53
42"	EP2S()4220	\$1,111	\$1,270	\$1,775	\$1,163	\$1,279	\$1,395	+ \$27	+ \$53
48"	EP2S()4820	\$1,137	\$1,323	\$1,881	\$1,204	\$1,324	\$1,444	+ \$27	+ \$53
60"	EP2S()6020	\$1,163	\$1,403	\$2,040	\$1,270	\$1,397	\$1,524	+ \$27	+ \$53

	Insert Type	W H
EP2S Stack-on panel	DG Designer glass insert GL Glass insert PG Plexiglass insert LM Laminate insert	36 15
EP2S	PG	36 15

Insert without Slots



12" H			GLASS INSERT			MINATE INSE	PAINT		
W	MODEL#	PG	GL	DG	L1	L2	L3	P2	Р3
12"	EP2S()1212N	\$859	\$939	\$1,230	\$898	\$987	\$1,077	+ \$27	+ \$53
18"	EP2S()1812N	\$885	\$977	\$1,270	\$925	\$1,017	\$1,110	+ \$27	+ \$53
24"	EP2S()2412N	\$925	\$1,038	\$1,331	\$971	\$1,068	\$1,165	+ \$27	+ \$53
30"	EP2S()3012N	\$951	\$1,078	\$1,395	\$997	\$1,096	\$1,196	+ \$27	+ \$53
36"	EP2S()3612N	\$977	\$1,125	\$1,470	\$1,031	\$1,134	\$1,237	+ \$27	+ \$53
42"	EP2S()4212N	\$1,005	\$1,163	\$1,536	\$1,058	\$1,163	\$1,269	+ \$27	+ \$53
48"	EP2S()4812N	\$1,031	\$1,217	\$1,589	\$1,098	\$1,207	\$1,317	+ \$27	+ \$53
60"	EP2S()6012N	\$1,058	\$1,296	\$1,762	\$1,163	\$1,279	\$1,395	+ \$27	+ \$53

13" H

12"	EP2S()1213N	\$913	\$992	\$1,284	\$951	\$1,046	\$1,141	+ \$27	+ \$53
18"	EP2S()1813N	\$939	\$1,031	\$1,323	\$977	\$1,074	\$1,172	+ \$27	+ \$53
24"	EP2S()2413N	\$965	\$1,078	\$1,395	\$1,012	\$1,113	\$1,214	+ \$27	+ \$53
30"	EP2S()3013N	\$992	\$1,117	\$1,463	\$1,038	\$1,141	\$1,245	+ \$27	+ \$53
36"	EP2S()3613N	\$1,018	\$1,163	\$1,536	\$1,071	\$1,178	\$1,285	+ \$27	+ \$53
42"	EP2S()4213N	\$1,045	\$1,204	\$1,602	\$1,098	\$1,207	\$1,317	+ \$27	+ \$53
48"	EP2S()4813N	\$1,071	\$1,257	\$1,709	\$1,137	\$1,250	\$1,364	+ \$27	+ \$53
60"	EP2S()6013N	\$1,084	\$1,323	\$1,854	\$1,191	\$1,310	\$1,429	+ \$27	+ \$53

15" H

12"	EP2S()1215N	\$939	\$1,018	\$1,311	\$977	\$1,074	\$1,172	+ \$27	+ \$53
18"	EP2S()1815N	\$965	\$1,058	\$1,349	\$1,005	\$1,105	\$1,206	+ \$27	+ \$53
24"	EP2S()2415N	\$992	\$1,104	\$1,423	\$1,038	\$1,141	\$1,245	+ \$27	+ \$53
30"	EP2S()3015N	\$1,018	\$1,145	\$1,490	\$1,064	\$1,170	\$1,276	+ \$27	+ \$53
36"	EP2S()3615N	\$1,045	\$1,191	\$1,563	\$1,098	\$1,207	\$1,317	+ \$27	+ \$53
42"	EP2S()4215N	\$1,071	\$1,230	\$1,630	\$1,125	\$1,237	\$1,350	+ \$27	+ \$53
48"	EP2S()4815N	\$1,084	\$1,270	\$1,722	\$1,151	\$1,266	\$1,381	+ \$27	+ \$53
60"	EP2S()6015N	\$1,111	\$1,349	\$1,881	\$1,217	\$1,338	\$1,460	+ \$27	+ \$53

17" H

12"	EP2S()1217N	\$965	\$1,045	\$1,337	\$992	\$1,091	\$1,190	+ \$27	+ \$53
18"	EP2S()1817N	\$992	\$1,084	\$1,403	\$1,031	\$1,134	\$1,237	+ \$27	+ \$53
24"	EP2S()2417N	\$1,018	\$1,130	\$1,476	\$1,064	\$1,170	\$1,276	+ \$27	+ \$53
30"	EP2S()3017N	\$1,045	\$1,171	\$1,543	\$1,091	\$1,200	\$1,309	+ \$27	+ \$53
36"	EP2S()3617N	\$1,071	\$1,217	\$1,615	\$1,125	\$1,237	\$1,350	+ \$27	+ \$53
42"	EP2S()4217N	\$1,084	\$1,244	\$1,695	\$1,137	\$1,250	\$1,364	+ \$27	+ \$53
48"	EP2S()4817N	\$1,111	\$1,296	\$1,801	\$1,178	\$1,295	\$1,413	+ \$27	+ \$53
60"	EP2S()6017N	\$1,137	\$1,377	\$1,961	\$1,244	\$1,368	\$1,492	+ \$27	+ \$53

Specify

- 1. Model#
- Insert Type
 Insert color
- 4. Paint

Plexiglass Finishes

CL . . Clear $\textbf{IC} \dots \mathsf{lce}$

 $\pmb{\mathsf{SM}}..\mathsf{Smoked}$

TR . . Translucent

Glass Finishes

CL ...Clear $\textbf{GR} \dots \mathsf{Grey}$ **SM**..Smoked

 $\textbf{TR} \ \dots \text{Translucent}$

Assembly

Included • Stack-on panel

• Flat (N) top cap attached to the bottom of stack-on panel


Not Included

• Top cap (use top cap from base panel)

Ordered Separately

- Stack-on posts
- Panel connectors


Insert without Slots



20" H									
			LASS INSERT			MINATE INSE		PAINT	
W	MODEL#	PG	GL	DG	L1	L2	L3	P2	P3
12"	EP2S()1220N	\$992	\$1,071	\$1,416	\$1,031	\$1,134	\$1,237	+ \$27	+ \$53
18"	EP2S()1820N	\$1,018	\$1,111	\$1,456	\$1,058	\$1,163	\$1,269	+ \$27	+ \$53
24"	EP2S()2420N	\$1,045	\$1,157	\$1,529	\$1,091	\$1,200	\$1,309	+ \$27	+ \$53
30"	EP2S()3020N	\$1,071	\$1,197	\$1,569	\$1,117	\$1,228	\$1,340	+ \$27	+ \$53
36"	EP2S()3620N	\$1,084	\$1,230	\$1,683	\$1,137	\$1,250	\$1,364	+ \$27	+ \$53
42"	EP2S()4220N	\$1,111	\$1,270	\$1,775	\$1,163	\$1,279	\$1,395	+ \$27	+ \$53
48"	EP2S()4820N	\$1,137	\$1,323	\$1,881	\$1,204	\$1,324	\$1,444	+ \$27	+ \$53
60"	EP2S()6020N	\$1,163	\$1,403	\$2,040	\$1,270	\$1,397	\$1,524	+ \$27	+ \$53
25" H									
12"	EP2S()1225N	\$1,031	\$1,111	\$1,456	\$1,071	\$1,178	\$1,285	+ \$27	+ \$53
18"	EP2S()1825N	\$1,058	\$1,151	\$1,497	\$1,098	\$1,207	\$1,317	+ \$27	+ \$53
24"	EP2S()2425N	\$1,084	\$1,197	\$1,569	\$1,130	\$1,243	\$1,356	+ \$27	+ \$53
30"	EP2S()3025N	\$1,111	\$1,237	\$1,635	\$1,157	\$1,272	\$1,388	+ \$27	+ \$53
36"	EP2S()3625N	\$1,137	\$1,284	\$1,735	\$1,191	\$1,310	\$1,429	+ \$27	+ \$53
42"	EP2S()4225N	\$1,163	\$1,323	\$1,828	\$1,217	\$1,338	\$1,460	+ \$27	+ \$53
48"	EP2S()4825N	\$1,204	\$1,377	\$1,934	\$1,257	\$1,382	\$1,508	+ \$27	+ \$53
60"	EP2S()6025N	\$1,244	\$1,456	\$2,147	\$1,323	\$1,455	\$1,587	+ \$27	+ \$53
32" H									
12"	EP2S()1232N	\$1,058	\$1,137	\$1,482	\$1,098	\$1,207	\$1,317	+ \$27	+ \$53
18"	EP2S()1832N	\$1,084	\$1,178	\$1,549	\$1,125	\$1,237	\$1,350	+ \$27	+ \$53
24"	EP2S()2432N	\$1,111	\$1,224	\$1,622	\$1,157	\$1,272	\$1,388	+ \$27	+ \$53
30"	EP2S()3032N	\$1,137	\$1,263	\$1,741	\$1,183	\$1,301	\$1,419	+ \$27	+ \$53
36"	EP2S()3632N	\$1,163	\$1,311	\$1,868	\$1,217	\$1,338	\$1,460	+ \$27	+ \$53
42"	EP2S()4232N	\$1,191	\$1,349	\$1,987	\$1,244	\$1,368	\$1,492	+ \$27	+ \$53
48"	EP2S()4832N	\$1,230	\$1,416	\$2,107	\$1,296	\$1,425	\$1,555	+ \$27	+ \$53
60"	EP2S()6032N	\$1,296	\$1,536	\$2,333	\$1,403	\$1,543	\$1,683	+ \$27	+ \$53
37" H									
12"	EP2S()1237N	\$1,084	\$1,163	\$1,536	\$1,125	\$1,237	\$1,350	+ \$27	+ \$53
18"	EP2S()1837N	\$1,111	\$1,217	\$1,615	\$1,163	\$1,279	\$1,395	+ \$27	+ \$53
24"	EP2S()2437N	\$1,137	\$1,270	\$1,749	\$1,204	\$1,324	\$1,444	+ \$27	+ \$53
30"	EP2S()3037N	\$1,163	\$1,323	\$1,881	\$1,244	\$1,368	\$1,492	+ \$27	+ \$53
36"	EP2S()3637N	\$1,191	\$1,377	\$2,014	\$1,284	\$1,412	\$1,540	+ \$27	+ \$53
42"	EP2S()4237N	\$1,217	\$1,430	\$2,120	\$1,323	\$1,455	\$1,587	+ \$27	+ \$53
48"	EP2S()4837N	\$1,257	\$1,497	\$2,240	\$1,377	\$1,514	\$1,652	+ \$27	+ \$53
60"	EP2S()6037N	\$1,323	\$1,589	\$2,519	\$1,456	\$1,601	\$1,747	+ \$27	+ \$53

	Insert Type	w	Н	Slots
EP2S Stack-on panel	DG Designer glass insert GL Glass insert PG Plexiglass insert LM Laminate insert	36	15	N Without Slots
EP2S	PG	36	15	N

Perforated Aluminum Insert with Slots



12" H	12" H		ı	NSERT PAINT		PAII	NT
W	MODEL#	PA	P1	P2	P3	P2	P3
12"	EP2SPA1212	\$859	\$909	\$929	\$949	+ \$27	+ \$53
18"	EP2SPA1812	\$885	\$935	\$955	\$975	+ \$27	+ \$53
24"	EP2SPA2412	\$925	\$975	\$995	\$1,015	+ \$27	+ \$53
30"	EP2SPA3012	\$951	\$1,011	\$1,031	\$1,051	+ \$27	+ \$53
36"	EP2SPA3612	\$977	\$1,037	\$1,057	\$1,077	+ \$27	+ \$53
42"	EP2SPA4212	\$1,005	\$1,065	\$1,085	\$1,105	+ \$27	+ \$53
48"	EP2SPA4812	\$1,031	\$1,091	\$1,111	\$1,131	+ \$27	+ \$53
60"	EP2SPA6012	\$1,058	\$1,138	\$1,168	\$1,198	+ \$27	+ \$53

13" H							
12"	EP2SPA1213	\$913	\$963	\$983	\$1,003	+ \$27	+ \$53
18"	EP2SPA1813	\$939	\$989	\$1,009	\$1,029	+ \$27	+ \$53
24"	EP2SPA2413	\$965	\$1,025	\$1,045	\$1,065	+ \$27	+ \$53
30"	EP2SPA3013	\$992	\$1,052	\$1,072	\$1,092	+ \$27	+ \$53
36"	EP2SPA3613	\$1,018	\$1,078	\$1,098	\$1,118	+ \$27	+ \$53
42"	EP2SPA4213	\$1,045	\$1,105	\$1,125	\$1,145	+ \$27	+ \$53
48"	EP2SPA4813	\$1,071	\$1,131	\$1,151	\$1,181	+ \$27	+ \$53
60"	EP2SPA6013	\$1,084	\$1,174	\$1,204	\$1,244	+ \$27	+ \$53
15"							

15"							
12"	EP2SPA1215	\$939	\$989	\$1,009	\$1,029	+ \$27	+ \$53
18"	EP2SPA1815	\$965	\$1,015	\$1,035	\$1,055	+ \$27	+ \$53
24"	EP2SPA2415	\$992	\$1,042	\$1,072	\$1,092	+ \$27	+ \$53
30"	EP2SPA3015	\$1,018	\$1,068	\$1,108	\$1,128	+ \$27	+ \$53
36"	EP2SPA3615	\$1,045	\$1,105	\$1,145	\$1,165	+ \$27	+ \$53
42"	EP2SPA4215	\$1,071	\$1,131	\$1,181	\$1,201	+ \$27	+ \$53
48"	EP2SPA4815	\$1,084	\$1,154	\$1,214	\$1,234	+ \$27	+ \$53
60"	EP2SPA6015	\$1,111	\$1,211	\$1,271	\$1,301	+ \$27	+ \$53

S	p	e	c	i	fy	

- 1. Model #
- 2. Insert color
- 3. Paint

Assembly

Included

- Stack-on panel
- Flat (N) top cap attached to the bottom of stack-on panel


Not Included

• Top cap (use top cap from base panel)

Ordered Separately

- Stack-on posts
- Panel connectors

Perforated Aluminum Insert with Slots




17" H		II	NSERT PAIN	Г	PAINT		
W	MODEL#	PA	P1	P2	P3	P2	P3
12"	EP2SPA1217	\$965	\$1,015	\$1,035	\$1,055	+ \$27	+ \$53
18"	EP2SPA1817	\$992	\$1,042	\$1,062	\$1,082	+ \$27	+ \$53
24"	EP2SPA2417	\$1,018	\$1,078	\$1,098	\$1,118	+ \$27	+ \$53
30"	EP2SPA3017	\$1,045	\$1,105	\$1,135	\$1,155	+ \$27	+ \$53
36"	EP2SPA3617	\$1,071	\$1,141	\$1,171	\$1,191	+ \$27	+ \$53
42"	EP2SPA4217	\$1,084	\$1,164	\$1,204	\$1,224	+ \$27	+ \$53
48"	EP2SPA4817	\$1,111	\$1,201	\$1,251	\$1,271	+ \$27	+ \$53
60"	EP2SPA6017	\$1,137	\$1,257	\$1,307	\$1,337	+ \$27	+ \$53

20" H 12" EP2SPA1220 \$992 \$1,042 \$1,062 \$1,082 + \$27 + \$53 18" EP2SPA1820 \$1,108 + \$53 \$1,018 \$1,068 \$1,088 + \$27 24" EP2SPA2420 \$1,145 \$1,045 \$1,095 \$1,125 + \$27 + \$53 30" EP2SPA3020 \$1,071 \$1,131 \$1,161 \$1,181 + \$27 + \$53 36" EP2SPA3620 \$1,084 \$1,164 + \$27 + \$53 \$1,204 \$1,224 42" \$1,111 \$1,191 EP2SPA4220 \$1,251 \$1,271 + \$27 + \$53 48" EP2SPA4820 \$1,227 + \$53 \$1,137 \$1,297 \$1,327 + \$27 \$1,163 \$1,403 60" EP2SPA6020 \$1,303 \$1,353 + \$27 + \$53

Insert Type	W	Н
PA Perforated Aluminum	36	15
PA	36	15
	PA Perforated Aluminum	PA Perforated Aluminum 36

Perforated Aluminum Insert without Slots



12" H			ı	NSERT PAINT		PAIN	١T
W	MODEL#	PA	P1	P2	P3	P2	P3
12"	EP2SPA1212N	\$859	\$909	\$929	\$949	+ \$27	+ \$53
18"	EP2SPA1812N	\$885	\$935	\$955	\$975	+ \$27	+ \$53
24"	EP2SPA2412N	\$925	\$975	\$995	\$1,015	+ \$27	+ \$53
30"	EP2SPA3012N	\$951	\$1,011	\$1,031	\$1,051	+ \$27	+ \$53
36"	EP2SPA3612N	\$977	\$1,037	\$1,057	\$1,077	+ \$27	+ \$53
42"	EP2SPA4212N	\$1,005	\$1,065	\$1,085	\$1,105	+ \$27	+ \$53
48"	EP2SPA4812N	\$1,031	\$1,091	\$1,111	\$1,131	+ \$27	+ \$53
60"	EP2SPA6012N	\$1,058	\$1,138	\$1,168	\$1,198	+ \$27	+ \$53

1	3"	ŀ

12"	EP2SPA1213N	\$913	\$963	\$983	\$1,003	+ \$27	+ \$53
18"	EP2SPA1813N	\$939	\$989	\$1,009	\$1,029	+ \$27	+ \$53
24"	EP2SPA2413N	\$965	\$1,025	\$1,045	\$1,065	+ \$27	+ \$53
30"	EP2SPA3013N	\$992	\$1,052	\$1,072	\$1,092	+ \$27	+ \$53
36"	EP2SPA3613N	\$1,018	\$1,078	\$1,098	\$1,118	+ \$27	+ \$53
42"	EP2SPA4213N	\$1,045	\$1,105	\$1,125	\$1,145	+ \$27	+ \$53
48"	EP2SPA4813N	\$1,071	\$1,131	\$1,151	\$1,181	+ \$27	+ \$53
60"	EP2SPA6013N	\$1,084	\$1,174	\$1,204	\$1,244	+ \$27	+ \$53

15" H

12"	EP2SPA1215N	\$939	\$989	\$1,009	\$1,029	+ \$27	+ \$53
18"	EP2SPA1815N	\$965	\$1,015	\$1,035	\$1,055	+ \$27	+ \$53
24"	EP2SPA2415N	\$992	\$1,042	\$1,072	\$1,092	+ \$27	+ \$53
30"	EP2SPA3015N	\$1,018	\$1,068	\$1,108	\$1,128	+ \$27	+ \$53
36"	EP2SPA3615N	\$1,045	\$1,105	\$1,145	\$1,165	+ \$27	+ \$53
42"	EP2SPA4215N	\$1,071	\$1,131	\$1,181	\$1,201	+ \$27	+ \$53
48"	EP2SPA4815N	\$1,084	\$1,154	\$1,214	\$1,234	+ \$27	+ \$53
60"	EP2SPA6015N	\$1,111	\$1,211	\$1,271	\$1,301	+ \$27	+ \$53

17" H

12"	EP2SPA1217N	\$965	\$1,015	\$1,035	\$1,055	+ \$27	+ \$53
18"	EP2SPA1817N	\$992	\$1,042	\$1,062	\$1,082	+ \$27	+ \$53
24"	EP2SPA2417N	\$1,018	\$1,078	\$1,098	\$1,118	+ \$27	+ \$53
30"	EP2SPA3017N	\$1,045	\$1,105	\$1,135	\$1,155	+ \$27	+ \$53
36"	EP2SPA3617N	\$1,071	\$1,141	\$1,171	\$1,191	+ \$27	+ \$53
42"	EP2SPA4217N	\$1,084	\$1,164	\$1,204	\$1,224	+ \$27	+ \$53
48"	EP2SPA4817N	\$1,111	\$1,201	\$1,251	\$1,271	+ \$27	+ \$53
60"	EP2SPA6017N	\$1,137	\$1,257	\$1,307	\$1,337	+ \$27	+ \$53

Specify

- 1. Model#
- 2. Insert color
- 3. Paint

Assembly

Included

- Stack-on panel
- Flat (N) top cap attached to the bottom of stack-on panel


Not Included

• Top cap (use top cap from base panel)

Ordered Separately

- Stack-on posts
- Panel connectors


Stack-on PanelsPerforated Aluminum Insert without Slots



)" H			1	NSERT PAINT		PAII	NT
W	MODEL#	PA	P1	P2	Р3	P2	P3
12"	EP2SPA1220N	\$992	\$1,042	\$1,062	\$1,082	+ \$27	+ \$53
18"	EP2SPA1820N	\$1,018	\$1,068	\$1,088	\$1,108	+ \$27	+ \$53
24"	EP2SPA2420N	\$1,045	\$1,095	\$1,125	\$1,145	+ \$27	+ \$53
30"	EP2SPA3020N	\$1,071	\$1,131	\$1,161	\$1,181	+ \$27	+ \$53
36"	EP2SPA3620N	\$1,084	\$1,164	\$1,204	\$1,224	+ \$27	+ \$53
42"	EP2SPA4220N	\$1,111	\$1,191	\$1,251	\$1,271	+ \$27	+ \$53
48"	EP2SPA4820N	\$1,137	\$1,227	\$1,297	\$1,327	+ \$27	+ \$53
60"	EP2SPA6020N	\$1,163	\$1,303	\$1,353	\$1,403	+ \$27	+ \$5
5" H							
12"	EP2SPA1225N	\$1,031	\$1,081	\$1,101	\$1,121	+ \$27	+ \$5
18"	EP2SPA1825N	\$1,058	\$1,108	\$1,138	\$1,158	+ \$27	+ \$5
24"	EP2SPA2425N	\$1,084	\$1,144	\$1,174	\$1,194	+ \$27	+ \$5
30"	EP2SPA3025N	\$1,111	\$1,171	\$1,221	\$1,241	+ \$27	+ \$5
36"	EP2SPA3625N	\$1,137	\$1,207	\$1,267	\$1,287	+ \$27	+ \$5
42"	EP2SPA4225N	\$1,163	\$1,243	\$1,313	\$1,333	+ \$27	+ \$5
48"	EP2SPA4825N	\$1,204	\$1,294	\$1,364	\$1,394	+ \$27	+ \$5
60"	EP2SPA6025N	\$1,244	\$1,384	\$1,424	\$1,464	+ \$27	+ \$5
2" H	FDCCDA cook	£1.050	ć1 100	ć1 120	¢1.140 :	. 627	. 65
12"	EP2SPA1232N	\$1,058	\$1,108	\$1,128	\$1,148	+ \$27	+ \$53
18"	EP2SPA1832N	\$1,084	\$1,134	\$1,164	\$1,184	+ \$27	+ \$5
24"	EP2SPA2432N	\$1,111	\$1,171	\$1,201	\$1,221	+ \$27	+ \$5
30"	EP2SPA3032N	\$1,137	\$1,227	\$1,257	\$1,277	+ \$27	+ \$5
36"	EP2SPA3632N	\$1,163	\$1,273	\$1,313	\$1,333	+ \$27	+ \$5
42"	EP2SPA4232N	\$1,191	\$1,311	\$1,371	\$1,391	+ \$27	+ \$5
48"	EP2SPA4832N	\$1,230	\$1,350	\$1,430	\$1,450	+ \$27	+ \$5
60"	EP2SPA6032N	\$1,296	\$1,456	\$1,536	\$1,566	+ \$27	+ \$5
7" H							
12"	EP2SPA1237N	\$1,084	\$1,134	\$1,154	\$1,174	+ \$27	+ \$53
18"	EP2SPA1837N	\$1,111	\$1,161	\$1,191	\$1,211	+ \$27	+ \$53
24"	EP2SPA2437N	\$1,137	\$1,197	\$1,227	\$1,257	+ \$27	+ \$5
30"	EP2SPA3037N	\$1,163	\$1,263	\$1,293	\$1,323	+ \$27	+ \$5
36"	EP2SPA3637N	\$1,191	\$1,321	\$1,351	\$1,391	+ \$27	+ \$5
42"	EP2SPA4237N	\$1,217	\$1,357	\$1,407	\$1,457	+ \$27	+ \$5
48"	EP2SPA4837N	\$1,257	\$1,407	\$1,467	\$1,527	+ \$27	+ \$5

	Insert Type	W	Н	Slots
EP2S Stack-on panel	PA Perforated Aluminum	36	15	N Without Slots
EP2S	PA	36	15	N







Extended

LACCIIC	~							
12"	EP1SPC12E		\$165	\$170	\$175			
13"	EP1SPC13E		\$179	\$184	\$189			
15"	EP1SPC15E		\$191	\$196	\$201			
17"	EP1SPC17E		\$205	\$210	\$215			
20"	EP1SPC20E		\$232	\$242	\$252			
25"	EP1SPC25E		\$251	\$261	\$271			
32"	EP1SPC32E		\$266	\$276	\$286			
37"	EP1SPC37E		\$278	\$288	\$298			
Panel connectors must be ordered separately.								

Specify

- 1. Model#
- 2. Paint

Application Notes

Stack-on post must be used between adjacent stack-on panels.

Standard Stack-on

Standard stack-on post bottom uses a conical shaped bolt that connects it to the connector directly beneath it. Panel connectors for the top of the stack-on post must be ordered separately to match the geometry of the stack-on panels.

Extended Stack-on

Extended stack-on post bottom uses a double-threaded round connector to attach to the full-height post directly beneath it. Multi-height panel connectors (EPNPCMF) must be used on either side of the bottom of this connector to provide a smooth transition. Standard panel connectors are used along the top of the stack-on panels.



Coat Hook Straight

DESCRIPTION	W	D	Н	MODEL#	BLACK OR MATTE ALUM
5 Pack	1/8"	1 3/8"	2 3/8"	EP3MMCH (B/P)	\$187



Coat Hook Postless End

5 Pack	1 3/8"	3/8"	2 3/8"	EP3MMCHPE (R/L)(B/P)	\$187
3 r dek	1 /0	70	2 /0	21 311111111111111111111111111111111111	¥107

Specify


- 1. Model#
- 2. Paint

Coat Hook

Aluminum coat hook attaches to any exposed Equity vertical slot. There are two versions. The straight version will work on any Equity vertical slot except for those on an inside corner. The postless end version is handed and extends beyond the edge of a panel with a postless end. Hand is determined by which side of the panel the coat hook is installed on while facing the panel.


Available in two colors

Black (B) Matte Aluminum (P)




8" H

W	Н	MODEL#	LIST
12"	8"	EPFLGL1208	\$185
18"	8"	EPFLGL1808	\$251
24"	8"	EPFLGL2408	\$319
30"	8"	EPFLGL3008	\$385
36"	8"	EPFLGL3608	\$452
42"	8"	EPFLGL4208	\$517
48"	8"	EPFLGL4808	\$584
60"	8"	EPFLGL6008	\$650
66"	8"	EPFLGL6608	\$717
72"	8"	EPFLGL7208	\$783



12" H

W	Н	MODEL#	LIST
12"	12"	EPFLGL1212	\$251
18"	12"	EPFLGL1812	\$331
24"	12"	EPFLGL2412	\$411
30"	12"	EPFLGL3012	\$478
36"	12"	EPFLGL3612	\$544
42"	12"	EPFLGL4212	\$610
48"	12"	EPFLGL4812	\$676
60"	12"	EPFLGL6012	\$743
66"	12"	EPFLGL6612	\$809
72"	12"	EPFLGL7212	\$876



14" H

w	Н	MODEL#	LIST
12"	14"	EPFLGL1214	\$292
18"	14"	EPFLGL1814	\$398
24"	14"	EPFLGL2414	\$504
30"	14"	EPFLGL3014	\$610
36"	14"	EPFLGL3614	\$717
42"	14"	EPFLGL4214	\$823
48"	14"	EPFLGL4814	\$929
60"	14"	EPFLGL6014	\$1,036
66"	14"	EPFLGL6614	\$1,141
72"	14"	EPFLGL7214	\$1,248

Эþ	opedity							
1.	Model #							

2. Glass finish

2. Glass IIIIISII

5

CL ... Clear GR ... Grey SM... Smoked TR ... Translucent

Application Notes

Glass is a single-pane, %" tempered safety glass.
Frameless glass can span multiple panels with one piece of glass.

Assembly

Not Included

• Attachment connectors

				Тор Сар	Тор Сар Тур			н
:	EP	Equity Panel	FL	Frameless	GL	Glass	48	: 12
:		• •	:		:		:	
:			:		:			•
:							:	
:			:				:	
		:		:	:	:		;
	EP		FL		GL		48	12
:			i		i	. <u>.</u>		1

Frameless Glass

Frameless Connectors		 •	PAINT	
DESCRIPTION	MODEL#	P1	P2	Р3
Straight	EPFLCS	\$79	\$85	\$92
2-way L	EPFLCL	\$85	\$92	\$99
3-way T	EPFLCT	\$85	\$92	\$99
3-way Y 120	EPFLCY	\$85	\$92	\$99
4-way X	EPFLCX	\$85	\$92	\$99
End	EPFLCE	\$79	\$85	\$92







2-way L **EPFLCL**



3-way T **EPFLCT**



3-way Y 120 **EPFLCY**



4-way X **EPFLCX**



End **EPFLCE**

S	pe	ci	fv
_			-,

Model #
 Paint

Application Notes

Frameless glass mounts to panels on either end thru connectors that screw into the top of the panel's posts.

Assembly

Included

• Attachment hardware

	тор Сар	Type	VV
EP Equity Panel	FL Frameless	C Connector	S Straight
		•	L 2-way L
			T 3-way T
		•	Y 3-way Y
	<u>:</u>		X 4-way X
			E End
	:	:	
EP	FI	c	ς
			<u> </u>



Add-d	n Screens			PAINT	
W	Н	MODEL#	P1	P2	P3
12"	15"	EP3AOPG1215	\$799	\$824	\$841
18"	15"	EP3AOPG1815	\$906	\$931	\$948
24"	15"	EP3AOPG2415	\$941	\$966	\$983
30"	15"	EP3AOPG3015	\$994	\$1,019	\$1,036
36"	15"	EP3AOPG3615	\$1,059	\$1,084	\$1,101
42"	15"	EP3AOPG4215	\$1,174	\$1,199	\$1,216
48"	15"	EP3AOPG4815	\$1,282	\$1,307	\$1,324
60"	15"	EP3AOPG6015	\$1,312	\$1,337	\$1,354

Specify	Plexiglass Finishes	Application Notes	
1. Model # 2. Plexiglass finish 3. Paint	CL Clear IC Ice SM Smoked TR Translucent LF Frost	Add-on screens mount on the slotted standard with two (2) die cast stanchion brackets that are included.	Add-on screens are compatible with flat (N) and beveled (3) top caps.
	E111030	Two add-on screens may not be mounted next to	Assembly
		each other on the inside corner of a 90° connection.	Included • Attachment hardware



Slat R	ail —	oanel mounted		•••••	PAINT	•••••
W	Н	MODEL#	MATTE ALUM	P1	P2	P3
12"	6"	SR612	\$159	\$189	\$207	\$226
18"	6"	SR618	\$171	\$201	\$221	\$241
24"	6"	SR624	\$199	\$229	\$251	\$274
30"	6"	SR630	\$212	\$242	\$266	\$290
36"	6"	SR636	\$225	\$255	\$280	\$306
42"	6"	SR642	\$238	\$278	\$305	\$333
48"	6"	SR648	\$266	\$306	\$336	\$367
60"	6"	SR660	\$278	\$328	\$360	\$393

Slat R	ail Ac	cessor	ies				PAINT	
W	Н	D	MODEL#	DESCRIPTION	MATTE ALUM	P1	P2	P3
12 1/4"	4"	2 ¾"	SRAFLH	File hanger	\$92	\$126	\$138	\$151
13 1/4"	7/8"	9 %"	SRAPAT	Paper tray	\$106	\$140	\$154	\$168
3 1/4"	3 ½"	1 ½"	SRAUPT	Upright tray	\$79	\$113	\$124	\$135
2 3/4"	7/8"	3 3/8"	SRASMT	Small tray	\$66	\$100	\$110	\$120
7 3/4"	7/8"	3 3/8"	SRAPNH	Pencil holder	\$66	\$100	\$110	\$120



File Hanger **SRAFLH**



Paper Tray **SRAPAT**



Pencil Holder **SRAPNH**



Small Tray SRASMT




Upright Tray **SRAUPT**

Specify

- 1. Model #
- 2. Paint

Electrical How to Order

"E" Series electrical systems consist of a 4-circuit and a 6-circuit system. Each circuit in the systems provides a maximum of 20 amps. The four circuit system has eight wires; the six-circuit system has ten wires. Both 8- and 10-wire systems contain two 10-gauge "super" neutrals and two ground wires so that sensitive electronic equipment may be easily protected from unwanted electrical interference. "E" Series electrical can be connected to either single phase or threephase building power supplies.




SPECIFICATION CHECKLIST

The following is a general checklist to ensure your order has been specified properly and to expedite entry of your order. It should be reviewed by a licensed electrician to ensure compliance with any local code requirements.

- Base or ceiling infeed modules.
 One for each point of connection to the building power supply.
 Select model desired. Electrical connection to the building power supply must be made by a licensed electrician to ensure proper installation.
- Select panels. Conduit jumpers are used to pass power to electrified panels. These panels do not have factory-installed power wiring, but modular power components are field-installed.
- Shrouds must be used for each panel to panel point to complete the raceway connection.
 Shrouds are included when post assemblies are ordered.
 Shrouds can also be ordered separately when building a multiple height connection.
- 4. Duplex receptacles. Specify the circuit which receptacles are to access: #1, #2, #3 and #4D for 2+2 info eight-wire applications and additionally #5D and #6D for ten wire applications. If connecting to single-phase supply, do not order #2 and #5D receptacles.
- 5. Select and order appropriate conduit jumpers to pass power between panels.
- Conduit Jumpers are for regular panel to panel connections or used to pass power through panels from terminal block to terminal block, which can be located up to 12 feet apart.

Calculate Correct Jumper Length

- Add widths of both panels containing terminal blocks.
- 2) Divide by 2.
- Add width of any nonelectrified panels inbetween. The result is the correct jumper length.



7. Modular wiring components. Internal panel wiring is fully modular and is field-installed into the raceway of panels. When wiring is field-installed the following components must be specified:

A. Terminal blocks

To branch circuits, splice jumpers or locate receptacles. Blocks snap-lock into place and are always located in the center of a panel. Panels have one block location only. Base infeed and ceiling infeed modules are each designed to plug into a terminal block, which must be ordered separately from the infeed.

B. Duplex ReceptaclesAlways specified separately according to circuit access.

C. Side Mount Receptacles

Available for panels 24" and wider. All standard receptacles fit into side mount position on right side of terminal block connector end. Therefore, no circuit number restriction.


SPECIAL CONSIDERATIONS

In addition to the checklist the following points should be remembered when planning a layout utilizing this electrical distribution system.

- "E" Series electrical consists of four or six 20-amp circuits, any of which can be accessed as desired by plugging in a specially numbered receptacle at terminal block locations in panels.
- Electrified panels can be interspersed between nonelectrified panels with the use of extra-length jumpers which pass circuitry to the next electrified panel.
- For isolation, the 2nd ground must be properly and separately grounded to the building by the installing licensed electrician.
- 4. Certain cities or localities carry special codes limiting the use of certain items within this system. Equity products are available which comply with these code requirements. Neutral Posture recommends contacting your local sales representative for clarification and possible restrictions.

Because of our continuous product improvements, these specifications are subject to change without notice. Please consult your sales representative for the latest information prior to ordering.

ELECTRICAL



Electrical

BASE INFEED MODULE

Modular base-mounted infeed conduits in eight-wire and tenwire versions are provided for connection to building power supplies housed in underfloor outlet boxes, floor mounted (monuments) or wall outlet boxes. Available "unhanded" for ease in introducing power from left or right of infeed location. The cover plates provided by others, for floor monuments, recessed floor boxes or wall boxes are to be punched to receive a half-inch (trade size) knockout hole for installation of the box fitting, which is included on the infeed circuit. The wiring connection is to be made within the box inside the monument or behind the floor or wall flush plate. The 4' 6" conduit can be shortened to meet field conditions by cutting the infeed (loose) end. Base Infeed Module plugs into terminal block at the receptacle location. For New York and San Francisco base infeed, see page 63.

Connecting to the building power source must be performed by a licensed electrician.

CEILING INFEED MODULE

The straight tubular infeed may be shortened (on its bottom end) if it will not fit field conditions. ceiling infeed module is filled with 8- or 10- wire conduit and plugs into terminal block in adjacent panel. Harness length is 19'. Upper tube of module is 6' 7" in length.

RACEWAY PANELS WITH FIELD-INSTALLED COMPONENTRY:

- An independent cableway with capacity for up to ten %" dia. communications cables.
- A terminal block at the center of the panel allows for jumpers to connect panel to panel electrical connections and placement of duplex receptacles.
- Terminal block allows for receptacles in two locations, one on each side of the center of the panel (back to back), into which duplex 15-amp receptacles can be placed. The raceway covers are provided with removable knockouts.
- 4. For increased electric demands a second duplex receptacle per panel side can be added to panels 24" and wider. This receptacle plugs directly into the right side terminal block connector ends. Any standard "E" Series receptacle may be used.
- The faceplates on both sides of the panel are removable without removing receptacles.

The system and all standard components are UL-listed. Because of our continuous product improvements, these specifications are subject to change without notice. Please consult a Neutral Posture sales representative for the latest information prior to ordering.

CABLE CAPACITY

FILL	100%	40%
Cat 5	35	14
Cat 6	28	11

8-WIRE SYSTEM

2 + 2

The 2+2 electrical system consists of four 20 amp, 120 volt, 60-Hertz circuits. These circuits will accommodate 120 volt single phase, 120/240 volt split phase and 120/208 volt three phase power. The system components have a 20 amp capacity. The (NEC) only allows steady loads to 80% of capacity which is equivalent to 16 amps. Each circuit can generally power 8 - 10 duplex convenience outlets that are performing a normal load. However, in heavy load situations, such as computer systems each circuit will power 3 – 5 duplex outlets.


3 + 1


The 3+1 electrical system consists of four 20 amp, 120 volt, 60-Hertz circuits. These circuits will power a 120 volt single phase, a 120/240 volt split and a 120/208 volt three phase power. Each system components have the capacity to power 20 amp. The National Electric Code (NEC) only allows steady loads to 80% of capacity which is equivalent to 16 amps. Each circuit can generally power 8-10 duplex convenience outlets that are performing a normal load. However, in heavy load situations, such as computer systems each circuit will power 3 – 5 duplex outlets. If each work station has two convenience duplex outlets and one protected duplex, the 8-wire (4-circuit) system can supply a cluster of 6 - 10 workstations from each infeed.


10-WIRE SYSTEM

3 + 3

The 3+3 electrical system consists of six 20 amp, 120 volt, 60-Hertz circuits. The circuits will accommodate 120 volt single phase, 120/240 volt split phase and 120/208 volt three phase power. Each system components have the capacity to power 20 amp. The National Electric Code (NEC) only allows steady loads to 80% of capacity which is equivalent to 16 amps. Each circuit can generally power 8 - 10 duplex convenience outlets that are performing a normal load. However, in heavy load situations, such as computer systems each circuit will power 3 - 5 duplex outlets. If each workstation has two convenience duplex outlets and one protected duplex, the 10-wire (6-circuit) system can supply a cluster of 9 – 15 workstations from each infeed.







COMPATIBILITY

Equity power systems use similar components in all electrical systems. However, all parts are

not functionally interchangeable and should be used based on instructions given.

ElectricalCeiling Infeeds



Ceili	ng In	feed	s		PAINT	
W	D	Н	MODEL#	P1	P2	P3
4"	1 ½"	120"	EE3CM41M	\$789	\$829	\$871
4"	1 ½"	120"	EE3CM49M	\$789	\$829	\$871
4"	1 ½"	120"	EE3CM54M	\$789	\$829	\$871
4"	1 ½"	120"	EE3CM61M	\$789	\$829	\$871
4"	1 ½"	120"	EE3CM66M	\$789	\$829	\$871
4"	1 ½"	120"	EE3CM81M	\$789	\$829	\$871

Ceiling Infeed Harness

DESCRIPTION	MODEL#	LIST
E-Series 10-wire	EE1CH-10	\$723
E-Series 8-wire	EE1CH-8	\$594

Specify

- 1. Model #
- 2. Paint

Fabric cover modules are not available.

Configurations

8-wire

2 + 2

3 + 1

10-wire

3 + 3

Application Notes

To connect a metal ceiling infeed to a corner or straight connection use an adjustable angle connector or an adjustable angle connector with multiheight connector for a three-way connection.

Ceiling Infeeds

Electrical harnesses not included with modules. Modules are hollow to accommodate power and/ or data cables from source into systems furniture.

With electrical harness installed, infeed holds 28 Cat 6 cables.

No "hang on" capabilities. Module cannot be used for panel support. Powder coated module is 120" long metal extrusion with attachment hooks at proper height to attach to appropriate height post.


Cables/conduit are laid into module by removal of two-piece front 1½" wide vertical access cover which runs the length of the extrusion.

Includes escutcheon plate which is white to integrate with ceiling. Tube is trim colored to match system trim.



Base Infeeds

DESCRIPTION	W	MODEL #	LIST
8-wire (right handed)	54"	EE1BI-8	\$308
8-wire (right handed)	72"	EE1BI72-8	\$380
10-wire (right handed)	54"	EE1BI-10	\$372
10-wire (right handed)	72"	EE1BI72-10	\$452
8-wire (left handed)	54"	EE1BI-8-L	\$308
8-wire (left handed)	72"	EE1BI72-8-L	\$380
10-wire (left handed)	54"	EE1BI-10-L	\$372
10-wire (left handed)	72"	EE1BI72-10-L	\$452



Base Infeeds – New York

10-wire	EE1BI-10N	\$468
8-wire	EE1BI-8N	\$383



Base Infeeds – San Francisco

8-wire (non-handed)	54"	EE1BI-8SF	\$308
8-wire (non-handed)	72"	EE1BI72-8SF	\$380
10-wire (non-handed)	54"	EE1BI-10SF	\$372
10-wire (non-handed)	72"	EE1BI72-10SF	\$452



Jumper End Base Infeeds

10-wire (w/ground)	72"	EE1BIJ-10G	\$519
8-wire (w/ground)	72"	EE1BIJ-8G	\$430
8-wire	72"	EE1BIJ-8	\$394
10-wire	72"	EE1BIJ-10	\$487

Configuration	ons
8-wire	
2 + 2	
3 + 1	
10-wire	

3 + 3

Base Infeeds

An infeed conduit connects to the wall or floor outlet box of a building's power supply and plugs into a terminal block in panel raceway. Power entry can be from either left or right side of panel. Metal cover conceals the baseboard connection and is reversible for either left or right entry. Can be field-cut to proper lengths. Color is black. A terminal block must be ordered separately.

Jumper End Base Infeeds

Connects by hardwiring to a building's electrical supply in floor or wall box by a licensed electrician. Plugs into one set of terminal connections at end of terminal block. Terminal block must be located in panel adjacent to source. Terminal block is ordered separately.

Base infeed can be field cut by a licensed electrician to necessary length. Conduit is encased in black plastic sealer.

Electrical Components



Terminal Block			/IRE	10-WIRE	
DESCRIPTION	MODEL#	(3+1)	(2+2)	(3+3)	LIST
8-wire	EE1TB8	•	•		\$70
10-wire	EE1TB10			•	\$90



					_
Duplex Receptacle		8-W	/IRE	10-WIRE	
DESCRIPTION	MODEL#	(3+1)	(2+2)	(3+3)	LIST
Circuit #1	EE1R1				\$62
Circuit #2	EE1R2		•		\$62
Circuit #3 dedicated for 2+2	EE1R3D				\$62
Circuit #3 for 3+1	EE1R3				\$62
Circuit #4 dedicated circuit for 3+1, 2+2 or 3+3	EE1R4D				\$62
Circuit #5 dedicated circuit for 3+3	EE1R5D				\$62
Circuit #6 dedicated circuit for 3+3	EE1R6D				\$62



Duplex Receptacle (10 Pack)		8-W	/IRE	10-WIRE	
DESCRIPTION	MODEL#	(3+1)	(2+2)	(3+3)	LIST
Circuit #1	EE1R1 P10		•		\$519
Circuit #2	EE1R2 P10			•	\$519
Circuit #3 dedicated for 2+2	EE1R3D P10				\$519
Circuit #3 for 3+1	EE1R3 P10			•	\$519
Circuit #4 dedicated circuit for 3+1, 2+2 or 3+3	EE1R4D P10			•	\$519
Circuit #5 dedicated circuit for 3+3	EE1R5D P10			•	\$519
Circuit #6 dedicated circuit for 3+3	EE1R6D P10				\$519



Receptacle – Side Mount		8-W	IRE	10-WIRE	
DESCRIPTION	MODEL#	(3+1)	(2+2)	(3+3)	LIST
10 Pack	FF1SMRR10				\$315

Data Shield		8-W	/IRE	10-WIRE	
DESCRIPTION	MODEL#	(3+1)	(2+2)	(3+3)	LIST
Terminal block shield	EE15BR				\$96



Knock-out Replacement Cover

DESCRIPTION	MODEL#	LIST
10 Pack	EE1KC10	\$85

Application Notes

Receptacles are black only.


Terminal Block

A modular eight or ten wire block that snaps into the base location in center of the panel. Used to branch circuits, splice jumpers or locate duplex receptacles back to back.

Side Mount Receptacles

Plugs directly into the right side of terminal block to provide a second duplex receptacle where required.

Any "E" Series receptacle can be used in panels 24" wide and wider. Side mount receptacle bracket (EE1SMRB10) is needed when using a side mount receptacle.



			,	
umper			8-WIRE	10-WIRE
LENGTH (NOMINAL)	LENGTH (ACTUAL)	MODEL#		
18"	11 ½"	EE1C18-(8/10)	\$137	\$162
21"	14 ½"	EE1C21-(8/10)	\$141	\$166
24"	17 ½"	EE1C24-(8/10)	\$146	\$170
27"	20 ½"	EE1C27-(8/10)	\$147	\$181
30"	23 ½"	EE1C30-(8/10)	\$151	\$183
33"	26 ½"	EE1C33-(8/10)	\$155	\$191
36"	29 ½"	EE1C36-(8/10)	\$156	\$194
39"	32 ½"	EE1C39-(8/10)	\$163	\$203
42"	35 ½"	EE1C42-(8/10)	\$167	\$209
45"	38 ½"	EE1C45-(8/10)	\$171	\$212
48"	41 ½"	EE1C48-(8/10)	\$178	\$214
51"	44 1/2"	EE1C51-(8/10)	\$183	\$224
54"	47 ½"	EE1C54-(8/10)	\$183	\$224
57"	50 ½"	EE1C57-(8/10)	\$194	\$233
60"	53 ½"	EE1C60-(8/10)	\$198	\$239
63"	56 ½"	EE1C63-(8/10)	\$204	\$243
66"	59 ½"	EE1C66-(8/10)	\$207	\$254
69"	62 ½"	EE1C69-(8/10)	\$207	\$254
72"	65 ½"	EE1C72-(8/10)	\$214	\$261
75"	68 ½"	EE1C75-(8/10)	\$216	\$265
78"	71 ½"	EE1C78-(8/10)	\$220	\$272
81"	74 ½"	EE1C81-(8/10)	\$223	\$273
84"	77 ½"	EE1C84-(8/10)	\$224	\$276
87"	80 ½"	EE1C87-(8/10)	\$234	\$289
90"	83 ½"	EE1C90-(8/10)	\$239	\$292
93"	86 ½"	EE1C93-(8/10)	\$242	\$297
96"	89 ½"	EE1C96-(8/10)	\$250	\$304
99"	92 ½"	EE1C99-(8/10)	\$255	\$308
102"	95 ½"	EE1C102-(8/10)	\$258	\$314
105"	98 ½"	EE1C105-(8/10)	\$261	\$319
108"	101 ½"	EE1C108-(8/10)	\$262	\$321
111"	104 ½"	EE1C111-(8/10)	\$272	\$326
114"	107 ½"	EE1C114-(8/10)	\$278	\$335
120"	113 ½"	EE1C120-(8/10)	\$290	\$350
126"	119 ½"	EE1C126-(8/10)	\$295	\$357
132"	125 ½"	EE1C132-(8/10)	\$300	\$368
144"	137 ½"	EE1C144-(8/10)	\$319	\$388

Configurations

8-wire 2 + 2

2+2 3+1

10-wire

3+3


Application Notes

Jumpers transmit power circuits from one panel mounted terminal block to another. Can carry power through panels where no terminal blocks are installed. The length of the jumper corresponds to the distance between the terminal blocks.

Calculate the Correct Length

- 1. Add widths of both panels containing terminal blocks.
- 2. Divide by two.
- 3. Add width of any non-electrified panels in-between.

The result is the correct jumper length.





Terminal Block





Duplex Receptacles

Dupick neceptaties		
	EE1RIIIN	\$72
	EE1RIIN	\$72
	EE1RIN	\$72
	EE1RIVN	\$72



Duplex Receptacles (10 pack)

EE1RIIIN P10	\$552
EE1RIIN P10	\$552
EE1RIN P10	\$552
EE1RIVN P10	\$552



Base Infeeds

NOMINAL LENGTH	MODEL#	LIST
54"	EE1BI-(N3/N4)	\$393
72"	EE1BI72-(N3/N4)	\$416



Base Infeeds – San Francisco

54"	EE1BI-(N3/N4)SF	\$393
72"	EE1BI72-(N3/N4)SF	\$416

Ceiling Infeed Harness

DESCRIPTION	MODEL#	LIST
E-Series 8-wire	EE1CH-N3	\$863
E-Series 10-wire	EE1CH-N4	\$1,032

Specification Information

8-wire N3

8-wire N3 = 2+1 system (2 hots and 2 neutrals sharing one ground, 1 isolated hot and 1 isolated neutral on an isolated ground)

10-wire N4

10-wire N4 = 2+2 system (2 hots and 2 neutrals sharing one ground, 2 hots and 2 neutrals sharing another ground)

Application Notes


Jumpers

Transmit power circuits from one panel mounted terminal block to another. Can carry power through panels where no terminal blocks are installed. The length of the jumper corresponds to the distance between the terminal blocks.


Calculate the Correct Length

- Add widths of both panels containing terminal blocks.
- 2. Divide by two.
- 3. Add width of any non-electrified panels in-between.

The result is the correct jumper length.



Jumper



NOMINAL LENGTH	MODEL#	LIST
18"	EE1C18-(N3/N4)	\$167
21"	EE1C21-(N3/N4)	\$178
24"	EE1C24-(N3/N4)	\$182
27"	EE1C27-(N3/N4)	\$191
30"	EE1C30-(N3/N4)	\$198
33"	EE1C33-(N3/N4)	\$203
36"	EE1C36-(N3/N4)	\$204
39"	EE1C39-(N3/N4)	\$211
42"	EE1C42-(N3/N4)	\$220
45"	EE1C45-(N3/N4)	\$224
48"	EE1C48-(N3/N4)	\$225
51"	EE1C51-(N3/N4)	\$236
54"	EE1C54-(N3/N4)	\$236
57"	EE1C57-(N3/N4)	\$243
60"	EE1C60-(N3/N4)	\$255
63"	EE1C63-(N3/N4)	\$259
66"	EE1C66-(N3/N4)	\$262
69"	EE1C69-(N3/N4)	\$262
72"	EE1C72-(N3/N4)	\$276
75"	EE1C75-(N3/N4)	\$281
78"	EE1C78-(N3/N4)	\$287
81"	EE1C81-(N3/N4)	\$290
84"	EE1C84-(N3/N4)	\$292
87"	EE1C87-(N3/N4)	\$304
90"	EE1C90-(N3/N4)	\$308
93"	EE1C93-(N3/N4)	\$312
96"	EE1C96-(N3/N4)	\$319
99"	EE1C99-(N3/N4)	\$322
102"	EE1C102-(N3/N4)	\$326
105"	EE1C105-(N3/N4)	\$335
108"	EE1C108-(N3/N4)	\$337
111"	EE1C111-(N3/N4)	\$349
114"	EE1C114-(N3/N4)	\$354
120"	EE1C120-(N3/N4)	\$369
126"	EE1C126-(N3/N4)	\$376
132"	EE1C132-(N3/N4)	\$385
144"	EE1C144-(N3/N4)	\$407

Specification Information

8-wire N3

8-wire N3 = 2+1 system (2 hots and 2 neutrals sharing one ground, 1 isolated hot and 1 isolated neutral on an isolated ground)

10-wire N4

10-wire N4 = 2+2 system (2 hots and 2 neutrals sharing one ground, 2 hots and 2 neutrals sharing another ground)

Application Notes


Jumpers

Transmit power circuits from one panel mounted terminal block to another. Can carry power through panels where no terminal blocks are installed. The length of the jumper corresponds to the distance between the terminal blocks.

Calculate the Correct Length

- 1. Add widths of both panels containing terminal blocks.
- 2. Divide by two.
- 3. Add width of any non-electrified panels in-between.

The result is the correct jumper length.





Charge Spot

DESCRIPTION	MODEL#	LIST
Wireless device charger	AWDC1	\$542
Wireless device charger (4 Pack) w/multi unit power supply	AWDC4	\$1,834



Charge Spot Dongles

Apple Lightning dongle	AWDCSA	\$97
mUSB dongle	AWDCSU	\$97

Charge Spot Replacement Power

Single unit power supply	AWDCRPS1	\$71
Multi unit power supply	AWDCRPS4	\$326



Ashley Duo

DESCRIPTION	W	D	Н	MODEL#	LIST
72" Cord length	5 ½"	3 1/8"	2"	EE4WSAD72	\$480
120" Cord length	5 ½"	3 1/8"	2"	EE4WSAD120	\$492



Ashley Duo Air

In-surface pop-up power	7"	5"	EPUPM72	\$628
In-surface pop-up power	7"	5"	EPUPM120	\$641

Ashley 202







Clamp					
72" cord length	5 ½"	3 1/8"	2"	EE4WSA202CM72	\$451
120" cord length	5 ½"	3 1/8"	2"	EE4WSA202CM120	\$464
Under Worksurface					
72" cord length	5 ½"	3 1/8"	2"	EE4WSA202UW72	\$388
120" cord length	5 ½"	3 1/8"	2"	EE4WSA202UW120	\$400
In Surface					
72" cord length	5 ½"	3 1/8"	2"	EE4WSA202IS72	\$451
120" cord length	5 1/3"	3 1/8"	2"	EE4WSA202IS120	\$464

Specify Specify Ashley Duo

1. Model#

- 2 Model
 - 2. Model #
 - 3. Metal trim finish
 - 4. Plastic finish
 - 5. For Hardwired add **HW** to end of model number and add **\$85** to list price

Ashley Duo

Specifications

- 2 15A, 120V AC Power Outlets
- 2 2.1A/10.5W USB
- Charging Ports
 6' or 10' Cord and
- Hardwire Options
 Meets USB.org Battery
- Charging 1.2 Specifications
 Accommodates surfaces
 1" to 1 3/4" thick.

Data Wiring

Data wiring and keystones provided by customer's cabling contractor.

Ashley Trio



Clamp					
72" cord length	8"	3 %"	2"	EE4WSATRIOCM72	\$960
120" cord length	8"	3 1/8"	2"	EE4WSATRIOCM120	\$993



Under Worksurface					
72" cord length	8"	3 %"	2"	EE4WSATRIOUW72	\$861
120" cord length	8"	3 %"	2"	EE4WSATRIOUW120	\$894



In Surface					
72" cord length	8 7/8"	3 %"	2"	EE4WSATRIOIS72	\$920
120" cord length	8 1/8"	3 %"	2"	EE4WSATRIOIS120	\$953

Ashley Quad



Under Worksurface				
4 AC outlets, 2 USB, 2 Data	10 %" 3 %"	1 3/4"	EE4UWSAQ2D72	\$830
4 AC outlets, 2 USB, 2 Data	10 %" 3 %"	1 3/4"	EE4UWSAQ2D120	\$855
In Surface				
4 AC outlets, 2 USB, 2 Data	10 %" 3 %"	1 3/4"	EE4ISAQ2D72	\$944
4 AC outlets, 2 USB, 2 Data	10 %" 3 %"	1 3/4"	EE4ISAQ2D120	\$970



Desktop Power

108" Cord length	3 ¾"	4 1/2"	EE4WSME108	\$207
72" Cord length	3 ¾"	4 1/2"	EE4WSME72	\$234



Desktop Data

3 ¾" 2 ½" 5" **EE4WSMC** \$176



Desktop Power & Data

108" Cord length	EE4WSMED108	\$460
72" Cord length	EE4WSMED72	\$502

Specify Ashley

- 1. Model #
- 2. Metal trim finish
- 3. Plastic finish
- 4. For Hardwired add **HW** to end of model number and add **\$85** to list price.

Ashley 202

Specifications

- 2 15A, 120V AC Power Outlets
- 2 Data Inserts for HDMI, RJ45, RJ11, VGA or Blank Insert
- 6' or 10' Cord or Hardwire Option
- Accommodates surfaces 1" to 1 ¾" thick.

Ashley Trio

Specifications

- 3- 15A, 120V AC Power Outlets
- 2- 2.1A/10.5W USB Charging Ports
- 6' or 10' Cord or
- Hardwire Option
 1 Data Insert for HDMI,
- RJ45 or VGA ports1 Data Port Adapter Kit Comes Standard

Ashley Quad

Specifications

- 4 15A, 120V AC Power Outlets
- 2- 2.1A/10.5W USB Charging Ports
- 2 Data Inserts for HDMI, RJ45, RJ11, VGA or Blank Insert
- 6' or 10' Cord or Hardwire Option

Metal Trim Finishes

MBLK Black MWHT White MSIL Silver

Plastic Finishes

PBLK......Black
PWHT.....White
PSILSilver

Worksurfaces

General Info

Step 1 - Model #

				Options					
Works	ırface Type	W	D		Wiring			Extended En	nds
EW1	Rectangle	48	24	G	Grommets	\$33	E	One End	\$28
				G2	Scallop	\$68	EE	Both Ends	\$57
EW1		48	24	G			Е		

Step 2 – Surface Finish

Step 3 – Edge Finish Laminate **Edge Band** PW-STK Studio Teak EB-STK Studio Teak **PW-STK EB-STK**

۰							•
۰	ь.	Λ	TI	ш	ĸ	H	•

DEPTHS 20" 24"

30" 36"

WIDTHS

24" 30" 36" 42" 48" 54" 60" 66" 72" 78" 84" 90" 96" 102" 108" 114" 120"

THICKNESS

1 1/8"

WIRING & CABLING

GROMMET



When a standard grommet is specified it is in a rear, centered location and is available in black only. Corner worksurfaces provide two edge grommets.

SCALLOP



Scalloped grommets feature additional half grommets on either end to provide a full grommet when two tops meet. The half grommet also allows for cord management by itself when it is wrapped by panels and not adjacent to other worksurfaces.

CABLE DROP

3/8" Cable management gap

EDGE DETAIL

STANDARD

3mm ABS

WOODGRAIN

2mm PVC

SURFACE MATERIALS

STANDARD WORKSURFACE

High pressure laminate

CASCADE WORKSURFACE

Thermafoil (available on Cascade edge only)


EDGEBAND

Available matching or contrasting. Upcharge may be applicable.

SUPPORTS

Under worksurface — black powdercoat Countercap supports — paint

WORKSURFACES



Worksurface General Information

Top surface available in standard laminates. For a complete list of color offering consult the Finishes page (page 14) at the beginning of the price list.

Underside of all 24" deep and deeper rectangular worksurfaces are predrilled for mounting of support bracketry.

The front edge of 30" deep cantilevered surfaces should not be loaded in excess of 180 pounds.

Worksurfaces are designed to provide a 3%" cable management gap between the back edge of the worksurface and wall panel.

D&PTOPS

Equity "D" and "P" tops are actual depth plus 1½" to cover two posts and may not be panel wrapped. This allows an adjustable bar support to support the flat end without being visually obtrusive. Adjacent worksurfaces should be specified so as not to cover a post where a "D" or "P" top may be used.

WORKSURFACE DIMENSIONS

Equity is measured from the center of the posts on each end of the panel. A standard worksurface is dimensioned to fit in a fully panel wrapped configuration. It is therefore 1 ½" narrower than the nominal panel dimension. If you would like the worksurface to extend to cover one post you will need to add an "E" to the worksurface item number. This will add 1½" to the width of the surface. If you would like the worksurface to extend to cover both posts then you will need to add "EE", extending the surface by 3" from the standard. Adjustable height work surfaces, page 88, are 2" narrower than a standard surface to meet anti-pinch point requirements around their perimeter.

E.... Covers 1 post **EE**... Covers 2 posts


24" DEEP STRAIGHTS & 15" TOWERS



When adding a 15" tower to the end of a worksurface you will need to add a "T" to the end of the model number in order to make the worksurface and tower completely flush. This will only be necessary on 24" deep worksurfaces with a width from 48" – 84".


(T) - Available on

W	Н	W (actual)	
48"	24"	43 1/4"	EW14824T
54"	24"	49 1/4"	EW15424T
60"	24"	55 1/4"	EW16024T
66"	24"	61 1/4"	EW16624T
72"	24"	67 1/4"	EW17224T
78"	24"	73 1/4"	EW17824T
84"	24"	79 1/4"	EW18424T




MOUNTING CORNER WORKSURFACES

USING ALL CANTILEVERS



USING 2 CANTILEVERS AND 1 PANEL TO WORKSURFACE BRACKET



Worksurface Support Information


Worksurf	ace Sizes	Cantile	ver-C	Adjustable Bar	Support-S	Supporting Pedestal	Supporting Pedestal
W	D	EB1C20	(L/R)	EB1SR(S/L)	24" Deep	30" Deep
24"	20"	200 lbs	2C	200 lbs	25	N/A	N/A
24"	24"	200 lbs	2C	200 lbs	25	+1 Support	N/A
30"	20"	200 lbs	2C	200 lbs	25	N/A	N/A
30"	24"	200 lbs	2C	200 lbs	25	+1 Support	N/A
30"	30"	200 lbs	2C	200 lbs	25	_	+1 Support
36"	20"	200 lbs	2C	200 lbs	25	N/A	N/A
36"	24"	200 lbs	2C	200 lbs	25	+1 Support	N/A
36"	30"	200 lbs	2C	200 lbs	25	_	+1 Support
42"	20"	200 lbs	2C	200 lbs	25	N/A	N/A
42"	24"	200 lbs	2C	200 lbs	25	+1 Support	N/A
42"	30"	200 lbs	2C	200 lbs	25	_	+1 Support
48"	20"	216 lbs	2C	216 lbs	2S	N/A	N/A
48"	24"	216 lbs	2C	216 lbs	25	+1 Support	N/A
48"	30"	216 lbs	2C	216 lbs	25	_	+1 Support
54"	20"	243 lbs	3C	243 lbs	2S/1C	N/A	N/A
54"	24"	243 lbs	3C	243 lbs	2S/1C	+2 Support	N/A
54"	30"	243 lbs	3C	243 lbs	2S/1C	_	+2 Support
60"	20"	270 lbs	3C	270 lbs	2S/1C	N/A	N/A
60"	24"	270 lbs	3C	270 lbs	2S/1C	+2 Support	N/A
60"	30"	270 lbs	3C	270 lbs	2S/1C	_	+2 Support
66"	20"	297 lbs	3C	297 lbs	2S/1C	N/A	N/A
66"	24"	297 lbs	3C	297 lbs	2S/1C	+2 Support	N/A
66"	30"	297 lbs	3C	297 lbs	2S/1C	_	+2 Support
72"	20"	324 lbs	3C	324 lbs	2S/1C	N/A	N/A
72"	24"	324 lbs	3C	324 lbs	2S/1C	+2 Support	N/A
72"	30"	324 lbs	3C	324 lbs	2S/1C	_	+2 Support
78"	20"	351 lbs	3C	351 lbs	2S/1C	N/A	N/A
78"	24"	351 lbs	3C	351 lbs	2S/1C	+2 Support	N/A
84"	20"	378 lbs	3C	378 lbs	2S/1C	N/A	N/A
84"	24"	378 lbs	3C	378 lbs	2S/1C	+2 Support	N/A
84"	30"	_		378 lbs	2S/1C	_	+2 Support
90"	20"	405 lbs	3C	405 lbs	2S/1C	N/A	N/A
90"	24"	405 lbs	3C	405 lbs	2S/1C	+2 Support	N/A
96"	20"	432 lbs	3C	432 lbs	2S/1C	N/A	N/A
96"	24"	432 lbs	3C	432 lbs	2S/1C	+2 Support	N/A
96"	30"	-		432 lbs	2S/2C	-	+2 Support
108"	20"	486 lbs	4C	486 lbs	2S/2C	N/A	N/A
108"	24"	486 lbs	4C	486 lbs	2S/2C	+3 Support	N/A
108"	30"	_		486 lbs	2S/2C	_	+3 Support
120"	20"	540 lbs	4C	540 lbs	2S/2C	N/A	N/A
120"	24"	540 lbs	4C	540 lbs	2S/2C	+3 Support	N/A
	30"			540 lbs	2S/2C		+3 Support

- Support must be installed for every four feet of width. As indicated, 5' worksurfaces require three supports; two panels are required to install the center support.
- The applications shown in the table emphasize the fundamentals of worksurface loading and support.
 As long as these criteria are met, supports can be interchanged.
- Supporting drawer pedestals can replace only one support.
- Depth of stretchered worksurfaces must be equal to or less than side panel widths.
- Stretchered worksurfaces should be used where heavy loading is anticipated.
- Cantilevers cannot be used as primary support for 36" deep surfaces or 30" deep surfaces wider than 72".
- The front edge of 30" deep surfaces should not be loaded in excess of 180 pounds.


Weights listed are the Business Institutional Furniture Manufacturers Association (BIFMA) functional load requirements for panel hung worksurface loading. If loads larger than these listed are anticipated, approval from Neutral Posture is required.

INSTALLATIONS WHICH VIOLATE THESE REQUIREMENTS WILL NOT BE COVERED BY THE NEUTRAL POSTURE WARRANTY.


Worksurface Grain Direction



W3	W6	W13
	W7	ТЗ
W4	W11	T4
W5	W12	T5



				:	•••••	·····:
20"[<u> Deep</u>				LAMINATE	
W	D	HA AVAILABLE	MODEL#	L1	L2	L3
24"	20"		EW12420	\$430	\$473	\$516
30"	20"		EW13020	\$465	\$511	\$558
36"	20"		EW13620	\$506	\$556	\$607
42"	20"		EW14220	\$541	\$595	\$649
48"	20"		EW14820	\$583	\$641	\$699
54"	20"		EW15420	\$617	\$678	\$740
60"	20"		EW16020	\$660	\$726	\$792
66"	20"		EW16620	\$694	\$763	\$832
72"	20"		EW17220	\$708	\$778	\$849
78"	20"		EW17820	\$735	\$808	\$882
84"	20"		EW18420	\$777	\$854	\$932
90"	20"		EW19020	\$811	\$892	\$973
96"	20"		EW19620	\$853	\$938	\$1,023
102"	20"		EW110220	\$888	\$976	\$1,065
108"	20"		EW110820	\$930	\$1,023	\$1,116
114"	20"		EW111420	\$965	\$1,061	\$1,158
120"	20"		EW112020	\$1,006	\$1,106	\$1,207



24" Deep


W	D	HA AVAILABLE	MODEL#	L1	L2	L3
24"	24"		EW12424	\$471	\$518	\$565
30"	24"		EW13024	\$499	\$548	\$598
36"	24"		EW13624	\$528	\$580	\$633
42"	24"	•	EW14224	\$555	\$610	\$666
48"	24"	•	EW14824	\$583	\$641	\$699
54"	24"	•	EW15424	\$624	\$686	\$748
60"	24"	•	EW16024	\$700	\$770	\$840
66"	24"	•	EW16624	\$771	\$848	\$925
72"	24"	•	EW17224	\$784	\$862	\$940
78"	24"		EW17824	\$806	\$886	\$967
84"	24"		EW18424	\$819	\$900	\$982
90"	24"		EW19024	\$833	\$916	\$999
96"	24"		EW19624	\$882	\$970	\$1,058
102"	24"		EW110224	\$930	\$1,023	\$1,116
108"	24"		EW110824	\$965	\$1,061	\$1,158
114"	24"		EW111424	\$1,006	\$1,106	\$1,207
120"	24"		EW112024	\$1,041	\$1,145	\$1,249

24" DEEP STRAIGHTS **& 15" TOWERS**




When adding a 15" tower to the end of a worksurface you will need to add a "T" to the end of the model number in order to make the worksurface and tower completely flush. This will only be necessary on 24" deep worksurfaces with a width from 48" – 84".

				Options							
	W	D		Wiring			Extended En	ds		Height Adjustable	
EW1 Rectang	le 48	24	G G2	Grommet Scallop	\$33 \$68	E EE	One End Both Ends	\$28 \$57	HA	4 HAT Supports	\$0
EW1	48	24	G			Е			НА		



				:	• • • • • • • • • • • • • • • • • • • •	•••••••••••••••••••••••••••••••••••••••
30" [)eep				LAMINATE	
W	D	HA AVAILABLE	MODEL#	L1	L2	L3
24"	30"		EW12430	\$541	\$595	\$649
30"	30"		EW13030	\$583	\$641	\$699
36"	30"		EW13630	\$617	\$678	\$740
42"	30"	•	EW14230	\$660	\$726	\$792
48"	30"	•	EW14830	\$679	\$746	\$814
54"	30"	•	EW15430	\$790	\$869	\$948
60"	30"	•	EW16030	\$853	\$938	\$1,023
66"	30"	•	EW16630	\$909	\$999	\$1,090
72"	30"	•	EW17230	\$958	\$1,053	\$1,149
78"	30"		EW17830	\$985	\$1,083	\$1,182
84"	30"		EW18430	\$1,041	\$1,145	\$1,249
90"	30"		EW19030	\$1,096	\$1,205	\$1,315
96"	30"		EW19630	\$1,131	\$1,244	\$1,357
102"	30"		EW110230	\$1,250	\$1,375	\$1,500
108"	30"		EW110830	\$1,312	\$1,443	\$1,574
114"	30"		EW111430	\$1,361	\$1,497	\$1,633
120"	30"		EW112030	\$1,417	\$1,558	\$1,700




36" Deep

-	Dech					
W	D	HA AVAILABLE	MODEL#	L1	L2	L3
48"	36"		EW14836	\$944	\$1,038	\$1,132
54"	36"		EW15436	\$979	\$1,076	\$1,174
60"	36"		EW16036	\$1,020	\$1,122	\$1,224
66"	36"		EW16636	\$1,076	\$1,183	\$1,291
72"	36"		EW17236	\$1,152	\$1,267	\$1,382
78"	36"		EW17836	\$1,215	\$1,336	\$1,458
84"	36"		EW18436	\$1,250	\$1,375	\$1,500
90"	36"		EW19036	\$1,312	\$1,443	\$1,574
96"	36"		EW19636	\$1,389	\$1,527	\$1,666
102"	36"		EW110236	\$1,466	\$1,612	\$1,759
108"	36"		EW110836	\$1,548	\$1,702	\$1,857
114"	36"		EW111436	\$1,632	\$1,795	\$1,958
120"	' 36"		EW112036	\$1,701	\$1,871	\$2,041

Specify

- 1. Model#
- Options
 Laminate
- 4. Edge band

Grain Direction



Grommet \$33 Scallop


Support Information

All supports must be ordered separately. See page 84 – 85.

Worksurface Loading & Support See page 73.

A center support must be used with a 54" wide or wider worksurface.

Worksurfaces



Strai	ight	Front		LAMINATE			
A	L	R	MODEL #	L1	L2	L3	
36"	20"	20"	EW1C3620	\$784	\$862	\$940	
36"	24"	24"	EW1C3624	\$784	\$862	\$940	
36"	30"	30"	EW1C3630	\$882	\$970	\$1,058	
42"	20"	20"	EW1C4220	\$993	\$1,092	\$1,191	
42"	24"	24"	EW1C4224	\$993	\$1,092	\$1,191	
42"	30"	30"	EW1C4230	\$1,076	\$1,183	\$1,291	
48"	20"	20"	EW1C4820	\$1,188	\$1,306	\$1,425	
48"	24"	24"	EW1C4824	\$1,188	\$1,306	\$1,425	
48"	30"	30"	EW1C4830	\$1,208	\$1,328	\$1,449	




Curved Front

36"	24"	24"	EW1CC3624	\$861	\$947	\$1,033	
42"	24"	24"	EW1CC4224	\$1,096	\$1,205	\$1,315	
48"	24"	24"	EW1CC4824	\$1,306	\$1,436	\$1,567	
60"	24"	24"	EW1CC6024	\$1,458	\$1,603	\$1,749	




Corner with Cutout

48"	24"	24"	EW1C4824K	\$1,180	\$1,298	\$1,416



Different Returns

36"	24"	30"	EW1C362430	\$1,056	\$1,161	\$1,267	
36"	30"	24"	EW1C363024	\$1,056	\$1,161	\$1,267	
42"	24"	30"	EW1C422430	\$1,188	\$1,306	\$1,425	
42"	30"	24"	EW1C423024	\$1,188	\$1,306	\$1,425	
48"	24"	30"	EW1C482430	\$1,312	\$1,443	\$1,574	
48"	30"	24"	EW1C483024	\$1,312	\$1,443	\$1,574	



Split	Split Corner — all hardware included			LAMINATE			PAINT (CANTILEVERS ONLY)	
Α	L	R	MODEL#	L1	L2	L3	P2	P3
36"	24"	24"	EW1SC3624	\$2,619	\$2,880	\$3,142	+ \$19	+ \$40
42"	24"	24"	EW1SC4224	\$2,689	\$2,957	\$3,226	+ \$19	+ \$40
42"	30"	30"	EW1SC4230	\$2,730	\$3,003	\$3,276	+ \$19	+ \$40
48"	24"	24"	EW1SC4824	\$2,841	\$3,125	\$3,409	+ \$19	+ \$40
48"	30"	30"	EW1SC4830	\$3,030	\$3,333	\$3,636	+ \$19	+ \$40

Paint option is for cantilevers only. All other hardware is only available in black.

Specify

- 1. Model#
- 2. Options
- 3. Laminate
- 4. Edge band
- 5. Grain direction

Grain Direction



Insert the desired direction after the laminate finish code.

NOTE: Add \$33 to list price for diagonal grain (D).

Wiring & Cabling





Grommet \$33 Scall

Scallop

Application Notes


A return panel may not be used next to corner worksurfaces, as they cover both posts for a smooth transition with adjacent rectangular worksurfaces.

Support Information


All supports must be ordered separately. See page 84 – 85.

Worksurface Loading & Support See page 73.

A center support must be used with a 54" wide or wider worksurface.



Righ	Right Hand						LAMINATE	
L	A	В	R	HA AVAILABLE	MODEL#	L1	L2	L3
24"	36"	60"	24"		EW1BS3660S(X/L/R/B)	\$1,173	\$1,290	\$1,407
24"	48"	60"	24"	•	EW1BS4860S(X/L/R/B)	\$1,201	\$1,321	\$1,441
24"	48"	66"	24"	•	EW1BS4866S(X/L/R/B)	\$1,236	\$1,359	\$1,483
24"	36"	72"	24"	•	EW1BS3672S(X/L/R/B)	\$1,236	\$1,359	\$1,483
24"	48"	72"	24"	•	EW1BS4872S(X/L/R/B)	\$1,291	\$1,420	\$1,549
24"	48"	60"	30"		EW1BS4860D(X/L/R/B)	\$1,236	\$1,359	\$1,483
24"	48"	66"	30"		EW1BS4866D(X/L/R/B)	\$1,263	\$1,389	\$1,515
24"	48"	72"	30"		EW1BS4872D(X/L/R/B)	\$1,339	\$1,472	\$1,606
30"	48"	60"	24"		EW1BD4860S(X/L/R/B)	\$1,236	\$1,359	\$1,483
30"	48"	66"	24"		EW1BD4866S(X/L/R/B)	\$1,243	\$1,367	\$1,491
30"	48"	72"	24"		EW1BD4872S(X/L/R/B)	\$1,306	\$1,436	\$1,567




Left Hand

24"	60"	36"	24"		EW1BS6036S(X/L/R/B)	\$1,173	\$1,290	\$1,407
24"	60"	48"	24"	•	EW1BS6048S(X/L/R/B)	\$1,208	\$1,328	\$1,449
24"	66"	48"	24"	•	EW1BS6648S(X/L/R/B)	\$1,236	\$1,359	\$1,483
24"	72"	36"	24"	•	EW1BS7236S(X/L/R/B)	\$1,243	\$1,367	\$1,491
24"	72"	48"	24"	•	EW1BS7248S(X/L/R/B)	\$1,291	\$1,420	\$1,549
24"	60"	48"	30"		EW1BS6048D(X/L/R/B)	\$1,208	\$1,328	\$1,449
24"	66"	48"	30"		EW1BS6648D(X/L/R/B)	\$1,236	\$1,359	\$1,483
24"	72"	48"	30"		EW1BS7248D(X/L/R/B)	\$1,306	\$1,436	\$1,567
30"	60"	48"	24"		EW1BD6048S(X/L/R/B)	\$1,208	\$1,328	\$1,449
30"	66"	48"	24"		EW1BD6648S(X/L/R/B)	\$1,263	\$1,389	\$1,515
30"	72"	48"	24"		EW1BD7248S(X/L/R/B)	\$1,339	\$1,472	\$1,606

									Options			
	L	Α	В		R		Posts Covered		Wiring			Height Adj.
EW1B Blended Worksurface	S 24	36	72	S	24	Х	No posts covered	G	Grommet	\$33	HA	4 HAT Supports
	D 30			D	30	L R B	Left side post covered Right side post covered Both side posts covered	G2	Scallop	\$68		
EW1B	S	36	72	S		Х		G			на	

Specify

- 1. Model#
- 2. Options
- 3. Laminate
- 4. Edge band



Wiring & Cabling G G2

Grommet \$33 Scallop

Application Notes

Blended worksurfaces are designed to take the place of two adjacent worksurfaces by blending them into one top. The front of the worksurface is curved to provide a smooth transition to the next attached worksurface.


Support Information


All supports must be ordered separately. See page 84.


Worksurface Loading & Support See page 73.

A center support must be used with a 54" wide or wider worksurface.

Worksurfaces Corner Peninsulas







Left Hand

LCIC	IIIIII	м				
60"	48"	24"	EW1BP6048SL	\$1,354	\$1,489	\$1,624
72"	48"	24"	EW1BP7248SL	\$1,382	\$1,520	\$1,658
72"	48"	30"	EW1BP7248DL	\$1,417	\$1,558	\$1,700
78"	48"	24"	EW1BP7848SL	\$1,445	\$1,589	\$1,734
78"	48"	30"	EW1BP7848DL	\$1,445	\$1,589	\$1,734
84"	48"	24"	EW1BP8448SL	\$1,701	\$1,871	\$2,041
84"	48"	30"	EW1BP8448DL	\$1,736	\$1,909	\$2,083

	Α	В	С	Posts Covered
EW1BP Blended Peninsula	36	72	S 24" Deep	L Left side post covered
			D 30" Deep	R Right side post covered
EW1BP	36	72		L

Specify

- 1. Model #
- 2. Options
- 3. Laminate4. Edge band

Grain Direction

Grommet


Blended peninsulas do not come with a grommet. Due to this, if the worksurface adjacent to the "C" side is ordered with scallops there will be a one-half scallop where the return meets the peninsula.

Support Information


All supports must be ordered separately. See page 84 – 85.

Worksurface Loading & Support See page 73.

Center support must be used for all surfaces which exceed 48" in length.



D Pe	ninsu	ıla	LAMINATE			
W	D	MODEL#	L1	L2	L3	
60"	30"	EW1D6030	\$763	\$839	\$915	
72"	30"	EW1D7230	\$1,326	\$1,458	\$1,591	
72"	36"	EW1D7236	\$1,548	\$1,702	\$1,857	
84"	30"	EW1D8430	\$1,736	\$1,909	\$2,083	
84"	36"	EW1D8436	\$1,931	\$2,124	\$2,317	



9 & P Peninsula

72"	30"	EW1(9/P)7230	\$1,326	\$1,458	\$1,591
72"	36"	EW1(9/P)7236	\$1,548	\$1,702	\$1,857
84"	30"	EW1(9/P)8430	\$1,736	\$1,909	\$2,083
84"	36"	EW1(9/P)8436	\$1,931	\$2,124	\$2,317

		W	D
EW1D	D Peninsula	72	30
EW19	9 Peninsula	:	
EW1P	P Peninsula	:	
	:	į ,	; ,
EW1BP	'	72	30

Specify

- 1. Model#
- 2. Options
- 3. Laminate

4. Edge band

Grain Direction

Application Notes

Designed for use as primary worksurfaces and for conferencing in small groups.

NOTE: P and D worksurfaces cannot be panel wrapped.

Support Information

Column bases and adjustable bar supports must be ordered separately. See page 84 – 85.

Worksurface Loading & Support See page 73.

84" wide D, P and 9 worksurfaces include a on the underside for

V support bar mounted additional stability.

Worksurfaces Half-Round & Linking



Half	Roui	nd without Notch		LAMINATE	
W	D	MODEL#	L1	L2	L3
48"	30"	EW1HR4830	\$1,034	\$1,137	\$1,240
60"	36"	EW1HR6036	\$1,298	\$1,427	\$1,557



Half Round with Notch

ĺ	W	D	MODEL#	L1	L2	L3
	48"	30"	EW1HR4830N	\$1,034	\$1,137	\$1,240
	60"	36"	EW1HR6036N	\$1,298	\$1,427	\$1,557



Quarter Round


D	MODEL#	L1	L2	L3
24"	EW1CR24	\$465	\$511	\$558
30"	EW1CR30	\$506	\$556	\$607

	144	D	Options Notch
EW1HR Half Round	36	D 72	N Round Notch
EW1HR	36	72	N

Specify

- 1. Model#
- 2. Options
- 3. Laminate

4. Edge band



Half Round Without Notches

Half rounds without notches attach to panels by means of an adjustable bar support and are supported by column bases, available in standard trim colors. Column is fixed height.

Half Round With Notches

Included


Splice plates

Not Included nor Required


Bar support

Support Information

All supports must be ordered separately. See page 84 – 85.




Blen	ded	Doub	le Corner	LAMINATE		
Α	В	C	MODEL#	L1	L2	L3
96"	48"	24"	EW1BC9648	\$1,736	\$1,909	\$2,083



135° Curved Cluster

A	В	MODEL#	L1	L2	L3
36"	24"	EW11353624	\$1,273	\$1,400	\$1,527
42"	24"	EW11354224	\$1,590	\$1,749	\$1,908
48"	24"	EW11354824	\$1,829	\$2,011	\$2,194



135° Cluster Core

A	MODEL#	L1	L2	L3
36"	EW1135C36	\$812	\$893	\$974
42"	EW1135C42	\$898	\$987	\$1,077
48"	EW1135C48	\$986	\$1,084	\$1,183

Specify

- 1. Model#
- 2. Options
- 3. Laminate
- 4. Edge band

Wiring & Cabling G G Grommet \$33 Scallop \$68

Grain Direction

Double Corner

Double corner worksurface is designed to take the place of two adjacent corners by combining them into one top.

48" deep sides are designed to cover a post and cannot be panel wrapped.

135° Curved Cluster

Used in 135° planning configurations.

Support Information

All supports must be ordered separately. See page 84 – 85.

Worksurfaces

Supports



Cantilever				•	PAINT	
DESCRIPTION	D	MODEL#	BLACK	P1	P2	P3
Left hand	20"	EB1C20L	\$118	\$199	\$218	\$238
Left hand (10 pack)	20"	EB1C20L10	\$929	\$1,328	\$1,460	\$1,593
Right hand	20"	EB1C20R	\$118	\$199	\$218	\$238
Right hand (10 pack)	20"	EB1C20R10	\$929	\$1,328	\$1,460	\$1,593



120 Cantilever

Left hand 60°	18"	EB3C18L60	\$121	\$201	\$221	\$241
Left hand 90°	18"	EB3C18L90	\$121	\$201	\$221	\$241
Right hand 60°	18"	EB3C18R60	\$121	\$201	\$221	\$241
Right hand 90°	18"	EB3C18R90	\$121	\$201	\$221	\$241




Splice Plate

20" Flat bracket (20" & 24" tops)	EB1F24	\$59	N/A	N/A	N/A
26" Flat bracket (30" & 36" tops)	EB1F30	\$68	N/A	N/A	N/A
Alignment plate 📀	EB1APW	\$18	N/A	N/A	N/A



Bracket

Panel to worksurface bracket	EB1PWS(L/R)	\$19	\$66	\$72	\$79
Panel to worksurface bracket (Pair – L/R)	EB1PWSP	\$38	\$118	\$129	\$141



V Channel Support

54"	VS54	\$165	N/A	N/A	N/A
100"	VS100	\$319	N/A	N/A	N/A

Worksurface Support Rail

ACTUAL WIDTH	MAX WORKSURFACE WIDTH					
46"	60"	WSR46	\$106	N/A	N/A	N/A
57"	72"	WSR57	\$125	N/A	N/A	N/A

Cantilevers

Worksurface cantilevers lock into panel slotted standards at 1" increments. Cantilevers are handed.

Panel to Worksurface Bracket

Can be specified in lieu of cantilever when worksurface is same depth as adjacent panel.

A single bracket can be specified behind a pedestal to secure adjacent panel to worksurface.



Adjustable Bar Support				PAINT	
DESCRIPTION	MODEL#	BLACK	P1	P2	P3
24", 30" and 36"	EB1SRS	\$266	\$331	\$364	\$397
24", 30" and 36" (10 pack)	EB1SRS10	\$2,523	\$3,187	\$3,505	\$3,824
42", 48" and 60"	EB1SRL	\$298	\$365	\$401	\$438
42", 48" and 60" (10 pack)	EB1SRL10	\$2,656	\$3,454	\$3,799	\$4,144



Desk Er	nd Panels		: : : : :	LAMINATE	
Н	W	MODEL#	L1	L2	L3
29"	20"	EB1DEP20	\$812	\$893	\$974
29"	24"	EB1DEP24	\$829	\$911	\$994
29"	30"	EB1DEP30	\$877	\$964	\$1.052

Specify

- 1. Model#
- 2. Paint

Adjustable Bar Support

Adjustable bar supports position in the slotted standards at 1"increments. Two sizes of adjustable bar supports are available. Small adjustable bar support fits 24" through 36" wide panels; the larger adjustable bar support fits 42" through 60" wide panels. All have keyhole slots to mount worksurfaces and are non-handed.



Column Bases	Column Bases				
DESCRIPTION	Н	MODEL#	P1	P2	P3
Fixed height support column	27 ¾"	EB1FCOL	\$424	\$456	\$472



Tapered Legs

- mp					
Single leg	27 ¾"	TBTL	\$422	\$462	\$502
Single leg w/caster	27 ¾"	TBTLC	\$453	\$493	\$533
Set of 2	27 ¾"	TBTL2	\$725	\$794	\$863
Set of 2 w/casters	27 ¾"	TBTL2C	\$784	\$853	\$922
Set of 4	27 ¾"	TBTL4	\$1,388	\$1,520	\$1,652
Set of 4 w/casters	27 ¾"	TBTL4C	\$1,509	\$1,641	\$1,773
Bar height single leg	40 ½"	TBTLBH	\$953	\$1,068	\$1,183
Bar height set of 2	40 ½"	TBTLBH2	\$1,811	\$2,156	\$2,242
Bar height set of 4	40 1/2"	TBTLBH4	\$3,260	\$3,605	\$4,065

Round Legs



Single leg	27 ¾"	TBRL	\$330	\$370	\$410
Single leg w/caster	27 ¾"	TBRLC	\$365	\$405	\$445
Set of 2	27 ¾"	TBRL2	\$797	\$866	\$935
Set of 2 w/casters	27 ¾"	TBRL2C	\$866	\$935	\$1,004
Set of 4	27 ¾"	TBRL4	\$1,526	\$1,658	\$1,790
Set of 4 w/casters	27 ¾"	TBRL4C	\$1,665	\$1,797	\$1,929



Round Legs — (Bar Height)

Single leg	40 ¾"	TBRLBH	\$422	\$462	\$502
Single leg w/caster	40 ¾"	TBRLBHC	\$453	\$493	\$533
Set of 2	40 ¾"	TBRLBH2	\$725	\$794	\$863
Set of 2 w/casters	40 ¾"	TBRLBH2C	\$784	\$853	\$922
Set of 4	40 ¾"	TBRLBH4	\$1,388	\$1,520	\$1,652
Set of 4 w/casters	40 ¾"	TBRLBH4C	\$1,509	\$1,641	\$1,773

Specify

- 1. Model # 2. Paint



0 Legs		PAINT			
DESCRIPTION	Н	MODEL#	P1	P2	P3
24" Deep	27 ¾"	TBOLL24	\$720	\$792	\$864
30" Deep	27 ¾"	TBOLL30	\$733	\$806	\$880
24" Deep (set of 2)	27 ¾"	TBOLL242	\$1,421	\$1,563	\$1,705
30" Deep (set of 2)	27 3/4"	TBOLL302	\$1,445	\$1,590	\$1,734



T Legs

9-					
20" Deep	27 ¾"	TBTLL20	\$406	\$447	\$487
26" Deep	27 ¾"	TBTLL26	\$419	\$461	\$503
36" Deep	27 ¾"	TBTLL36	\$443	\$487	\$532
42" Deep	27 ¾"	TBTLL42	\$540	\$594	\$648
48" Deep	27 ¾"	TBTLL48	\$636	\$700	\$763
20" Deep (set of 2)	27 ¾"	TBTLL202	\$793	\$872	\$952
26" Deep (set of 2)	27 ¾"	TBTLL262	\$817	\$899	\$980
36" Deep (set of 2)	27 ¾"	TBTLL362	\$865	\$952	\$1,038
42" Deep (set of 2)	27 ¾"	TBTLL422	\$1,058	\$1,164	\$1,270
48" Deep (set of 2)	27 ¾"	TBTLL482	\$1,240	\$1,364	\$1,488



C Legs

20" Deep	27 ¾"	TBCLL20	\$406	\$447	\$487
26" Deep	27 ¾"	TBCLL26	\$419	\$461	\$503
32" Deep	27 ¾"	TBCLL32	\$443	\$487	\$532
20" Deep (set of 2)	27 ¾"	TBCLL202	\$793	\$872	\$952
26" Deep (set of 2)	27 ¾"	TBCLL262	\$817	\$899	\$980
32" Deep (set of 2)	27 ¾"	TBCLL322	\$878	\$966	\$1,054

Specify

- 1. Model#
- 2. Paint


Levelers

Adjustable height levelers are included at no additional cost on all models.

Shank Length


C & T-Legs — 3%-16 x 3/4" O-Legs — 3%-16 x 2" Leveler extensions can be ordered separately. Please contact Customer Service for information on ordering leveler extensions. Casters can be ordered in place of levelers for an upcharge on most standard height tables.

Height Adjustable Worksurfaces Worksurface for Height Adjustable Supports



Worksurface Only 24" For Height Adjustable Supports LAMINATE WOOD VENEER D MODEL# L1 L2 L3 W1 W2 W3 42" 24" EAW14224WS \$610 \$666 \$555 \$1,112 \$1,223 \$1,334 48" 24" EAW14824WS \$583 \$641 \$699 \$1,167 \$1,283 \$1,400 54" 24" EAW15424WS \$639 \$702 \$1,278 \$1,405 \$1,533 \$766 \$840 60" EAW16024WS \$700 \$770 24" \$1,402 \$1,542 \$1,682 24" EAW17224WS \$784 \$862 \$940 \$1,569 \$1,725 \$1,882

Worksurfaces are sized to fit with the Equity system. For stand-alone height adjustable desks see page 126.



Worksurface Only 30"

For Height Adjustable Supports

42"	30"	EAW14230WS	\$660	\$726	\$792	\$1,320	\$1,452	\$1,584
48"	30"	EAW14830WS	\$679	\$746	\$814	\$1,361	\$1,497	\$1,633
54"	30"	EAW15430WS	\$763	\$839	\$915	\$1,529	\$1,681	\$1,834
60"	30"	EAW16030WS	\$853	\$938	\$1,023	\$1,708	\$1,878	\$2,049
72"	30"	EAW17230WS	\$958	\$1,053	\$1,149	\$1,918	\$2,109	\$2,301

Worksurfaces are sized to fit with the Equity system. For stand-alone height adjustable desks see page 126.

Specify


- 1. Model#
- 2. Laminate
- 3. Edge band
- 4. Support color Black or Silver

Application Notes

Provides 18" of vertical movement.

Grain Direction





Specification Guidelines

Order an adjustable height worksurface to match the panel(s) width the worksurface will be attached to. The worksurface cannot be configured to cover a partial panel.

There will be a 1" space around the perimeter of the adjustable height worksurface in order to prevent pinch points.

When used as a solitary worksurface perpendicular panels of 18" minimum width must be specified on both sides for stability.

When used in conjunction with a stationary worksurface there should be a perpendicular panel at the free end of the adjustable worksurface. The free end of the fixed worksurface should be supported with a cantilever or pedestal.

NOTE: Adjustable worksurface meets BIFMA loading requirements for safety. Mechanism is designed to have up to 100 lbs. of load and function smoothly.









Electric Height Adjustable Base

DESCRIPTION	FOOT DEPTH	MODEL#	BLACK OR SILVER
2 legs	23 3/5"	TBAHL224	\$2,651
3 legs	23 3/5"	TBAHL324	\$3,713





Specify

- 1. Model#
- 2. Trim color

Application Notes

Electric Height Adjustable Base Adjustable height bases can be used with 24" and 30" deep worksurfaces. Worksurfaces must be between 48" - 84" wide.

Adjustable height bases have a capacity of 264 lbs evenly distributed.

Comes with four position memory controller.

Anti-collision stops and reverses the travel of the table when the table collides with a fixed object during operation.

3-stage legs offer a large height adjustment range of 24" - 50".

Worksurfaces

120° Planning

These worksurfaces are designed specifically for Equity 120° applications. The (L/R) suffix at the end of a model number indicates a defined pedestal location. If the worksurface has no defined pedestal location, the (L/R) represents the curved side of the top. All tops and tables are available with 2mm edge band or a cascading edge.

Worksurface: W3

This worksurface, combined with the T3 transition top, works best with the "apartment" layout. This application allows for stations on both sides of the spine, and is ideal for high density layouts. Available in extended versions for placement directly next to another worksurface.

Worksurface: W6 (L/R)

In the "big house," "full house" or "open house", this worksurface allows for a pedestal on one side (determined by the L/R).

Applications for this top include a call center with the "open house," technical applications with the "full house," and managerial layouts with the "big house."



Worksurface: W4

This top works well in the "open house," "full house," and "big house" layouts for call center, professional and managerial applications.









Worksurface: W7 (L/R)


Used in conjunction with a T4 transition top, the W7 worksurface provides a great teaming space when the "townhouse" layout is used. The "open house" layout incorporates the T2 transition top for professional or technical stations with shared space for conferencing. Available in extended versions for placement directly next to another worksurface.












Worksurface: W5 (L/R)


With transition top T5 and this worksurface, teaming is made easy using the "townhouse" or "open house" layout. The shared space allows for call center, professional or technical applications.


Worksurface: W11 / W1118 (L/R)

This top is a spacious option for a technical station in the "open house" layout. Adding a T2 transition top provides additional teaming space. The W11 surface also fits nicely in a private managerial office or a "full house" professional application.










Worksurface: W12 / W1218 (L/R)

This top, with the T5/T518 transition top provides a technical office with shared conferencing space in the "open house" layout. The 18 return allows ample space in the supervisory application of the "full house."





Worksurface: W13 / W1318 (L/R)

This surface provides a teaming space with the T2/T218 transition in the "open house" layout. The W13/W1318 creates generous worksurface space in the "full house" as well as the management layout of the "big house."









Transition Tops

Transition tops require columns (not included — (page 85)) for support. Flat brackets (not included — (page 84)) are required to attach transition tops to adjacent worksurfaces.



Transition top



Transition top



Transition top



Transition top

Peninsula Tops

Peninsula tops provide additional workspace in a "big house" layout.

Peninsula tops are freestanding and supported by table legs, columns or a combination of both (not included — (page 85)).



Peninsula top



Peninsula top: P2 right hand



Peninsula top: P2 left hand

Worksurfaces



W3					LAMINATE	
W	L	R	MODEL #	L1	L2	L3
48"	24"	24"	EW1W34824	\$1,417	\$1,558	\$1,700

Woodgrain Direction










48"	24"	24"	EW1W44824	\$1,431	\$1,574	\$1,717








W5

48"	24"	24"	EW1W54824L	\$1,354	\$1,489	\$1,624
48"	24"	24"	EW1W54824R	\$1,354	\$1,489	\$1,624

Woodgrain Direction





W6

48"	24"	24"	EW1W64824L	\$1,514	\$1,665	\$1,816
48"	24"	24"	EW1W64824R	\$1,514	\$1,665	\$1,816

Woodgrain Direction



Specify

- 1. Model#
- 2. Laminate
- 3. Edge band

Support Information

All supports must be ordered separately. See page 84 – 85.

Worksurface Loading & Support See page 73.

Application Notes

Refer to the worksurface planning page 90 for worksurface drawings and applications.

W3 top may be extended on either the left or right hand side by adding an "EL" or "ER" to the end of the model number and adding \$23 (list).

W3 top may be extended on both ends by adding an "EB" to the end of the model number and adding \$46 (list).





1	W7					LAMINATE	
		RET	URNS				
1	W	L	R	MODEL#	L1	L2	L3
	48"	24"	24"	EW1W74824L	\$1,507	\$1,657	\$1,808
	48"	24"	24"	EW1W74824R	\$1,507	\$1,657	\$1,808

Woodgrain Direction





W11

	RET	URNS	RETURNS			
W	L	R	MODEL#	រោ	L2	L3
48"	24"	18"	EW1W11482418	\$1,778	\$1,955	\$2,133
48"	18"	24"	EW1W11481824	\$1,778	\$1,955	\$2,133

Woodgrain Direction





EW1W12481824 EW1W124824L

EW1W12482418 EW1W124824R

W12

	RET	URNS				
W	L	R	MODEL #	L1	L2	L3
48"	24"	18"	EW1W12482418	\$1,889	\$2,077	\$2,266
48"	18"	24"	EW1W12481824	\$1,889	\$2,077	\$2,266
48"	24"	24"	EW1W124824L	\$1,889	\$2,077	\$2,266
48"	24"	24"	EW1W124824R	\$1,889	\$2,077	\$2,266

Woodgrain Direction





EW1W13481824 EW1W13482418 EW1W134824L EW1W134824R

W13

		RET	URNS				
٠	W	L	R	MODEL#	L1	L2	L3
	48"	24"	18"	EW1W13482418	\$1,820	\$2,002	\$2,184
	48"	18"	24"	EW1W13481824	\$1,820	\$2,002	\$2,184
	48"	24"	24"	EW1W134824L	\$1,820	\$2,002	\$2,184
	48"	24"	24"	EW1W134824R	\$1,820	\$2,002	\$2,184
V	/oodgrai	n Direction					

Specify

- 1. Model #
- 2. Laminate
- 3. Edge band

Support Information

All supports must be ordered separately. See page 84 – 85.

Worksurface Loading & Support See page 73.

Application Notes

Refer to the worksurface planning page 90 for worksurface drawings and applications.

W7

Straight ends are available extended by adding an "E" to the end of the model number and adding \$23 (list).

Worksurfaces

Transition Tops



T2				LAMINATE	
W	RETURN	MODEL#	L1	L2	L3
50"	24"	EW1T224	\$909	\$999	\$1,090
37 ½"	18"	EW1T218	\$853	\$938	\$1,023



T3

26" 24" EW1T324 \$867 \$953 \$1,040



 T4

 26"
 24"
 EW1T424
 \$895
 \$984
 \$1,074



T5								
37 ½"	18"	EW1T518	\$937	\$1,030	\$1,124			
50"	24"	EW1T524	\$917	\$1,008	\$1,100			




Peninsula Tops

35"	52"	EW1P15235 (L/R)	\$1,006	\$1,106	\$1,207
36"	38"	EW1P23836(L/R)	\$972	\$1,069	\$1,166

Specify

- 1. Model#
- 2. Laminate
- 3. Edge band



T2 Transition Top

T2 transition top comes cut to fit against a postless end. If placing against an end with a post, add an "N" to the end of the model number so it is notched for the post.

Support Information

Transition and peninsula tops require a column base for support.

All supports must be ordered separately. See page 84 – 85.

CASCADE EDGE

Cascade

Cascade edge worksurfaces are wrapped with a thermafoil sheet that is heated and pressed around a substrate. This substrate can be FSC certified upon request. Thermafoil is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat cascade edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Cascade edge worksurfaces in solid colors utilize a non-PVC construction and are also free of any plasticizers, pthalates and lead content.

AVAILABLE LAMINATES

Solid

114 Folkstone Grey 117 Soft Grey

118 Bright White

119 Pumice


Woodgrain

124 Medium Cherry


125 Natural Maple

126 Natural Cherry

127 Walnut



24" I	Deep		LAMINAT	E
W	D	MODEL#	SOLID	WOODGRAIN
24"	24"	ECE1R2424N	\$308	\$354
30"	24"	ECE1R3024N	\$354	\$405
36"	24"	ECE1R3624N	\$389	\$448
42"	24"	ECE1R4224N	\$448	\$517
48"	24"	ECE1R4824N	\$504	\$580
54"	24"	ECE1R5424N	\$542	\$623
60"	24"	ECE1R6024N	\$588	\$677
66"	24"	ECE1R6624N	\$636	\$729
72"	24"	ECE1R7224N	\$664	\$764
78"	24"	ECE1R7824N	\$715	\$820
84"	24"	ECE1R8424N	\$754	\$867
90"	24"	ECE1R9024N	\$852	\$977
96"	24"	ECE1R9624N	\$930	\$1,069



30" Deep

_					
	24"	30"	ECE1R2430N	\$391	\$452
	30"	30"	ECE1R3030N	\$440	\$504
	36"	30"	ECE1R3630N	\$489	\$563
	42"	30"	ECE1R4230N	\$531	\$608
	48"	30"	ECE1R4830N	\$588	\$677
	54"	30"	ECE1R5430N	\$666	\$765
	60"	30"	ECE1R6030N	\$733	\$840
	66"	30"	ECE1R6630N	\$818	\$940
	72"	30"	ECE1R7230N	\$852	\$977
	78"	30"	ECE1R7830N	\$908	\$1,043
	84"	30"	ECE1R8430N	\$966	\$1,112
	90"	30"	ECE1R9030N	\$1,039	\$1,194
	96"	30"	ECE1R9630N	\$1,112	\$1,276

Sample

Specify

- 1. Model#
- 2. Options
- 3. Laminate

Extended Ends

E....Covers 1 post \$28 **EE** ... Covers 2 posts

\$57

Grain Direction







Wiring & Cabling



Solid

114 Folkstone Grey 117 Soft Grey

Available Laminates

118 Bright White

119 Pumice

Woodgrain

124 Medium Cherry

125 Natural Maple 126 Natural Cherry

127 Walnut

Support Information


All supports must be ordered separately. See page 84 – 85.

Worksurface Loading & Support See page 73.

A center support must be used with a 54" wide or larger worksurface.




Corne	er – Cu	ırved Front	LAMINA	TE	
Α	В	С	MODEL#	SOLID	WOODGRAIN
36"	24"	24"	ECE1L3636SSN	\$770	\$886
42"	24"	24"	ECE1L4242SSN	\$930	\$1,069
42"	24"	30"	ECE1L4242SDN	\$1,105	\$1,267
42"	30"	24"	ECE1L4242DSN	\$1,105	\$1,267
48"	24"	24"	ECE1L4848SSN	\$1,043	\$1,201
48"	24"	30"	ECE1L4848SDN	\$1,251	\$1,438
48"	30"	24"	ECE1L4848DSN	\$1,251	\$1,438
48"	30"	30"	ECE1L4848DDN	\$1,122	\$1,291



Right Hand

42"	60"	24"	24"	ECE1L4260SS()N	\$1,276	\$1,469
42"	66"	24"	24"	ECE1L4266SS()N	\$1,310	\$1,508
42"	72"	24"	24"	ECE1L4272SS()N	\$1,359	\$1,566
42"	78"	24"	24"	ECE1L4278SS()N	\$1,376	\$1,580
48"	60"	24"	24"	ECE1L4860SS()N	\$1,294	\$1,486
48"	66"	24"	24"	ECE1L4866SS()N	\$1,339	\$1,541
48"	72"	24"	24"	ECE1L4872SS()N	\$1,389	\$1,597
48"	78"	24"	24"	ECE1L4878SS()N	\$1,531	\$1,762
48"	84"	24"	24"	ECE1L4884SS()N	\$1,720	\$1,981
48"	60"	24"	30"	ECE1L4860SD()N	\$1,267	\$1,460
48"	66"	24"	30"	ECE1L4866SD()N	\$1,335	\$1,535
48"	72"	24"	30"	ECE1L4872SD()N	\$1,397	\$1,608
48"	60"	30"	24"	ECE1L4860DS()N	\$1,267	\$1,460
48"	66"	30"	24"	ECE1L4866DS()N	\$1,335	\$1,535
48"	72"	30"	24"	ECE1L4872DS()N	\$1,397	\$1,608



Left Hand

	60"	42"	24"	24"	ECE1L6042SS()N	\$1,276	\$1,469
	60"	48"	24"	24"	ECE1L6048SS()N	\$1,294	\$1,486
	66"	42"	24"	24"	ECE1L6642SS()N	\$1,310	\$1,508
	66"	48"	24"	24"	ECE1L6648SS()N	\$1,339	\$1,541
	72"	42"	24"	24"	ECE1L7242SS()N	\$1,359	\$1,566
	72"	48"	24"	24"	ECE1L7248SS()N	\$1,389	\$1,597
	78"	42"	24"	24"	ECE1L7842SS()N	\$1,376	\$1,580
	78"	48"	24"	24"	ECE1L7848SS()N	\$1,531	\$1,762
	84"	48"	24"	24"	ECE1L8448SS()N	\$1,720	\$1,981
ĺ	60"	48"	24"	30"	ECE1L6048SD()N	\$1,267	\$1,460
	66"	48"	24"	30"	ECE1L6648SD()N	\$1,335	\$1,535
l	72"	48"	24"	30"	ECE1L7248SD()N	\$1,397	\$1,608
	60"	48"	30"	24"	ECE1L6048DS()N	\$1,267	\$1,460
	66"	48"	30"	24"	ECE1L6648DS()N	\$1,335	\$1,535
	72"	48"	30"	24"	ECE1L7248DS()N	\$1,397	\$1,608

Application Notes

Center-Located Edge Grommet

To specify, replace the "N" suffix from the model number with "G". Add \$68.

Equity "L" worksurfaces are handed and may or may not cover a post on either or both sides. Hand is determined from the seated position. Option suffixes for Equity blended corners are as follows:

 \boldsymbol{X} No posts covered

 $\mathbf{L} \dots \mathbf{L}$ eft post covered

R....Right post covered

B.... Both posts covered


Worksurfaces

Cascade Worksurfaces

Corner Peninsulas



Righ	t Ha	nd		LAMINA	ATE.
A	C	D	MODEL #	SOLID	WOODGRAIN
24"	66"	48"	ECE1BD6648SR	\$1,247	\$1,433
24"	72"	48"	ECE1BD7248SR	\$1,273	\$1,468
24"	78"	48"	ECE1BD7848SR	\$1,472	\$1,692
24"	84"	48"	ECE1BD8448SR	\$1,512	\$1,739
30"	66"	48"	ECE1BD6648DR	\$1,310	\$1,508
30"	72"	48"	ECE1BD7248DR	\$1,358	\$1,563
30"	78"	48"	ECE1BD7848DR	\$1,522	\$1,749
30"	84"	48"	ECE1BD8448DR	\$1,608	\$1,848




Left Hand

LCIC	Hully	М			
24"	48"	66"	ECE1BD6648SL	\$1,247	\$1,433
24"	48"	72"	ECE1BD7248SL	\$1,273	\$1,468
24"	48"	78"	ECE1BD7848SL	\$1,472	\$1,692
24"	48"	84"	ECE1BD8448SL	\$1,512	\$1,739
30"	48"	66"	ECE1BD6648DL	\$1,310	\$1,508
30"	48"	72"	ECE1BD7248DL	\$1,358	\$1,563
30"	48"	78"	ECE1BD7848DL	\$1,522	\$1,749
30"	48"	84"	ECE1BD8448DL	\$1,608	\$1,848



- 1. Model#
- 2. Options
- 3. Laminate



Edge Profile



Wiring & Cabling



Scallop \$68

Available Laminates

Solid


- 114 Folkstone Grey
- 117 Soft Grey
- 118 Bright White
- 119 Pumice

Woodgrain


- 124 Medium Cherry
- 125 Natural Maple
- 126 Natural Cherry
- 127 Walnut

Support Information

All supports must be ordered separately. See page 84 – 85.




Right	Right Hand						
W	L	R	Α	В	MODEL#	SOLID	WOODGRAIN
36"	24"	30"	3"	15"	ECE1W362430N	\$827	\$950
42"	24"	30"	9"	15"	ECE1W422430N	\$869	\$1,002
48"	24"	30"	15"	15"	ECE1W482430N	\$931	\$1,071
72"	24"	30"	30 ½"	23 ½"	ECE1W722430N	\$1,186	\$1,361



Left Hand

36"	30"	24"	15"	1 ½"	ECE1W363024N	\$827	\$950
42"	30"	24"	15"	7 ½"	ECE1W423024N	\$869	\$1,002
48"	30"	24"	15"	15"	ECE1W483024N	\$931	\$1,071
72"	30"	24"	23 ½"	30 ½"	ECE1W723024N	\$1,186	\$1,361



120° Worksurface

48"	48"	24"	24"	ECE1W34824G	\$1,359	\$1,566

S	pe	ci	fv
_			-,

- 1. Model#
- 2. Options
- 3. Laminate





Wiring & Cabling



Scallop \$68

Available Laminates

Solid

- 114 Folkstone Grey
- 117 Soft Grey
- 118 Bright White
- 119 Pumice

Woodgrain

- 124 Medium Cherry
- 125 Natural Maple
- 126 Natural Cherry
- 127 Walnut

Support Information

All supports must be ordered separately. See page 84 – 85.

Cascade Worksurfaces

Rounds



Half	Round		LAMI	
W	D	MODEL#	SOLID	WOODGRAIN
18"	48"	ECE1H4818P	\$664	\$764
48"	18"	ECE1H4818PC	\$664	\$764
48"	18"	ECE1H4818PE	\$664	\$764
60"	24"	ECE1H6024P	\$914	\$1,056
60"	24"	ECE1H6024PC	\$914	\$1,056
60"	24"	ECE1H6024PE	\$914	\$1,056



Corner Round

24"	24"	ECE1CR24L/R	\$354	\$405



Corner Round w/Notch

24"	24"	ECE1CR24N	\$354	\$405

Specify

- 1. Model #
- 2. Options
- 3. Laminate

Half Round

- P Notched for post
- **PE** Notched for postless end
- **PC** Notched for post with cover

Grain Direction





Edge Profile



Available Laminates

Solid

- 114 Folkstone Grey
- 117 Soft Grey
- 118 Bright White
- 119 Pumice

Woodgrain

- 124 Medium Cherry
- 125 Natural Maple
- 126 Natural Cherry
- 127 Walnut

Support Information

All supports must be ordered separately. See page 84 – 85.



Cable Sleeve w/Cover

Н	D	MODEL#	BLACK ONLY
1 3/8"	3 1/4"	EW1CS	\$37




Edge Grommet

Н	W	D	MODEL #	BLACK ONLY
13/8"	2 1/4"	13/8"	EW1WSG	\$37



Personal Drawer

Н	W	D	MODEL#	BLACK ONLY
2 1/8"	21 ¾"	17 1/4"	SPD22	\$464



Cable Canal

н	W	D	MODEL#	BLACK ONLY
2"	18"	2"	EWCCNL18	\$394
2"	24"	4"	EWCCNL24	\$457
2"	30"	4"	EWCCNL30	\$546
2"	36"	4"	EWCCNL36	\$585
2"	42"	4"	EWCCNL42	\$762



Cable Channel

Н	W	D	MODEL#	BLACK ONLY
1 %"	32"	2 3/8"	EWCCHL32	\$77

Cable Sleeve with Cover

Used to pass cables through a worksurface. Fits 3" diameter hole, field cut, in worksurface. Smooth plastic prevents abrasion of cords and cables.


Cover snaps into sleeve. Cover has slots that allow passage of one or two cables, yet gives appearance of surface continuity.

Available in black only.


Edge Grommet

Designed to accommodate various styles and quantities of cords/plugs between rear of worksurface and panel for improved cord/plug management. Designed to work with Equity EW1 tops shipped after 2005.

Available in black only.




Straight					LAMINATE		PAINT	
W (NOMINAL)	W (ACTUAL)	D	MODEL#	L1	L2	L3	P2	P3
12"	10 ½"	15 1/4"	EW(3/N)1215	\$444	\$488	\$532	+ \$33	+ \$66
24"	22 ½"	15 1/4"	EW(3/N)2415	\$471	\$518	\$565	+ \$33	+ \$66
30"	28 ½"	15 1/4"	EW(3/N)3015	\$478	\$525	\$573	+ \$33	+ \$66
36"	34 ½"	15 1/4"	EW(3/N)3615	\$485	\$533	\$582	+ \$33	+ \$66
42"	40 1/2"	15 1/4"	EW(3/N)4215	\$506	\$556	\$607	+ \$33	+ \$66
48"	46 1/2"	15 1/4"	EW(3/N)4815	\$541	\$595	\$649	+ \$33	+ \$66
60"	58 ½"	15 1/4"	EW(3/N)6015	\$589	\$647	\$706	+ \$33	+ \$66
72"	70 ½"	15 1/4"	EW(3/N)7215	\$666	\$732	\$799	+ \$33	+ \$66
84"	82 1/2"	15 1/4"	EW(3/N)8415	\$735	\$808	\$882	+ \$33	+ \$66
96"	94 1/2"	15 1/4"	EW(3/N)9615	\$790	\$869	\$948	+ \$33	+ \$66
108"	106 ½"	15 1/4"	EW(3/N)10815	\$861	\$947	\$1,033	+ \$33	+ \$66
120"	118 ½"	15 1/4"	EW(3/N)12015	\$937	\$1,030	\$1,124	+ \$33	+ \$66



Extended One End

	Extended one that								
_	12"	12"	15 ¼"	EW(3/N)1215E	\$457	\$502	\$548	+ \$33	+ \$66
	24"	24"	15 1/4"	EW(3/N)2415E	\$485	\$533	\$582	+ \$33	+ \$66
	30"	30"	15 1/4"	EW(3/N)3015E	\$492	\$541	\$590	+ \$33	+ \$66
	36"	36"	15 1/4"	EW(3/N)3615E	\$499	\$548	\$598	+ \$33	+ \$66
	42"	42"	15 1/4"	EW(3/N)4215E	\$520	\$572	\$624	+ \$33	+ \$66
	48"	48"	15 1/4"	EW(3/N)4815E	\$555	\$610	\$666	+ \$33	+ \$66
	60"	60"	15 1/4"	EW(3/N)6015E	\$603	\$663	\$723	+ \$33	+ \$66
	72"	72"	15 1/4"	EW(3/N)7215E	\$679	\$746	\$814	+ \$33	+ \$66
	84"	84"	15 1/4"	EW(3/N)8415E	\$750	\$825	\$900	+ \$33	+ \$66
	96"	96"	15 1/4"	EW(3/N)9615E	\$806	\$886	\$967	+ \$33	+ \$66
	108"	108"	15 1/4"	EW(3/N)10815E	\$874	\$961	\$1,048	+ \$33	+ \$66



Extended Both End

Extended both Lind								
12"	13 ½"	15 1/4"	EW(3/N)1215EE	\$471	\$518	\$565	+ \$33	+ \$66
24"	25 ½"	15 1/4"	EW(3/N)2415EE	\$499	\$548	\$598	+ \$33	+ \$66
30"	31 ½"	15 1/4"	EW(3/N)3015EE	\$506	\$556	\$607	+ \$33	+ \$66
36"	37 ½"	15 1/4"	EW(3/N)3615EE	\$513	\$564	\$615	+ \$33	+ \$66
42"	43 1/2"	15 1/4"	EW(3/N)4215EE	\$533	\$586	\$639	+ \$33	+ \$66
48"	49 ½"	15 1/4"	EW(3/N)4815EE	\$568	\$624	\$681	+ \$33	+ \$66
60"	61 ½"	15 1/4"	EW(3/N)6015EE	\$617	\$678	\$740	+ \$33	+ \$66
72"	73 ½"	15 1/4"	EW(3/N)7215EE	\$694	\$763	\$832	+ \$33	+ \$66
84"	85 ½"	15 1/4"	EW(3/N)8415EE	\$763	\$839	\$915	+ \$33	+ \$66
96"	97 ½"	15 1/4"	EW(3/N)9615EE	\$819	\$900	\$982	+ \$33	+ \$66
108"	109 ½"	15 1/4"	EW(3/N)10815EE	\$888	\$976	\$1,065	+ \$33	+ \$66

Specify

- 1. Model#
- 2. Laminate
- 3. Edge band
- 4. Cantilever color

Extended Ends

E....Covers 1 post

EE . . Covers 1 posts

Application Notes

Counter caps are designed for mounting on top of panels.

Counter caps fit between posts, appropriate to fit between two taller panels and a dual/triple height connectors.

Support Information

Steel cantilevers are supplied.

Top Cap Compatibility


3 - Beveled

N – Flat











Corner			 •••••••••••••••••••••••••••••••••••••••	LAMINATE		PAINT	•••••
W	D	MODEL#	L1	L2	L3	P2	P3
24"	15 1/4"	EW(3/N)CC2415	\$583	\$641	\$699	+ \$33	+ \$66
30"	15 1/4"	EW(3/N)CC3015	\$603	\$663	\$723	+ \$33	+ \$66
36"	15 1/4"	EW(3/N)CC3615	\$624	\$686	\$748	+ \$33	+ \$66



	Extellu	eu Leit						
_	24"	15 ¼"	EW(3/N)CC2415LHE	\$596	\$655	\$715	+ \$33	+ \$66
	30"	15 1/4"	EW(3/N)CC3015LHE	\$617	\$678	\$740	+ \$33	+ \$66
	36"	15 1/4"	EW(3/N)CC3615LHE	\$639	\$702	\$766	+ \$33	+ \$66



Extended Right									
24"	15 1/4"	EW(3/N)CC2415RHE	\$596	\$655	\$715	+ \$33	+ \$66		
30"	15 1/4"	EW(3/N)CC3015RHE	\$617	\$678	\$740	+ \$33	+ \$66		
36"	15 1/4"	EW(3/N)CC3615RHE	\$639	\$702	\$766	+ \$33	+ \$66		



Extended Both

Extanded Laft

							
24"	15 1/4"	EW(3/N)CC2415EE	\$611	\$672	\$733	+ \$33	+ \$66
30"	15 1/4"	EW(3/N)CC3015EE	\$631	\$694	\$757	+ \$33	+ \$66
36"	15 1/4"	EW(3/N)CC3615EE	\$652	\$717	\$782	+ \$33	+ \$66

ς	ne	ci	ifv
,	۲		···y

- 1. Model#
- 2. Laminate
- 3. Edge band
- 4. Cantilever color

Extended Ends

E....Covers 1 post

EE . . Covers 2 posts

Application Notes

Counter caps are designed for mounting on top of panels.

Counter caps fit between posts, appropriate to fit between two taller panels and a dual/triple height connectors.

Support Information

Steel cantilevers are supplied.

Top Cap Compatibility


3 – Beveled

N – Flat






Open Shelves



Full He	ight		PAINT			
W	D	Н	MODEL #	P1	P2	Р3
24"	12 3/8"	10 1/4"	ES2OS24	\$306	\$321	\$331
30"	12 3/8"	10 1/4"	ES2OS30	\$337	\$352	\$362
36"	12 3/8"	10 1/4"	ES2OS36	\$337	\$352	\$362
42"	12 3/8"	10 1/4"	ES2OS42	\$352	\$367	\$377
48"	12 3/8"	10 1/4"	ES2OS48	\$368	\$383	\$393
60"	12 3/8"	10 1/4"	ES2OS60	\$394	\$409	\$419
72"	12 3/8"	10 1/4"	ES2OS72	\$427	\$442	\$452



Half Height

	9					
24"	12 ¾"	7 1/4"	ES3OS24	\$371	\$386	\$396
30"	12 ¾"	7 1/4"	ES3OS30	\$411	\$426	\$436
36"	12 3/8"	7 1/4"	ES3OS36	\$411	\$426	\$436
42"	12 ¾"	7 1/4"	ES3OS42	\$427	\$442	\$452
48"	12 ¾"	7 1/4"	ES3OS48	\$448	\$463	\$473
60"	12 ¾"	7 1/4"	ES3OS60	\$482	\$497	\$507
72"	12 3/8"	7 1/4"	ES3OS72	\$520	\$535	\$545



Shelf Back

24"	EC2SB24	\$253	\$263	\$273
30"	EC2SB30	\$278	\$288	\$298
36"	EC2SB36	\$278	\$288	\$298
42"	EC2SB42	\$292	\$302	\$312
48"	EC2SB48	\$304	\$314	\$324
60"	EC2SB60	\$343	\$353	\$363
72"	EC2SB72	\$391	\$401	\$411



Shelf D	ivider –	– 4 pack		BLACK ONLY	
2"	9"	6"	EC2SD	\$176 n/a	n/a

Specify					

1. Model # 2. Paint Application Notes


Open shelf consists of two steel end panels and one steel shelf.

NOTE: Cannot be converted to an enclosed cabinet.

ı		Sneir Type	VV
:	ES2OS	Open Shelf	36
:	ES3OS	Open Shelf – Half Height	
	ES2OS		36
Ì		•••	•

Shelf Divider


Available in black only.




Full La	minate				LAMINATE		١	VOOD VENEER	
W	D	Н	MODEL#	P1	P2	P3	W1	W2	W3
24"	12 3/8"	10 1/4"	ES2OSL24	\$470	\$517	\$564	\$940	\$1,034	\$1,128
30"	12 3/8"	10 1/4"	ES2OSL30	\$480	\$528	\$576	\$960	\$1,056	\$1,152
36"	12 %"	10 1/4"	ES2OSL36	\$489	\$537	\$586	\$978	\$1,074	\$1,172
42"	12 %"	10 1/4"	ES2OSL42	\$504	\$554	\$604	\$1,008	\$1,108	\$1,208
48"	12 3/8"	10 1/4"	ES2OSL48	\$518	\$569	\$621	\$1,036	\$1,138	\$1,242
60"	12 %"	10 1/4"	ES2OSL60	\$733	\$806	\$879	\$1,466	\$1,612	\$1,758
72"	12 3/8"	10 1/4"	ES2OSL72	\$944	\$1,038	\$1,132	\$1,888	\$2,076	\$2,264

ecify	Application Notes				
Model # Laminate/Veneer	Can not be converted into an enclosed cabinet.				


	Shelf Type	W
ES2OSL	Open Shelf Full Laminate	36
	:	
ES2OSL		36
	••••	······



Laminate Front — Side Hinge Door						LAMINATE			PAINT	
	W	D	Н	# DOORS	MODEL#	L1	L2	L3	P2	Р3
	24"	12 ½"	14 1/4"	2	EC2OL24	\$898	\$987	\$1,077	+ \$33	+ \$66
	30"	12 ½"	14 1/4"	2	EC2OL30	\$965	\$1,061	\$1,158	+ \$33	+ \$66
	36"	12 ½"	14 1/4"	2	EC2OL36	\$1,031	\$1,134	\$1,237	+ \$33	+ \$66
	42"	12 ½"	14 1/4"	2	EC2OL42	\$1,098	\$1,207	\$1,317	+ \$33	+ \$66
	48"	12 ½"	14 1/4"	2	EC2OL48	\$1,163	\$1,279	\$1,395	+ \$33	+ \$66
	60"	12 ½"	14 1/4"	4	EC2OL60	\$1,630	\$1,793	\$1,956	+ \$33	+ \$66
	72"	12 ½"	14 1/4"	4	EC2OL72	\$1,762	\$1,938	\$2,114	+ \$33	+ \$66



Painted	Painted Steel — Flipper Door						PAINT		
W	D	Н	# DOORS	MODEL#	P1	P2	P3		
24"	12 ½"	14 1/4"	1	EC2OP24	\$799	\$824	\$849		
30"	12 ½"	14 1/4"	1	EC2OP30	\$904	\$929	\$954		
36"	12 ½"	14 1/4"	1	EC2OP36	\$904	\$929	\$954		
42"	12 ½"	14 1/4"	1	EC2OP42	\$1,007	\$1,032	\$1,057		
48"	12 ½"	14 1/4"	1	EC2OP48	\$1,063	\$1,088	\$1,113		
60"	12 ½"	14 1/4"	1	EC2OP60	\$1,211	\$1,236	\$1,261		
72"	12 ½"	14 1/4"	1	EC2OP72	\$1,333	\$1,358	\$1,383		
72"	12 ½"	14 1/4"	2	EC20P272	\$1,618	\$1,643	\$1,668		



Open 12 ½" 14 1/4" EC20024 \$606 30" 12 ½" 14 1/4" EC20030 \$739 36" 12 ½" 14 1/4" EC20036 \$765





Overhead Back

24"	5/8"	14"	EC2CB24	\$253	\$263	\$273
30"	5/8"	14"	EC2CB30	\$278	\$288	\$298
36"	5/8"	14"	EC2CB36	\$278	\$288	\$298
42"	5/8"	14"	EC2CB42	\$292	\$302	\$312
48"	5/8"	14"	EC2CB48	\$304	\$314	\$324
60"	5/8"	14"	EC2CB60	\$343	\$353	\$363
72"	5/8"	14"	EC2CB72	\$391	\$401	\$411

Specity	

- 1. Model#
- 2. Paint
- 3. Optional Laminate

Overhead – Side Hinge

Includes matching ABS edge band.


Overhead – Flipper Door

Door uses heavy-duty ball bearing hinges to allow door to flip forward and up and over top of cabinet. Can be opened at an angle. Door rolls on glides for smooth, friction-free operation.


	Overhead Type	W
EC2OL	Side Hinge	36
EC2OP	Flipper Door	
EC200	Open	
	:	
ES2OL		36

\$666

\$727



Full La	minate -	— Side Hinge	e Door			LAMINATE		W	OOD VENEER	
W	D	Н	# DOORS	MODEL#	L1	L2	L3	W1	W2	W3
24"	12 ½"	14 1/4"	2	EC2OCL24D	\$1,843	\$2,027	\$2,211	\$3,686	\$4,054	\$4,422
30"	12 ½"	14 1/4"	2	EC2OCL30D	\$1,874	\$2,061	\$2,248	\$3,748	\$4,122	\$4,496
36"	12 ½"	14 1/4"	2	EC2OCL36D	\$1,907	\$2,097	\$2,288	\$3,814	\$4,194	\$4,576
42"	12 ½"	14 1/4"	2	EC2OCL42D	\$1,954	\$2,149	\$2,344	\$3,908	\$4,298	\$4,688
48"	12 ½"	14 1/4"	2	EC2OCL48D	\$2,003	\$2,203	\$2,403	\$4,006	\$4,406	\$4,806
60"	12 ½"	14 1/4"	4	EC2OCL60D	\$2,720	\$2,992	\$3,264	\$5,440	\$5,984	\$6,528
72"	12 ½"	14 1/4"	4	EC2OCL72D	\$3,437	\$3,780	\$4,124	\$6,874	\$7,560	\$8,248



ABS edge band.

Full Laminate Open

24"	12 ½"	14 ¼"	EC2OCL24	\$1,571	\$1,728	\$1,885	\$3,142	\$3,456	\$3,770
30"	12 ½"	14 1/4"	EC2OCL30	\$1,603	\$1,763	\$1,923	\$3,206	\$3,526	\$3,846
36"	12 ½"	14 1/4"	EC2OCL36	\$1,635	\$1,798	\$1,962	\$3,270	\$3,596	\$3,924
42"	12 ½"	14 1/4"	EC2OCL42	\$1,684	\$1,852	\$2,020	\$3,368	\$3,704	\$4,040
48"	12 ½"	14 1/4"	EC2OCL48	\$1,731	\$1,904	\$2,077	\$3,462	\$3,808	\$4,154
60"	12 ½"	14 1/4"	EC2OCL60	\$2,448	\$2,692	\$2,937	\$4,896	\$5,384	\$5,874
72"	12 ½"	14 1/4"	EC2OCL72	\$3,149	\$3,463	\$3,778	\$6,298	\$6,926	\$7,556

SHARED STORAGE DIMENSIONS

Equity is measured from the center of the posts on each end of the panel. A standard full laminate overhead is dimensioned to fit in a fully panel wrapped configuration. It is therefore 1-½" narrower than the nominal panel dimension. If you would like the full laminate overhead to extend to cover the center of one post you will need to add an "E" to the full laminate overhead item number. This will add ¾" to the width of the shared storage. If you would like the full laminate overhead to extend to cover the center of both posts then you will need to add "EE", extending the full laminate overhead by 1 ½" from the standard.

E....Covers center of 1 post

EE . . Covers center of 2 posts









						Options
Specify			W	D	Door	Extended Ends
1. Model #	ES20 Equity Overhea	d CL Full Laminate Overh	ead: 36	14	No Door	E One End \$27
2. Laminate/Veneer					D Door	EE Both Ends \$55
Overhead Includes matching	ES20	CL	36	14	D	Е

Shared Storage



12" H					LAMINATE	
	•		***************************************			
W	D	Н	MODEL#	L1	L2	L3
24"	14"	12"	EC20Y2412	\$1,296	\$1,425	\$1,555
30"	14"	12"	EC2OY3012	\$1,323	\$1,455	\$1,587
36"	14"	12"	EC2OY3612	\$1,349	\$1,483	\$1,618
42"	14"	12"	EC2OY4212	\$1,390	\$1,529	\$1,668
48"	14"	12"	EC2OY4812	\$1,430	\$1,573	\$1,716
60"	14"	12"	EC2OY6012	\$1,987	\$2,185	\$2,384
72"	14"	12"	EC2OY7212	\$2,571	\$2,828	\$3,085
84"	14"	12"	EC2OY8412	\$3,130	\$3,443	\$3,756



14" H

24"	14"	14 1/4"	EC20Y2414	\$1,311	\$1,442	\$1,573
30"	14"	14 1/4"	EC20Y3014	\$1,337	\$1,470	\$1,604
36"	14"	14 1/4"	EC20Y3614	\$1,364	\$1,500	\$1,636
42"	14"	14 1/4"	EC20Y4214	\$1,403	\$1,543	\$1,683
48"	14"	14 1/4"	EC20Y4814	\$1,444	\$1,588	\$1,732
60"	14"	14 1/4"	EC20Y6014	\$2,040	\$2,244	\$2,448
72"	14"	14 1/4"	EC20Y7214	\$2,625	\$2,887	\$3,150
84"	14"	14 1/4"	EC20Y8414	\$3,196	\$3,515	\$3,835

SHARED STORAGE DIMENSIONS

Equity is measured from the center of the posts on each end of the panel. A standard shared storage is dimensioned to fit in a fully panel wrapped configuration. It is therefore 1-½" narrower than the nominal panel dimension. If you would like the shared storage to extend to cover the center of one post you will need to add an "E" to the shared storage item number. This will add ¾" to the width of the shared storage. If you would like the shared storage to extend to cover the center of both posts then you will need to add "EE", extending the shared storage by 1 ½" from the standard.


E....Covers center of 1 post **EE**...Covers center of 2 posts








						Optio	ns	
		W	D		Door		Extended Ends	
ES20 Equity Overhead	Y Shared Storage	36	14	D MD	No Door Door Markerboard Door	E EE	One End Both Ends	\$27 \$56
ES2O	Υ	36	14	D		Е		



				:	······································	:
12" H	w/Doors	S — Includes	2 locks		LAMINATE	
W	D	Н	MODEL#	L1	L2	L3
24"	14"	12"	EC2OY2412(D/MD)	\$1,482	\$1,630	\$1,778
30"	14"	12"	EC2OY3012(D/MD)	\$1,523	\$1,675	\$1,827
36"	14"	12"	EC2OY3612(D/MD)	\$1,563	\$1,719	\$1,875
42"	14"	12"	EC2OY4212(D/MD)	\$1,602	\$1,762	\$1,922
48"	14"	12"	EC2OY4812(D/MD)	\$1,642	\$1,806	\$1,970
60"	14"	12"	EC2OY6012(D/MD)	\$2,240	\$2,464	\$2,688
72"	14"	12"	EC2OY7212(D/MD)	\$2,824	\$3,106	\$3,388
84"	14"	12"	EC2OY8412(D/MD)	\$3,329	\$3,661	\$3,994



14" H w/Doors — Includes 2 locks


24"	14"	14 1/4"	EC2OY2414(D/MD)	\$1,536	\$1,689	\$1,843
30"	14"	14 1/4"	EC2OY3014(D/MD)	\$1,563	\$1,719	\$1,875
36"	14"	14 1/4"	EC2OY3614(D/MD)	\$1,589	\$1,747	\$1,906
42"	14"	14 1/4"	EC2OY4214(D/MD)	\$1,630	\$1,793	\$1,956
48"	14"	14 1/4"	EC2OY4814(D/MD)	\$1,668	\$1,834	\$2,001
60"	14"	14 1/4"	EC2OY6014(D/MD)	\$2,267	\$2,493	\$2,720
72"	14"	14 1/4"	EC2OY7214(D/MD)	\$2,864	\$3,150	\$3,436
84"	14"	14 1/4"	EC2OY8414(D/MD)	\$3,489	\$3,837	\$4,186

Specify

- 1. Model#
- Options
 Laminate

Shared Storage


Includes matching ABS edge band.



12" H		FABRIC								
W	MODEL#	A	В	C	D	E	F	G	Н	
24"	EP1TB2412	\$266	\$291	\$316	\$366	\$466	\$566	\$666	\$766	
30"	EP1TB3012	\$331	\$356	\$381	\$431	\$531	\$631	\$731	\$831	
36"	EP1TB3612	\$398	\$423	\$448	\$498	\$598	\$698	\$798	\$898	
42"	EP1TB4212	\$431	\$456	\$481	\$531	\$631	\$731	\$831	\$931	
48"	EP1TB4812	\$464	\$489	\$514	\$564	\$664	\$764	\$864	\$964	
60"	EP1TB6012	\$531	\$556	\$581	\$631	\$731	\$831	\$931	\$1,031	

20" H

24"	EP1TB2420	\$398	\$423	\$448	\$498	\$598	\$698	\$798	\$898
30"	EP1TB3020	\$431	\$456	\$481	\$531	\$631	\$731	\$831	\$931
36"	EP1TB3620	\$464	\$489	\$514	\$564	\$664	\$764	\$864	\$964
42"	EP1TB4220	\$498	\$523	\$548	\$598	\$698	\$798	\$898	\$998
48"	EP1TB4820	\$531	\$556	\$581	\$631	\$731	\$831	\$931	\$1,031
60"	EP1TB6020	\$597	\$622	\$647	\$697	\$797	\$897	\$997	\$1,097



25" H 24" EP1TB2425 \$464 \$489 \$514 \$564 \$664 \$764 \$864 \$964 30" EP1TB3025 \$498 \$523 \$548 \$598 \$698 \$798 \$898 \$998 36" EP1TB3625 \$531 \$556 \$581 \$631 \$731 \$831 \$931 \$1,031 42" EP1TB4225 \$563 \$588 \$613 \$663 \$963 \$1,063 \$763 \$863 48" EP1TB4825 \$622 \$797 \$897 \$1,097 \$597 \$647 \$697 \$997 60" EP1TB6025 \$664 \$689 \$714 \$764 \$864 \$964 \$1,064 \$1,164

36" H									
24"	EP1TB2436	\$531	\$556	\$581	\$631	\$731	\$831	\$931	\$1,031
30"	EP1TB3036	\$597	\$622	\$647	\$697	\$797	\$897	\$997	\$1,097
36"	EP1TB3636	\$630	\$655	\$680	\$730	\$830	\$930	\$1,030	\$1,130
42"	EP1TB4236	\$664	\$689	\$714	\$764	\$864	\$964	\$1,064	\$1,164
48"	EP1TB4836	\$696	\$721	\$746	\$796	\$896	\$996	\$1,096	\$1,196
60"	EP1TB6036	\$763	\$788	\$813	\$863	\$963	\$1,063	\$1,163	\$1,263

Specify	
1. Model#	
2 Fabric	

Application Notes Specify in areas where heavy tacking application is required.

Solid core construction will easily accept T-pins, push pins and thumbtacks.

Clips attach unit to slotted standards.

			Options	
	W	Н	Extended Ends	
EW1 Tackboard	48	20	E One End EE Both Ends	\$26 \$52
EP1TB	36	20	Е	

Wall Mounted Channel

Vall Mo	unted	Channe	el .			PAINT	••••••
W	D	Н	H (Actual)	MODEL#	P1	P2	P3
2 %"	3/4"	29"	23"	EP3WMC29	\$147	\$152	\$159
2 1/8"	3/4"	41"	35"	EP3WMC41	\$147	\$152	\$159
2 1/8"	3/4"	49"	43"	EP3WMC49	\$151	\$158	\$166
2 1/8"	3/4"	54"	49"	EP3WMC54	\$154	\$161	\$169
2 %"	3/4"	61"	55"	EP3WMC61	\$171	\$177	\$188
2 1/8"	3/4"	64"	58"	EP3WMC64	\$176	\$189	\$194
2 %"	3/4"	66"	60"	EP3WMC66	\$176	\$189	\$194
2 1/8"	3/4"	81"	75"	EP3WMC81	\$214	\$221	\$232
2 %"	3/4"	120"	120"	EP3WMC120	\$330	\$345	\$361

Specify – Wall Mounted Channel

- 1. Model #
- 2. Paint

Wall Mounted Channel Application Notes

Allows hanging of all components and accessories on reinforced building walls.

Painted extruded aluminum with a plastic insert which snaps in place, covering mounting screws.

NOTE: Neutral Posture, Inc. assumes no responsibility for wall construction or performance of fasteners used.

Assembly – Wall Mounted Channel

Included


- Extruded aluminum channel
- Insert which snaps into place

LIGHTING


Just as the design of a work environment is important, a company's investment in workplace lighting is equally such. Light empowers a person's work, influences their mood and helps them focus. Workers need well-lit spaces to be productive

and feel their best. Developing a work environment that supports worker well being and performance through the use of lighting will reduce employee stress, absenteeism and accidents while increasing work performance.

LIGHTING




Lighting Task




REED Premier — Stand alone w/18-watt power supply

DESCRIPTION	Н	W	D	WATTAGE	MODEL#	LIST
Suggested shelf size 24" – 36"	1/2"	16 ½"	2"	8.0	LRPSO-17-SA	\$526
Suggested shelf size 30" – 42"	1/2"	23 1/4"	2"	12.4	LRPSO-24-SA	\$686



REED Premier = Stand alone or starter w/60-watt power supply

Suggested shelf size 24" – 36"	1/2"	16 ½"	2"	8.0	LRPSO-17-ST	\$632
Suggested shelf size 30" - 42"	1/2"	23 1/4"	2"	12.4	LRPSO-24-ST	\$792
Suggested shelf size 42" – 48"	1/2"	30"	2"	16.4	LRPSO-31-ST	\$832
Suggested shelf size 54" – 60"	1/2"	43 ¾"	2"	24.2	LRPSO-44-ST	\$1,031
Suggested shelf size >=72"	1/2"	57 ½"	2"	31.2	LRPSO-58-ST	\$1,270



REED Premier — Extension

Suggested shelf size 24" – 36"	1/2"	16 ½"	2"	8.0	LRPSO-17-EX	\$474
Suggested shelf size 30" – 42"	1/2"	23 1/4"	2"	12.4	LRPSO-24-EX	\$660
Suggested shelf size 42" – 48"	1/2"	30"	2"	16.4	LRPSO-31-EX	\$699
Suggested shelf size 54" – 60"	1/2"	43 ¾"	2"	24.2	LRPSO-44-EX	\$925



REED Premier — Accessories

Occupancy sensor kit	3/4"	2"	2"	LRP-OS	\$354
----------------------	------	----	----	--------	-------

c.	20	~i1	Fa
ЭI	ve	aı	v
1			•

1. Model#

REED Premier

Properly diffused light provides a softly blended light pattern that reduces eye strain.

A single-touch on/ off and touch and hold continuous dimming pad with last state memory.

The automatic turn off feature comes standard and will turn the fixture off after 10 hours of continuous use (±15 mins).

Specify Notes

60-watt power supply is required when interlinking.

Total interlinked system wattage cannot exceed 54 watts. See the interlinking combination chart for reference.

Extension fixtures come standard with 8" and 30" interlinking cords.

One occupancy sensor needed per string of interlinked fixtures.


Interlinking (Combination	Chart
----------------	-------------	-------

17"	24"	31"	44"	58"	17"	24"	31"	44"	58
6	0	0	0	0	1	3	0	0	0
5	1	0	0	0	1	2	1	0	0
5	0	0	0	0	1	1	2	0	0
4	1	0	0	0	1	0	2	0	0
4	0	1	0	0	1	0	1	1	0
4	0	0	0	0	1	0	0	1	0
3	2	0	0	0	1	0	0	0	1
3	1	1	0	0	0	4	0	0	0
3	0	1	0	0	0	3	1	0	0
3	0	0	1	0	0	2	1	0	0
3	0	0	0	0	0	1	1	1	0
2	3	0	0	0	0	1	0	0	1
2	2	0	0	0	0	0	3	0	0
2	0	2	0	0	0	0	2	0	0
2	0	1	0	0	0	0	1	1	0
2	0	0	1	0	0	0	1	0	1
2	0	0	0	1	0	0	0	2	0
2	0	0	0	0					



Tazetta — Black

DESCRIPTION	Н	W	D	MODEL#	LIST
Use with 30" – 36" wide overhead	1.3"	23.3"	4.38"	LTAZ24BLK	\$452
Use with 42" – 48" wide overhead	1.3"	35.1"	4.38"	LTAZ36BLK	\$508
Use with 54" – 60" wide overhead	1.3"	46.9"	4.38"	LTAZ48BLK	\$544
Use with 70" or wider overhead	1.3"	58.7"	4.38"	LTAZ60BLK	\$683



Tazetta — White

DESCRIPTION	Н	W	D	MODEL#	LIST
Use with 30" – 36" wide overhead	1.3"	23.3"	4.38"	LTAZ24WHT	\$465
Use with 42" – 48" wide overhead	1.3"	35.1"	4.38"	LTAZ36WHT	\$523
Use with 54" – 60" wide overhead	1.3"	46.9"	4.38"	LTAZ48WHT	\$559
Use with 70" or wider overhead	1.3"	58.7"	4.38"	LTAZ <mark>60</mark> WHT	\$702



Tazetta = Gray

DESCRIPTION	Н	W	D	MODEL #	LIST
Use with 30" – 36" wide overhead	1.3"	23.3"	4.38"	LTAZ24GRY	\$465
Use with 42" – 48" wide overhead	1.3"	35.1"	4.38"	LTAZ36GRY	\$523
Use with 54" – 60" wide overhead	1.3"	46.9"	4.38"	LTAZ48GRY	\$559
Use with 70" or wider overhead	1.3"	58.7"	4.38"	LTAZ <mark>60</mark> GRY	\$702

Specify	
1. Model #	

Application Notes

Lamp

T5 fluorescent

Color Temperature
3500K

Certifications

ETL listed: compliant to UL 153 & CSA C22.2 No. 250.4; UL 1598; TAA Power Consumption

13" 24" 36" 48" 60"

8W 14W 21W 28W 35W

LightingFreestanding



$\ \ \, \textbf{Voyage} - \textbf{Single arm}$

DESCRIPTION	MODEL #	LIST
Freestanding	LVOY-S-FS-(B,W,S)	\$1,058
Freestanding w/occupancy sensor	LVOY-S-FS-(B,W,S)-OS	\$1,296
Freestanding USB	LVOY-S-FSUSB-(B,W,S)	\$1,137
Freestanding USB w/occupancy sensor	LVOY-S-FSUSB-(B,W,S)-OS	\$1,403
Surface mount	LVOY-S-SM-(B,W,S)	\$1,058
Surface mount w/occupancy sensor	LVOY-S-SM-(B,W,S)-OS	\$1,296
Clamp mount	LVOY-S-CM-(B,W,S)	\$1,058
Clamp mount w/occupancy sensor	LVOY-S-CM-(B,W,S)-OS	\$1,296



Voyage — Double arm

,		
DESCRIPTION	MODEL#	LIST
Freestanding	LVOY-D-FS-(B,W,S)	\$1,163
Freestanding w/occupancy sensor	LVOY-D-FS-(B,W,S)-OS	\$1,403
Freestanding USB	LVOY-D-FSUSB-(B,W,S)	\$1,296
Freestanding USB w/occupancy sensor	LVOY-D-FSUSB-(B,W,S)-OS	\$1,497
Surface mount	LVOY-D-SM-(B,W,S)	\$1,163
Surface mount w/occupancy sensor	LVOY-D-SM-(B,W,S)-OS	\$1,403
Clamp mount	LVOY-D-CM-(B,W,S)	\$1,296
Clamp mount w/occupancy sensor	LVOY-D-CM-(B,W,S)-OS	\$1,403

Specify	Voyage		
1. Model #	Properly diffused light provides a softly blended light pattern that reduces eye strain.	The automatic turn off feature comes standard and will turn the fixture off after 10 hours of continuous use.	Color Options B – Black W – White S – Silver
	A single-touch on/ off and touch and hold continuous dimming pad with last state memory.	The optional occupancy sensor will turn the fixture off after 30 minutes of inactivity and back on as the user re-enters the workspace. If occupant is present, the light will remain on.	

Lighting Freestanding



${\color{red}Revo} \, \underline{\hspace{1cm}} \, - \, {\color{blue} Single \, arm}$

MODEL#	LIST
LREV-S-FS-(B,W,S)	\$1,058
LREV-S-FS-(B,W,S)-OS	\$1,296
LREV-S-FSUSB-(B,W,S)	\$1,163
LREV-S-FSUSB-(B,W,S)-OS	\$1,337
LREV-S-SM-(B,W,S)	\$1,058
LREV-S-SM-(B,W,S)-OS	\$1,296
LREV-S-CM-(B,W,S)	\$1,058
LREV-S-CM-(B,W,S)-OS	\$1,296
	LREV-S-FS-(B,W,S)-OS LREV-S-FSUSB-(B,W,S) LREV-S-FSUSB-(B,W,S)-OS LREV-S-SM-(B,W,S) LREV-S-SM-(B,W,S)-OS LREV-S-CM-(B,W,S)



Revo — Double Arm

DESCRIPTION	MODEL #	LIST
Freestanding	LREV-D-FS-(B,W,S)	\$1,163
Freestanding w/occupancy sensor	LREV-D-FS-(B,W,S)-OS	\$1,403
Freestanding USB	LREV-D-FSUSB-(B,W,S)	\$1,296
Freestanding USB w/occupancy sensor	LREV-D-FSUSB-(B,W,S)-OS	\$1,497
Surface mount	LREV-D-SM-(B,W,S)	\$1,163
Surface mount w/occupancy sensor	LREV-D-SM-(B,W,S)-OS	\$1,296
Clamp mount	LREV-D-CM-(B,W,S)	\$1,163
Clamp mount w/occupancy sensor	LREV-D-CM-(B,W,S)-OS	\$1,296

Specify	Application Notes		
I. Model #	Properly diffused light source under the round head provides a softly blended light pattern that reduces eye strain. Single-touch on/off and touch and hold continuous dimming pad with last state memory.	The automatic turn off feature comes standard and will turn the fixture off after 10 hours of continuous use. The optional occupancy sensor will turn the fixture off after 30 minutes of inactivity and back on as the user re-enters the workspace. If occupant is present, the light will remain on.	Color Options B – Black W – White S – Silver

Tables

Step 1 - Model

	Shape	D	W
R	Round	34	69
S	Square		:
RCT	Rectangle		:
OT	Oval		:
:		:	:
RCT		34	69
	S RCT OT	R Round S Square RCT Rectangle OT Oval	R Round 34 S Square RCT Rectangle OT Oval

Step 2 – Surface Finish

Laı	Laminate	
PW-STK	Studio Teak	
:		
:		
:		
<u> </u>	:	
PW-STK		
	•••	

Step 3 – Edge Finish

Edge Band		
EB-STK	Studio Teak	301
	:	20
EB-STK		30

Step 4 - Trim Finish

Paints		
301	Champagne	
301		

FEATURES

BASE TYPES

- X Base
- Y Base w/ or w/o adjustable bar support
- Tapered Leg

BASE OPTIONS

- Bar height
- Flip top
- Casters

NOTE: Not all options are available on all bases.

WORKSURFACE TYPES

- Round
- Square
- Rectangular
- Oval

LEVELERS

Adjustable height levelers are included at no additional cost on all models.

Shank Length

X & Y bases — 3%-16 x 34" Tapered legs — 3%-16 x 1 34"

Leveler extensions can be ordered separately. Please contact Customer Service for information on ordering leveler extensions. Casters can be ordered in place of levelers for an upcharge on most standard height tables.

SAFETY

For safety and stability purposes, the caster and flip top options cannot be added to bar height tables or the following table models: TBR60, TBS48, TBS60, TBOT54120, TBOT60144.

CUSTOM TABLES

Custom size tables and custom height bases are available upon request, pending Engineering approval. Customization charges may apply. Contact Customer Service for additional information and pricing.

CONSTRUCTION

X BASE

X bases are made from cast aluminum with 2 1/4" tubing OD x 13 gauge.

Y BASE

Y base is made from cast aluminum with 2 ¼" steel tube.

X BASE MOUNTING PLATES

X base mounting plates are made of steel 4 gauge x 12" x 12" or 8" x 8".

Y BASE MOUNTING PLATES

Y base mounting plates are made from 0.187" x 6" x 8" fabricated steel.

WORKSURFACES

All worksurfaces are made with a core, high pressure laminate and edge band. All non-woodgrain edge bands are made of ABS material. All woodgrain edge bands are made of PVC material. The overall thickness is 1 1/8".

WORKSURFACE HEIGHTS

Standard	27 ¾"
Bar Height	40 ¾"

SURFACE MATERIALS

WORKSURFACE

- Laminate
- Edge band

X BASES

Paint

Y BASE

Paint

TAPERED LEGS

Paint

HEIGHT ADJUSTABLE BASE

Black or silver

TABLES



Round — w/X ba	se					LAMINATE		PAINT	
DESCRIPTION	Н	W	D	MODEL#	L1	L2	L3	P2	P3
X base	29"	23 ¾"	23 ¾"	TBR24X	\$ 1,357	\$1,493	\$1,628	+ \$126	+ \$253
X base	29"	29 ¾"	29 ¾"	TBR30X	\$ 1,421	\$1,563	\$1,705	+ \$126	+ \$253
X base	29"	35 ¾"	35 ¾"	TBR36X	\$ 1,453	\$1,598	\$1,744	+ \$126	+ \$253
X base	29"	41 ¾"	41 ¾"	TBR42X	\$ 1,547	\$1,702	\$1,856	+ \$126	+ \$253
X base	29"	47 ¾"	47 ¾"	TBR48X	\$ 1,908	\$2,099	\$2,290	+ \$126	+ \$253
X base	29"	53 ¾"	53 ¾"	TBR54X	\$ 3,096	\$3,406	\$3,715	+ \$126	+ \$253



$\textbf{Round} = \textbf{w}/\underline{\textbf{Tapered legs}}$

DESCRIPTION	Н	W	D	MODEL#	L1	L2	L3	P2	P3
4 Tapered legs	29"	29 ¾"	29 ¾"	TBR30T	\$2,022	\$2,224	\$2,426	+ \$126	+ \$253
4 Tapered legs	29"	35 ¾"	35 ¾"	TBR36T	\$2,053	\$2,258	\$2,464	+ \$126	+ \$253
4 Tapered legs	29"	41 ¾"	41 ¾"	TBR42T	\$2,085	\$2,294	\$2,502	+ \$126	+ \$253
4 Tapered legs	29"	47 ¾"	47 ¾"	TBR48T	\$2,117	\$2,329	\$2,540	+ \$126	+ \$253



Round — w/Disc base

DESCRIPTION	Н	W	D	MODEL#	L1	L2	L3	P2	Р3
Disc base	29"	29 ¾"	29 ¾"	TBR30D	\$2,688	\$2,957	\$3,226	+ \$126	+ \$253
Disc base	29"	35 ¾"	35 ¾"	TBR36D	\$2,815	\$3,097	\$3,378	+ \$126	+ \$253



Round — w/TT base

DESCRIPTION	Н	W	D	MODEL#	L1	L2	L3	P2	Р3
TT base	29"	59 ¾"	59 ¾"	TBR60TT	\$3,222	\$3,544	\$3,866	+ \$126	+ \$253
TT base	29"	65 ¾"	65 ¾"	TBR66TT	\$3,286	\$3,615	\$3,943	+ \$126	+ \$253
TT base	29"	71 ¾"	71 ¾"	TBR72TT	\$3,349	\$3,684	\$4,019	+ \$126	+ \$253

Options for Round Tables

DESCRIPTION	OPTION CODE	X BASE	TAPERED LEGS	DISC BASE	TT BASE	UPCHARGE
Bar height	ВН	•		•		+ \$126
Casters (set of 4)	c	•	•		•	+ \$126
Flip top	FT	•		•		+ \$253

Specify	Grain Direction
1. Model #	
2. Options	
3. Laminate	
4. Edge band	
5. Base paint	

	Shape	D	Base
TB Table	R Round	30 X	X base
:	S Square	Т	Tapered legs
	RCT Rectangle	D	Disc base
	OT Oval	Π	TT base
ТВ	R	30 X	
ii	ii	 	



Square — w/X base							LAMINATE		PAINT	
DESCRIPTION	Н	W	D	MODEL#		L1	L2	L3	P2	Р3
X base	29"	23 ¾"	23 ¾"	TBS24X		\$1,358	\$1,494	\$1,630	+ \$126	+ \$253
X base	29"	29 ¾"	29 ¾"	TBS30X		\$1,421	\$1,563	\$1,705	+ \$126	+ \$253
X base	29"	35 ¾"	35 ¾"	TBS36X		\$1,517	\$1,669	\$1,820	+ \$126	+ \$253
X base	29"	41 ¾"	41 ¾"	TBS42X		\$1,579	\$1,737	\$1,895	+ \$126	+ \$253
X base	29"	53 ¾"	53 ¾"	TBS54X		\$3,096	\$3,406	\$3,715	+ \$126	+ \$253



Square — w/Tapered legs

DESCRIPTION	Н	W	D	MODEL#	L1	L2	L3	P2	Р3
4 Tapered Legs	29"	29 ¾"	29 ¾"	TBS30T	\$2,022	\$2,224	\$2,426	+ \$126	+ \$253
4 Tapered Legs	29"	35 ¾"	35 ¾"	TBS36T	\$2,053	\$2,258	\$2,464	+ \$126	+ \$253
4 Tapered Legs	29"	41 ¾"	41 ¾"	TBS42T	\$2,066	\$2,273	\$2,479	+ \$126	+ \$253
4 Tapered Legs	29"	47 ¾"	47 ¾"	TBS48T	\$2,085	\$2,294	\$2,502	+ \$126	+ \$253



Square — w/TT base

≽	DESCRIPTION	Н	W	D	MODEL#	L1	L2	L3	P2	P3
	TT base	29"	59 ¾"	59 ¾"	TBS60TT	\$3,222	\$3,544	\$3,866	+ \$126	+ \$253
	TT base	29"	65 ¾"	65 ¾"	TBS66TT	\$3,286	\$3,615	\$3,943	+ \$126	+ \$253
	TT base	29"	71 ¾"	71 ¾"	TBS72TT	\$3,349	\$3,684	\$4,019	+ \$126	+ \$253

Options for Square Tables

DESCRIPTION	OPTION CODE	X BASE	TAPERED LEGS	TT BASE	UPCHARGE
Bar height	ВН	•			+ \$126
Casters (set of 4)	С	•	•	•	+ \$126
Flip top	FT	•			+ \$253

Specify	Grain Direction		Shape	D	Base
1. Model #		TB Table	R Round	30 X	X base
2. Options			S Square	Т	Tapered legs
3. Laminate			RCT Rectangle	П	TT Base
4. Edge band			OT Oval		
5. Base paint					
•		TB	S	30 X	
			ii	ii i	<u>.</u>



Oval — w/Y base						LAMINATE		PAINT		
DESCRIPTION	Н	W	D	MODEL#	ព	L2	L3	P2	P3	
w/stretcher	29"	71 ¾"	35 ¾"	TBOT3672Y	\$4,031	\$4,434	\$4,837	+ \$253	+ \$379	
w/stretcher	29"	95 ¾"	47"	TBOT4896Y	\$6,603	\$7,263	\$7,924	+ \$253	+ \$379	
w/stretcher	29"	119 ¾"	47"	TBOT48120Y	\$8,082	\$8,890	\$9,698	+ \$253	+ \$379	



Oval — w/Tapered legs

DESCRIPTION	Н	W	D	MODEL#	L1	L2	L3	P2	P3
6 Tapered legs	29"	71 ¾"	35 ¾"	TBOT3672T	\$4,044	\$4,448	\$4,853	+ \$315	+ \$442
6 Tapered legs	29"	95 ¾"	47"	TBOT4896T	\$4,423	\$4,865	\$5,308	+ \$315	+ \$442
6 Tapered legs*	29"	119 ¾"	47"	TBOT48120T	\$4,865	\$5,352	\$5,838	+ \$315	+ \$442
6 Tapered legs*	29"	119 ¾"	53 ¾"	TBOT54120T	\$8,721	\$9,593	\$10,465	+ \$315	+ \$442
6 Tapered legs*	29"	143 ¾"	59 ¾"	TBOT60144T	\$9,479	\$10,427	\$11,375	+ \$315	+ \$442
* Includes a sunnort ra	il								

Options for Oval Tables

DESCRIPTION	OPTION CODE	Y BASE	TAPERED LEGS	UPCHARGE
Bar height	ВН	•		+ \$379
Casters (set of 4)	С	•	•	+ \$126
Flip top	FT	•		+ \$379

Specify	Grain Direction				Shape	D	w	Base	
 Model # Options Laminate Edge band 	\leftarrow	ТВ	Table	R S RCT OT	Round Square Rectangle Oval	34	69	Y T	Y base Tapered legs
5. Base paint		ТВ		ОТ		34	69	Υ	



Rectangle -	— w/Y base					LAMINATE		PAINT		
DESCRIPTION	Н	W	D	MODEL#	L1	L2	L3	P2	P3	
w/o stretcher	29"	47 ¾"	29 ¾"	TBRCT3048Y	\$1,788	\$1,967	\$2,146	+ \$253	+ \$379	
w/stretcher	29"	53 ¾"	23 ¾"	TBRCT2454Y	\$1,738	\$1,912	\$2,086	+ \$253	+ \$379	
w/stretcher	29"	59 ¾"	23 ¾"	TBRCT2460Y	\$2,117	\$2,329	\$2,540	+ \$253	+ \$379	
w/stretcher	29"	58 ½"	35 ½"	TBRCT3660Y	\$2,572	\$2,829	\$3,086	+ \$253	+ \$379	
w/stretcher	29"	59 ¾"	29 ¾"	TBRCT3060Y	\$2,179	\$2,397	\$2,615	+ \$253	+ \$379	
w/stretcher	29"	65 ¾"	23 ¾"	TBRCT2466Y	\$2,401	\$2,641	\$2,881	+ \$253	+ \$379	
w/stretcher*	29"	69 1/4"	34"	TBRCT3469Y	\$3,873	\$4,260	\$4,648	+ \$253	+ \$379	
w/stretcher*	29"	71 ¾"	23 ¾"	TBRCT2472Y	\$2,464	\$2,710	\$2,957	+ \$253	+ \$379	
w/stretcher*	29"	71 ¾"	29 ¾"	TBRCT3072Y	\$2,572	\$2,829	\$3,086	+ \$253	+ \$379	
w/stretcher*	29"	71 ¾"	35 ¾"	TBRCT3672Y	\$3,052	\$3,357	\$3,662	+ \$253	+ \$379	
w/stretcher*	29"	79 1/4"	34"	TBRCT3479Y	\$3,873	\$4,260	\$4,648	+ \$253	+ \$379	
w/stretcher*	29"	83 ¾"	41 ¾"	TBRCT4284Y	\$4,139	\$4,553	\$4,967	+ \$253	+ \$379	
w/stretcher*	29"	95 ¾"	47 ¾"	TBRCT4896Y	\$5,263	\$5,789	\$6,316	+ \$253	+ \$379	



Rectangle — w/Tapered legs

DESCRIPTION	Н	W	D	MODEL#	L1	L2	L3	P2	P3
4 Tapered legs	29"	47 ¾"	29 ¾"	TBRCT3048T	\$2,401	\$2,641	\$2,881	+ \$315	+ \$442
4 Tapered legs	29"	58 ½"	35 ½"	TBRCT3660T	\$2,780	\$3,058	\$3,336	+ \$315	+ \$442
4 Tapered legs	29"	59 ¾"	29 ¾"	TBRCT3060T	\$2,654	\$2,919	\$3,185	+ \$315	+ \$442
6 Tapered legs	29"	69 1/4"	34"	TBRCT3469T	\$2,907	\$3,198	\$3,488	+ \$315	+ \$442
6 Tapered legs	29"	71 ¾"	29 ¾"	TBRCT3072T	\$2,654	\$2,919	\$3,185	+ \$315	+ \$442
6 Tapered legs	29"	71 ¾"	35 ¾"	TBRCT3672T	\$2,907	\$3,198	\$3,488	+ \$315	+ \$442
6 Tapered legs*	29"	79 1/4"	34"	TBRCT3479T	\$3,160	\$3,476	\$3,792	+ \$315	+ \$442
6 Tapered legs*	29"	83 ¾"	41 ¾"	TBRCT4284T	\$3,475	\$3,823	\$4,170	+ \$315	+ \$442
6 Tapered legs*	29"	95 ¾"	47 ¾"	TBRCT4896T	\$3,601	\$3,961	\$4,321	+ \$315	+ \$442
* Includes a support rai	ı								

Options for Rectangle Tables

DESCRIPTION	OPTION CODE	Y BASE	TAPERED LEGS	UPCHARGE
Bar height	ВН	•		+ \$379
Casters (set of 4)	c	•	•	+ \$126
Flip top	FT	•		+ \$379

Specify	Grain Direction				Shape	D	W	Base	
1. Model #		ТВ	Table	R	Round	34	69	Υ	Y base
2. Options	← →	:		S	Square			Т	Tapered legs
3. Laminate				RCT	Rectangle	:			
4. Edge band		:		OT	Oval				
5. Base paint		•						:	
·		ТВ		RCT		34	69	Υ	



C-Lo	egs – 24	" D			LAMINATE	PAINT			
	H W	l D	MODEL#	SUPPORT RAIL	L1	L2	L3	P2	P3
2	9" 42	2" 24"	TBRCT2442C		\$1,348	\$1,398	\$1,449	+ \$88	+ \$170
2	9" 48	3" 24"	TBRCT2448C		\$1,347	\$1,426	\$1,479	+ \$88	+ \$170
2	9" 54	l" 24"	TBRCT2454C	•	\$1,500	\$1,582	\$1,639	+ \$88	+ \$170
2	9" 60)" 24"	TBRCT2460C	•	\$1,569	\$1,658	\$1,722	+ \$88	+ \$170
2	9" 66	5" 24"	TBRCT2466C	•	\$1,633	\$1,729	\$1,799	+ \$88	+ \$170
2	9" 72	2" 24"	TBRCT2472C	•	\$1,645	\$1,742	\$1,813	+ \$88	+ \$170



C-Legs	C-Legs — 30" D							PAINT		
Н	W	D	MODEL#	SUPPORT RAIL	L1	L2	L3	P2	Р3	
29"	42"	30"	TBRCT3042C		\$1,504	\$1,564	\$1,624	+ \$93	+ \$187	
29"	48"	30"	TBRCT3048C		\$1,522	\$1,583	\$1,645	+ \$93	+ \$187	
29"	54"	30"	TBRCT3054C	•	\$1,738	\$1,809	\$1,881	+ \$93	+ \$187	
29"	60"	30"	TBRCT3060C	•	\$1,795	\$1,872	\$1,950	+ \$93	+ \$187	
29"	66"	30"	TBRCT3066C	•	\$1,846	\$1,928	\$2,011	+ \$93	+ \$187	
29"	72"	30"	TBRCT3072C	•	\$1,890	\$1,977	\$2,064	+ \$93	+ \$187	



0-L	egs – 24"	**************************************	LAMINATE		PAINT				
H	W	D	MODEL#	SUPPORT RAIL	L1	L2	L3	P2	Р3
29	9" 42"	24"	TBRCT24420		\$1,952	\$2,002	\$2,053	+ \$148	+ \$297
29	9" 48"	24"	TBRCT24480		\$1,977	\$2,030	\$2,083	+ \$148	+ \$297
29	9" 54"	24"	TBRCT24540	•	\$2,130	\$2,186	\$2,243	+ \$148	+ \$297
29	9" 60"	24"	TBRCT2460O	•	\$2,199	\$2,262	\$2,326	+ \$148	+ \$297
29	9" 66"	24"	TBRCT2466O	•	\$2,263	\$2,333	\$2,403	+ \$148	+ \$297
29	9" 72"	24"	TBRCT24720	•	\$2,275	\$2,346	\$2,417	+ \$148	+ \$297



0-Legs	0-Legs — 30" D					LAMINATE		PAINT	
Н	W	D	MODEL#	SUPPORT RAIL	L1	L2	L3	P2	P3
29"	42"	30"	TBRCT30420		\$2,071	\$2,131	\$2,191	+ \$154	+ \$302
29"	48"	30"	TBRCT3048O		\$2,063	\$2,150	\$2,212	+ \$154	+ \$302
29"	54"	30"	TBRCT3054O	•	\$2,279	\$2,376	\$2,448	+ \$154	+ \$302
29"	60"	30"	TBRCT3060O	•	\$2,336	\$2,439	\$2,517	+ \$154	+ \$302
29"	66"	30"	TBRCT3066O	•	\$2,387	\$2,495	\$2,578	+ \$154	+ \$302
29"	72"	30"	TBRCT30720	•	\$2,431	\$2,544	\$2,631	+ \$154	+ \$302

Specify	Grain Direction			Shape	D	W	Base
1. Model #		ТВ	Table	RCT Rectangle	24	60	C C-Leg
2. Options	← →				•		O O-Leg
3. Laminate					:		
4. Edge band							
5. Base paint					,	į ,	
·		ТВ		RCT	24	60	С



Ţ	-Legs -	– 24" D					LAMINATE		PAINT		
	Н	W	D	MODEL#	SUPPORT RAIL	L1	L2	L3	P2	P3	
	29"	42"	24"	TBRCT2442TL		\$1,348	\$1,398	\$1,449	+ \$88	+ \$170	
	29"	48"	24"	TBRCT2448TL		\$1,373	\$1,426	\$1,479	+ \$88	+ \$170	
	29"	54"	24"	TBRCT2454TL	•	\$1,526	\$1,582	\$1,639	+ \$88	+ \$170	
	29"	60"	24"	TBRCT2460TL	•	\$1,595	\$1,658	\$1,722	+ \$88	+ \$170	
	29"	66"	24"	TBRCT2466TL	•	\$1,659	\$1,729	\$1,799	+ \$88	+ \$170	
	29"	72"	24"	TBRCT2472TL	•	\$1,671	\$1,742	\$1,813	+ \$88	+ \$170	



T-Legs -	- 30" D					LAMINATE		PAINT		
Н	W	D	MODEL#	SUPPORT RAIL	L1	L2	L3	P2	P3	
29"	42"	30"	TBRCT3042TL		\$1,491	\$1,551	\$1,611	+ \$93	+ \$181	
29"	48"	30"	TBRCT3048TL		\$1,509	\$1,570	\$1,632	+ \$93	+ \$181	
29"	54"	30"	TBRCT3054TL	•	\$1,725	\$1,796	\$1,868	+ \$93	+ \$181	
29"	60"	30"	TBRCT3060TL	•	\$1,782	\$1,859	\$1,937	+ \$93	+ \$181	
29"	66"	30"	TBRCT3066TL	•	\$1,833	\$1,915	\$1,998	+ \$93	+ \$181	
29"	72"	30"	TBRCT3072TL	•	\$1,877	\$1,964	\$2,051	+ \$93	+ \$181	

Options for Desks

<u> </u>					
DESCRIPTION	OPTION CODE	C-LEGS	0-LEGS	T-LEGS	UPCHARGE
Bar height	вн	•		•	+ \$379
Casters; Carpet (set of 4)	CO	•		•	+ \$126
Casters; Hardfloor (set of 4)	C1	•		•	+ \$126
Flip top	FT	•		•	+ \$379

Ganging Kit for Desks

DESCRIPTION	OPTION CODE	C-LEGS	0-LEGS	T-LEGS	UPCHARGE
Ganging Kit - connects 2 desks together	DSKGK	•		•	\$70

Specify	Grain Direction					Shape	D	w	Base	
1. Model #			ТВ	Table	RCT	Rectangle	24	60	TL T-Leg	
2. Options	←							:		
3. Laminate		:					:		:	
4. Edge band							:			
5. Base paint		į					<u>.</u>			
·		<u>.</u>	ТВ		RCT		24	60	TL	

Sit/Stand Desks

Electric Height Adjustable



24" D					LAMINATE		V	VOOD VENEER	
Н	W	D	MODEL#	L1	L2	L3	W1	W2	W3
24" – 50"	48"	24"	TBRCT2448H	\$2,751	\$3,026	\$3,301	\$3,283	\$3,611	\$3,939
24" – 50"	54"	24"	TBRCT2454H	\$2,815	\$3,097	\$3,378	\$3,384	\$3,723	\$4,061
24" - 50"	60"	24"	TBRCT2460H	\$2,877	\$3,165	\$3,452	\$3,515	\$3,867	\$4,218
24" – 50"	66"	24"	TBRCT2466H	\$2,941	\$3,235	\$3,529	\$3,643	\$4,007	\$4,371
24" – 50"	72"	24"	TBRCT2472H	\$3,004	\$3,304	\$3,605	\$3,718	\$4,089	\$4,462
24" – 50"	78"	24"	TBRCT2478H	\$3,067	\$3,374	\$3,680	\$3,801	\$4,181	\$4,561
24" – 50"	84"	24"	TBRCT2484H	\$3,130	\$3,443	\$3,756	\$3,876	\$4,264	\$4,651



30" D					LAMINATE		V	VOOD VENEER	
Н	W	D	MODEL#	L1	L2	L3	W1	W2	W3
24" – 50"	48"	30"	TBRCT3048H	\$2,815	\$3,097	\$3,378	\$3,435	\$3,779	\$4,122
24" – 50"	54"	30"	TBRCT3054H	\$2,877	\$3,165	\$3,452	\$3,598	\$3,958	\$4,317
24" - 50"	60"	30"	TBRCT3060H	\$2,941	\$3,235	\$3,529	\$3,719	\$4,091	\$4,463
24" - 50"	66"	30"	TBRCT3066H	\$3,004	\$3,304	\$3,605	\$3,833	\$4,216	\$4,600
24" - 50"	72"	30"	TBRCT3072H	\$3,067	\$3,374	\$3,680	\$3,940	\$4,334	\$4,728
24" - 50"	78"	30"	TBRCT3078H	\$3,130	\$3,443	\$3,756	\$4,028	\$4,431	\$4,834
24" - 50"	84"	30"	TBRCT3084H	\$3,194	\$3,513	\$3,833	\$4,143	\$4,557	\$4,972

Specify	Grain Direction
1. Model #	
2. Laminate	\longleftrightarrow
3. Edge band	
4. Support color	

Black or Silver

Application Notes

Electric Height Adjustable Base

Adjustable height bases can be used with 24" & 30" deep worksurfaces. Worksurfaces must be between 48" – 84" wide. Adjustable height bases have a capacity of 264 lbs evenly distributed.

Comes with four position memory controller.

Anti-collision stops and reverses the travel of the table when the table collides with a fixed object during operation.

3-stage legs offer a large height adjustment range of 24" – 50".



24" D						LAMINATE		PAIN	IT
Н	W	D	MODEL#	SUPPORT RAIL	L1	L2	L3	P2	Р3
37"	42"	24"	TBRCT2428SB		\$1,919	\$1,969	\$2,020	+ \$148	+ \$297
37"	48"	24"	TBRCT2448SB		\$1,944	\$1,997	\$2,050	+ \$148	+ \$297
37"	54"	24"	TBRCT2454SB	•	\$2,097	\$2,153	\$2,210	+ \$148	+ \$297
37"	60"	24"	TBRCT2460SB	•	\$2,166	\$2,229	\$2,293	+ \$148	+ \$297
37"	66"	24"	TBRCT2466SB	•	\$2,230	\$2,300	\$2,370	+ \$148	+ \$297
37"	72"	24"	TBRCT2472BS	•	\$2,242	\$2,313	\$2,384	+ \$148	+ \$297



30" D						LAMINATE		PAIN	IT
Н	W	D	MODEL#	SUPPORT RAIL	L1	L2	L3	P2	Р3
37"	42"	30"	TBRCT3042SB		\$2,014	\$2,074	\$2,134	+ \$148	+ \$297
37"	48"	30"	TBRCT3048SB		\$2,032	\$2,093	\$2,155	+ \$148	+ \$297
37"	54"	30"	TBRCT3054SB	•	\$2,248	\$2,319	\$2,391	+ \$148	+ \$297
37"	60"	30"	TBRCT3060SB	•	\$2,305	\$2,382	\$2,460	+ \$148	+ \$297
37"	66"	30"	TBRCT3066SB	•	\$2,356	\$2,438	\$2,521	+ \$148	+ \$297
37"	72"	30"	TBRCT3072SB	•	\$2,400	\$2,487	\$2,574	+ \$148	+ \$297

Specify	Grain Direction				Shape	D	w	Base	
1. Model #		ТВ	Table	RCT	Rectangle	24	60	SB	Stand-biased
2. Options	← →			:					
3. Laminate		į		:					
4. Edge band				:			:		
5. Base paint		į	:	•	:	;	:		:
		TB		RCT		24	:	SB	. <u>.</u>



Height Adjustable	FINISHES		
MODEL#	CHAIR	DESK	LIST
SSWSP1500-MTL-HAT-MPL	Cloud 9 – Metal	Maple w/silver legs	\$5,879
SSWSP1500-INK-HAT-MPL	Cloud 9 – Ink	Maple w/silver legs	\$5,879
SSWSP1500-EBY-HAT-MPL	Cloud 9 – Ebony	Maple w/silver legs	\$5,879
SSWSP1500-MTL-HAT-CHR	Cloud 9 – Metal	Cherry w/black legs	\$6,173
SSWSP1500-INK-HAT-CHR	Cloud 9 – Ink	Cherry w/black legs	\$6,173
SSWSP1500-EBY-HAT-CHR	Cloud 9 – Ebony	Cherry w/black legs	\$6,173



Height Adjustable w/Screens	FINISHES		
MODEL#	CHAIR	DESK	LIST
SSWSP1500-MTL-HATWS-MPL	Cloud 9 – Metal	Maple w/silver legs	\$7,863
SSWSP1500-INK-HATWS-MPL	Cloud 9 – Ink	Maple w/silver legs	\$7,863
SSWSP1500-EBY-HATWS-MPL	Cloud 9 – Ebony	Maple w/silver legs	\$7,863
SSWSP1500-MTL-HATWS-CHR	Cloud 9 – Metal	Cherry w/black legs	\$8,067
SSWSP1500-INK-HATWS-CHR	Cloud 9 – Ink	Cherry w/black legs	\$8,067
SSWSP1500-EBY-HATWS-CHR	Cloud 9 – Ebony	Cherry w/black legs	\$8,067



Stand-biased	FIN	FINISHES	
MODEL#	CHAIR	DESK	LIST
SSWSP1500-MTL-STB-MPL	Cloud 9 – Metal	Maple w/silver legs	\$6,101
SSWSP1500-INK-STB-MPL	Cloud 9 – Ink	Maple w/silver legs	\$6,101
SSWSP1500-EBY-STB-MPL	Cloud 9 – Ebony	Maple w/silver legs	\$6,101
SSWSP1500-MTL-STB-CHR	Cloud 9 – Metal	Cherry w/black legs	\$6,030
SSWSP1500-INK-STB-CHR	Cloud 9 – Ink	Cherry w/black legs	\$6,030
SSWSP1500-EBY-STB-CHR	Cloud 9 – Ebony	Cherry w/black legs	\$6,030

Freight is not included for sit/stand packages. For sit/stand package discount information contact your Customer Service Representative at customerservice@neutralposture.com or 979.778.0502 ext. 301

Specify	Height Adjustable	Stand-biased	Application Notes		
1. Model#	Included • 1000 Series Chair • 60 x 30 Desk • Dual Monitor Arms • Keyboard Arm & Tray	Included • 1000 Series Chair • 60 x 30 Desk • Dual Monitor Arms • Keyboard Arm & Tray • N-Position	Electric Height Adjustable Base Adjustable height bases have a capacity of 264 lbs evenly distributed.	Anti-collision stops and reverses the travel of the table when the table collides with a fixed object during operation.	
			Comes with four position memory controller.	3-stage legs offer a large height adjustment range of 24" – 50".	



Height Adjustable	FINISHES		
MODEL#	CHAIR	DESK	LIST
SSWSP8500-MTL-HAT-MPL	Cloud 9 – Metal	Maple w/silver legs	\$6,012
SSWSP8500-INK-HAT-MPL	Cloud 9 – Ink	Maple w/silver legs	\$6,012
SSWSP8500-EBY-HAT-MPL	Cloud 9 – Ebony	Maple w/silver legs	\$6,012
SSWSP8500-MTL-HAT-CHR	Cloud 9 – Metal	Cherry w/black legs	\$6,306
SSWSP8500-INK-HAT-CHR	Cloud 9 – Ink	Cherry w/black legs	\$6,306
SSWSP8500-EBY-HAT-CHR	Cloud 9 – Ebony	Cherry w/black legs	\$6,306




Height Adjustable w/Screens	FINI		
MODEL#	CHAIR	DESK	LIST
SSWSP8500-MTL-HATWS-MPL	Cloud 9 – Metal	Maple w/silver legs	\$7,996
SSWSP8500-INK-HATWS-MPL	Cloud 9 – Ink	Maple w/silver legs	\$7,996
SSWSP8500-EBY-HATWS-MPL	Cloud 9 – Ebony	Maple w/silver legs	\$7,996
SSWSP8500-MTL-HATWS-CHR	Cloud 9 – Metal	Cherry w/black legs	\$8,200
SSWSP8500-INK-HATWS-CHR	Cloud 9 – Ink	Cherry w/black legs	\$8,200
SSWSP8500-EBY-HATWS-CHR	Cloud 9 – Ebony	Cherry w/black legs	\$8,200




Stand-biased	FINISHES		
MODEL#	CHAIR	DESK	LIST
SSWSP8500-MTL-STB-MPL	Cloud 9 – Metal	Maple w/silver legs	\$6,234
SSWSP8500-INK-STB-MPL	Cloud 9 – Ink	Maple w/silver legs	\$6,234
SSWSP8500-EBY-STB-MPL	Cloud 9 – Ebony	Maple w/silver legs	\$6,234
SSWSP8500-MTL-STB-CHR	Cloud 9 – Metal	Cherry w/black legs	\$6,163
SSWSP8500-INK-STB-CHR	Cloud 9 – Ink	Cherry w/black legs	\$6,163
SSWSP8500-EBY-STB-CHR	Cloud 9 – Ebony	Cherry w/black legs	\$6,163

Freight is not included for sit/stand packages. For sit/stand package discount information contact your Customer Service Representative at customers ervice@neutralposture.com or 979.778.0502 ext. 301

Specify	Height Adjustable	Stand-biased	Application Notes	
1. Model #	 8000 Series Chair 60 x 30 Desk Dual Monitor Arms Keyboard Arm & Tray 	Included • 8000 Series Chair • 60 x 30 Desk • Dual Monitor Arms • Keyboard Arm & Tray • N-Position	Electric Height Adjustable Base Adjustable height bases have a capacity of 264 lbs evenly distributed.	Anti-collision stops and reverses the travel of the table when the table collides with a fixed object during operation.
			Comes with four position memory controller.	3-stage legs offer a large height adjustment range



Priv	acy	, & Mod	lesty Panels		SCREEN TYPE	
W	Н	BRACKETS	MODEL#	PG	CR	TC
12"	12"	2	PRVMOD(CR/PG/TC)12	\$390	\$443	\$947
18"	12"	2	PRVMOD(CR/PG/TC)18	\$443	\$550	\$1,293
24"	12"	2	PRVMOD(CR/PG/TC)24	\$522	\$655	\$1,637
30"	12"	2	PRVMOD(CR/PG/TC)30	\$602	\$762	\$1,984
36"	12"	2	PRVMOD(CR/PG/TC)36	\$682	\$869	\$2,356
42"	12"	2	PRVMOD(CR/PG/TC)42	\$762	\$974	\$2,700
48"	12"	2	PRVMOD(CR/PG/TC)48	\$840	\$1,081	\$3,047
60"	12"	3	PRVMOD(CR/PG/TC)60	\$999	\$1,346	\$3,763



Privacy Panels

12"	12"	2	PRV(CR/PG/TC)12	\$194	\$222	\$474
18"	12"	2	PRV(CR/PG/TC)18	\$222	\$275	\$646
24"	12"	2	PRV(CR/PG/TC)24	\$260	\$327	\$818
30"	12"	2	PRV(CR/PG/TC)30	\$301	\$381	\$992
36"	12"	2	PRV(CR/PG/TC)36	\$341	\$434	\$1,178
42"	12"	2	PRV(CR/PG/TC)42	\$381	\$487	\$1,349
48"	12"	2	PRV(CR/PG/TC)48	\$420	\$540	\$1,523
60"	12"	3	PRV(CR/PG/TC)60	\$500	\$673	\$1,881



Modesty Panels

\$474
\$646
\$818
\$992
\$1,178
\$1,349
\$1,523
\$1,881

Specify
 Model # Insert type Insert color
Trim - Brushed nickel only

Screen Type


Screen Type	Corian Finishes
CR Corian	Glacier White CR001
PG Plexiglass	Pearl Grey CR002
TC Textured Corian	Corian Clay CR003
	Silver Grey CR004
	Corian Grey CR005

lextured Corian Finishes
Glacier White CR001T
Pearl Grey CR002T
Corian Clay CR003T
Silver Grey CR004T
Corian Grey CR005T

Plexiglass Finishes		
IC lce		
SMSmoked		
TR Translucent		
LF Frost		
Application Notes		

Screens are 1/4" thick.

Widths are 1" less than nominal to allow for 1/2" set-back on each side.



Priv	acy	& Mod	lesty Panels — fabric	FABRIC							
W	Н	BRACKETS	MODEL#	А	В	C	D	E	F	G	Н
24"	27"	2	PRVMODFA24	\$474	\$524	\$554	\$574	\$684	\$804	\$914	\$1,014
30"	27"	2	PRVMODFA30	\$500	\$570	\$600	\$620	\$730	\$850	\$950	\$1,060
36"	27"	2	PRVMODFA36	\$526	\$616	\$646	\$666	\$776	\$896	\$996	\$1,106
42"	27"	2	PRVMODFA42	\$553	\$653	\$693	\$713	\$823	\$933	\$1,043	\$1,153
48"	27"	2	PRVMODFA48	\$646	\$766	\$806	\$816	\$936	\$1,056	\$1,146	\$1,266
60"	27"	3	PRVMODFA60	\$818	\$948	\$998	\$1,008	\$1,108	\$1,238	\$1,338	\$1,448

Specify				
 Model # Insert type Insert color 				
Trim - Brushed nickel only				

Screen Type			
CR.	. Corian		
PG.	. Plexiglass		
TC .	. Textured Corian		

corian rimanes	
Glacier White	CR001
Pearl Grey	CR002
Corian Clay	CR003
Silver Grey	CR004
Corian Grey	CR005

Corian Finishes	Textured Corian Finishes
Glacier White CR001 Pearl Grey CR002 Corian Clay CR003 Silver Grey CR004 Corian Grey CR005	Glacier White CR001T Pearl Grey CR002T Corian Clay CR003T Silver Grey CR004T Corian Grey CR005T

Plex	iglass Finishes
IC.	. Ice
SM	. Smoked
TR .	. Translucent
LF.	. Frost
Appl	ication Notes

Screens are 1/4" thick.

Widths are 1" less than nominal to allow for ½" set-back on each side.



18" H		INSERT	PAI	NT
w	MODEL#	PG	P2	P3
12"	EDTS()1218()	\$474	+ \$33	+ \$66
18"	EDTS()1818()	\$500	+ \$33	+ \$66
24"	EDTS()2418()	\$526	+ \$33	+ \$66
30"	EDTS()3018()	\$553	+ \$33	+ \$66
36"	EDTS()3618()	\$579	+ \$33	+ \$66
42"	EDTS()4218()	\$606	+ \$33	+ \$66
48"	EDTS()4818()	\$632	+ \$33	+ \$66



24" H				
12"	EDTS()1224()	\$500	+ \$33	+ \$66
18"	EDTS()1824()	\$526	+ \$33	+ \$66
24"	EDTS()2424()	\$553	+ \$33	+ \$66
30"	EDTS()3024()	\$579	+ \$33	+ \$66
36"	EDTS()3624()	\$606	+ \$33	+ \$66
42"	EDTS()4224()	\$632	+ \$33	+ \$66
48"	EDTS()4824()	\$660	+ \$33	+ \$66
60"	EDTS()6024()	\$726	+ \$33	+ \$66



30" H				
12"	EDTS()1230()	\$579	+ \$33	+ \$66
18"	EDTS()1830()	\$606	+ \$33	+ \$66
24"	EDTS()2430()	\$632	+ \$33	+ \$66
30"	EDTS()3030()	\$660	+ \$33	+ \$66
36"	EDTS()3630()	\$686	+ \$33	+ \$66
42"	EDTS()4230()	\$712	+ \$33	+ \$66
48"	EDTS()4830()	\$739	+ \$33	+ \$66



36" H				
12"	EDTS()1236()	\$686	+ \$33	+ \$66
18"	EDTS()1836()	\$712	+ \$33	+ \$66
24"	EDTS()2436()	\$739	+ \$33	+ \$66
30"	EDTS()3036()	\$765	+ \$33	+ \$66
36"	EDTS()3636()	\$792	+ \$33	+ \$66
42"	EDTS()4236()	\$818	+ \$33	+ \$66
48"	EDTS()4836()	\$845	+ \$33	+ \$66

Sp	ecify	1			
_			_		

- 1. Model # 2. Insert type 3. Insert color 4. Paint

			W	Н	Mounting
-	EDTS Equity Desktop Screen	PG Plexiglass Insert	36	18	C Clamp \$66
			:	:	F Freestanding \$0
		•	:	:	S Screw down \$0
		•	:	:	
			:	:	
	EDTS	PG	36	18	F
			:	ii	: <u>:</u>



61" H		INSERT	PAIN	
W	MODEL#	PG	P2	P3
24"	EMS()2461	\$2,267	+ \$33	+ \$66
30"	EMS()3061	\$2,599	+ \$33	+ \$66
36"	EMS()3661	\$2,997	+ \$33	+ \$66
42"	EMS()4261	\$3,395	+ \$33	+ \$66
48"	EMS()4861	\$3,661	+ \$33	+ \$66



64" H				
24"	EMS()2464	\$2,400	+ \$33	+ \$66
30"	EMS()3064	\$2,798	+ \$33	+ \$66
36"	EMS()3664	\$3,196	+ \$33	+ \$66
42"	EMS()4264	\$3,595	+ \$33	+ \$66
48"	EMS()4864	\$3,927	+ \$33	+ \$66



81" H				
24"	EMS()2481	\$3,064	+ \$33	+ \$66
30"	EMS()3081	\$3,727	+ \$33	+ \$66
36"	EMS()3681	\$4,259	+ \$33	+ \$66
42"	EMS()4281	\$4,790	+ \$33	+ \$66
48"	EMS()4881	\$5,189	+ \$33	+ \$66

Sp	ecify	
1	Model #	

Model #
 Insert type
 Insert color
 Paint

				Options
		W	Н	
EMS Equity Mobile Screen	PG Plexiglass Insert	36	81	C Casters \$132
EMS	PG	36	81	

STORAGE

Neutral Posture is not only dedicated to good posture, we are also dedicated to making offices more efficient and more enjoyable to work in. Neutral Posture knows that to increase efficiency in the office things must be organized well and be easily accessible. Neutral Posture offers the most space efficient and easily accessible products on the market.


Neutral Posture offers many diverse storage units making sure you can always find the exact unit of storage for your office's needs. From small pedestals that can double as seating to large towers with wardrobe capability, Neutral Posture can fit your needs in any situation. Along with our wide range of storage options, Neutral Posture also lets you truly personalize your office equipment, making your office a welcoming place for not only your customers, but, your employees as well.

Neutral Posture provides storage units that work together—meaning that they will work better for you and your workspace. Neutral Posture allows customization by offering several different color options, fabric patterns and even several different pulls and lock options to make sure your office space looks exactly how you want. Storage units that are cohesive have numerous benefits, such as taking up less space, being easier to access and making your office look more unified.

TRUE DIMENSIONS

Disclaimer: While Equity panels and worksurfaces are based on centerline to centerline dimensions, all storage dimensions are true dimensions.

STORAGE



		PEDESTALS	LATERALS	TOWERS	CREDENZAS	CABINETS	LOCKERS	BOOKCASES
	Pencil tray	•	•	•				
	Drawer dividers	•		•				
	Magnetic label	•	•	•	•			
	Ped drawer front filler	•		•				
	Magnetic drawer dividers		•		•			
	Magnetic shelf divider		•	•	•	•		•
10 July 10 Jul	Lateral file conversion bar		•					
	Worksurface supporting bracket			•				
	Ped accessory package – FF	•		•				
	Ped accessory package – BBF	•		•				
	Ped accessory package – BF	•						









	MODEL#	LIST
Pencil tray	SPTRY	\$22
6" Drawer divider	SBDD	\$22
12" Drawer divider	SFDD	\$50
 Magnetic label	SMLB	\$92
Ped drawer front filler	SPFF	\$90
Magnetic drawer dividers	SMDDB	\$133
Magnetic shelf divider	SMSD	\$105
Lateral file conversion bar	SLFCB	\$105





2 – 12" Drawer dividers	SFFA	\$92



PED ACCESSORY PACKAGE - BBF

2 – 6" Drawer dividers	SBBFA	\$105
1 – 12" Drawer dividers		
1 – Pencil tray		



PED ACCESSORY PACKAGE – BF

1 – 6" Drawer divider	SBFA	\$92

1 – 12" Drawer divider 1 – Pencil tray

Pedestal Pull Drawers SPED Freestanding Pedestal File File 19 J Pull Mobile Pedestal BBF **Box Box File Bar Pull SMPFD** В SCMPED Mobile Pedestal w/Cushion BF Box File R Radiused Pull SSPED Suspended Pedestal Worksurface Supporting Pedestal **SWSPED** SWSLKR Worksurface Supporting Locker SFC 19 B **SPED** BBF

Step 2 - Case Finish

Paint Champagne
Champagne
:

Step 3 – Front Finish

Not Available w/J Pull					
	Laminate				
PW-STK	Studio Teak				
•					
•					
PW-STK					
i	:				

FEATURES

COUNTER WEIGHTS

- Freestanding, mobile and cushion pedestals include factory installed counterweights.
- Counterweights are not necessary for worksurface supporting or suspended pedestals.

LOCK

- · Lock core is removable.
- Keyed alike available upon request.
- Master and change key available upon request. See (page 9).
- Individual locking drawers available upon request. Upcharge may apply.

DRAWERS

- Include full suspension steel ball-bearing slides.
- Drawer fronts include rubber bumpers for quiet operation.

LEVELING GLIDES

• 4 Leveling glides allow for 1 %" adjustment.

CASTERS - MOBILE PEDS

• 4 Black casters, 2 of which are locking.

CONSTRUCTION

OUTER SHELL & DRAWER CONSTRUCTION

Welded steel frame construction & formed channels ensure strength in key areas.

Top channels	18 – 21 Gauge
Side channels	18 – 21 Gauge
Outer panels	22 Gauge
Drawer fronts	20 Gauge
Drawer bins	22 Gauge

DRAWER LOAD CAPACITY

6" Box drawers	50 lbs
12" File drawers	70 lbs

DRAWER INNER DIMENSIONS


Height

Box drawer

30" Deep pedestal

File drawer	9 ½"
Width	
All drawers	12 1/8"
Depth	
18" Deep pedestal	15 1/5"
22" Deep pedestal	18 ¼"

PULL STYLES







SURFACE MATERIALS

PEDESTAL

B - Bar Pull

Paint

FRONTS

4 1/2"

24 1/4"

w/Bar pull (B) Paint or Laminate w/Radiused pull (R) Paint or Laminate w/J pull (J) Paint

DRAWER PULL

Bar (B)	Satin nickel
Radiused (R)	Satin nickel
J (J)	Paint

MOBILE PED HANDLE

Satin nickel


LOCK

Satin nickel

CUSHION TOP

Upholstery

PEDESTALS





Freestanding				PAINT		LAMINATE FRONT (UPCHARGE)			
Н	W	D	MODEL#	P1	P2	P3	L1	L2	L3
27 ¾"	15 1/4"	21 %"	SPEDFF22(J/B/R)	\$828	\$910	\$993	+ \$360	+ \$396	+ \$432
27 ¾"	15 1/4"	21 %"	SPEDBBF22(J/B/R)	\$884	\$972	\$1,060	+ \$388	+ \$426	+ \$465
27 ¾"	15 1/4"	27 %"	SPEDFF30(J/B/R)	\$940	\$1,034	\$1,128	+ \$375	+ \$506	+ \$637
27 ¾"	15 1/4"	27 %"	SPEDBBF30(J/B/R)	\$968	\$1,064	\$1,161	+ \$386	+ \$521	+ \$656



Mobile

26 %"	15 ¼"	18 %"	SMPEDFF19(J/B/R)	\$828	\$910	\$993	+ \$360	+ \$396	+ \$432
26 %"	15 1/4"	18 %"	SMPEDBBF19(J/B/R)	\$898	\$987	\$1,077	+ \$394	+ \$433	+ \$473
21 1/8"	15 1/4"	18 %"	SMPEDBF19(J/B/R)	\$800	\$880	\$960	+ \$346	+ \$380	+ \$415
26 %"	15 ¼"	21 %"	SMPEDFF22(J/B/R)	\$884	\$972	\$1,060	+ \$388	+ \$426	+ \$466
26 %"	15 1/4"	21 %"	SMPEDBBF22(J/B/R)	\$940	\$1,034	\$1,128	+ \$416	+ \$457	+ \$499
21 1/8"	15 1/4"	21 %"	SMPEDBF22(J/B/R)	\$815	\$896	\$978	+ \$346	+ \$380	+ \$415
26 %"	15 1/4"	27 %"	SMPEDFF30(J/B/R)	\$911	\$1,002	\$1,093	+ \$364	+ \$491	+ \$618
26 %"	15 1/4"	27 %"	SMPEDBBF30(J/B/R)	\$954	\$1,049	\$1,144	+ \$381	+ \$514	+ \$647
21 1/8"	15 1/4"	27 %"	SMPEDBF30(J/B/R)	\$843	\$927	\$1,011	+ \$336	+ \$453	+ \$571




Mobil	e Cushi	on			•••••••	•	•	FABRIC	•	•	•	
Н	W	D	MODEL#		1	2 3	4	5	6	7	8	9
1"	15 1/4"	18 %"	PC19	\$24	9 \$27	9 \$309	\$339	\$409	\$469	\$529	\$619	\$689
1"	15 1/4"	21 %"	PC22	\$24	9 \$27	9 \$309	\$339	\$409	\$469	\$529	\$619	\$689
1"	15 1/4"	27 %"	PC30	\$24	9 \$27	9 \$309	\$339	\$409	\$469	\$529	\$619	\$689

Security Pedestal Upgrade

File/File (FF)	SP	+ \$583
Box/File (BF)	SP	+ \$726
Box/Box/File (BBF)	SP	+ \$869

Specify

- 1. Model#
- 2. Case finish
- 3. Front finish Laminate not available on J pull



R – Radiused

Ordered Separately

• Pencil tray

Freestanding Peds

- Counterweight for stability
- Leveling glides allow for 1 %" adjustment

Mobile Peds

Included

- Counterweight for stability
- Black 37mm plastic casters (2 locking & 2 non-locking)

Pedestals



Suspe	nded				PAINT		LAMINAT	E FRONT (UPCHAI	RGE)
Н	w	D	MODEL#	P1	P2	Р3	L1	L2	L3
25"	15 1/4"	21 %"	SSPEDFF22(J/B/R)	\$828	\$910	\$993	+ \$360	+ \$396	+ \$432
25"	15 1/4"	21 %"	SSPEDBBF22(J/B/R)	\$884	\$972	\$1,060	+ \$388	+ \$426	+ \$466
19 3/8"	15 1/4"	21 %"	SSPEDBF22(J/B/R)	\$689	\$757	\$826	+ \$298	+ \$327	+ \$358



Worksurface Supporting

	27 ¾"	15 1/4"	17 %"	SWSPEDFF18(J/B/R)	\$800	\$880	\$960	+ \$354	+ \$389	+ \$425
	27 ¾"	15 1/4"	17 %"	SWSPEDBBF18(J/B/R)	\$856	\$941	\$1,027	+ \$374	+ \$411	+ \$449
	27 ¾"	15 1/4"	21 %"	SWSPEDFF22(J/B/R)	\$800	\$880	\$960	+ \$354	+ \$389	+ \$425
	27 ¾"	15 1/4"	21 %"	SWSPEDBBF22(J/B/R)	\$856	\$941	\$1,027	+ \$374	+ \$411	+ \$449
_	27 ¾"	15 1/4"	27 %"	SWSPEDFF30(J/B/R)	\$828	\$910	\$993	+ \$331	+ \$446	+ \$562
	27 ¾"	15 1/4"	27 %"	SWSPEDBBF30(J/B/R)	\$911	\$1,002	\$1,093	+ \$364	+ \$491	+ \$618



Mobile	Slim					PAINT		LAMINAT	E FRONT (UPCHAF	RGE)
DRAWER ACCESS	н	W	D	MODEL#	P1	P2	P3	L1	L2	L3
L	20"	12"	18 %"	SMPEDSLM19L(J/B/R)	\$1,523	\$1,675	\$1,827	+ \$388	+ \$426	+ \$466
R	20"	12"	18 %"	SMPEDSLM19R(J/B/R)	\$1,523	\$1,675	\$1,827	+ \$388	+ \$426	+ \$466
Both	20"	12"	18 %"	SMPEDSLM19B(J/B/R)	\$1,593	\$1,752	\$1,911	+ \$388	+ \$426	+ \$466



Mobile Slim Cushion			FABRIC											
	Н	W	D	MODEL#		1	2	3	4	5	6	7	8	
	1"	12"	10 74"	DCS10		\$240	\$270	\$200	\$220	\$400	\$460	\$520	\$610	\$690

Specify							
•••	Model #						
2.	Case finish						
3.	Front finish						
	Laminate not						

available on J Pull

					Options
	Lateral		W	Pull	
SPED	Freestanding Pedestal	FF File File	19	J J Pull	DL Digital Lock \$495
SMPED	Mobile Pedestal	BBF Box Box File		B Bar Pull	
SCMPED	Mobile Pedestal w/Cushion	BF Box File	:	R Radiused Pull	
SSPED	Suspended Pedestal		:	:	
SWSPED	Worksurface Supporting Pedestal			:	
SWSLKR	Worksurface Supporting Locker			:	
SFC	File Center		:		
SPED		BBF	19	В	DL

File Center Pull Drawers SFC File Center File File 19 J Pull Mobile File Center w/Cushion BBF **Box Box File Bar Pull** SCMFC В BF Box File R Radiused Pull 19 B SFC BBF

	Paints
301	I Champagne
į	
÷	
•	
į	
:	_

301

Step 2 - Case Finish

Not Available w/J Pull						
Laminate						
PW-STK	Studio Teak					
PW-STK	;					

Step 3 - Front Finish

FEATURES

COUNTER WEIGHTS

- Freestanding file centers include factory installed counterweights.
- Counterweights are not necessary for worksurface supporting file centers.

LOCK

- · Lock core is removable.
- Keyed alike available upon request.
- Master and change key available upon request. See (page 9).
- Individual locking drawers available upon request. Upcharge may apply.

DRAWERS

- Include full suspension steel ball-bearing slides.
- Drawer fronts include rubber bumpers for quiet operation.

LEVELING GLIDES

• 4 Leveling glides allow for 1 %" adjustment.

CASTERS - MOBILE PEDS

• 4 Black casters, 2 of which are locking

CONSTRUCTION

OUTER SHELL & DRAWER CONSTRUCTION

Welded steel frame construction & formed channels ensure strength in key areas.

Top channels	18 – 21 Gauge
Side channels	18 – 21 Gauge
Outer panels	22 Gauge
Drawer fronts	20 Gauge
Drawer bins	22 Gauge

DRAWER LOAD CAPACITY

6" Box drawers	50 lbs
12" File drawers	70 lbs

DRAWER INNER DIMENSIONS


Height

Box drawer	4 ½"
File drawer	9 ½"
Width	
All drawers	12 1/8"
Depth	
18" Deep pedestal	15 1/5"
30" Deep pedestal	26 1/4"

PULL STYLES

Available with Laminate Front





SURFACE MATERIALS

PEDESTAL

Paint

FRONTS

w/Bar pull (B) Paint or Laminate w/Radiused pull (R) Paint or Laminate w/J pull (J) Paint

DRAWER PULL

Bar (B) Satin nickel Radiused (R) Satin nickel J (J) Paint


LOCK

Satin nickel

CUSHION TOP

Upholstery

FILE CENTERS





Worksu	urface S	uppoi	rting File Center		PAINT		LAMINATE FRONT (UPCHARGE)			
Н	W	D	MODEL#	P1	P2	Р3	L1	L2	L3	
27 ¾"	30 ½"	18 1/4"	SFCFFLAT(J/B/R)	\$1,634	\$1,797	\$1,960	+ \$722	+ \$794	+ \$866	
27 ¾"	30 ½"	18 1/4"	SFCBBFLAT(J/B/R)	\$1,650	\$1,815	\$1,980	+ \$750	+ \$825	+ \$900	
27 ¾"	30 ½"	18 1/4"	SFCFBBLAT(J/B/R)	\$1,650	\$1,815	\$1,980	+ \$750	+ \$825	+ \$900	



Mobile File Center w/Cushion


24 1/8"	30 ½"	18 %"	SCMFCBBLAT(J/B/R)	:	\$2,789	\$3,067	\$3,346	+ \$972	+ \$1,348	+ \$1,723
27/0	30 /2	10 /6	SCIVIL CODERT (S/D/IT)	•	72,700	75,007	₹ 5,5 ∓0	1 77/2	1 71,540	1 71,723

Mobile Cushion Fabric Upcharges

	<u> </u>
SEATING GRADES	UPCHARGE
1	+ \$225
2	+ \$300
3	+ \$400
4	+ \$500
5	+ \$600
6	+ \$700
7	+ \$800
8	+ \$900

Specify

- 1. Model#
- 2. Case finish
- 3. Front finish
 Laminate not
 available on J pull



R – Radiused

Ordered Separately

• Pencil tray

Freestanding File Center

Included

- Counterweight for stability
- Leveling glides allow for 1 %" adjustment

Mobile File Center

Included

- Counterweight for stability
- Black 37mm plastic casters (2 locking & 2 non-locking)
- 1" cushion in black Other fabrics available for an upcharge.

File Centers



Mobile	Mobile File Center w/Cupboard Door			•	PAINT		LAMINATE FRONT (UPCHARGE)			
HINGE	Н	W	D	MODEL#	P1	P2	Р3	L1	L2	L3
L	22 ¾"	30 ½"	18 1/4"	SMFCFBCUBL(J/B/R)	\$1,732	\$1,870	\$2,009	+ \$750	+ \$825	+ \$900
R	22 3/8"	30 ½"	18 1/4"	SMFCFBCUBR(J/B/R)	\$1,732	\$1,870	\$2,009	+ \$750	+ \$825	+ \$900



Mobile File Center w/Open Shelf

L	22 ¾"	30 ½"	18 1/4"	SMFCFBSHFL(J/B/R)	\$1,593	\$1,870	\$2,009	+ \$735	+ \$808	+ \$882
R	22 3/8"	30 ½"	18 1/4"	SMFCFBSHFR(J/B/R)	\$1,593	\$1,870	\$2,009	+ \$735	+ \$808	+ \$882



Mobi	le File	Center	Cushion				FABR	IC			
Н	W	D	MODEL#	A/1	B/2	C/3	D/4	E/5	F/6	G/7	H/8
1"	30 ½"	18 ¼"	MFCC30	\$454	\$554	\$604	\$654	\$704	\$754	\$804	\$874

Sp	Specify					
1	Model #					
•••	Case finish					
3.	Front finish					
	Laminate not					

available on J Pull

					Options
	Lateral		W	Pull	
SFC SCMFC	File Center Mobile File Center w/Cushion	FF File File BBF Box Box File BF Box File	19	J J Pull B Bar Pull R Radiused Pull	DL Digital Lock \$49
SFC		BBF	19	В	DL

Linea Dock & Aeris Caddy

Step 1 – Model #

Pedestal	Drawers	D	Pull
SLNDK Linea Dock SARSCDY Aeris Caddy	L Left Hinged R Right Hinged	19	no Lock KL Keyed Lock EL Electric Lock
SPED	BBF	19	В

Step 2 – Case Finish

	Paint
301	Champagne
301	
1	.

Step 3 – Front Finish

Not	Not Available w/J Pull					
	Laminate					
PW-STK	PW-STK Studio Teak					
•						
:						
•						
:						
:						
PW-STK	PW-STK					

FEATURES

LINEA DOCK - LOCK OPTIONS

- Non-locking
- Keyed lock
- E-lock mini
- Keyed alike available upon request.
- · Master and change key available upon request. See (page 9).

AERIS CADDY - LOCK OPTIONS

- Keyed alike available upon request.
- Master and change key available upon request. See (page 9).

AERIS CADDY

- Open front bin for backpacks and bags
- Rear bin storage includes file bars to accommodate letter or legal hanging files
- · Ergonomic footrest with nonskid protective strip
- Soft closing lid

CONSTRUCTION

LINEA DOCK

Steel Frame 14 Gauge Steel Door 12 Gauge

AERIS CADDY

Steel Shell Laminate Interior Weight Limit

SURFACE MATERIALS

LINEA DOCK

Paint

12 Gauge

200 lbs


AERIS CADDY

Shell - Paint

Interior – Laminate (White, Black or Grey)

Cushion Top - Upholstery

LINEA DOCK & AERIS CADDY





Linea Dock		PAINT
DESCRIPTION	MODEL#	P1 P2 P.
Right Hinged	SLNDKR	\$ 1,050 \$ 1,155 \$ 1,260
Right Hinged w/Keyed Lock	SLNDKR-KL	\$1,218 \$1,339 \$1,46
Right Hinged w/Electric Lock	SLNDKR-EL	\$ 1,518 \$ 1,669 \$ 1,82
Left Hinged	SLNDKL	\$ 1,050 \$ 1,155 \$ 1,260
Left Hinged w/Keyed Lock	SLNDKL-KL	\$ 1,218 \$ 1,339 \$ 1,46
Left Hinged w/Electric Lock	SLNDKR-EL	\$ 1,518 \$ 1,669 \$ 1,82

			Locking Options
Specify	Lateral		
1. Model # 2. Case finish	SLNDK Linea Dock	L Left Hinged R Right Hinged	No Lock KL Keyed Lock EL Electric Lock
	SLNDK	R	DL



Aeris Caddy			PAINT	
DESCRIPTION	MODEL#	P1	P2	Р3
18" Wide	SARCDY18	\$ 2,010	\$2,211	\$2,412
24" Wide	SARCDY24	\$ 2,105	\$2,315	\$2,526

Aeris Caddy Cush		•••••••••••••••••••••••••••••••••••••••	······································		BRIC GRADE		•	•		
DESCRIPTION	MODEL#	GR A	GR B	GR C	GR D	GR E	GR F	GR G	GR H	GRI
18" Wide	SARCDYCS18	\$ 273	\$ 303	\$ 333	\$ 363	\$ 433	\$ 493	\$ 553	\$ 643	\$ 713
24" Wide	SARCDYCS24	\$ 332	\$ 362	\$ 392	\$ 422	\$ 492	\$ 552	\$ 612	\$ 702	\$ 772

Specify						

- Model #
 Case finish
- Interior Laminate
 Optional Cushion
 Upholstery

	Lateral	w
SARCDY	Aeris Caddy	18
SARCDYCS	Aeris Caddy Cushion	24
SARCDY		18

Laterals General Info

Step 1 - Model #

Lateral	# of Drawers	W	Pull
SLAT Lateral SWSLAT Worksurface Supporting	3	36	J J Pull B Bar Pull
SLAT	3	36	В

Step 2 - Case Finish

	Paint
301	Champagne
301 301	:
301	

Step 3 - Front Finish

	Not Available w/J Pull	
	Laminate	
PW-STK	Studio Teak	
PW-STK		

FEATURES

COUNTER WEIGHTS

- Counterweights are not included with laterals.
- Counterweights are not necessary for worksurface supporting laterals.

LOCK

- Lock core is removable.
- Keyed alike available upon request.
- Master and change key available upon request. See (page 9).
- Individual locking drawers available upon request. Upcharge may apply.

DRAWERS

- All drawers include full extension steel ball-bearing slides with anti-rebound features to ensure smooth operation.
- Drawer fronts include rubber bumpers for quiet operation.
- The top opening of 5-high laterals features an over-the-top flipper door with 13 ¼" inside clear height for binder storage.
- Drawer includes full-height side panels.
- 2 file bars are included in each drawer, for side-to-side filing.
- Conversion bars for front to back filing are sold separately.
- All lateral drawer bins will accommodate A4, letter and legal size filing.

LEVELING GLIDES

4 leveling glides allow for 1 1/4" adjustment.

COUNTERWEIGHTS

 Counterweights are required for all lateral files that are not ganged together or otherwise anchored.

CONSTRUCTION

OUTER SHELL & DRAWER CONSTRUCTION

Welded steel frame construction & formed channels ensure strength in key areas. Standard depth is 18 ¼".

Inner frame	20 Gauge
Outer panels	22 Gauge
Drawer fronts	20 Gauge
Drawer bins	20 Gauge

DRAWER LOAD CAPACITY

30" Wide lateral	140 lbs
36" Wide lateral	168 lbs
42" Wide lateral	192 lbs

DRAWER INNER DIMENSIONS

Height	
Top flipper door	13 ¼"
Drawer immediately below lock strip	9
All other drawers	10 ¾"
Width	
30" Wide lateral	26 1/10"
36" Wide lateral	32 1/10"
42" Wide lateral	38 1/10"
Depth	
18 ¼" Deep lateral	16"

PULL STYLES







SURFACE MATERIALS

LATERAL

Paint

FRONTS

w/Bar pull (B) Paint or Laminate w/J pull (J) Paint

DRAWER PULL

Bar (B) Satin nickel J (J) Paint


LOCK

Satin nickel

TOP

Paint or Laminate

LATERALS







2 Draw	er				PAINT		LAMINAT	E FRONT (UPCHA	RGE)
Н	W	D	MODEL#	P1	P2	Р3	L1	L2	L3
28 3/8"	30"	18 1/4"	SLAT230(J/B)	\$1,246	\$1,370	\$1,495	+ \$555	+ \$610	+ \$732
28 3/8"	36"	18 1/4"	SLAT236(J/B)	\$1,523	\$1,675	\$1,827	+\$611	+ \$672	+ \$806
28 ¾"	42"	18 1/4"	SLAT242(J/B)	\$1,593	\$1,752	\$1,911	+ \$666	+ \$732	+ \$879

Counterweights are required for all lateral files that are not ganged together or otherwise anchored.



3 Drawer

39 %"	30"	18 1/4"	SLAT330(J/B)	\$1,732	\$1,905	\$2,078	+ \$763	+ \$839	+ \$1,007
39 %"	36"	18 1/4"	SLAT336(J/B)	\$1,940	\$2,134	\$2,328	+ \$819	+ \$900	+ \$1,081
39 %"	42"	18 1/4"	SLAT342(J/B)	\$2,080	\$2,288	\$2,496	+ \$874	+ \$961	+ \$1,153


Counterweights are required for all lateral files that are not ganged together or otherwise anchored.



4 Drawer

51 %"	30"	18 1/4"	SLAT430(J/B)	\$2,150	\$2,365	\$2,580	+ \$930	+ \$1,023	+ \$1,227
51 %"	36"	18 1/4"	SLAT436(J/B)	\$2,358	\$2,593	\$2,829	+ \$972	+ \$1,069	+ \$1,283
51 %"	42"	18 1/4"	SLAT442(J/B)	\$2,497	\$2,746	\$2,996	+ \$1,014	+ \$1,115	+ \$1,338

Counterweights are required for all lateral files that are not ganged together or otherwise anchored.



4 Drawer — w/fixed top shelf

65 %"	30"	18 1/4"	SLAT530(J/B)	\$2,567	\$2,823	\$3,080	+ \$1,028	+ \$1,130	+ \$1,356
65 %"	36"	18 1/4"	SLAT536(J/B)	\$2,775	\$3,052	\$3,330	+ \$1,056	+ \$1,161	+ \$1,393
65 %"	42"	18 1/4"	SLAT542(J/B)	\$3,053	\$3,358	\$3,663	+ \$1,083	+ \$1,191	+ \$1,429

 $\label{lem:counterweights} \textbf{Counterweights are required for all lateral files that are not ganged together or otherwise anchored.}$



4 Drawer — w/roll-out shelf

65 %"	30"	18 1/4"	SLAT5R30(J/B)	\$3,859	\$4,244	\$4,630	+ \$2,779	+ \$3,056	+ \$3,334
65 1/8"	36"	18 1/4"	SLAT5R36(J/B)	\$4,415	\$4,856	\$5,298	+ \$2,779	+ \$3,056	+ \$3,334
65 %"	42"	18 1/4"	SLAT5R42(J/B)	\$4,693	\$5,162	\$5,631	+ \$2,779	+ \$3.056	+ \$3,334

 $\label{lem:counterweights} \textbf{Counterweights are required for all lateral files that are not ganged together or otherwise anchored.}$

Specify	

- 1. Model#
- 2. Case finish
- 3. Front finish
 Laminate not
 available on J pull

Pulls	
B – Bar Pull	J – J Pull

	\$243
SLAT Lateral 2 : 36 : J J Pull CW Counterweight:	
SWSLAT Worksurface Supporting 3 B Bar Pull DL Digital Lock	\$495
4	
5	
SLAT 3 36 J CW	

Options

Application Notes

Included

• Leveling glides for 1 5/8" adjustment





BF				PAINT			LAMINATE FRONT (UPCHARGE)		
Н	W	D	MODEL#	P1	P2	P3	L1	L2	L3
22 %"	30"	18 ¼"	SLAT130(J/B)	\$1,399	\$1,538	\$1,678	+ \$485	+ \$673	+ \$860
22 %"	36"	18 1/4"	SLAT136(J/B)	\$1,538	\$1,691	\$1,845	+ \$485	+ \$687	+ \$888
22 %"	42"	18 1/4"	SLAT142(J/B)	\$1,677	\$1,844	\$2,012	+ \$485	+ \$701	+ \$915

Counterweights are required for all lateral files that are not ganged together or otherwise anchored.



BF Shelf

22 %"	30"	18 1/4"	SLATS130	\$1,120	\$1,232	\$1,344	N/A	N/A	N/A
22 %"	36"	18 1/4"	SLATS136	\$1,260	\$1,386	\$1,512	N/A	N/A	N/A
22 5/8"	42"	18 1/4"	SLATS142	\$1,399	\$1,538	\$1,678	N/A	N/A	N/A

Counterweights are required for all lateral files that are not ganged together or otherwise anchored.



Worksurface Supporting

27 ¾"	30"	18 ¼"	SWSLAT230(J/B)	\$1,246	\$1,370	\$1,495	+ \$555	+ \$610	+ \$732
27 ¾"	36"	18 ¼"	SWSLAT236(J/B)	\$1,384	\$1,522	\$1,660	+ \$611	+ \$672	+ \$806
27 ¾"	42"	18 1/4"	SWSLAT242(J/B)	\$1,523	\$1,675	\$1,827	+ \$666	+ \$732	+ \$879


Counterweights are required for all lateral files that are not ganged together or otherwise anchored.

Lateral – Accessories

DESCRIPTION	MODEL #	BLACK ONLY
Lateral Ganging Kit	SLATGK	\$203

				Options	
Specify	Lateral	w	Pull		
 Model # Case finish Front finish Laminate not available on J pull 	SLAT1 BF Lateral w/Metal Top	36	J Pull B Bar Pull	CW Counterweights DL Digital Lock	\$243 \$495
	SLAT1	36	J	CW	





2 Draw	2 Drawer/2 Open Shelves				PAINT		LAMINATE FRONT (UPCHARGE)		
Н	W	D	MODEL#	P1	P2	P3	L1	L2	L3
51 %"	30"	18 1/4"	SLAT2S2F30(J/B)	\$3,067	\$3,373	\$3,680	+ \$2,779	+ \$3,056	+ \$3,334
52 %"	36"	18 1/4"	SLAT2S2F36(J/B)	\$3,484	\$3,832	\$4,180	+ \$2,779	+ \$3,056	+ \$3,334
53 %"	42"	18 1/4"	SLAT2S2F42(J/B)	\$4,109	\$4,519	\$4,930	+ \$2,779	+ \$3,056	+ \$3,334


Counterweights are included.



2 Drawer/3 Open Shelves

65 %"	30"	18 1/4"	SLAT3S2F30(J/B)	\$3,206	\$3,526	\$3,847	+ \$2,779	+ \$3.056	+ \$3,334
65 %"	36"	18 1/4"	SLAT3S2F36(J/B)	\$3,623	\$3,985	\$4,347		+ \$3,056	+ \$3,334
65 %"	42"	18 1/4"	SLAT3S2F42(J/B)	\$4,248	\$4,672	\$5,097	+ \$2,779	+ \$3,056	+ \$3,334


Counterweights are included.



3 Drawer/2 High Shelves

65 %"	30"	18 ¼"	SLAT2S3F30(J/B)	\$3,093	\$3,402	\$3,711	+ \$2,779	+ \$3,056	+ \$3,334
65 %"	36"	18 1/4"	SLAT2S3F36(J/B)	\$3,609	\$3,969	\$4,330	+ \$2,779	+ \$3,056	+ \$3,334
65 %"	42"	18 1/4"	SLAT2S3F42(J/B)	\$4,166	\$4,582	\$4,999	+ \$2,779	+ \$3,056	+ \$3,334


Counterweights are included.



3 Drawer/3 High Shelves

77 3	/s" 30"	18 1/4"	SLAT3S3F30(J/B)	\$3,159	\$3,474	\$3,790	+ \$2,779	+ \$3,056	+ \$3,334
77 3	/s" 36"	18 1/4"	SLAT3S3F36(J/B)	\$3,668	\$4,034	\$4,401	+ \$2,779	+ \$3,056	+ \$3,334
77 3	/s" 42"	18 1/4"	SLAT3S3F42(J/B)	\$4,220	\$4,642	\$5,064	+ \$2,779	+ \$3,056	+ \$3,334

Counterweights are included.



4 Drawer/2 High Shelves

77 3/8"	30"	18 1/4"	SLAT2S4F30(J/B)	\$3,249	\$3,573	\$3,898	+ \$2,779	+ \$3,056	+ \$3,334
77 3/8"	36"	18 1/4"	SLAT2S4F36(J/B)	\$3,753	\$4,128	\$4,503	+ \$2,779	+ \$3,056	+ \$3,334
77 3/8"	42"	18 1/4"	SLAT2S4F42(J/B)	\$4,310	\$4,741	\$5,172	+ \$2,779	+ \$3,056	+ \$3,334

Counterweights are included.




- 1. Model#
- 2. Case finish

3.	Front finish
	Laminate not
	available on J pull


Application Notes

• Leveling glides for 1 %" adjustment



Lateral	# Drawers	W	Pull	
SLAT Lateral	2	36	J J Pull	CW Counterweights \$243
SWSLAT Worksurface Supporting	3	:	B Bar Pull	DL Digital Lock \$495
	4	:		
	5	:		
	:			
•				
	:			
			<u>.</u>	
SLAT	3	36	J	CW

Options



2 Drawer/2 High Cabinet				PAINT			LAMINATE FRONT (UPCHARGE)			
Н	W	D	MODEL#	P1	P2	P3	L1	L2	L3	
51 ¾"	30"	18 ¼"	SLAT2C2F30(J/B)	\$3,081	\$3,389	\$3,697	+ \$2,527	+ \$2,779	+ \$3,032	
51 %"	36"	18 1/4"	SLAT2C2F36(J/B)	\$3,663	\$4,029	\$4,395	+ \$2,653	+ \$2,918	+ \$3,183	
51 ¾"	42"	18 1/4"	SLAT2C2F42(J/B)	\$4,214	\$4,635	\$5,056	+ \$2,786	+ \$3,064	+ \$3,343	
Counterwei	Counterweights are included.									



65 %"	30"	18 1/4"	SLAT3C2F30(J/B)	\$3,141	\$3,455	\$3,769	+ \$2,527	+ \$2,779	+ \$3,032
65 %"	36"	18 1/4"	SLAT3C2F36(J/B)	\$3,687	\$4,055	\$4,424	+ \$2,653	+ \$2,918	+ \$3,183
65 %"	42"	18 1/4"	SLAT2C2F42(J/B)	\$4,262	\$4,688	\$5,114	+ \$2,786	+ \$3,064	+ \$3,343


Counterweights are included.



3 Drawer/2 High Cabinet

65 %"	30"	18 1/4"	SLAT2C3F30(J/B)	\$3,219	\$3,540	\$3,862	+ \$2,527	+ \$2,779	+ \$3,032
65 %"	36"	18 ¼"	SLAT2C3F36(J/B)	\$3,765	\$4,141	\$4,518	+ \$2,590	+ \$2,849	+ \$3,108
65 %"	42"	18 1/4"	SLAT2C3F42(J/B)	\$4,340	\$4,774	\$5,208	+ \$2,655	+ \$2,920	+ \$3,186


Counterweights are included.



3 Drawer/3 High Cabinet

-	77 %"	30"	18 ¼"	SLAT3C3F30(J/B)	\$3,602	\$3,962	\$4,322	+ \$2,860	+ \$3,146	+ \$3,432
	77 3/8"	36"	18 1/4"	SLAT3C3F36(J/B)	\$4,196	\$4,615	\$5,035	+ \$2,990	+ \$3,289	+ \$3,588
	77 3/8"	42"	18 1/4"	SLAT3C3F42(J/B)	\$4,825	\$5,307	\$5,790	+ \$3,250	+ \$3,575	+ \$3,900

Counterweights are included.



4 Drawer/2 High Cabinet

77 3/8"	30"	18 1/4"	SLAT2C4F30(J/B)	\$3,704	\$4,074	\$4,444	+ \$3,510	+ \$3,861	+ \$4,212
77 3/8"	36"	18 1/4"	SLAT2C4F36(J/B)	\$4,298	\$4,727	\$5,157	+ \$3,640	+ \$4,004	+ \$4,368
77 3/8"	42"	18 1/4"	SLAT2C4F42(J/B)	\$4,928	\$5,420	\$5,913	+ \$3,900	+ \$4,290	+ \$4,680

Counterweights are included.

Specify	

- 1. Model#
- 2. Case finish
- 3. Front finish
 Laminate not
 available on J pull

				•	
	W	Pull			
eral w/Metal Top	36	J J Pull	CW	Counterweights	\$243
	:	B Bar Pull	DL	Digital Lock	\$495
	:	<u>:</u>			
	•				
	:	:			
		1 . 1		. 1	
	; ;	į J į	CW	'	
		eral w/Metal Top 36	eral w/Metal Top 36 J J Pull B Bar Pull 36 J J Pull	eral w/Metal Top 36 J J Pull B Bar Pull DL	eral w/Metal Top 36 J J Pull B Bar Pull CW Counterweights DL Digital Lock CW CW



6B Dra	wer			PAINT		
Н	W	D	MODEL#	P1	P2	Р3
39 %"	30"	18 1/4"	S6BLAT30(J/B)	\$2,608	\$2,868	\$3,129
39 %"	36"	18 1/4"	S6BLAT36(J/B)	\$2,747	\$3,021	\$3,296
39 %"	42"	18 1/4"	S6BLAT42(J/B)	\$2,997	\$3,296	\$3,596

 $Counterweights are \ required \ for \ all \ lateral \ files \ that \ are \ not \ ganged \ together \ or \ otherwise \ anchored.$

6B Drawer, No Top

39 %"	30"	18 ¼"	S6BLAT30NT(J/B)	\$2,511	\$2,762	\$3,013
39 %"	36"	18 1/4"	S6BLAT36NT(J/B)	\$2,651	\$2,916	\$3,181
39 %"	42"	18 1/4"	S6BLAT42NT(J/B)	\$2,928	\$3,220	\$3,513

 $\label{lem:counterweights} \textbf{Counterweights are required for all lateral files that are not ganged together or otherwise anchored.}$



BBF Drawer


28 %"	30"	18 ¼"	S2BFLAT30(J/B)	\$1,677	\$1,844	\$2,012
28 %"	36"	18 1/4"	S2BFLAT36(J/B)	\$1,816	\$1,997	\$2,179
28 %"	42"	18 ¼"	S2BFLAT42(J/B)	\$1,955	\$2,150	\$2,346

 $\label{lem:counterweights} \textbf{Counterweights are required for all lateral files that are not ganged together or otherwise anchored.}$

BBF Drawer, No Top

28 ¾"	30"	18 1/4"	S2BFLAT30NT(J/B)	\$1,677	\$1,844	\$2,012
28 ¾"	36"	18 1/4"	S2BFLAT36NT(J/B)	\$1,816	\$1,997	\$2,179
28 %"	42"	18 1/4"	S2BFLAT42NT(J/B)	\$1,955	\$2,150	\$2,346

 $\label{lem:counterweights} \textbf{Counterweights are required for all lateral files that are not ganged together or otherwise anchored.}$



BBFF Drawer

39 %"	30"	18 ¼"	S2B2FLAT30(J/B)	\$2,233	\$2,456	\$2,679
39 %"	36"	18 ¼"	S2B2FLAT36(J/B)	\$2,372	\$2,609	\$2,846
39 %"	42"	18 ¼"	S2B2FLAT42(J/B)	\$2,511	\$2,762	\$3,013

 $\label{lem:counterweights} \textbf{Counterweights are required for all lateral files that are not ganged together or otherwise anchored.}$


BBFF Drawer, No Top

39 %	30	18 1/4	S2B2FLAT30NT(J/B)	\$2,233	\$2,456	\$2,679
39 %	36	18 1/4	S2B2FLAT36NT(J/B)	\$2,372	\$2,609	\$2,846
39 %	42	18 1/4	S2B2FLAT42NT(J/B)	\$2,511	\$2,762	\$3,013

 $\label{lem:counterweights} \textbf{Counterweights are required for all lateral files that are not ganged together or otherwise anchored.}$

Specify	
1. Model #	
2. Case finish	

					Options	
	Lateral	W	Pull			
S6BLAT	6B Drawer Lat	36	J J Pull	CW	Counterweights	\$243
S2BFLAT	BBF Drawer Lat	.	B Bar Pull	DL	Digital Lock	\$495
S2B2FLAT	BBFF Drawer Lat		•			
			•			
•			•			
S6BLA1	r.	36	J	cw	,	
i	•					



omn	non To	op – 18	" Deep		LAMINATE	••••••
Н	W	D	MODEL#	L1	L2	L3
5/8"	30"	18 ¼"	LT30	\$485	\$533	\$582
5/8"	36"	18 1/4"	LT36	\$528	\$580	\$633
5/8"	42"	18 1/4"	LT42	\$541	\$595	\$649
5/8"	60"	18 1/4"	LT60	\$568	\$624	\$681
5/8"	66"	18 1/4"	LT66	\$644	\$708	\$772
5/8"	72"	18 1/4"	LT72	\$673	\$740	\$807
5/8"	84"	18 1/4"	LT84	\$679	\$746	\$814
5/8"	90"	18 1/4"	LT90	\$687	\$755	\$824
5/8"	108"	18 1/4"	LT108	\$735	\$808	\$882
5/8"	126"	18 1/4"	LT126	\$979	\$1,076	\$1,174

Common Top – 36" Deep

Specify Lateral Common Top

- 1. Model # 2. Laminate
- 3. Edge band

5/8	" 30"	36 ½"	LT3037	\$(694 \$763	\$832
5/8	" 36"	36 ½"	LT3637	\$	763 \$839	\$915
5/8	" 42"	36 ½"	LT4237	\$8	867 \$953	\$1,040
5/8	" 60"	36 ½"	LT6037	\$1,	006 \$1,106	\$1,207
5/8	" 66"	36 ½"	LT6637	\$1,	112 \$1,223	\$1,334
5/8	" 72"	36 ½"	LT7237	\$1,	180 \$1,298	\$1,416
5/8	" 84"	36 ½"	LT8437	\$1,,	250 \$1,375	\$1,500
5/8	" 90"	36 ½"	LT9037	\$1,;	320 \$1,452	\$1,584
5/8	" 108"	36 ½"	LT10837	\$1,	597 \$1,756	\$1,916
5/8	" 126"	36 ½"	LT12637	\$1,	736 \$1,909	\$2,083



Cushi	ion – '	18" De	ер		•	•••••••••••••••••••••••••••••••••••••••	FAB	RIC	•••••••••••••••••••••••••••••••••••••••	•••••••••••••••••••••••••••••••••••••••	
Н	W	D	MODEL#	A/1	B/2	C/3	D/4	E/5	F/6	G/7	H/8
1"	30"	18 1/4"	LC30	\$454	\$554	\$604	\$654	\$704	\$754	\$804	\$874
1"	36"	18 1/4"	LC36	\$487	\$587	\$642	\$692	\$752	\$817	\$882	\$972
1"	42"	18 1/4"	LC42	\$522	\$622	\$682	\$732	\$802	\$882	\$962	\$1,072
1"	60"	18 1/4"	LC60	\$606	\$706	\$776	\$836	\$926	\$1,026	\$1,126	\$1,276
1"	66"	18 1/4"	LC66	\$641	\$741	\$816	\$876	\$981	\$1,091	\$1,206	\$1,366
1"	72"	18 1/4"	LC72	\$676	\$776	\$856	\$916	\$1,036	\$1,156	\$1,286	\$1,456
1"	84"	18 1/4"	LC84	\$731	\$831	\$921	\$991	\$1,131	\$1,271	\$1,441	\$1,591
1"	90"	18 1/4"	LC90	\$773	\$873	\$963	\$1,033	\$1,193	\$1,343	\$1,533	\$1,683
1"	108"	18 1/4"	LC108	\$856	\$956	\$1,056	\$1,136	\$1,316	\$1,491	\$1,686	\$1,866
1"	126"	18 1/4"	LC126	\$940	\$1,040	\$1,150	\$1,240	\$1,440	\$1,640	\$1,840	\$2,050

Cushion – 36" Deep

Specify Lateral Cushion

- 1. Model#
- 2. Fabric

			T .								
1"	30"	36 ½"	LC3037	\$662	\$722	\$782	\$882	\$982	\$1,082	\$1,182	\$1,282
1"	36"	36 ½"	LC3637	\$704	\$774	\$839	\$954	\$1,069	\$1,189	\$1,309	\$1,454
1"	42"	36 ½"	LC4237	\$745	\$825	\$895	\$1,025	\$1,155	\$1,295	\$1,435	\$1,625
1"	60"	36 ½"	LC6037	\$843	\$943	\$1,033	\$1,173	\$1,343	\$1,533	\$1,733	\$2,043
1"	66"	36 ½"	LC6637	\$884	\$984	\$1,084	\$1,234	\$1,424	\$1,629	\$1,854	\$2,194
1"	72"	36 ½"	LC7237	\$926	\$1,026	\$1,136	\$1,296	\$1,506	\$1,726	\$1,976	\$2,346
1"	84"	36 ½"	LC8437	\$1,009	\$1,109	\$1,239	\$1,409	\$1,649	\$1,899	\$2,179	\$2,579
1"	90"	36 ½"	LC9037	\$1,051	\$1,151	\$1,291	\$1,471	\$1,731	\$2,011	\$2,311	\$2,731
1"	108"	36 ½"	LC10837	\$1,162	\$1,267	\$1,422	\$1,612	\$1,892	\$2,232	\$2,582	\$3,042
1"	126"	36 ½"	LC12637	\$1,273	\$1,383	\$1,553	\$1,753	\$2,053	\$2,453	\$2,853	\$3,353

	Н	W	Drawers	Coat Door	Pull
STWR Tower	56	22	FF	L Left	J J Pull
		:	BBF	R Right	B Bar Pull
	:	:			R Radiused Pull
STWR	56	22	FF	L	В
I	ii	ii	ii	ii	ii

Step 2 – Case Finish

	Paint
301	Champagne
•	
:	
201	:
301	

Step 3 – Front Finish

Not Available w/J Pull							
Laminate							
PW-STK	Studio Teak						
PW-STK							

FEATURES

LOCK

- Lock core is removable.
- 24" Side access tower includes 2 locks. All others include 1 lock.
- Keyed alike available upon request.
- Master and change key available upon request. See (page 9).
- Individual locking drawers available upon request. Upcharge may apply.

DRAWERS

- Include full suspension steel ball-bearing slides.
- Drawer fronts include rubber bumpers for quiet operation.
- Slides include anti-rebound and quick disconnect features.
- File drawer dividers which allow sideto-side filing are sold separately.

SHELVES

• Shelves are adjustable in 1 ½" increments.

LEVELING GLIDES – TOWER

 \bullet Leveling glides allow for % " adjustment.

LEVELING GLIDES – SIDE ACCESS TOWER

• Leveling glides allow for 1 5/8" adjustment.

DOORS

• Cupboard and coat doors include concealed hinges that allow for 110° degree opening.

CONSTRUCTION

OUTER SHELL & DRAWER CONSTRUCTION

Welded steel frame construction & formed channels ensure strength in key areas.

Inner top channel	18 Gauge
Bottom channel	18 Gauge
Side channels	18 Gauge
Outer top	21 Gauge
Outer back	21 Gauge
Outer sides	21 Gauge
Outer center	21 Gauge
Drawer & door fronts	21 Gauge
Shelves	18 Gauge
Drawer bins	22 Gauge
Drawer fronts	20 Gauge

DRAWER LOAD CAPACITY

6" Box drawers	50 lbs
12" File drawers	70 lbs


SHELF LOAD CAPACITY

Shelf 61 lbs

DRAWER INNER DIMENSIONS

Height	
Box drawer	4 1/2"
File drawer	9 ½"
Width	
All drawers	12 ½"
Depth	
All drawers	18 ¼"

PULL STYLES



SURFACE MATERIALS

CASE

Paint

FRONTS

w/Bar Pull (B)	Paint or Laminate
w/Radiused Pull (R)	Paint or Laminate
w/J Pull (J)	Paint

NOTE: Laminate is not available on 24" side access towers, 15" towers or 15" side access towers.

DRAWER PULL


Bar (B)	Satin nickel
Radiused (R)	Satin nickel
J (J)	Paint

LOCK

Satin nickel

TOWERS





4011					:	••••••••••		······································	•••••••••••••••••••••••••••••••••••••••	•••••			
40"	High	— does	not inclu	ıde an adj. shelf		PAINT		LAMINATE FRONT (UPCHARGE)					
COAT													
DOOR	Н	W	D	MODEL#	P1	P2	P3	L1	L2	L3			
L	39 %"	23 ½"	23 ½"	STWR4024FFL(J/B/R)	\$2,706	\$2,976	\$3,247	+ \$1,250	+ \$1,375	+ \$1,500			
R	39 %"	23 ½"	23 ½"	STWR4024FFR(J/B/R)	\$2,706	\$2,976	\$3,247	+ \$1,250	+ \$1,375	+ \$1,500			
L	39 %"	23 ½"	23 ½"	STWR4024BBFL(J/B/R)	\$2,775	\$3,052	\$3,330	+ \$1,291	+ \$1,420	+ \$1,549			
R	39 %"	23 ½"	23 ½"	STWR4024BBFR(J/B/R)	\$2,775	\$3,052	\$3,330	+ \$1,291	+ \$1,420	+ \$1,549			
4611	112l.												
40	46" High — does not include an adj. shelf												
L	46"	23 ½"	23 ½"	STWR4624FFL(J/B/R)	\$2,913	\$3,204	\$3,495	+ \$1,278	+ \$1,405	+ \$1,533			
R	46"	23 ½"	23 ½"	STWR4624FFR(J/B/R)	\$2,913	\$3,204	\$3,495	+ \$1,278	+ \$1,405	+ \$1,533			
L	46"	23 ½"	23 ½"	STWR4624BBFL(J/B/R)	\$2,984	\$3,282	\$3,580	+ \$1,320	+ \$1,452	+ \$1,584			
R	46"	23 ½"	23 ½"	STWR4624BBFR(J/B/R)	\$2,984	\$3,282	\$3,580	+ \$1,320	+ \$1,452	+ \$1,584			
F4111	112l.												
<u>51" </u>	High	— inclu	des 1 adj	. shelf									
L	51 ¾"	23 ½"	23 ½"	STWR5124FFL(J/B/R)	\$2,984	\$3,282	\$3,580	+ \$1,320	+ \$1,452	+ \$1,584			
R	51 %"	23 ½"	23 ½"	STWR5124FFR(J/B/R)	\$2,984	\$3,282	\$3,580	+ \$1,320	+ \$1,452	+ \$1,584			
L	51 %"	23 ½"	23 ½"	STWR5124BBFL(J/B/R)	\$3,053	\$3,358	\$3,663	+ \$1,347	+ \$1,481	+ \$1,616			
R	51 ¾"	23 ½"	23 ½"	STWR5124BBFR(J/B/R)	\$3,053	\$3,358	\$3,663	+ \$1,347	+ \$1,481	+ \$1,616			
FCIII	11:la												
50	High	— inclu	des 1 adj	. shelf									
L	56"	23 ½"	23 ½"	STWR5624FFL(J/B/R)	\$3,053	\$3,358	\$3,663	+ \$1,347	+ \$1,481	+ \$1,616			
R	56"	23 ½"	23 ½"	STWR5624FFR(J/B/R)	\$3,053	\$3,358	\$3,663	+ \$1,347	+ \$1,481	+ \$1,616			
L	56"	23 ½"	23 ½"	STWR5624BBFL(J/B/R)	\$3,192	\$3,511	\$3,830	+ \$1,389	+ \$1,527	+ \$1,666			
R	56"	23 ½"	23 ½"	STWR5624BBFR(J/B/R)	\$3,192	\$3,511	\$3,830	+ \$1,389	+ \$1,527	+ \$1,666			
66111	مادة												
00	High	— inclu	des 2 adj	. shelves									
L	65 %"	23 ½"	23 ½"	STWR6624FFL(J/B/R)	\$3,330	\$3,663	\$3,996	+ \$1,667	+ \$1,833	+ \$2,000			
R	65 %"	23 ½"	23 ½"	STWR6624FFR(J/B/R)	\$3,330	\$3,663	\$3,996	+ \$1,667	+ \$1,833	+ \$2,000			
L	65 %"	23 ½"	23 ½"	STWR6624BBFL(J/B/R)	\$3,401	\$3,741	\$4,081	+ \$1,807	+ \$1,987	+ \$2,168			
R	65 %"	23 ½"	23 ½"	STWR6624BBFR(J/B/R)	\$3,401	\$3,741	\$4,081	+ \$1,807	+ \$1,987	+ \$2,168			

							Options	
	Н	W	Drawers	Coat Door	Pull			
STWR Tower	56	22	FF	L Left	J J Pull	DL	Digital Lock	\$495
<u>:</u>			BBF	R Right	B Bar Pull			
<u>:</u>					R Radiused Pull			
STWR	56	22	FF	L	J	DL		

Specify

- 1. Model #
- 2. Case finish
- 3. Front finish
 Laminate not
 available on J pull


Pulls B – Bar Pull J – J Pull

R – Radiused

Application Notes

- Single lock for all doors & drawers
- Coat closet includes side-to-side coat rod
- Leveling glides allow for %" adjustment





SSAT<mark>5624</mark>BBFRB



Available Laminate Locations

46" H	ligh	— does	not inclu	ude an adj. shelf	PAINT			LAMINATE FRONT (UPCHARGE)		
COAT DOOR	Н	w	D	MODEL#	P1	P2	P3	L1	L2	L3
L	46"	23 ½"	23 ½"	SSAT4624FFL(J/B/R)	\$2,886	\$3,174	\$3,463	+ \$1,278	+ \$1,405	+ \$1,533
R	46"	23 ½"	23 ½"	SSAT4624FFR(J/B/R)	\$2,886	\$3,174	\$3,463	+ \$1,278	+ \$1,405	+ \$1,533
L	46"	23 ½"	23 ½"	SSAT4624BBFL(J/B/R)	\$2,956	\$3,251	\$3,547	+ \$1,320	+ \$1,452	+ \$1,584
R	46"	23 ½"	23 ½"	SSAT4624BBFR(J/B/R)	\$2,956	\$3,251	\$3,547	+ \$1,320	+ \$1,452	+ \$1,584
					•					

51" High — includes 1 adj. shelf

L	51 %" 23 ½"	23 ½"	SSAT5124FFL(J/B/R)	\$2,984	\$3,282	\$3,580	+ \$1,320	+ \$1,452	+ \$1,584
R	51 ¾" 23 ½"	23 ½"	SSAT5124FFR(J/B/R)	\$2,984	\$3,282	\$3,580	+ \$1,320	+ \$1,452	+ \$1,584
L	51 3/8" 23 1/2"	23 ½"	SSAT5124BBFL(J/B/R)	\$3,053	\$3,358	\$3,663	+ \$1,347	+ \$1,481	+ \$1,616
R	51 3/8" 23 1/2"	23 ½"	SSAT5124BBFR(J/B/R)	\$3,053	\$3,358	\$3,663	+ \$1,347	+ \$1,481	+ \$1,616

56" High — includes 1 adj. shelf

L	56"	23 ½" 23 ½"	SSAT5624FFL(J/B/R)	\$3,095	\$3,404	\$3,714	+ \$1,347	+ \$1,481	+ \$1,616
R	56"	23 ½" 23 ½"	SSAT5624FFR(J/B/R)	\$3,095	\$3,404	\$3,714	+ \$1,347	+ \$1,481	+ \$1,616
L	56"	23 ½" 23 ½"	SSAT5624BBFL(J/B/R)	\$3,234	\$3,557	\$3,880	+ \$1,389	+ \$1,527	+ \$1,666
R	56"	23 ½" 23 ½"	SSAT5624BBFR(J/B/R)	\$3,234	\$3,557	\$3,880	+ \$1,389	+ \$1,527	+ \$1,666

66" **High** — includes 2 adj. shelves

			-							
L	65 %"	23 ½"	23 ½"	SSAT6524FFL(J/B/R)	\$3,262	\$3,588	\$3,914	+ \$1,667	+ \$1,833	+ \$2,000
R	65 %"	23 ½"	23 ½"	SSAT6524FFR(J/B/R)	\$3,262	\$3,588	\$3,914	+ \$1,667	+ \$1,833	+ \$2,000
L	65 %"	23 ½"	23 ½"	SSAT6524BBFL(J/B/R)	\$3,330	\$3,663	\$3,996	+ \$1,807	+ \$1,987	+ \$2,168
R	65 %"	23 ½"	23 ½"	SSAT6524BBFR(J/B/R)	\$3,330	\$3,663	\$3,996	+ \$1,807	+ \$1,987	+ \$2,168



Worksurface Supporting Bracket — factory installed

BLACK ONLY


Add at the end of tower model number

SWSSB

\$133

							Options	
		Н	w	Drawers	Coat Door	Pull		
SSAT	Side Access Tower	56	22	FF	L Left	J J Pull	SWSSB	\$133
				BBF	R Right	B Bar Pull R Radiused Pull	DL Digital Lock	\$495
SSAT		56	22	FF	L	J	SWSSB	

Specify 1. Model # 2. Case finish



Application Notes

- Includes 2 locks, keyed alike
- Coat closet includes two-pronged coat hook
- Leveling glides allow for 1 5%" adjustment

Worksurface Supporting Bracket

Must be ordered with a Side Access Tower. Factory installed.



L

65 %" 15 1/4"

R 65 1/8" 15 1/4" 23 1/2"

23 ½"

46" H	igh_	does not i	nclude an a	dj. shelf		PAINT	
HINGE	Н	W	D	MODEL#	P1	P2	P3
L	46"	15 1/4"	23 ½"	STWR4615FFL(J/B/R)	\$1,872	\$2,059	\$2,246
R	46"	15 1/4"	23 ½"	STWR4615FFR(J/B/R)	\$1,872	\$2,059	\$2,246
L	46"	15 1/4"	23 ½"	STWR4615BBFL(J/B/R)	\$2,052	\$2,257	\$2,462
R	46"	15 1/4"	23 ½"	STWR4615BBFR(J/B/R)	\$2,052	\$2,257	\$2,462
51" H	igh_	includes 1	adj. shelf				
L	51 ¾"	15 ¼"	23 ½"	STWR5115FFL(J/B/R)	\$2,052	\$2,257	\$2,462
R	51 ¾"	15 1/4"	23 ½"	STWR5115FFR(J/B/R)	\$2,052	\$2,257	\$2,462
L	51 %"	15 1/4"	23 ½"	STWR5115BBFL(J/B/R)	\$2,150	\$2,365	\$2,580
R	51 %"	15 ¼"	23 ½"	STWR5115BBFR(J/B/R)	\$2,150	\$2,365	\$2,580
56" H	igh_	includes 1	adj. shelf				
L	56"	15 ¼"	23 ½"	STWR5615FFL(J/B/R)	\$2,150	\$2,365	\$2,580
R	56"	15 1/4"	23 ½"	STWR5615FFR(J/B/R)	\$2,150	\$2,365	\$2,580
L	56"	15 1/4"	23 ½"	STWR5615BBFL(J/B/R)	\$2,218	\$2,439	\$2,661
R	56"	15 1/4"	23 ½"	STWR5615BBFR(J/B/R)	\$2,218	\$2,439	\$2,661
66" H	igh_	includes 2	adj. shelve	s			
L	65 %"	15 1/4"	23 ½"	STWR6615FFL(J/B/R)	\$2,218	\$2,439	\$2,661
R	65 %"	15 1/4"	23 ½"	STWR6615FFR(J/B/R)	\$2,218	\$2,439	\$2,661

							Options	
	Н	w	Drawers	Coat Door	Pull			
STWR Tower	56	15	FF	L Left	J J Pull	DL	Digital Lock	\$495
	i	:	BBF	R Right	B Bar Pull			
					R Radiused Pull			
STWR	56	15	FF	L	J	DL		

STWR6615BBFL(J/B/R)

STWR6615BBFR(J/B/R)

Specify Pulls 1. Model# 2. Case finish B – Bar Pull J – J Pull

R – Radiused

Application Notes

• Single lock for cupboard & drawers
• Leveling glides allow

\$2,358

\$2,358

\$2,593

\$2,593

\$2,829

\$2,829

- for %" adjustment
- Will not accommodate worksurface support bracket





					·····	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •
ŀ6" H	ligh	does not i	nclude an adj. sh	nelf		PAINT	
OPEN	Н	W	D	MODEL #	P1	P2	P3
L	46"	15 1/4"	23 ½"	SSAT4615FFL(J/B/R)	\$1,801	\$1,981	\$2,161
R	46"	15 1/4"	23 ½"	SSAT4615FFR(J/B/R)	\$1,801	\$1,981	\$2,161
L	46"	15 1/4"	23 ½"	SSAT4615BBFL(J/B/R)	\$1,940	\$2,134	\$2,328
R	46"	15 1/4"	23 ½"	SSAT4615BBFR(J/B/R)	\$1,940	\$2,134	\$2,328
51" H	iah_	includas 1	adj. shelf				
L	51 ¾"	15 1/4"	23 ½"	SSAT5115FFL(J/B/R)	\$1,940	\$2,134	\$2,328
R	51 %"	15 1/4"	23 ½"	SSAT5115FFR(J/B/R)	\$1,940	\$2,134	\$2,328
L	51 ¾"	15 1/4"	23 ½"	SSAT5115BBFL(J/B/R)	\$2,080	\$2,288	\$2,496
R	51 %"	15 1/4"	23 ½"	SSAT5115BBFR(J/B/R)	\$2,080	\$2,288	\$2,496
56" H			adj. shelf				
L	56"	15 1/4"	23 ½"	SSAT5615FFL(J/B/R)	\$2,080	\$2,288	\$2,496
R	56"	15 1/4"	23 ½"	SSAT5615FFR(J/B/R)	\$2,080	\$2,288	\$2,496
L	56"	15 1/4"	23 ½"	SSAT5615BBFL(J/B/R)	\$2,218	\$2,439	\$2,661
R	56"	15 1/4"	23 ½"	SSAT5615BBFR(J/B/R)	\$2,218	\$2,439	\$2,661
56" H	igh_	includes 2	adj. shelves				
L	65 %"	15 1/4"	23 ½"	SSAT6515FFL(J/B/R)	\$2,150	\$2,365	\$2,580
R	65 %"	15 1/4"	23 ½"	SSAT6515FFR(J/B/R)	\$2,150	\$2,365	\$2,580
L	65 %"	15 1/4"	23 ½"	SSAT6515BBFL(J/B/R)	\$2,289	\$2,517	\$2,746
R	65 %"	15 1/4"	23 ½"	SSAT6515BBFR(J/B/R)	\$2,289	\$2,517	\$2,746



Worksurface Supporting Bracket—factory installed

BLACK ONLY

Add at the end of tower model number

SWSSB

\$133

WORKSURFACES & 15" SIDE ACCESSS TOWERS



When adding a 15" tower to the end of a worksurface you will need to add a "T" to the end of the model number in order to make the worksurface and tower completely flush. This will only be neccessary on 24" deep worksurfaces with a width from 48" - 84".

							Options	
		Н	W	Drawers	Coat Door	Pull		
SSAT	Side Access Tower	56	15	FF	L Left	J J Pull	SWSSB	\$133
				BBF	R Right	B Bar Pull	DL Digital Lock	\$495
						R Radiused Pull		
SSAT		56	15	FF	L	. j	SWSSB	
	:	: :			 .	ii	311333	

Specify Pulls 1. Model # 2. Case finish B – Bar Pull J – J Pull

R – Radiused

Application Notes

- Single lock for all drawers
- · Leveling glides allow for 1 %" adjustment

Worksurface Supporting Bracket

Must be ordered with a Side Access Tower. Factory installed.

Step 1 - Model #

	Drawei	r Width	Shel	f Width	Тор	Pull
SCR Credenza	30 E	Drawer	20	S Shelf	MT Metal Top NT No Top	J J Pull B Bar Pull
SCR	30 E		20	S	МТ	В

Step 2 – Case Finish

301 Champagne		Paint
:	301	Champagne
;	<u>:</u>	
: 201	301	:

Step 3 – Front Finish

Not Available w/J Pull						
	Laminate					
PW-STK	Studio Teak					
PW-STK						

FEATURES

COUNTERWEIGHT

- Two drawer cabinets include factory installed counterweights
- Low storage cabinets that do not include shelves do not need counterweight

LOCK

- Available on credenza products which feature drawers
- Lock core is removable
- Keyed alike available upon request
- Master and change key available upon request. See (page 9).

DRAWERS

- Include full suspension steel ball-bearing slides
- Drawer fronts include rubber bumpers for quiet operation

SHELF

• ¾" High adjustable shelf

LEVELING GLIDES

• 4 Leveling glides allow for ½" adjustment

TOP

• Available in metal, cushion and laminate

CONSTRUCTION

OUTER SHELL & DRAWER CONSTRUCTION

Welded steel frame construction & formed channels ensure strength in key areas.

Bottom channels	16 Gauge
Top channels	18 Gauge
Shelves	18 Gauge
Side channels	20 Gauge
Side panels	20 Gauge
Тор	20 Gauge
Fronts	20 Gauge
Drawer bins	22 Gauge

DRAWER INNER DIMENSIONS

Height

6" Drawer	4 1/2"
12" Drawer	10 %"
Width	
30" Wide drawer	26 1/10"
36" Wide drawer	32 1/10"
42" Wide drawer	38 1/10"
Depth	
All drawers	15 %o"

SHELF INNER DIMENSIONS

Height	
All shelves	16 %"
Width	
30" Wide drawer	28 ½"
36" Wide drawer	34 ½"
42" Wide drawer	40 ½"
Depth	
All drawers	19"

PULL STYLES



SURFACE MATERIALS

CASE

Paint

FRONTS

w/Bar pull **(B)** Paint or Laminate w/J pull **(J)** Paint

DRAWER PULL

Bar (B) Satin nickel J (J) Paint


LOCK

Satin nickel

CUSHION TOP

Upholstery

CREDENZAS





Credenzas				PAINT		LAMINATE FRONT (UPCHARGE)				
DESCRIPTION	Н	W	D	MODEL#	P1	P2	P3	L1	L2	L3
30" Drawers, 30" open shelf	22 1/4"	60"	20"	SCR30D30S(J/B)	\$3,867	\$4,253	\$4,640	+ \$735	+ \$808	+ \$882
30" Drawers, 36" open shelf	22 1/4"	66"	20"	SCR30D36S(J/B)	\$3,986	\$4,384	\$4,783	+ \$735	+ \$808	+ \$882
36" Drawers, 36" open shelf	22 1/4"	72"	20"	SCR36D36S(J/B)	\$4,070	\$4,477	\$4,884	+ \$763	+ \$839	+ \$915



Credenza – Drawers

30" Drawers, metal top	22 1/4"	30"	20"	SCRD3020MT(J/B)	\$1,593	\$1,752	\$1,911	+ \$735	+ \$808	+ \$882
36" Drawers, metal top	22 1/4"	36"	20"	SCRD3620MT(J/B)	\$1,663	\$1,829	\$1,995	+ \$763	+ \$839	+ \$915
42" Drawers, metal top	22 1/4"	42"	20"	SCRD4220MT(J/B)	\$1,801	\$1,981	\$2,161	+ \$819	+ \$900	+ \$982



Credenza — Shelves — includes 1 adj. shelf

30" Shelf, metal top	22 1/4"	30"	20"	SCRS3020MT	\$1,273	\$1,400	\$1,527	N/A	N/A	N/A
36" Shelf, metal top	22 1/4"	36"	20"	SCRS3620MT	\$1,357	\$1,492	\$1,628	N/A	N/A	N/A
42" Shelf, metal top	22 1/4"	42"	20"	SCRS4220MT	\$1,468	\$1,614	\$1,761	N/A	N/A	N/A

Credenza – Accessories

Floating top supports, 2 legs	5 ½"	2 ½"	1 1/8"	SCRSL2	\$343	\$377	\$411	N/A	N/A	N/A
Credenza center leg support				SCRCLS	\$272	N/A	N/A	N/A	N/A	N/A
Credenza ganging kit				SCRGK	\$203	N/A	N/A	N/A	N/A	N/A


				Options
	Drawer Width	Shelf Width	Top Pull	
SCR Credenza	30 D Drawer	20 S Shelf	MT Metal Top J J Pull B Bar Pull	DL Digital Lock \$495
SCR	30 D	20 S	MT J	DL

Specify

- 1. Model#
- 2. Case finish
- 3. Front finish
 Laminate not
 available on J pull

Credenza Includes

- 2 low storage cabinets
- 1 laminate top & ganging kit
- 1 credenza center support leg



Application Notes

- Credenzas must be assembled in the field
- When ganging 2 units together, order ganging kit
- Leveling glides allow for 1 5%" adjustment

Drawer units include 1 Grawer 8 1 12" 61

– 6" drawer & 1 – 12" file drawer & counterweight

Center Leg

- Helps to gang 2 credenza pieces together side by side
- Eliminate the 4 legs in the center and replace with this single support leg

Ganging Kit

 Ganging kit for use when specifying laminate top separately, does not include center leg

Floating Top Supports

 Floating top supports may not be used on a metal top, includes top mounting bracket, screws & drill plate




Credenza – Common Tops	LAMINATE						
DESCRIPTION	Н	W	D	MODEL#	L1	L2	L3
Single 30" W credenza top	5/8"	30"	20"	CT30	\$506	\$556	\$607
Single 36" W credenza top	5/8"	36"	20"	CT36	\$541	\$595	\$649
Single 42" W credenza top	5/8"	42"	20"	CT42	\$583	\$641	\$699
Double 30" W credenza top	5/8"	60"	20"	CT60	\$660	\$726	\$792
Double 30"/36" W credenza top	5/8"	66"	20"	CT66	\$694	\$763	\$832
Double 36" W credenza top OR 30"/42" W credenza top	5/8"	72"	20"	CT72	\$708	\$778	\$849
Double 36"/42" W credenza top	5/8"	78"	20"	CT78	\$735	\$808	\$882
Double 42" W credenza top	5/8"	84"	20"	CT84	\$777	\$854	\$932
Triple 30" W credenza top	5/8"	90"	20"	СТ90	\$819	\$900	\$982



Crede	Credenza Cushion Tops					•••••	FAB				
Н	W	D	MODEL#	A/1	B/2	C/3	D/4	E/5	F/6	G/7	H/8
1"	12"	20"	SCRC2012	\$287	\$512	\$587	\$687	\$787	\$887	\$987	\$1,087
1"	18"	20"	SCRC2018	\$343	\$568	\$643	\$743	\$843	\$943	\$1,043	\$1,143
1"	30"	20"	SCRC2030	\$454	\$679	\$754	\$854	\$954	\$1,054	\$1,154	\$1,254
1"	36"	20"	SCRC2036	\$551	\$776	\$851	\$951	\$1,051	\$1,151	\$1,251	\$1,351
1"	42"	20"	SCRC2042	\$606	\$831	\$906	\$1,006	\$1,106	\$1,206	\$1,306	\$1,406
1"	60"	20"	SCRC2060	\$731	\$956	\$1,031	\$1,131	\$1,231	\$1,331	\$1,431	\$1,531
1"	66"	20"	SCRC2066	\$787	\$1,012	\$1,087	\$1,187	\$1,287	\$1,387	\$1,487	\$1,587
1"	72"	20"	SCRC2072	\$828	\$1,053	\$1,128	\$1,228	\$1,328	\$1,428	\$1,528	\$1,628

Specify

- 1. Model #
- 2. Case finish
- 3. Front finish
 Laminate not
 available on J pull



Application Notes

Center Leg

 Helps to gang 2 credenza pieces together side by side

Ganging Kit

 When ganging 2 units together, order ganging kit, does not include center leg

Floating Top Supports

 Floating top supports may not be used on a metal top, includes top mounting bracket, screws & drill plate

Step 1 – Model

	Н	W	D		Pull
SCAB Cabinet	77	30	18	J	J Pull
	•			В	Bar Pull
SCAB	77	30	18	J	

Step 2 – Case Finish

	Paint
301	Champagne
301	
	.:

FEATURES

LOCK

- Lock core is removable.
- Keyed alike available upon request.
- Master and change key available upon request. See (page 9).

DOORS

 Concealed hinges allow for 110° degrees opening.

LEVELING GLIDES

• 4 Leveling glides allow for 1/4" adjustment.

CONSTRUCTION

OUTER SHELL & DRAWER CONSTRUCTION

Welded steel frame construction & formed channels ensure strength in key areas.

Back panel	20 – 22 Gauge
Side panels	20 – 22 Gauge
Inner channels	18 Gauge
Тор	18 Gauge
Doors	18 Gauge

SHELF LOAD CAPACITY

Shelf 140 lbs

TOP LOAD CAPACITY

30" Wide cabinets	140 lbs
36" Wide cabinets	169 lbs
42" Wide cabinets	197 lbs

INNER DIMENSIONS

Height	
2 High	23 ½"
3 High	35"
4 High	46 1/2"
5 High	61"
6 High	72 ½"
Width	
30" Wide cabinet	26 ¾"
36" Wide cabinet	32 ¾"
42" Wide cabinet	38 ¾"

Depth 18" Deep 17 %" 24" Deep 22 %"

PULL STYLES





SURFACE MATERIALS

CASE

Paint

FRONTS

w/Bar Pull **(B)** Paint w/J Pull **(J)** Paint


DRAWER PULL

Bar (B) Satin nickel J (J) Paint

LOCK

Satin nickel

CABINETS



2 Higl	h —1A	djustable S	Shelf		PAINT	
Н	W	D	MODEL#	P1	P2	P3
28 3/8"	30"	18 1/4"	SCAB293018(J/B)	\$1,384	\$1,522	\$1,660
28 ¾"	36"	18 1/4"	SCAB293618(J/B)	\$1,523	\$1,675	\$1,827
28 ¾"	42"	18 1/4"	SCAB294218(J/B)	\$1,663	\$1,829	\$1,995



3 High — 2 Adjustable Shelves

39 %"	30"	18 ¼"	SCAB403018(J/B)	\$1,663	\$1,829	\$1,995
39 %"	36"	18 1/4"	SCAB403618(J/B)	\$1,801	\$1,981	\$2,161
39 %"	42"	18 1/4"	SCAB404218(J/B)	\$1,940	\$2,134	\$2,328



4 High — 3 Adjustable Shelves

	. ,,	ujustubic .	/IICIVC3			
51 3/8"	30"	18 1/4"	SCAB523018(J/B)	\$2,010	\$2,211	\$2,412
51 3/8"	36"	18 1/4"	SCAB <mark>523618</mark> (J/B)	\$2,150	\$2,365	\$2,580
51 %"	42"	18 1/4"	SCAB <mark>524218</mark> (J/B)	\$2,289	\$2,517	\$2,746

Specify	
1. Model#	
2. Case finish	

Application Notes	

· Leveling glides allow
for ¼" adjustment

						Options
		н	W	D	Pull	
SCAB	Cabinet	77	30	18	J J Pull	DL Digital Lock \$49
			:	:	B Bar Pull	
			:	:		
SCAB	ı İ	77	30	18	11	DI
Jene	•	ii			ii	DE

Cabinets



5 High — 4 Adjustable Shelves		PAINT				
Н	W	D	MODEL#	P1	P2	P3
65 %"	30"	18 1/4"	SCAB663018(J/B)	\$2,289	\$2,517	\$2,746
65 %"	36"	18 1/4"	SCAB663618(J/B)	\$2,427	\$2,669	\$2,912
65 %"	36"	23 ½"	SCAB663624(J/B)	\$2,984	\$3,282	\$3,580
65 %"	42"	18 1/4"	SCAB664218(J/B)	\$2,567	\$2,823	\$3,080



6 High — 5 Adjustable Shelves

<u> </u>	- JA	ujustable .	onerves			
77 3/8"	30"	18 1/4"	SCAB773018(J/B)	\$2,635	\$2,898	\$3,162
77 3/8"	36"	18 1/4"	SCAB773618(J/B)	\$2,775	\$3,052	\$3,330
77 3/8"	36"	23 ½"	SCAB773624(J/B)	\$3,122	\$3,434	\$3,746
77 3/8"	42"	18 1/4"	SCAB <mark>774218</mark> (J/B)	\$2,913	\$3,204	\$3,495

Specify	
1. Model # 2. Case finish	

Application	Notes	
Loveling	alidas	مالمسا

· Leveling glides allow
for ¼" adjustment

					Options
	Н	W	D	Pull	
SCAB Cabinet	77	30	18	J J Pull B Bar Pull	DL Digital Lock \$495
SCAB	77	30	18	J	DL

torage

Step 1 – Model

	Н	D	Hinge		Pull
SLKR Locker	51	18	L	J	J Pull
			R	В	Bar Pull
SLKR	51	18	L	J	

Step 2 - Case Finish

	Paint
301	Champagne
301	:
301	

FEATURES

LOCK

- Lock core is removable.
- Keyed alike available upon request.
- Master and change key available upon request. See (page 9).
- Digital lock available upon request.
- Keyless available upon request.

BODY

 \bullet Available in 2 depths: 18 ½" and 23 ½".

DOORS

- All lockers come standard with metal doors.
- Concealed hinges allow for 100 degree opening.

SHELF

- Includes one fixed shelf on top w/ 12" clear height above.
- Additional shelves may be ordered separately.

COAT ROD

• Includes side-to-side coat rod beneath shelf.

LEVELING GLIDES

- 4 leveling glides allow for %" adjustment.
- Glides are accessible from the inside of the locker.

CONSTRUCTION

OUTER SHELL & DRAWER CONSTRUCTION

Welded steel frame construction & formed channels ensure strength in key areas.

Top panel	21 Gauge
Side panels	21 Gauge
Back panel	21 Gauge
Center panel	21 Gauge
Inner top channel	18 Gauge
Inner bottom channel	18 Gauge
Inner side channels	18 Gauge
Bottom panel	16 Gauge
Door fronts	20 – 22 Gauge
Shelves	18 Gauge

DRAWER INNER DIMENSIONS

Height

Above shelf	12"			
Below coat rod – 51" High	31 1/10"			
Below coat rod – 66" High	46 1/5"			
Width				
All lockers	9 1/5"			
Depth				
18 ½" Deep locker	17 %"			
23 ½" Deep locker	22 ¾"			

PULL STYLES





SURFACE MATERIALS

LOCKER

Paint


DRAWER PULL

Bar (B) Satin nickel J (J) Paint

LOCK

Satin nickel


LOCKERS



Single — 51" High						PAINT			LAMINATE FRONT (UPCHARGE)		
TYPE	HINGE	Н	W	D	MODEL#	P1	P2	P3	L1	L2	L3
1 Door	L	51 %"	12"	18"	SLKR5118L(J/B)	\$1,940	\$2,134	\$2,328	+ \$884	+ \$972	+ \$1,060
1 Door	R	51 %"	12"	18"	SLKR5118R(J/B)	\$1,940	\$2,134	\$2,328	+ \$884	+ \$972	+ \$1,060
1 Door	L	51 %"	12"	24"	SLKR5124L(J/B)	\$1,983	\$2,181	\$2,379	+ \$884	+ \$972	+ \$1,060
1 Door	R	51 %"	12"	24"	SLKR5124R(J/B)	\$1,983	\$2,181	\$2,379	+ \$884	+ \$972	+ \$1,060


Single — 66" High

1 Door	L	65 %"	12"	18"	SLKR6618L(J/B)	\$2,052	\$2,257	\$2,462	+ \$980	+ \$1,078	+ \$1,176
1 Door	R	65 %"	12"	18"	SLKR6618R(J/B)	\$2,052	\$2,257	\$2,462	+ \$980	+ \$1,078	+ \$1,176
1 Door	L	65 %"	12"	24"	SLKR6624L(J/B)	\$2,123	\$2,335	\$2,547	+ \$980	+ \$1,078	+ \$1,176
1 Door	R	65 %"	12"	24"	SLKR6624R(J/B)	\$2,123	\$2,335	\$2,547	+ \$980	+ \$1,078	+ \$1,176



Double

2 Door	L	65 %"	12"	18"	SLKR2D6612L(J/B)	\$2,233	\$2,456	\$2,679	+ \$1,482	+ \$1,630	+ \$1,778
2 Door	R	65 %"	12"	18"	SLKR2D6612R(J/B)	\$2,233	\$2,456	\$2,679	+ \$1,482	+ \$1,630	+ \$1,778
2 Door	L	65 %"	18"	18"	SLKR2D6618L(J/B)	\$2,372	\$2,609	\$2,846	+ \$1,866	+ \$2,052	+ \$2,239
2 Door	R	65 %"	18"	18"	SLKR2D6618R(J/B)	\$2,372	\$2,609	\$2,846	+ \$1,866	+ \$2,052	+ \$2,239



Quad

4 Door	L	65 %"	24"	18"	SLKR4D6624L(J/B)	\$3,763	\$4,139	\$4,515 + \$1,495	+ \$1,644	+ \$1,794
4 Door	R	65 %"	24"	18"	SLKR4D6624R(J/B)	\$3,763	\$4,139	\$4,515 + \$1,495	+ \$1,644	+ \$1,794



Cubby

4 Door	L	34 ¾"	24"	18"	SLKR4D3524L(J/B)	\$2,651	\$2,916	\$3,181 + \$2,028	+ \$2,230	+ \$2,433
4 Door	R	34 ¾"	24"	18"	SLKR4D3524R(J/B)	\$2,651	\$2,916	\$3,181 + \$2,028	+ \$2,230	+ \$2,433
8 Door	L	65 %"	24"	18"	SLKR8D6624L(J/B)	\$4,596	\$5,055	\$5,515 + \$2,535	+ \$2,788	+ \$3,042
8 Door	R	65 %"	24"	18"	SLKR8D6624R(J/B)	\$4,596	\$5,055	\$5,515 + \$2,535	+ \$2,788	+ \$3,042

Shelves

Qty 2	12"	SLKRS122	\$356	\$391	\$427	N/A	N/A	N/A
Qty 2	18"	SLKRS182	\$411	\$452	\$493	N/A	N/A	N/A
Qty 4	24"	SLKRS244	\$495	\$544	\$594	N/A	N/A	N/A

Specify

- 1. Model#
- 2. Case finish

Application	Notes
--------------------	-------

- Includes 1 fixed shelf on top with 12" clear height above
- Leveling glides allow for 1/8" adjustment

18" Deep


 Include (2) twopronged coat hooks

24" Deep

• Include (1) side-to-side coat rod

					Options
	Н	D	Hinge	Pull	
SLKR Locker	51	18	L R	J J Pull B Bar Pull	DL Digital Lock \$450
SLKR	51	18	L	J	DL

Lockers




				,	· · · · · · · · · · · · · · · · · · ·		
Lock	er Com	ımon T	op – 18" Deep	LAMINATE			
Н	W	D	MODEL #	L1	L2	L3	
5/8"	24"	18"	LKRT2418	\$404	\$444	\$484	
5/8"	36"	18"	LKRT3618	\$480	\$528	\$576	
5/8"	42"	18"	LKRT4218	\$493	\$542	\$591	
5/8"	48"	18"	LKRT4818	\$502	\$552	\$602	
5/8"	54"	18"	LKRT5418	\$511	\$562	\$613	
5/8"	60"	18"	LKRT6018	\$518	\$569	\$621	
5/8"	72"	18"	LKRT7218	\$613	\$674	\$735	
5/8"	84"	18"	LKRT8418	\$619	\$680	\$742	
5/8"	90"	18"	LKRT9018	\$625	\$687	\$750	
5/8"	96"	18"	LKRT9618	\$647	\$711	\$776	
5/8"	108"	18"	LKRT10818	\$670	\$737	\$804	

Specify					
1. Model #					
2. Laminate finish					

		W	D
SLKR	Locker Common Top	48	18
:			
SLKR	Т	66	18

Step 1 – Model #



Step 2 - Case Finish

	Paint	
301	Champagne	
301		

FEATURES

SHELVES

- 1" thick.
- Adjustable in 1/2" increments.
- 2-high bookcases will accommodate binder-height storage on both shelves.
- All other bookcases, binder-height storage is available on all but 1 shelf.

LEVELING GLIDES

• 4 Leveling glides allow for 1 %" adjustment.

SAFETY:

- To ensure stability, do not install a 4, 5 or 6 high bookcase in the center of a room.
- Bookcases should be installed backto back or against a wall.

NOTE

- 2 high bookcases are slightly shorter than 2-high lateral files and double door storage cabinets.
- 2 high bookcases are designed to fit under a worksurface.

CONSTRUCTION

OUTER SHELL & DRAWER CONSTRUCTION

Welded steel frame construction & formed channels ensure strength in key areas.

Side channels	22 Gauge
Side panels	22 Gauge
Bottom panel	18 Gauge
Shelves	18 Gauge

SHELF LOAD CAPACITY

All bookcases 140 lbs

INNER DIMENSIONS

Height	
2 High	25 1/5"
3 High	37 3/10"
4 High	48 1/5"
5 High	63 3/10"
6 High	74 1/ 5"
Width	
30" Wide bookcase	27 1/10"
36" Wide bookcase	33 7/10"
42" Wide bookcase	39 7/10"
Depth	
All cabinets	13 ½o"

SURFACE MATERIALS


CASE

Paint

TOP

Paint

BOOKCASES





2 H	ligh					PAINT	
	Н	W	D	MODEL#	P1	P2	P3
2	7 ¾"	30"	13 3/8"	SBC2830	\$1,149	\$1,263	\$1,378
2	7 ¾"	36"	13 ¾"	SBC2836	\$1,217	\$1,338	\$1,460
2	7 ¾"	42"	13 ¾"	SBC2842	\$1,357	\$1,492	\$1,628



3 High

39 %"	30"	13 %"	SBC4030	\$1,246	\$1,370	\$1,495
39 %"	36"	13 %"	SBC4036	\$1,357	\$1,492	\$1,628
39 %"	42"	13 %"	SBC4042	\$1,496	\$1,645	\$1,795



4 High

						Tillgii
2 \$1,660	\$1,384 \$1,522	230	SBC5230	13 %"	30"	51 3/8"
5 \$1,795	\$1,496 \$1,645	236	SBC5236	13 %"	36"	51 3/8"
7 \$1,960	\$1,634 \$1,797	242	SBC5242	13 %"	42"	51 ¾"
5	\$1,496 \$1,645	236	SBC5236	13 ¾"	36"	51 %"

Specify	

- 1. Model#
- 2. Case finish

Application Notes

- Steel frame construction
- Double wall construction on side panels
- Leveling glides allow for 5%" adjustment
- Shelves adjust in ½" increments
- Bookcases should be installed with back against a wall
- Shelf capacity 140 lbs
- 2 high bookcase is slightly shorter than 2 door cabinet as it is designed to fit under a worksurface

		Н	W
SBC	Bookcase	66	42
			:
SBC		66	42
	:	ii	i

Bookcases



5 High				PAINT			
	Н	W	D	MODEL#	P1	P2	Р3
	65 %"	30"	13 %"	SBC6630	\$1,523	\$1,675	\$1,827
	65 %"	36"	13 %"	SBC6636	\$1,634	\$1,797	\$1,960
	65 %"	42"	13 %"	SBC6642	\$1,774	\$1,951	\$2,128



6 High

Ulligii						
77 3/8"	30"	13 ¾"	SBC7730	\$1,663	\$1,829	\$1,995
77 %"	36"	13 ¾"	SBC7736	\$1,774	\$1,951	\$2,128
77 %"	42"	13 ¾"	SBC7742	\$1,912	\$2,103	\$2,294

Specify	Sp	ecify	
---------	----	-------	--

- 1. Model#
- 2. Case finish

Application Notes

- Steel frame construction
- Double wall construction on side panels
- Leveling glides allow for 5%" adjustment
- Shelves adjust in 1/2" increments
- Bookcases should be installed with back against a wall.
- Shelf capacity 140 lbs
- 2 high bookcase is slightly shorter than 2 door cabinet as it is designed to fit under a worksurface

		н	VV
SBC	Bookcase	66	42
SBC		66	42

Workplace Accessories


WORKPLACE ACCESSORIES

Neutral Posture is proud to offer the complete package for commercial office furniture. Workplace accessories round out our offering and allow users to truly customize their space to be as comfortable and as ergonomic as possible.

CUSTOMIZE YOUR SPACE WITH:

Keyboard mechanisms Keyboard trays Monitor arms Footrests CPU holders Forearm supports Patented ergonomic products


WORKPLACE ACCESSORIES



Keyboard Trays & Arms

	KEYBOARD ARMS		
	Leverless	Sit/Stand	
Code	A	С	
Leverless Height	✓	✓	
Height	-6" – 2.5"	-6" – 8"	
Tilt	-15° – 0°	-15° – 0°	
Spring Assist	✓	✓	
360° Rear Swivel	✓	✓	
Track Length	23"	21"	
(OPTIONAL) Short Track	18"	18"	
Glide Track	✓	✓	
Quick Ship	OS	QS	
List	\$254	\$278	

KEYBOARD TRAYS






List



 Anti-skid neoprene pads hold keyboard securely in place

\$187



$86 - ELEMENTAL^{\circ}$

- Straights, corners and natural keyboards
- Made from 100% recycled aluminum
- Polished surface

List \$356



26"


43 — SOFTOUCH™

- Straight
- Urethane over steel plate
- Includes mouse surface

List \$278



EASY COMBOS



General

S Short Track – 18" \$0
Only Available on (A) or (C) Arm

MONITOR ARMS

.

GLOBAL MONITOR ARM

- Full motion: Place your monitor wherever you like with tilt, swivel, and rotate movement.
- Multi-screen setups: Effortless adjustment for different monitor position that meets your need.
- Cable management: Enjoy an organized desktop.
- Premium gas spring: Raise your monitor at an ergonomic height with a high-quality gas lift to save up more valuable space.
- Ergonomic benefits: Boost efficiency at work and reduce the pressure on your neck, back, and eye strain.



Material Aluminum, steel

and plastic

Weight Capacity 2~9 kg (4.4~19.8

lbs) / each arm

Lift Max. 508mm (20"),

Min. 225mm (8.86") Tilt -35° to +90°

Rotation $\pm 128^{\circ}$

Swivel 360°


Extension Max. 1163.8mm(45.82")

Mounting Option Clamp

Fits Desk Thickness 10~65mm (0.4"~2.55")

VESA 75/100m

MODEL#		LIST
MAMS2M2NBLK	Black	\$695
MAMS2M2NSLVR	Silver	\$759



SIT/STAND

- Sturdy aluminum construction with vesa compatibility
- Width & depth adjustable fasteners
- Convenient pull handle

Model #	Description	List
KCG-SSB	Black	\$695
KCG-SSS	Silver	\$695

SIT/STAND



STANDUP®

- Retrofits between most existing keyboard trays & keyboard arms
- Mounts directly to worksurface without keyboard arm
- Additional 2" 11" of height adjustment
- Infinite range positioning
- \$50 discount when ordered with any Easy Combo

MODEL#	LIST
SUP04	\$508

Workplace Accessories

ACCESSORIES



FOREARM SUPPORTS

- Alleviates shoulder, neck & body burden
- Promotes good posture & ergonomic sitting
- Reduces pressure on ulnar nerve
- Reduces upper body fatigue
- Lightweight & portable

\cup	

Model 1	Model 2	
160241 \$290	160243 \$290	w/Hooks
160242 \$290	160244 \$290	w/Screws



ANTI-FATIGUE FLOOR MATS

- Premium comfort will not bottom out or lose bounce over time
- Commercial-grade heavy-duty polyurethane
- Matte texture provides optimum traction
- Beveled edge reduces tripping potential
- Available in black

Н	W	D	MODEL#	LIST
3/4"	32"	20"	EAM3220B	\$344
3/4"	48"	20"	EAM4820B	\$525
3/4"	72"	20"	EAM7220B	\$783
3/4"	36"	24"	EAM3624B	\$435
3/4"	60"	36"	EAM6036B	\$1,001

CPU HOLDERS

CPU HOLDER

- 360 swivel
- Black powder coat
- Fits CPU's
- 3.75" 8.25" wide
- 12.25" 20.5" tall
- 17 ¾" track
- Steel

Model #	List
VCPU	\$235

GRADED-IN AND COM UPHOLSTERY

Neutral Posture's furniture is manufactured to the highest standards. Our artisans are skilled in creating consistent finishes across all products and materials. However, the unique nature of upholstery and the other materials that are used in production means that no two pieces of furniture will be exactly alike. Fabrics will upholster differently based on composition and construction. Neutral Posture makes every effort to ensure that each item is produced to our exacting standards, but cannot be held responsible for slight variations in upholstery, color and general appearance.

Similarly, the images in our publications are as accurate as your monitor is calibrated. Customers are reminded that colors and finishes may vary according to the unique nature of each item of furniture.

Neutral Posture will not be responsible for variances in the acoustical performance of a panel due to the fact that certain fabrics perform differently from others. Additionally, Neutral Posture cannot guarantee that the graded-in fabrics will be Indoor Air Quality and/ or BIFMA Level compliant. Please see the fabric manufacturer's website for these details and cleaning instructions specific to selected fabric.

For specific color matching requirements please contact Customer Servicet.

Please note: The finish codes used by Neutral Posture are used as a guide to the appearance of the furniture and should not be used to determine the specific materials used in the construction of an item of furniture.

The Neutral Posture Upholstery Department is pleased to offer a Graded-in program and also accepts COM for most products. For certain items or in cases of unusual or difficult fabric patterns additional material may be required. Any unusual or special cutting requirements must be requested in writing and a full-width fabric repeat sent to the Customer Service in order for a quotation to be provided. The customer is responsible for shipping COM to Customer Service.

CARNEGIE		
Manufacturer	Pattern	Grade
Carnegie	Abacus Embroider	Н
Carnegie	Arrow X	G
Carnegie	Bardot	F
Carnegie	Buff	E
Carnegie	Cane Embroider X	Call
Carnegie	Channel	E
Carnegie	Chelsea	E
Carnegie	Cirque Couture	Call
Carnegie	Covet	D
Carnegie	Crossing	F
Carnegie	Dazzle	Н
Carnegie	Departure	E
Carnegie	Edge	F
Carnegie	Elite	C
Carnegie	Groove	E
Carnegie	Hashtag	E
Carnegie	Haze X	G
Carnegie	Hepburn	F
Carnegie	Hide	E
Carnegie	Impress	E
Carnegie	Index	D
Carnegie	Keystone	E
Carnegie	Kid	E
Carnegie	Merge	F
Carnegie	Monocle Embroider	I
Carnegie	0la	Call
Carnegie	Reverie	E
Carnegie	Rise	C
Carnegie	Roxy	E
Carnegie	Tangle	F
Carnegie	Theory	E
Carnegie	Touch	C
Carnegie	Trace X	G
Carnegie	Twine	F
Carnegie	Verse	D

Manufacturer	Pattern	Grade
C. F. Stinson	Aerie	D
C. F. Stinson	Ally	c
C. F. Stinson	Aperture	C
C. F. Stinson	Array	D
C. F. Stinson	Axis Too!	C
C. F. Stinson	Backdrop	C
C. F. Stinson	Binary	E
C. F. Stinson	Code	C
C. F. Stinson	Dapple	D
C. F. Stinson	Del Mar	D
C. F. Stinson	Focus	C
C. F. Stinson	Galaxy	E
C. F. Stinson	Genesis	C
C. F. Stinson	Imprint	C
C. F. Stinson	Intermix	C
C. F. Stinson	Linea	E
C. F. Stinson	Lulu	C
C. F. Stinson	Luther II	D
C. F. Stinson	Mason	C
C. F. Stinson	Mira	C
C. F. Stinson	Nikko	D
C. F. Stinson	Prime	В
C. F. Stinson	Repetition	D
C. F. Stinson	Ringer	C
C. F. Stinson	Sight Line	D
C. F. Stinson	Spree	C
C. F. Stinson	Surf	C
C. F. Stinson	Tally	E
C. F. Stinson	Tussah	D
C. F. Stinson	Venture	C

DECICNTEY		
DESIGNTEX		
Manufacturer	Pattern	Grade
Designtex	Appleseed	G
Designtex	Arne	F
Designtex	Billiard Panel	F
Designtex	Birdseye	E
Designtex	Blur	F
Designtex	Brushed Flannel	E
Designtex	Cesta	E
Designtex	Check	Н
Designtex	Chiyogami	Н
Designtex	Clew	E
Designtex	Cloud Velvet	F
Designtex	Crossweave	E
Designtex	Decibel	E
Designtex	Dovetail	E
Designtex	Everywhere Texture	G
Designtex	Gamut	E
Designtex	Gravity	E
Designtex	Hem Stitch	G
Designtex	In The Cloud	F
Designtex	Kabuto	Н
Designtex	Lounge	E
Designtex	Mackintosh	F
Designtex	Melange	F
Designtex	0ri	Н
Designtex	Overtone	E
Designtex	Pepper	E
Designtex	Reppweave	F
Designtex	Rocket	E
Designtex	Sidetrack	F
Designtex	Tweedy Twill	E
Designtex	Ulster	E
Designtex	Velocity	E
Designtex	Wend	F
Designtex	Woolish	E
-		

GUILFORD O	F MAINE	
Manufacturer	Pattern	Grade
Guilford of Maine	Amaze	В
Guilford of Maine	Anchorage	C
Guilford of Maine	Auster	C
Guilford of Maine	Axiom	В
Guilford of Maine	Bailey	C
Guilford of Maine	BeeHave	C
Guilford of Maine	Broadcast	В
Guilford of Maine	Cape Cod	C
Guilford of Maine	Chase	В
Guilford of Maine	Couture	C
Guilford of Maine	Crosstown	C
Guilford of Maine	Dashing	C
Guilford of Maine	Dune	В
Guilford of Maine	Essence	A
Guilford of Maine	Felt	D
Guilford of Maine	FR701° Standard	C
Guilford of Maine	Framework	В
Guilford of Maine	Groove	D
Guilford of Maine	Intermix	В
Guilford of Maine	Intuition	C
Guilford of Maine	Jane	C
Guilford of Maine	Lido	C
Guilford of Maine	Marin	C
Guilford of Maine	Meander	В
Guilford of Maine	Metallation	C
Guilford of Maine	Metro	C
Guilford of Maine	Mingle	В
Guilford of Maine	Napa	E
Guilford of Maine	Netiquette	В
Guilford of Maine	Off the Grid	В
Guilford of Maine	Open House	C
Guilford of Maine	Palette	C
Guilford of Maine	Paradise	В
Guilford of Maine	Purpose	C
Guilford of Maine	Pursuit	A
Guilford of Maine	Quadrille	C
Guilford of Maine	Rattan	C
Guilford of Maine	Reeds	C
Guilford of Maine	Resolve	C
Guilford of Maine	Sand Dollar	E
Guilford of Maine	Sedona	E
Guilford of Maine	Spinel	C
Guilford of Maine	Sprite	В
Guilford of Maine	Strata	C
Guilford of Maine	Studio 54	D
Guilford of Maine	Surf	E
Guilford of Maine	Synopsis	В
Guilford of Maine	Tempest	C
Guilford of Maine	Theory	В
Guilford of Maine	Trellis	E
Guilford of Maine	Tweed	В
Guilford of Maine	Whisper	В

LUNA		
Manufacturer	Pattern	Grade
Luna	Affinity	G
Luna	Aspect	G
Luna	Facet	G
Luna	ldyll	E
Luna	Incandescent	E
Luna	Intersect	E
Luna	Luminescente	E
Luna	Radar	E
Luna	Signal	E
Luna	Stitch	E
Luna	Transmission	E
Luna	Twiggy	Н
Luna	Twist	E

Call – Call for pricing 979.778.0502

MAHARAM		
Manufacturer	Pattern	Grade
Maharam	Crisp	E
Maharam	Field	E
Maharam	Flock	E
Maharam	Glance	E
Maharam	Glint	E
Maharam	Hum	E
Maharam	Morse	E
Maharam	Parallel	E
Maharam	Reply	E
Maharam	Sharkskin 2	F
Maharam	Sketch	E
Maharam	Spiral	E
Maharam	Unit	E

MAYER		
Manufacturer	Pattern	Grade
Mayer	Basic	Α
Mayer	Blueprint	Α
Mayer	Cipher	Α
Mayer	Code	Α
Mayer	Сора	C
Mayer	Cross Check	C
Mayer	Divert	C
Mayer	Echo	E
Mayer	Equal	C
Mayer	Fedora	D
Mayer	Flair	C
Mayer	Forte	Α
Mayer	Fresco	C
Mayer	Furrow	Α
Mayer	Interlude	C
Mayer	Mimic	C
Mayer	Nexus	C
Mayer	Paragon	D
Mayer	Pebble Beach	C
Mayer	Quattro	C
Mayer	Strata	C

MOMENTUM		
Manufacturer		Grade
Momentum	Aloft	G
Momentum	Bevy	G
Momentum	Cameo	E
Momentum	Charette	F
Momentum	Curtain Call	E
Momentum	Elon	E
Momentum	Encore	E
Momentum	Essence PC	F
Momentum	Glint	E
Momentum	Gradient Grid	F
Momentum	Gradual	F
Momentum	Haiku	F
Momentum	Infinity C-Zero	C
Momentum	Kinect	E
Momentum	Liven	F
Momentum	Marathon C-Zero	C
Momentum	Meander	E
Momentum	Midlands	F
Momentum	Millennium C-Zero	C
Momentum	Mood	G
Momentum	Odyssey C-Zero	C
Momentum	Pact	E
Momentum	Privet	F
Momentum	Proverb	E
Momentum	Respite	F
Momentum	Rosetta	F
Momentum	Script	E
Momentum	Serendipity II	F
Momentum	Solaris	F
Momentum	Streamers	F
Momentum	Tenor	E
Momentum	Tradition C-Zero	C
Momentum	Universe	E
Momentum	Vinea	F
Momentum	Waypoint	F
Momentum	Zento	G

Call – Call for pricing 979.778.0502

LEGACY TABLE OF CONTENTS

LEGACY FINISHES Laminate Edge Band Paint Plexiglass Fabric	. 188 . 188 . 189 . 189
GEN 1 & 2 PANELS	190
Fabric Panels	
Fabric Panels	
Insert Panels	
Insert Panels	
Wall Starter & Wall Mount Chanel	. 194
POST ASSEMBLIES	. 195
POST ASSEMBLIES Straight	
Straight	. 195
	. 195 . 195
Straight Corner (90°)	. 195 . 195 . 195
Straight	. 195 . 195 . 195 . 196
Straight Corner (90°) End 3-way (T)	. 195 . 195 . 195 . 196 . 196
Straight Corner (90°) End 3-way (T) 3-way (Y)	. 195 . 195 . 195 . 196 . 196 . 196
Straight Corner (90°) End 3-way (T) 3-way (Y) 4-way (X) Dual Height Posts Triple Height Posts	. 195 . 195 . 195 . 196 . 196 . 196 . 197 . 198
Straight Corner (90°) End 3-way (T) 3-way (Y) 4-way (X) Dual Height Posts Triple Height Posts Single Height Posts	195 195 195 196 196 196 197 198
Straight Corner (90°) End 3-way (T) 3-way (Y) 4-way (X) Dual Height Posts Triple Height Posts	195 195 196 196 196 197 198 199 200

GEN 3	202
Fabric Panels	202
Insert Panels	
POST ASSEMBLIES	204
Straight	
2-way (L)	204
2-way (120)	
3-way (T)	
3-way (120)	
4-way (X)	
Single Height	205
Dual Height	
Triple Height	
End Kits	
Wall Starter/Wall Mounted Channel	207
PANEL ACCESSORIES	208
Vertical Wire Manager	
Metal Ceiling Module	
Coat Hook	
Carpet Gripper	
COUNTER CAPS	210
Straights	
Carnara	

FREESTANDING Flat Brackets Column Base Tackable Privacy	212 212
WALL MOUNTING Wall Mounting Suggestions	
KEY LOCK PROGRAM General Information How to Specify Key Alike Key-alike ordered prior to 6/12/00	216

Legacy
finishes
are only
available
for existing
customers
to match
existing
installs

LAMINATES		EDGE BANDS	
L1			
Bright White	118	Bright White	118
Caramel Maple	MC	Caramel Maple	MC
Clear Maple	CM	Clear Maple	CM
Deep Mahogany	MP58	Jet Black	111
Jet Black	111	Medium Cherry	124
Medium Cherry	124	Pumice (was LF)	119
Pearwood	PA		
Pumice (was LF)	119		
Warm Cherry	WM		
White Essence	ES7		
Winter Grey Matrix	MR6		

NOTE: If your laminate is not listed please contact Customer Service at customerservice@neutralposture.com or 979.778.0502 ext. 301 to check availability.

NOTE: Laminates and other finishes may vary in color due to different dye lots. Slight variations are normal.

PAINTS & PLASTICS	
P1	
Jet Black	111
Brown	112
Dark Grey (was Y3)	113
Folkstone Grey (was LA)	114
Med. Grey (was Y2)	115
Sandstone	116
Soft Grey (was E)	117
Dark Neutral	D
Taupe	R
P2	
Beige Mist Metallic	611
Medium Metallic Grey	612
Beige Metallic	Н
Light Tan Metallic	W
Р3	
Bright White	118
Silver	613

PLEXIGLASS	
Clear	CL
lce	IC
Smoked	SM
Translucent	TR

FABRICS		
F		
Circle Line	KnollTextiles	W1146
Growth Spurt	KnollTextiles	W692
Reflect	KnollTextiles	W884
Versatility	KnollTextiles	W432
G		
Hard Rock	KnollTextiles	W1007
Micro	KnollTextiles	W465
Relay	KnollTextiles	W1020


NOTE: All 72 privacy screens require that the textile is railroaded (turned 90 degrees) for application. This must be considered when applying a patterned textile.

NOTE: EP1 and EP2 panels and components are not available in the following:

Bright White	118
Brown	112
Jet Black	111

Generation 1 Fabric Panel

28" thru 48" High



								·	············	
28" H									PAIN	т
W	MODEL#	A	В	C	D	E	F	G	P2	P3
12"	EP1FA1228R	\$869	\$937	\$959	\$980	\$997	\$1,015	\$1,040	N/A	+ \$62
18"	EP1FA1828R	\$904	\$975	\$994	\$1,018	\$1,034	\$1,058	\$1,082	N/A	+ \$62
24"	EP1FA2428R	\$936	\$1,013	\$1,030	\$1,059	\$1,076	\$1,094	\$1,127	N/A	+ \$62
30"	EP1FA3028R	\$963	\$1,036	\$1,059	\$1,086	\$1,108	\$1,128	\$1,157	N/A	+ \$62
36"	EP1FA3628R	\$1,007	\$1,085	\$1,107	\$1,135	\$1,158	\$1,175	\$1,207	N/A	+ \$62
42"	EP1FA4228R	\$1,051	\$1,131	\$1,157	\$1,186	\$1,210	\$1,227	\$1,257	N/A	+ \$62
48"	EP1FA4828R	\$1,089	\$1,178	\$1,196	\$1,230	\$1,252	\$1,276	\$1,309	N/A	+ \$62
60"	EP1FA6028R	\$1,160	\$1,249	\$1,274	\$1,312	\$1,333	\$1,353	\$1,390	N/A	+ \$62
40" H										
12"	EP1FA1240R	\$913	\$983	\$1,003	\$1,030	\$1,047	\$1,067	\$1,090	N/A	+ \$62
18"	EP1FA1840R	\$955	\$1,030	\$1,051	\$1,076	\$1,094	\$1,115	\$1,141	N/A	+ \$62
24"	EP1FA2440R	\$997	\$1,076	\$1,098	\$1,129	\$1,148	\$1,170	\$1,196	N/A	+ \$62
30"	EP1FA3040R	\$1,029	\$1,112	\$1,130	\$1,163	\$1,183	\$1,204	\$1,233	N/A	+ \$62
36"	EP1FA3640R	\$1,062	\$1,148	\$1,170	\$1,200	\$1,224	\$1,243	\$1,276	N/A	+ \$62
42"	EP1FA4240R	\$1,184	\$1,277	\$1,303	\$1,337	\$1,364	\$1,384	\$1,424	N/A	+ \$62
48"	EP1FA4840R	\$1,223	\$1,321	\$1,340	\$1,379	\$1,402	\$1,428	\$1,461	N/A	+ \$62
60"	EP1FA6040R	\$1,372	\$1,482	\$1,508	\$1,551	\$1,578	\$1,603	\$1,648	N/A	+ \$62
48" H										
	FD4.F4.2.4.0.D	¢027	Ć1 01 4	¢1.021	¢1.000	ć1 070	¢1.000	ć1 120 i	D1/0	. 662
12"	EP1FA1248R	\$937	\$1,014	\$1,031	\$1,060	\$1,078	\$1,098	\$1,128	N/A	+ \$62
18"	EP1FA1848R	\$984	\$1,063	\$1,082	\$1,113	\$1,131	\$1,157	\$1,183	N/A	+ \$62
24"	EP1FA2448R	\$1,078	\$1,167	\$1,188	\$1,210	\$1,241	\$1,265	\$1,291	N/A	+ \$62
30"	EP1FA3048R	\$1,109	\$1,196	\$1,223	\$1,252	\$1,276	\$1,298	\$1,333	N/A	+ \$62
36"	EP1FA3648R	\$1,126	\$1,215	\$1,234	\$1,269	\$1,288	\$1,313	\$1,346	N/A	+ \$62
42"	EP1FA4248R	\$1,249	\$1,348	\$1,377	\$1,411	\$1,437	\$1,461	\$1,500	N/A	+ \$62
48"	EP1FA4848R	\$1,333	\$1,437	\$1,461	\$1,503	\$1,532	\$1,556	\$1,598	N/A	+ \$62

Order Code				
e.g.	EP1FA3648R, W3513, 117			
EP1FA	Fabric panel			
36	Width			
48	Height			
R	Raceway			
W351-3	Foundation, Corn Silk			
117	Soft Grey trim			

60"

EP1FA6048R

Specification Information

\$1,515

\$1,640

\$1,667

\$1,710

\$1,741

\$1,773

\$1,819

Specify fabric and trim color. Post assemblies or connection elements must be ordered separately.

NOTE: Power duplexes cannot be installed on 12" W panels. Side mount receptacles available in 24" W panels and wider while using "E" series power. Electrical components must be ordered separately.

NOTE: P2 trim colors are not available on EP1 panels and panel components.

Application Notes

Panel is fabric covered. If two different fabrics are used on one panel, price will reflect cost of the more expensive panel fabric.

N/A

\$62



								:	••••••••••••••••••••••••••••••••••••••	:
53" H									PAIN	т
W	MODEL#	А	В	C	D	E	F	G	P2	P3
12"	EP1FA1253R	\$961	\$1,032	\$1,057	\$1,081	\$1,101	\$1,120	\$1,152	N/A	+ \$62
18"	EP1FA1853R	\$1,009	\$1,086	\$1,108	\$1,136	\$1,160	\$1,178	\$1,210	N/A	+ \$62
24"	EP1FA2453R	\$1,063	\$1,152	\$1,173	\$1,204	\$1,225	\$1,244	\$1,277	N/A	+ \$62
30"	EP1FA3053R	\$1,090	\$1,180	\$1,200	\$1,234	\$1,255	\$1,277	\$1,312	N/A	+ \$62
36"	EP1FA3653R	\$1,255	\$1,356	\$1,383	\$1,424	\$1,445	\$1,472	\$1,508	N/A	+ \$62
42"	EP1FA4253R	\$1,313	\$1,419	\$1,445	\$1,483	\$1,508	\$1,537	\$1,576	N/A	+ \$62
48"	EP1FA4853R	\$1,387	\$1,499	\$1,526	\$1,569	\$1,596	\$1,622	\$1,665	N/A	+ \$62
60"	EP1FA6053R	\$1,576	\$1,702	\$1,732	\$1,779	\$1,811	\$1,844	\$1,890	N/A	+ \$62
60" H										
12"	EP1FA1260R	\$983	\$1,062	\$1,081	\$1,112	\$1,130	\$1,152	\$1,180	N/A	+ \$62
18"	EP1FA1860R	\$1,040	\$1,127	\$1,146	\$1,175	\$1,193	\$1,218	\$1,249	N/A	+ \$62
24"	EP1FA2460R	\$1,062	\$1,148	\$1,170	\$1,200	\$1,224	\$1,243	\$1,276	N/A	+ \$62
30"	EP1FA3060R	\$1,174	\$1,269	\$1,288	\$1,331	\$1,348	\$1,376	\$1,404	N/A	+ \$62
36"	EP1FA3660R	\$1,282	\$1,384	\$1,409	\$1,448	\$1,477	\$1,500	\$1,541	N/A	+ \$62
42"	EP1FA4260R	\$1,398	\$1,508	\$1,541	\$1,579	\$1,606	\$1,634	\$1,677	N/A	+ \$62
48"	EP1FA4860R	\$1,509	\$1,633	\$1,661	\$1,706	\$1,736	\$1,765	\$1,817	N/A	+ \$62
60"	EP1FA6060R	\$1,735	\$1,875	\$1,909	\$1,961	\$1,995	\$2,030	\$2,083	N/A	+ \$62
65" H										
12"	EP1FA1265R	\$1,034	\$1,120	\$1,138	\$1,173	\$1,191	\$1,216	\$1,243	N/A	+ \$62
18"	EP1FA1865R	\$1,060	\$1,145	\$1,169	\$1,196	\$1,223	\$1,238	\$1,272	N/A	+ \$62
24"	EP1FA2465R	\$1,188	\$1,284	\$1,309	\$1,340	\$1,369	\$1,390	\$1,427	N/A	+ \$62
30"	EP1FA3065R	\$1,257	\$1,359	\$1,384	\$1,426	\$1,448	\$1,474	\$1,509	N/A	+ \$62
36"	EP1FA3665R	\$1,337	\$1,445	\$1,474	\$1,510	\$1,541	\$1,565	\$1,603	N/A	+ \$62
42"	EP1FA4265R	\$1,457	\$1,578	\$1,603	\$1,650	\$1,678	\$1,706	\$1,754	N/A	+ \$62
48"	EP1FA4865R	\$1,579	\$1,705	\$1,736	\$1,783	\$1,818	\$1,849	\$1,896	N/A	+ \$62
60"	EP1FA6065R	\$1,824	\$1,969	\$2,008	\$2,063	\$2,096	\$2,135	\$2,191	N/A	+ \$62
80" H										
12"	EP1FA1280R	\$1,056	\$1,135	\$1,158	\$1,188	\$1,211	\$1,230	\$1,265	N/A	+ \$62
18"	EP1FA1880R	\$1,120	\$1,211	\$1,233	\$1,268	\$1,287	\$1,312	\$1,343	N/A	+ \$62
24"	EP1FA2480R	\$1,193	\$1,289	\$1,316	\$1,351	\$1,377	\$1,400	\$1,434	N/A	+ \$62
30"	EP1FA3080R	\$1,340	\$1,448	\$1,480	\$1,518	\$1,544	\$1,570	\$1,609	N/A	+ \$62
36"	EP1FA3680R	\$1,498	\$1,613	\$1,646	\$1,694	\$1,722	\$1,751	\$1,795	N/A	+ \$62
42"	EP1FA4280R	\$1,648	\$1,779	\$1,811	\$1,861	\$1,896	\$1,927	\$1,976	N/A	+ \$62
48"	EP1FA4880R	\$1,795	\$1,939	\$1,972	\$2,029	\$2,064	\$2,099	\$2,152	N/A	+ \$62
60"	EP1FA6080R	\$2,094	\$2,259	\$2,303	\$2,366	\$2,409	\$2,448	\$2,513	N/A	+ \$62

EP1FA2460R, W3513,
117
Fabric panel
Width
Height
Foundation,Corn Silk
Soft Grey trim

Specification Information

Specify fabric and trim color.

Post assemblies or connection elements must be ordered separately.

NOTE: Power duplexes cannot be installed on 12" W panels. Side mount receptacles available in 24" W panels and wider while using "E" series power.

Electrical components must be ordered separately.

NOTE: P2 trim colors are not available on EP1 panels and panel components.

Application Notes

Panel is fabric covered. If two different fabrics are used on one panel, price will reflect cost of the more expensive panel fabric.

Generation 2 Insert Panel

(compatible with generation 1 panel components only)



28" H			:		
				PAINT	-
W	MODEL#	OPEN FRAME (OF)	PLEXIGLASS (PG)*	P2	P:
12"	EP2()1228R	\$925	\$1,243	N/A	+ \$66
18"	EP2()1828R	\$943	\$1,333	N/A	+ \$66
24"	EP2()2428R	\$962	\$1,404	N/A	+ \$66
30"	EP2()3028R	\$983	\$1,488	N/A	+ \$66
36"	EP2()3628R	\$1,007	\$1,559	N/A	+ \$66
42"	EP2()4228R	\$1,032	\$1,685	N/A	+ \$66
48"	EP2()4828R	\$1,058	\$1,716	N/A	+ \$66
60"	EP2()6028R	\$1,107	\$1,870	N/A	+ \$66
0" H					
2"	EP2()1240R	\$976	\$1,365	N/A	+ \$66
8"	EP2()1840R	\$996	\$1,447	N/A	+ \$66
4"	EP2()2440R	\$1,013	\$1,532	N/A	+ \$66
0"	EP2()3040R	\$1,034	\$1,686	N/A	+ \$66
6"	EP2()3640R	\$1,058	\$1,898	N/A	+ \$66
2"	EP2()4240R	\$1,085	\$1,939	N/A	+ \$66
2"			:		
8"	EP2()4840R	\$1,109	\$1,966	N/A	+ \$66
8" 0"	EP2()4840R EP2()6040R	\$1,109 \$1,160	\$1,966 \$2,167	N/A N/A	+ \$66 + \$66
8" 0" 8" H	EP2()6040R	\$1,160	\$2,167	N/A	+ \$66
8" 0" 8" H 12"	EP2()6040R EP2()1248R	\$1,160 \$996	\$2,167	N/A	+ \$66
8" H 12" 18"	EP2()6040R EP2()1248R EP2()1848R	\$1,160 \$996 \$1,016	\$2,167 \$1,403 \$1,546	N/A N/A	+ \$66 + \$66
8" H 12" 18" 24"	EP2()6040R EP2()1248R EP2()1848R EP2()2448R	\$1,160 \$996 \$1,016 \$1,031	\$2,167 \$1,403 \$1,546 \$1,657	N/A N/A N/A	+ \$66 + \$66 + \$66
8" H 12" 18" 24" 30"	EP2()6040R EP2()1248R EP2()1848R EP2()2448R EP2()3048R	\$1,160 \$996 \$1,016 \$1,031 \$1,058	\$2,167 \$1,403 \$1,546 \$1,657 \$1,804	N/A N/A N/A N/A	+ \$66 + \$66 + \$66 + \$66
8" H 12" 18" 24" 30" 36"	EP2()6040R EP2()1248R EP2()1848R EP2()2448R EP2()3048R EP2()3648R	\$1,160 \$996 \$1,016 \$1,031 \$1,058 \$1,076	\$2,167 \$1,403 \$1,546 \$1,657 \$1,804 \$1,834	N/A N/A N/A N/A N/A N/A	+ \$66 + \$66 + \$66 + \$66 + \$66
8" H 12" 18" 24" 30" 36" 42"	EP2()6040R EP2()1248R EP2()1848R EP2()2448R EP2()3048R EP2()3648R EP2()4248R	\$1,160 \$996 \$1,016 \$1,031 \$1,058 \$1,076 \$1,107	\$2,167 \$1,403 \$1,546 \$1,657 \$1,804 \$1,834 \$2,021	N/A N/A N/A N/A N/A N/A N/A	+ \$66 + \$66 + \$66 + \$66 + \$66 + \$66
8" H 12" 18" 24" 30" 36" 42"	EP2()6040R EP2()1248R EP2()1848R EP2()2448R EP2()3048R EP2()3648R EP2()4248R EP2()4248R	\$1,160 \$996 \$1,016 \$1,031 \$1,058 \$1,076 \$1,107 \$1,130	\$1,403 \$1,546 \$1,657 \$1,804 \$1,834 \$2,021 \$2,393	N/A N/A N/A N/A N/A N/A N/A N/A N/A	+ \$66 + \$66 + \$66 + \$66 + \$66 + \$66 + \$66
8" H 12" 18" 24" 30" 36" 42"	EP2()6040R EP2()1248R EP2()1848R EP2()2448R EP2()3048R EP2()3648R EP2()4248R	\$1,160 \$996 \$1,016 \$1,031 \$1,058 \$1,076 \$1,107	\$2,167 \$1,403 \$1,546 \$1,657 \$1,804 \$1,834 \$2,021	N/A N/A N/A N/A N/A N/A N/A	+ \$66 + \$66 + \$66 + \$66 + \$66 + \$66
8" H 12" 18" 24" 30" 36" 42"	EP2()6040R EP2()1248R EP2()1848R EP2()2448R EP2()3048R EP2()3648R EP2()4248R EP2()4248R	\$1,160 \$996 \$1,016 \$1,031 \$1,058 \$1,076 \$1,107 \$1,130	\$1,403 \$1,546 \$1,657 \$1,804 \$1,834 \$2,021 \$2,393	N/A N/A N/A N/A N/A N/A N/A N/A N/A	+ \$66 + \$66 + \$66 + \$66 + \$66 + \$66 + \$66
8" H 12" 18" 24" 30" 36" 42" 48" 60"	EP2()6040R EP2()1248R EP2()1848R EP2()2448R EP2()3048R EP2()3648R EP2()4248R EP2()4248R	\$1,160 \$996 \$1,016 \$1,031 \$1,058 \$1,076 \$1,107 \$1,130	\$1,403 \$1,546 \$1,657 \$1,804 \$1,834 \$2,021 \$2,393	N/A N/A N/A N/A N/A N/A N/A N/A N/A	+ \$66 + \$66 + \$66 + \$66 + \$66 + \$66 + \$66
8" H 12" 18" 24" 30" 36" 42" 48" 60"	EP2()6040R EP2()1248R EP2()1848R EP2()2448R EP2()3048R EP2()3648R EP2()4248R EP2()4248R EP2()4848R EP2()6048R	\$1,160 \$996 \$1,016 \$1,031 \$1,058 \$1,076 \$1,107 \$1,130 \$1,178	\$1,403 \$1,546 \$1,657 \$1,804 \$1,834 \$2,021 \$2,393 \$2,418	N/A N/A N/A N/A N/A N/A N/A N/A N/A	+ \$66 + \$66 + \$66 + \$66 + \$66 + \$66 + \$66
8" H 12" 18" 24" 30" 36" 42" 48" 60"	EP2()6040R EP2()1248R EP2()1848R EP2()2448R EP2()3048R EP2()3648R EP2()4248R EP2()4248R EP2()4848R EP2()6048R	\$1,160 \$996 \$1,016 \$1,031 \$1,058 \$1,076 \$1,107 \$1,130 \$1,178	\$1,403 \$1,546 \$1,657 \$1,804 \$1,834 \$2,021 \$2,393 \$2,418	N/A	+ \$66 + \$66 + \$66 + \$66 + \$66 + \$66 + \$66 + \$66
8" H 12" 18" 24" 30" 36" 42" 48" 60" 3" H 12" 18" 12" 18"	EP2()6040R EP2()1248R EP2()1848R EP2()2448R EP2()3048R EP2()3648R EP2()4248R EP2()4848R EP2()6048R EP2()1253R EP2()1253R	\$1,160 \$996 \$1,016 \$1,031 \$1,058 \$1,076 \$1,107 \$1,130 \$1,178	\$1,403 \$1,546 \$1,657 \$1,804 \$1,834 \$2,021 \$2,393 \$2,418	N/A	+ \$66 + \$66 + \$66 + \$66 + \$66 + \$66 + \$66 + \$66 + \$66
8" H 12" 18" 24" 30" 36" 42" 48" 60" 12" 18" 24" 18" 24"	EP2()1248R EP2()1848R EP2()2448R EP2()3048R EP2()3648R EP2()4248R EP2()4248R EP2()4848R EP2()4848R EP2()1853R EP2()1853R EP2()1853R	\$1,160 \$996 \$1,016 \$1,031 \$1,058 \$1,076 \$1,107 \$1,130 \$1,178	\$1,403 \$1,546 \$1,657 \$1,804 \$1,834 \$2,021 \$2,393 \$2,418 \$1,589 \$1,698	N/A	+ \$66 + \$66 + \$66 + \$66 + \$66 + \$66 + \$66 + \$66 + \$66 + \$66
8" H 12" 18" 24" 30" 36" 42" 48" 60" 12" 18" 24" 30"	EP2()6040R EP2()1248R EP2()1848R EP2()2448R EP2()3048R EP2()3648R EP2()4248R EP2()4248R EP2()4848R EP2()6048R EP2()1253R EP2()1253R EP2()1253R EP2()1853R EP2()2453R EP2()2453R	\$1,160 \$996 \$1,016 \$1,031 \$1,058 \$1,076 \$1,107 \$1,130 \$1,178 \$1,030 \$1,051 \$1,062 \$1,089	\$1,403 \$1,546 \$1,657 \$1,804 \$1,834 \$2,021 \$2,393 \$2,418 \$1,589 \$1,698 \$1,698	N/A	+ \$66 + \$66
8" H 12" 18" 24" 30" 36" 42" 48" 60" 3" H 12" 18" 24" 30" 36"	EP2()6040R EP2()1248R EP2()1848R EP2()2448R EP2()3048R EP2()3648R EP2()4248R EP2()4248R EP2()4848R EP2()6048R EP2()1253R EP2()1253R EP2()1853R EP2()3053R EP2()3053R	\$1,160 \$996 \$1,016 \$1,031 \$1,058 \$1,076 \$1,107 \$1,130 \$1,178 \$1,030 \$1,051 \$1,062 \$1,089 \$1,109	\$1,403 \$1,546 \$1,657 \$1,804 \$1,834 \$2,021 \$2,393 \$2,418 \$1,448 \$1,589 \$1,698 \$1,698 \$1,970	N/A N/A N/A N/A N/A N/A N/A N/A	+ \$66

^{*} All Colors

Order Co	Order Code					
e.g.	EP2PG3648R, PC, 613					
EP2PG	Plexiglass Insert Panel					
36	Width					
48	Height					
R	Raceway					
PC	Clear					
613	Silver trim					

Specification Information

Specify insert type, insert color and trim color.

Application Notes


Top caps and base raceway covers are included with panels. Posts and panel connectors must be ordered separately.

NOTE: P2 trim colors are not available on EP2 panels or panel components.

Generation 2 insert panels incorporate the generation 3 mitered panel frame with generation 1 top caps and base raceway covers and will only work with generation 1 panels and panel components.

Generation 2 Insert Panel

(compatible with generation 1 panel components only)



^{*} All Colors

Order Code				
e.g.	EP2PG2460R, 613			
EP2PG	Plexiglass Insert Panel			
24	Width			
60	Height			
R	Raceway			
613	Silver trim			

Specification Information

Specify insert type, insert color and trim color.

Top caps and base raceway covers are included with panels. Posts and panel connectors must be ordered separately.

NOTE: P2 trim colors are not available on EP2 panels or panel components.

Application Notes

Generation 2 insert panels incorporate the generation 3 mitered panel frame with generation 1 top caps and base raceway covers and will only work with generation 1 panels and panel components.

(S.E.)

Panel Wall Starter

W	D	Н	ACTUAL HEIGHT	MODEL#	P1	P2	Р3
11/2"	1/2"	28"	23"	EP1PWS28	\$58	N/A	\$63
11/2"	1/2"	40"	35"	EP1PWS40	\$58	N/A	\$63
1½"	1/2"	48"	43"	EP1PWS48	\$63	N/A	\$68
1½"	1/2"	53"	48"	EP1PWS53	\$66	N/A	\$73
11/2"	1/2"	60"	55"	EP1PWS60	\$66	N/A	\$73
1½"	1/2"	65"	60"	EP1PWS65	\$68	N/A	\$77
11/2"	1/2"	80"	75"	EP1PWS80	\$77	N/A	\$91

Wall Mounted Channel

vvali ivid	Juliteu C	liaiiiiei					
21/8"	3/4"	28"	23"	EP1WMC28	\$147	N/A	\$161
21/8"	3/4"	40"	35"	EP1WMC40	\$147	N/A	\$161
21/8"	3/4"	48"	43"	EP1WMC48	\$151	N/A	\$163
21/8"	3/4"	53"	48"	EP1WMC53	\$154	N/A	\$169
21/8"	3/4"	60"	55"	EP1WMC60	\$171	N/A	\$191
21/8"	3/4"	65"	60"	EP1WMC65	\$176	N/A	\$199
21/8"	3/4"	80"	75"	EP1WMC80	\$214	N/A	\$235
21/8"	3/4"	120"	120"	EP1WMC120	\$330	N/A	\$366

Order Code					
e.g.	EP1PWS60, 117				
EP1PWS	Panel wall starter				
60	Height				
117	Soft Grey trim				

Specification Information

Specify trim color.

NOTE: Neutral Posture, Inc. assumes no responsibility for wall construction or performance of fasteners used.

Application Notes

Wall starter:

Used to start a run of panels by fastening to an existing wall and attaching a connector assembly to it. Creates 11/4" space from face of wall to centerline of post. Constructed of steel.

The wall starter includes panel top and bottom hooks and modified panel connector. Fasteners not included to attach to wall.

Post and shrouds must

be ordered separately.

Wall mount channel:

Allows hanging of all components and accessories on reinforced building walls.

Painted extruded aluminum with a plastic inset which snaps in place, covering mounting screws.



Straight

W	D	Н	MODEL#	P1	P2	P3
-	-	28"	EP1P28S	\$196	N/A	\$216
-	-	40"	EP1P40S	\$199	N/A	\$217
-	-	48"	EP1P48S	\$201	N/A	\$220
-	-	53"	EP1P53S	\$204	N/A	\$223
-	-	60"	EP1P60S	\$206	N/A	\$225
-	-	65"	EP1P65S	\$207	N/A	\$227
-	-	80"	EP1P80S	\$213	N/A	\$234



2-way L

_	*						
	-	-	28"	EP1P28L	\$190	N/A	\$206
	-	-	40"	EP1P40L	\$191	N/A	\$207
	-	-	48"	EP1P48L	\$192	N/A	\$213
	-	-	53"	EP1P53L	\$196	N/A	\$216
	-	-	60"	EP1P60L	\$199	N/A	\$217
	-	-	65"	EP1P65L	\$201	N/A	\$220
	-	-	80"	EP1P80L	\$206	N/A	\$225



End

LIIU						
-		28"	EP1P28E	\$207	N/A	\$227
-	-	40"	EP1P40E	\$210	N/A	\$231
-	-	48"	EP1P48E	\$213	N/A	\$234
-	-	53"	EP1P53E	\$214	N/A	\$235
-	-	60"	EP1P60E	\$216	N/A	\$236
-	-	65"	EP1P65E	\$217	N/A	\$243
-	-	80"	EP1P80E	\$222	N/A	\$248

Order Code					
e.g. EP1P48S, 117					
EP1P	Post				
48	Height				
s	Straight assembly				
117	Soft Grey trim				

Specification Information

Specify trim color.

Application Notes

Used to connect panels of the same height.

Kit includes single height post, panel connector and base raceway shroud(s) appropriate for the geometry specified. NOTE: EP1 & EP2 Panels and components are available in legacy colors only.

Bottom levelers on post allow for up to 1½" vertical adjustment.

Generation 1

single height post assemblies three and four way



3-way (T)

w	D	Н	MODEL#	P1	P2	Р3
-	-	28"	EP1P28T	\$190	N/A	\$206
-	-	40"	EP1P40T	\$191	N/A	\$207
-	-	48"	EP1P48T	\$192	N/A	\$213
-	-	53"	EP1P53T	\$196	N/A	\$216
-	-	60"	EP1P60T	\$199	N/A	\$217
-	-	65"	EP1P65T	\$201	N/A	\$220
_	_	80"	EP1P80T	\$206	N/A	\$225



3-way (Y)

5 Wu	, (' /					
	-	28"	EP1P28Y	\$236	N/A	\$267
_	-	40"	EP1P40Y	\$243	N/A	\$268
-	-	48"	EP1P48Y	\$245	N/A	\$269
-	-	53"	EP1P53Y	\$246	N/A	\$271
-	-	60"	EP1P60Y	\$248	N/A	\$272
_	-	65"	EP1P65Y	\$251	N/A	\$276
-	-	80"	EP1P80Y	\$254	N/A	\$276



4-way (X)

	T way (A)							
-		28"	EP1P28X	\$163	N/A	\$180		
-	-	40"	EP1P40X	\$169	N/A	\$187		
-	-	48"	EP1P48X	\$170	N/A	\$190		
-	-	53"	EP1P53X	\$171	N/A	\$191		
-	-	60"	EP1P60X	\$173	N/A	\$192		
-	-	65"	EP1P65X	\$174	N/A	\$194		
-	-	80"	EP1P80X	\$179	N/A	\$199		

Order Code				
e.g.	EP1P80T, 117			
EP1P	Post			
80	Height			
T "T" assembly				
117	Soft Grey trim			

Specification Information

Specify trim color

Application Notes

Used to connect panels of the same height.

Kit includes single height post, panel connector and base raceway shroud(s) appropriate for the geometry specified.

NOTE: EP1 & EP2 Panels and components are available in legacy colors only.

Bottom levelers on post allow for up to 1½" vertical adjustment.



Dual Height Post

W	D	Н	MODEL#	P1	P2	Р3
-	-	28"/40"	EP1DP2840	\$204	N/A	\$223
-	-	28"/48"	EP1DP2848	\$216	N/A	\$236
-	-	28"/53"	EP1DP2853	\$222	N/A	\$248
-	-	28"/60"	EP1DP2860	\$225	N/A	\$251
-	_	28"/65"	EP1DP2865	\$234	N/A	\$255
-	-	28"/80"	EP1DP2880	\$255	N/A	\$284
-	-	40"/48"	EP1DP4048	\$216	N/A	\$236
-	-	40"/53"	EP1DP4053	\$222	N/A	\$248
-	-	40"/60"	EP1DP4060	\$225	N/A	\$251
-	-	40"/65"	EP1DP4065	\$234	N/A	\$255
-	-	40"/80"	EP1DP4080	\$255	N/A	\$284
-	-	48"/53"	EP1DP4853	\$222	N/A	\$248
-	-	48"/60"	EP1DP4860	\$225	N/A	\$251
-	-	48"/65"	EP1DP4865	\$234	N/A	\$255
-	-	48"/80"	EP1DP4880	\$255	N/A	\$284
-	-	53"/60"	EP1DP5360	\$225	N/A	\$251
-	-	53"/65"	EP1DP5365	\$234	N/A	\$255
-	-	53"/80"	EP1DP5380	\$262	N/A	\$290
-	-	60"/65"	EP1DP6065	\$234	N/A	\$255
-	-	60"/80"	EP1DP6080	\$255	N/A	\$284
-	-	65"/80"	EP1DP6580	\$255	N/A	\$284

Order Code				
e.g.	EP1DP4860, 613			
EP1DP	Dual height post			
48	Height one			
60	Height two			
613	Silver			

Specification Information

Specify trim color.

Application Notes

Dual height posts are used where panels of two different heights intersect.

Bottom levelers on posts allow for up to 1½" vertical adjustment.

Due to the variety of combinations possible, connector caps, shrouds and post covers must all be ordered separately.

J J

Triple Height Post

Nobel	w	D	ш	MODEL #	D1	D2	Pa
28"/40"/53" EPITP284063 \$255 N/A \$284 28"/40"/66" EPITP284060 \$255 N/A \$284 28"/40"/66" EPITP284065 \$277 N/A \$303 28"/40"/80" EPITP284080 \$304 N/A \$335 28"/48"/53" EPITP284853 \$255 N/A \$284 28"/48"/66" EPITP284860 \$255 N/A \$284 28"/48"/66" EPITP284860 \$255 N/A \$284 28"/48"/66" EPITP284860 \$255 N/A \$303 28"/48"/66" EPITP284860 \$304 N/A \$335 28"/48"/66" EPITP284860 \$304 N/A \$335 28"/48"/80" EPITP284860 \$304 N/A \$335 28"/53"/60" EPITP284860 \$304 N/A \$335 28"/53"/60" EPITP285360 \$255 N/A \$284 28"/53"/60" EPITP285360 \$255 N/A \$284 28"/53"/60" EPITP285380 \$303 N/A \$330 28"/60"/65" EPITP285380 \$303 N/A \$330 28"/60"/65" EPITP286065 \$277 N/A \$303 28"/60"/80" EPITP286080 \$304 N/A \$335 28"/60"/80" EPITP286080 \$304 N/A \$335 40"/48"/53" EPITP404850 \$255 N/A \$284 40"/48"/60" EPITP404860 \$255 N/A \$284 40"/48"/65" EPITP404860 \$255 N/A \$284 40"/48"/66" EPITP404860 \$255 N/A \$335 40"/48"/66" EPITP40680 \$304 N/A \$335 40"/53"/60" EPITP40680 \$304 N/A \$335 40"/53"/60" EPITP40680 \$255 N/A \$284 40"/53"/60" EPITP40680 \$255 N/A \$284 40"/53"/60" EPITP40680 \$255 N/A \$304 - 40"/53"/60" EPITP405360 \$255 N/A \$304 - 40"/53"/60" EPITP405360 \$255 N/A \$304 - 40"/53"/60" EPITP405360 \$304 N/A \$335 40"/53"/60" EPITP405360 \$304 N/A \$335 40"/53"/60" EPITP405360 \$304 N/A \$335 40"/53"/60" EPITP40680 \$304 N/A \$335 40"/60"/65" EPITP40680 \$304 N/A \$335 53"/60"/60" EPITP40660 \$304 N/A \$335 53"/60"/60" EPITP40660 \$304 N/A \$335 53"/60"/60" EPITP40660 \$304 N/A \$335 53"/60"/60" EPITP46660 \$304 N/A \$335	W	ע					
28"40"/60" EP1TP284060 \$255 N./A \$284 28"40"/65" EP1TP284065 \$272 N./A \$303 28"40"/65" EP1TP284080 \$304 N./A \$335 28"48"/53" EP1TP284853 \$255 N./A \$284 28"48"/60" EP1TP284860 \$255 N./A \$284 28"48"/65" EP1TP284865 \$272 N./A \$303 28"48"/60" EP1TP284860 \$304 N./A \$335 28"48"/60" EP1TP284860 \$304 N./A \$335 28"48"/60" EP1TP284860 \$304 N./A \$335 28"48"/60" EP1TP285360 \$255 N./A \$284 28"53"/66" EP1TP285365 \$271 N./A \$301 28"53"/66" EP1TP285365 \$271 N./A \$301 28"53"/66" EP1TP285365 \$277 N./A \$303 28"60"/66" EP1TP285360 \$304 N./A \$335 28"60"/66" EP1TP285360 \$304 N./A \$335 28"60"/66" EP1TP286360 \$304 N./A \$335 28"60"/66" EP1TP286360 \$304 N./A \$335 28"66"/80" EP1TP286580 \$304 N./A \$335 40"/48"/60" EP1TP286580 \$304 N./A \$335 40"/48"/60" EP1TP404853 \$255 N./A \$284 40"/48"/60" EP1TP404860 \$255 N./A \$303 40"/48"/60" EP1TP404860 \$255 N./A \$303 40"/48"/60" EP1TP405360 \$255 N./A \$303 40"/48"/60" EP1TP405360 \$304 N./A \$335 40"/48"/60" EP1TP405360 \$255 N./A \$303 40"/53"/60" EP1TP405360 \$255 N./A \$303 40"/53"/60" EP1TP405360 \$255 N./A \$303 40"/53"/60" EP1TP405360 \$255 N./A \$303 40"/60"/60" EP1TP40680 \$304 N./A \$335 48"/53"/60" EP1TP485380 \$304 N./A \$335	-	-					
28"/40"/65" EP1TP284065 \$272 N/A \$303 28"/40"/80" EP1TP284080 \$304 N/A \$335 28"/48"/53" EP1TP284853 \$255 N/A \$284 28"/48"/66" EP1TP284860 \$255 N/A \$284 28"/48"/66" EP1TP284860 \$255 N/A \$303 28"/48"/66" EP1TP284860 \$255 N/A \$303 28"/48"/66" EP1TP284860 \$304 N/A \$335 28"/53"/60" EP1TP285360 \$255 N/A \$284 28"/53"/60" EP1TP285360 \$255 N/A \$284 28"/53"/60" EP1TP285360 \$255 N/A \$303 28"/53"/66" EP1TP285360 \$257 N/A \$303 28"/53"/66" EP1TP285360 \$303 N/A \$330 28"/53"/80" EP1TP285065 \$277 N/A \$303 28"/60"/65" EP1TP286065 \$277 N/A \$303 28"/60"/80" EP1TP286080 \$304 N/A \$335 28"/60"/80" EP1TP286080 \$304 N/A \$335 40"/48"/53" EP1TP404853 \$255 N/A \$284 40"/48"/60" EP1TP404860 \$255 N/A \$284 40"/48"/66" EP1TP404860 \$255 N/A \$284 40"/48"/66" EP1TP404860 \$304 N/A \$335 40"/48"/66" EP1TP404860 \$304 N/A \$335 40"/48"/66" EP1TP405360 \$304 N/A \$335 40"/48"/66" EP1TP405360 \$304 N/A \$335 40"/53"/60" EP1TP405360 \$304 N/A \$335 40"/53"/60" EP1TP405360 \$304 N/A \$335 40"/53"/60" EP1TP405380 \$304 N/A \$335 40"/53"/60" EP1TP405380 \$304 N/A \$335 40"/53"/60" EP1TP405380 \$304 N/A \$335 40"/60"/65" EP1TP40580 \$304 N/A \$335 40"/60"/65" EP1TP405360 \$277 N/A \$301 40"/53"/60" EP1TP405360 \$275 N/A \$303 48"/53"/60" EP1TP485380 \$304 N/A \$335 53"/60"/65" EP1TP485600 \$304 N/A \$335 53"/60"/65" EP1TP485600 \$304 N/A \$335 53"/60"/65" EP1TP485600 \$304 N/A \$335	-	-					
28"/40"/80" EP1TP284080 \$304 N/A \$333 28"/48"/53" EP1TP284853 \$255 N/A \$284 28"/48"/60" EP1TP284860 \$255 N/A \$284 28"/48"/60" EP1TP284860 \$255 N/A \$303 28"/48"/60" EP1TP284880 \$304 N/A \$335 28"/48"/60" EP1TP284880 \$304 N/A \$335 28"/53"/60" EP1TP285360 \$255 N/A \$284 28"/53"/60" EP1TP285360 \$255 N/A \$301 28"/53"/60" EP1TP285360 \$255 N/A \$301 28"/53"/60" EP1TP285360 \$303 N/A \$330 28"/60"/65" EP1TP285360 \$304 N/A \$335 28"/60"/60" EP1TP285380 \$303 N/A \$330 28"/60"/60" EP1TP286080 \$304 N/A \$335 28"/60"/80" EP1TP286580 \$304 N/A \$335 40"/48"/53" EP1TP404853 \$255 N/A \$284 40"/48"/60" EP1TP404860 \$255 N/A \$335 40"/53"/60" EP1TP405360 \$255 N/A \$335 40"/53"/60" EP1TP405360 \$255 N/A \$335 40"/53"/60" EP1TP405360 \$255 N/A \$336 40"/53"/60" EP1TP405360 \$255 N/A \$330 40"/53"/60" EP1TP405360 \$257 N/A \$330 40"/50"/65" EP1TP405360 \$257 N/A \$335 48"/53"/60" EP1TP405360 \$257 N/A \$335 48"/53"/60" EP1TP405360 \$257 N/A \$335 48"/53"/60" EP1TP405360 \$257 N/A \$333 48"/53"/60" EP1TP405360 \$257 N/A \$333 48"/53"/60" EP1TP465360 \$277 N/A \$333 48"/53"/60" EP1TP465360 \$277 N/A \$333 48"/53"/60" EP1TP465360 \$277 N/A \$333 53"/60"/65" EP1TP46665 \$277 N/A \$333	-	-					
28"/48"/53" EP1TP284853 \$255 N/A \$284 28"/48"/60" EP1TP284860 \$255 N/A \$284 28"/48"/60" EP1TP284865 \$272 N/A \$303 28"/48"/60" EP1TP284880 \$304 N/A \$335 28"/53"/60" EP1TP285360 \$255 N/A \$284 28"/53"/60" EP1TP285360 \$255 N/A \$284 28"/53"/60" EP1TP285360 \$255 N/A \$303 28"/53"/60" EP1TP285360 \$325 N/A \$303 28"/53"/60" EP1TP285380 \$303 N/A \$330 28"/53"/80" EP1TP285380 \$303 N/A \$330 28"/60"/60" EP1TP286065 \$272 N/A \$303 28"/60"/80" EP1TP286080 \$304 N/A \$335 28"/66"/80" EP1TP286080 \$304 N/A \$335 40"/48"/53" EP1TP404853 \$255 N/A \$284 40"/48"/60" EP1TP404860 \$255 N/A \$284 40"/48"/60" EP1TP404860 \$255 N/A \$284 40"/48"/60" EP1TP404860 \$304 N/A \$335 40"/48"/60" EP1TP404860 \$304 N/A \$335 40"/53"/60" EP1TP405360 \$303 N/A \$330 40"/53"/60" EP1TP405360 \$304 N/A \$335 40"/53"/60" EP1TP405380 \$304 N/A \$335	-	-	28"/40"/65"	EP1TP284065	\$272	N/A	\$303
28"/48"/60" EP1TP284865 \$272 N/A \$303 28"/48"/65" EP1TP284865 \$272 N/A \$303 28"/48"/60" EP1TP284880 \$304 N/A \$335 28"/53"/60" EP1TP285360 \$255 N/A \$284 28"/53"/60" EP1TP285365 \$271 N/A \$303 28"/53"/80" EP1TP285365 \$271 N/A \$303 28"/60"/65" EP1TP285380 \$303 N/A \$330 28"/60"/65" EP1TP286080 \$304 N/A \$335 28"/60"/80" EP1TP286580 \$304 N/A \$335 28"/65"/80" EP1TP286580 \$304 N/A \$335 40"/48"/60" EP1TP286580 \$304 N/A \$335 40"/48"/60" EP1TP404853 \$255 N/A \$284 40"/48"/60" EP1TP404860 \$255 N/A \$284 40"/48"/60" EP1TP404860 \$255 N/A \$303 40"/48"/60" EP1TP404865 \$272 N/A \$303 40"/48"/60" EP1TP404865 \$272 N/A \$303 40"/48"/60" EP1TP406865 \$272 N/A \$303 40"/48"/60" EP1TP406860 \$304 N/A \$335 40"/48"/60" EP1TP406860 \$304 N/A \$335 40"/48"/60" EP1TP406860 \$255 N/A \$284 40"/48"/60" EP1TP406860 \$304 N/A \$335 40"/65"/60" EP1TP406860 \$304 N/A \$335 40"/65"/60" EP1TP405360 \$255 N/A \$284 40"/65"/60" EP1TP405360 \$255 N/A \$284 40"/65"/60" EP1TP405360 \$255 N/A \$284 40"/65"/60" EP1TP405360 \$255 N/A \$303 40"/60"/65" EP1TP405360 \$304 N/A \$335 40"/60"/60" EP1TP405360 \$304 N/A \$335 40"/60"/60" EP1TP40680 \$304 N/A \$335 40"/60"/60" EP1TP46580 \$304 N/A \$335 48"/60"/60" EP1TP46580 \$304 N/A \$335 48"/60"/60" EP1TP46580 \$304 N/A \$335 48"/60"/60" EP1TP46580 \$304 N/A \$335 53"/60"/60" EP1TP46580 \$304 N/A \$335	-	-	28"/40"/80"	EP1TP284080	\$304	N/A	\$335
28"/48"/65" EP1TP284865 \$272 N/A \$330 28"/48"/80" EP1TP284880 \$304 N/A \$335 28"/53"/80" EP1TP285360 \$255 N/A \$284 28"/53"/86" EP1TP285365 \$271 N/A \$301 28"/53"/80" EP1TP285380 \$303 N/A \$330 28"/60"/80" EP1TP285380 \$303 N/A \$330 28"/60"/80" EP1TP286080 \$304 N/A \$335 28"/60"/80" EP1TP286580 \$304 N/A \$335 28"/65"/80" EP1TP286580 \$304 N/A \$335 40"/48"/60" EP1TP404853 \$255 N/A \$284 40"/48"/60" EP1TP404860 \$255 N/A \$284 40"/48"/60" EP1TP404860 \$255 N/A \$303 40"/48"/60" EP1TP404860 \$255 N/A \$303 40"/48"/60" EP1TP404860 \$304 N/A \$335 40"/48"/60" EP1TP404860 \$304 N/A \$335 40"/48"/60" EP1TP405360 \$255 N/A \$303 40"/48"/60" EP1TP406865 \$272 N/A \$303 40"/53"/60" EP1TP405360 \$255 N/A \$384 40"/53"/60" EP1TP40680 \$304 N/A \$335 40"/65"/60" EP1TP40680 \$304 N/A \$335 40"/65"/60" EP1TP40680 \$303 N/A \$330 40"/65"/60" EP1TP40680 \$304 N/A \$335 40"/65"/60" EP1TP40680 \$304 N/A \$335 40"/60"/80" EP1TP40680 \$304 N/A \$335 40"/60"/80" EP1TP40680 \$304 N/A \$335 40"/60"/60" EP1TP40680 \$304 N/A \$335 40"/60"/60" EP1TP40680 \$304 N/A \$335 40"/60"/60" EP1TP40680 \$304 N/A \$335 48"/53"/60" EP1TP485360 \$275 N/A \$303 48"/60"/65" EP1TP486080 \$304 N/A \$335 53"/60"/65" EP1TP486080 \$304 N/A \$335	-	-	28"/48"/53"	EP1TP284853	\$255	N/A	\$284
28"/48"/80" EP1TP284880 \$304 N/A \$335 28"/53"/60" EP1TP285360 \$255 N/A \$284 28"/53"/60" EP1TP285365 \$271 N/A \$301 28"/53"/60" EP1TP285365 \$271 N/A \$330 28"/60"/65" EP1TP286080 \$303 N/A \$330 28"/60"/80" EP1TP286080 \$304 N/A \$335 28"/65"/80" EP1TP286580 \$304 N/A \$335 28"/65"/80" EP1TP286580 \$304 N/A \$335 40"/48"/53" EP1TP404853 \$255 N/A \$284 40"/48"/60" EP1TP404860 \$255 N/A \$284 40"/48"/60" EP1TP404860 \$255 N/A \$335 40"/48"/60" EP1TP404860 \$304 N/A \$335 40"/48"/60" EP1TP405360 \$304 N/A \$335 40"/48"/60" EP1TP405360 \$255 N/A \$284 40"/53"/60" EP1TP405360 \$255 N/A \$384 40"/53"/60" EP1TP405360 \$255 N/A \$330 40"/53"/60" EP1TP405360 \$255 N/A \$330 40"/53"/60" EP1TP405360 \$255 N/A \$330 40"/65"/80" EP1TP405360 \$304 N/A \$330 40"/65"/80" EP1TP405360 \$304 N/A \$330 40"/65"/80" EP1TP405360 \$304 N/A \$330 40"/65"/80" EP1TP40665 \$272 N/A \$300 40"/65"/80" EP1TP40680 \$304 N/A \$335 40"/65"/80" EP1TP40680 \$304 N/A \$335 48"/53"/80" EP1TP406580 \$304 N/A \$335 48"/53"/80" EP1TP406580 \$304 N/A \$335 48"/53"/80" EP1TP485360 \$255 N/A \$284 48"/53"/80" EP1TP485360 \$272 N/A \$303	-	-	28"/48"/60"	EP1TP284860	\$255	N/A	\$284
28"/53"/60" EP1TP285360 \$255 N/A \$284 28"53"/65" EP1TP285365 \$271 N/A \$301 28"56"/66" EP1TP285380 \$303 N/A \$330 28"60"/66" EP1TP286065 \$272 N/A \$303 28"60"/80" EP1TP286080 \$304 N/A \$335 28"65"/80" EP1TP286580 \$304 N/A \$335 40"/48"/53" EP1TP286580 \$304 N/A \$335 40"/48"/60" EP1TP404853 \$255 N/A \$284 40"/48"/60" EP1TP404860 \$255 N/A \$284 40"/48"/60" EP1TP404865 \$272 N/A \$303 40"/48"/60" EP1TP404880 \$304 N/A \$335 40"/48"/60" EP1TP405360 \$255 N/A \$284 40"/53"/60" EP1TP405360 \$255 N/A \$384 40"/53"/60" EP1TP405365 \$271 N/A \$301 40"/53"/60" EP1TP405365 \$271 N/A \$301 40"/60"/65" EP1TP405605 \$225 N/A \$303 40"/60"/65" EP1TP405605 \$272 N/A \$303 40"/60"/60" EP1TP405605 \$272 N/A \$303 40"/60"/65" EP1TP405605 \$272 N/A \$303 40"/60"/65" EP1TP405605 \$272 N/A \$303 40"/65"/60" EP1TP405605 \$272 N/A \$303 40"/65"/60" EP1TP405600 \$304 N/A \$335 48"/53"/60" EP1TP405600 \$304 N/A \$335 48"/53"/60" EP1TP405600 \$304 N/A \$335 48"/55"/80" EP1TP405600 \$304 N/A \$335 48"/55"/80" EP1TP405605 \$271 N/A \$301 48"/55"/80" EP1TP485360 \$255 N/A \$284 48"/55"/80" EP1TP485360 \$255 N/A \$303 48"/55"/80" EP1TP485360 \$271 N/A \$301 48"/55"/80" EP1TP485360 \$272 N/A \$303 48"/55"/80" EP1TP485360 \$272 N/A \$303 48"/55"/80" EP1TP485360 \$271 N/A \$305 48"/55"/80" EP1TP485360 \$304 N/A \$335 53"/60"/65" EP1TP485600 \$304 N/A \$335	-	-	28"/48"/65"	EP1TP284865	\$272	N/A	\$303
28"/53"/65" EP1TP285365 \$271 N/A \$301 28"/53"/80" EP1TP285380 \$303 N/A \$330 28"/60"/65" EP1TP286065 \$272 N/A \$303 28"/60"/80" EP1TP286080 \$304 N/A \$335 28"/65"/80" EP1TP286580 \$304 N/A \$335 40"/48"/53" EP1TP404853 \$255 N/A \$284 40"/48"/60" EP1TP40665 \$272 N/A \$303 40"/48"/60" EP1TP404860 \$255 N/A \$284 40"/48"/80" EP1TP404880 \$304 N/A \$335 40"/48"/80" EP1TP404880 \$304 N/A \$335 40"/53"/60" EP1TP405360 \$255 N/A \$284 40"/53"/60" EP1TP405365 \$272 N/A \$303 40"/53"/65" EP1TP405365 \$271 N/A \$301 40"/53"/60" EP1TP405365 \$271 N/A \$301 40"/60"/65" EP1TP406065 \$272 N/A \$333 40"/60"/65" EP1TP406065 \$272 N/A \$333 40"/60"/65" EP1TP405380 \$303 N/A \$330 40"/60"/65" EP1TP406065 \$272 N/A \$303 40"/60"/65" EP1TP406065 \$272 N/A \$303 40"/60"/65" EP1TP406080 \$304 N/A \$335 40"/65"/80" EP1TP406080 \$304 N/A \$335 48"/53"/60" EP1TP406650 \$255 N/A \$284 48"/53"/60" EP1TP406650 \$304 N/A \$335 48"/53"/60" EP1TP406650 \$304 N/A \$335 48"/53"/60" EP1TP406650 \$304 N/A \$335 48"/53"/60" EP1TP406650 \$271 N/A \$301 48"/53"/60" EP1TP485360 \$304 N/A \$335 48"/53"/60" EP1TP485360 \$304 N/A \$335 48"/53"/60" EP1TP485360 \$275 N/A \$303 48"/60"/65" EP1TP486800 \$304 N/A \$335 53"/60"/80" EP1TP486580 \$304 N/A \$335 53"/60"/80" EP1TP486580 \$304 N/A \$335 53"/60"/80" EP1TP486680 \$304 N/A \$335 53"/60"/80" EP1TP486680 \$304 N/A \$335	-	-	28"/48"/80"	EP1TP284880	\$304	N/A	\$335
28"/53"/80" EP1TP285380 \$303 N/A \$330 28"/60"/65" EP1TP286065 \$272 N/A \$303 28"/60"/80" EP1TP286080 \$304 N/A \$335 28"/65"/80" EP1TP286580 \$304 N/A \$335 40"/48"/53" EP1TP404853 \$255 N/A \$284 40"/48"/60" EP1TP404860 \$255 N/A \$284 40"/48"/60" EP1TP404865 \$272 N/A \$303 40"/48"/60" EP1TP404860 \$304 N/A \$335 40"/48"/60" EP1TP405360 \$304 N/A \$335 40"/53"/60" EP1TP405360 \$255 N/A \$284 40"/53"/60" EP1TP405365 \$271 N/A \$301 40"/53"/80" EP1TP405380 \$303 N/A \$330 40"/60"/65" EP1TP40665 \$272 N/A \$303 40"/60"/65" EP1TP40665 \$272 N/A \$303 40"/60"/65" EP1TP40680 \$304 N/A \$335 40"/65"/80" EP1TP40680 \$304 N/A \$335 48"/53"/60" EP1TP40680 \$304 N/A \$335 48"/53"/60" EP1TP40680 \$304 N/A \$335 48"/53"/60" EP1TP40665 \$271 N/A \$301 48"/53"/60" EP1TP40665 \$271 N/A \$301 48"/53"/60" EP1TP40665 \$271 N/A \$301 48"/53"/60" EP1TP485360 \$304 N/A \$335 48"/53"/60" EP1TP485360 \$304 N/A \$335 48"/53"/60" EP1TP485360 \$271 N/A \$301 48"/53"/60" EP1TP485360 \$304 N/A \$335 48"/55"/60" EP1TP486065 \$277 N/A \$303 48"/56"/60" EP1TP486065 \$277 N/A \$303 48"/56"/60" EP1TP486080 \$304 N/A \$335	-	-	28"/53"/60"	EP1TP285360	\$255	N/A	\$284
28"/60"/65" EP1TP286065 \$272 N/A \$303 28"/60"/80" EP1TP286080 \$304 N/A \$335 28"/65"/80" EP1TP286580 \$304 N/A \$335 40"/48"/53" EP1TP404853 \$255 N/A \$284 40"/48"/60" EP1TP404860 \$255 N/A \$284 40"/48"/65" EP1TP404865 \$272 N/A \$303 40"/48"/80" EP1TP404880 \$304 N/A \$335 40"/48"/80" EP1TP405360 \$255 N/A \$284 40"/53"/60" EP1TP405365 \$271 N/A \$301 40"/53"/60" EP1TP405380 \$303 N/A \$330 40"/53"/60" EP1TP405380 \$303 N/A \$330 40"/60"/65" EP1TP406065 \$272 N/A \$303 40"/60"/65" EP1TP406065 \$272 N/A \$303 40"/60"/80" EP1TP406080 \$304 N/A \$335 40"/60"/80" EP1TP406080 \$304 N/A \$335 40"/65"/80" EP1TP406580 \$304 N/A \$335 48"/53"/60" EP1TP485360 \$255 N/A \$284 48"/53"/60" EP1TP485360 \$255 N/A \$304 48"/53"/60" EP1TP485360 \$255 N/A \$304 48"/53"/60" EP1TP485360 \$255 N/A \$305 48"/53"/60" EP1TP485360 \$255 N/A \$305 48"/53"/60" EP1TP485360 \$271 N/A \$301 48"/53"/60" EP1TP485360 \$272 N/A \$303 48"/65" EP1TP485360 \$275 N/A \$303 48"/60"/80" EP1TP486080 \$304 N/A \$335 53"/60"/80" EP1TP486080 \$304 N/A \$335	_	-	28"/53"/65"	EP1TP285365	\$271	N/A	\$301
28"/60"/80"	-	-	28"/53"/80"	EP1TP285380	\$303	N/A	\$330
28"/65"/80" EP1TP286580 \$304 N/A \$335 40"/48"/53" EP1TP404853 \$255 N/A \$284 40"/48"/60" EP1TP404860 \$255 N/A \$284 40"/48"/65" EP1TP404865 \$272 N/A \$303 40"/48"/80" EP1TP404880 \$304 N/A \$335 40"/53"/60" EP1TP405360 \$255 N/A \$284 40"/53"/65" EP1TP405360 \$255 N/A \$284 40"/53"/65" EP1TP405365 \$271 N/A \$301 40"/53"/80" EP1TP405365 \$271 N/A \$301 40"/60"/65" EP1TP405380 \$303 N/A \$330 40"/60"/65" EP1TP406065 \$272 N/A \$303 40"/60"/80" EP1TP406080 \$304 N/A \$335 40"/65"/80" EP1TP406080 \$304 N/A \$335 48"/53"/65" EP1TP406080 \$304 N/A \$335 48"/53"/65" EP1TP485360 \$255 N/A \$284 48"/53"/65" EP1TP485365 \$271 N/A \$301 48"/53"/65" EP1TP485365 \$271 N/A \$301 48"/53"/65" EP1TP485365 \$271 N/A \$303 48"/60"/65" EP1TP485365 \$271 N/A \$303 48"/60"/65" EP1TP486065 \$272 N/A \$303 48"/60"/65" EP1TP485360 \$304 N/A \$335 48"/60"/65" EP1TP486065 \$272 N/A \$303 53"/60"/65" EP1TP486080 \$304 N/A \$335	-	-	28"/60"/65"	EP1TP286065	\$272	N/A	\$303
40"/48"/53"	-	-	28"/60"/80"	EP1TP286080	\$304	N/A	\$335
- 40"/48"/60" EP1TP404860 \$255 N/A \$284 40"/48"/65" EP1TP404865 \$272 N/A \$303 40"/48"/80" EP1TP404880 \$304 N/A \$335 40"/53"/60" EP1TP405360 \$255 N/A \$284 40"/53"/65" EP1TP405365 \$271 N/A \$301 40"/53"/80" EP1TP405380 \$303 N/A \$330 40"/60"/65" EP1TP405380 \$303 N/A \$330 40"/60"/65" EP1TP406065 \$272 N/A \$303 40"/60"/80" EP1TP406080 \$304 N/A \$335 40"/65"/80" EP1TP406580 \$304 N/A \$335 40"/65"/80" EP1TP405380 \$304 N/A \$335 48"/53"/60" EP1TP405380 \$304 N/A \$335 48"/53"/60" EP1TP405380 \$304 N/A \$335 48"/53"/65" EP1TP485360 \$255 N/A \$284 48"/53"/65" EP1TP485365 \$271 N/A \$301 48"/53"/80" EP1TP485380 \$276 N/A \$305 48"/60"/65" EP1TP486065 \$272 N/A \$303 48"/60"/80" EP1TP486080 \$304 N/A \$335 48"/60"/80" EP1TP486080 \$304 N/A \$335 53"/60"/80" EP1TP486580 \$304 N/A \$335 53"/60"/80" EP1TP486580 \$304 N/A \$335 53"/60"/80" EP1TP486580 \$304 N/A \$335	-	-	28"/65"/80"	EP1TP286580	\$304	N/A	\$335
40"/48"/65"	-	-	40"/48"/53"	EP1TP404853	\$255	N/A	\$284
- 40"/48"/80" EP1TP404880 \$304 N/A \$335 - 40"/53"/60" EP1TP405360 \$255 N/A \$284 - 40"/53"/65" EP1TP405365 \$271 N/A \$301 - 40"/53"/80" EP1TP405380 \$303 N/A \$330 - 40"/60"/65" EP1TP406065 \$272 N/A \$303 - 40"/60"/80" EP1TP406080 \$304 N/A \$335 - 40"/65"/80" EP1TP406580 \$304 N/A \$335 - 40"/65"/80" EP1TP405380 \$304 N/A \$335 - 40"/65"/80" EP1TP405380 \$304 N/A \$335 - 48"/53"/60" EP1TP485360 \$255 N/A \$284 - 48"/53"/65" EP1TP485365 \$271 N/A \$301 - 48"/53"/80" EP1TP485365 \$271 N/A \$305 - 48"/60"/65" EP1TP486065 \$272 N/A \$305 - 48"/60"/65" EP1TP486065 \$272 N/A \$303 - 48"/60"/65" EP1TP486065 \$272 N/A \$303 - 53"/60"/80" EP1TP486080 \$304 N/A \$335	_	-	40"/48"/60"	EP1TP404860	\$255	N/A	\$284
40"/53"/65" EP1TP405360 \$255 N/A \$284 40"/53"/65" EP1TP405365 \$271 N/A \$301 40"/53"/80" EP1TP405380 \$303 N/A \$330 40"/60"/65" EP1TP406065 \$272 N/A \$303 40"/60"/80" EP1TP406080 \$304 N/A \$335 40"/65"/80" EP1TP406580 \$304 N/A \$335 48"/53"/60" EP1TP485360 \$255 N/A \$284 48"/53"/65" EP1TP485365 \$271 N/A \$301 48"/53"/65" EP1TP485365 \$271 N/A \$301 48"/53"/80" EP1TP485365 \$272 N/A \$305 48"/60"/65" EP1TP486065 \$272 N/A \$303 48"/60"/65" EP1TP486065 \$272 N/A \$303 48"/60"/65" EP1TP486065 \$272 N/A \$303 48"/60"/65" EP1TP486065 \$271 N/A \$303 53"/60"/65" EP1TP486080 \$304 N/A \$335 53"/60"/65" EP1TP486080 \$304 N/A \$335 53"/60"/65" EP1TP536065 \$271 N/A \$301 53"/60"/65" EP1TP536080 \$304 N/A \$335	-	-	40"/48"/65"	EP1TP404865	\$272	N/A	\$303
- 40"/53"/65" EP1TP405365 \$271 N/A \$301 40"/53"/80" EP1TP405380 \$303 N/A \$330 40"/60"/65" EP1TP406065 \$272 N/A \$303 40"/60"/80" EP1TP406080 \$304 N/A \$335 40"/65"/80" EP1TP406580 \$304 N/A \$335 48"/53"/60" EP1TP485360 \$255 N/A \$284 48"/53"/65" EP1TP485365 \$271 N/A \$301 48"/53"/80" EP1TP485380 \$276 N/A \$305 48"/60"/65" EP1TP486065 \$272 N/A \$303 48"/60"/80" EP1TP486065 \$272 N/A \$303 48"/60"/80" EP1TP486080 \$304 N/A \$335 53"/60"/80" EP1TP486080 \$304 N/A \$335 53"/60"/80" EP1TP486580 \$304 N/A \$335 53"/60"/80" EP1TP486580 \$304 N/A \$335 53"/60"/80" EP1TP536065 \$271 N/A \$301 - 53"/60"/80" EP1TP536080 \$304 N/A \$335	-	-	40"/48"/80"	EP1TP404880	\$304	N/A	\$335
40"/53"/80"	-	-	40"/53"/60"	EP1TP405360	\$255	N/A	\$284
40"/60"/65" EP1TP406065 \$272 N/A \$303 40"/60"/80" EP1TP406080 \$304 N/A \$335 40"/65"/80" EP1TP406580 \$304 N/A \$335 48"/53"/60" EP1TP485360 \$255 N/A \$284 48"/53"/65" EP1TP485365 \$271 N/A \$301 48"/53"/80" EP1TP485380 \$276 N/A \$305 48"/60"/65" EP1TP486065 \$272 N/A \$303 48"/60"/65" EP1TP486080 \$304 N/A \$335 48"/60"/80" EP1TP486080 \$304 N/A \$335 48"/65"/80" EP1TP486580 \$304 N/A \$335 53"/60"/65" EP1TP536065 \$271 N/A \$301 53"/60"/65" EP1TP536080 \$304 N/A \$335	_	-	40"/53"/65"	EP1TP405365	\$271	N/A	\$301
40"/60"/80"	-	-	40"/53"/80"	EP1TP405380	\$303	N/A	\$330
- 40"/65"/80" EP1TP406580 \$304 N/A \$335 48"/53"/60" EP1TP485360 \$255 N/A \$284 48"/53"/65" EP1TP485365 \$271 N/A \$301 48"/53"/80" EP1TP485380 \$276 N/A \$305 48"/60"/65" EP1TP486065 \$272 N/A \$303 48"/60"/80" EP1TP486080 \$304 N/A \$335 48"/65"/80" EP1TP486580 \$304 N/A \$335 53"/60"/65" EP1TP536065 \$271 N/A \$301 53"/60"/80" EP1TP536080 \$275 N/A \$304 53"/60"/80" EP1TP536580 \$304 N/A \$335	-	-	40"/60"/65"	EP1TP406065	\$272	N/A	\$303
48"/53"/60"	-	-	40"/60"/80"	EP1TP406080	\$304	N/A	\$335
- 48"/53"/65" EP1TP485365 \$271 N/A \$301 48"/53"/80" EP1TP485380 \$276 N/A \$305 48"/60"/65" EP1TP486065 \$272 N/A \$303 48"/60"/80" EP1TP486080 \$304 N/A \$335 48"/65"/80" EP1TP486580 \$304 N/A \$335 53"/60"/65" EP1TP536065 \$271 N/A \$301 - 53"/60"/80" EP1TP536080 \$275 N/A \$304 - 53"/65"/80" EP1TP536580 \$304 N/A \$335	-	-	40"/65"/80"	EP1TP406580	\$304	N/A	\$335
- - 48"/53"/80" EP1TP485380 \$276 N/A \$305 - - 48"/60"/65" EP1TP486065 \$272 N/A \$303 - - 48"/60"/80" EP1TP486080 \$304 N/A \$335 - - 48"/65"/80" EP1TP486580 \$304 N/A \$335 - - 53"/60"/65" EP1TP536065 \$271 N/A \$301 - - 53"/60"/80" EP1TP536080 \$275 N/A \$304 - - 53"/65"/80" EP1TP536580 \$304 N/A \$335	-	-	48"/53"/60"	EP1TP485360	\$255	N/A	\$284
- - 48"/53"/80" EP1TP485380 \$276 N/A \$305 - - 48"/60"/65" EP1TP486065 \$272 N/A \$303 - - 48"/60"/80" EP1TP486080 \$304 N/A \$335 - - 48"/65"/80" EP1TP486580 \$304 N/A \$335 - - 53"/60"/65" EP1TP536065 \$271 N/A \$301 - - 53"/60"/80" EP1TP536080 \$275 N/A \$304 - - 53"/65"/80" EP1TP536580 \$304 N/A \$335	_	_	48"/53"/65"	EP1TP485365	\$271	N/A	\$301
- - 48"/60"/80" EP1TP486080 \$304 N/A \$335 - - 48"/65"/80" EP1TP486580 \$304 N/A \$335 - - 53"/60"/65" EP1TP536065 \$271 N/A \$301 - - 53"/60"/80" EP1TP536080 \$275 N/A \$304 - - 53"/65"/80" EP1TP536580 \$304 N/A \$335	_	_	48"/53"/80"	EP1TP485380		N/A	\$305
- - 48"/60"/80" EP1TP486080 \$304 N/A \$335 - - 48"/65"/80" EP1TP486580 \$304 N/A \$335 - - 53"/60"/65" EP1TP536065 \$271 N/A \$301 - - 53"/60"/80" EP1TP536080 \$275 N/A \$304 - - 53"/65"/80" EP1TP536580 \$304 N/A \$335	_	_	48"/60"/65"	EP1TP486065	\$272	N/A	\$303
- - 48"/65"/80" EP1TP486580 \$304 N/A \$335 - - 53"/60"/65" EP1TP536065 \$271 N/A \$301 - - 53"/60"/80" EP1TP536080 \$275 N/A \$304 - - 53"/65"/80" EP1TP536580 \$304 N/A \$335	_	_	48"/60"/80"	EP1TP486080	\$304	N/A	\$335
- - 53"/60"/65" EP1TP536065 \$271 N/A \$301 - - 53"/60"/80" EP1TP536080 \$275 N/A \$304 - - 53"/65"/80" EP1TP536580 \$304 N/A \$335	_	_					
53"/60"/80" EP1TP536080 \$275 N/A \$304 - 53"/65"/80" EP1TP536580 \$304 N/A \$335	_	_					
53"/65"/80" EP1TP536580 \$304 N/A \$335	_	_					
	_	_					
	_	_					

Order Code						
e.g.	EP1TP406080, 113					
EP1TP	Triple height post					
40	Height one					
60	Height two					
80	Height three					
113	Dark Grey trim					

Specification Information

Specify trim color.

Application Notes

Triple height posts are used where 3 or 4 panels of three different heights intersect.

Bottom levelers on posts allow for up to 1½" vertical adjustment.

Due to the variety of combinations possible, connector caps, shrouds and post covers must all be ordered separately.

Single Height Post

W	D	Н	MODEL#	P1	P2	Р3
-	-	28"	EP1P28	\$94	N/A	\$102
-	-	40"	EP1P40	\$95	N/A	\$106
-	-	48"	EP1P48	\$97	N/A	\$110
-	-	53"	EP1P53	\$100	N/A	\$111
-	-	60"	EP1P60	\$101	N/A	\$113
-	-	65"	EP1P65	\$102	N/A	\$115
-	-	80"	EP1P80	\$110	N/A	\$117

Order Code					
e.g.	EP1P48, 177	_			
EP1P	Post				
48	Height				
117	Soft Grey trim				
		-			

Specification	


Specify trim color.
Panel connectors
and shrouds must be
order separately.

Application Notes

Bottom leveler on posts allow for up to 1½" of vertical adjustment.

Generation 1

Panel connectors and shrouds



Panel Connectors

ТҮРЕ	MODEL#	P1	P2	P3
Straight	EP1PCS	\$40	\$42	\$46
2-way L	EP1PCL	\$50	\$52	\$53
2-way L (for post covers)	EP1PCLK	\$50	\$52	\$53
2-way Adjustable	EP1PCA	\$64	\$73	\$73
3-way T	EP1PCT	\$62	\$64	\$68
3-way Y 120	EP1PCY	\$62	\$64	\$68
4-way X	EP1PCX	\$68	\$73	\$82
End	EP1PCEP	\$47	\$49	\$50
End (for post covers)	EP1PCEPK	\$47	\$49	\$50
Multi-height filler	EP1PCMF	\$33	\$37	\$38
Trim filler	EP1PCTF	\$33	\$37	\$38
Post plug (pkg. of 25)	EP1PLUG	\$22	\$29	\$30

e.g. EP1PCEP EP1PC Post connector EP End with post

Specification Information

Specify panel connector and shroud trim color.

Specify one multi-height filler (EP1PCMF) for each low panel in a multi-height connection.

NOTE: EP1 & EP2 Panels and components are available in legacy colors only.

EXCEPTION: EP1 posts connectors only are available in all colors as they may need to be specified when ordering stack-on panels with an EP3 profile.

Application Notes

Panel connectors stabilize panel to panel connections.


Panel connectors have painted finish and a quick mount design.

Mounting screws are included. Conical connector screw is included with post.

The EP1PCTF is a trim filler piece that is to be used when no other post part can be used in a given panel layout.

This piece butts against EP1PCS and EP1PCT, when installed as an addition.

Shrouds provide a finished raceway cover at posts. Two-way "L" connections do not require an inside shroud.



Raceway Shrouds		P1	P2	P3
Straight	EP1SS	\$33	N/A	\$38
L outside	EP1SL	\$47	N/A	\$50
L outside (for post covers)	EP1SLK	\$47	N/A	\$50
120 outside	EP1SO120	\$37	N/A	\$40
120 inside	EP1SI120	\$22	N/A	\$30
135 outside	EP1SO135	\$37	N/A	\$40
End	EP1SEP	\$64	N/A	\$73
End (for post covers)	EP1SEPK	\$64	N/A	\$73

Order Code					
e.g. EP1SEP					
EP1S	Post shroud				
EP	End with post				

	Information

Specify panel connector and shroud trim color.

Specify one multi-height filler (EP1PCMF) for each low panel in a multi-height connection.

NOTE: EP1 & EP2 Panels and components are available in legacy colors only.

EXCEPTION: EP1 posts connectors only are available in all colors as they may need to be specified when ordering stack-on panels with an EP3 profile.

Application Notes

Panel connectors stabilize panel to panel connections.

Panel connectors have painted finish and a quick mount design.

Mounting screws are included. Conical connector screw is included with post.


The EP1PCTF is a trim filler piece that is to be used when no other post part can be used in a given panel layout.

This piece butts against EP1PCS and EP1PCT, when installed as an addition.

Shrouds provide a finished raceway cover at posts. Two-way "L" connections do not require an inside shroud.


Generation 3

Fahric Pane



64"	Н								PAIN	т	
W	MODEL#	A	В	C	D	E	F	G	P2	Р3	
12"	EP3FA1264(K/N)	\$876	\$926	\$986	\$1,066	\$1,186	\$1,316	\$1,466	\$1,646	+ \$31	+ \$63
18"	EP3FA1864(K/N)	\$942	\$992	\$1,052	\$1,132	\$1,252	\$1,382	\$1,532	\$1,712	+ \$31	+ \$63
24"	EP3FA2464(K/N)	\$1,009	\$1,059	\$1,119	\$1,199	\$1,319	\$1,449	\$1,599	\$1,779	+ \$31	+ \$63
30"	EP3FA3064(K/N)	\$1,075	\$1,125	\$1,185	\$1,265	\$1,385	\$1,515	\$1,665	\$1,845	+ \$31	+ \$63
36"	EP3FA3664(K/N)	\$1,181	\$1,291	\$1,421	\$1,581	\$1,831	\$2,111	\$2,431	\$2,821	+ \$31	+ \$63
42"	EP3FA4264(K/N)	\$1,248	\$1,358	\$1,488	\$1,648	\$1,898	\$2,178	\$2,498	\$2,888	+ \$31	+ \$63
48"	EP3FA4864(K/N)	\$1,314	\$1,424	\$1,554	\$1,714	\$1,964	\$2,244	\$2,564	\$2,954	+ \$31	+ \$63
60"	EP3FA6064(K/N)	\$1,434	\$1,544	\$1,674	\$1,834	\$2,084	\$2,364	\$2,684	\$3,074	+ \$31	+ \$63

	Тор Сар	Panel Type	W	Н	Raceway
EP Equity panel	3 Beveled FA	Fabric panel	36	29	K With knockouts N Without knockouts
EP	3 FA	:	:	29	К



64" H			C	ILASS INSERT	•	LA	MINATE INSE	RT	PAII	NT
W	MODEL#	OF	PG	GL	DG	L1	L2	L3	P2	Р3
12"	EP3()1264(K/N)	\$1,058	\$1,323	\$1,482	\$1,749	\$1,430	\$1,573	\$1,716	+ \$33	+ \$66
18"	EP3()1864(K/N)	\$1,071	\$1,403	\$1,563	\$1,921	\$1,509	\$1,659	\$1,810	+ \$33	+ \$66
24"	EP3()2464(K/N)	\$1,084	\$1,497	\$1,668	\$2,134	\$1,615	\$1,776	\$1,938	+ \$33	+ \$66
30"	EP3()3064(K/N)	\$1,111	\$1,602	\$1,788	\$2,385	\$1,735	\$1,908	\$2,082	+ \$33	+ \$66
36"	EP3()3646(K/N)	\$1,137	\$1,722	\$1,908	\$2,638	\$1,854	\$2,039	\$2,224	+ \$33	+ \$66
42"	EP3()4264(K/N)	\$1,163	\$1,854	\$2,054	\$2,917	\$2,002	\$2,202	\$2,402	+ \$33	+ \$66
48"	EP3()4864(K/N)	\$1,191	\$2,002	\$2,214	\$3,209	\$2,161	\$2,377	\$2,593	+ \$33	+ \$66
60"	EP3()6064(K/N)	\$1,257	\$2,161	\$2,373	\$3,634	\$2,319	\$2,550	\$2,782	+ \$33	+ \$66

	Panel Type	W	Н	Raceway
EP3 Equity panel	OF Open frame PG Plexiglass insert	36	29	K With knockouts N Without knockouts
; ;	PG	36	29	К

Post Assemblies



Straight			PAINT		
Н	MODEL#	P1	P2	P3	
64"	EP3P64S	\$207	\$215	\$223	



3-w	ay T	PAINT		
Н	MODEL#	P1	P2	P3
64"	EP3P64T	\$201	\$209	\$217



2-way L			•••••	PAINT	
Н	MODEL#		P1	P2	P3
64"	EP3P64L	\$2	.01	\$209	\$217



3-wa	ay 120		PAINT	
Н	MODEL#		P1 P	P3 P3
64"	EP3P64Y	\$25	51 \$26	1 \$271



2-wa	ay 120		PAINT	
Н	MODEL#	P1	P2	P3
64"	EP3P64120	\$207	\$215	\$223



4 -v	vay X		PAINT	
Н	MODEL#	P1	P2	Р3
64	" FD3D64Y	\$174	\$182	\$190

Specify

- 1. Model#
- 2. Paint trim color

Application Notes

Used to connect panels of the same height

Bottom glides on post allow for up to 1 ½" of vertical adjustment.

Assembly

Included

- Single height postPanel connector
- Appropriate metal shroud

Top Cap Style





Single Height			PAINT	
Н	MODEL#	P1	P2	P3
Dual He	EP3P64	\$140	\$143	\$146
29"/64"		\$234	\$245	\$256
41"/64"		\$234	\$245	\$256
49"/64"	EP3DP4964	\$234	\$245	\$256

\$234

\$234

\$255

\$245

\$245

\$266

\$256

\$256

\$277

EP3DP5464

EP3DP6164

EP3DP6481

54"/64"

61"/64"

64"/81"

		· · · · · · · · · · · · · · · · · · ·	• • • • • • • • • • • • • • • • • • • •	
Triple Heig	ht		PAINT	
Н	MODEL#	P1	P2	P3
29"/41"/64"	EP3TP294164	\$276	\$287	\$298
29"/49"/64"	EP3TP294964	\$276	\$287	\$298
29"/54"/64"	EP3TP295464	\$276	\$287	\$298
29"/61"/64"	EP3TP296164	\$276	\$287	\$298
29"/64"/81"	EP3TP296481	\$304	\$315	\$326
41"/49"/64"	EP3TP414964	\$276	\$287	\$298
41"/54"/64"	EP3TP415464	\$276	\$287	\$298
41"/61"/64"	EP3TP416164	\$276	\$287	\$298
41"/64"/81"	EP3TP416481	\$304	\$315	\$326
49"/54"/64"	EP3TP495464	\$276	\$287	\$298
49"/61"/64"	EP3TP496164	\$276	\$287	\$298
49"/64"/81"	EP3TP496481	\$304	\$315	\$326
54"/61"/64"	EP3TP546164	\$276	\$287	\$298
54"/64"/81"	EP3TP546481	\$304	\$315	\$326
61"/64"/81"	EP3TP616481	\$304	\$315	\$326

		н		Connection Type
EP3 Equity panel	P Post	64	120	2-way 120
:			Е	End w/post
			ETK	Postless end
			L	2-way L
			Τ	3-way T
			S	Straight
			Χ	4-way
			Υ	3-way 120
EP3	Р	64	S	

End Kits



End	w/Post		PAINT	
Н	MODEL#	P1	P2	P3
64"	EP3P64E	\$246	\$254	\$262



Post	less End		PAINT	
Н	MODEL#	P1	P2	P3
29"	EP3ETK29	\$207	\$212	\$215
41"	EP3ETK41	\$210	\$214	\$217
49"	EP3ETK49	\$213	\$216	\$222
54"	EP3ETK54	\$215	\$220	\$224
61"	EP3ETK61	\$217	\$223	\$226
64"	EP3ETK64	\$222	\$225	\$228
66"	EP3ETK66	\$222	\$225	\$228
81"	EP3ETK81	\$233	\$236	\$240

End w/Post

Specify

- 1. Model#
- 2. Paint trim color

Application Notes

Used to finish a panel end that is not being connected to another panel.

Postless End

Specify

- 1. Model #
- 2. Paint trim color

Application Notes

Used to finish a panel end that is not being connected to another panel.

NOTE: Postless end kit should not be used on panels that are placed perpendicular to a worksurface of the same depth as the front of the worksurface will extend approximately 3/4" beyond the panel end.

Assembly

Included

- Single height post
- Panel connector
- Appropriate metal shroud

Top Cap Styles

3 – Beveled



Assembly

Included

- Panel connector
- Appropriate metal shroud

Top Cap Styles

3 – Beveled



P	Panel Wall Starter							PAINT	
	W	D	Н	H (Actual)	MODEL#		P1	P2	Р3
	1 ½"	1/2"	64"	60"	EP3PWS64		\$68	\$73	\$82

Wall Mounted Channel

2 7/6"	3/4"	64"	60"	EP3WMC64	¢176	\$190	¢106
Z 1/8	7/4	04	00	EP3 WIVICO4	\$170	\$190	\$196

Panel Wall Starter

Specify

- 1. Model#
- 2. Paint trim color

Application Notes

Used to start a run of panels by fastening to an existing wall and attaching a connector assembly to it. Creates 1¼" space from face to wall to centerline of post. Constructed of steel.

NOTE: Neutral Posture assumes no responsibility for wall construction or performance of fasteners used.

Top Cap Styles

3 - Beveled

Assembly

Included

- Panel top & bottom hook
- Panel connector

Not Included

• Fasteners to attach to wall

Ordered Separately

- Post
- Shrouds

Wall Mounted Channel

Specify

- 1. Model#
- 2. Paint trim color

Application Notes

Allows hanging of all components and accessories on reinforced building walls.

Painted extruded aluminum with a plastic insert which snaps in place, covering mounting screws.

NOTE: Neutral Posture assumes no responsibility for wall construction or performance of fasteners used.

Assembly

Included

- Extruded aluminum
- Insert which snaps

- channel
- into place

Panel accessories

Cable and Wire Managers

Vertical Wire Manager

W	D	Н	MODEL#	P1	P2	P3
1/2"	3/4"	80"	EC1VWM80	\$38	\$40	\$42



Metal Ceiling Module

4"	11/2"	120"	EE1CM40M	\$829	N/A	\$915
4"	11/2"	120"	EE1CM48M	\$829	N/A	\$915
4"	11/2"	120"	EE1CM53M	\$829	N/A	\$915
4"	11/2"	120"	EE1CM60M	\$829	N/A	\$915
4"	11/2"	120"	EE1CM65M	\$829	N/A	\$915
4"	11/2"	120"	EE1CM80M	\$829	N/A	\$915

Ceiling Infeeds – Generation 3

4"	1 ½"	120"	EE3CM64M	\$718	\$754	\$792

0	Order Code			
e	e.g.	EC1VWM80, 177		
E	C1VWM	Vertical Wire Manager		
8	0	Length		
1	17	Soft Grey trim		

Specification Information

Specify trim color.

Vertical Wire Manager:

A plastic strip designed to hide a cord running down the edge of the panel. Cut to desired length in field.

Ceiling Infeed Modules:

Electrical harnesses not included with modules. Modules are hollow to accommodate power and/ or data cables from source into systems furniture.

With electrical harness installed, infeed holds 35 CAT 5 cables.

Cables/conduit are laid into the lower metal body by removal of the front 1-½" wide access cover and into the upper plastic extrusion by separating the front edge of the pliable tube. Infeed module is attached to an available post location of the appropriate height. The module can not be used for panel support and there are no "hang on" capabilities. Includes escutcheon plate. Plate and plastic tube are white to integrate with standard ceiling color.

No "hang on" capabilities. Module cannot be used for panel support. Painted metal module is 120" long metal extrusion with attachment hooks at proper height to attach to appropriate height post.

To connect a metal ceiling infeed to a corner or a straight connection you must use an adjustable angle connector or adjustable angle connector with a multi-height panel connector.



EP1 Coat Hook (6/carton)

W	D	Н	MODEL#	P1	P2	P3
1/2"	3/4"	5"	EP1CH	\$159	N/A	N/A



Carpet Gripper (12 pack)

	EP1CG12	\$49	N/A	N/A



EP3 Coat Hook Straight (5 pack)

			` .	•			
16"	13/4"	23/4"		ED2MMCH (P/D)	¢107	NI/A	NI/A



EP3 Coat Hook Postless End (5 pack)

13/8"	3/8"	23/8"	EP3MMCHPE (R/L)(B/P)	\$187	N/A	N/A

Order Code					
e.g.	EP1CH, 117				
EP1CH	Coat hook				
117	Soft Grev trim				

Specification Information

Specify trim color.

Coat Hook and Coat Hanger available only in Dark Neutral, Medium Grey, Soft Grey or Taupe.

NOTE: EP1 & EP2 Panels and components are available in legacy colors only.

Application Notes

Coat Hanger

A plastic coat hanger available to hang on coat hook. EP1 Coat hook: Molded plastic hook hangs over EP1 panels to hold coats and hangers.

Coat hook must hang over straight post location if being used w/EP3 panels.


Carpet gripper:12 per package.

EP3 Coat hook

Aluminum coat hook attaches to any exposed Equity vertical slot. There are two versions. The straight version will work on any Equity vertical slot except for those on an inside corner. The postless end version is handed and extends beyond the edge of a panel with a postless end. Hand is determined by which side of the panel the coat hook is installed on while facing the panel. Available in two colors; Black (B) or Matte Aluminum (P).

Counter Caps, Straight Generation 1 and Generation 2 profiles

Straight



NOMINAL W	ACTUAL W	D	Н	MODEL#	P1	P2	Р3
12"	10.5"	15.25"	-	EW(1/2)1215	\$355	\$368	\$376
24"	22.5"	15.25"	-	EW(1/2)2415	\$393	\$401	\$412
30"	28.5"	15.25"	-	EW(1/2)3015	\$429	\$440	\$448
36"	34.5"	15.25"	-	EW(1/2)3615	\$429	\$440	\$448
42"	40.5"	15.25"	-	EW(1/2)4215	\$437	\$445	\$456
48"	46.5"	15.25"	-	EW(1/2)4815	\$441	\$453	\$462
60"	58.5"	15.25"	-	EW(1/2)6015	\$487	\$497	\$507
72"	70.5"	15.25"	-	EW(1/2)7215	\$513	\$520	\$533
84"	82.5"	15.25"	-	EW(1/2)8415	\$555	\$567	\$577
96"	94.5"	15.25"	-	EW(1/2)9615	\$577	\$589	\$598
108"	106.5"	15.25"	-	EW(1/2)10815	\$596	\$605	\$616
120"	118.5"	15.25"	-	EW(1/2)12015	\$664	\$671	\$679

Straight – Extended One End



	g								
Ī	12"	12"	15.25"	-	EW(1/2)1215E	\$369	\$378	\$392	
	24"	24"	15.25"	-	EW(1/2)2415E	\$404	\$416	\$427	
	30"	30"	15.25"	-	EW(1/2)3015E	\$436	\$443	\$454	
	36"	36"	15.25"	-	EW(1/2)3615E	\$436	\$443	\$454	
	42"	42"	15.25"	-	EW(1/2)4215E	\$445	\$456	\$465	
	48"	48"	15.25"	-	EW(1/2)4815E	\$460	\$467	\$479	
	60"	60"	15.25"	-	EW(1/2)6015E	\$493	\$504	\$514	
	72"	72"	15.25"	-	EW(1/2)7215E	\$536	\$544	\$554	
	84"	84"	15.25"	-	EW(1/2)8415E	\$559	\$570	\$580	
	96"	96"	15.25"	-	EW(1/2)9615E	\$585	\$595	\$603	
	108"	108"	15.25"	-	EW(1/2)10815E	\$627	\$639	\$649	

Straight – Extended Both Ends



12"	13.5"	15.25"	-	EW(1/2)1215EE	\$378	\$392	\$400
24"	25.5"	15.25"	-	EW(1/2)2415EE	\$422	\$431	\$441
30"	31.5"	15.25"	-	EW(1/2)3015EE	\$443	\$454	\$464
36"	37.5"	15.25"	-	EW(1/2)3615EE	\$443	\$454	\$464
42"	43.5"	15.25"	-	EW(1/2)4215EE	\$460	\$467	\$479
48"	49.5"	15.25"	-	EW(1/2)4815EE	\$513	\$520	\$533
60"	61.5"	15.25"	-	EW(1/2)6015EE	\$508	\$517	\$526
72"	73.5"	15.25"	-	EW(1/2)7215EE	\$547	\$557	\$568
84"	85.5"	15.25"	-	EW(1/2)8415EE	\$578	\$590	\$599
96"	97.5"	15.25"	-	EW(1/2)9615EE	\$596	\$605	\$616
108"	109.5"	15.25"	-	EW(1/2)10815EE	\$646	\$655	\$666

e.g.	EW16015,117, 117, 117
EW1 Worksurface	
60	Width
15	Depth
117	Soft Grey laminate
117	Soft Grey edge

Soft Grey

cantilever trim

Order Code

Specification Information

Specify surface, trim and cantilever trim color.

EW1 Counter caps work with all existing counter caps and are for use on Generation 1 or Generation 2 panels only. Plastic cantilevers are supplied.

EW2 counter caps are for use with Generation 3 panels only. Steel brackets are provided.

Counter caps are designed for mounting on top of panels.

Straight counter caps overhang both sides of the panel equally.

Counter caps fit between posts, appropriate to fit between two taller panels and a dual/triple height connectors.

A counter cap extension (E) covers one post.

A counter cap extension (EE) covers 2 posts.

Steel mounted brackets are supplied.

117



Corner

W	D	Н	MODEL#	P1	P2	P3
24"	15.25"	-	EW(1/2)CC2415	\$501	\$520	\$543
30"	15.25"	-	EW(1/2)CC3015	\$537	\$555	\$577
36"	15.25"	-	EW(1/2)CC3615	\$547	\$568	\$590




Corner – Extended Left

•	24"	15.25"	-	EW(1/2)CC2415LHE	\$513	\$533	\$552
	30"	15.25"	-	EW(1/2)CC3015LHE	\$547	\$568	\$590
	36"	15.25"	-	EW(1/2)CC3615LHE	\$559	\$580	\$600



Corner – Extended Right

24"	15.25"	-	EW(1/2)CC2415RHE	\$513	\$533	\$552
30"	15.25"	-	EW(1/2)CC3015RHE	\$547	\$568	\$590
36"	15 25"	_	FW(1/2)CC3615RHF	\$550	\$580	\$600



Corner – Extended Both Ends

24"	15.25"	-	EW(1/2)CC2415EE	\$533	\$552	\$573
30"	15.25"	-	EW(1/2)CC3015EE	\$578	\$599	\$618
36"	15.25"	-	EW(1/2)CC3615EE	\$590	\$612	\$629

Order Code				
e.g.	EW1CC3015, 117, 117, 117			
EW1	Worksurface			
cc	Curved corner			
30	Width			
15	Depth			
117	Soft Grey laminate			
117	Soft Grey edge			
117	Soft Grey			

Specification Information

Specify surface, trim and cantilever trim color.

EW1 counter caps work with all existing counter caps and are for use with Generation 1 or Generation 2 panels. Plastic cantilevers are supplied.

EW2 counter caps are for use with Generation 3 panels only.

Application Notes

Counter caps are designed for mounting on top of panels.

Corner counter caps-(E) extended one end, mount on top of 24", 30" or 36" panels at 90° to each other. They are non-handed and screw holes for the mounting brackets must be field-drilled.

Steel mounting brackets are supplied.

A counter cap extension (E) covers one post.

A counter cap extension (EE) covers 2 posts.

Freestanding support components



Flat Brackets (black only)

W	D	Н	TOP SIZE	MODEL#	P1	P2	Р3
	15"			EB1F24	\$59	N/A	N/A
	21"			EB1F30	\$68	N/A	N/A



Column Base

27¾"	EB1FCOL	\$424	\$462	\$480

Tackable Privacy Screens



Tackable Privacy

		-								
W	D	Н	MODEL#.	A	В	C	D	E	F	G
36"	3/4"	21"	EF2PS36	\$520	\$564	\$572	\$587	\$598	\$607	\$625
42"	3/4"	21"	EF2PS42	\$545	\$587	\$599	\$620	\$627	\$641	\$656
48"	3/4"	21"	EF2PS48	\$568	\$612	\$625	\$643	\$651	\$662	\$679
60"	3/4"	21"	EF2PS60	\$608	\$660	\$673	\$688	\$701	\$711	\$733
72"	3/4"	21"	EF2PS72	\$651	\$705	\$718	\$738	\$749	\$762	\$785

Order Co	ode
e.g.	EF2OS60, 117
EF20S	Equity freestanding privacy screen
60	Length in inches
117	Soft Grey trim

Specification Information

Specify shelf and stanchion trim color where required.

NOTE: Fabric on 72" privacy screens and will be railroaded (turned 90°).

Wall Mounting

WALL MOUNTING SUGGESTIONS

The following information is provided only as a guide, and represents minimum recommendations only. Neutral Posture does not accept responsibility for the attachment of any Neutral Posture product to a Customer's site wall. Wall specification/construction is the responsibility of the Customer and its structural engineer/architect. Failure to properly attach Neutral Posture products to adequate wall structures can lead to property damage and/or personal injury.

You should consult your own structural engineers and/or architects and must not rely on the information provided herein.

It is the responsibility of the Customer and its structural engineers/architects to verify that the permanent structural walls (studs, blocks, solid masonry, etc.) on which the Neutral Posture products are intended to be mounted are designed appropriately to support the product weight, PLUS 3 lbs. per linear inch for each usable shelf length.

NOTE: A cabinet's top is considered a "usable shelf" and MUST be included in the calculation of the total load for an overhead cabinet.

It is the responsibility of the Customer and its structural engineer/architects to specify the fasteners and method for attaching the Neutral Posture supplied wall mounting cleat, bracket, frame, etc. to the supporting wall and to confirm that the installers have adhered to these specifications. For all local building standards and codes, and additional requirements (including, but not limited to, seismic conditions) the Customer should always consult local code agencies.

New Construction

Existing Construction

		Cinder Block or Poured Concrete Masonry Wall	Wood Stud Wall, the studs being FULL HEIGHT to the roof/floor above	Wood Stud Wall, the studs being only ceiling height	Steel Stud Wall, the studs being FULL HEIGHT to the roof/floor above	Steel Stud Wall, the studs being only ceiling height
Stud Specification	Wood studs, grade #2 or better, 3 ½" minimum width, OR Metal studs, minimum 25 gage thickness, 3 %" minimum width	The wall must be a minimum of 6" thick, and must be full height to the roof/floor structure above	Wood studs must be Grade #2, or better, 3 ½" minimum width	Wood studs must be Grade #2, or better, 3 ½" minimum width	Metal studs must be minimum 25 gage thickness, 3 %" minimum width	Metal studs must be minimum 25 gage thickness, 3 %" minimum width
Stud Centers	Metal and wood studs must be spaced at 16" c/c maximum.	N/A	Wood studs must be spaced at 16" c/c maximum.	Wood studs must be spaced at 16" c/c maximum.	Metal studs must be spaced at 16" c/c maximum.	Metal studs must be spaced at 16" c/c maximum.
Stud Height	Metal and wood studs must extend upwards, and be securely attached to the roof/floor structure above.			Wood studs must be braced above the ceiling, and be securely attached to the roof/floor structure above Affix #2 grade 'cap' across the top of the studs, then place diagonal studs from the top cap up to underside of the roof/floor structure above.		Metal studs must be braced above the ceiling and be securely attached to the roof/floor structure above Affix metal bracing 'cap' across the top of the studs. Then place diagonal studs from the top cap up to underside of the roof / floor structure above.
Mounting the Neutral Posture Supplied Cleat, Bracket, Frame, etc	Insert a 2" x 6" wood block, #2 grade or better, [or a locally approved flexible wood backing system] horizontally between each of the studs to accommodate the full width of the cabinet and beyond to the next stud. Fasten the wood block to each stud using three screws at the ends of each block. (Fasten the locally approved wood backing system as directed by the manufacturer.) Fasten the Neutral Posture supplied wall mounting cleat, bracket, frame, etc directly to each wood block every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6" and fasten the lower horizontal element to each wall stud, using one fastener per stud.	Fasten the Neutral Posture supplied cabinet wall mounting cleat, bracket, frame, etc. directly to the masonry wall every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wall every 6" and fasten the lower horizontal element to the wall every 16".	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet and beyond to the next stud. Insert a 2" x 6" wood block, #2 grade or better, horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" x 6" wood block, #2 grade or better, horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet and beyond to the next stud. Insert a 2" x 6" wood block, #2 grade or better, [or a locally approved flexible wood backing system] horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud,	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet and beyond to the next stud. Insert a 2" x 6" wood block, #2 grade or better, [or a locally approved flexible wood backing system] horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6" and fasten the lower horizontal element to each wall stud,
Fasten the Neutral Posture Supplied Wall Cleat With	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	%e" x 3 ½" masonry screws Screws or equiv. in every mounting hole provided with 1 ¼" embedment, screwed directly into the masonry wall	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	using one fastener per stud. #10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	using one fastener per stud. #10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking

Key Lock Program

GENERAL INFORMATION

Following is the Neutral Posture key lock policy, applicable to all products.

Neutral Posture pedestals, overheads, and storage cabinets ship without lock cores installed. The locks are field installed. If your purchase order does not specify key-alike you will automatically receive random lock cores with your order.

Neutral Posture furniture can be keyed-alike or random keyed.

KEY-ALIKE

Furniture may be keyed alike at no charge. Write "key-alike" in the description of your purchase order for any storage piece you wish to have keyed alike.

Using the key-alike instructions, order cores and keys as line items on your purchase order. Neutral Posture will select key numbers from the standard range of 226 – 425. Key numbers will not be repeated unless over 199 sets are ordered.

There is no charge for key-alike orders if placed with the furniture order.

If product is ordered and shipped random-keyed, additional lock cores for key-alike are billable.

KEYS

A key is shipped with every lock core. 199 Key numbers are available. For numbers above 199, contact Sales Support. Additional keys and key blanks are available.

MASTER KEYING

Neutral Posture locks can be controlled by means of a master key. There is no additional per-lock charge for master keying. Master keys must be ordered separately.

INSTALLING LOCK CORES

Lock cores can be installed or removed in the field by using a change key. Cores must be in the unlocked position to be removed. See service parts for change key pattern number and pricing.

SERVICE PARTS

MODEL#	DESCRIPTION	LIST
NLCKE	Shrouded Key (Specify key number desired)	\$23
NAKC	Change Key	\$23
NKM	Master Key	\$23

NOTE: A letter of approval on company letterhead from the client must accompany all orders for master keys.


NOTE: Neutral Posture locks/keys are not compatible with Knoll Equity pedestals/double pedestals.

HOW TO SPECIFY KEY-ALIKE

Following is an example of how to specify keyalike for a cluster of 10 workstations.

STEP 1

Using the project floor plan, count the number of locks in each workstation.



STEP 2

Count the number of workstations with the same quantity of locks. Group together the workstations with a like number of locks.

5 workstations with 2 locks per station 3 workstations with 4 locks per station 2 workstations with 5 locks per station

STEP 3

For the first group (5 sets of 2 locks), enter the number of workstations in the quantity column.

QTY	MODEL#	DESCRIPTION	UNIT LIST	EXT LIST
5	NSPEC 2	Set of 2 cores/keys	N/C	N/C

STEP 4

Then enter the pattern number "NSPEC__" and add a suffix for the number of locks for that group (i.e., for 2 locks per station, add the suffix "2"). Up to 30 lock cores are available in a set (i.e., NSPEC 30).

QTY	MODEL#	DESCRIPTION	UNIT LIST	EXT LIST
5	NSPEC 2	Set of 2 cores/keys	N/C	N/C

STEP 5

Repeat for other groups.

QTY	MODEL#	DESCRIPTION	UNIT LIST	EXT LIST
5	NSPEC 2	Set of 2 cores/keys	N/C	N/C
3	NSPEC 4	Set of 4 cores/keys	N/C	N/C
2	NSPEC 5	Set of 5 cores/keys	N/C	N/C

Your key instructions are complete.

Neutral Posture will select key numbers for each set from 199 available numbers.

For additions to existing installations, specify desired key numbers in the description.

EQUITY

In order to specify an Equity locking component with an "H" series core, apply an "A" suffix to the Equity Base pattern number.

All keyed locks in the Equity system are randomly* keyed, as a standard offering. For those requiring all locks within a workstation (or group of workstations) to be keyed alike, Equity also offers a key-alike option.

EQUITY LOCKING COMPONENTS

Identify the cabinets to be keyed alike by adding the suffix "P" to the standard catalog number (i.e., EC20F36AP indicates a keyalike EC20F36A cabinet). The cabinet will be factory-prepared with the hardware mechanisms excluding the lock core and key. List price will be reduced by \$22.

MULTIPLE KEY-ALIKE PACKAGES

For multiple keys of the same number, specify ALCKE - (number of keys desired, from 2 to 8.) Price is: Number of Keys x \$22. (i.e.: ALCKE-5 Pkg. of five cores with keys = \$110.00)

LOCK CORES

Order the lock cores required separately (ALCKE series). Cores are numbered sequentially, with up to 250 different combinations available (ALCKEH6001- ALCKEH6250). Use one line item for each quantity of lock cores to be keyed alike. Series H6001-H6100 are standard lead-time.

MASTER KEY

A master key (AKM) is available that will unlock all cabinets and pedestals with the same prefix letter, for

example: H6001, H6002. A single key is supplied and priced, as shown below.

DESCRIPTION	CATALOG NUMBER	LIST
Equity Lock and Keys	ALCKE(H6)	\$28
Change Key	AKC	\$23
Master Key	AKM	\$23

SHIPMENT

Additional lead time of 2-4 weeks may apply when more than 100 lock sequences are specified for key-alike (contact Sales Support for current lead times).

The key-alike core and keys are shipped separately from the components for field installation in the appropriate workstation components.

^{*}Randomly keyed means that no attempt is made to assure that locks have the same number or that they are, in fact, different.



NeutralPosture.com 3904 N. Texas Ave. Bryan, TX 77803

T 979.778.0502

F 979.778.0408

GSA SCS Indoor Advantage BIFMA e3/LEVEL ISO 9001:2008 Approved



